

A.2 Peak to Average Ratio

1. WCDMA_Band2

1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	2.48	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 1852.40000 Ref. Level: 30.00 Connector:RF2COM

Statistic Count	1 / 1	Probability	
Sample Count	999512	10,000%	1.500 dB
Sample Time	40.000 ms	1,0000%	2.156 dB
Avg Power	22.380 dBm	0,1000%	2.484 dB
Max Power	25.221 dBm	0,0010%	2.766 dB
PAR	2.841 dB	0,0001%	2.813 dB

Go To Local Show Remote Screen

1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	2.62	13	Pass



1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.6	0.1	2.62	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

RDY

Frequency: **1907.60000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: --- x: Off y: --- x: Off y: ---

■ AWGN
■ Current

Statistic Count 1 / 1

		Probability	
Sample Count	999512	10,000%	1.500 dB
Sample Time	40.000 ms	1,0000%	2.250 dB
Avg Power	22.512 dBm	0,1000%	2.625 dB
Max Power	25.499 dBm	0,0100%	2.813 dB
PAR	2.987 dB	0,0010%	2.906 dB
		0,0001%	2.953 dB

Go To Local
Show Remote Screen


Power

Statistic


Marker / Display

2. WCDMA_Band4

2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)



2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)



2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.6	0.1	2.81	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: **1752.60000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count 1 / 1	Probability
Sample Count 999512	10,000% 1.594 dB
Sample Time 40.000 ms	1,0000% 2.391 dB
Avg Power 21.836 dBm	0,1000% 2.813 dB
Max Power 25.038 dBm	0,0100% 3.000 dB
PAR 3.202 dB	0,0010% 3.094 dB
	0,0001% 3.188 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger


List Config.

Statistic

Marker / Display

3. WCDMA_Band5

3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)



3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	2.95	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: **836.40000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count 1 / 1	Probability
Sample Count 1023250	10,000% 1.641 dB
Sample Time 40.950 ms	1,0000% 2.484 dB
Avg Power 23.607 dBm	0,1000% 2.953 dB
Max Power 26.996 dBm	0,0100% 3.141 dB
PAR 3.389 dB	0,0010% 3.281 dB
	0,0001% 3.375 dB

Go To Local
Show Remote Screen

GPRF

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display

3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	2.81	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: **846.60000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count 1 / 1	Probability
Sample Count 1000312	10,000% 1.641 dB
Sample Time 40.032 ms	1,0000% 2.438 dB
Avg Power 23.498 dBm	0,1000% 2.813 dB
Max Power 26.752 dBm	0,0100% 3.047 dB
PAR 3.254 dB	0,0010% 3.141 dB
	0,0001% 3.188 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger


List Config.

Statistic


Marker / Display

4. LTE_Band2


4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band4


5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




6. LTE_Band5


6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band7


7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8. LTE_Band12


8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




9. LTE_Band17


9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




9.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




9.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




9.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



9.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10. LTE_Band26(part22)


10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




11. LTE_Band26(part90)


11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




12. LTE_Band38


12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



12.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13. LTE_Band41 full


13.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



13.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14. LTE_Band66


14.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



14.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15. CA_7C


15.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006+21150, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




15.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006+21150, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



15.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



15.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



15.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025+21175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.37	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137 GPRF


Power
 Spectrum
 FFT Spectrum
 IQ Recorder
 IQ vs. Slot
 EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM


x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count		Probability	
Sample Count	999312	10,000%	3.375 dB
Sample Time	9.998 ms	1,0000%	5.297 dB
Avg Power	19.836 dBm	0,1000%	6.375 dB
Max Power	28.087 dBm	0,0100%	7.078 dB
PAR	8.251 dB	0,0010%	7.781 dB
		0,0001%	8.016 dB

15.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025+21175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



15.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003+21174, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



15.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003+21174, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	7.03	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	1023880	20.488 ms	18.810 dBm	27.981 dBm	9.171 dB

Probability	Value
10,000%	3.422 dB
1,0000%	5.766 dB
0,1000%	7.031 dB
0,0100%	7.969 dB
0,0010%	8.531 dB
0,0001%	9.094 dB

Repetition... List Mode Off On Statistic Count... Measurement Length... Step Length... Filter... Param. Set Global List Config...

15.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026+21197, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



15.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026+21197, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.98	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	1023670	10,000%	3.469 dB
Sample Time	20.483 ms	1,0000%	5.766 dB
Avg Power	18.789 dBm	0,1000%	6.984 dB
Max Power	27.576 dBm	0,0010%	8.297 dB
PAR	8.787 dB	0,0001%	8.625 dB

Repetition... List Mode Off On Statistic Count... Measurement Length... Step Length... Filter... Param. Set Global List Config...

15.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



15.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	7.31	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	1023460	20.479 ms	18.758 dBm	28.306 dBm	9.548 dB

Probability	Value
10,000%	3.469 dB
1,0000%	5.813 dB
0,1000%	7.313 dB
0,0100%	8.297 dB
0,0010%	8.859 dB
0,0001%	9.328 dB


Repetition... List Mode Off On Statistic Count... Measurement Length... Step Length... Filter... Param. Set Global List Config...

16. CA_38C


16.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



16.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




16.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




17. CA_41C_full


17.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:40528+40645, Bandwidth:5+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




17.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:40528+40645, Bandwidth:5+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




17.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




17.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




17.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:40526+40670, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




17.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:40526+40670, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




17.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40571+40715, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




17.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571+40715, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




17.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40545+40695, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



17.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



17.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



17.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.1	0.1	10.5	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS


Frequency: 2593.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	998512	19.980 ms	15.099 dBm	27.765 dBm	12.666 dB


Probability	Value
10,000%	5.578 dB
1,0000%	9.000 dB
0,1000%	10.500 dB
0,0100%	11.438 dB
0,0010%	12.281 dB
0,0001%	12.516 dB

Repetition... List Mode Off On Statistic Count... Measurement Length... Step Length... Filter... Param. Set Global List Config...


17.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



17.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



17.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



17.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.5	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	Sample Count	Sample Time	Avg Power	Max Power	PAR
1 / 1	999513	20.000 ms	14.980 dBm	28.146 dBm	13.167 dB

Probability	Value
10,000%	5.672 dB
1,0000%	8.953 dB
0,1000%	10.500 dB
0,0100%	11.719 dB
0,0010%	12.516 dB
0,0001%	12.891 dB

Go To Local Show Remote Screen


18. NR_n5_SCS15_20M_L_Edge_1RB_Left(Pi2 BPSK)

18.1. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_L_Outer Full(Pi2 BPSK)

18.2. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_L_Edge_1RB_Left(QPSK)

18.3. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_L_Outer Full(QPSK)

18.4. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_M_Edge_1RB_Left(Pi2 BPSK)

18.5. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_M_Outer Full(Pi2 BPSK)

18.6. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_M_Edge_1RB_Left(QPSK)

18.7. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_M_Outer Full(QPSK)

18.8. NR Peak to Average Ratio(NTNV)




18. NR_n5_SCS15_20M_H_Edge_1RB_Left(Pi2 BPSK)

18.9. NR Peak to Average Ratio(NTNV)



18. NR_n5_SCS15_20M_H_Outer Full(Pi2 BPSK)

18.10. NR Peak to Average Ratio(NTNV)



18. NR_n5_SCS15_20M_H_Edge_1RB_Left(QPSK)

18.11. NR Peak to Average Ratio(NTNV)

