



**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2985
30	1000	0.1	RMS	856.71	-60.64	-25	Pass	9699
1000	2475	1	RMS	2475	-48.01	-25	Pass	1475
2475	2735	1	RMS	2651.15	11.01	60	Pass	401
2735	3000	1	RMS	2952.3	-46.26	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.62	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.02	-25	Pass	15000



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.87	-25	Pass	2985
30	1000	0.1	RMS	843.499	-60.69	-25	Pass	9699
1000	2475	1	RMS	2471.998	-47.97	-25	Pass	1475
2475	2735	1	RMS	2659.6	5.55	60	Pass	401
2735	3000	1	RMS	2735	-44.05	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.65	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.03	-25	Pass	15000



21. CA_38C


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.95	-25	Pass	2985
30	1000	0.1	RMS	846.6	-60.78	-25	Pass	9699
1000	2525	1	RMS	2513.993	-35.98	-25	Pass	1525
2525	2665	1	RMS	2598.85	10.95	60	Pass	401
2665	3000	1	RMS	2683.425	-42.49	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.67	-25	Pass	9000
12000	26500	1	RMS	26012.923	-39.11	-25	Pass	14500




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.1	-25	Pass	2985
30	1000	0.1	RMS	859.414	-60.73	-25	Pass	9699
1000	2525	1	RMS	2525	-42.1	-25	Pass	1525
2525	2665	1	RMS	2580.65	8.1	60	Pass	401
2665	3000	1	RMS	2665	-46	-25	Pass	401
3000	12000	1	RMS	6963.484	-53.72	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.06	-25	Pass	14500




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2985
30	1000	0.1	RMS	842.999	-60.82	-25	Pass	9699
1000	2525	1	RMS	2513.993	-32.74	-25	Pass	1525
2525	2665	1	RMS	2598.85	11.61	60	Pass	401
2665	3000	1	RMS	2683.425	-41.92	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.68	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.11	-25	Pass	14500




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-25	Pass	2985
30	1000	0.1	RMS	840.999	-60.66	-25	Pass	9699
1000	2525	1	RMS	2522.999	-43.61	-25	Pass	1525
2525	2665	1	RMS	2582.4	7.03	60	Pass	401
2665	3000	1	RMS	2947.238	-46.3	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.69	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.16	-25	Pass	14500




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.55	-25	Pass	2985
30	1000	0.1	RMS	841.599	-60.73	-25	Pass	9699
1000	2525	1	RMS	2525	-35.52	-25	Pass	1525
2525	2665	1	RMS	2609	11.9	60	Pass	401
2665	3000	1	RMS	2665	-35.18	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.63	-25	Pass	9000
12000	26500	1	RMS	26007.922	-39.1	-25	Pass	14500




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.07	-25	Pass	2985
30	1000	0.1	RMS	836.798	-60.84	-25	Pass	9699
1000	2525	1	RMS	2520.997	-43.9	-25	Pass	1525
2525	2665	1	RMS	2586.6	7.58	60	Pass	401
2665	3000	1	RMS	2668.35	-45.08	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.7	-25	Pass	9000
12000	26500	1	RMS	25988.919	-39.09	-25	Pass	14500




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	Pass	2985
30	1000	0.1	RMS	843.399	-60.84	-25	Pass	9699
1000	2525	1	RMS	2523.999	-32.59	-25	Pass	1525
2525	2665	1	RMS	2609	11.35	60	Pass	401
2665	3000	1	RMS	2665	-36.33	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.7	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.12	-25	Pass	14500




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.04	-25	Pass	2985
30	1000	0.1	RMS	841.899	-60.79	-25	Pass	9699
1000	2525	1	RMS	2522.999	-45.07	-25	Pass	1525
2525	2665	1	RMS	2590.8	6.98	60	Pass	401
2665	3000	1	RMS	2665	-45.74	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.68	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.09	-25	Pass	14500




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-25	Pass	2985
30	1000	0.1	RMS	838.699	-60.59	-25	Pass	9699
1000	2525	1	RMS	2505.988	-41.35	-25	Pass	1525
2525	2665	1	RMS	2590.8	10.89	60	Pass	401
2665	3000	1	RMS	2675.05	-34.44	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.63	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.11	-25	Pass	14500




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.38	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.21	-25	Pass	2985
30	1000	0.1	RMS	864.22	-60.84	-25	Pass	9699
1000	2525	1	RMS	2519.997	-45.2	-25	Pass	1525
2525	2665	1	RMS	2609	7.98	60	Pass	401
2665	3000	1	RMS	2665	-43.28	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.7	-25	Pass	9000
12000	26500	1	RMS	26018.924	-39.04	-25	Pass	14500




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.1	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.35	-25	Pass	2985
30	1000	0.1	RMS	853.305	-60.73	-25	Pass	9699
1000	2525	1	RMS	2504.987	-43.73	-25	Pass	1525
2525	2665	1	RMS	2619.15	11.59	60	Pass	401
2665	3000	1	RMS	2675.05	-35.97	-25	Pass	401
3000	12000	1	RMS	6958.483	-53.65	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.1	-25	Pass	14500




**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.59	-25	Pass	2985
30	1000	0.1	RMS	838.499	-60.74	-25	Pass	9699
1000	2525	1	RMS	2525	-46.14	-25	Pass	1525
2525	2665	1	RMS	2595.7	7.02	60	Pass	401
2665	3000	1	RMS	2665	-44.06	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.66	-25	Pass	9000
12000	26500	1	RMS	25997.92	-39.14	-25	Pass	14500




**21.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.8	-25	Pass	2985
30	1000	0.1	RMS	860.916	-60.83	-25	Pass	9699
1000	2525	1	RMS	2495.981	-34.66	-25	Pass	1525
2525	2665	1	RMS	2570.85	10.93	60	Pass	401
2665	3000	1	RMS	2683.425	-35.29	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.69	-25	Pass	9000
12000	26500	1	RMS	26019.924	-39.12	-25	Pass	14500




**21.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.39	-25	Pass	2985
30	1000	0.1	RMS	823.297	-60.69	-25	Pass	9699
1000	2525	1	RMS	2523.999	-42.89	-25	Pass	1525
2525	2665	1	RMS	2582.4	6.53	60	Pass	401
2665	3000	1	RMS	2668.35	-44.13	-25	Pass	401
3000	12000	1	RMS	11817.774	-53.58	-25	Pass	9000
12000	26500	1	RMS	26002.921	-38.98	-25	Pass	14500




**21.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.15	-25	Pass	2985
30	1000	0.1	RMS	835.498	-60.76	-25	Pass	9699
1000	2525	1	RMS	2495.981	-38.1	-25	Pass	1525
2525	2665	1	RMS	2571.2	10.86	60	Pass	401
2665	3000	1	RMS	2683.425	-36.64	-25	Pass	401
3000	12000	1	RMS	11817.774	-53.7	-25	Pass	9000
12000	26500	1	RMS	26008.922	-38.93	-25	Pass	14500




**21.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.73	-25	Pass	2985
30	1000	0.1	RMS	846.7	-60.54	-25	Pass	9699
1000	2525	1	RMS	2523.999	-43.49	-25	Pass	1525
2525	2665	1	RMS	2582.75	5.45	60	Pass	401
2665	3000	1	RMS	2665.838	-44.99	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.71	-25	Pass	9000
12000	26500	1	RMS	26008.922	-39.04	-25	Pass	14500




**21.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.26	-25	Pass	2985
30	1000	0.1	RMS	852.204	-60.71	-25	Pass	9699
1000	2525	1	RMS	2500.984	-37.57	-25	Pass	1525
2525	2665	1	RMS	2613.55	11.32	60	Pass	401
2665	3000	1	RMS	2688.45	-36.4	-25	Pass	401
3000	12000	1	RMS	11827.787	-53.72	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.04	-25	Pass	14500




**21.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.31	-25	Pass	2985
30	1000	0.1	RMS	844.499	-60.77	-25	Pass	9699
1000	2525	1	RMS	2522.999	-43.52	-25	Pass	1525
2525	2665	1	RMS	2587.65	6.3	60	Pass	401
2665	3000	1	RMS	2665.838	-43.57	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.62	-25	Pass	9000
12000	26500	1	RMS	25997.92	-39.12	-25	Pass	14500




**21.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.27	-25	Pass	2985
30	1000	0.1	RMS	853.105	-60.69	-25	Pass	9699
1000	2525	1	RMS	2500.984	-33.88	-25	Pass	1525
2525	2665	1	RMS	2613.55	10.92	60	Pass	401
2665	3000	1	RMS	2688.45	-35.89	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.67	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.06	-25	Pass	14500




**21.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.14	-25	Pass	2985
30	1000	0.1	RMS	846.8	-60.8	-25	Pass	9699
1000	2525	1	RMS	2523.999	-43.76	-25	Pass	1525
2525	2665	1	RMS	2584.15	5.86	60	Pass	401
2665	3000	1	RMS	2665	-44.83	-25	Pass	401
3000	12000	1	RMS	11785.735	-53.69	-25	Pass	9000
12000	26500	1	RMS	26010.922	-39.13	-25	Pass	14500




**21.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.31	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.16	-25	Pass	2985
30	1000	0.1	RMS	846.2	-60.76	-25	Pass	9699
1000	2525	1	RMS	2505.988	-33.34	-25	Pass	1525
2525	2665	1	RMS	2581.35	11.02	60	Pass	401
2665	3000	1	RMS	2693.475	-36.13	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.71	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.06	-25	Pass	14500




**21.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.37	-25	Pass	2985
30	1000	0.1	RMS	833.298	-60.77	-25	Pass	9699
1000	2525	1	RMS	2518.996	-43.49	-25	Pass	1525
2525	2665	1	RMS	2590.8	6.25	60	Pass	401
2665	3000	1	RMS	2665	-42.62	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.68	-25	Pass	9000
12000	26500	1	RMS	25997.92	-39.06	-25	Pass	14500




**21.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.11	-25	Pass	2985
30	1000	0.1	RMS	847.8	-60.66	-25	Pass	9699
1000	2525	1	RMS	2505.988	-35.78	-25	Pass	1525
2525	2665	1	RMS	2581	10.67	60	Pass	401
2665	3000	1	RMS	2693.475	-37.07	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.71	-25	Pass	9000
12000	26500	1	RMS	26016.923	-39.06	-25	Pass	14500



**21.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.59	-25	Pass	2985
30	1000	0.1	RMS	815.996	-60.78	-25	Pass	9699
1000	2525	1	RMS	2525	-44.18	-25	Pass	1525
2525	2665	1	RMS	2590.45	5.78	60	Pass	401
2665	3000	1	RMS	2665	-44.15	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.68	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.1	-25	Pass	14500



22. n5 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.55	-13	Pass	7840
814	859	0.1	RMS	825.626	11.72	60	Pass	450
859	1000	0.1	RMS	902.031	-63.33	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.31	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.07	-13	Pass	7000




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	814	0.1	RMS	814	-62.95	-13	Pass	7840
814	859	0.1	RMS	825.927	11.71	60	Pass	450
859	1000	0.1	RMS	896.927	-63.53	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.27	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.08	-13	Pass	7000




**22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.64	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.14	-13	Pass	2985
30	814	0.1	RMS	746.391	-63.8	-13	Pass	7840
814	859	0.1	RMS	837.352	11.54	60	Pass	450
859	1000	0.1	RMS	996.498	-63.5	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.3	-13	Pass	2000
3000	10000	1	RMS	8417.774	-60.01	-13	Pass	7000




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.56	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.95	-13	Pass	7840
814	859	0.1	RMS	835.949	11.75	60	Pass	450
859	1000	0.1	RMS	890.722	-63.53	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.29	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.1	-13	Pass	7000




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-13	Pass	2985
30	814	0.1	RMS	741.891	-63.79	-13	Pass	7840
814	859	0.1	RMS	846.272	11.65	60	Pass	450
859	1000	0.1	RMS	897.227	-63.49	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.32	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.02	-13	Pass	7000




22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	814	0.1	RMS	737.49	-63.88	-13	Pass	7840
814	859	0.1	RMS	845.971	11.76	60	Pass	450
859	1000	0.1	RMS	892.424	-63.52	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.29	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60	-13	Pass	7000




**22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	Pass	2985
30	814	0.1	RMS	811.3	-47.34	-13	Pass	7840
814	859	0.1	RMS	828.432	7.15	60	Pass	450
859	1000	0.1	RMS	894.425	-63.25	-13	Pass	1410
1000	3000	1	RMS	2865.933	-48.25	-13	Pass	2000
3000	10000	1	RMS	8406.772	-59.95	-13	Pass	7000




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.05	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.91	-13	Pass	2985
30	814	0.1	RMS	812.3	-45.22	-13	Pass	7840
814	859	0.1	RMS	828.933	7.03	60	Pass	450
859	1000	0.1	RMS	896.527	-63.45	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.32	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.04	-13	Pass	7000




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.5	-13	Pass	2985
30	814	0.1	RMS	813.8	-58.5	-13	Pass	7840
814	859	0.1	RMS	838.354	7.02	60	Pass	450
859	1000	0.1	RMS	893.124	-63.53	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.25	-13	Pass	2000
3000	10000	1	RMS	8409.773	-59.97	-13	Pass	7000




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	814	0.1	RMS	814	-57.04	-13	Pass	7840
814	859	0.1	RMS	838.154	7.01	60	Pass	450
859	1000	0.1	RMS	891.923	-63.33	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.28	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.06	-13	Pass	7000




**22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.77	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.12	-13	Pass	7840
814	859	0.1	RMS	841.561	6.96	60	Pass	450
859	1000	0.1	RMS	995.897	-63.5	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.28	-13	Pass	2000
3000	10000	1	RMS	8392.77	-59.99	-13	Pass	7000




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.46	-13	Pass	2985
30	814	0.1	RMS	814	-60.39	-13	Pass	7840
814	859	0.1	RMS	841.261	6.96	60	Pass	450
859	1000	0.1	RMS	889.422	-63.46	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.28	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.02	-13	Pass	7000




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2985
30	814	0.1	RMS	814	-52.94	-13	Pass	7840
814	859	0.1	RMS	836.45	5.57	60	Pass	450
859	1000	0.1	RMS	895.926	-63.52	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.29	-13	Pass	2000
3000	10000	1	RMS	8397.771	-60.08	-13	Pass	7000




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	814	0.1	RMS	813.8	-51.78	-13	Pass	7840
814	859	0.1	RMS	836.45	5.7	60	Pass	450
859	1000	0.1	RMS	894.225	-63.34	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.3	-13	Pass	2000
3000	10000	1	RMS	8397.771	-59.99	-13	Pass	7000




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	814	0.1	RMS	812.9	-54.39	-13	Pass	7840
814	859	0.1	RMS	838.955	5.82	60	Pass	450
859	1000	0.1	RMS	886.319	-63.43	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.26	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.87	-13	Pass	7000




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.19	-13	Pass	2985
30	814	0.1	RMS	812.9	-52.93	-13	Pass	7840
814	859	0.1	RMS	838.955	5.8	60	Pass	450
859	1000	0.1	RMS	881.716	-63.45	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.31	-13	Pass	2000
3000	10000	1	RMS	8417.774	-60.04	-13	Pass	7000




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.56	-13	Pass	7840
814	859	0.1	RMS	841.461	5.81	60	Pass	450
859	1000	0.1	RMS	903.932	-63.55	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.31	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.04	-13	Pass	7000



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.47	-13	Pass	2985
30	814	0.1	RMS	813.5	-52.97	-13	Pass	7840
814	859	0.1	RMS	841.461	5.95	60	Pass	450
859	1000	0.1	RMS	899.729	-63.28	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.27	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.98	-13	Pass	7000



23. n7 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	2.641	-68.46	-25	Pass	2985
30	1000	0.1	RMS	892.457	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-49.96	-25	Pass	1490
2490	2580	1	RMS	2502.15	21.28	60	Pass	401
2580	3000	1	RMS	2869.69	-48.33	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.82	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.49	-25	Pass	19500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-25	Pass	401
0.15	30	0.01	RMS	2.591	-68.48	-25	Pass	2985
30	1000	0.1	RMS	894.26	-63.41	-25	Pass	9699
1000	2490	1	RMS	2490	-49.66	-25	Pass	1490
2490	2580	1	RMS	2502.15	21.35	60	Pass	401
2580	3000	1	RMS	2869.69	-48.29	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.38	-25	Pass	19500




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.5	-25	Pass	401
0.15	30	0.01	RMS	2.621	-69.35	-25	Pass	2985
30	1000	0.1	RMS	876.236	-63.37	-25	Pass	9699
1000	2490	1	RMS	2490	-50.17	-25	Pass	1490
2490	2580	1	RMS	2534.55	21.18	60	Pass	401
2580	3000	1	RMS	2867.685	-48.32	-25	Pass	420
3000	6500	1	RMS	5068.591	-61.98	-25	Pass	3500
6500	26000	1	RMS	25485.835	-44.51	-25	Pass	19500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.85	-25	Pass	401
0.15	30	0.01	RMS	2.591	-68.98	-25	Pass	2985
30	1000	0.1	RMS	890.855	-63.43	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.19	-25	Pass	1490
2490	2580	1	RMS	2534.775	21.33	60	Pass	401
2580	3000	1	RMS	2866.683	-48.34	-25	Pass	420
3000	6500	1	RMS	5068.591	-62.57	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.49	-25	Pass	19500




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-25	Pass	401
0.15	30	0.01	RMS	2.601	-69.63	-25	Pass	2985
30	1000	0.1	RMS	902.971	-63.26	-25	Pass	9699
1000	2490	1	RMS	2490	-50.12	-25	Pass	1490
2490	2580	1	RMS	2567.175	21.29	60	Pass	401
2580	3000	1	RMS	2871.695	-48.31	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.86	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.55	-25	Pass	19500




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-25	Pass	401
0.15	30	0.01	RMS	2.571	-68.46	-25	Pass	2985
30	1000	0.1	RMS	886.55	-63.46	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.23	-25	Pass	1490
2490	2580	1	RMS	2567.175	21.33	60	Pass	401
2580	3000	1	RMS	2868.687	-48.31	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25506.842	-44.48	-25	Pass	19500




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.57	-25	Pass	401
0.15	30	0.01	RMS	2.611	-68.49	-25	Pass	2985
30	1000	0.1	RMS	893.559	-63.49	-25	Pass	9699
1000	2490	1	RMS	2490	-40.29	-25	Pass	1490
2490	2580	1	RMS	2508.675	16.74	60	Pass	401
2580	3000	1	RMS	2869.69	-48.33	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.57	-25	Pass	19500




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.01	-25	Pass	401
0.15	30	0.01	RMS	2.571	-68.5	-25	Pass	2985
30	1000	0.1	RMS	914.987	-63.42	-25	Pass	9699
1000	2490	1	RMS	2490	-38.99	-25	Pass	1490
2490	2580	1	RMS	2508.675	16.66	60	Pass	401
2580	3000	1	RMS	2868.687	-48.35	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.49	-25	Pass	19500




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-25	Pass	401
0.15	30	0.01	RMS	2.601	-68.36	-25	Pass	2985
30	1000	0.1	RMS	891.056	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-50.11	-25	Pass	1490
2490	2580	1	RMS	2535.45	16.7	60	Pass	401
2580	3000	1	RMS	2870.692	-48.29	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.87	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.46	-25	Pass	19500




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.22	-25	Pass	401
0.15	30	0.01	RMS	2.571	-67.48	-25	Pass	2985
30	1000	0.1	RMS	884.947	-63.48	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.18	-25	Pass	1490
2490	2580	1	RMS	2535.675	16.6	60	Pass	401
2580	3000	1	RMS	2870.692	-48.29	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25513.844	-44.5	-25	Pass	19500




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	Pass	401
0.15	30	0.01	RMS	2.591	-68.66	-25	Pass	2985
30	1000	0.1	RMS	916.289	-63.46	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.2	-25	Pass	1490
2490	2580	1	RMS	2559.975	16.7	60	Pass	401
2580	3000	1	RMS	2580	-40.8	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.8	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.47	-25	Pass	19500




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-25	Pass	401
0.15	30	0.01	RMS	2.561	-68.34	-25	Pass	2985
30	1000	0.1	RMS	999.199	-63.31	-25	Pass	9699
1000	2490	1	RMS	2490	-50.19	-25	Pass	1490
2490	2580	1	RMS	2560.65	16.58	60	Pass	401
2580	3000	1	RMS	2580	-38.92	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.48	-25	Pass	19500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.11	-25	Pass	401
0.15	30	0.01	RMS	2.591	-68.09	-25	Pass	2985
30	1000	0.1	RMS	912.484	-63.14	-25	Pass	9699
1000	2490	1	RMS	2490	-39.75	-25	Pass	1490
2490	2580	1	RMS	2511.15	15.27	60	Pass	401
2580	3000	1	RMS	2869.69	-48.23	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.9	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.42	-25	Pass	19500




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	2.561	-67.48	-25	Pass	2985
30	1000	0.1	RMS	910.081	-63.47	-25	Pass	9699
1000	2490	1	RMS	2490	-36.33	-25	Pass	1490
2490	2580	1	RMS	2506.875	15.28	60	Pass	401
2580	3000	1	RMS	2869.69	-48.28	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.44	-25	Pass	19500




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.31	-25	Pass	401
0.15	30	0.01	RMS	2.591	-68.82	-25	Pass	2985
30	1000	0.1	RMS	897.564	-63.34	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.04	-25	Pass	1490
2490	2580	1	RMS	2537.25	15.23	60	Pass	401
2580	3000	1	RMS	2870.692	-48.29	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.51	-25	Pass	19500




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.13	-25	Pass	401
0.15	30	0.01	RMS	2.561	-68.38	-25	Pass	2985
30	1000	0.1	RMS	891.256	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-50.06	-25	Pass	1490
2490	2580	1	RMS	2531.625	15.12	60	Pass	401
2580	3000	1	RMS	2871.695	-48.31	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.91	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.48	-25	Pass	19500




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-25	Pass	401
0.15	30	0.01	RMS	2.581	-69.48	-25	Pass	2985
30	1000	0.1	RMS	893.258	-63.52	-25	Pass	9699
1000	2490	1	RMS	2490	-50.18	-25	Pass	1490
2490	2580	1	RMS	2557.05	15.32	60	Pass	401
2580	3000	1	RMS	2580	-40.06	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25200.743	-44.47	-25	Pass	19500



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-25	Pass	401
0.15	30	0.01	RMS	2.551	-68.07	-25	Pass	2985
30	1000	0.1	RMS	898.465	-63.39	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.15	-25	Pass	1490
2490	2580	1	RMS	2556.6	15.4	60	Pass	401
2580	3000	1	RMS	2580	-38.18	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.87	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.42	-25	Pass	19500



24. n38 30kHz_PC3


**24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.1	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.19	-25	Pass	2985
30	1000	0.1	RMS	907.477	-61.15	-25	Pass	9699
1000	2560	1	RMS	2560	-39.04	-25	Pass	1560
2560	2630	1	RMS	2582.05	15.34	60	Pass	401
2630	3000	1	RMS	2874.2	-48.22	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.65	-25	Pass	3500
6500	27000	1	RMS	25188.56	-43.08	-25	Pass	20500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.59	-25	Pass	2985
30	1000	0.1	RMS	902.571	-60.87	-25	Pass	9699
1000	2560	1	RMS	2560	-36.18	-25	Pass	1560
2560	2630	1	RMS	2576.8	15.43	60	Pass	401
2630	3000	1	RMS	2865.875	-48.18	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.43	-25	Pass	3500
6500	27000	1	RMS	25822.714	-43.25	-25	Pass	20500




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.08	-25	Pass	2985
30	1000	0.1	RMS	845.8	-61.48	-25	Pass	9699
1000	2560	1	RMS	2560	-49.7	-25	Pass	1560
2560	2630	1	RMS	2597.45	15.46	60	Pass	401
2630	3000	1	RMS	2876.05	-48.22	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.69	-25	Pass	3500
6500	27000	1	RMS	26667.919	-43.46	-25	Pass	20500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-74	-25	Pass	401
0.15	30	0.01	RMS	2.641	-69.43	-25	Pass	2985
30	1000	0.1	RMS	911.883	-60.53	-25	Pass	9699
1000	2560	1	RMS	2560	-47.87	-25	Pass	1560
2560	2630	1	RMS	2591.85	15.44	60	Pass	401
2630	3000	1	RMS	2630	-47.51	-25	Pass	401
3000	6500	1	RMS	6202.915	-63.71	-25	Pass	3500
6500	27000	1	RMS	25524.642	-43.49	-25	Pass	20500




**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-25	Pass	401
0.15	30	0.01	RMS	2.651	-67.88	-25	Pass	2985
30	1000	0.1	RMS	830.398	-60.74	-25	Pass	9699
1000	2560	1	RMS	2520.975	-49.87	-25	Pass	1560
2560	2630	1	RMS	2611.975	15.41	60	Pass	401
2630	3000	1	RMS	2630.925	-39.24	-25	Pass	401
3000	6500	1	RMS	6031.866	-63.65	-25	Pass	3500
6500	27000	1	RMS	25866.725	-43.06	-25	Pass	20500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.07	-25	Pass	401
0.15	30	0.01	RMS	2.651	-69.46	-25	Pass	2985
30	1000	0.1	RMS	867.925	-60.85	-25	Pass	9699
1000	2560	1	RMS	2536.985	-49.86	-25	Pass	1560
2560	2630	1	RMS	2606.9	15.53	60	Pass	401
2630	3000	1	RMS	2630	-36.77	-25	Pass	401
3000	6500	1	RMS	6074.879	-63.62	-25	Pass	3500
6500	27000	1	RMS	25495.635	-43.4	-25	Pass	20500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-25	Pass	401
0.15	30	0.01	RMS	2.661	-69.95	-25	Pass	2985
30	1000	0.1	RMS	901.169	-61.03	-25	Pass	9699
1000	2560	1	RMS	2553.996	-39.72	-25	Pass	1560
2560	2630	1	RMS	2585.725	13.91	60	Pass	401
2630	3000	1	RMS	2631.85	-45.46	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.62	-25	Pass	3500
6500	27000	1	RMS	26921.981	-43.46	-25	Pass	20500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	Pass	2985
30	1000	0.1	RMS	945.227	-60.72	-25	Pass	9699
1000	2560	1	RMS	2557.999	-35.05	-25	Pass	1560
2560	2630	1	RMS	2588.175	13.78	60	Pass	401
2630	3000	1	RMS	2630	-42.59	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.58	-25	Pass	3500
6500	27000	1	RMS	25889.73	-43.15	-25	Pass	20500




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-25	Pass	401
0.15	30	0.01	RMS	2.661	-69.51	-25	Pass	2985
30	1000	0.1	RMS	993.992	-61.28	-25	Pass	9699
1000	2560	1	RMS	2558.999	-42.69	-25	Pass	1560
2560	2630	1	RMS	2590.625	13.96	60	Pass	401
2630	3000	1	RMS	2630.925	-42.98	-25	Pass	401
3000	6500	1	RMS	6207.917	-63.49	-25	Pass	3500
6500	27000	1	RMS	25813.712	-43.2	-25	Pass	20500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.05	-25	Pass	401
0.15	30	0.01	RMS	2.671	-67.84	-25	Pass	2985
30	1000	0.1	RMS	901.97	-60.93	-25	Pass	9699
1000	2560	1	RMS	2555.997	-39.62	-25	Pass	1560
2560	2630	1	RMS	2596.225	13.77	60	Pass	401
2630	3000	1	RMS	2630	-40.46	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.59	-25	Pass	3500
6500	27000	1	RMS	25514.639	-43.54	-25	Pass	20500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.04	-25	Pass	401
0.15	30	0.01	RMS	2.671	-68.05	-25	Pass	2985
30	1000	0.1	RMS	988.585	-61.27	-25	Pass	9699
1000	2560	1	RMS	2560	-45	-25	Pass	1560
2560	2630	1	RMS	2606.025	13.96	60	Pass	401
2630	3000	1	RMS	2630.925	-39.67	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.68	-25	Pass	3500
6500	27000	1	RMS	25451.624	-43.34	-25	Pass	20500



24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.25	-25	Pass	401
0.15	30	0.01	RMS	2.671	-68.46	-25	Pass	2985
30	1000	0.1	RMS	969.359	-61.08	-25	Pass	9699
1000	2560	1	RMS	2558.999	-42.51	-25	Pass	1560
2560	2630	1	RMS	2606.375	13.82	60	Pass	401
2630	3000	1	RMS	2630	-36.56	-25	Pass	401
3000	6500	1	RMS	6224.921	-63.63	-25	Pass	3500
6500	27000	1	RMS	25893.731	-43.38	-25	Pass	20500



25. n41 30kHz


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	Pass	2985
30	1000	0.1	RMS	719.784	-60.27	-25	Pass	9699
1000	2486	1	RMS	2486	-44.02	-25	Pass	1486
2486	2700	1	RMS	2508.47	15.47	60	Pass	401
2700	3000	1	RMS	2877.75	-48.19	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.49	-25	Pass	3500
6500	27000	1	RMS	25855.722	-43.02	-25	Pass	20500




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-25	Pass	401
0.15	30	0.01	RMS	2.671	-69.33	-25	Pass	2985
30	1000	0.1	RMS	899.667	-61.03	-25	Pass	9699
1000	2486	1	RMS	2486	-40.06	-25	Pass	1486
2486	2700	1	RMS	2509.005	15.54	60	Pass	401
2700	3000	1	RMS	2869.5	-48.24	-25	Pass	401
3000	6500	1	RMS	6081.881	-63.7	-25	Pass	3500
6500	27000	1	RMS	25497.635	-43.27	-25	Pass	20500




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-68.87	-25	Pass	401
0.15	30	0.01	RMS	2.681	-69.02	-25	Pass	2985
30	1000	0.1	RMS	780.292	-61.12	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.06	-25	Pass	1486
2486	2700	1	RMS	2595.14	15.48	60	Pass	401
2700	3000	1	RMS	2878.5	-48.16	-25	Pass	401
3000	6500	1	RMS	6223.921	-63.32	-25	Pass	3500
6500	27000	1	RMS	25471.629	-43.2	-25	Pass	20500




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.4	-25	Pass	401
0.15	30	0.01	RMS	2.681	-69.62	-25	Pass	2985
30	1000	0.1	RMS	972.363	-61.14	-25	Pass	9699
1000	2486	1	RMS	2451.977	-50.16	-25	Pass	1486
2486	2700	1	RMS	2589.79	15.52	60	Pass	401
2700	3000	1	RMS	2868	-48.26	-25	Pass	401
3000	6500	1	RMS	6224.921	-63.65	-25	Pass	3500
6500	27000	1	RMS	26918.98	-43.45	-25	Pass	20500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-25	Pass	2985
30	1000	0.1	RMS	853.506	-61.11	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.23	-25	Pass	1486
2486	2700	1	RMS	2680.205	15.2	60	Pass	401
2700	3000	1	RMS	2700	-37.08	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.69	-25	Pass	3500
6500	27000	1	RMS	26877.97	-42.99	-25	Pass	20500




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.52	-25	Pass	401
0.15	30	0.01	RMS	2.681	-69.11	-25	Pass	2985
30	1000	0.1	RMS	913.986	-61.2	-25	Pass	9699
1000	2486	1	RMS	2470.99	-50.14	-25	Pass	1486
2486	2700	1	RMS	2676.995	15.28	60	Pass	401
2700	3000	1	RMS	2700	-34.35	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.51	-25	Pass	3500
6500	27000	1	RMS	26863.967	-43.58	-25	Pass	20500




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-25	Pass	401
0.15	30	0.01	RMS	2.681	-66.95	-25	Pass	2985
30	1000	0.1	RMS	860.315	-60.56	-25	Pass	9699
1000	2486	1	RMS	2486	-41.27	-25	Pass	1486
2486	2700	1	RMS	2533.615	10.3	60	Pass	401
2700	3000	1	RMS	2861.25	-48.22	-25	Pass	401
3000	6500	1	RMS	6201.915	-63.57	-25	Pass	3500
6500	27000	1	RMS	26944.987	-43.48	-25	Pass	20500




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.67	-70.11	-25	Pass	2985
30	1000	0.1	RMS	709.983	-61.2	-25	Pass	9699
1000	2486	1	RMS	2486	-38.54	-25	Pass	1486
2486	2700	1	RMS	2536.29	10.33	60	Pass	401
2700	3000	1	RMS	2869.5	-48.24	-25	Pass	401
3000	6500	1	RMS	6221.921	-63.62	-25	Pass	3500
6500	27000	1	RMS	25884.729	-43.49	-25	Pass	20500




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-25	Pass	401
0.15	30	0.01	RMS	2.681	-69.44	-25	Pass	2985
30	1000	0.1	RMS	754.388	-61.23	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50	-25	Pass	1486
2486	2700	1	RMS	2599.955	10.39	60	Pass	401
2700	3000	1	RMS	2871	-48.21	-25	Pass	401
3000	6500	1	RMS	6076.879	-63.63	-25	Pass	3500
6500	27000	1	RMS	25852.721	-43.36	-25	Pass	20500




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-25	Pass	2985
30	1000	0.1	RMS	709.583	-61.29	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.6	-25	Pass	1486
2486	2700	1	RMS	2589.255	10.48	60	Pass	401
2700	3000	1	RMS	2871.75	-48.26	-25	Pass	401
3000	6500	1	RMS	6202.915	-63.75	-25	Pass	3500
6500	27000	1	RMS	25497.635	-43.1	-25	Pass	20500




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-25	Pass	401
0.15	30	0.01	RMS	2.681	-69.45	-25	Pass	2985
30	1000	0.1	RMS	991.589	-61.01	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.23	-25	Pass	1486
2486	2700	1	RMS	2648.64	10.3	60	Pass	401
2700	3000	1	RMS	2703.75	-36.99	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.69	-25	Pass	3500
6500	27000	1	RMS	26732.935	-43.24	-25	Pass	20500




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.71	-69.63	-25	Pass	2985
30	1000	0.1	RMS	922.097	-61.04	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.17	-25	Pass	1486
2486	2700	1	RMS	2650.78	10.49	60	Pass	401
2700	3000	1	RMS	2700	-35.09	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.68	-25	Pass	3500
6500	27000	1	RMS	25456.625	-43.16	-25	Pass	20500




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.48	-25	Pass	401
0.15	30	0.01	RMS	2.681	-68.25	-25	Pass	2985
30	1000	0.1	RMS	935.214	-60.97	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.6	-25	Pass	1486
2486	2700	1	RMS	2544.315	8.02	60	Pass	401
2700	3000	1	RMS	2872.5	-48.23	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.55	-25	Pass	3500
6500	27000	1	RMS	25795.707	-43.47	-25	Pass	20500




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-25	Pass	401
0.15	30	0.01	RMS	2.681	-68.94	-25	Pass	2985
30	1000	0.1	RMS	872.831	-61.11	-25	Pass	9699
1000	2486	1	RMS	2486	-37.66	-25	Pass	1486
2486	2700	1	RMS	2543.78	8.09	60	Pass	401
2700	3000	1	RMS	2872.5	-48.24	-25	Pass	401
3000	6500	1	RMS	6210.917	-63.64	-25	Pass	3500
6500	27000	1	RMS	26952.989	-43.55	-25	Pass	20500




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.34	-25	Pass	401
0.15	30	0.01	RMS	2.681	-69.9	-25	Pass	2985
30	1000	0.1	RMS	996.395	-60.71	-25	Pass	9699
1000	2486	1	RMS	2486	-49.19	-25	Pass	1486
2486	2700	1	RMS	2591.395	8.09	60	Pass	401
2700	3000	1	RMS	2705.25	-47.65	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.54	-25	Pass	3500
6500	27000	1	RMS	25914.736	-43.4	-25	Pass	20500




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.33	-25	Pass	2985
30	1000	0.1	RMS	928.305	-61.35	-25	Pass	9699
1000	2486	1	RMS	2486	-47.6	-25	Pass	1486
2486	2700	1	RMS	2597.28	8.12	60	Pass	401
2700	3000	1	RMS	2700	-44.1	-25	Pass	401
3000	6500	1	RMS	6037.868	-63.54	-25	Pass	3500
6500	27000	1	RMS	25871.726	-43.45	-25	Pass	20500




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.9	-25	Pass	401
0.15	30	0.01	RMS	2.681	-67.14	-25	Pass	2985
30	1000	0.1	RMS	732.086	-60.81	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.25	-25	Pass	1486
2486	2700	1	RMS	2627.24	8.23	60	Pass	401
2700	3000	1	RMS	2700	-36.13	-25	Pass	401
3000	6500	1	RMS	6078.88	-63.49	-25	Pass	3500
6500	27000	1	RMS	25492.634	-43.09	-25	Pass	20500



25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.18	-25	Pass	401
0.15	30	0.01	RMS	2.681	-68.6	-25	Pass	2985
30	1000	0.1	RMS	747.688	-61.3	-25	Pass	9699
1000	2486	1	RMS	2486	-49.35	-25	Pass	1486
2486	2700	1	RMS	2616.54	8.22	60	Pass	401
2700	3000	1	RMS	2700	-33.52	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.5	-25	Pass	3500
6500	27000	1	RMS	25972.75	-42.95	-25	Pass	20500



26. DC_5A_n7A_SCS15


26.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.48	-25	Pass	2985
30	1000	0.1	RMS	890.355	-63.55	-25	Pass	9699
1000	2490	1	RMS	2490	-49.91	-25	Pass	1490
2490	2580	1	RMS	2502.15	21.37	60	Pass	401
2580	3000	1	RMS	2868.687	-48.35	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.47	-25	Pass	19500




26.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.37	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.18	-25	Pass	2985
30	1000	0.1	RMS	991.389	-63.64	-25	Pass	9699
1000	2490	1	RMS	2490	-49.85	-25	Pass	1490
2490	2580	1	RMS	2502.15	21.35	60	Pass	401
2580	3000	1	RMS	2869.69	-48.34	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.9	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.48	-25	Pass	19500




26.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-25	Pass	2985
30	1000	0.1	RMS	993.391	-63.49	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.27	-25	Pass	1490
2490	2580	1	RMS	2534.775	21.28	60	Pass	401
2580	3000	1	RMS	2870.692	-48.37	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.97	-25	Pass	3500
6500	26000	1	RMS	25485.835	-44.44	-25	Pass	19500




26.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.47	-25	Pass	2985
30	1000	0.1	RMS	889.453	-63.57	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.2	-25	Pass	1490
2490	2580	1	RMS	2534.775	21.3	60	Pass	401
2580	3000	1	RMS	2868.687	-48.34	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.88	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.49	-25	Pass	19500




26.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-25	Pass	2985
30	1000	0.1	RMS	848.3	-63.3	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.27	-25	Pass	1490
2490	2580	1	RMS	2567.175	21.26	60	Pass	401
2580	3000	1	RMS	2869.69	-48.34	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25508.842	-44.43	-25	Pass	19500




26.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.58	-25	Pass	2985
30	1000	0.1	RMS	847	-63.38	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.24	-25	Pass	1490
2490	2580	1	RMS	2567.175	21.26	60	Pass	401
2580	3000	1	RMS	2867.685	-48.37	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.95	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.47	-25	Pass	19500




26.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.41	-25	Pass	2985
30	1000	0.1	RMS	895.662	-63.47	-25	Pass	9699
1000	2490	1	RMS	2490	-38.82	-25	Pass	1490
2490	2580	1	RMS	2506.2	16.55	60	Pass	401
2580	3000	1	RMS	2872.697	-48.35	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.42	-25	Pass	19500




26.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.06	-25	Pass	2985
30	1000	0.1	RMS	906.075	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-38.65	-25	Pass	1490
2490	2580	1	RMS	2505.75	16.64	60	Pass	401
2580	3000	1	RMS	2868.687	-48.33	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.41	-25	Pass	19500




26.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.71	-25	Pass	2985
30	1000	0.1	RMS	888.052	-63.47	-25	Pass	9699
1000	2490	1	RMS	2490	-50.16	-25	Pass	1490
2490	2580	1	RMS	2535.225	16.56	60	Pass	401
2580	3000	1	RMS	2868.687	-48.37	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.42	-25	Pass	19500




26.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.72	-25	Pass	2985
30	1000	0.1	RMS	876.136	-63.58	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.25	-25	Pass	1490
2490	2580	1	RMS	2535.45	16.55	60	Pass	401
2580	3000	1	RMS	2869.69	-48.36	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25878.961	-44.5	-25	Pass	19500




26.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-25	Pass	2985
30	1000	0.1	RMS	847.4	-63.39	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.26	-25	Pass	1490
2490	2580	1	RMS	2559.3	16.52	60	Pass	401
2580	3000	1	RMS	2580	-42.17	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.96	-25	Pass	3500
6500	26000	1	RMS	25487.836	-44.43	-25	Pass	19500




26.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-25	Pass	2985
30	1000	0.1	RMS	847.2	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-50.2	-25	Pass	1490
2490	2580	1	RMS	2560.425	16.64	60	Pass	401
2580	3000	1	RMS	2581.002	-40.98	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.99	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.48	-25	Pass	19500




26.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.71	-25	Pass	2985
30	1000	0.1	RMS	889.453	-63.66	-25	Pass	9699
1000	2490	1	RMS	2490	-37.44	-25	Pass	1490
2490	2580	1	RMS	2507.1	15.26	60	Pass	401
2580	3000	1	RMS	2870.692	-48.35	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.87	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.39	-25	Pass	19500




26.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-25	Pass	2985
30	1000	0.1	RMS	882.744	-63.54	-25	Pass	9699
1000	2490	1	RMS	2488.999	-34.87	-25	Pass	1490
2490	2580	1	RMS	2509.575	15.23	60	Pass	401
2580	3000	1	RMS	2876.706	-48.37	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.95	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.44	-25	Pass	19500




26.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.64	-25	Pass	2985
30	1000	0.1	RMS	895.962	-63.56	-25	Pass	9699
1000	2490	1	RMS	2490	-50.19	-25	Pass	1490
2490	2580	1	RMS	2537.475	15.18	60	Pass	401
2580	3000	1	RMS	2868.687	-48.36	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25507.842	-44.38	-25	Pass	19500




26.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.14	-25	Pass	2985
30	1000	0.1	RMS	880.542	-63.47	-25	Pass	9699
1000	2490	1	RMS	2490	-50.07	-25	Pass	1490
2490	2580	1	RMS	2535.9	15.19	60	Pass	401
2580	3000	1	RMS	2866.683	-48.34	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.99	-25	Pass	3500
6500	26000	1	RMS	25509.843	-44.31	-25	Pass	19500




26.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.89	-25	Pass	2985
30	1000	0.1	RMS	888.853	-63.57	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.26	-25	Pass	1490
2490	2580	1	RMS	2556.825	15.3	60	Pass	401
2580	3000	1	RMS	2580	-41.49	-25	Pass	420
3000	6500	1	RMS	6200.915	-64.01	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.39	-25	Pass	19500



26.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-25	Pass	2985
30	1000	0.1	RMS	848.4	-63.39	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.23	-25	Pass	1490
2490	2580	1	RMS	2557.05	15.17	60	Pass	401
2580	3000	1	RMS	2580	-38.25	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.97	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.42	-25	Pass	19500



27. DC_7A_n5A_SCS15


27.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	Pass	2985
30	814	0.1	RMS	814	-63.53	-13	Pass	7840
814	859	0.1	RMS	826.428	11.63	60	Pass	450
859	1000	0.1	RMS	876.913	-63.61	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.35	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.05	-13	Pass	7000




27.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.22	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.19	-13	Pass	7840
814	859	0.1	RMS	826.327	11.82	60	Pass	450
859	1000	0.1	RMS	888.021	-63.53	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.34	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.03	-13	Pass	7000




27.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2985
30	814	0.1	RMS	737.19	-63.91	-13	Pass	7840
814	859	0.1	RMS	836.45	11.7	60	Pass	450
859	1000	0.1	RMS	996.698	-63.68	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.33	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60	-13	Pass	7000




27.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.17	-13	Pass	2985
30	814	0.1	RMS	812.7	-62.4	-13	Pass	7840
814	859	0.1	RMS	836.35	11.83	60	Pass	450
859	1000	0.1	RMS	902.131	-63.54	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.31	-13	Pass	2000
3000	10000	1	RMS	8414.774	-59.97	-13	Pass	7000




27.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.78	-13	Pass	2985
30	814	0.1	RMS	725.989	-63.88	-13	Pass	7840
814	859	0.1	RMS	846.472	11.61	60	Pass	450
859	1000	0.1	RMS	906.133	-63.59	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.28	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.1	-13	Pass	7000




27.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.87	-13	Pass	2985
30	814	0.1	RMS	757.993	-63.82	-13	Pass	7840
814	859	0.1	RMS	846.272	11.82	60	Pass	450
859	1000	0.1	RMS	912.838	-63.64	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.33	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60	-13	Pass	7000




27.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	814	0.1	RMS	813.2	-46.81	-13	Pass	7840
814	859	0.1	RMS	827.731	7.08	60	Pass	450
859	1000	0.1	RMS	895.626	-63.6	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.27	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.05	-13	Pass	7000




27.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.16	-13	Pass	2985
30	814	0.1	RMS	813.9	-45.66	-13	Pass	7840
814	859	0.1	RMS	827.931	7	60	Pass	450
859	1000	0.1	RMS	906.534	-63.61	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.32	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.04	-13	Pass	7000




27.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-58.6	-13	Pass	7840
814	859	0.1	RMS	838.855	7.05	60	Pass	450
859	1000	0.1	RMS	892.624	-63.39	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.29	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.06	-13	Pass	7000




27.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.23	-13	Pass	2985
30	814	0.1	RMS	814	-56.71	-13	Pass	7840
814	859	0.1	RMS	837.151	7.14	60	Pass	450
859	1000	0.1	RMS	886.219	-63.67	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.33	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.02	-13	Pass	7000




27.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.01	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.57	-13	Pass	7840
814	859	0.1	RMS	840.258	6.98	60	Pass	450
859	1000	0.1	RMS	907.735	-63.62	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.31	-13	Pass	2000
3000	10000	1	RMS	8412.773	-60.03	-13	Pass	7000




27.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	814	0.1	RMS	814	-60.22	-13	Pass	7840
814	859	0.1	RMS	842.163	7.1	60	Pass	450
859	1000	0.1	RMS	893.024	-63.54	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.32	-13	Pass	2000
3000	10000	1	RMS	8382.769	-60.09	-13	Pass	7000




27.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.48	-13	Pass	2985
30	814	0.1	RMS	814	-52.38	-13	Pass	7840
814	859	0.1	RMS	831.238	5.5	60	Pass	450
859	1000	0.1	RMS	895.226	-63.62	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.34	-13	Pass	2000
3000	10000	1	RMS	8444.778	-60.07	-13	Pass	7000




27.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2985
30	814	0.1	RMS	814	-51.43	-13	Pass	7840
814	859	0.1	RMS	836.951	5.53	60	Pass	450
859	1000	0.1	RMS	872.51	-63.46	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.3	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.01	-13	Pass	7000




27.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.54	-13	Pass	2985
30	814	0.1	RMS	812.9	-54.7	-13	Pass	7840
814	859	0.1	RMS	839.156	5.75	60	Pass	450
859	1000	0.1	RMS	883.918	-63.62	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.31	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.04	-13	Pass	7000




27.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.57	-13	Pass	2985
30	814	0.1	RMS	813.6	-52.47	-13	Pass	7840
814	859	0.1	RMS	839.857	5.74	60	Pass	450
859	1000	0.1	RMS	883.718	-63.47	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.31	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.07	-13	Pass	7000




27.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.62	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.71	-13	Pass	7840
814	859	0.1	RMS	839.757	5.72	60	Pass	450
859	1000	0.1	RMS	893.625	-63.61	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.34	-13	Pass	2000
3000	10000	1	RMS	8417.774	-60	-13	Pass	7000



27.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.55	-13	Pass	7840
814	859	0.1	RMS	839.757	5.68	60	Pass	450
859	1000	0.1	RMS	904.332	-63.63	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.33	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.06	-13	Pass	7000



28. DC_66A_n7A_SCS15


28.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-25	Pass	2985
30	1000	0.1	RMS	904.473	-63.56	-25	Pass	9699
1000	2490	1	RMS	2490	-49.85	-25	Pass	1490
2490	2580	1	RMS	2502.15	21.15	60	Pass	401
2580	3000	1	RMS	2869.69	-48.34	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.91	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.51	-25	Pass	19500




28.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.33	-25	Pass	2985
30	1000	0.1	RMS	891.556	-63.51	-25	Pass	9699
1000	2490	1	RMS	2490	-49.73	-25	Pass	1490
2490	2580	1	RMS	2502.375	21.19	60	Pass	401
2580	3000	1	RMS	2868.687	-48.36	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.46	-25	Pass	19500




28.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-25	Pass	2985
30	1000	0.1	RMS	997.096	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-50.16	-25	Pass	1490
2490	2580	1	RMS	2534.775	21.05	60	Pass	401
2580	3000	1	RMS	2869.69	-48.32	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.91	-25	Pass	3500
6500	26000	1	RMS	25508.842	-44.54	-25	Pass	19500




28.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.39	-25	Pass	2985
30	1000	0.1	RMS	898.465	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-50.24	-25	Pass	1490
2490	2580	1	RMS	2534.775	21.16	60	Pass	401
2580	3000	1	RMS	2865.68	-48.36	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.92	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.48	-25	Pass	19500




28.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-25	Pass	2985
30	1000	0.1	RMS	992.39	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-50.19	-25	Pass	1490
2490	2580	1	RMS	2567.175	21.07	60	Pass	401
2580	3000	1	RMS	2870.692	-48.33	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25503.84 1	-44.41	-25	Pass	19500




28.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-25	Pass	2985
30	1000	0.1	RMS	894.56	-63.42	-25	Pass	9699
1000	2490	1	RMS	2490	-50.26	-25	Pass	1490
2490	2580	1	RMS	2567.175	21.12	60	Pass	401
2580	3000	1	RMS	2868.687	-48.33	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.49	-25	Pass	19500




28.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.86	-25	Pass	2985
30	1000	0.1	RMS	892.057	-63.39	-25	Pass	9699
1000	2490	1	RMS	2490	-38.54	-25	Pass	1490
2490	2580	1	RMS	2506.425	16.45	60	Pass	401
2580	3000	1	RMS	2871.695	-48.31	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.92	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.48	-25	Pass	19500




28.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.04	-25	Pass	2985
30	1000	0.1	RMS	899.667	-63.32	-25	Pass	9699
1000	2490	1	RMS	2490	-38.82	-25	Pass	1490
2490	2580	1	RMS	2505.75	16.48	60	Pass	401
2580	3000	1	RMS	2868.687	-48.31	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.94	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.4	-25	Pass	19500




28.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-25	Pass	2985
30	1000	0.1	RMS	898.966	-63.46	-25	Pass	9699
1000	2490	1	RMS	2490	-50.09	-25	Pass	1490
2490	2580	1	RMS	2536.35	16.37	60	Pass	401
2580	3000	1	RMS	2868.687	-48.29	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.91	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.5	-25	Pass	19500




28.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.85	-25	Pass	2985
30	1000	0.1	RMS	881.743	-63.42	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.1	-25	Pass	1490
2490	2580	1	RMS	2535.675	16.35	60	Pass	401
2580	3000	1	RMS	2870.692	-48.32	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.93	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.42	-25	Pass	19500




28.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.96	-25	Pass	2985
30	1000	0.1	RMS	888.152	-63.36	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.14	-25	Pass	1490
2490	2580	1	RMS	2561.1	16.38	60	Pass	401
2580	3000	1	RMS	2580	-42.14	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25504.84 1	-44.45	-25	Pass	19500




28.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.98	-25	Pass	2985
30	1000	0.1	RMS	997.096	-63.37	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.24	-25	Pass	1490
2490	2580	1	RMS	2560.65	16.5	60	Pass	401
2580	3000	1	RMS	2580	-40.3	-25	Pass	420
3000	6500	1	RMS	6206.916	-63.94	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.42	-25	Pass	19500




28.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.41	-25	Pass	2985
30	1000	0.1	RMS	888.652	-63.44	-25	Pass	9699
1000	2490	1	RMS	2490	-38.69	-25	Pass	1490
2490	2580	1	RMS	2506.875	15.09	60	Pass	401
2580	3000	1	RMS	2868.687	-48.28	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.87	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.51	-25	Pass	19500




28.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.98	-25	Pass	2985
30	1000	0.1	RMS	890.755	-63.45	-25	Pass	9699
1000	2490	1	RMS	2490	-34.51	-25	Pass	1490
2490	2580	1	RMS	2510.25	15.03	60	Pass	401
2580	3000	1	RMS	2868.687	-48.26	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.8	-25	Pass	3500
6500	26000	1	RMS	25504.84 1	-44.42	-25	Pass	19500




28.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-25	Pass	2985
30	1000	0.1	RMS	879.841	-63.4	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.14	-25	Pass	1490
2490	2580	1	RMS	2537.25	15.05	60	Pass	401
2580	3000	1	RMS	2872.697	-48.29	-25	Pass	420
3000	6500	1	RMS	6079.88	-63.88	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.52	-25	Pass	19500




28.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.65	-25	Pass	2985
30	1000	0.1	RMS	926.503	-63.44	-25	Pass	9699
1000	2490	1	RMS	2490	-49.99	-25	Pass	1490
2490	2580	1	RMS	2535.675	14.97	60	Pass	401
2580	3000	1	RMS	2876.706	-48.33	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.84	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.52	-25	Pass	19500




28.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-25	Pass	2985
30	1000	0.1	RMS	874.333	-63.44	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.23	-25	Pass	1490
2490	2580	1	RMS	2557.05	15.04	60	Pass	401
2580	3000	1	RMS	2580	-40.64	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.84	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.51	-25	Pass	19500



28.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.95	-25	Pass	2985
30	1000	0.1	RMS	988.985	-63.53	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.15	-25	Pass	1490
2490	2580	1	RMS	2556.825	14.97	60	Pass	401
2580	3000	1	RMS	2580	-39.53	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25511.843	-44.52	-25	Pass	19500



END