



RSE-V&H PCC CH37850 BW20 RB1 LOW QPSK SCC CH38048 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
276.089	-68.76	-13.87	-25.0	-43.76	323.00	Vertical	Horizontal	Pass
1635.100	-51.41	0.41	-25.0	-26.41	359.00	Vertical	Horizontal	Pass
2563.800	-30.62	8.89	-25.0	-5.62	89.00	Vertical	Horizontal	N/A
6642.750	-38.52	15.15	-25.0	-13.52	19.00	Vertical	Horizontal	Pass
13334.325	-38.92	15.92	-25.0	-13.92	309.00	Vertical	Horizontal	Pass
19782.449	-39.63	12.94	-25.0	-14.63	177.00	Vertical	Horizontal	Pass


21.5 CA\_38C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
214.542	-68.78	-16.66	-25.0	-43.78	307.00	Horizontal	Horizontal	Pass
2560.000	-27.27	8.60	-25.0	-2.27	325.00	Horizontal	Horizontal	N/A
2641.800	-38.19	8.55	-25.0	-13.19	298.00	Horizontal	Horizontal	N/A
6646.250	-38.59	15.25	-25.0	-13.59	18.00	Horizontal	Horizontal	Pass
11912.337	-39.06	13.96	-25.0	-14.06	170.00	Horizontal	Horizontal	Pass
19836.000	-40.13	12.94	-25.0	-15.13	-3.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.143	-69.34	-16.54	-25.0	-44.34	318.00	Horizontal	Vertical	Pass
2558.900	-28.57	8.35	-25.0	-3.57	-1.00	Horizontal	Vertical	N/A
2630.800	-36.05	8.21	-25.0	-11.05	7.00	Horizontal	Vertical	N/A
6705.750	-38.64	15.47	-25.0	-13.64	273.00	Horizontal	Vertical	Pass
13366.088	-38.79	16.69	-25.0	-13.79	-2.00	Horizontal	Vertical	Pass
19889.551	-39.88	12.95	-25.0	-14.88	38.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.116	-67.37	-24.33	-25.0	-42.37	291.00	Vertical	Vertical	Pass
2560.800	-28.21	8.75	-25.0	-3.21	4.00	Vertical	Vertical	N/A
2633.800	-38.25	8.08	-25.0	-13.25	40.00	Vertical	Vertical	N/A
6805.000	-38.08	14.44	-25.0	-13.08	345.00	Vertical	Vertical	Pass
13379.474	-38.32	16.82	-25.0	-13.32	17.00	Vertical	Vertical	Pass
17951.699	-40.53	14.05	-25.0	-15.53	143.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
276.817	-68.99	-13.82	-25.0	-43.99	352.00	Vertical	Horizontal	Pass
2116.200	-47.89	4.74	-25.0	-22.89	198.00	Vertical	Horizontal	Pass
2562.400	-36.02	8.86	-25.0	-11.02	225.00	Vertical	Horizontal	N/A
3748.000	-45.49	7.71	-25.0	-20.49	360.00	Vertical	Horizontal	Pass
6704.250	-39.12	15.51	-25.0	-14.12	65.00	Vertical	Horizontal	Pass
13390.500	-37.99	16.92	-25.0	-12.99	138.00	Vertical	Horizontal	Pass


## 21.6 CA\_38C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.968	-66.84	-16.62	-25.0	-41.84	306.00	Horizontal	Horizontal	Pass
2561.200	-29.54	8.83	-25.0	-4.54	298.00	Horizontal	Horizontal	N/A
2639.200	-36.67	8.19	-25.0	-11.67	298.00	Horizontal	Horizontal	N/A
6648.000	-38.81	15.12	-25.0	-13.81	317.00	Horizontal	Horizontal	Pass
13355.588	-38.10	16.59	-25.0	-13.10	145.00	Horizontal	Horizontal	Pass
19751.000	-40.05	12.94	-25.0	-15.05	163.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.822	-70.83	-16.63	-25.0	-45.83	342.00	Horizontal	Vertical	Pass
2562.400	-32.31	8.86	-25.0	-7.31	360.00	Horizontal	Vertical	N/A
2631.600	-35.93	8.15	-25.0	-10.93	9.00	Horizontal	Vertical	N/A
6805.750	-38.74	14.48	-25.0	-13.74	167.00	Horizontal	Vertical	Pass
13383.937	-38.89	16.86	-25.0	-13.89	320.00	Horizontal	Vertical	Pass
19436.501	-40.31	12.92	-25.0	-15.31	191.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
282.346	-71.37	-13.43	-25.0	-46.37	7.00	Vertical	Vertical	Pass
2562.200	-30.53	8.85	-25.0	-5.53	300.00	Vertical	Vertical	N/A
2629.500	-39.37	8.37	-25.0	-14.37	259.00	Vertical	Vertical	N/A
6675.750	-38.70	14.57	-25.0	-13.70	318.00	Vertical	Vertical	Pass
13351.125	-38.44	16.55	-25.0	-13.44	44.00	Vertical	Vertical	Pass
19901.874	-40.52	12.95	-25.0	-15.52	55.00	Vertical	Vertical	Pass



RSE-V&H PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.018	-66.99	-24.31	-25.0	-41.99	300.00	Vertical	Horizontal	Pass
2099.800	-48.34	4.73	-25.0	-23.34	122.00	Vertical	Horizontal	Pass
2560.500	-39.02	8.69	-25.0	-14.02	95.00	Vertical	Horizontal	N/A
4909.750	-42.89	10.65	-25.0	-17.89	164.00	Vertical	Horizontal	Pass
6613.000	-38.97	14.50	-25.0	-13.97	312.00	Vertical	Horizontal	Pass
13396.799	-38.79	16.98	-25.0	-13.79	17.00	Vertical	Horizontal	Pass

22 CA\_41C


22.1 CA\_41C 20MHz+5MHz, QPSK, Low Channel

RSE-H&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-69.17	-20.57	-25.0	-44.17	5.00	Horizontal	Horizontal	Pass
2486.800	-1.50	8.16	-25.0	23.50	307.00	Horizontal	Horizontal	N/A
2609.900	-29.74	6.97	-25.0	-4.74	280.00	Horizontal	Horizontal	N/A
7811.250	-38.93	16.33	-25.0	-13.93	351.00	Horizontal	Horizontal	Pass
11975.276	-39.17	13.91	-25.0	-14.17	222.00	Horizontal	Horizontal	Pass
18011.474	-40.97	12.85	-25.0	-15.97	40.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-68.24	-20.57	-25.0	-43.24	263.00	Horizontal	Vertical	Pass
2489.700	-16.39	8.19	-25.0	8.61	361.00	Horizontal	Vertical	N/A
2633.200	-30.94	7.29	-25.0	-5.94	3.00	Horizontal	Vertical	N/A
6694.500	-38.98	14.98	-25.0	-13.98	352.00	Horizontal	Vertical	Pass
12485.900	-38.73	14.59	-25.0	-13.73	169.00	Horizontal	Vertical	Pass
19757.801	-40.14	12.94	-25.0	-15.14	-3.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-66.87	-20.55	-25.0	-41.87	320.00	Vertical	Vertical	Pass
2490.600	-10.62	8.20	-25.0	14.38	282.00	Vertical	Vertical	N/A
2586.900	-28.20	7.89	-25.0	-3.20	256.00	Vertical	Vertical	N/A
6795.000	-38.55	14.38	-25.0	-13.55	360.00	Vertical	Vertical	Pass
12486.138	-38.40	14.60	-25.0	-13.40	195.00	Vertical	Vertical	Pass
19925.250	-39.23	12.95	-25.0	-14.23	84.00	Vertical	Vertical	Pass


RSE-V&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.988	-67.48	-24.51	-25.0	-42.48	304.00	Vertical	Horizontal	Pass
2489.700	-17.89	8.19	-25.0	7.11	141.00	Vertical	Horizontal	N/A
2578.500	-35.66	8.56	-25.0	-10.66	176.00	Vertical	Horizontal	N/A
7815.500	-38.63	16.29	-25.0	-13.63	248.00	Vertical	Horizontal	Pass
13399.687	-38.31	17.01	-25.0	-13.31	-2.00	Vertical	Horizontal	Pass
17801.026	-40.02	13.17	-25.0	-15.02	0.00	Vertical	Horizontal	Pass


## 22.2 CA\_41C 20MHz+5MHz, QPSK, Middle Channel

RSE-H&H PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.452	-68.82	-16.59	-25.0	-43.82	304.00	Horizontal	Horizontal	Pass
2550.900	-14.73	6.91	-25.0	10.27	324.00	Horizontal	Horizontal	N/A
2634.800	-21.88	8.22	-25.0	3.12	315.00	Horizontal	Horizontal	N/A
6714.500	-39.37	15.70	-25.0	-14.37	330.00	Horizontal	Horizontal	Pass
13360.838	-38.82	16.64	-25.0	-13.82	361.00	Horizontal	Horizontal	Pass
20265.251	-40.57	12.97	-25.0	-15.57	363.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.085	-71.72	-16.07	-25.0	-46.72	307.00	Horizontal	Vertical	Pass
2536.600	-23.38	6.39	-25.0	1.62	212.00	Horizontal	Vertical	N/A
2641.800	-22.90	8.55	-25.0	2.10	10.00	Horizontal	Vertical	N/A
6649.000	-38.57	15.18	-25.0	-13.57	9.00	Horizontal	Vertical	Pass
12908.550	-37.89	15.34	-25.0	-12.89	193.00	Horizontal	Vertical	Pass
17951.177	-40.26	14.06	-25.0	-15.26	193.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-64.92	-20.57	-25.0	-39.92	27.00	Vertical	Vertical	Pass
2555.700	-17.15	7.30	-25.0	7.85	0.00	Vertical	Vertical	N/A
2638.400	-24.26	8.26	-25.0	0.74	10.00	Vertical	Vertical	N/A
6645.250	-39.40	15.15	-25.0	-14.40	56.00	Vertical	Vertical	Pass
13373.700	-38.75	16.76	-25.0	-13.75	244.00	Vertical	Vertical	Pass
19904.850	-39.95	12.95	-25.0	-14.95	116.00	Vertical	Vertical	Pass




RSE-V&H PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-69.74	-20.57	-25.0	-44.74	293.00	Vertical	Horizontal	Pass
2549.400	-23.83	6.61	-25.0	1.17	150.00	Vertical	Horizontal	N/A
2628.500	-32.96	8.55	-25.0	-7.96	97.00	Vertical	Horizontal	N/A
6733.750	-39.14	15.16	-25.0	-14.14	104.00	Vertical	Horizontal	Pass
12510.599	-38.31	14.55	-25.0	-13.31	363.00	Vertical	Horizontal	Pass
20338.776	-40.44	12.97	-25.0	-15.44	42.00	Vertical	Horizontal	Pass


### 22.3 CA\_41C 20MHz+5MHz, QPSK, High Channel

RSE-H&H PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.210	-69.09	-16.61	-25.0	-44.09	353.00	Horizontal	Horizontal	Pass
2604.400	-22.05	7.38	-25.0	2.95	336.00	Horizontal	Horizontal	N/A
2699.100	-26.28	8.56	-25.0	-1.28	81.00	Horizontal	Horizontal	N/A
6774.750	-38.22	14.35	-25.0	-13.22	83.00	Horizontal	Horizontal	Pass
13398.112	-38.95	16.99	-25.0	-13.95	92.00	Horizontal	Horizontal	Pass
19700.001	-40.39	12.94	-25.0	-15.39	92.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-69.15	-20.57	-25.0	-44.15	215.00	Horizontal	Vertical	Pass
2608.900	-27.43	7.79	-25.0	-2.43	346.00	Horizontal	Vertical	N/A
2698.500	-26.53	8.87	-25.0	-1.53	35.00	Horizontal	Vertical	N/A
6617.250	-38.77	14.56	-25.0	-13.77	354.00	Horizontal	Vertical	Pass
12744.776	-39.11	14.72	-25.0	-14.11	214.00	Horizontal	Vertical	Pass
19489.624	-40.76	12.93	-25.0	-15.76	268.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-68.93	-20.55	-25.0	-43.93	70.00	Vertical	Vertical	Pass
2606.500	-24.79	7.44	-25.0	0.21	77.00	Vertical	Vertical	N/A
2699.300	-24.60	8.46	-25.0	0.40	87.00	Vertical	Vertical	N/A
6691.000	-38.78	14.82	-25.0	-13.78	89.00	Vertical	Vertical	Pass
13815.224	-38.39	16.65	-25.0	-13.39	201.00	Vertical	Vertical	Pass
19914.199	-40.71	12.95	-25.0	-15.71	66.00	Vertical	Vertical	Pass


RSE-V&H PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.258	-72.10	-16.60	-25.0	-47.10	187.00	Vertical	Horizontal	Pass
2594.500	-32.90	7.90	-25.0	-7.90	141.00	Vertical	Horizontal	N/A
2696.900	-31.06	9.14	-25.0	-6.06	264.00	Vertical	Horizontal	N/A
7800.750	-38.56	15.76	-25.0	-13.56	134.00	Vertical	Horizontal	Pass
13373.700	-38.44	16.76	-25.0	-13.44	293.00	Vertical	Horizontal	Pass
19516.824	-40.18	12.93	-25.0	-15.18	345.00	Vertical	Horizontal	Pass


## 22.4 CA\_41C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
174.579	-68.66	-19.30	-25.0	-43.66	150.00	Horizontal	Horizontal	Pass
2492.000	-21.29	8.21	-25.0	3.71	329.00	Horizontal	Horizontal	N/A
2588.600	-37.75	7.72	-25.0	-12.75	329.00	Horizontal	Horizontal	N/A
6669.500	-38.98	14.64	-25.0	-13.98	320.00	Horizontal	Horizontal	Pass
13341.938	-38.33	16.22	-25.0	-13.33	65.00	Horizontal	Horizontal	Pass
19473.900	-40.36	12.93	-25.0	-15.36	140.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
208.044	-71.26	-16.29	-25.0	-46.26	138.00	Horizontal	Vertical	Pass
2485.700	-30.47	7.71	-25.0	-5.47	231.00	Horizontal	Vertical	N/A
2590.900	-39.90	7.88	-25.0	-14.90	18.00	Horizontal	Vertical	N/A
6646.500	-38.74	15.26	-25.0	-13.74	7.00	Horizontal	Vertical	Pass
13340.625	-38.60	16.17	-25.0	-13.60	360.00	Horizontal	Vertical	Pass
20230.400	-40.42	12.96	-25.0	-15.42	356.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.954	-67.47	-20.59	-25.0	-42.47	58.00	Vertical	Vertical	Pass
2488.300	-25.61	8.18	-25.0	-0.61	254.00	Vertical	Vertical	N/A
2584.500	-42.31	8.04	-25.0	-17.31	246.00	Vertical	Vertical	N/A
7327.750	-38.97	14.03	-25.0	-13.97	51.00	Vertical	Vertical	Pass
13399.950	-38.36	17.01	-25.0	-13.36	343.00	Vertical	Vertical	Pass
19774.376	-40.47	12.94	-25.0	-15.47	268.00	Vertical	Vertical	Pass




RSE-V&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.018	-67.01	-24.31	-25.0	-42.01	306.00	Vertical	Horizontal	Pass
1566.400	-52.51	0.54	-25.0	-27.51	306.00	Vertical	Horizontal	Pass
2485.000	-35.95	7.24	-25.0	-10.95	124.00	Vertical	Horizontal	N/A
6672.250	-38.97	14.61	-25.0	-13.97	361.00	Vertical	Horizontal	Pass
13790.026	-38.20	16.34	-25.0	-13.20	-3.00	Vertical	Horizontal	Pass
19463.274	-40.32	12.92	-25.0	-15.32	363.00	Vertical	Horizontal	Pass


## 22.5 CA\_41C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.219	-68.86	-16.30	-25.0	-43.86	276.00	Horizontal	Horizontal	Pass
2560.700	-24.89	8.73	-25.0	0.11	342.00	Horizontal	Horizontal	N/A
2627.200	-35.07	8.83	-25.0	-10.07	325.00	Horizontal	Horizontal	N/A
6624.500	-38.97	14.71	-25.0	-13.97	249.00	Horizontal	Horizontal	Pass
12529.599	-39.12	14.25	-25.0	-14.12	345.00	Horizontal	Horizontal	Pass
20268.225	-40.64	12.97	-25.0	-15.64	171.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
208.140	-70.04	-16.29	-25.0	-45.04	298.00	Horizontal	Vertical	Pass
2564.300	-28.99	8.90	-25.0	-3.99	28.00	Horizontal	Vertical	N/A
2625.800	-38.26	10.02	-25.0	-13.26	362.00	Horizontal	Vertical	N/A
7790.500	-38.15	15.70	-25.0	-13.15	249.00	Horizontal	Vertical	Pass
12705.112	-38.79	14.78	-25.0	-13.79	170.00	Horizontal	Vertical	Pass
20232.526	-40.34	12.96	-25.0	-15.34	-1.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
284.577	-69.59	-13.51	-25.0	-44.59	33.00	Vertical	Vertical	Pass
2560.500	-27.55	8.69	-25.0	-2.55	322.00	Vertical	Vertical	N/A
2642.200	-41.35	8.69	-25.0	-16.35	35.00	Vertical	Vertical	N/A
6753.750	-38.56	14.42	-25.0	-13.56	263.00	Vertical	Vertical	Pass
13429.088	-38.53	16.37	-25.0	-13.53	-3.00	Vertical	Vertical	Pass
19894.651	-40.36	12.95	-25.0	-15.36	254.00	Vertical	Vertical	Pass


RSE-V&H PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.018	-67.77	-24.31	-25.0	-42.77	289.00	Vertical	Horizontal	Pass
2109.700	-47.90	4.65	-25.0	-22.90	35.00	Vertical	Horizontal	Pass
2563.100	-34.33	8.87	-25.0	-9.33	88.00	Vertical	Horizontal	N/A
7819.000	-38.35	16.23	-25.0	-13.35	169.00	Vertical	Horizontal	Pass
13400.475	-38.37	17.00	-25.0	-13.37	292.00	Vertical	Horizontal	Pass
19473.900	-40.84	12.93	-25.0	-15.84	94.00	Vertical	Horizontal	Pass


## 22.6 CA\_41C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
214.834	-71.10	-16.68	-25.0	-46.10	312.00	Horizontal	Horizontal	Pass
2591.800	-36.61	7.40	-25.0	-11.61	328.00	Horizontal	Horizontal	N/A
2651.900	-35.81	9.73	-25.0	-10.81	320.00	Horizontal	Horizontal	N/A
2716.600	-38.08	7.62	-25.0	-13.08	320.00	Horizontal	Horizontal	N/A
6647.000	-37.79	15.27	-25.0	-12.79	300.00	Horizontal	Horizontal	Pass
13352.175	-38.65	16.56	-25.0	-13.65	273.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.995	-70.95	-16.29	-25.0	-45.95	289.00	Horizontal	Vertical	Pass
2615.000	-35.40	9.66	-25.0	-10.40	27.00	Horizontal	Vertical	N/A
2652.000	-38.55	9.73	-25.0	-13.55	10.00	Horizontal	Vertical	N/A
6235.750	-39.58	12.44	-25.0	-14.58	107.00	Horizontal	Vertical	Pass
13420.951	-38.69	16.55	-25.0	-13.69	228.00	Horizontal	Vertical	Pass
17943.300	-40.28	13.93	-25.0	-15.28	360.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
284.286	-70.96	-13.49	-25.0	-45.96	360.00	Vertical	Vertical	Pass
2609.700	-38.14	7.90	-25.0	-13.14	266.00	Vertical	Vertical	N/A
2652.200	-38.68	9.72	-25.0	-13.68	275.00	Vertical	Vertical	N/A
6635.250	-39.16	14.96	-25.0	-14.16	30.00	Vertical	Vertical	Pass
13346.138	-38.73	16.39	-25.0	-13.73	17.00	Vertical	Vertical	Pass
20329.849	-40.47	12.97	-25.0	-15.47	363.00	Vertical	Vertical	Pass



RSE-V&H PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.698	-67.97	-24.46	-25.0	-42.97	358.00	Vertical	Horizontal	Pass
2020.600	-48.30	4.14	-25.0	-23.30	208.00	Vertical	Horizontal	Pass
2633.900	-43.66	9.71	-25.0	-18.66	190.00	Vertical	Horizontal	Pass
6701.000	-38.90	15.36	-25.0	-13.90	265.00	Vertical	Horizontal	Pass
13397.850	-38.85	16.99	-25.0	-13.85	296.00	Vertical	Horizontal	Pass
19646.026	-40.05	12.93	-25.0	-15.05	156.00	Vertical	Horizontal	Pass

NR

23 n5


23.1 n5 BW5, PI2 BPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.070	-44.62	4.75	-13.0	-31.62	331.00	Horizontal	Horizontal	N/A
883.260	-18.41	4.15	-13.0	-5.41	198.00	Horizontal	Horizontal	N/A
1760.700	-51.00	-4.59	-13.0	-38.00	194.00	Horizontal	Horizontal	Pass
3024.750	-48.99	5.02	-13.0	-35.99	16.00	Horizontal	Horizontal	Pass
6712.500	-39.28	15.64	-13.0	-26.28	360.00	Horizontal	Horizontal	Pass
9451.600	-39.89	14.17	-13.0	-26.89	174.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.276	-44.88	4.68	-13.0	-31.88	12.00	Horizontal	Vertical	N/A
882.290	-19.27	4.17	-13.0	-6.27	203.00	Horizontal	Vertical	N/A
1762.700	-53.13	-4.62	-13.0	-40.13	324.00	Horizontal	Vertical	Pass
3059.000	-49.50	5.30	-13.0	-36.50	-2.00	Horizontal	Vertical	Pass
4879.500	-44.17	10.65	-13.0	-31.17	250.00	Horizontal	Vertical	Pass
7354.500	-38.72	14.90	-13.0	-25.72	150.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.495	-41.37	4.85	-13.0	-28.37	111.00	Vertical	Vertical	N/A
883.649	-29.61	4.19	-13.0	-16.61	344.00	Vertical	Vertical	N/A
2071.700	-53.54	-1.24	-13.0	-40.54	273.00	Vertical	Vertical	Pass
3756.750	-46.89	8.43	-13.0	-33.89	283.00	Vertical	Vertical	Pass
6644.750	-38.63	15.12	-13.0	-25.63	283.00	Vertical	Vertical	Pass
7824.250	-38.70	16.03	-13.0	-25.70	317.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.446	-45.48	4.85	-13.0	-32.48	5.00	Vertical	Horizontal	N/A
879.962	-32.55	4.20	-13.0	-19.55	325.00	Vertical	Horizontal	N/A
1559.500	-55.56	-3.99	-13.0	-42.56	235.00	Vertical	Horizontal	Pass
3142.500	-49.38	5.50	-13.0	-36.38	316.00	Vertical	Horizontal	Pass
4900.500	-43.64	10.70	-13.0	-30.64	-3.00	Vertical	Horizontal	Pass
7946.500	-39.39	14.78	-13.0	-26.39	1.00	Vertical	Horizontal	Pass


### 23.2 n5 BW15, PI2 BPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.377	-44.64	4.49	-13.0	-31.64	103.00	Horizontal	Horizontal	N/A
885.492	-21.64	4.33	-13.0	-8.64	174.00	Horizontal	Horizontal	N/A
2099.100	-53.69	-0.08	-13.0	-40.69	175.00	Horizontal	Horizontal	Pass
3042.250	-49.42	5.65	-13.0	-36.42	207.00	Horizontal	Horizontal	Pass
6667.250	-39.19	14.58	-13.0	-26.19	295.00	Horizontal	Horizontal	Pass
9344.900	-39.16	14.86	-13.0	-26.16	139.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.474	-48.90	4.49	-13.0	-35.90	49.00	Horizontal	Vertical	N/A
876.082	-24.67	4.06	-13.0	-11.67	189.00	Horizontal	Vertical	N/A
2052.400	-53.56	-1.19	-13.0	-40.56	257.00	Horizontal	Vertical	Pass
3108.250	-49.55	5.45	-13.0	-36.55	-3.00	Horizontal	Vertical	Pass
4911.000	-43.67	10.69	-13.0	-30.67	360.00	Horizontal	Vertical	Pass
7814.500	-37.01	16.32	-13.0	-24.01	12.00	Horizontal	Vertical	Pass


RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.425	-45.98	4.49	-13.0	-32.98	360.00	Vertical	Vertical	N/A
885.152	-31.62	4.24	-13.0	-18.62	254.00	Vertical	Vertical	N/A
2043.000	-53.13	-1.23	-13.0	-40.13	150.00	Vertical	Vertical	Pass
3886.500	-46.23	9.03	-13.0	-33.23	76.00	Vertical	Vertical	Pass
7832.250	-38.49	15.57	-13.0	-25.49	261.00	Vertical	Vertical	Pass
8948.100	-39.77	13.58	-13.0	-26.77	285.00	Vertical	Vertical	Pass




RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	-49.05	4.66	-13.0	-36.05	24.00	Vertical	Horizontal	N/A
887.431	-36.80	4.43	-13.0	-23.80	126.00	Vertical	Horizontal	N/A
2103.000	-53.15	-0.25	-13.0	-40.15	334.00	Vertical	Horizontal	Pass
3043.250	-49.59	5.48	-13.0	-36.59	192.00	Vertical	Horizontal	Pass
6673.250	-38.74	14.59	-13.0	-25.74	192.00	Vertical	Horizontal	Pass
9453.000	-40.10	14.13	-13.0	-27.10	263.00	Vertical	Horizontal	Pass


### 23.3 n5 BW20, PI2 BPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
854.015	-39.66	4.85	-13.0	-26.66	205.00	Horizontal	Horizontal	N/A
876.374	-24.48	3.99	-13.0	-11.48	160.00	Horizontal	Horizontal	N/A
1683.000	-56.59	-4.54	-13.0	-43.59	276.00	Horizontal	Horizontal	Pass
3352.750	-49.13	6.31	-13.0	-36.13	-3.00	Horizontal	Horizontal	Pass
6649.000	-38.41	15.18	-13.0	-25.41	38.00	Horizontal	Horizontal	Pass
9354.200	-40.17	14.69	-13.0	-27.17	358.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.045	-42.08	4.85	-13.0	-29.08	24.00	Horizontal	Vertical	N/A
873.706	-24.97	4.17	-13.0	-11.97	197.00	Horizontal	Vertical	N/A
2104.100	-53.77	-0.10	-13.0	-40.77	55.00	Horizontal	Vertical	Pass
3039.000	-49.42	5.41	-13.0	-36.42	119.00	Horizontal	Vertical	Pass
4270.000	-45.75	8.71	-13.0	-32.75	30.00	Horizontal	Vertical	Pass
7194.000	-38.75	14.71	-13.0	-25.75	-3.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.287	-41.03	4.85	-13.0	-28.03	87.00	Vertical	Vertical	N/A
885.394	-35.10	4.30	-13.0	-22.10	268.00	Vertical	Vertical	N/A
1541.300	-56.18	-4.03	-13.0	-43.18	93.00	Vertical	Vertical	Pass
2454.500	-52.55	-0.36	-13.0	-39.55	247.00	Vertical	Vertical	Pass
5791.750	-41.38	11.98	-13.0	-28.38	63.00	Vertical	Vertical	Pass
7799.000	-39.18	15.84	-13.0	-26.18	138.00	Vertical	Vertical	Pass


RSE-V&H n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.997	-46.35	4.85	-13.0	-33.35	13.00	Vertical	Horizontal	N/A
872.494	-35.70	4.27	-13.0	-22.70	318.00	Vertical	Horizontal	N/A
1608.700	-56.91	-3.92	-13.0	-43.91	2.00	Vertical	Horizontal	Pass
3189.750	-49.01	6.43	-13.0	-36.01	93.00	Vertical	Horizontal	Pass
6009.750	-40.74	13.31	-13.0	-27.74	229.00	Vertical	Horizontal	Pass
9321.900	-38.87	15.10	-13.0	-25.87	162.00	Vertical	Horizontal	Pass


## 23.1 n5 BW5, QPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.276	-45.01	4.68	-13.0	-32.01	324.00	Horizontal	Horizontal	N/A
882.290	-16.34	4.17	-13.0	-3.34	163.00	Horizontal	Horizontal	N/A
1763.800	-53.10	-4.47	-13.0	-40.10	350.00	Horizontal	Horizontal	Pass
2562.500	-51.99	0.90	-13.0	-38.99	319.00	Horizontal	Horizontal	Pass
6662.250	-39.13	14.83	-13.0	-26.13	94.00	Horizontal	Horizontal	Pass
9313.200	-38.36	15.20	-13.0	-25.36	110.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.543	-41.88	4.85	-13.0	-28.88	19.00	Horizontal	Vertical	N/A
880.981	-19.03	4.17	-13.0	-6.03	201.00	Horizontal	Vertical	N/A
1763.300	-52.54	-4.57	-13.0	-39.54	292.00	Horizontal	Vertical	Pass
2950.300	-49.81	3.94	-13.0	-36.81	172.00	Horizontal	Vertical	Pass
6660.000	-38.64	14.83	-13.0	-25.64	147.00	Horizontal	Vertical	Pass
9375.901	-39.76	14.10	-13.0	-26.76	290.00	Horizontal	Vertical	Pass


RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.215	-42.26	4.76	-13.0	-29.26	72.00	Vertical	Vertical	N/A
881.466	-29.73	4.17	-13.0	-16.73	338.00	Vertical	Vertical	N/A
1771.300	-55.90	-4.56	-13.0	-42.90	231.00	Vertical	Vertical	Pass
2658.300	-51.28	1.71	-13.0	-38.28	269.00	Vertical	Vertical	Pass
5146.500	-44.14	11.06	-13.0	-31.14	181.00	Vertical	Vertical	Pass
7822.750	-38.93	16.09	-13.0	-25.93	360.00	Vertical	Vertical	Pass




RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.215	-47.29	4.76	-13.0	-34.29	39.00	Vertical	Horizontal	N/A
881.563	-27.37	4.17	-13.0	-14.37	360.00	Vertical	Horizontal	N/A
1353.700	-54.93	-3.76	-13.0	-41.93	83.00	Vertical	Horizontal	Pass
2045.200	-53.67	-1.19	-13.0	-40.67	254.00	Vertical	Horizontal	Pass
5425.750	-43.20	10.49	-13.0	-30.20	26.00	Vertical	Horizontal	Pass
6677.250	-39.05	14.54	-13.0	-26.05	229.00	Vertical	Horizontal	Pass


## 23.2 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.571	-42.84	4.49	-13.0	-29.84	330.00	Horizontal	Horizontal	N/A
878.217	-23.17	4.21	-13.0	-10.17	161.00	Horizontal	Horizontal	N/A
1562.600	-56.02	-3.91	-13.0	-43.02	341.00	Horizontal	Horizontal	Pass
2513.800	-52.62	0.68	-13.0	-39.62	111.00	Horizontal	Horizontal	Pass
4517.000	-44.75	10.28	-13.0	-31.75	347.00	Horizontal	Horizontal	Pass
6708.000	-37.99	15.71	-13.0	-24.99	360.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	-51.49	4.66	-13.0	-38.49	35.00	Horizontal	Vertical	N/A
876.713	-24.40	4.00	-13.0	-11.40	210.00	Horizontal	Vertical	N/A
1761.400	-55.54	-4.65	-13.0	-42.54	318.00	Horizontal	Vertical	Pass
3230.000	-49.32	6.65	-13.0	-36.32	11.00	Horizontal	Vertical	Pass
4778.500	-43.30	9.79	-13.0	-30.30	27.00	Horizontal	Vertical	Pass
6696.750	-39.40	15.17	-13.0	-26.40	283.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.645	-46.85	4.66	-13.0	-33.85	55.00	Vertical	Vertical	N/A
888.062	-31.10	4.56	-13.0	-18.10	246.00	Vertical	Vertical	N/A
2038.400	-53.49	-1.36	-13.0	-40.49	0.00	Vertical	Vertical	Pass
4062.000	-46.40	9.23	-13.0	-33.40	109.00	Vertical	Vertical	Pass
6676.000	-38.72	14.57	-13.0	-25.72	279.00	Vertical	Vertical	Pass
7823.000	-38.41	16.11	-13.0	-25.41	193.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.694	-49.87	4.66	-13.0	-36.87	360.00	Vertical	Horizontal	N/A
879.429	-37.27	4.22	-13.0	-24.27	338.00	Vertical	Horizontal	N/A
1641.200	-56.09	-4.02	-13.0	-43.09	223.00	Vertical	Horizontal	Pass
3200.250	-49.22	6.09	-13.0	-36.22	299.00	Vertical	Horizontal	Pass
5753.250	-41.69	12.27	-13.0	-28.69	350.00	Vertical	Horizontal	Pass
7820.000	-39.61	16.30	-13.0	-26.61	333.00	Vertical	Horizontal	Pass


### 23.3 n5 BW20, QPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.578	-42.14	4.85	-13.0	-29.14	117.00	Horizontal	Horizontal	N/A
877.974	-23.97	4.17	-13.0	-10.97	182.00	Horizontal	Horizontal	N/A
1754.600	-55.52	-4.78	-13.0	-42.52	283.00	Horizontal	Horizontal	Pass
3014.500	-49.68	4.57	-13.0	-36.68	-3.00	Horizontal	Horizontal	Pass
3920.500	-46.12	9.12	-13.0	-33.12	119.00	Horizontal	Horizontal	Pass
6669.500	-38.95	14.64	-13.0	-25.95	83.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.385	-41.69	4.85	-13.0	-28.69	21.00	Horizontal	Vertical	N/A
874.628	-26.13	4.39	-13.0	-13.13	208.00	Horizontal	Vertical	N/A
1764.500	-55.44	-4.64	-13.0	-42.44	320.00	Horizontal	Vertical	Pass
3488.750	-47.82	6.72	-13.0	-34.82	51.00	Horizontal	Vertical	Pass
6637.750	-39.55	15.06	-13.0	-26.55	119.00	Horizontal	Vertical	Pass
7817.250	-38.97	16.32	-13.0	-25.97	172.00	Horizontal	Vertical	Pass


RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.560	-39.03	4.85	-13.0	-26.03	50.00	Vertical	Vertical	N/A
878.362	-33.79	4.21	-13.0	-20.79	261.00	Vertical	Vertical	N/A
2102.800	-53.46	-0.22	-13.0	-40.46	357.00	Vertical	Vertical	Pass
3766.500	-46.99	8.90	-13.0	-33.99	75.00	Vertical	Vertical	Pass
6652.750	-38.28	15.03	-13.0	-25.28	22.00	Vertical	Vertical	Pass
7817.750	-38.87	16.31	-13.0	-25.87	291.00	Vertical	Vertical	Pass



RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
854.161	-47.03	4.85	-13.0	-34.03	36.00	Vertical	Horizontal	N/A
886.946	-37.47	4.36	-13.0	-24.47	125.00	Vertical	Horizontal	N/A
2281.400	-53.08	-1.33	-13.0	-40.08	29.00	Vertical	Horizontal	Pass
4486.750	-44.85	10.07	-13.0	-31.85	223.00	Vertical	Horizontal	Pass
5867.250	-41.02	12.63	-13.0	-28.02	276.00	Vertical	Horizontal	Pass
9446.600	-39.57	14.17	-13.0	-26.57	291.00	Vertical	Horizontal	Pass

24 n7


24.1 n7 BW5, PI2 BPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-64.62	-20.57	-25.0	-39.62	69.00	Horizontal	Horizontal	Pass
2489.400	-28.95	8.19	-25.0	-3.95	290.00	Horizontal	Horizontal	N/A
2536.200	-35.33	8.16	-25.0	-10.33	290.00	Horizontal	Horizontal	N/A
2654.400	-15.45	8.31	-25.0	9.55	114.00	Horizontal	Horizontal	N/A
7959.750	-38.76	14.74	-25.0	-13.76	89.00	Horizontal	Horizontal	Pass
13390.763	-38.14	16.92	-25.0	-13.14	155.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.150	-65.40	-15.99	-25.0	-40.40	273.00	Horizontal	Vertical	Pass
2487.600	-32.86	8.17	-25.0	-7.86	104.00	Horizontal	Vertical	N/A
2656.000	-13.92	8.19	-25.0	11.08	232.00	Horizontal	Vertical	N/A
7777.500	-38.83	15.11	-25.0	-13.83	133.00	Horizontal	Vertical	Pass
13401.525	-38.75	16.98	-25.0	-13.75	360.00	Horizontal	Vertical	Pass
18267.300	-40.47	12.86	-25.0	-15.47	249.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.552	-60.90	-24.43	-25.0	-35.90	277.00	Vertical	Vertical	Pass
2579.900	-33.85	8.59	-25.0	-8.85	27.00	Vertical	Vertical	N/A
2654.100	-20.39	8.31	-25.0	4.61	309.00	Vertical	Vertical	N/A
7797.000	-38.88	15.83	-25.0	-13.88	161.00	Vertical	Vertical	Pass
13403.625	-38.06	16.93	-25.0	-13.06	14.00	Vertical	Vertical	Pass
17799.975	-40.54	13.20	-25.0	-15.54	76.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.212	-61.34	-24.36	-25.0	-36.34	334.00	Vertical	Horizontal	Pass
2489.600	-37.28	8.19	-25.0	-12.28	162.00	Vertical	Horizontal	N/A
2654.900	-29.11	8.27	-25.0	-4.11	171.00	Vertical	Horizontal	N/A
6827.250	-38.71	14.27	-25.0	-13.71	171.00	Vertical	Horizontal	Pass
13357.425	-37.95	16.61	-25.0	-12.95	283.00	Vertical	Horizontal	Pass
19398.150	-40.00	12.92	-25.0	-15.00	15.00	Vertical	Horizontal	Pass


## 24.2 n7 BW15, PI2 BPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-63.44	-20.57	-25.0	-38.44	354.00	Horizontal	Horizontal	Pass
2536.700	-35.30	8.16	-25.0	-10.30	323.00	Horizontal	Horizontal	N/A
2649.400	-17.94	8.50	-25.0	7.06	121.00	Horizontal	Horizontal	N/A
7813.750	-37.98	16.25	-25.0	-12.98	310.00	Horizontal	Horizontal	Pass
13326.188	-38.67	15.60	-25.0	-13.67	322.00	Horizontal	Horizontal	Pass
19745.100	-40.31	12.94	-25.0	-15.31	35.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.004	-65.45	-15.99	-25.0	-40.45	280.00	Horizontal	Vertical	Pass
2537.900	-40.84	8.16	-25.0	-15.84	121.00	Horizontal	Vertical	N/A
2649.100	-19.65	8.53	-25.0	5.35	170.00	Horizontal	Vertical	N/A
6692.750	-38.53	14.87	-25.0	-13.53	361.00	Horizontal	Vertical	Pass
13373.175	-37.89	16.76	-25.0	-12.89	13.00	Horizontal	Vertical	Pass
19820.249	-40.11	12.94	-25.0	-15.11	13.00	Horizontal	Vertical	Pass


RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.698	-61.40	-24.46	-25.0	-36.40	268.00	Vertical	Vertical	Pass
2535.900	-39.41	8.16	-25.0	-14.41	342.00	Vertical	Vertical	N/A
2652.500	-26.81	8.43	-25.0	-1.81	316.00	Vertical	Vertical	N/A
7844.250	-38.90	14.61	-25.0	-13.90	213.00	Vertical	Vertical	Pass
13357.425	-37.05	16.61	-25.0	-12.05	2.00	Vertical	Vertical	Pass
19816.651	-40.10	12.94	-25.0	-15.10	291.00	Vertical	Vertical	Pass




RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.249	-63.51	-23.93	-25.0	-38.51	273.00	Vertical	Horizontal	Pass
2537.200	-42.42	8.16	-25.0	-17.42	177.00	Vertical	Horizontal	N/A
2656.300	-32.22	8.17	-25.0	-7.22	255.00	Vertical	Horizontal	N/A
7278.000	-38.51	14.42	-25.0	-13.51	360.00	Vertical	Horizontal	Pass
13349.550	-38.45	16.52	-25.0	-13.45	326.00	Vertical	Horizontal	Pass
19756.349	-39.92	12.94	-25.0	-14.92	309.00	Vertical	Horizontal	Pass


### 24.3 n7 BW20, PI2 BPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.601	-64.25	-21.88	-25.0	-39.25	48.00	Horizontal	Horizontal	Pass
2530.500	-36.80	8.18	-25.0	-11.80	323.00	Horizontal	Horizontal	N/A
2581.700	-32.89	8.40	-25.0	-7.89	323.00	Horizontal	Horizontal	N/A
2661.700	-20.06	7.85	-25.0	4.94	115.00	Horizontal	Horizontal	N/A
7278.250	-38.37	14.44	-25.0	-13.37	210.00	Horizontal	Horizontal	Pass
13429.875	-38.32	16.35	-25.0	-13.32	119.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-62.40	-20.55	-25.0	-37.40	-2.00	Horizontal	Vertical	Pass
2535.800	-42.20	8.16	-25.0	-17.20	121.00	Horizontal	Vertical	N/A
2663.700	-19.24	7.94	-25.0	5.76	259.00	Horizontal	Vertical	N/A
7278.250	-38.68	14.44	-25.0	-13.68	230.00	Horizontal	Vertical	Pass
13800.263	-38.07	17.00	-25.0	-13.07	0.00	Horizontal	Vertical	Pass
19892.251	-39.83	12.95	-25.0	-14.83	157.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.861	-62.43	-24.17	-25.0	-37.43	331.00	Vertical	Vertical	Pass
2530.700	-39.65	8.18	-25.0	-14.65	1.00	Vertical	Vertical	N/A
2654.200	-30.08	8.31	-25.0	-5.08	310.00	Vertical	Vertical	N/A
7812.750	-39.22	16.30	-25.0	-14.22	242.00	Vertical	Vertical	Pass
13380.263	-38.18	16.82	-25.0	-13.18	41.00	Vertical	Vertical	Pass
19677.151	-39.79	12.94	-25.0	-14.79	288.00	Vertical	Vertical	Pass


RSE-V&H n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.153	-62.93	-24.01	-25.0	-37.93	286.00	Vertical	Horizontal	Pass
2535.800	-43.72	8.16	-25.0	-18.72	191.00	Vertical	Horizontal	N/A
2649.300	-34.38	8.51	-25.0	-9.38	350.00	Vertical	Horizontal	N/A
6667.250	-38.71	14.58	-25.0	-13.71	192.00	Vertical	Horizontal	Pass
13813.387	-38.15	16.70	-25.0	-13.15	133.00	Vertical	Horizontal	Pass
19831.050	-40.31	12.94	-25.0	-15.31	82.00	Vertical	Horizontal	Pass


## 24.1 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.038	-65.76	-21.86	-25.0	-40.76	53.00	Horizontal	Horizontal	Pass
2537.800	-33.51	8.16	-25.0	-8.51	333.00	Horizontal	Horizontal	N/A
2654.800	-13.75	8.28	-25.0	11.25	111.00	Horizontal	Horizontal	N/A
6648.250	-38.54	15.15	-25.0	-13.54	86.00	Horizontal	Horizontal	Pass
13379.213	-38.49	16.81	-25.0	-13.49	360.00	Horizontal	Horizontal	Pass
19758.150	-39.85	12.94	-25.0	-14.85	96.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.392	-65.77	-16.03	-25.0	-40.77	279.00	Horizontal	Vertical	Pass
2578.900	-37.58	8.57	-25.0	-12.58	-1.00	Horizontal	Vertical	N/A
2655.400	-14.21	8.21	-25.0	10.79	230.00	Horizontal	Vertical	N/A
7278.750	-38.51	14.47	-25.0	-13.51	236.00	Horizontal	Vertical	Pass
13356.900	-38.32	16.60	-25.0	-13.32	132.00	Horizontal	Vertical	Pass
20088.001	-40.22	12.96	-25.0	-15.22	252.00	Horizontal	Vertical	Pass


RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.601	-60.88	-24.44	-25.0	-35.88	273.00	Vertical	Vertical	Pass
2489.200	-32.34	8.18	-25.0	-7.34	1.00	Vertical	Vertical	N/A
2655.500	-20.32	8.20	-25.0	4.68	316.00	Vertical	Vertical	N/A
6646.250	-38.37	15.25	-25.0	-13.37	199.00	Vertical	Vertical	Pass
13388.925	-38.26	16.91	-25.0	-13.26	326.00	Vertical	Vertical	Pass
19765.801	-40.21	12.94	-25.0	-15.21	300.00	Vertical	Vertical	Pass




RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.358	-61.22	-24.39	-25.0	-36.22	306.00	Vertical	Horizontal	Pass
2535.400	-41.15	8.17	-25.0	-16.15	170.00	Vertical	Horizontal	N/A
2656.200	-27.11	8.18	-25.0	-2.11	196.00	Vertical	Horizontal	N/A
6702.000	-38.27	15.50	-25.0	-13.27	300.00	Vertical	Horizontal	Pass
13414.388	-38.21	16.69	-25.0	-13.21	94.00	Vertical	Horizontal	Pass
20107.801	-40.08	12.96	-25.0	-15.08	362.00	Vertical	Horizontal	Pass


## 24.2 n7 BW15, QPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.150	-65.34	-15.99	-25.0	-40.34	274.00	Horizontal	Horizontal	Pass
2537.600	-36.27	8.16	-25.0	-11.27	256.00	Horizontal	Horizontal	N/A
2651.200	-19.38	8.56	-25.0	5.62	112.00	Horizontal	Horizontal	N/A
6661.250	-38.93	14.75	-25.0	-13.93	360.00	Horizontal	Horizontal	Pass
13383.675	-38.75	16.86	-25.0	-13.75	283.00	Horizontal	Horizontal	Pass
19764.900	-40.12	12.94	-25.0	-15.12	155.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
197.907	-64.64	-15.98	-25.0	-39.64	268.00	Horizontal	Vertical	Pass
2536.300	-42.48	8.16	-25.0	-17.48	122.00	Horizontal	Vertical	N/A
2653.300	-18.41	8.37	-25.0	6.59	216.00	Horizontal	Vertical	N/A
7276.750	-38.77	14.59	-25.0	-13.77	93.00	Horizontal	Vertical	Pass
13384.724	-38.56	16.87	-25.0	-13.56	-2.00	Horizontal	Vertical	Pass
19716.301	-39.06	12.94	-25.0	-14.06	-1.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.698	-61.49	-24.46	-25.0	-36.49	302.00	Vertical	Vertical	Pass
2489.100	-35.00	8.18	-25.0	-10.00	255.00	Vertical	Vertical	N/A
2537.300	-37.54	8.16	-25.0	-12.54	264.00	Vertical	Vertical	N/A
2650.100	-24.83	8.55	-25.0	0.17	315.00	Vertical	Vertical	N/A
7278.250	-38.49	14.44	-25.0	-13.49	322.00	Vertical	Vertical	Pass
13361.362	-37.68	16.65	-25.0	-12.68	48.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.407	-61.60	-24.40	-25.0	-36.60	331.00	Vertical	Horizontal	Pass
2537.600	-43.56	8.16	-25.0	-18.56	169.00	Vertical	Horizontal	N/A
2649.700	-32.36	8.51	-25.0	-7.36	186.00	Vertical	Horizontal	N/A
7904.500	-39.23	14.88	-25.0	-14.23	156.00	Vertical	Horizontal	Pass
13355.325	-38.42	16.59	-25.0	-13.42	360.00	Vertical	Horizontal	Pass
20213.551	-40.44	12.96	-25.0	-15.44	34.00	Vertical	Horizontal	Pass


### 24.3 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-63.78	-20.57	-25.0	-38.78	112.00	Horizontal	Horizontal	Pass
2485.400	-33.12	7.50	-25.0	-8.12	290.00	Horizontal	Horizontal	N/A
2583.600	-31.72	8.12	-25.0	-6.72	349.00	Horizontal	Horizontal	N/A
2648.100	-21.24	8.50	-25.0	3.76	105.00	Horizontal	Horizontal	N/A
7812.500	-38.60	16.33	-25.0	-13.60	62.00	Horizontal	Horizontal	Pass
13354.276	-38.20	16.58	-25.0	-13.20	361.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-63.30	-20.55	-25.0	-38.30	27.00	Horizontal	Vertical	Pass
2530.600	-40.18	8.18	-25.0	-15.18	191.00	Horizontal	Vertical	N/A
2654.400	-17.34	8.31	-25.0	7.66	225.00	Horizontal	Vertical	N/A
7815.500	-38.53	16.29	-25.0	-13.53	343.00	Horizontal	Vertical	Pass
13349.812	-37.95	16.53	-25.0	-12.95	362.00	Horizontal	Vertical	Pass
19679.850	-40.30	12.94	-25.0	-15.30	138.00	Horizontal	Vertical	Pass


RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.436	-63.63	-23.92	-25.0	-38.63	256.00	Vertical	Vertical	Pass
2490.000	-36.64	8.19	-25.0	-11.64	10.00	Vertical	Vertical	N/A
2650.700	-30.15	8.57	-25.0	-5.15	300.00	Vertical	Vertical	N/A
7277.000	-38.48	14.57	-25.0	-13.48	278.00	Vertical	Vertical	Pass
13412.025	-37.82	16.75	-25.0	-12.82	161.00	Vertical	Vertical	Pass
17939.100	-40.48	13.83	-25.0	-15.48	121.00	Vertical	Vertical	Pass



RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.679	-63.67	-24.12	-25.0	-38.67	250.00	Vertical	Horizontal	Pass
2579.700	-40.58	8.58	-25.0	-15.58	152.00	Vertical	Horizontal	N/A
2648.300	-33.59	8.52	-25.0	-8.59	195.00	Vertical	Horizontal	N/A
6650.000	-38.76	15.12	-25.0	-13.76	0.00	Vertical	Horizontal	Pass
13394.175	-37.48	16.96	-25.0	-12.48	139.00	Vertical	Horizontal	Pass
20086.198	-40.09	12.96	-25.0	-15.09	144.00	Vertical	Horizontal	Pass

25 n38


25.1 n38 BW20, PI2 BPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-62.95	-20.57	-25.0	-37.95	107.00	Horizontal	Horizontal	Pass
1323.800	-53.22	-0.29	-25.0	-28.22	334.00	Horizontal	Horizontal	Pass
2591.500	-34.62	9.55	-25.0	-9.62	343.00	Horizontal	Horizontal	N/A
6804.250	-38.54	14.45	-25.0	-13.54	360.00	Horizontal	Horizontal	Pass
13349.550	-38.89	16.52	-25.0	-13.89	223.00	Horizontal	Horizontal	Pass
20104.200	-38.87	12.96	-25.0	-13.87	248.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-63.54	-20.57	-25.0	-38.54	164.00	Horizontal	Vertical	Pass
1629.300	-52.09	0.28	-25.0	-27.09	190.00	Horizontal	Vertical	Pass
2591.200	-40.19	9.54	-25.0	-15.19	123.00	Horizontal	Vertical	N/A
6681.750	-38.49	14.54	-25.0	-13.49	41.00	Horizontal	Vertical	Pass
12003.775	-38.19	13.70	-25.0	-13.19	115.00	Horizontal	Vertical	Pass
19395.000	-40.49	12.92	-25.0	-15.49	286.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.31	-20.57	-25.0	-40.31	360.00	Vertical	Vertical	Pass
1543.200	-52.21	0.14	-25.0	-27.21	25.00	Vertical	Vertical	Pass
2591.200	-38.31	9.54	-25.0	-13.31	258.00	Vertical	Vertical	N/A
6812.750	-38.88	14.21	-25.0	-13.88	31.00	Vertical	Vertical	Pass
13403.362	-38.35	16.94	-25.0	-13.35	246.00	Vertical	Vertical	Pass
19746.900	-40.54	12.94	-25.0	-15.54	54.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-64.68	-20.55	-25.0	-39.68	291.00	Vertical	Horizontal	Pass
1387.700	-53.36	-0.68	-25.0	-28.36	352.00	Vertical	Horizontal	Pass
2591.500	-42.63	9.55	-25.0	-17.63	173.00	Vertical	Horizontal	N/A
7204.250	-38.77	14.52	-25.0	-13.77	73.00	Vertical	Horizontal	Pass
13367.400	-37.89	16.70	-25.0	-12.89	53.00	Vertical	Horizontal	Pass
19755.901	-40.42	12.94	-25.0	-15.42	326.00	Vertical	Horizontal	Pass


## 25.1 n38 BW30, PI2 BPSK, Middle Channel

RSE-H&H n38 BW30 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-61.81	-20.57	-25.0	-36.81	9.00	Horizontal	Horizontal	Pass
2554.100	-29.73	7.26	-25.0	-4.73	306.00	Horizontal	Horizontal	N/A
2628.600	-27.61	8.53	-25.0	-2.61	306.00	Horizontal	Horizontal	N/A
6661.000	-38.21	14.74	-25.0	-13.21	44.00	Horizontal	Horizontal	Pass
13359.787	-38.11	16.63	-25.0	-13.11	-2.00	Horizontal	Horizontal	Pass
19767.151	-40.15	12.94	-25.0	-15.15	277.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-64.26	-20.55	-25.0	-39.26	360.00	Horizontal	Vertical	Pass
2561.800	-34.82	8.84	-25.0	-9.82	361.00	Horizontal	Vertical	N/A
2636.800	-35.14	8.29	-25.0	-10.14	147.00	Horizontal	Vertical	N/A
7279.250	-39.01	14.48	-25.0	-14.01	170.00	Horizontal	Vertical	Pass
13371.600	-38.25	16.74	-25.0	-13.25	-2.00	Horizontal	Vertical	Pass
19787.850	-40.21	12.94	-25.0	-15.21	116.00	Horizontal	Vertical	Pass


RSE-V&V n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.07	-20.57	-25.0	-40.07	-2.00	Vertical	Vertical	Pass
2563.500	-29.64	8.88	-25.0	-4.64	339.00	Vertical	Vertical	N/A
2633.100	-30.42	8.17	-25.0	-5.42	-1.00	Vertical	Vertical	N/A
7822.250	-37.69	16.12	-25.0	-12.69	83.00	Vertical	Vertical	Pass
13391.813	-37.93	16.93	-25.0	-12.93	165.00	Vertical	Vertical	Pass
19701.901	-40.06	12.94	-25.0	-15.06	242.00	Vertical	Vertical	Pass




RSE-V&H n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-64.35	-20.55	-25.0	-39.35	272.00	Vertical	Horizontal	Pass
2556.300	-36.41	7.34	-25.0	-11.41	54.00	Vertical	Horizontal	N/A
2645.900	-40.89	9.61	-25.0	-15.89	225.00	Vertical	Horizontal	N/A
7276.500	-38.39	14.57	-25.0	-13.39	232.00	Vertical	Horizontal	Pass
13370.550	-37.90	16.73	-25.0	-12.90	360.00	Vertical	Horizontal	Pass
20041.650	-39.92	12.95	-25.0	-14.92	362.00	Vertical	Horizontal	Pass


## 25.1 n38 BW20, QPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-61.52	-20.55	-25.0	-36.52	58.00	Horizontal	Horizontal	Pass
1371.800	-53.01	-0.47	-25.0	-28.01	-1.00	Horizontal	Horizontal	Pass
2596.700	-39.07	9.68	-25.0	-14.07	338.00	Horizontal	Horizontal	N/A
7786.750	-38.67	15.56	-25.0	-13.67	109.00	Horizontal	Horizontal	Pass
13377.375	-38.26	16.80	-25.0	-13.26	344.00	Horizontal	Horizontal	Pass
19748.250	-40.43	12.94	-25.0	-15.43	14.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-63.28	-20.57	-25.0	-38.28	-2.00	Horizontal	Vertical	Pass
1565.300	-51.72	0.35	-25.0	-26.72	111.00	Horizontal	Vertical	Pass
2591.700	-42.45	9.56	-25.0	-17.45	-1.00	Horizontal	Vertical	N/A
6659.750	-38.66	14.86	-25.0	-13.66	299.00	Horizontal	Vertical	Pass
13364.513	-38.40	16.68	-25.0	-13.40	241.00	Horizontal	Vertical	Pass
19727.100	-40.49	12.94	-25.0	-15.49	160.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-64.25	-20.55	-25.0	-39.25	296.00	Vertical	Vertical	Pass
1331.800	-52.80	-0.38	-25.0	-27.80	360.00	Vertical	Vertical	Pass
2627.700	-36.26	8.67	-25.0	-11.26	283.00	Vertical	Vertical	N/A
6705.500	-39.02	15.47	-25.0	-14.02	213.00	Vertical	Vertical	Pass
13344.037	-38.29	16.31	-25.0	-13.29	-2.00	Vertical	Vertical	Pass
19732.050	-39.90	12.94	-25.0	-14.90	362.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.727	-69.19	-24.15	-25.0	-44.19	273.00	Vertical	Horizontal	Pass
1321.100	-53.08	-0.29	-25.0	-28.08	344.00	Vertical	Horizontal	Pass
2591.200	-42.08	9.54	-25.0	-17.08	175.00	Vertical	Horizontal	N/A
6698.250	-38.54	15.23	-25.0	-13.54	118.00	Vertical	Horizontal	Pass
13383.412	-38.54	16.85	-25.0	-13.54	306.00	Vertical	Horizontal	Pass
19494.900	-39.98	12.93	-25.0	-14.98	12.00	Vertical	Horizontal	Pass


## 25.1 n38 BW30, PI2 QPSK, Middle Channel

RSE-H&H n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-60.53	-20.57	-25.0	-35.53	75.00	Horizontal	Horizontal	Pass
1362.700	-52.80	-0.45	-25.0	-27.80	-1.00	Horizontal	Horizontal	Pass
2550.800	-27.61	6.89	-25.0	-2.61	326.00	Horizontal	Horizontal	N/A
7801.250	-38.53	15.86	-25.0	-13.53	193.00	Horizontal	Horizontal	Pass
13340.100	-37.70	16.15	-25.0	-12.70	184.00	Horizontal	Horizontal	Pass
20213.551	-40.83	12.96	-25.0	-15.83	92.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-61.25	-20.57	-25.0	-36.25	13.00	Horizontal	Vertical	Pass
2564.100	-36.17	8.90	-25.0	-11.17	19.00	Horizontal	Vertical	N/A
2625.800	-32.26	10.02	-25.0	-7.26	123.00	Horizontal	Vertical	N/A
7278.250	-38.07	14.44	-25.0	-13.07	0.00	Horizontal	Vertical	Pass
13363.463	-38.69	16.67	-25.0	-13.69	264.00	Horizontal	Vertical	Pass
17941.725	-40.30	13.89	-25.0	-15.30	157.00	Horizontal	Vertical	Pass


RSE-V&V n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.954	-64.42	-20.59	-25.0	-39.42	260.00	Vertical	Vertical	Pass
2561.800	-30.75	8.84	-25.0	-5.75	353.00	Vertical	Vertical	N/A
2644.200	-31.79	9.31	-25.0	-6.79	251.00	Vertical	Vertical	N/A
7277.500	-38.33	14.45	-25.0	-13.33	0.00	Vertical	Vertical	Pass
13396.013	-38.03	16.97	-25.0	-13.03	19.00	Vertical	Vertical	Pass
19667.700	-40.13	12.94	-25.0	-15.13	14.00	Vertical	Vertical	Pass



RSE-V&H n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-69.38	-20.57	-25.0	-44.38	150.00	Vertical	Horizontal	Pass
1370.300	-52.59	-0.47	-25.0	-27.59	57.00	Vertical	Horizontal	Pass
2551.800	-36.36	6.95	-25.0	-11.36	103.00	Vertical	Horizontal	N/A
7928.250	-38.94	14.92	-25.0	-13.94	352.00	Vertical	Horizontal	Pass
13344.825	-38.73	16.34	-25.0	-13.73	-2.00	Vertical	Horizontal	Pass
19767.151	-40.41	12.94	-25.0	-15.41	-1.00	Vertical	Horizontal	Pass

26 n41


26.1 n41 BW20, PI2 BPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.555	-59.79	4.93	-25.0	-34.79	311.00	Horizontal	Horizontal	N/A
881.951	-52.14	4.91	-25.0	-27.14	134.00	Horizontal	Horizontal	N/A
2536.400	-37.83	10.24	-25.0	-12.83	326.00	Horizontal	Horizontal	N/A
3633.250	-48.07	7.17	-25.0	-23.07	269.00	Horizontal	Horizontal	Pass
7350.750	-39.60	14.80	-25.0	-14.60	285.00	Horizontal	Horizontal	Pass
13380.263	-38.71	16.82	-25.0	-13.71	175.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.708	-59.24	5.06	-25.0	-34.24	184.00	Horizontal	Vertical	N/A
881.757	-46.84	4.88	-25.0	-21.84	184.00	Horizontal	Vertical	N/A
2486.600	-39.41	9.79	-25.0	-14.41	-1.00	Horizontal	Vertical	N/A
2580.300	-37.70	9.83	-25.0	-12.70	20.00	Horizontal	Vertical	N/A
6693.250	-39.04	14.84	-25.0	-14.04	351.00	Horizontal	Vertical	Pass
13802.625	-38.71	16.95	-25.0	-13.71	180.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.948	-57.67	5.01	-25.0	-32.67	360.00	Vertical	Vertical	N/A
881.660	-58.42	4.86	-25.0	-33.42	24.00	Vertical	Vertical	N/A
2488.600	-37.67	10.33	-25.0	-12.67	30.00	Vertical	Vertical	N/A
2589.000	-39.47	9.25	-25.0	-14.47	11.00	Vertical	Vertical	N/A
3756.000	-46.97	8.38	-25.0	-21.97	361.00	Vertical	Vertical	Pass
13338.787	-38.14	16.10	-25.0	-13.14	114.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-58.42	4.94	-25.0	-33.42	300.00	Vertical	Horizontal	N/A
881.806	-57.97	4.88	-25.0	-32.97	1.00	Vertical	Horizontal	N/A
2582.600	-42.89	9.53	-25.0	-17.89	57.00	Vertical	Horizontal	N/A
3198.000	-48.80	6.22	-25.0	-23.80	169.00	Vertical	Horizontal	Pass
6695.250	-39.44	15.13	-25.0	-14.44	220.00	Vertical	Horizontal	Pass
13318.050	-38.35	15.28	-25.0	-13.35	251.00	Vertical	Horizontal	Pass


## 26.2 n41 BW60, PI2 BPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.185	-62.53	4.96	-25.0	-37.53	147.00	Horizontal	Horizontal	N/A
877.101	-42.98	4.67	-25.0	-17.98	141.00	Horizontal	Horizontal	N/A
2536.800	-39.74	10.23	-25.0	-14.74	334.00	Horizontal	Horizontal	N/A
2650.400	-40.45	9.83	-25.0	-15.45	115.00	Horizontal	Horizontal	N/A
7812.000	-39.30	16.35	-25.0	-14.30	139.00	Horizontal	Horizontal	Pass
13421.213	-38.35	16.54	-25.0	-13.35	221.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.731	-62.11	4.90	-25.0	-37.11	359.00	Horizontal	Vertical	N/A
881.999	-42.59	4.92	-25.0	-17.59	152.00	Horizontal	Vertical	N/A
2533.700	-42.24	10.25	-25.0	-17.24	0.00	Horizontal	Vertical	N/A
2649.500	-41.14	9.74	-25.0	-16.14	166.00	Horizontal	Vertical	N/A
7807.250	-38.44	16.22	-25.0	-13.44	40.00	Horizontal	Vertical	Pass
13384.463	-37.61	16.86	-25.0	-12.61	343.00	Horizontal	Vertical	Pass


RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.417	-62.13	5.04	-25.0	-37.13	356.00	Vertical	Vertical	N/A
879.332	-57.39	4.81	-25.0	-32.39	362.00	Vertical	Vertical	N/A
2537.600	-41.65	10.23	-25.0	-16.65	276.00	Vertical	Vertical	N/A
7959.500	-39.06	14.78	-25.0	-14.06	256.00	Vertical	Vertical	Pass
13345.875	-37.91	16.38	-25.0	-12.91	191.00	Vertical	Vertical	Pass
19884.599	-39.88	12.95	-25.0	-14.88	222.00	Vertical	Vertical	Pass




RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.652	-61.83	4.93	-25.0	-36.83	329.00	Vertical	Horizontal	N/A
881.078	-54.97	4.87	-25.0	-29.97	36.00	Vertical	Horizontal	N/A
2507.100	-43.07	10.39	-25.0	-18.07	195.00	Vertical	Horizontal	Pass
7800.750	-38.78	15.76	-25.0	-13.78	257.00	Vertical	Horizontal	Pass
13363.463	-38.44	16.67	-25.0	-13.44	137.00	Vertical	Horizontal	Pass
18175.500	-39.94	12.86	-25.0	-14.94	64.00	Vertical	Horizontal	Pass


### 26.3 n41 BW100, PI2 BPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
881.466	-42.75	4.84	-25.0	-17.75	120.00	Horizontal	Horizontal	N/A
2537.900	-38.50	10.23	-25.0	-13.50	320.00	Horizontal	Horizontal	N/A
2648.200	-40.45	9.82	-25.0	-15.45	113.00	Horizontal	Horizontal	N/A
4468.000	-45.03	9.38	-25.0	-20.03	191.00	Horizontal	Horizontal	Pass
7801.750	-39.45	15.84	-25.0	-14.45	289.00	Horizontal	Horizontal	Pass
13798.950	-38.52	16.94	-25.0	-13.52	154.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.615	-62.17	4.85	-25.0	-37.17	157.00	Horizontal	Vertical	N/A
877.101	-43.72	4.67	-25.0	-18.72	122.00	Horizontal	Vertical	N/A
2580.700	-39.08	9.72	-25.0	-14.08	143.00	Horizontal	Vertical	N/A
3436.000	-48.91	6.45	-25.0	-23.91	357.00	Horizontal	Vertical	Pass
6661.750	-38.54	14.78	-25.0	-13.54	215.00	Horizontal	Vertical	Pass
13342.987	-37.75	16.26	-25.0	-12.75	-1.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.282	-60.16	4.96	-25.0	-35.16	0.00	Vertical	Vertical	N/A
881.951	-51.95	4.91	-25.0	-26.95	353.00	Vertical	Vertical	N/A
2488.800	-39.32	10.34	-25.0	-14.32	32.00	Vertical	Vertical	N/A
3400.000	-49.70	6.26	-25.0	-24.70	137.00	Vertical	Vertical	Pass
6721.000	-38.08	15.76	-25.0	-13.08	191.00	Vertical	Vertical	Pass
13362.413	-38.75	16.66	-25.0	-13.75	106.00	Vertical	Vertical	Pass


RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.239	-59.71	5.00	-25.0	-34.71	238.00	Vertical	Horizontal	N/A
881.175	-55.27	4.86	-25.0	-30.27	224.00	Vertical	Horizontal	N/A
2515.800	-42.99	10.35	-25.0	-17.99	151.00	Vertical	Horizontal	N/A
4296.500	-46.08	8.62	-25.0	-21.08	360.00	Vertical	Horizontal	Pass
7976.000	-38.49	14.60	-25.0	-13.49	234.00	Vertical	Horizontal	Pass
13382.625	-38.55	16.85	-25.0	-13.55	177.00	Vertical	Horizontal	Pass


## 26.1 n41 BW20, QPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-59.39	5.01	-25.0	-34.39	149.00	Horizontal	Horizontal	N/A
883.843	-49.82	5.02	-25.0	-24.82	182.00	Horizontal	Horizontal	N/A
2491.600	-42.95	10.36	-25.0	-17.95	363.00	Horizontal	Horizontal	N/A
3851.250	-46.87	8.60	-25.0	-21.87	118.00	Horizontal	Horizontal	Pass
6751.000	-38.51	14.42	-25.0	-13.51	52.00	Horizontal	Horizontal	Pass
13401.525	-38.71	16.98	-25.0	-13.71	345.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.659	-58.86	5.05	-25.0	-33.86	176.00	Horizontal	Vertical	N/A
877.150	-50.41	4.67	-25.0	-25.41	9.00	Horizontal	Vertical	N/A
2021.200	-46.61	5.62	-25.0	-21.61	1.00	Horizontal	Vertical	Pass
2579.100	-40.08	10.48	-25.0	-15.08	363.00	Horizontal	Vertical	N/A
6654.750	-39.36	14.93	-25.0	-14.36	283.00	Horizontal	Vertical	Pass
13803.938	-38.36	16.92	-25.0	-13.36	362.00	Horizontal	Vertical	Pass


RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.633	-59.34	4.89	-25.0	-34.34	357.00	Vertical	Vertical	N/A
884.182	-60.99	5.01	-25.0	-35.99	260.00	Vertical	Vertical	N/A
2435.900	-39.58	7.73	-25.0	-14.58	348.00	Vertical	Vertical	Pass
2536.400	-41.05	10.24	-25.0	-16.05	242.00	Vertical	Vertical	N/A
6646.500	-38.49	15.26	-25.0	-13.49	109.00	Vertical	Vertical	Pass
13376.062	-38.19	16.78	-25.0	-13.19	-1.00	Vertical	Vertical	Pass




RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.659	-59.76	5.05	-25.0	-34.76	308.00	Vertical	Horizontal	N/A
881.999	-61.26	4.92	-25.0	-36.26	68.00	Vertical	Horizontal	N/A
2578.700	-41.53	10.57	-25.0	-16.53	170.00	Vertical	Horizontal	N/A
3599.750	-48.50	6.79	-25.0	-23.50	-2.00	Vertical	Horizontal	Pass
6710.500	-38.71	15.68	-25.0	-13.71	-2.00	Vertical	Horizontal	Pass
13356.900	-38.32	16.60	-25.0	-13.32	244.00	Vertical	Horizontal	Pass


## 26.2 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.670	-61.87	4.97	-25.0	-36.87	132.00	Horizontal	Horizontal	N/A
877.101	-41.73	4.67	-25.0	-16.73	115.00	Horizontal	Horizontal	N/A
2537.600	-39.46	10.23	-25.0	-14.46	333.00	Horizontal	Horizontal	N/A
2649.700	-41.70	9.76	-25.0	-16.70	111.00	Horizontal	Horizontal	N/A
6667.750	-38.88	14.57	-25.0	-13.88	283.00	Horizontal	Horizontal	Pass
13368.713	-38.20	16.72	-25.0	-13.20	265.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.439	-62.40	4.89	-25.0	-37.40	228.00	Horizontal	Vertical	N/A
877.150	-43.85	4.67	-25.0	-18.85	325.00	Horizontal	Vertical	N/A
2580.700	-40.16	9.72	-25.0	-15.16	126.00	Horizontal	Vertical	N/A
2648.700	-42.51	9.80	-25.0	-17.51	140.00	Horizontal	Vertical	N/A
6649.000	-39.48	15.18	-25.0	-14.48	0.00	Horizontal	Vertical	Pass
13382.100	-38.36	16.84	-25.0	-13.36	295.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.368	-62.03	5.04	-25.0	-37.03	194.00	Vertical	Vertical	N/A
879.235	-52.58	4.82	-25.0	-27.58	257.00	Vertical	Vertical	N/A
2537.100	-41.31	10.23	-25.0	-16.31	10.00	Vertical	Vertical	N/A
7344.000	-39.03	14.43	-25.0	-14.03	34.00	Vertical	Vertical	Pass
13800.263	-38.06	17.00	-25.0	-13.06	309.00	Vertical	Vertical	Pass
19631.700	-40.71	12.93	-25.0	-15.71	221.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.731	-61.97	4.90	-25.0	-36.97	335.00	Vertical	Horizontal	N/A
881.660	-54.20	4.86	-25.0	-29.20	206.00	Vertical	Horizontal	N/A
2574.000	-42.15	10.50	-25.0	-17.15	107.00	Vertical	Horizontal	Pass
6654.250	-38.83	14.97	-25.0	-13.83	129.00	Vertical	Horizontal	Pass
13399.425	-38.05	17.00	-25.0	-13.05	14.00	Vertical	Horizontal	Pass
20307.151	-40.34	12.97	-25.0	-15.34	236.00	Vertical	Horizontal	Pass


### 26.3 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.482	-58.14	5.00	-25.0	-33.14	155.00	Horizontal	Horizontal	N/A
881.757	-46.27	4.88	-25.0	-21.27	155.00	Horizontal	Horizontal	N/A
2517.200	-43.03	10.34	-25.0	-18.03	192.00	Horizontal	Horizontal	N/A
3892.750	-46.52	9.11	-25.0	-21.52	14.00	Horizontal	Horizontal	Pass
6659.750	-39.46	14.86	-25.0	-14.46	3.00	Horizontal	Horizontal	Pass
13399.425	-38.38	17.00	-25.0	-13.38	184.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
881.563	-42.32	4.84	-25.0	-17.32	110.00	Horizontal	Vertical	N/A
2587.200	-40.59	9.15	-25.0	-15.59	120.00	Horizontal	Vertical	N/A
2647.400	-39.80	9.85	-25.0	-14.80	223.00	Horizontal	Vertical	N/A
3377.250	-47.20	6.93	-25.0	-22.20	17.00	Horizontal	Vertical	Pass
7817.500	-39.65	16.30	-25.0	-14.65	279.00	Horizontal	Vertical	Pass
13393.912	-37.13	16.95	-25.0	-12.13	-1.00	Horizontal	Vertical	Pass


RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-60.78	4.93	-25.0	-35.78	350.00	Vertical	Vertical	N/A
879.284	-53.06	4.82	-25.0	-28.06	28.00	Vertical	Vertical	N/A
2496.300	-42.85	10.40	-25.0	-17.85	350.00	Vertical	Vertical	N/A
2646.900	-42.64	9.87	-25.0	-17.64	299.00	Vertical	Vertical	N/A
6653.000	-38.71	15.01	-25.0	-13.71	126.00	Vertical	Vertical	Pass
13386.037	-38.10	16.88	-25.0	-13.10	276.00	Vertical	Vertical	Pass



RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-59.75	5.01	-25.0	-34.75	134.00	Vertical	Horizontal	N/A
881.757	-50.53	4.88	-25.0	-25.53	212.00	Vertical	Horizontal	N/A
2489.400	-37.84	10.34	-25.0	-12.84	285.00	Vertical	Horizontal	N/A
2538.800	-39.46	10.22	-25.0	-14.46	329.00	Vertical	Horizontal	N/A
6695.500	-38.22	15.17	-25.0	-13.22	30.00	Vertical	Horizontal	Pass
11952.474	-38.70	14.00	-25.0	-13.70	34.00	Vertical	Horizontal	Pass

29 DC\_5A\_n7A


29.1 DC\_5A\_n7A BW10(LTE)+BW5(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.555	-59.79	4.93	-25.0	-34.79	311.00	Horizontal	Horizontal	N/A
881.951	-52.14	4.91	-25.0	-27.14	134.00	Horizontal	Horizontal	N/A
2536.400	-37.83	10.24	-25.0	-12.83	326.00	Horizontal	Horizontal	N/A
3633.250	-48.07	7.17	-25.0	-23.07	269.00	Horizontal	Horizontal	Pass
7350.750	-39.60	14.80	-25.0	-14.60	285.00	Horizontal	Horizontal	Pass
13380.263	-38.71	16.82	-25.0	-13.71	175.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.708	-59.24	5.06	-25.0	-34.24	184.00	Horizontal	Vertical	N/A
881.757	-46.84	4.88	-25.0	-21.84	184.00	Horizontal	Vertical	N/A
2486.600	-39.41	9.79	-25.0	-14.41	-1.00	Horizontal	Vertical	N/A
2580.300	-37.70	9.83	-25.0	-12.70	20.00	Horizontal	Vertical	N/A
6693.250	-39.04	14.84	-25.0	-14.04	351.00	Horizontal	Vertical	Pass
13802.625	-38.71	16.95	-25.0	-13.71	180.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.948	-57.67	5.01	-25.0	-32.67	360.00	Vertical	Vertical	N/A
881.660	-58.42	4.86	-25.0	-33.42	24.00	Vertical	Vertical	N/A
2488.600	-37.67	10.33	-25.0	-12.67	30.00	Vertical	Vertical	N/A
2589.000	-39.47	9.25	-25.0	-14.47	11.00	Vertical	Vertical	N/A
3756.000	-46.97	8.38	-25.0	-21.97	361.00	Vertical	Vertical	Pass
13338.787	-38.14	16.10	-25.0	-13.14	114.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-58.42	4.94	-25.0	-33.42	300.00	Vertical	Horizontal	N/A
881.806	-57.97	4.88	-25.0	-32.97	1.00	Vertical	Horizontal	N/A
2582.600	-42.89	9.53	-25.0	-17.89	57.00	Vertical	Horizontal	N/A
3198.000	-48.80	6.22	-25.0	-23.80	169.00	Vertical	Horizontal	Pass
6695.250	-39.44	15.13	-25.0	-14.44	220.00	Vertical	Horizontal	Pass
13318.050	-38.35	15.28	-25.0	-13.35	251.00	Vertical	Horizontal	Pass


## 29.2 DC\_5A\_n7A BW10(LTE)+BW15(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.185	-62.53	4.96	-25.0	-37.53	147.00	Horizontal	Horizontal	N/A
877.101	-42.98	4.67	-25.0	-17.98	141.00	Horizontal	Horizontal	N/A
2536.800	-39.74	10.23	-25.0	-14.74	334.00	Horizontal	Horizontal	N/A
2650.400	-40.45	9.83	-25.0	-15.45	115.00	Horizontal	Horizontal	N/A
7812.000	-39.30	16.35	-25.0	-14.30	139.00	Horizontal	Horizontal	Pass
13421.213	-38.35	16.54	-25.0	-13.35	221.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.731	-62.11	4.90	-25.0	-37.11	359.00	Horizontal	Vertical	N/A
881.999	-42.59	4.92	-25.0	-17.59	152.00	Horizontal	Vertical	N/A
2533.700	-42.24	10.25	-25.0	-17.24	0.00	Horizontal	Vertical	N/A
2649.500	-41.14	9.74	-25.0	-16.14	166.00	Horizontal	Vertical	N/A
7807.250	-38.44	16.22	-25.0	-13.44	40.00	Horizontal	Vertical	Pass
13384.463	-37.61	16.86	-25.0	-12.61	343.00	Horizontal	Vertical	Pass


RSE-V&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.417	-62.13	5.04	-25.0	-37.13	356.00	Vertical	Vertical	N/A
879.332	-57.39	4.81	-25.0	-32.39	362.00	Vertical	Vertical	N/A
2537.600	-41.65	10.23	-25.0	-16.65	276.00	Vertical	Vertical	N/A
7959.500	-39.06	14.78	-25.0	-14.06	256.00	Vertical	Vertical	Pass
13345.875	-37.91	16.38	-25.0	-12.91	191.00	Vertical	Vertical	Pass
19884.599	-39.88	12.95	-25.0	-14.88	222.00	Vertical	Vertical	Pass




RSE-V&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.652	-61.83	4.93	-25.0	-36.83	329.00	Vertical	Horizontal	N/A
881.078	-54.97	4.87	-25.0	-29.97	36.00	Vertical	Horizontal	N/A
2507.100	-43.07	10.39	-25.0	-18.07	195.00	Vertical	Horizontal	Pass
7800.750	-38.78	15.76	-25.0	-13.78	257.00	Vertical	Horizontal	Pass
13363.463	-38.44	16.67	-25.0	-13.44	137.00	Vertical	Horizontal	Pass
18175.500	-39.94	12.86	-25.0	-14.94	64.00	Vertical	Horizontal	Pass


### 29.3 DC\_5A\_n7A BW10(LTE)+BW20(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
881.466	-42.75	4.84	-25.0	-17.75	120.00	Horizontal	Horizontal	N/A
2537.900	-38.50	10.23	-25.0	-13.50	320.00	Horizontal	Horizontal	N/A
2648.200	-40.45	9.82	-25.0	-15.45	113.00	Horizontal	Horizontal	N/A
4468.000	-45.03	9.38	-25.0	-20.03	191.00	Horizontal	Horizontal	Pass
7801.750	-39.45	15.84	-25.0	-14.45	289.00	Horizontal	Horizontal	Pass
13798.950	-38.52	16.94	-25.0	-13.52	154.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.615	-62.17	4.85	-25.0	-37.17	157.00	Horizontal	Vertical	N/A
877.101	-43.72	4.67	-25.0	-18.72	122.00	Horizontal	Vertical	N/A
2580.700	-39.08	9.72	-25.0	-14.08	143.00	Horizontal	Vertical	N/A
3436.000	-48.91	6.45	-25.0	-23.91	357.00	Horizontal	Vertical	Pass
6661.750	-38.54	14.78	-25.0	-13.54	215.00	Horizontal	Vertical	Pass
13342.987	-37.75	16.26	-25.0	-12.75	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.282	-60.16	4.96	-25.0	-35.16	0.00	Vertical	Vertical	N/A
881.951	-51.95	4.91	-25.0	-26.95	353.00	Vertical	Vertical	N/A
2488.800	-39.32	10.34	-25.0	-14.32	32.00	Vertical	Vertical	N/A
3400.000	-49.70	6.26	-25.0	-24.70	137.00	Vertical	Vertical	Pass
6721.000	-38.08	15.76	-25.0	-13.08	191.00	Vertical	Vertical	Pass
13362.413	-38.75	16.66	-25.0	-13.75	106.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.239	-59.71	5.00	-25.0	-34.71	238.00	Vertical	Horizontal	N/A
881.175	-55.27	4.86	-25.0	-30.27	224.00	Vertical	Horizontal	N/A
2515.800	-42.99	10.35	-25.0	-17.99	151.00	Vertical	Horizontal	N/A
4296.500	-46.08	8.62	-25.0	-21.08	360.00	Vertical	Horizontal	Pass
7976.000	-38.49	14.60	-25.0	-13.49	234.00	Vertical	Horizontal	Pass
13382.625	-38.55	16.85	-25.0	-13.55	177.00	Vertical	Horizontal	Pass


## 29.1 DC\_5A\_n7A BW10(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-59.39	5.01	-25.0	-34.39	149.00	Horizontal	Horizontal	N/A
883.843	-49.82	5.02	-25.0	-24.82	182.00	Horizontal	Horizontal	N/A
2491.600	-42.95	10.36	-25.0	-17.95	363.00	Horizontal	Horizontal	N/A
3851.250	-46.87	8.60	-25.0	-21.87	118.00	Horizontal	Horizontal	Pass
6751.000	-38.51	14.42	-25.0	-13.51	52.00	Horizontal	Horizontal	Pass
13401.525	-38.71	16.98	-25.0	-13.71	345.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.659	-58.86	5.05	-25.0	-33.86	176.00	Horizontal	Vertical	N/A
877.150	-50.41	4.67	-25.0	-25.41	9.00	Horizontal	Vertical	N/A
2021.200	-46.61	5.62	-25.0	-21.61	1.00	Horizontal	Vertical	Pass
2579.100	-40.08	10.48	-25.0	-15.08	363.00	Horizontal	Vertical	N/A
6654.750	-39.36	14.93	-25.0	-14.36	283.00	Horizontal	Vertical	Pass
13803.938	-38.36	16.92	-25.0	-13.36	362.00	Horizontal	Vertical	Pass


RSE-V&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.633	-59.34	4.89	-25.0	-34.34	357.00	Vertical	Vertical	N/A
884.182	-60.99	5.01	-25.0	-35.99	260.00	Vertical	Vertical	N/A
2435.900	-39.58	7.73	-25.0	-14.58	348.00	Vertical	Vertical	Pass
2536.400	-41.05	10.24	-25.0	-16.05	242.00	Vertical	Vertical	N/A
6646.500	-38.49	15.26	-25.0	-13.49	109.00	Vertical	Vertical	Pass
13376.062	-38.19	16.78	-25.0	-13.19	-1.00	Vertical	Vertical	Pass




RSE-V&H DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.659	-59.76	5.05	-25.0	-34.76	308.00	Vertical	Horizontal	N/A
881.999	-61.26	4.92	-25.0	-36.26	68.00	Vertical	Horizontal	N/A
2578.700	-41.53	10.57	-25.0	-16.53	170.00	Vertical	Horizontal	N/A
3599.750	-48.50	6.79	-25.0	-23.50	-2.00	Vertical	Horizontal	Pass
6710.500	-38.71	15.68	-25.0	-13.71	-2.00	Vertical	Horizontal	Pass
13356.900	-38.32	16.60	-25.0	-13.32	244.00	Vertical	Horizontal	Pass


## 29.2 DC\_5A\_n7A BW10(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.670	-61.87	4.97	-25.0	-36.87	132.00	Horizontal	Horizontal	N/A
877.101	-41.73	4.67	-25.0	-16.73	115.00	Horizontal	Horizontal	N/A
2537.600	-39.46	10.23	-25.0	-14.46	333.00	Horizontal	Horizontal	N/A
2649.700	-41.70	9.76	-25.0	-16.70	111.00	Horizontal	Horizontal	N/A
6667.750	-38.88	14.57	-25.0	-13.88	283.00	Horizontal	Horizontal	Pass
13368.713	-38.20	16.72	-25.0	-13.20	265.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.439	-62.40	4.89	-25.0	-37.40	228.00	Horizontal	Vertical	N/A
877.150	-43.85	4.67	-25.0	-18.85	325.00	Horizontal	Vertical	N/A
2580.700	-40.16	9.72	-25.0	-15.16	126.00	Horizontal	Vertical	N/A
2648.700	-42.51	9.80	-25.0	-17.51	140.00	Horizontal	Vertical	N/A
6649.000	-39.48	15.18	-25.0	-14.48	0.00	Horizontal	Vertical	Pass
13382.100	-38.36	16.84	-25.0	-13.36	295.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.368	-62.03	5.04	-25.0	-37.03	194.00	Vertical	Vertical	N/A
879.235	-52.58	4.82	-25.0	-27.58	257.00	Vertical	Vertical	N/A
2537.100	-41.31	10.23	-25.0	-16.31	10.00	Vertical	Vertical	N/A
7344.000	-39.03	14.43	-25.0	-14.03	34.00	Vertical	Vertical	Pass
13800.263	-38.06	17.00	-25.0	-13.06	309.00	Vertical	Vertical	Pass
19631.700	-40.71	12.93	-25.0	-15.71	221.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.731	-61.97	4.90	-25.0	-36.97	335.00	Vertical	Horizontal	N/A
881.660	-54.20	4.86	-25.0	-29.20	206.00	Vertical	Horizontal	N/A
2574.000	-42.15	10.50	-25.0	-17.15	107.00	Vertical	Horizontal	Pass
6654.250	-38.83	14.97	-25.0	-13.83	129.00	Vertical	Horizontal	Pass
13399.425	-38.05	17.00	-25.0	-13.05	14.00	Vertical	Horizontal	Pass
20307.151	-40.34	12.97	-25.0	-15.34	236.00	Vertical	Horizontal	Pass


### 29.3 DC\_5A\_n7A BW10(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.482	-58.14	5.00	-25.0	-33.14	155.00	Horizontal	Horizontal	N/A
881.757	-46.27	4.88	-25.0	-21.27	155.00	Horizontal	Horizontal	N/A
2517.200	-43.03	10.34	-25.0	-18.03	192.00	Horizontal	Horizontal	N/A
3892.750	-46.52	9.11	-25.0	-21.52	14.00	Horizontal	Horizontal	Pass
6659.750	-39.46	14.86	-25.0	-14.46	3.00	Horizontal	Horizontal	Pass
13399.425	-38.38	17.00	-25.0	-13.38	184.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
881.563	-42.32	4.84	-25.0	-17.32	110.00	Horizontal	Vertical	N/A
2587.200	-40.59	9.15	-25.0	-15.59	120.00	Horizontal	Vertical	N/A
2647.400	-39.80	9.85	-25.0	-14.80	223.00	Horizontal	Vertical	N/A
3377.250	-47.20	6.93	-25.0	-22.20	17.00	Horizontal	Vertical	Pass
7817.500	-39.65	16.30	-25.0	-14.65	279.00	Horizontal	Vertical	Pass
13393.912	-37.13	16.95	-25.0	-12.13	-1.00	Horizontal	Vertical	Pass


RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-60.78	4.93	-25.0	-35.78	350.00	Vertical	Vertical	N/A
879.284	-53.06	4.82	-25.0	-28.06	28.00	Vertical	Vertical	N/A
2496.300	-42.85	10.40	-25.0	-17.85	350.00	Vertical	Vertical	N/A
2646.900	-42.64	9.87	-25.0	-17.64	299.00	Vertical	Vertical	N/A
6653.000	-38.71	15.01	-25.0	-13.71	126.00	Vertical	Vertical	Pass
13386.037	-38.10	16.88	-25.0	-13.10	276.00	Vertical	Vertical	Pass



RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-59.75	5.01	-25.0	-34.75	134.00	Vertical	Horizontal	N/A
881.757	-50.53	4.88	-25.0	-25.53	212.00	Vertical	Horizontal	N/A
2489.400	-37.84	10.34	-25.0	-12.84	285.00	Vertical	Horizontal	N/A
2538.800	-39.46	10.22	-25.0	-14.46	329.00	Vertical	Horizontal	N/A
6695.500	-38.22	15.17	-25.0	-13.22	30.00	Vertical	Horizontal	Pass
11952.474	-38.70	14.00	-25.0	-13.70	34.00	Vertical	Horizontal	Pass

31 DC\_7A\_n5A


31.1 DC\_7A\_n5A BW20(LTE)+BW5(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.313	-53.44	4.92	-25.0	-28.44	349.00	Horizontal	Horizontal	N/A
880.399	-52.71	4.85	-25.0	-27.71	127.00	Horizontal	Horizontal	N/A
2536.600	-41.04	10.24	-25.0	-16.04	134.00	Horizontal	Horizontal	N/A
4006.500	-46.85	9.10	-25.0	-21.85	361.00	Horizontal	Horizontal	Pass
6644.500	-38.71	15.11	-25.0	-13.71	230.00	Horizontal	Horizontal	Pass
13393.651	-38.57	16.95	-25.0	-13.57	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.846	-54.40	4.94	-25.0	-29.40	197.00	Horizontal	Vertical	N/A
880.254	-52.55	4.83	-25.0	-27.55	158.00	Horizontal	Vertical	N/A
2533.100	-42.65	10.25	-25.0	-17.65	95.00	Horizontal	Vertical	N/A
4292.250	-46.06	8.50	-25.0	-21.06	361.00	Horizontal	Vertical	Pass
6718.250	-39.23	15.65	-25.0	-14.23	197.00	Horizontal	Vertical	Pass
13354.800	-38.13	16.59	-25.0	-13.13	175.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.022	-52.04	4.91	-25.0	-27.04	355.00	Vertical	Vertical	N/A
852.560	-55.30	5.01	-25.0	-30.30	75.00	Vertical	Vertical	N/A
2538.500	-42.39	10.23	-25.0	-17.39	11.00	Vertical	Vertical	N/A
4944.750	-44.43	10.43	-25.0	-19.43	204.00	Vertical	Vertical	Pass
7977.500	-39.75	14.52	-25.0	-14.75	173.00	Vertical	Vertical	Pass
13337.213	-38.93	16.04	-25.0	-13.93	277.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	-52.61	4.90	-25.0	-27.61	331.00	Vertical	Horizontal	N/A
852.318	-58.05	5.01	-25.0	-33.05	269.00	Vertical	Horizontal	N/A
2535.700	-43.50	10.24	-25.0	-18.50	134.00	Vertical	Horizontal	N/A
4070.000	-45.63	9.03	-25.0	-20.63	111.00	Vertical	Horizontal	Pass
6636.500	-39.39	14.86	-25.0	-14.39	-3.00	Vertical	Horizontal	Pass
13399.162	-38.32	17.00	-25.0	-13.32	224.00	Vertical	Horizontal	Pass


### 31.2 DC\_7A\_n5A BW20(LTE)+BW15(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.754	-58.48	5.01	-25.0	-33.48	333.00	Horizontal	Horizontal	N/A
877.052	-41.71	4.67	-25.0	-16.71	270.00	Horizontal	Horizontal	N/A
2536.500	-40.02	10.24	-25.0	-15.02	138.00	Horizontal	Horizontal	N/A
3748.750	-47.57	7.81	-25.0	-22.57	185.00	Horizontal	Horizontal	Pass
6696.750	-39.26	15.17	-25.0	-14.26	41.00	Horizontal	Horizontal	Pass
13366.612	-37.61	16.70	-25.0	-12.61	105.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.555	-56.75	4.93	-25.0	-31.75	36.00	Horizontal	Vertical	N/A
877.634	-46.26	4.72	-25.0	-21.26	269.00	Horizontal	Vertical	N/A
2571.300	-42.27	10.47	-25.0	-17.27	89.00	Horizontal	Vertical	N/A
3842.500	-47.68	8.20	-25.0	-22.68	98.00	Horizontal	Vertical	Pass
6655.250	-38.19	15.01	-25.0	-13.19	47.00	Horizontal	Vertical	Pass
13331.438	-38.28	15.81	-25.0	-13.28	252.00	Horizontal	Vertical	Pass


RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.828	-56.07	4.90	-25.0	-31.07	81.00	Vertical	Vertical	N/A
875.258	-50.96	4.84	-25.0	-25.96	1.00	Vertical	Vertical	N/A
2537.300	-42.07	10.23	-25.0	-17.07	27.00	Vertical	Vertical	N/A
3843.500	-47.36	8.34	-25.0	-22.36	263.00	Vertical	Vertical	Pass
6740.250	-39.33	15.06	-25.0	-14.33	84.00	Vertical	Vertical	Pass
13398.901	-37.57	17.00	-25.0	-12.57	135.00	Vertical	Vertical	Pass




RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
876.325	-54.44	4.66	-25.0	-29.44	241.00	Vertical	Horizontal	N/A
1349.600	-51.25	1.20	-25.0	-26.25	70.00	Vertical	Horizontal	Pass
2496.700	-42.37	10.40	-25.0	-17.37	232.00	Vertical	Horizontal	N/A
2968.700	-41.22	13.23	-25.0	-16.22	298.00	Vertical	Horizontal	Pass
6724.000	-39.67	15.60	-25.0	-14.67	225.00	Vertical	Horizontal	Pass
13339.575	-38.85	16.13	-25.0	-13.85	111.00	Vertical	Horizontal	Pass


### 31.3 DC\_7A\_n5A BW20(LTE)+BW20(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.756	-56.28	5.06	-25.0	-31.28	144.00	Horizontal	Horizontal	N/A
874.433	-51.06	4.85	-25.0	-26.06	338.00	Horizontal	Horizontal	N/A
2516.200	-42.67	10.35	-25.0	-17.67	339.00	Horizontal	Horizontal	N/A
2656.000	-39.97	9.51	-25.0	-14.97	295.00	Horizontal	Horizontal	N/A
6706.500	-39.91	15.58	-25.0	-14.91	311.00	Horizontal	Horizontal	Pass
13360.575	-37.55	16.64	-25.0	-12.55	147.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.779	-53.56	4.90	-25.0	-28.56	31.00	Horizontal	Vertical	N/A
875.258	-42.46	4.84	-25.0	-17.46	120.00	Horizontal	Vertical	N/A
2515.600	-42.57	10.35	-25.0	-17.57	7.00	Horizontal	Vertical	N/A
2658.500	-41.65	9.28	-25.0	-16.65	222.00	Horizontal	Vertical	N/A
6645.250	-39.10	15.15	-25.0	-14.10	301.00	Horizontal	Vertical	Pass
13371.862	-38.03	16.75	-25.0	-13.03	-3.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.215	-52.02	4.92	-25.0	-27.02	148.00	Vertical	Vertical	N/A
853.385	-51.22	5.00	-25.0	-26.22	34.00	Vertical	Vertical	N/A
2573.200	-42.47	10.49	-25.0	-17.47	344.00	Vertical	Vertical	N/A
4051.750	-46.06	9.39	-25.0	-21.06	326.00	Vertical	Vertical	Pass
7798.750	-39.11	15.80	-25.0	-14.11	44.00	Vertical	Vertical	Pass
13363.463	-38.47	16.67	-25.0	-13.47	202.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.943	-58.11	4.95	-25.0	-33.11	85.00	Vertical	Horizontal	N/A
872.106	-52.67	4.98	-25.0	-27.67	338.00	Vertical	Horizontal	N/A
2573.200	-42.63	10.49	-25.0	-17.63	37.00	Vertical	Horizontal	N/A
4065.750	-45.36	9.11	-25.0	-20.36	212.00	Vertical	Horizontal	Pass
6798.000	-38.97	14.48	-25.0	-13.97	263.00	Vertical	Horizontal	Pass
13806.825	-37.67	16.85	-25.0	-12.67	40.00	Vertical	Horizontal	Pass


### 31.1 DC\_7A\_n5A BW20(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.652	-47.95	4.93	-25.0	-22.95	0.00	Horizontal	Horizontal	N/A
853.578	-51.75	5.00	-25.0	-26.75	360.00	Horizontal	Horizontal	N/A
2578.500	-40.80	10.57	-25.0	-15.80	141.00	Horizontal	Horizontal	N/A
3912.000	-47.41	9.25	-25.0	-22.41	22.00	Horizontal	Horizontal	Pass
7805.250	-39.39	16.02	-25.0	-14.39	220.00	Horizontal	Horizontal	Pass
13392.075	-38.97	16.94	-25.0	-13.97	8.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.264	-56.74	4.92	-25.0	-31.74	145.00	Horizontal	Vertical	N/A
879.429	-56.27	4.81	-25.0	-31.27	158.00	Horizontal	Vertical	N/A
2515.500	-42.94	10.35	-25.0	-17.94	-1.00	Horizontal	Vertical	N/A
4131.250	-46.42	8.66	-25.0	-21.42	254.00	Horizontal	Vertical	Pass
6713.000	-38.97	15.70	-25.0	-13.97	361.00	Horizontal	Vertical	Pass
13386.825	-38.28	16.89	-25.0	-13.28	361.00	Horizontal	Vertical	Pass


RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	-50.63	4.90	-25.0	-25.63	360.00	Vertical	Vertical	N/A
852.560	-52.66	5.01	-25.0	-27.66	81.00	Vertical	Vertical	N/A
2539.300	-42.37	10.22	-25.0	-17.37	171.00	Vertical	Vertical	N/A
3848.000	-47.26	8.64	-25.0	-22.26	84.00	Vertical	Vertical	Pass
6669.500	-38.49	14.64	-25.0	-13.49	-3.00	Vertical	Vertical	Pass
13382.362	-38.64	16.84	-25.0	-13.64	183.00	Vertical	Vertical	Pass




RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	-49.75	4.90	-25.0	-24.75	306.00	Vertical	Horizontal	N/A
853.190	-54.18	5.00	-25.0	-29.18	281.00	Vertical	Horizontal	N/A
2518.200	-42.88	10.33	-25.0	-17.88	345.00	Vertical	Horizontal	N/A
3435.750	-48.07	6.47	-25.0	-23.07	1.00	Vertical	Horizontal	Pass
7812.250	-39.15	16.35	-25.0	-14.15	319.00	Vertical	Horizontal	Pass
13363.724	-38.33	16.67	-25.0	-13.33	64.00	Vertical	Horizontal	Pass


### 31.2 DC\_7A\_n5A BW20(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-54.64	4.93	-25.0	-29.64	295.00	Horizontal	Horizontal	N/A
877.150	-40.44	4.67	-25.0	-15.44	271.00	Horizontal	Horizontal	N/A
2536.800	-42.38	10.23	-25.0	-17.38	133.00	Horizontal	Horizontal	N/A
2655.400	-41.58	9.58	-25.0	-16.58	221.00	Horizontal	Horizontal	N/A
6638.500	-38.83	14.98	-25.0	-13.83	133.00	Horizontal	Horizontal	Pass
13363.724	-38.05	16.67	-25.0	-13.05	361.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-49.01	4.93	-25.0	-24.01	5.00	Horizontal	Vertical	N/A
874.773	-49.77	4.88	-25.0	-24.77	-1.00	Horizontal	Vertical	N/A
2506.300	-43.07	10.40	-25.0	-18.07	286.00	Horizontal	Vertical	N/A
2658.200	-42.29	9.27	-25.0	-17.29	28.00	Horizontal	Vertical	N/A
6710.250	-38.99	15.65	-25.0	-13.99	250.00	Horizontal	Vertical	Pass
11988.100	-38.26	13.87	-25.0	-13.26	176.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.525	-51.90	4.97	-25.0	-26.90	114.00	Vertical	Vertical	N/A
874.773	-48.62	4.88	-25.0	-23.62	360.00	Vertical	Vertical	N/A
2537.700	-42.59	10.23	-25.0	-17.59	44.00	Vertical	Vertical	N/A
4044.000	-46.44	9.29	-25.0	-21.44	-1.00	Vertical	Vertical	Pass
7801.500	-39.67	15.86	-25.0	-14.67	31.00	Vertical	Vertical	Pass
13370.550	-37.49	16.73	-25.0	-12.49	362.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.313	-57.66	4.92	-25.0	-32.66	79.00	Vertical	Horizontal	N/A
876.471	-51.23	4.63	-25.0	-26.23	334.00	Vertical	Horizontal	N/A
2573.600	-43.15	10.50	-25.0	-18.15	184.00	Vertical	Horizontal	N/A
3891.750	-46.35	9.05	-25.0	-21.35	160.00	Vertical	Horizontal	Pass
6906.000	-38.47	13.51	-25.0	-13.47	5.00	Vertical	Horizontal	Pass
13383.412	-37.88	16.85	-25.0	-12.88	17.00	Vertical	Horizontal	Pass


### 31.3 DC\_7A\_n5A BW20(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.562	-55.66	5.05	-25.0	-30.66	300.00	Horizontal	Horizontal	N/A
872.106	-42.59	4.98	-25.0	-17.59	280.00	Horizontal	Horizontal	N/A
2496.800	-42.81	10.41	-25.0	-17.81	245.00	Horizontal	Horizontal	N/A
2655.600	-40.60	9.55	-25.0	-15.60	194.00	Horizontal	Horizontal	N/A
6712.750	-39.12	15.67	-25.0	-14.12	199.00	Horizontal	Horizontal	Pass
13398.375	-38.07	16.99	-25.0	-13.07	10.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.610	-51.51	5.05	-25.0	-26.51	28.00	Horizontal	Vertical	N/A
873.706	-42.86	4.79	-25.0	-17.86	116.00	Horizontal	Vertical	N/A
2490.700	-43.07	10.35	-25.0	-18.07	361.00	Horizontal	Vertical	N/A
2655.500	-41.55	9.56	-25.0	-16.55	44.00	Horizontal	Vertical	N/A
3911.000	-46.07	9.29	-25.0	-21.07	92.00	Horizontal	Vertical	Pass
13401.000	-37.95	16.99	-25.0	-12.95	317.00	Horizontal	Vertical	Pass


RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.659	-50.65	5.05	-25.0	-25.65	148.00	Vertical	Vertical	N/A
873.172	-50.16	4.79	-25.0	-25.16	251.00	Vertical	Vertical	N/A
2496.900	-43.52	10.41	-25.0	-18.52	355.00	Vertical	Vertical	N/A
3638.500	-47.95	6.90	-25.0	-22.95	135.00	Vertical	Vertical	Pass
6833.750	-39.15	14.17	-25.0	-14.15	252.00	Vertical	Vertical	Pass
13383.937	-38.41	16.86	-25.0	-13.41	65.00	Vertical	Vertical	Pass



RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.287	-56.55	5.00	-25.0	-31.55	56.00	Vertical	Horizontal	N/A
873.221	-49.76	4.79	-25.0	-24.76	353.00	Vertical	Horizontal	N/A
2498.000	-43.17	10.42	-25.0	-18.17	132.00	Vertical	Horizontal	N/A
3750.750	-47.71	7.97	-25.0	-22.71	198.00	Vertical	Horizontal	Pass
6708.250	-39.36	15.73	-25.0	-14.36	339.00	Vertical	Horizontal	Pass
13347.188	-37.74	16.43	-25.0	-12.74	152.00	Vertical	Horizontal	Pass

36 DC\_66A\_n7A


36.1 DC\_66A\_n7A BW20(LTE)+BW5(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.77	-20.57	-25.0	-40.77	69.00	Horizontal	Horizontal	Pass
2156.300	-44.64	3.89	-25.0	-19.64	195.00	Horizontal	Horizontal	N/A
2492.300	-37.93	8.51	-25.0	-12.93	293.00	Horizontal	Horizontal	N/A
2587.500	-34.48	8.85	-25.0	-9.48	281.00	Horizontal	Horizontal	N/A
6671.500	-38.41	14.58	-25.0	-13.41	83.00	Horizontal	Horizontal	Pass
13396.013	-37.73	16.97	-25.0	-12.73	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-62.64	-20.57	-25.0	-37.64	360.00	Horizontal	Vertical	Pass
2155.700	-41.95	3.94	-25.0	-16.95	209.00	Horizontal	Vertical	N/A
2580.400	-36.04	8.60	-25.0	-11.04	10.00	Horizontal	Vertical	N/A
4273.250	-46.22	8.68	-25.0	-21.22	169.00	Horizontal	Vertical	Pass
7159.500	-38.69	14.15	-25.0	-13.69	361.00	Horizontal	Vertical	Pass
13376.588	-39.16	16.79	-25.0	-14.16	233.00	Horizontal	Vertical	Pass

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.689	-68.13	-0.15	-25.0	-43.13	323.00	Vertical	Vertical	Pass
2108.400	-47.89	5.63	-25.0	-22.89	44.00	Vertical	Vertical	N/A
2581.800	-39.23	8.62	-25.0	-14.23	180.00	Vertical	Vertical	N/A
4057.500	-46.45	9.29	-25.0	-21.45	255.00	Vertical	Vertical	Pass
6668.250	-39.15	14.62	-25.0	-14.15	223.00	Vertical	Vertical	Pass
13341.412	-38.06	16.20	-25.0	-13.06	345.00	Vertical	Vertical	Pass


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-67.20	-20.57	-25.0	-42.20	360.00	Vertical	Horizontal	Pass
2485.900	-30.64	8.46	-25.0	-5.64	280.00	Vertical	Horizontal	N/A
2580.100	-35.55	8.60	-25.0	-10.55	62.00	Vertical	Horizontal	N/A
3896.500	-46.56	9.17	-25.0	-21.56	362.00	Vertical	Horizontal	Pass
6653.250	-38.99	15.01	-25.0	-13.99	98.00	Vertical	Horizontal	Pass
13384.988	-37.93	16.87	-25.0	-12.93	296.00	Vertical	Horizontal	Pass


### 36.2 DC\_66A\_n7A BW20(LTE)+BW15(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.03	-20.57	-25.0	-40.03	2.00	Horizontal	Horizontal	Pass
2155.800	-34.75	3.93	-25.0	-9.75	191.00	Horizontal	Horizontal	N/A
2538.000	-37.10	8.30	-25.0	-12.10	326.00	Horizontal	Horizontal	N/A
2650.300	-40.49	9.45	-25.0	-15.49	314.00	Horizontal	Horizontal	N/A
7798.000	-38.53	15.79	-25.0	-13.53	28.00	Horizontal	Horizontal	Pass
13352.438	-38.09	16.56	-25.0	-13.09	132.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-64.02	-20.57	-25.0	-39.02	171.00	Horizontal	Vertical	Pass
2152.800	-39.23	3.86	-25.0	-14.23	126.00	Horizontal	Vertical	N/A
2650.700	-41.87	9.42	-25.0	-16.87	131.00	Horizontal	Vertical	N/A
3189.000	-49.19	6.40	-25.0	-24.19	38.00	Horizontal	Vertical	Pass
6712.500	-38.98	15.64	-25.0	-13.98	186.00	Horizontal	Vertical	Pass
13382.887	-37.86	16.85	-25.0	-12.86	28.00	Horizontal	Vertical	Pass


RSE-V&V DC\_66A\_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.54	-20.57	-25.0	-40.54	7.00	Vertical	Vertical	Pass
2155.600	-44.55	3.94	-25.0	-19.55	70.00	Vertical	Vertical	N/A
2488.100	-39.52	8.48	-25.0	-14.52	328.00	Vertical	Vertical	N/A
4199.000	-46.64	8.43	-25.0	-21.64	181.00	Vertical	Vertical	Pass
6742.000	-38.64	14.93	-25.0	-13.64	61.00	Vertical	Vertical	Pass
13386.037	-37.15	16.88	-25.0	-12.15	361.00	Vertical	Vertical	Pass




RSE-V&H DC\_66A\_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.195	-71.82	-20.09	-25.0	-46.82	345.00	Vertical	Horizontal	Pass
2030.200	-47.60	4.66	-25.0	-22.60	223.00	Vertical	Horizontal	Pass
2536.900	-44.35	8.31	-25.0	-19.35	236.00	Vertical	Horizontal	N/A
3408.000	-48.81	6.35	-25.0	-23.81	145.00	Vertical	Horizontal	Pass
6672.000	-39.60	14.60	-25.0	-14.60	292.00	Vertical	Horizontal	Pass
13365.037	-37.74	16.68	-25.0	-12.74	204.00	Vertical	Horizontal	Pass


### 36.3 DC\_66A\_n7A BW20(LTE)+BW20(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
208.092	-67.56	-16.29	-25.0	-42.56	318.00	Horizontal	Horizontal	Pass
2144.700	-18.73	4.51	-25.0	6.27	130.00	Horizontal	Horizontal	N/A
2537.300	-39.88	8.30	-25.0	-14.88	337.00	Horizontal	Horizontal	N/A
2651.700	-26.08	9.35	-25.0	-1.08	121.00	Horizontal	Horizontal	N/A
6647.000	-38.82	15.27	-25.0	-13.82	358.00	Horizontal	Horizontal	Pass
13340.625	-38.50	16.17	-25.0	-13.50	223.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-64.95	-20.57	-25.0	-39.95	206.00	Horizontal	Vertical	Pass
2145.800	-18.37	4.38	-25.0	6.63	132.00	Horizontal	Vertical	N/A
2579.900	-39.66	8.59	-25.0	-14.66	-3.00	Horizontal	Vertical	N/A
2647.800	-26.65	9.38	-25.0	-1.65	122.00	Horizontal	Vertical	N/A
6625.500	-39.04	14.83	-25.0	-14.04	147.00	Horizontal	Vertical	Pass
13816.013	-37.61	16.64	-25.0	-12.61	223.00	Horizontal	Vertical	Pass

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-63.90	-20.55	-25.0	-38.90	302.00	Vertical	Vertical	Pass
2152.800	-34.42	3.86	-25.0	-9.42	82.00	Vertical	Vertical	N/A
2490.400	-36.79	8.49	-25.0	-11.79	243.00	Vertical	Vertical	N/A
4476.000	-44.45	9.50	-25.0	-19.45	203.00	Vertical	Vertical	N/A
6738.000	-39.12	15.08	-25.0	-14.12	133.00	Vertical	Vertical	Pass
13362.150	-38.56	16.65	-25.0	-13.56	90.00	Vertical	Vertical	Pass


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
949.511	-66.72	1.59	-25.0	-41.72	330.00	Vertical	Horizontal	Pass
2139.600	-36.89	4.46	-25.0	-11.89	46.00	Vertical	Horizontal	N/A
2452.200	-39.54	6.42	-25.0	-14.54	130.00	Vertical	Horizontal	N/A
3954.250	-47.02	8.78	-25.0	-22.02	360.00	Vertical	Horizontal	Pass
6741.250	-39.58	14.97	-25.0	-14.58	-1.00	Vertical	Horizontal	Pass
13365.562	-38.41	16.69	-25.0	-13.41	-2.00	Vertical	Horizontal	Pass


### 36.1 DC\_66A\_n7A BW20(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-63.29	-20.57	-25.0	-38.29	319.00	Horizontal	Horizontal	Pass
2155.900	-42.45	3.92	-25.0	-17.45	208.00	Horizontal	Horizontal	N/A
2489.500	-36.32	8.49	-25.0	-11.32	351.00	Horizontal	Horizontal	N/A
2582.600	-35.57	8.63	-25.0	-10.57	341.00	Horizontal	Horizontal	N/A
3885.500	-47.64	9.00	-25.0	-22.64	362.00	Horizontal	Horizontal	Pass
6626.500	-39.14	14.72	-25.0	-14.14	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.902	-69.37	-15.64	-25.0	-44.37	307.00	Horizontal	Vertical	Pass
2157.600	-43.67	3.92	-25.0	-18.67	202.00	Horizontal	Vertical	N/A
2488.900	-41.70	8.48	-25.0	-16.70	363.00	Horizontal	Vertical	N/A
2580.200	-38.56	8.60	-25.0	-13.56	163.00	Horizontal	Vertical	N/A
6658.750	-38.76	14.83	-25.0	-13.76	361.00	Horizontal	Vertical	Pass
13800.787	-38.11	16.99	-25.0	-13.11	65.00	Horizontal	Vertical	Pass


RSE-V&V DC\_66A\_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.995	-70.36	-16.29	-25.0	-45.36	109.00	Vertical	Vertical	Pass
2536.300	-39.87	8.31	-25.0	-14.87	244.00	Vertical	Vertical	N/A
2579.900	-37.66	8.59	-25.0	-12.66	93.00	Vertical	Vertical	N/A
3892.750	-47.33	9.11	-25.0	-22.33	-3.00	Vertical	Vertical	Pass
6659.750	-38.48	14.86	-25.0	-13.48	199.00	Vertical	Vertical	Pass
11955.562	-38.87	13.99	-25.0	-13.87	357.00	Vertical	Vertical	Pass




RSE-V&H DC\_66A\_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
973.810	-66.15	1.77	-25.0	-41.15	260.00	Vertical	Horizontal	Pass
1737.400	-49.42	2.05	-25.0	-24.42	306.00	Vertical	Horizontal	N/A
2487.400	-40.45	8.47	-25.0	-15.45	87.00	Vertical	Horizontal	N/A
3629.750	-45.60	7.49	-25.0	-20.60	250.00	Vertical	Horizontal	Pass
6660.750	-39.67	14.74	-25.0	-14.67	129.00	Vertical	Horizontal	Pass
13379.738	-38.19	16.82	-25.0	-13.19	-3.00	Vertical	Horizontal	Pass


### 36.2 DC\_66A\_n7A BW20(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-65.00	-20.55	-25.0	-40.00	350.00	Horizontal	Horizontal	Pass
2155.900	-36.71	3.92	-25.0	-11.71	201.00	Horizontal	Horizontal	N/A
2580.200	-37.04	8.60	-25.0	-12.04	318.00	Horizontal	Horizontal	N/A
3790.000	-47.75	7.86	-25.0	-22.75	289.00	Horizontal	Horizontal	Pass
6706.500	-39.18	15.58	-25.0	-14.18	169.00	Horizontal	Horizontal	Pass
13345.875	-37.75	16.38	-25.0	-12.75	245.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.35	-20.57	-25.0	-40.35	300.00	Horizontal	Vertical	Pass
2155.600	-37.55	3.94	-25.0	-12.55	125.00	Horizontal	Vertical	N/A
2587.500	-39.88	8.85	-25.0	-14.88	14.00	Horizontal	Vertical	N/A
3627.750	-48.04	7.65	-25.0	-23.04	66.00	Horizontal	Vertical	Pass
6714.500	-39.08	15.70	-25.0	-14.08	275.00	Horizontal	Vertical	Pass
11986.437	-38.95	13.87	-25.0	-13.95	22.00	Horizontal	Vertical	Pass

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.003	-65.70	-20.57	-25.0	-40.70	122.00	Vertical	Vertical	Pass
2155.400	-45.97	3.93	-25.0	-20.97	68.00	Vertical	Vertical	N/A
2536.800	-41.67	8.31	-25.0	-16.67	258.00	Vertical	Vertical	N/A
3754.000	-46.56	8.16	-25.0	-21.56	32.00	Vertical	Vertical	N/A
6726.000	-39.55	15.49	-25.0	-14.55	168.00	Vertical	Vertical	Pass
13390.763	-37.43	16.92	-25.0	-12.43	149.00	Vertical	Vertical	Pass


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
939.132	-65.38	1.36	-25.0	-40.38	338.00	Vertical	Horizontal	Pass
1376.600	-51.59	0.53	-25.0	-26.59	180.00	Vertical	Horizontal	N/A
2583.300	-43.46	8.64	-25.0	-18.46	45.00	Vertical	Horizontal	N/A
3229.750	-48.78	6.62	-25.0	-23.78	335.00	Vertical	Horizontal	Pass
6700.000	-39.20	15.34	-25.0	-14.20	320.00	Vertical	Horizontal	Pass
13375.013	-37.91	16.78	-25.0	-12.91	23.00	Vertical	Horizontal	Pass


### 36.3 DC\_66A\_n7A BW20(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.582	-68.73	-15.53	-25.0	-43.73	303.00	Horizontal	Horizontal	Pass
2137.600	-18.10	4.54	-25.0	6.90	138.00	Horizontal	Horizontal	N/A
2648.700	-28.40	9.25	-25.0	-3.40	129.00	Horizontal	Horizontal	N/A
3805.750	-47.31	7.36	-25.0	-22.31	47.00	Horizontal	Horizontal	Pass
6885.000	-39.61	14.01	-25.0	-14.61	31.00	Horizontal	Horizontal	Pass
12579.237	-38.95	14.07	-25.0	-13.95	345.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.954	-64.63	-20.59	-25.0	-39.63	198.00	Horizontal	Vertical	Pass
2146.600	-15.96	4.28	-25.0	9.04	137.00	Horizontal	Vertical	N/A
2487.200	-40.17	8.47	-25.0	-15.17	175.00	Horizontal	Vertical	N/A
2649.400	-25.89	9.39	-25.0	-0.89	137.00	Horizontal	Vertical	N/A
6705.000	-39.16	15.52	-25.0	-14.16	348.00	Horizontal	Vertical	Pass
13368.188	-37.46	16.71	-25.0	-12.46	39.00	Horizontal	Vertical	Pass


RSE-V&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.052	-67.55	-20.55	-25.0	-42.55	58.00	Vertical	Vertical	Pass
2151.700	-35.32	3.89	-25.0	-10.32	78.00	Vertical	Vertical	N/A
2539.100	-41.70	8.29	-25.0	-16.70	234.00	Vertical	Vertical	N/A
2582.000	-36.92	8.62	-25.0	-11.92	262.00	Vertical	Vertical	N/A
7212.000	-38.76	14.03	-25.0	-13.76	327.00	Vertical	Vertical	Pass
13375.537	-38.50	16.78	-25.0	-13.50	274.00	Vertical	Vertical	Pass



RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.586	-69.12	-16.06	-25.0	-44.12	130.00	Vertical	Horizontal	Pass
2147.300	-37.55	4.15	-25.0	-12.55	65.00	Vertical	Horizontal	N/A
2647.500	-38.97	9.32	-25.0	-13.97	130.00	Vertical	Horizontal	N/A
4435.500	-44.27	9.75	-25.0	-19.27	363.00	Vertical	Horizontal	Pass
6893.500	-39.23	14.09	-25.0	-14.23	11.00	Vertical	Horizontal	Pass
13372.650	-38.45	16.75	-25.0	-13.45	-1.00	Vertical	Horizontal	Pass