18.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.895	19.464	20	Pass



18.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.921	19.495	20	Pass



18.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.933	19.629	20	Pass



18.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.95	19.615	20	Pass



18.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.921	19.413	20	Pass



19. CA_7C

19.11. CA Occupied Bandwidth(NTNV)(Subtest:1, Channel:21006+21150, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.3	99	26	0.62	Peak	27.86	29.69	30	Pass



19.12. CA Occupied Bandwidth(NTNV)(Subtest:2, Channel:21006+21150, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.3	99	26	0.62	Peak	27.78	29.52	30	Pass



19.13. CA Occupied Bandwidth(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.8	99	26	0.62	Peak	27.87	29.72	30	Pass



19.14. CA Occupied Bandwidth(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.8	99	26	0.62	Peak	27.82	29.64	30	Pass



19.15. CA Occupied Bandwidth(NTNV)(Subtest:5, Channel:21025+21175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.62	Peak	28.41	30.41	30	Pass



19.16. CA Occupied Bandwidth(NTNV)(Subtest:6, Channel:21025+21175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.62	Peak	28.48	30.33	30	Pass



19.17. CA Occupied Bandwidth(NTNV)(Subtest:7, Channel:21003+21174, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.1	99	26	0.68	Peak	32.76	34.98	35	Pass



19.18. CA Occupied Bandwidth(NTNV)(Subtest:8, Channel:21003+21174, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.1	99	26	0.68	Peak	32.69	34.81	35	Pass



19.19. CA Occupied Bandwidth(NTNV)(Subtest:9, Channel:21026+21197, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.9	99	26	0.68	Peak	32.72	34.9	35	Pass



19.20. CA Occupied Bandwidth(NTNV)(Subtest:10, Channel:21026+21197, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.9	99	26	0.68	Peak	32.71	34.84	35	Pass



19.21. CA Occupied Bandwidth(NTNV)(Subtest:11, Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.82	Peak	37.71	40.12	40	Pass



19.22. CA Occupied Bandwidth(NTNV)(Subtest:12, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.82	Peak	37.62	40.22	40	Pass



20. CA_38C

20.1. CA Occupied Bandwidth(NTNV)(Subtest:1, Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.62	Peak	28.52	33.6	30	Pass



20.2. CA Occupied Bandwidth(NTNV)(Subtest:2, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.62	Peak	28.5	30.49	30	Pass



20.3. CA Occupied Bandwidth(NTNV)(Subtest:3, Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.82	Peak	37.8	46.12	40	Pass



20.4. CA Occupied Bandwidth(NTNV)(Subtest:4, Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.82	Peak	37.71	43.94	40	Pass



21. CA_41C_full

21.1. CA Occupied Bandwidth(NTNV)(Subtest:1, Channel:40528+40645, Bandwidth:5+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.4	99	26	0.51	Peak	23.03	25.87	25	Pass



21.2. CA Occupied Bandwidth(NTNV)(Subtest:2, Channel:40528+40645, Bandwidth:5+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.4	99	26	0.51	Peak	23.01	26.34	25	Pass



21.3. CA Occupied Bandwidth(NTNV)(Subtest:3, Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.6	99	26	0.51	Peak	23.06	25.49	25	Pass



21.4. CA Occupied Bandwidth(NTNV)(Subtest:4, Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.6	99	26	0.51	Peak	22.99	24.8	25	Pass



21.5. CA Occupied Bandwidth(NTNV)(Subtest:5, Channel:40526+40670, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.3	99	26	0.62	Peak	27.91	31.63	30	Pass



21.6. CA Occupied Bandwidth(NTNV)(Subtest:6, Channel:40526+40670, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.3	99	26	0.62	Peak	27.85	29.91	30	Pass



21.7. CA Occupied Bandwidth(NTNV)(Subtest:7, Channel:40571+40715, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.8	99	26	0.62	Peak	27.96	32.28	30	Pass



21.8. CA Occupied Bandwidth(NTNV)(Subtest:8, Channel:40571+40715, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.8	99	26	0.62	Peak	27.85	30.36	30	Pass



21.9. CA Occupied Bandwidth(NTNV)(Subtest:9, Channel:40545+40695, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.62	Peak	28.52	33.69	30	Pass



21.10. CA Occupied Bandwidth(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.62	Peak	28.51	30.59	30	Pass



21.11. CA Occupied Bandwidth(NTNV)(Subtest:11, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.1	99	26	0.68	Peak	32.79	36.75	35	Pass



21.12. CA Occupied Bandwidth(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.1	99	26	0.68	Peak	32.75	37.27	35	Pass



21.13. CA Occupied Bandwidth(NTNV)(Subtest:13, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.9	99	26	0.68	Peak	32.88	37.67	35	Pass



21.14. CA Occupied Bandwidth(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.9	99	26	0.68	Peak	32.78	36.78	35	Pass



21.15. CA Occupied Bandwidth(NTNV)(Subtest:15, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.82	Peak	37.81	43.92	40	Pass



21.16. CA Occupied Bandwidth(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.82	Peak	37.78	44.16	40	Pass



22. NR_n5_SCS15_5M_L_Outer Full(QPSK)

22.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
826.5	99.00	26	0.1	Peak	5	4.476668	4.972389	Pass



22. NR_n5_SCS15_5M_L_Outer Full(16QAM)

22.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
826.5	99.00	26	0.1	Peak	5	4.483618	4.946498	Pass



22. NR_n5_SCS15_5M_M_Outer Full(QPSK)

22.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.1	Peak	5	4.474934	4.977688	Pass



22. NR_n5_SCS15_5M_M_Outer Full(16QAM)

22.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.1	Peak	5	4.475733	4.978295	Pass



22. NR_n5_SCS15_5M_H_Outer Full(QPSK)

22.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
846.5	99.00	26	0.1	Peak	5	4.478732	4.967422	Pass



22. NR_n5_SCS15_5M_H_Outer Full(16QAM)

22.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
846.5	99.00	26	0.1	Peak	5	4.492208	4.975318	Pass



22. NR_n5_SCS15_15M_L_Outer Full(QPSK)

22.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
831.5	99.00	26	0.3	Peak	15	13.42501	14.35478	Pass



22. NR_n5_SCS15_15M_L_Outer Full(16QAM)

22.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
831.5	99.00	26	0.3	Peak	15	13.45861	14.43693	Pass



22. NR_n5_SCS15_15M_M_Outer Full(QPSK)

22.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	15	13.45229	14.41551	Pass



22. NR_n5_SCS15_15M_M_Outer Full(16QAM)

22.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	15	13.46888	14.45107	Pass



22. NR_n5_SCS15_15M_H_Outer Full(QPSK)

22.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
841.5	99.00	26	0.3	Peak	15	13.41946	14.35169	Pass



22. NR_n5_SCS15_15M_H_Outer Full(16QAM)

22.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
841.5	99.00	26	0.3	Peak	15	13.44695	14.46173	Pass



22. NR_n5_SCS15_20M_L_Outer Full(QPSK)

22.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
834	99.00	26	0.3	Peak	20	17.87946	18.9235	Pass



22. NR_n5_SCS15_20M_L_Outer Full(16QAM)

22.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
834	99.00	26	0.3	Peak	20	17.93848	18.90182	Pass



22. NR_n5_SCS15_20M_M_Outer Full(QPSK)

22.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	20	17.86663	18.86522	Pass



22. NR_n5_SCS15_20M_M_Outer Full(16QAM)

22.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	20	17.93409	18.92667	Pass



22. NR_n5_SCS15_20M_H_Outer Full(QPSK)

22.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
839	99.00	26	0.3	Peak	20	17.83879	18.8809	Pass



22. NR_n5_SCS15_20M_H_Outer Full(16QAM)

22.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
839	99.00	26	0.3	Peak	20	17.91079	18.86854	Pass



23. NR_n7_SCS15_5M_L_Outer Full(QPSK)

23.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.486294	4.986431	Pass



23. NR_n7_SCS15_5M_L_Outer Full(16QAM)

23.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.473888	4.964041	Pass



23. NR_n7_SCS15_5M_M_Outer Full(QPSK)

23.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.481524	4.97674	Pass



23. NR_n7_SCS15_5M_M_Outer Full(16QAM)

23.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.480861	4.976888	Pass



23. NR_n7_SCS15_5M_H_Outer Full(QPSK)

23.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.480753	4.990792	Pass



23. NR_n7_SCS15_5M_H_Outer Full(16QAM)

23.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.472992	4.951963	Pass



23. NR_n7_SCS15_15M_L_Outer Full(QPSK)

23.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.43313	14.37145	Pass



23. NR_n7_SCS15_15M_L_Outer Full(16QAM)

23.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.46964	14.48388	Pass



23. NR_n7_SCS15_15M_M_Outer Full(QPSK)

23.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.42341	14.40981	Pass



23. NR_n7_SCS15_15M_M_Outer Full(16QAM)

23.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.48196	14.41333	Pass



23. NR_n7_SCS15_15M_H_Outer Full(QPSK)

23.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.43984	14.39905	Pass



23. NR_n7_SCS15_15M_H_Outer Full(16QAM)

23.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.46737	14.42564	Pass



23. NR_n7_SCS15_20M_L_Outer Full(QPSK)

23.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.85377	18.90425	Pass



23. NR_n7_SCS15_20M_L_Outer Full(16QAM)

23.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.92441	18.88441	Pass



23. NR_n7_SCS15_20M_M_Outer Full(QPSK)

23.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.87969	18.87013	Pass



23. NR_n7_SCS15_20M_M_Outer Full(16QAM)

23.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.9624	18.92137	Pass



23. NR_n7_SCS15_20M_H_Outer Full(QPSK)

23.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.87245	18.88306	Pass



23. NR_n7_SCS15_20M_H_Outer Full(16QAM)

23.19. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.95089	18.92975	Pass



24. NR_n38_SCS30_20M_L_Outer Full(QPSK)

24.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2580	99.00	26	0.3	Peak	20	17.89304	19.35424	Pass



24. NR_n38_SCS30_20M_L_Outer Full(16QAM)

24.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2580	99.00	26	0.3	Peak	20	17.94114	19.18644	Pass



24. NR_n38_SCS30_20M_M_Outer Full(QPSK)

24.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2595	99.00	26	0.3	Peak	20	17.88796	19.36892	Pass



24. NR_n38_SCS30_20M_M_Outer Full(16QAM)

24.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2595	99.00	26	0.3	Peak	20	17.95011	19.28659	Pass



24. NR_n38_SCS30_20M_H_Outer Full(QPSK)

24.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2610	99.00	26	0.3	Peak	20	17.89294	19.33582	Pass



24. NR_n38_SCS30_20M_H_Outer Full(16QAM)

24.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2610	99.00	26	0.3	Peak	20	17.94869	19.2458	Pass



24. NR_n38_SCS30_30M_L_Outer Full(QPSK)

24.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2585	99.00	26	1	Peak	30	27.14104	29.47386	Pass



24. NR_n38_SCS30_30M_L_Outer Full(16QAM)

24.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2585	99.00	26	1	Peak	30	27.17078	29.56053	Pass



24. NR_n38_SCS30_30M_M_Outer Full(QPSK)

24.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2595	99.00	26	1	Peak	30	27.09088	29.4955	Pass



24. NR_n38_SCS30_30M_M_Outer Full(16QAM)

24.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2595	99.00	26	1	Peak	30	27.17464	29.71047	Pass



24. NR_n38_SCS30_30M_H_Outer Full(QPSK)

24.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2605	99.00	26	1	Peak	30	27.07504	29.58701	Pass



24. NR_n38_SCS30_30M_H_Outer Full(16QAM)

24.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2605	99.00	26	1	Peak	30	27.17415	29.67584	Pass



24. NR_n38_SCS30_40M_L_Outer Full(QPSK)

24.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2590	99.00	26	1	Peak	40	35.9623	38.56314	Pass



24. NR_n38_SCS30_40M_L_Outer Full(16QAM)

24.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2590	99.00	26	1	Peak	40	36.1631	38.59417	Pass



24. NR_n38_SCS30_40M_M_Outer Full(QPSK)

24.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2595	99.00	26	1	Peak	40	35.98442	38.5749	Pass



24. NR_n38_SCS30_40M_M_Outer Full(16QAM)

24.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2595	99.00	26	1	Peak	40	36.12328	38.4998	Pass



24. NR_n38_SCS30_40M_H_Outer Full(QPSK)

24.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2600	99.00	26	1	Peak	40	35.95427	38.49454	Pass



24. NR_n38_SCS30_40M_H_Outer Full(16QAM)

24.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2600	99.00	26	1	Peak	40	36.15423	38.55184	Pass



25. NR_n41_SCS30_20M_L_Outer Full(QPSK)

25.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2506.2	99.00	26	0.3	Peak	20	17.89277	19.35476	Pass



25. NR_n41_SCS30_20M_L_Outer Full(16QAM)

25.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2506.2	99.00	26	0.3	Peak	20	17.94961	19.25961	Pass



25. NR_n41_SCS30_20M_M_Outer Full(QPSK)

25.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	0.3	Peak	20	17.92504	19.4066	Pass



25. NR_n41_SCS30_20M_M_Outer Full(16QAM)

25.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	0.3	Peak	20	17.94813	19.15956	Pass



25. NR_n41_SCS30_20M_H_Outer Full(QPSK)

25.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2679.99	99.00	26	0.3	Peak	20	17.93272	19.3489	Pass



25. NR_n41_SCS30_20M_H_Outer Full(16QAM)

25.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2679.99	99.00	26	0.3	Peak	20	17.95792	19.14991	Pass



25. NR_n41_SCS30_60M_L_Outer Full(QPSK)

25.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2526	99.00	26	1	Peak	60	57.79722	60.73395	Pass



25. NR_n41_SCS30_60M_L_Outer Full(16QAM)

25.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2526	99.00	26	1	Peak	60	57.6908	60.75405	Pass



25. NR_n41_SCS30_60M_M_Outer Full(QPSK)

25.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	60	57.99764	60.83215	Pass



25. NR_n41_SCS30_60M_M_Outer Full(16QAM)

25.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	60	57.83006	60.82328	Pass



25. NR_n41_SCS30_60M_H_Outer Full(QPSK)

25.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2659.98	99.00	26	1	Peak	60	57.89967	60.72199	Pass



25. NR_n41_SCS30_60M_H_Outer Full(16QAM)

25.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2659.98	99.00	26	1	Peak	60	57.74904	60.72849	Pass



25. NR_n41_SCS30_100M_L_Outer Full(QPSK)

25.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2546.01	99.00	26	1	Peak	100	96.12446	99.63773	Pass



25. NR_n41_SCS30_100M_L_Outer Full(16QAM)

25.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2546.01	99.00	26	1	Peak	100	96.22934	99.71403	Pass



25. NR_n41_SCS30_100M_M_Outer Full(QPSK)

25.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	100	96.32233	99.74044	Pass



25. NR_n41_SCS30_100M_M_Outer Full(16QAM)

25.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	100	96.44316	99.71834	Pass



25. NR_n41_SCS30_100M_H_Outer Full(QPSK)

25.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2640	99.00	26	1	Peak	100	96.40214	99.74711	Pass



25. NR_n41_SCS30_100M_H_Outer Full(16QAM)

25.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2640	99.00	26	1	Peak	100	96.24032	99.74684	Pass



26. DC_5A_n7A_SCS15_5M_L_Outer Full(QPSK DFT-s-OFDM)

26.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.49818	4.980914	Pass



26. DC_5A_n7A_SCS15_5M_L_Outer Full(16QAM DFT-s-OFDM)

26.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.487383	5.007131	Pass



26. DC_5A_n7A_SCS15_5M_M_Outer Full(QPSK DFT-s-OFDM)

26.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.494582	4.963314	Pass



26. DC_5A_n7A_SCS15_5M_M_Outer Full(16QAM DFT-s-OFDM)

26.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.486204	5.003957	Pass



26. DC_5A_n7A_SCS15_5M_H_Outer Full(QPSK DFT-s-OFDM)

26.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.499236	4.98616	Pass



26. DC_5A_n7A_SCS15_5M_H_Outer Full(16QAM DFT-s-OFDM)

26.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.487549	5.015945	Pass



26. DC_5A_n7A_SCS15_15M_L_Outer Full(QPSK DFT-s-OFDM)

26.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.51174	14.41208	Pass



26. DC_5A_n7A_SCS15_15M_L_Outer Full(16QAM DFT-s-OFDM)

26.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.44732	14.33706	Pass



26. DC_5A_n7A_SCS15_15M_M_Outer Full(QPSK DFT-s-OFDM)

26.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.47796	14.43715	Pass



26. DC_5A_n7A_SCS15_15M_M_Outer Full(16QAM DFT-s-OFDM)

26.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.44355	14.36221	Pass



26. DC_5A_n7A_SCS15_15M_H_Outer Full(QPSK DFT-s-OFDM)

26.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.4834	14.38346	Pass



26. DC_5A_n7A_SCS15_15M_H_Outer Full(16QAM DFT-s-OFDM)

26.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.44225	14.4711	Pass



26. DC_5A_n7A_SCS15_20M_L_Outer Full(QPSK DFT-s-OFDM)

26.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.84677	18.84383	Pass



26. DC_5A_n7A_SCS15_20M_L_Outer Full(16QAM DFT-s-OFDM)

26.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.86593	18.81472	Pass



26. DC_5A_n7A_SCS15_20M_M_Outer Full(QPSK DFT-s-OFDM)

26.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.85207	18.92317	Pass



26. DC_5A_n7A_SCS15_20M_M_Outer Full(16QAM DFT-s-OFDM)

26.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.8674	18.84288	Pass



26. DC_5A_n7A_SCS15_20M_H_Outer Full(QPSK DFT-s-OFDM)

26.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.83778	18.94853	Pass



26. DC_5A_n7A_SCS15_20M_H_Outer Full(16QAM DFT-s-OFDM)

26.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.86607	18.87128	Pass



27. DC_7A_n5A_SCS15_5M_L_Outer Full(QPSK DFT-s-OFDM)

27.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
826.5	99.00	26	0.1	Peak	5	4.491168	4.964085	Pass



27. DC_7A_n5A_SCS15_5M_L_Outer Full(16QAM DFT-s-OFDM)

27.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
826.5	99.00	26	0.1	Peak	5	4.49141	5.009838	Pass



27. DC_7A_n5A_SCS15_5M_M_Outer Full(QPSK DFT-s-OFDM)

27.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.1	Peak	5	4.49688	4.981979	Pass



27. DC_7A_n5A_SCS15_5M_M_Outer Full(16QAM DFT-s-OFDM)

27.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.1	Peak	5	4.484603	5.005294	Pass



27. DC_7A_n5A_SCS15_5M_H_Outer Full(QPSK DFT-s-OFDM)

27.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
846.5	99.00	26	0.1	Peak	5	4.498213	4.976579	Pass



27. DC_7A_n5A_SCS15_5M_H_Outer Full(16QAM DFT-s-OFDM)

27.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
846.5	99.00	26	0.1	Peak	5	4.49428	5.00878	Pass



27. DC_7A_n5A_SCS15_15M_L_Outer Full(QPSK DFT-s-OFDM)

27.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
831.5	99.00	26	0.3	Peak	15	13.49002	14.40383	Pass



27. DC_7A_n5A_SCS15_15M_L_Outer Full(16QAM DFT-s-OFDM)

27.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
831.5	99.00	26	0.3	Peak	15	13.45949	14.43965	Pass



27. DC_7A_n5A_SCS15_15M_M_Outer Full(QPSK DFT-s-OFDM)

27.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	15	13.51449	14.40936	Pass



27. DC_7A_n5A_SCS15_15M_M_Outer Full(16QAM DFT-s-OFDM)

27.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	15	13.4521	14.33208	Pass



27. DC_7A_n5A_SCS15_15M_H_Outer Full(QPSK DFT-s-OFDM)

27.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
841.5	99.00	26	0.3	Peak	15	13.47921	14.40726	Pass



27. DC_7A_n5A_SCS15_15M_H_Outer Full(16QAM DFT-s-OFDM)

27.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
841.5	99.00	26	0.3	Peak	15	13.42046	14.37467	Pass



27. DC_7A_n5A_SCS15_20M_L_Outer Full(QPSK DFT-s-OFDM)

27.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
834	99.00	26	0.3	Peak	20	17.85336	18.85986	Pass



27. DC_7A_n5A_SCS15_20M_L_Outer Full(16AQM DFT-s-OFDM)

27.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
834	99.00	26	0.3	Peak	20	17.87637	18.87225	Pass



27. DC_7A_n5A_SCS15_20M_M_Outer Full(QPSK DFT-s-OFDM)

27.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	20	17.86278	18.96361	Pass



27. DC_7A_n5A_SCS15_20M_M_Outer Full(16AQM DFT-s-OFDM)

27.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	20	17.85993	18.86933	Pass



27. DC_7A_n5A_SCS15_20M_H_Outer Full(QPSK DFT-s-OFDM)

27.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
839	99.00	26	0.3	Peak	20	17.80924	18.82273	Pass



27. DC_7A_n5A_SCS15_20M_H_Outer Full(16AQM DFT-s-OFDM)

27.19. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
839	99.00	26	0.3	Peak	20	17.83885	18.81434	Pass



28. DC_26A_n41A_SCS30_20M_L_Outer Full(QPSK DFT-s-OFDM)

28.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2506.02	99.00	26	0.3	Peak	20	17.90756	19.33901	Pass



28. DC_26A_n41A_SCS30_20M_L_Outer Full(16QAM DFT-s-OFDM)

28.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2506.02	99.00	26	0.3	Peak	20	17.94763	19.22822	Pass



28. DC_26A_n41A_SCS30_20M_M_Outer Full(QPSK DFT-s-OFDM)

28.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	0.3	Peak	20	17.92018	19.35485	Pass



28. DC_26A_n41A_SCS30_20M_M_Outer Full(16QAM DFT-s-OFDM)

28.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	0.3	Peak	20	17.94964	19.15252	Pass



28. DC_26A_n41A_SCS30_20M_H_Outer Full(QPSK DFT-s-OFDM)

28.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2679.99	99.00	26	0.3	Peak	20	17.91173	19.30221	Pass



28 DC_26A_n41A_SCS30_20M_H_Outer Full(16QAM DFT-s-OFDM)

28.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2679.99	99.00	26	0.3	Peak	20	17.94242	19.0991	Pass



28. DC_26A_n41A_SCS30_60M_L_Outer Full(QPSK DFT-s-OFDM)

28.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2526	99.00	26	1	Peak	60	57.95869	60.81016	Pass



28. DC_26A_n41A_SCS30_60M_L_Outer Full(16QAM DFT-s-OFDM)

28.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2526	99.00	26	1	Peak	60	57.7574	60.76061	Pass



28. DC_26A_n41A_SCS30_60M_M_Outer Full(QPSK DFT-s-OFDM)

28.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	60	58.04086	60.77698	Pass



28. DC_26A_n41A_SCS30_60M_M_Outer Full(16QAM DFT-s-OFDM)

28.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	60	57.84683	60.80356	Pass



28. DC_26A_n41A_SCS30_60M_H_Outer Full(QPSK DFT-s-OFDM)

28.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2659.98	99.00	26	1	Peak	60	57.985	60.76712	Pass



28. DC_26A_n41A_SCS30_60M_H_Outer Full(16QAM DFT-s-OFDM)

28.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2659.98	99.00	26	1	Peak	60	57.77694	60.78506	Pass



28. DC_26A_n41A_SCS30_100M_L_Outer Full(QPSK DFT-s-OFDM)

28.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2546.01	99.00	26	1	Peak	100	96.19114	99.70184	Pass



28. DC_26A_n41A_SCS30_100M_L_Outer Full(16QAM DFT-s-OFDM)

28.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2546.01	99.00	26	1	Peak	100	96.31948	99.79622	Pass



28. DC_26A_n41A_SCS30_100M_M_Outer Full(QPSK DFT-s-OFDM)

28.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	100	96.32991	99.76106	Pass



28. DC_26A_n41A_SCS30_100M_M_Outer Full(16QAM DFT-s-OFDM)

28.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2592.99	99.00	26	1	Peak	100	96.4439	99.72773	Pass



28. DC_26A_n41A_SCS30_100M_H_Outer Full(QPSK DFT-s-OFDM)

28.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2640	99.00	26	1	Peak	100	96.23426	99.76738	Pass



28. DC_26A_n41A_SCS30_100M_H_Outer Full(16QAM DFT-s-OFDM)

28.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2640	99.00	26	1	Peak	100	96.37498	99.75772	Pass



29. DC_66A_n7A_SCS15_5M_L_Outer Full(QPSK DFT-s-OFDM)

29.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.496688	4.968428	Pass



29 DC_66A_n7A_SCS15_5M_L_Outer Full(16QAM DFT-s-OFDM)

29.2. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.489548	5.026806	Pass



29. DC_66A_n7A_SCS15_5M_M_Outer Full(QPSK DFT-s-OFDM)

29.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.498303	4.972024	Pass



29. DC_66A_n7A_SCS15_5M_M_Outer Full(16QAM DFT-s-OFDM)

29.4. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.488277	5.00662	Pass



29. DC_66A_n7A_SCS15_5M_H_Outer Full(QPSK DFT-s-OFDM)

29.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.48974	4.947505	Pass



29. DC_66A_n7A_SCS15_5M_H_Outer Full(16QAM DFT-s-OFDM)

29.6. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.485941	5.035307	Pass



29. DC_66A_n7A_SCS15_15M_L_Outer Full(QPSK DFT-s-OFDM)

29.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.49441	14.41245	Pass



29. DC_66A_n7A_SCS15_15M_L_Outer Full(16QAM DFT-s-OFDM)

29.8. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.44899	14.33826	Pass



29. DC_66A_n7A_SCS15_15M_M_Outer Full(QPSK DFT-s-OFDM)

29.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.47894	14.42782	Pass



29. DC_66A_n7A_SCS15_15M_M_Outer Full(16QAM DFT-s-OFDM)

29.10. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.44397	14.36849	Pass



29. DC_66A_n7A_SCS15_15M_H_Outer Full(QPSK DFT-s-OFDM)

29.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.49567	14.36246	Pass



29. DC_66A_n7A_SCS15_15M_H_Outer Full(16QAM DFT-s-OFDM)

29.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.44906	14.47003	Pass



29. DC_66A_n7A_SCS15_20M_L_Outer Full(QPSK DFT-s-OFDM)

29.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.85748	18.85402	Pass



29. DC_66A_n7A_SCS15_20M_L_Outer Full(16AQM DFT-s-OFDM)

29.14. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.85228	18.80848	Pass



29. DC_66A_n7A_SCS15_20M_M_Outer Full(QPSK DFT-s-OFDM)

29.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.85487	18.91865	Pass



29. DC_66A_n7A_SCS15_20M_M_Outer Full(16AQM DFT-s-OFDM)

29.16. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.86733	18.84846	Pass



29. DC_66A_n7A_SCS15_20M_H_Outer Full(QPSK DFT-s-OFDM)

29.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.85077	18.94523	Pass



29. DC_66A_n7A_SCS15_20M_H_Outer Full(16AQM DFT-s-OFDM)

29.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.85505	18.84847	Pass



END