



28.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	836.75	1.62	30	Pass	401
849	850	0.15	RMS	849.005	-37.73	-13	Pass	401
850	874	0.1	RMS	850.36	-40.08	-13	Pass	401




28.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.46	-13	Pass	401
823	824	0.2	RMS	823.998	-17.14	-13	Pass	401
824	844	0.1	RMS	824.55	20.53	30	Pass	401




28.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-36.47	-13	Pass	401
823	824	0.2	RMS	824	-31.56	-13	Pass	401
824	844	0.1	RMS	838.9	1.63	30	Pass	401




28.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.83	-13	Pass	401
823	824	0.2	RMS	824	-18.71	-13	Pass	401
824	844	0.1	RMS	824.55	19.77	30	Pass	401




28.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-37.62	-13	Pass	401
823	824	0.2	RMS	824	-32.39	-13	Pass	401
824	844	0.1	RMS	839.8	0.83	30	Pass	401




28.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.13	30	Pass	401
849	850	0.2	RMS	849	-16.51	-13	Pass	401
850	874	0.1	RMS	850	-50.79	-13	Pass	401




28.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.5	1.74	30	Pass	401
849	850	0.2	RMS	849.03	-35.06	-13	Pass	401
850	874	0.1	RMS	850.42	-38.58	-13	Pass	401




28.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.39	30	Pass	401
849	850	0.2	RMS	849	-17.8	-13	Pass	401
850	874	0.1	RMS	850	-50.88	-13	Pass	401



28.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.95	1.19	30	Pass	401
849	850	0.2	RMS	849.115	-36.79	-13	Pass	401
850	874	0.1	RMS	850.12	-41.06	-13	Pass	401



29. DC_26A_n41A_SCS30


29.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.773	-49.34	-25	Pass	401
2490	2495	1	RMS	2495	-29.69	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-28.49	-13	Pass	401
2496	2596	1	RMS	2497	19.49	30	Pass	401




29.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.77	-25	Pass	401
2490	2495	1	RMS	2494.938	-29.14	-13	Pass	401
2495	2496	0.4	RMS	2495	-27.38	-13	Pass	4
2496	2596	1	RMS	2512.5	10.31	30	Pass	401




29.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.773	-49.59	-25	Pass	401
2490	2495	1	RMS	2495	-30.3	-13	Pass	401
2495	2496	0.051	RMS	2496	-29.24	-13	Pass	401
2496	2596	1	RMS	2497	19.64	30	Pass	401




29.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.35	-25	Pass	401
2490	2495	1	RMS	2495	-30.56	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.64	-13	Pass	4
2496	2596	1	RMS	2512.5	9.31	30	Pass	401




29.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.79	30	Pass	401
2690	2691	0.1	RMS	2690	-25.2	-13	Pass	401
2691	2695	1	RMS	2691	-30.54	-13	Pass	401
2695	2710	1	RMS	2698.038	-49.61	-13	Pass	401
2710	2795	1	RMS	2787.563	-49.97	-25	Pass	401




29.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.5	9.53	30	Pass	401
2690	2691	0.4	RMS	2690.333	-36.45	-13	Pass	4
2691	2695	1	RMS	2691.02	-30.98	-13	Pass	401
2695	2710	1	RMS	2695.113	-32.75	-13	Pass	401
2710	2715	1	RMS	2710.338	-42.6	-25	Pass	401
2715	2795	1	RMS	2715	-44.1	-25	Pass	401




29.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.96	30	Pass	401
2690	2691	0.1	RMS	2690	-25.81	-13	Pass	401
2691	2695	1	RMS	2691	-30.58	-13	Pass	401
2695	2710	1	RMS	2697.963	-49.58	-13	Pass	401
2710	2795	1	RMS	2770.563	-50	-25	Pass	401




29.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673	8.64	30	Pass	401
2690	2691	0.4	RMS	2690.333	-37.79	-13	Pass	4
2691	2695	1	RMS	2691.07	-32.02	-13	Pass	401
2695	2710	1	RMS	2695	-34.16	-13	Pass	401
2710	2715	1	RMS	2710.85	-42.58	-25	Pass	401
2715	2795	1	RMS	2715	-44.86	-25	Pass	401




29.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2465.25	-47.94	-25	Pass	401
2490	2495	1	RMS	2495	-30.54	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-29.29	-13	Pass	401
2496	2596	1	RMS	2497	19.27	30	Pass	401




29.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.04	-25	Pass	401
2490	2495	1	RMS	2494.9	-35.37	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.41	-13	Pass	2
2496	2596	1	RMS	2546.25	5.51	30	Pass	401




29.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-50.33	-25	Pass	401
2490	2495	1	RMS	2495	-30.63	-13	Pass	401
2495	2496	0.051	RMS	2496	-29.51	-13	Pass	401
2496	2596	1	RMS	2497	19.55	30	Pass	401




29.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-38.57	-25	Pass	401
2490	2495	1	RMS	2495	-36.84	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.82	-13	Pass	2
2496	2596	1	RMS	2547.25	4.37	30	Pass	401




29.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.69	30	Pass	401
2690	2691	0.1	RMS	2690	-27.06	-13	Pass	401
2691	2695	1	RMS	2691	-32.49	-13	Pass	401
2695	2750	1	RMS	2695.138	-49.93	-13	Pass	401
2750	2795	1	RMS	2772.95	-49.93	-25	Pass	401




29.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2637.75	4.89	30	Pass	401
2690	2691	1.2	RMS	2690	-28.71	-13	Pass	2
2691	2695	1	RMS	2691	-37.64	-13	Pass	401
2695	2750	1	RMS	2695	-38.88	-13	Pass	401
2750	2755	1	RMS	2754.625	-49.99	-25	Pass	401
2755	2795	1	RMS	2774	-49.85	-25	Pass	401




29.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.87	30	Pass	401
2690	2691	0.1	RMS	2690	-27.29	-13	Pass	401
2691	2695	1	RMS	2691	-32.23	-13	Pass	401
2695	2750	1	RMS	2695.138	-49.85	-13	Pass	401
2750	2795	1	RMS	2766.313	-49.98	-25	Pass	401




29.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.5	4.04	30	Pass	401
2690	2691	1.2	RMS	2690	-29.36	-13	Pass	2
2691	2695	1	RMS	2691	-37.82	-13	Pass	401
2695	2750	1	RMS	2696.925	-39.17	-13	Pass	401
2750	2755	1	RMS	2753.775	-50.02	-25	Pass	401
2755	2795	1	RMS	2772.2	-49.82	-25	Pass	401




29.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-50.21	-25	Pass	401
2490	2495	1	RMS	2495	-30.79	-13	Pass	401
2495	2496	0.051	RMS	2496	-29.65	-13	Pass	401
2496	2596	1	RMS	2497	19.2	30	Pass	401




29.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-34.88	-25	Pass	401
2490	2495	1	RMS	2494.7	-34.51	-13	Pass	401
2495	2496	1	RMS	2496	-31.9	-13	Pass	2
2496	2596	1	RMS	2573.75	2.99	30	Pass	401




29.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-50.22	-25	Pass	401
2490	2495	1	RMS	2495	-31.58	-13	Pass	401
2495	2496	0.051	RMS	2496	-30.34	-13	Pass	401
2496	2596	1	RMS	2497	19.24	30	Pass	401




29.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.9	-25	Pass	401
2490	2495	1	RMS	2494.638	-37.88	-13	Pass	401
2495	2496	1	RMS	2496	-33.98	-13	Pass	2
2496	2596	1	RMS	2566.25	2.08	30	Pass	401




29.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1 @272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.83	30	Pass	401
2690	2691	0.1	RMS	2690	-26.94	-13	Pass	401
2691	2695	1	RMS	2691	-32.25	-13	Pass	401
2695	2790	1	RMS	2695	-49.83	-13	Pass	401
2790	2795	1	RMS	2791.825	-49.89	-25	Pass	401




29.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2599.75	2.88	30	Pass	401
2690	2691	2	RMS	2690	-32.94	-13	Pass	2
2691	2695	1	RMS	2694.16	-35.65	-13	Pass	401
2695	2790	1	RMS	2697.613	-36.09	-13	Pass	401
2790	2795	1	RMS	2790.95	-49.86	-25	Pass	401




29.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1 @272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	18.75	30	Pass	401
2690	2691	0.1	RMS	2690.01	-27.34	-13	Pass	401
2691	2695	1	RMS	2691	-32.6	-13	Pass	401
2695	2790	1	RMS	2696.188	-49.79	-13	Pass	401
2790	2795	1	RMS	2791.675	-50	-25	Pass	401



29.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2597.75	1.97	30	Pass	401
2690	2691	2	RMS	2691	-36.66	-13	Pass	2
2691	2695	1	RMS	2694.97	-39.12	-13	Pass	401
2695	2790	1	RMS	2696.425	-39.5	-13	Pass	401
2790	2795	1	RMS	2791.525	-49.9	-25	Pass	401



30. DC_66A_n7A_SCS15


30.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.858	-49.16	-25	Pass	401
2494	2496	1	RMS	2495.885	-45.34	-13	Pass	401
2496	2499	1	RMS	2499	-34.77	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.28	-10	Pass	401
2500	2520	1	RMS	2500.3	22.27	30	Pass	401




30.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.96	-25	Pass	401
2494	2496	1	RMS	2496	-32.26	-13	Pass	401
2496	2499	1	RMS	2499	-26.93	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.02	-10	Pass	401
2500	2520	1	RMS	2503.9	16.2	30	Pass	401




30.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.32	-25	Pass	401
2494	2496	1	RMS	2495.96	-45.72	-13	Pass	401
2496	2499	1	RMS	2499	-36.02	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.96	-10	Pass	401
2500	2520	1	RMS	2500.3	21.45	30	Pass	401




30.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37.05	-25	Pass	401
2494	2496	1	RMS	2495.995	-33.53	-13	Pass	401
2496	2499	1	RMS	2499	-27.25	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.5	-10	Pass	401
2500	2520	1	RMS	2502.45	15.06	30	Pass	401




30.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	22.08	30	Pass	401
2570	2571	0.051	RMS	2570	-18.23	-10	Pass	401
2571	2575	1	RMS	2571	-35.72	-10	Pass	5
2575	2576	1	RMS	2575.018	-47.87	-13	Pass	401
2576	2595	1	RMS	2576.19	-49.37	-25	Pass	401




30.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.6	15.79	30	Pass	401
2570	2571	0.1	RMS	2570	-25.9	-10	Pass	401
2571	2575	1	RMS	2571	-30.56	-10	Pass	5
2575	2576	1	RMS	2575.775	-37.45	-13	Pass	401
2576	2595	1	RMS	2576.713	-37.44	-25	Pass	401




30.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.3	30	Pass	401
2570	2571	0.051	RMS	2570	-17.99	-10	Pass	401
2571	2575	1	RMS	2571	-23.22	-10	Pass	5
2575	2576	1	RMS	2575.16	-48.11	-13	Pass	401
2576	2595	1	RMS	2576	-49.46	-25	Pass	401




30.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.2	14.97	30	Pass	401
2570	2571	0.1	RMS	2570	-28.05	-10	Pass	401
2571	2575	1	RMS	2571	-31.55	-10	Pass	5
2575	2576	1	RMS	2575	-36.89	-13	Pass	401
2576	2595	1	RMS	2576	-37.77	-25	Pass	401




30.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.875	-50.94	-25	Pass	401
2485	2496	1	RMS	2495.945	-45.29	-13	Pass	401
2496	2499	1	RMS	2499	-35.17	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.68	-10	Pass	401
2500	2520	1	RMS	2500.45	22.19	30	Pass	401




30.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.85	-45.56	-25	Pass	401
2485	2496	1	RMS	2495.973	-33.37	-13	Pass	401
2496	2499	1	RMS	2499	-30.3	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.85	-10	Pass	401
2500	2520	1	RMS	2512.95	11.77	30	Pass	401




30.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2476.025	-50.15	-25	Pass	401
2485	2496	1	RMS	2495.973	-46.99	-13	Pass	401
2496	2499	1	RMS	2499	-36.97	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.89	-10	Pass	401
2500	2520	1	RMS	2500.45	21.32	30	Pass	401




30.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-44.03	-25	Pass	401
2485	2496	1	RMS	2496	-33.28	-13	Pass	401
2496	2499	1	RMS	2499	-30.72	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.69	-10	Pass	401
2500	2520	1	RMS	2512.8	10.8	30	Pass	401




30.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.55	21.85	30	Pass	401
2570	2571	0.051	RMS	2570	-23.66	-10	Pass	401
2571	2575	1	RMS	2571	-36.34	-10	Pass	5
2575	2585	1	RMS	2575.05	-48.13	-13	Pass	401
2585	2595	1	RMS	2585.95	-50.63	-25	Pass	401




30.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.6	11.21	30	Pass	401
2570	2571	0.3	RMS	2570.015	-36.66	-10	Pass	401
2571	2575	1	RMS	2571	-33.47	-10	Pass	5
2575	2585	1	RMS	2575	-36.81	-13	Pass	401
2585	2595	1	RMS	2585.1	-44.27	-25	Pass	401




30.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.12	30	Pass	401
2570	2571	0.051	RMS	2570	-23.47	-10	Pass	401
2571	2575	1	RMS	2571	-27.16	-10	Pass	5
2575	2585	1	RMS	2575.1	-48.41	-13	Pass	401
2585	2595	1	RMS	2585.425	-50.8	-25	Pass	401




30.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.65	10.3	30	Pass	401
2570	2571	0.3	RMS	2570.233	-39.27	-10	Pass	401
2571	2575	1	RMS	2571	-34.36	-10	Pass	5
2575	2585	1	RMS	2575.025	-36.23	-13	Pass	401
2585	2595	1	RMS	2585	-43.24	-25	Pass	401




30.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.425	-51.18	-25	Pass	401
2480	2496	1	RMS	2495.92	-45.76	-13	Pass	401
2496	2499	1	RMS	2499	-36.1	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.76	-10	Pass	401
2500	2520	1	RMS	2500.5	22.24	30	Pass	401




30.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-49.98	-25	Pass	401
2480	2496	1	RMS	2496	-34.11	-13	Pass	401
2496	2499	1	RMS	2499	-31.03	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.73	-10	Pass	401
2500	2520	1	RMS	2515.2	10.54	30	Pass	401




30.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.95	-51.2	-25	Pass	401
2480	2496	1	RMS	2495.96	-46.7	-13	Pass	401
2496	2499	1	RMS	2499	-37.87	-10	Pass	4
2499	2500	0.051	RMS	2500	-27.78	-10	Pass	401
2500	2520	1	RMS	2500.55	21.23	30	Pass	401




30.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-49.69	-25	Pass	401
2480	2496	1	RMS	2495.96	-33.99	-13	Pass	401
2496	2499	1	RMS	2499	-31.39	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.09	-10	Pass	401
2500	2520	1	RMS	2517.2	9.52	30	Pass	401




30.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.92	30	Pass	401
2570	2571	0.051	RMS	2570	-27.44	-10	Pass	401
2571	2575	1	RMS	2571	-37.02	-10	Pass	5
2575	2590	1	RMS	2575.113	-48.11	-13	Pass	401
2590	2595	1	RMS	2590.238	-50.76	-25	Pass	401




30.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2565	10.13	30	Pass	401
2570	2571	0.39	RMS	2570.103	-35.07	-10	Pass	401
2571	2575	1	RMS	2571	-32.38	-10	Pass	5
2575	2590	1	RMS	2575	-36.15	-13	Pass	401
2590	2595	1	RMS	2590	-47.11	-25	Pass	401




30.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.11	30	Pass	401
2570	2571	0.051	RMS	2570	-27.23	-10	Pass	401
2571	2575	1	RMS	2571	-31.15	-10	Pass	5
2575	2590	1	RMS	2575.113	-48.59	-13	Pass	401
2590	2595	1	RMS	2590.188	-50.88	-25	Pass	401



30.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2565.75	9.05	30	Pass	401
2570	2571	0.39	RMS	2570.115	-37.89	-10	Pass	401
2571	2575	1	RMS	2571	-34.33	-10	Pass	5
2575	2590	1	RMS	2575	-36.27	-13	Pass	401
2590	2595	1	RMS	2590.013	-46.54	-25	Pass	401



END