



## 17.2 LTE Band 41 BW10, Middle Channel

RSE-H&H LTE Band 41 BW10 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
215.998	-70.72	-16.52	-25.0	-45.72	74.00	Horizontal	Horizontal	Pass
1649.100	-51.80	0.49	-25.0	-26.80	259.00	Horizontal	Horizontal	Pass
2552.700	-25.96	7.16	-25.0	-0.96	360.00	Horizontal	Horizontal	N/A
2627.100	-26.35	8.88	-25.0	-1.35	3.00	Horizontal	Horizontal	N/A
6705.000	-38.74	15.52	-25.0	-13.74	266.00	Horizontal	Horizontal	Pass
13378.950	-38.97	16.81	-25.0	-13.97	352.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW10 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
162.502	-72.39	-19.32	-25.0	-47.39	192.00	Horizontal	Vertical	Pass
1551.700	-51.42	0.30	-25.0	-26.42	240.00	Horizontal	Vertical	Pass
2559.600	-27.54	8.55	-25.0	-2.54	152.00	Horizontal	Vertical	N/A
2643.200	-29.78	9.01	-25.0	-4.78	127.00	Horizontal	Vertical	N/A
6641.750	-39.26	15.02	-25.0	-14.26	359.00	Horizontal	Vertical	Pass
13389.450	-38.25	16.91	-25.0	-13.25	126.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW10 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.696	-66.72	-17.97	-25.0	-41.72	141.00	Vertical	Vertical	Pass
1347.300	-52.44	-0.19	-25.0	-27.44	19.00	Vertical	Vertical	Pass
2559.900	-31.04	8.59	-25.0	-6.04	196.00	Vertical	Vertical	N/A
2642.900	-29.41	8.95	-25.0	-4.41	245.00	Vertical	Vertical	N/A
6590.500	-39.56	14.19	-25.0	-14.56	124.00	Vertical	Vertical	Pass
13402.050	-38.51	16.96	-25.0	-13.51	1.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW10 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.375	-64.75	-18.03	-25.0	-39.75	118.00	Vertical	Horizontal	Pass
1277.800	-52.94	-0.64	-25.0	-27.94	147.00	Vertical	Horizontal	Pass
2561.200	-33.52	8.83	-25.0	-8.52	84.00	Vertical	Horizontal	N/A
2635.700	-37.27	8.22	-25.0	-12.27	360.00	Vertical	Horizontal	N/A
6639.000	-38.98	15.04	-25.0	-13.98	27.00	Vertical	Horizontal	Pass
13797.900	-38.73	16.87	-25.0	-13.73	360.00	Vertical	Horizontal	Pass


### 17.3 LTE Band 41 BW15, Middle Channel

RSE-H&H LTE Band 41 BW15 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
215.561	-70.87	-16.60	-25.0	-45.87	75.00	Horizontal	Horizontal	Pass
1581.500	-52.04	0.31	-25.0	-27.04	190.00	Horizontal	Horizontal	Pass
2555.700	-23.54	7.30	-25.0	1.46	360.00	Horizontal	Horizontal	N/A
2635.200	-24.60	8.31	-25.0	0.40	14.00	Horizontal	Horizontal	N/A
6646.250	-38.85	15.25	-25.0	-13.85	339.00	Horizontal	Horizontal	Pass
13349.550	-38.64	16.52	-25.0	-13.64	307.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW15 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.811	-70.45	-19.20	-25.0	-45.45	360.00	Horizontal	Vertical	Pass
1551.000	-51.65	0.26	-25.0	-26.65	120.00	Horizontal	Vertical	Pass
2559.000	-25.51	8.39	-25.0	-0.51	182.00	Horizontal	Vertical	N/A
2627.900	-30.24	8.64	-25.0	-5.24	176.00	Horizontal	Vertical	N/A
6646.250	-38.94	15.25	-25.0	-13.94	17.00	Horizontal	Vertical	Pass
13399.162	-38.49	17.00	-25.0	-13.49	13.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW15 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.405	-67.05	-17.90	-25.0	-42.05	117.00	Vertical	Vertical	Pass
1277.100	-52.22	-0.73	-25.0	-27.22	285.00	Vertical	Vertical	Pass
2558.200	-26.78	8.12	-25.0	-1.78	197.00	Vertical	Vertical	N/A
2625.900	-29.48	9.91	-25.0	-4.48	297.00	Vertical	Vertical	N/A
6842.750	-39.40	14.15	-25.0	-14.40	230.00	Vertical	Vertical	Pass
13387.875	-37.66	16.90	-25.0	-12.66	352.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW15 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.035	-65.70	-17.97	-25.0	-40.70	117.00	Vertical	Horizontal	Pass
2052.000	-48.55	4.20	-25.0	-23.55	334.00	Vertical	Horizontal	Pass
2558.600	-35.44	8.25	-25.0	-10.44	109.00	Vertical	Horizontal	N/A
2627.300	-35.21	8.78	-25.0	-10.21	353.00	Vertical	Horizontal	N/A
6663.750	-39.22	14.67	-25.0	-14.22	198.00	Vertical	Horizontal	Pass
13388.137	-38.45	16.90	-25.0	-13.45	13.00	Vertical	Horizontal	Pass




## 17.4 LTE Band 41 BW20, Middle Channel

RSE-H&H LTE Band 41 BW20 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.805	-70.21	-19.46	-25.0	-45.21	353.00	Horizontal	Horizontal	Pass
1562.500	-52.22	0.27	-25.0	-27.22	165.00	Horizontal	Horizontal	Pass
2562.900	-21.05	8.87	-25.0	3.95	234.00	Horizontal	Horizontal	N/A
2643.500	-26.48	9.06	-25.0	-1.48	360.00	Horizontal	Horizontal	N/A
6677.250	-38.94	14.54	-25.0	-13.94	211.00	Horizontal	Horizontal	Pass
12004.487	-38.68	13.68	-25.0	-13.68	110.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW20 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.587	-71.05	-19.24	-25.0	-46.05	196.00	Horizontal	Vertical	Pass
2097.200	-47.89	4.59	-25.0	-22.89	108.00	Horizontal	Vertical	Pass
2562.700	-21.18	8.86	-25.0	3.82	157.00	Horizontal	Vertical	N/A
2628.300	-28.12	8.58	-25.0	-3.12	157.00	Horizontal	Vertical	N/A
6716.500	-38.83	15.68	-25.0	-13.83	220.00	Horizontal	Vertical	Pass
13347.450	-38.81	16.44	-25.0	-13.81	172.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW20 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.230	-66.63	-18.01	-25.0	-41.63	129.00	Vertical	Vertical	Pass
1556.800	-51.97	0.31	-25.0	-26.97	360.00	Vertical	Vertical	Pass
2561.000	-25.03	8.80	-25.0	-0.03	202.00	Vertical	Vertical	N/A
2632.600	-29.80	8.13	-25.0	-4.80	253.00	Vertical	Vertical	N/A
6652.500	-39.03	15.05	-25.0	-14.03	264.00	Vertical	Vertical	Pass
13413.075	-38.09	16.72	-25.0	-13.09	37.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW20 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.927	-65.42	-18.68	-25.0	-40.42	119.00	Vertical	Horizontal	Pass
1624.500	-51.98	0.49	-25.0	-26.98	190.00	Vertical	Horizontal	Pass
2560.700	-31.86	8.73	-25.0	-6.86	115.00	Vertical	Horizontal	N/A
2626.200	-36.16	9.57	-25.0	-11.16	271.00	Vertical	Horizontal	N/A
6659.500	-39.04	14.85	-25.0	-14.04	360.00	Vertical	Horizontal	Pass
13370.287	-38.91	16.73	-25.0	-13.91	239.00	Vertical	Horizontal	Pass

18 LTE Band 66


18.1 LTE Band 66 BW1.4, Middle Channel

RSE-H&H LTE Band 66 BW1.4 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
162.842	-62.55	-19.27	-13.0	-49.55	354.00	Horizontal	Horizontal	Pass
1745.300	-41.79	2.05	-13.0	-28.79	123.00	Horizontal	Horizontal	N/A
2145.500	-27.47	3.40	-13.0	-14.47	129.00	Horizontal	Horizontal	N/A
4911.750	-43.82	10.64	-13.0	-30.82	12.00	Horizontal	Horizontal	Pass
7986.250	-39.40	14.08	-13.0	-26.40	151.00	Horizontal	Horizontal	Pass
12680.412	-38.54	16.20	-13.0	-25.54	268.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW1.4 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.872	-66.60	-19.41	-13.0	-53.60	209.00	Horizontal	Vertical	Pass
1745.200	-40.42	2.05	-13.0	-27.42	177.00	Horizontal	Vertical	N/A
2145.900	-26.70	3.42	-13.0	-13.70	128.00	Horizontal	Vertical	N/A
4897.250	-44.95	10.60	-13.0	-31.95	115.00	Horizontal	Vertical	Pass
7818.750	-38.94	16.27	-13.0	-25.94	322.00	Horizontal	Vertical	Pass
12500.150	-38.04	15.66	-13.0	-25.04	3.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW1.4 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.394	-64.81	-20.10	-13.0	-51.81	137.00	Vertical	Vertical	Pass
1745.500	-43.24	2.05	-13.0	-30.24	78.00	Vertical	Vertical	N/A
2146.100	-42.67	3.43	-13.0	-29.67	152.00	Vertical	Vertical	N/A
3893.500	-47.08	9.15	-13.0	-34.08	146.00	Vertical	Vertical	Pass
7808.750	-39.35	16.16	-13.0	-26.35	72.00	Vertical	Vertical	Pass
12643.125	-38.97	15.61	-13.0	-25.97	298.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW1.4 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.666	-61.69	-18.17	-13.0	-48.69	128.00	Vertical	Horizontal	Pass
1745.600	-49.04	2.05	-13.0	-36.04	4.00	Vertical	Horizontal	N/A
2145.600	-41.06	3.41	-13.0	-28.06	77.00	Vertical	Horizontal	N/A
4881.250	-43.48	10.59	-13.0	-30.48	6.00	Vertical	Horizontal	Pass
7796.000	-38.20	15.68	-13.0	-25.20	244.00	Vertical	Horizontal	Pass
13366.050	-38.14	16.23	-13.0	-25.14	243.00	Vertical	Horizontal	Pass




## 18.2 LTE Band 66 BW3, Middle Channel

RSE-H&H LTE Band 66 BW3 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.684	-65.56	-19.24	-13.0	-52.56	20.00	Horizontal	Horizontal	Pass
1744.400	-41.85	2.05	-13.0	-28.85	103.00	Horizontal	Horizontal	N/A
2145.000	-24.50	3.51	-13.0	-11.50	115.00	Horizontal	Horizontal	N/A
4472.750	-45.77	9.33	-13.0	-32.77	242.00	Horizontal	Horizontal	Pass
7168.000	-38.78	14.44	-13.0	-25.78	71.00	Horizontal	Horizontal	Pass
12743.825	-38.60	16.07	-13.0	-25.60	276.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW3 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
165.024	-68.47	-19.27	-13.0	-55.47	359.00	Horizontal	Vertical	Pass
1744.400	-42.05	2.05	-13.0	-29.05	173.00	Horizontal	Vertical	N/A
2145.600	-27.30	3.41	-13.0	-14.30	124.00	Horizontal	Vertical	N/A
6708.500	-38.83	15.70	-13.0	-25.83	201.00	Horizontal	Vertical	Pass
9484.849	-39.95	13.13	-13.0	-26.95	269.00	Horizontal	Vertical	Pass
12669.013	-37.93	16.00	-13.0	-24.93	223.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW3 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.450	-64.68	-19.88	-13.0	-51.68	135.00	Vertical	Vertical	Pass
1744.400	-45.20	2.05	-13.0	-32.20	86.00	Vertical	Vertical	N/A
2145.900	-42.96	3.42	-13.0	-29.96	153.00	Vertical	Vertical	N/A
4916.500	-43.96	10.70	-13.0	-30.96	115.00	Vertical	Vertical	Pass
7827.000	-39.08	15.87	-13.0	-26.08	93.00	Vertical	Vertical	Pass
12694.662	-38.45	16.45	-13.0	-25.45	3.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 66 BW3 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.181	-65.64	-18.00	-13.0	-52.64	67.00	Vertical	Horizontal	Pass
1744.500	-49.31	2.05	-13.0	-36.31	189.00	Vertical	Horizontal	N/A
2144.800	-40.03	3.55	-13.0	-27.03	80.00	Vertical	Horizontal	N/A
4875.000	-44.06	10.39	-13.0	-31.06	171.00	Vertical	Horizontal	Pass
7807.000	-39.23	16.15	-13.0	-26.23	202.00	Vertical	Horizontal	Pass
12683.500	-38.55	16.25	-13.0	-25.55	310.00	Vertical	Horizontal	Pass


### 18.3 LTE Band 66 BW5, Middle Channel

RSE-H&H LTE Band 66 BW5 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.490	-67.26	-19.23	-13.0	-54.26	3.00	Horizontal	Horizontal	Pass
1743.600	-43.07	2.05	-13.0	-30.07	112.00	Horizontal	Horizontal	N/A
2144.600	-22.13	3.59	-13.0	-9.13	119.00	Horizontal	Horizontal	N/A
4403.000	-45.77	9.11	-13.0	-32.77	193.00	Horizontal	Horizontal	Pass
7782.250	-38.54	15.47	-13.0	-25.54	247.00	Horizontal	Horizontal	Pass
12555.013	-38.91	14.70	-13.0	-25.91	171.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW5 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.345	-67.22	-19.22	-13.0	-54.22	192.00	Horizontal	Vertical	Pass
1743.600	-43.63	2.05	-13.0	-30.63	162.00	Horizontal	Vertical	N/A
2145.900	-25.92	3.42	-13.0	-12.92	125.00	Horizontal	Vertical	N/A
3907.500	-45.99	9.28	-13.0	-32.99	135.00	Horizontal	Vertical	Pass
6630.250	-38.08	14.73	-13.0	-25.08	156.00	Horizontal	Vertical	Pass
12688.012	-37.71	16.33	-13.0	-24.71	143.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW5 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.879	-64.46	-20.13	-13.0	-51.46	111.00	Vertical	Vertical	Pass
1743.500	-45.63	2.05	-13.0	-32.63	75.00	Vertical	Vertical	N/A
2144.700	-41.51	3.57	-13.0	-28.51	160.00	Vertical	Vertical	N/A
5375.250	-43.35	10.35	-13.0	-30.35	35.00	Vertical	Vertical	Pass
7846.250	-39.04	14.45	-13.0	-26.04	24.00	Vertical	Vertical	Pass
12702.975	-38.69	16.51	-13.0	-25.69	360.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW5 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.491	-64.12	-20.10	-13.0	-51.12	127.00	Vertical	Horizontal	Pass
1743.300	-49.78	2.05	-13.0	-36.78	183.00	Vertical	Horizontal	N/A
2144.500	-39.45	3.60	-13.0	-26.45	123.00	Vertical	Horizontal	N/A
4443.000	-44.74	9.68	-13.0	-31.74	346.00	Vertical	Horizontal	Pass
6674.500	-38.74	14.53	-13.0	-25.74	336.00	Vertical	Horizontal	Pass
12674.237	-38.33	16.09	-13.0	-25.33	322.00	Vertical	Horizontal	Pass




## 18.4 LTE Band 66 BW10, Middle Channel

RSE-H&H LTE Band 66 BW10 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.490	-66.55	-19.23	-13.0	-53.55	184.00	Horizontal	Horizontal	Pass
1741.300	-45.74	2.04	-13.0	-32.74	134.00	Horizontal	Horizontal	N/A
2148.800	-23.85	3.26	-13.0	-10.85	121.00	Horizontal	Horizontal	N/A
3913.750	-46.85	9.23	-13.0	-33.85	284.00	Horizontal	Horizontal	Pass
6651.750	-39.47	15.07	-13.0	-26.47	0.00	Horizontal	Horizontal	Pass
12672.099	-38.35	16.05	-13.0	-25.35	207.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW10 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.636	-68.22	-19.24	-13.0	-55.22	3.00	Horizontal	Vertical	Pass
1741.100	-45.81	2.04	-13.0	-32.81	184.00	Horizontal	Vertical	N/A
2147.700	-25.37	3.24	-13.0	-12.37	136.00	Horizontal	Vertical	N/A
4512.250	-45.28	10.10	-13.0	-32.28	257.00	Horizontal	Vertical	Pass
7816.000	-38.68	16.29	-13.0	-25.68	1.00	Horizontal	Vertical	Pass
12730.762	-38.83	16.21	-13.0	-25.83	173.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW10 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.200	-65.84	-20.10	-13.0	-52.84	82.00	Vertical	Vertical	Pass
1741.400	-47.47	2.04	-13.0	-34.47	275.00	Vertical	Vertical	N/A
2149.400	-41.28	3.22	-13.0	-28.28	158.00	Vertical	Vertical	N/A
5011.750	-44.14	10.61	-13.0	-31.14	360.00	Vertical	Vertical	Pass
6866.500	-39.55	14.16	-13.0	-26.55	332.00	Vertical	Vertical	Pass
12706.300	-37.74	16.47	-13.0	-24.74	253.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 66 BW10 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.860	-65.10	-18.27	-13.0	-52.10	106.00	Vertical	Horizontal	Pass
1714.300	-49.98	1.99	-13.0	-36.98	253.00	Vertical	Horizontal	N/A
2149.000	-38.17	3.24	-13.0	-25.17	77.00	Vertical	Horizontal	N/A
4438.500	-45.47	9.59	-13.0	-32.47	7.00	Vertical	Horizontal	Pass
6640.000	-39.19	15.07	-13.0	-26.19	170.00	Vertical	Horizontal	Pass
12685.162	-38.78	16.28	-13.0	-25.78	18.00	Vertical	Horizontal	Pass


## 18.5 LTE Band 66 BW15, Middle Channel

RSE-H&H LTE Band 66 BW15 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
218.083	-67.90	-16.48	-13.0	-54.90	87.00	Horizontal	Horizontal	Pass
1777.300	-49.97	1.83	-13.0	-36.97	185.00	Horizontal	Horizontal	N/A
2140.200	-23.93	3.74	-13.0	-10.93	130.00	Horizontal	Horizontal	N/A
4482.750	-45.54	9.87	-13.0	-32.54	3.00	Horizontal	Horizontal	Pass
7259.500	-39.09	14.29	-13.0	-26.09	56.00	Horizontal	Horizontal	Pass
12484.237	-38.37	15.13	-13.0	-25.37	171.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW15 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
208.480	-68.46	-16.31	-13.0	-55.46	77.00	Horizontal	Vertical	Pass
1731.600	-50.96	2.02	-13.0	-37.96	261.00	Horizontal	Vertical	Pass
2140.600	-24.69	3.72	-13.0	-11.69	127.00	Horizontal	Vertical	N/A
4435.000	-45.66	9.72	-13.0	-32.66	116.00	Horizontal	Vertical	Pass
6870.250	-39.28	14.13	-13.0	-26.28	267.00	Horizontal	Vertical	Pass
12678.750	-38.73	16.17	-13.0	-25.73	252.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW15 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
90.140	-66.06	-20.14	-13.0	-53.06	80.00	Vertical	Vertical	Pass
2143.400	-40.43	3.65	-13.0	-27.43	160.00	Vertical	Vertical	N/A
4466.500	-45.40	9.63	-13.0	-32.40	85.00	Vertical	Vertical	Pass
6638.500	-38.58	14.98	-13.0	-25.58	272.00	Vertical	Vertical	Pass
9462.762	-38.86	13.82	-13.0	-25.86	219.00	Vertical	Vertical	Pass
12674.713	-38.43	16.10	-13.0	-25.43	106.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW15 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.897	-64.48	-19.16	-13.0	-51.48	83.00	Vertical	Horizontal	Pass
2016.400	-48.59	4.00	-13.0	-35.59	13.00	Vertical	Horizontal	N/A
2151.300	-39.60	3.18	-13.0	-26.60	122.00	Vertical	Horizontal	N/A
4871.000	-43.75	10.15	-13.0	-30.75	315.00	Vertical	Horizontal	Pass
7200.500	-39.61	14.84	-13.0	-26.61	229.00	Vertical	Horizontal	Pass
12671.863	-37.45	16.05	-13.0	-24.45	345.00	Vertical	Horizontal	Pass




## 18.6 LTE Band 66 BW20, Middle Channel

RSE-H&H LTE Band 66 BW20 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.975	-67.55	-19.27	-13.0	-54.55	195.00	Horizontal	Horizontal	Pass
1736.700	-43.75	2.03	-13.0	-30.75	104.00	Horizontal	Horizontal	N/A
2138.900	-24.04	3.84	-13.0	-11.04	123.00	Horizontal	Horizontal	N/A
4460.000	-44.97	9.98	-13.0	-31.97	70.00	Horizontal	Horizontal	Pass
6699.250	-38.72	15.32	-13.0	-25.72	359.00	Horizontal	Horizontal	Pass
12677.088	-38.75	16.14	-13.0	-25.75	36.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW20 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.781	-68.10	-19.25	-13.0	-55.10	7.00	Horizontal	Vertical	Pass
1736.600	-44.36	2.03	-13.0	-31.36	173.00	Horizontal	Vertical	N/A
2144.900	-23.54	3.53	-13.0	-10.54	118.00	Horizontal	Vertical	N/A
4321.750	-46.50	9.03	-13.0	-33.50	310.00	Horizontal	Vertical	Pass
6659.750	-39.07	14.86	-13.0	-26.07	0.00	Horizontal	Vertical	Pass
12681.362	-38.41	16.22	-13.0	-25.41	0.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW20 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.442	-64.78	-20.10	-13.0	-51.78	158.00	Vertical	Vertical	Pass
1736.700	-46.75	2.03	-13.0	-33.75	84.00	Vertical	Vertical	N/A
2140.400	-40.31	3.72	-13.0	-27.31	298.00	Vertical	Vertical	N/A
3897.500	-46.14	9.04	-13.0	-33.14	212.00	Vertical	Vertical	Pass
6658.750	-38.33	14.83	-13.0	-25.33	212.00	Vertical	Vertical	Pass
12722.925	-38.54	16.29	-13.0	-25.54	188.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 66 BW20 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.733	-64.39	-18.62	-13.0	-51.39	90.00	Vertical	Horizontal	Pass
1311.000	-52.79	-0.25	-13.0	-39.79	278.00	Vertical	Horizontal	Pass
2137.800	-40.21	3.81	-13.0	-27.21	124.00	Vertical	Horizontal	N/A
4858.750	-44.44	10.09	-13.0	-31.44	268.00	Vertical	Horizontal	Pass
6853.000	-38.69	14.21	-13.0	-25.69	44.00	Vertical	Horizontal	Pass
12705.825	-38.36	16.48	-13.0	-25.36	173.00	Vertical	Horizontal	Pass


CA  
 19 CA\_7C  
 19.1 CA\_7C 20MHz+10MHz, QPSK, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.000	-64.10	-16.21	-25.0	-39.10	191.00	Horizontal	Horizontal	Pass
2519.700	-42.74	2.72	-25.0	-17.74	160.00	Horizontal	Horizontal	N/A
2645.600	-33.50	2.55	-25.0	-8.50	204.00	Horizontal	Horizontal	N/A
6997.400	-39.68	13.51	-25.0	-14.68	289.00	Horizontal	Horizontal	Pass
9309.487	-47.29	6.45	-25.0	-22.29	21.00	Horizontal	Horizontal	Pass
19404.450	-47.57	9.25	-25.0	-22.57	215.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.195	-67.63	-16.36	-25.0	-42.63	0.00	Horizontal	Vertical	Pass
2519.600	-44.59	2.72	-25.0	-19.59	145.00	Horizontal	Vertical	N/A
2643.100	-33.96	2.48	-25.0	-8.96	198.00	Horizontal	Vertical	N/A
6995.200	-41.03	13.48	-25.0	-16.03	30.00	Horizontal	Vertical	Pass
13412.550	-46.49	5.87	-25.0	-21.49	16.00	Horizontal	Vertical	Pass
19300.499	-48.23	10.28	-25.0	-23.23	106.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.091	-65.34	-15.64	-25.0	-40.34	278.00	Vertical	Vertical	Pass
2519.700	-44.46	2.72	-25.0	-19.46	258.00	Vertical	Vertical	N/A
2646.400	-43.71	2.50	-25.0	-18.71	201.00	Vertical	Vertical	N/A
6675.000	-40.77	11.95	-25.0	-15.77	131.00	Vertical	Vertical	Pass
13408.874	-46.80	5.82	-25.0	-21.80	134.00	Vertical	Vertical	Pass
19328.850	-47.26	11.00	-25.0	-22.26	26.00	Vertical	Vertical	Pass

RSE-V&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.897	-66.18	-15.64	-25.0	-41.18	290.00	Vertical	Horizontal	Pass
2519.700	-49.39	2.72	-25.0	-24.39	250.00	Vertical	Horizontal	N/A
2644.700	-45.00	2.52	-25.0	-20.00	163.00	Vertical	Horizontal	N/A
6684.600	-40.87	12.52	-25.0	-15.87	187.00	Vertical	Horizontal	Pass
13435.388	-46.57	6.23	-25.0	-21.57	38.00	Vertical	Horizontal	Pass
19326.151	-47.62	11.03	-25.0	-22.62	61.00	Vertical	Horizontal	Pass




## 19.2 CA\_7C 20MHz+10MHz, 16-QAM, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.733	-67.36	-15.64	-25.0	-42.36	360.00	Horizontal	Horizontal	Pass
2519.500	-43.02	2.72	-25.0	-18.02	166.00	Horizontal	Horizontal	N/A
2649.300	-32.94	2.32	-25.0	-7.94	199.00	Horizontal	Horizontal	N/A
6993.600	-40.87	13.58	-25.0	-15.87	0.00	Horizontal	Horizontal	Pass
13426.201	-46.41	6.08	-25.0	-21.41	86.00	Horizontal	Horizontal	Pass
19322.550	-47.88	11.09	-25.0	-22.88	195.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.243	-67.64	-16.38	-25.0	-42.64	351.00	Horizontal	Vertical	Pass
2519.600	-44.38	2.72	-25.0	-19.38	143.00	Horizontal	Vertical	N/A
2641.600	-33.85	2.43	-25.0	-8.85	134.00	Horizontal	Vertical	N/A
6680.000	-41.32	12.17	-25.0	-16.32	46.00	Horizontal	Vertical	Pass
13405.987	-46.30	5.78	-25.0	-21.30	311.00	Horizontal	Vertical	Pass
19339.651	-47.90	10.85	-25.0	-22.90	224.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.109	-65.28	-15.69	-25.0	-40.28	273.00	Vertical	Vertical	Pass
2519.600	-44.79	2.72	-25.0	-19.79	253.00	Vertical	Vertical	N/A
2645.900	-42.92	2.55	-25.0	-17.92	158.00	Vertical	Vertical	N/A
6684.400	-40.10	12.50	-25.0	-15.10	342.00	Vertical	Vertical	Pass
13415.175	-46.30	5.91	-25.0	-21.30	28.00	Vertical	Vertical	Pass
19325.250	-47.44	11.05	-25.0	-22.44	267.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.770	-65.03	-15.66	-25.0	-40.03	306.00	Vertical	Horizontal	Pass
2519.400	-48.65	2.71	-25.0	-23.65	206.00	Vertical	Horizontal	N/A
2646.100	-44.33	2.53	-25.0	-19.33	123.00	Vertical	Horizontal	N/A
6764.400	-41.05	11.69	-25.0	-16.05	160.00	Vertical	Horizontal	Pass
13435.650	-46.10	6.23	-25.0	-21.10	54.00	Vertical	Horizontal	Pass
19330.650	-48.44	10.97	-25.0	-23.44	60.00	Vertical	Horizontal	Pass


### 19.3 CA\_7C 20MHz+10MHz, QPSK, Middle Channel

RSE-H&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.994	-68.67	-15.64	-25.0	-43.67	353.00	Horizontal	Horizontal	Pass
2539.800	-46.37	2.94	-25.0	-21.37	159.00	Horizontal	Horizontal	N/A
2663.300	-35.51	2.44	-25.0	-10.51	195.00	Horizontal	Horizontal	N/A
6686.200	-40.41	12.57	-25.0	-15.41	143.00	Horizontal	Horizontal	Pass
13413.599	-46.08	5.89	-25.0	-21.08	93.00	Horizontal	Horizontal	Pass
19322.100	-47.58	11.09	-25.0	-22.58	89.00	Horizontal	Horizontal	Pass

RSE-H&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.691	-66.98	-15.86	-25.0	-41.98	-2.00	Horizontal	Vertical	Pass
2539.600	-47.13	2.94	-25.0	-22.13	157.00	Horizontal	Vertical	N/A
2666.300	-34.25	2.37	-25.0	-9.25	129.00	Horizontal	Vertical	N/A
6979.000	-40.31	13.96	-25.0	-15.31	321.00	Horizontal	Vertical	Pass
9754.825	-46.81	7.42	-25.0	-21.81	360.00	Horizontal	Vertical	Pass
13458.750	-46.30	6.46	-25.0	-21.30	28.00	Horizontal	Vertical	Pass

RSE-V&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.849	-63.05	-15.64	-25.0	-38.05	261.00	Vertical	Vertical	Pass
2540.000	-48.25	2.94	-25.0	-23.25	201.00	Vertical	Vertical	N/A
2648.500	-42.06	2.33	-25.0	-17.06	194.00	Vertical	Vertical	N/A
6999.000	-40.97	13.53	-25.0	-15.97	166.00	Vertical	Vertical	Pass
13449.300	-46.11	6.50	-25.0	-21.11	301.00	Vertical	Vertical	Pass
21614.850	-47.26	9.37	-25.0	-22.26	132.00	Vertical	Vertical	Pass

RSE-V&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.622	-65.90	-19.77	-25.0	-40.90	93.00	Vertical	Horizontal	Pass
2556.200	-48.39	3.12	-25.0	-23.39	68.00	Vertical	Horizontal	N/A
2649.800	-44.44	2.32	-25.0	-19.44	156.00	Vertical	Horizontal	N/A
6992.800	-40.83	13.54	-25.0	-15.83	355.00	Vertical	Horizontal	Pass
13366.612	-46.65	5.89	-25.0	-21.65	124.00	Vertical	Horizontal	Pass
19351.800	-47.88	10.52	-25.0	-22.88	187.00	Vertical	Horizontal	Pass




### 19.4 CA\_7C 20MHz+10MHz, 16-QAM, Middle Channel

RSE-H&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.632	-69.02	-16.58	-25.0	-44.02	350.00	Horizontal	Horizontal	Pass
2539.800	-45.83	2.94	-25.0	-20.83	185.00	Horizontal	Horizontal	N/A
2664.900	-32.42	2.49	-25.0	-7.42	208.00	Horizontal	Horizontal	N/A
6973.400	-40.61	13.76	-25.0	-15.61	139.00	Horizontal	Horizontal	Pass
13416.487	-46.45	5.93	-25.0	-21.45	215.00	Horizontal	Horizontal	Pass
19337.849	-47.60	10.87	-25.0	-22.60	252.00	Horizontal	Horizontal	Pass

RSE-H&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.915	-66.14	-15.66	-25.0	-41.14	331.00	Horizontal	Vertical	Pass
2539.700	-47.55	2.94	-25.0	-22.55	143.00	Horizontal	Vertical	N/A
2663.400	-34.50	2.44	-25.0	-9.50	129.00	Horizontal	Vertical	N/A
6984.200	-40.67	13.78	-25.0	-15.67	219.00	Horizontal	Vertical	Pass
13349.812	-46.14	5.97	-25.0	-21.14	323.00	Horizontal	Vertical	Pass
19493.550	-47.03	9.69	-25.0	-22.03	54.00	Horizontal	Vertical	Pass

RSE-V&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.491	-63.72	-15.67	-25.0	-38.72	255.00	Vertical	Vertical	Pass
2539.600	-48.39	2.94	-25.0	-23.39	230.00	Vertical	Vertical	N/A
2664.100	-42.32	2.47	-25.0	-17.32	217.00	Vertical	Vertical	N/A
6688.400	-40.65	12.54	-25.0	-15.65	260.00	Vertical	Vertical	Pass
13471.088	-46.38	6.25	-25.0	-21.38	144.00	Vertical	Vertical	Pass
21050.100	-47.73	9.24	-25.0	-22.73	288.00	Vertical	Vertical	Pass

RSE-V&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.904	-65.87	-16.23	-25.0	-40.87	259.00	Vertical	Horizontal	Pass
2556.600	-49.15	3.13	-25.0	-24.15	143.00	Vertical	Horizontal	N/A
2661.500	-44.38	2.31	-25.0	-19.38	154.00	Vertical	Horizontal	N/A
6976.800	-40.74	13.83	-25.0	-15.74	135.00	Vertical	Horizontal	Pass
13412.550	-46.64	5.87	-25.0	-21.64	287.00	Vertical	Horizontal	Pass
21038.850	-48.69	9.24	-25.0	-23.69	135.00	Vertical	Horizontal	Pass


### 19.5 CA\_7C 20MHz+10MHz, QPSK, High Channel

RSE-H&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.014	-67.76	-16.53	-25.0	-42.76	204.00	Horizontal	Horizontal	Pass
2559.700	-38.93	3.17	-25.0	-13.93	162.00	Horizontal	Horizontal	N/A
2687.400	-33.49	2.60	-25.0	-8.49	207.00	Horizontal	Horizontal	N/A
6680.600	-40.62	12.20	-25.0	-15.62	40.00	Horizontal	Horizontal	Pass
13357.425	-46.34	5.93	-25.0	-21.34	207.00	Horizontal	Horizontal	Pass
19286.100	-48.35	10.12	-25.0	-23.35	241.00	Horizontal	Horizontal	Pass

RSE-H&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.097	-62.05	-16.44	-25.0	-37.05	160.00	Horizontal	Vertical	Pass
2559.700	-41.02	3.17	-25.0	-16.02	139.00	Horizontal	Vertical	N/A
2685.100	-34.53	2.84	-25.0	-9.53	199.00	Horizontal	Vertical	N/A
6974.000	-40.84	13.77	-25.0	-15.84	260.00	Horizontal	Vertical	Pass
13414.388	-45.56	5.90	-25.0	-20.56	236.00	Horizontal	Vertical	Pass
19413.901	-46.85	9.16	-25.0	-21.85	145.00	Horizontal	Vertical	Pass

RSE-V&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.218	-64.52	-15.62	-25.0	-39.52	274.00	Vertical	Vertical	Pass
2559.500	-42.08	3.16	-25.0	-17.08	226.00	Vertical	Vertical	N/A
2682.900	-38.59	2.85	-25.0	-13.59	359.00	Vertical	Vertical	N/A
6684.800	-40.50	12.54	-25.0	-15.50	198.00	Vertical	Vertical	Pass
13449.825	-45.96	6.51	-25.0	-20.96	356.00	Vertical	Vertical	Pass
19197.000	-47.78	8.80	-25.0	-22.78	98.00	Vertical	Vertical	Pass

RSE-V&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
85.387	-65.12	-20.36	-25.0	-40.12	200.00	Vertical	Horizontal	Pass
2559.700	-45.10	3.17	-25.0	-20.10	150.00	Vertical	Horizontal	N/A
2688.300	-44.35	2.53	-25.0	-19.35	270.00	Vertical	Horizontal	N/A
6988.800	-40.33	13.45	-25.0	-15.33	123.00	Vertical	Horizontal	Pass
13411.763	-45.66	5.86	-25.0	-20.66	124.00	Vertical	Horizontal	Pass
21030.750	-48.12	9.24	-25.0	-23.12	112.00	Vertical	Horizontal	Pass




### 19.6 CA\_7C 20MHz+10MHz, 16-QAM, High Channel

RSE-H&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
181.223	-65.37	-13.30	-25.0	-40.37	101.00	Horizontal	Horizontal	Pass
2559.800	-39.88	3.17	-25.0	-14.88	164.00	Horizontal	Horizontal	N/A
2688.800	-36.14	2.49	-25.0	-11.14	207.00	Horizontal	Horizontal	N/A
6685.800	-40.19	12.59	-25.0	-15.19	360.00	Horizontal	Horizontal	Pass
13377.375	-46.14	5.85	-25.0	-21.14	296.00	Horizontal	Horizontal	Pass
19316.224	-48.09	10.96	-25.0	-23.09	71.00	Horizontal	Horizontal	Pass

RSE-H&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.097	-61.67	-16.44	-25.0	-36.67	113.00	Horizontal	Vertical	Pass
2560.000	-41.25	3.17	-25.0	-16.25	143.00	Horizontal	Vertical	N/A
2688.700	-32.82	2.50	-25.0	-7.82	202.00	Horizontal	Vertical	N/A
6984.800	-40.55	13.71	-25.0	-15.55	219.00	Horizontal	Vertical	Pass
13457.175	-46.13	6.47	-25.0	-21.13	295.00	Horizontal	Vertical	Pass
19332.801	-47.59	10.94	-25.0	-22.59	69.00	Horizontal	Vertical	Pass

RSE-V&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.430	-64.76	-15.65	-25.0	-39.76	273.00	Vertical	Vertical	Pass
2559.700	-41.39	3.17	-25.0	-16.39	231.00	Vertical	Vertical	Pass
2682.900	-37.14	2.85	-25.0	-12.14	194.00	Vertical	Vertical	Pass
6986.400	-41.12	13.68	-25.0	-16.12	216.00	Vertical	Vertical	Pass
13428.300	-46.40	6.11	-25.0	-21.40	266.00	Vertical	Vertical	Pass
21609.949	-48.18	9.37	-25.0	-23.18	218.00	Vertical	Vertical	Pass


RSE-V&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.519	-65.31	-18.95	-25.0	-40.31	198.00	Vertical	Horizontal	Pass
2559.900	-45.89	3.17	-25.0	-20.89	159.00	Vertical	Horizontal	N/A
2687.800	-43.24	2.57	-25.0	-18.24	230.00	Vertical	Horizontal	N/A
6976.600	-40.77	13.82	-25.0	-15.77	274.00	Vertical	Horizontal	Pass
13456.650	-46.30	6.47	-25.0	-21.30	360.00	Vertical	Horizontal	Pass
19823.675	-47.96	8.73	-25.0	-22.96	37.00	Vertical	Horizontal	Pass


### 19.7 CA\_7C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.185	-64.75	-16.22	-25.0	-39.75	186.00	Horizontal	Horizontal	Pass
2519.600	-42.35	2.72	-25.0	-17.35	157.00	Horizontal	Horizontal	N/A
2624.900	-33.48	2.12	-25.0	-8.48	190.00	Horizontal	Horizontal	N/A
6992.200	-40.72	13.50	-25.0	-15.72	295.00	Horizontal	Horizontal	Pass
9316.675	-48.47	6.63	-25.0	-23.47	120.00	Horizontal	Horizontal	Pass
19222.198	-47.96	8.81	-25.0	-22.96	182.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.190	-67.43	-16.33	-25.0	-42.43	201.00	Horizontal	Vertical	Pass
2519.600	-45.08	2.72	-25.0	-20.08	135.00	Horizontal	Vertical	N/A
2654.400	-35.35	2.35	-25.0	-10.35	194.00	Horizontal	Vertical	N/A
6990.600	-40.36	13.43	-25.0	-15.36	244.00	Horizontal	Vertical	Pass
13421.213	-46.61	6.00	-25.0	-21.61	287.00	Horizontal	Vertical	Pass
21599.551	-48.54	9.37	-25.0	-23.54	360.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.509	-65.81	-15.63	-25.0	-40.81	283.00	Vertical	Vertical	Pass
2519.700	-45.20	2.72	-25.0	-20.20	226.00	Vertical	Vertical	N/A
2625.200	-39.42	2.09	-25.0	-14.42	172.00	Vertical	Vertical	N/A
6726.600	-40.54	12.05	-25.0	-15.54	300.00	Vertical	Vertical	Pass
13433.550	-46.08	6.20	-25.0	-21.08	0.00	Vertical	Vertical	Pass
19412.552	-48.24	9.17	-25.0	-23.24	268.00	Vertical	Vertical	Pass

RSE-V&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.331	-64.25	-16.17	-25.0	-39.25	121.00	Vertical	Horizontal	Pass
2519.600	-48.00	2.72	-25.0	-23.00	52.00	Vertical	Horizontal	N/A
2638.500	-45.06	2.21	-25.0	-20.06	145.00	Vertical	Horizontal	N/A
6683.800	-39.66	12.43	-25.0	-14.66	359.00	Vertical	Horizontal	Pass
13423.838	-46.42	6.04	-25.0	-21.42	352.00	Vertical	Horizontal	Pass
19318.051	-47.80	11.04	-25.0	-22.80	295.00	Vertical	Horizontal	Pass




### 19.8 CA\_7C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.089	-65.26	-16.25	-25.0	-40.26	206.00	Horizontal	Horizontal	Pass
2519.700	-42.33	2.72	-25.0	-17.33	329.00	Horizontal	Horizontal	N/A
2627.500	-33.50	2.02	-25.0	-8.50	198.00	Horizontal	Horizontal	N/A
6999.200	-40.98	13.53	-25.0	-15.98	328.00	Horizontal	Horizontal	Pass
13420.951	-46.77	6.00	-25.0	-21.77	86.00	Horizontal	Horizontal	Pass
21609.001	-47.23	9.37	-25.0	-22.23	2.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.596	-67.48	-16.68	-25.0	-42.48	5.00	Horizontal	Vertical	Pass
2519.800	-44.25	2.72	-25.0	-19.25	136.00	Horizontal	Vertical	N/A
2629.100	-34.40	2.14	-25.0	-9.40	196.00	Horizontal	Vertical	N/A
6981.400	-40.88	13.84	-25.0	-15.88	60.00	Horizontal	Vertical	Pass
13427.775	-45.80	6.10	-25.0	-20.80	223.00	Horizontal	Vertical	Pass
19335.150	-47.81	10.91	-25.0	-22.81	163.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.796	-65.61	-20.77	-25.0	-40.61	193.00	Vertical	Vertical	Pass
2519.500	-44.72	2.72	-25.0	-19.72	234.00	Vertical	Vertical	N/A
2637.100	-39.69	2.25	-25.0	-14.69	7.00	Vertical	Vertical	N/A
6982.800	-41.18	13.93	-25.0	-16.18	11.00	Vertical	Vertical	Pass
13447.200	-46.45	6.45	-25.0	-21.45	247.00	Vertical	Vertical	Pass
19314.448	-47.76	10.88	-25.0	-22.76	312.00	Vertical	Vertical	Pass

RSE-V&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.040	-63.32	-16.26	-25.0	-38.32	136.00	Vertical	Horizontal	Pass
2519.800	-48.01	2.72	-25.0	-23.01	56.00	Vertical	Horizontal	N/A
2631.900	-44.38	2.30	-25.0	-19.38	136.00	Vertical	Horizontal	N/A
6979.400	-40.88	13.92	-25.0	-15.88	222.00	Vertical	Horizontal	Pass
9751.950	-47.84	7.41	-25.0	-22.84	253.00	Vertical	Horizontal	Pass
13444.050	-46.82	6.39	-25.0	-21.82	196.00	Vertical	Horizontal	Pass


### 19.9 CA\_7C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.234	-65.80	-16.20	-25.0	-40.80	188.00	Horizontal	Horizontal	Pass
2534.600	-48.16	2.88	-25.0	-23.16	139.00	Horizontal	Horizontal	N/A
2643.400	-34.50	2.48	-25.0	-9.50	194.00	Horizontal	Horizontal	N/A
6997.200	-40.84	13.51	-25.0	-15.84	31.00	Horizontal	Horizontal	Pass
13418.063	-46.41	5.95	-25.0	-21.41	98.00	Horizontal	Horizontal	Pass
19252.802	-47.88	9.13	-25.0	-22.88	18.00	Horizontal	Horizontal	Pass

RSE-H&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.380	-64.07	-16.15	-25.0	-39.07	208.00	Horizontal	Vertical	Pass
1576.500	-53.66	-3.24	-25.0	-28.66	63.00	Horizontal	Vertical	Pass
2659.100	-33.70	2.40	-25.0	-8.70	194.00	Horizontal	Vertical	N/A
6997.200	-41.08	13.51	-25.0	-16.08	54.00	Horizontal	Vertical	Pass
9750.799	-47.99	7.41	-25.0	-22.99	100.00	Horizontal	Vertical	Pass
19317.150	-47.57	11.00	-25.0	-22.57	279.00	Horizontal	Vertical	Pass

RSE-V&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.331	-61.76	-16.17	-25.0	-36.76	134.00	Vertical	Vertical	Pass
1360.300	-53.88	-2.97	-25.0	-28.88	42.00	Vertical	Vertical	Pass
2661.900	-42.35	2.34	-25.0	-17.35	206.00	Vertical	Vertical	N/A
6996.200	-41.31	13.48	-25.0	-16.31	106.00	Vertical	Vertical	Pass
13439.849	-45.89	6.30	-25.0	-20.89	28.00	Vertical	Vertical	Pass
21615.301	-47.90	9.37	-25.0	-22.90	284.00	Vertical	Vertical	Pass

RSE-V&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.507	-64.40	-16.44	-25.0	-39.40	129.00	Vertical	Horizontal	Pass
1618.900	-53.72	-3.11	-25.0	-28.72	331.00	Vertical	Horizontal	Pass
2670.200	-44.73	2.35	-25.0	-19.73	211.00	Vertical	Horizontal	N/A
6681.600	-40.69	12.25	-25.0	-15.69	81.00	Vertical	Horizontal	Pass
13423.050	-47.30	6.03	-25.0	-22.30	338.00	Vertical	Horizontal	Pass
19363.052	-47.75	10.26	-25.0	-22.75	19.00	Vertical	Horizontal	Pass




### 19.10 CA\_7C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.555	-65.64	-16.42	-25.0	-40.64	204.00	Horizontal	Horizontal	Pass
1517.400	-54.11	-3.13	-25.0	-29.11	154.00	Horizontal	Horizontal	Pass
2641.400	-35.21	2.41	-25.0	-10.21	194.00	Horizontal	Horizontal	N/A
6682.600	-40.91	12.33	-25.0	-15.91	307.00	Horizontal	Horizontal	Pass
13430.400	-46.37	6.15	-25.0	-21.37	0.00	Horizontal	Horizontal	Pass
19324.350	-47.74	11.06	-25.0	-22.74	33.00	Horizontal	Horizontal	Pass

RSE-H&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.234	-64.25	-16.20	-25.0	-39.25	213.00	Horizontal	Vertical	Pass
1860.200	-53.21	-1.94	-25.0	-28.21	260.00	Horizontal	Vertical	Pass
2659.900	-33.86	2.32	-25.0	-8.86	194.00	Horizontal	Vertical	N/A
6984.000	-39.90	13.80	-25.0	-14.90	351.00	Horizontal	Vertical	Pass
13396.799	-45.07	5.71	-25.0	-20.07	1.00	Horizontal	Vertical	Pass
19206.900	-47.43	8.87	-25.0	-22.43	2.00	Horizontal	Vertical	Pass

RSE-V&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.234	-61.71	-16.20	-25.0	-36.71	129.00	Vertical	Vertical	Pass
2188.900	-48.94	0.93	-25.0	-23.94	259.00	Vertical	Vertical	Pass
2665.000	-42.50	2.49	-25.0	-17.50	216.00	Vertical	Vertical	N/A
6681.200	-41.27	12.22	-25.0	-16.27	0.00	Vertical	Vertical	Pass
13409.138	-46.54	5.82	-25.0	-21.54	360.00	Vertical	Vertical	Pass
19323.001	-47.78	11.08	-25.0	-22.78	249.00	Vertical	Vertical	Pass


RSE-V&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.185	-64.30	-16.22	-25.0	-39.30	149.00	Vertical	Horizontal	Pass
1706.400	-53.30	-3.11	-25.0	-28.30	27.00	Vertical	Horizontal	Pass
2674.000	-45.72	2.61	-25.0	-20.72	211.00	Vertical	Horizontal	N/A
6995.800	-40.09	13.47	-25.0	-15.09	26.00	Vertical	Horizontal	Pass
13300.987	-46.39	5.43	-25.0	-21.39	236.00	Vertical	Horizontal	Pass
19323.001	-48.47	11.08	-25.0	-23.47	259.00	Vertical	Horizontal	Pass


### 19.11 CA\_7C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.767	-67.21	-16.02	-25.0	-42.21	216.00	Horizontal	Horizontal	Pass
2551.600	-42.81	3.07	-25.0	-17.81	167.00	Horizontal	Horizontal	N/A
2678.100	-36.68	3.03	-25.0	-11.68	204.00	Horizontal	Horizontal	N/A
6683.200	-40.65	12.37	-25.0	-15.65	144.00	Horizontal	Horizontal	Pass
13370.025	-46.33	5.88	-25.0	-21.33	59.00	Horizontal	Horizontal	Pass
19329.749	-47.83	10.98	-25.0	-22.83	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
62.544	-66.42	-15.89	-25.0	-41.42	174.00	Horizontal	Vertical	Pass
2552.000	-44.19	3.08	-25.0	-19.19	175.00	Horizontal	Vertical	N/A
2687.400	-37.87	2.60	-25.0	-12.87	209.00	Horizontal	Vertical	N/A
6735.400	-40.93	12.50	-25.0	-15.93	94.00	Horizontal	Vertical	Pass
13443.526	-45.82	6.38	-25.0	-20.82	2.00	Horizontal	Vertical	Pass
18761.400	-47.63	7.73	-25.0	-22.63	220.00	Horizontal	Vertical	Pass

RSE-V&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.380	-63.88	-16.15	-25.0	-38.88	121.00	Vertical	Vertical	Pass
2551.900	-43.91	3.07	-25.0	-18.91	251.00	Vertical	Vertical	N/A
2665.100	-46.19	2.48	-25.0	-21.19	212.00	Vertical	Vertical	N/A
6600.400	-40.71	11.54	-25.0	-15.71	360.00	Vertical	Vertical	Pass
13398.638	-46.65	5.70	-25.0	-21.65	360.00	Vertical	Vertical	Pass
19318.051	-47.79	11.04	-25.0	-22.79	157.00	Vertical	Vertical	Pass

RSE-V&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
90.479	-63.74	-20.50	-25.0	-38.74	175.00	Vertical	Horizontal	Pass
2552.000	-48.25	3.08	-25.0	-23.25	93.00	Vertical	Horizontal	N/A
2664.000	-45.51	2.46	-25.0	-20.51	130.00	Vertical	Horizontal	N/A
6692.000	-40.99	12.50	-25.0	-15.99	40.00	Vertical	Horizontal	Pass
13415.700	-46.93	5.92	-25.0	-21.93	209.00	Vertical	Horizontal	Pass
19378.801	-48.04	10.05	-25.0	-23.04	8.00	Vertical	Horizontal	Pass




### 19.12 CA\_7C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.574	-67.51	-16.09	-25.0	-42.51	175.00	Horizontal	Horizontal	Pass
2551.800	-40.69	3.07	-25.0	-15.69	162.00	Horizontal	Horizontal	N/A
2667.600	-39.02	2.30	-25.0	-14.02	204.00	Horizontal	Horizontal	N/A
6681.000	-41.06	12.21	-25.0	-16.06	214.00	Horizontal	Horizontal	Pass
13465.575	-46.01	6.35	-25.0	-21.01	360.00	Horizontal	Horizontal	Pass
19305.001	-48.10	10.48	-25.0	-23.10	9.00	Horizontal	Horizontal	Pass

RSE-H&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.234	-65.89	-16.20	-25.0	-40.89	179.00	Horizontal	Vertical	Pass
2551.700	-43.03	3.07	-25.0	-18.03	151.00	Horizontal	Vertical	N/A
2657.000	-38.02	2.29	-25.0	-13.02	205.00	Horizontal	Vertical	N/A
6684.000	-41.16	12.46	-25.0	-16.16	177.00	Horizontal	Vertical	Pass
13310.175	-46.16	5.57	-25.0	-21.16	247.00	Horizontal	Vertical	Pass
21039.301	-48.64	9.24	-25.0	-23.64	297.00	Horizontal	Vertical	Pass

RSE-V&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.331	-63.94	-16.17	-25.0	-38.94	122.00	Vertical	Vertical	Pass
2551.700	-43.34	3.07	-25.0	-18.34	234.00	Vertical	Vertical	N/A
2683.500	-43.07	2.91	-25.0	-18.07	228.00	Vertical	Vertical	N/A
6997.800	-40.42	13.52	-25.0	-15.42	275.00	Vertical	Vertical	Pass
13419.375	-46.16	5.97	-25.0	-21.16	153.00	Vertical	Vertical	Pass
19230.751	-47.75	8.73	-25.0	-22.75	8.00	Vertical	Vertical	Pass

RSE-V&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
62.980	-64.77	-15.85	-25.0	-39.77	105.00	Vertical	Horizontal	Pass
2551.700	-48.08	3.07	-25.0	-23.08	124.00	Vertical	Horizontal	N/A
2673.000	-45.52	2.51	-25.0	-20.52	161.00	Vertical	Horizontal	N/A
6678.800	-40.80	12.13	-25.0	-15.80	0.00	Vertical	Horizontal	Pass
9741.025	-48.12	7.26	-25.0	-23.12	36.00	Vertical	Horizontal	Pass
13427.775	-46.19	6.10	-25.0	-21.19	166.00	Vertical	Horizontal	Pass

20 CA\_38C


20.1 CA\_38C 15MHz+15MHz, QPSK, Low Channel

RSE-H&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.331	-66.74	-16.14	-25.0	-41.74	220.00	Horizontal	Horizontal	Pass
2553.600	-20.63	2.36	-25.0	4.37	165.00	Horizontal	Horizontal	N/A
2637.900	-22.66	2.69	-25.0	2.34	333.00	Horizontal	Horizontal	N/A
6684.000	-41.01	12.46	-25.0	-16.01	69.00	Horizontal	Horizontal	Pass
9780.700	-48.21	7.18	-25.0	-23.21	94.00	Horizontal	Horizontal	Pass
19201.499	-47.99	8.89	-25.0	-22.99	235.00	Horizontal	Horizontal	Pass

RSE-H&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.864	-66.00	-15.92	-25.0	-41.00	205.00	Horizontal	Vertical	Pass
2561.400	-22.63	2.39	-25.0	2.37	127.00	Horizontal	Vertical	N/A
2639.000	-26.64	2.67	-25.0	-1.64	148.00	Horizontal	Vertical	N/A
6981.200	-41.47	13.83	-25.0	-16.47	154.00	Horizontal	Vertical	Pass
13457.175	-46.83	6.47	-25.0	-21.83	217.00	Horizontal	Vertical	Pass
21024.000	-48.04	9.23	-25.0	-23.04	360.00	Horizontal	Vertical	Pass

RSE-V&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.282	-64.17	-16.16	-25.0	-39.17	103.00	Vertical	Vertical	Pass
2556.200	-22.60	2.23	-25.0	2.40	231.00	Vertical	Vertical	N/A
2629.600	-25.35	2.91	-25.0	-0.35	261.00	Vertical	Vertical	N/A
6982.200	-40.89	13.89	-25.0	-15.89	317.00	Vertical	Vertical	Pass
13426.201	-46.09	6.08	-25.0	-21.09	46.00	Vertical	Vertical	Pass
19360.350	-48.00	10.30	-25.0	-23.00	28.00	Vertical	Vertical	Pass

RSE-V&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.070	-65.62	-16.65	-25.0	-40.62	122.00	Vertical	Horizontal	Pass
2560.100	-28.14	2.38	-25.0	-3.14	358.00	Vertical	Horizontal	N/A
2633.200	-31.36	2.75	-25.0	-6.36	94.00	Vertical	Horizontal	N/A
6997.400	-40.96	13.51	-25.0	-15.96	277.00	Vertical	Horizontal	Pass
13428.825	-46.40	6.12	-25.0	-21.40	137.00	Vertical	Horizontal	Pass
19549.350	-47.84	7.59	-25.0	-22.84	0.00	Vertical	Horizontal	Pass




## 20.2 CA\_38C 15MHz+15MHz, 16-QAM, Low Channel

RSE-H&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.574	-67.80	-16.04	-25.0	-42.80	165.00	Horizontal	Horizontal	Pass
2551.100	-25.88	2.41	-25.0	-0.88	154.00	Horizontal	Horizontal	N/A
2628.500	-27.09	2.90	-25.0	-2.09	161.00	Horizontal	Horizontal	N/A
6673.600	-40.98	11.84	-25.0	-15.98	284.00	Horizontal	Horizontal	Pass
13312.275	-47.09	5.61	-25.0	-22.09	271.00	Horizontal	Horizontal	Pass
19209.150	-47.60	8.87	-25.0	-22.60	157.00	Horizontal	Horizontal	Pass

RSE-H&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.428	-66.18	-16.10	-25.0	-41.18	201.00	Horizontal	Vertical	Pass
2542.100	-26.25	1.89	-25.0	-1.25	143.00	Horizontal	Vertical	N/A
2634.500	-26.32	2.74	-25.0	-1.32	143.00	Horizontal	Vertical	N/A
6975.200	-40.66	13.78	-25.0	-15.66	262.00	Horizontal	Vertical	Pass
13396.537	-46.68	5.72	-25.0	-21.68	245.00	Horizontal	Vertical	Pass
19339.198	-47.16	10.85	-25.0	-22.16	195.00	Horizontal	Vertical	Pass

RSE-V&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
60.700	-64.51	-16.39	-25.0	-39.51	118.00	Vertical	Vertical	Pass
2564.300	-24.83	2.41	-25.0	0.17	0.00	Vertical	Vertical	N/A
2638.700	-26.16	2.67	-25.0	-1.16	244.00	Vertical	Vertical	N/A
6995.000	-40.71	13.49	-25.0	-15.71	87.00	Vertical	Vertical	Pass
13419.112	-46.53	5.97	-25.0	-21.53	304.00	Vertical	Vertical	Pass
19316.251	-48.23	10.96	-25.0	-23.23	207.00	Vertical	Vertical	Pass


RSE-V&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.864	-66.04	-15.92	-25.0	-41.04	106.00	Vertical	Horizontal	Pass
2556.400	-28.27	2.22	-25.0	-3.27	67.00	Vertical	Horizontal	N/A
2631.700	-34.93	2.86	-25.0	-9.93	232.00	Vertical	Horizontal	N/A
6685.400	-39.35	12.60	-25.0	-14.35	243.00	Vertical	Horizontal	Pass
13437.225	-46.19	6.26	-25.0	-21.19	2.00	Vertical	Horizontal	Pass
19926.901	-47.87	10.97	-25.0	-22.87	170.00	Vertical	Horizontal	Pass


### 20.3 CA\_38C 15MHz+15MHz, QPSK, Middle Channel

RSE-H&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.606	-67.29	-15.64	-25.0	-42.29	351.00	Horizontal	Horizontal	Pass
2540.700	-23.94	1.93	-25.0	1.06	179.00	Horizontal	Horizontal	N/A
2632.200	-22.09	2.82	-25.0	2.91	249.00	Horizontal	Horizontal	N/A
6677.400	-40.48	12.07	-25.0	-15.48	360.00	Horizontal	Horizontal	Pass
13430.400	-46.48	6.15	-25.0	-21.48	2.00	Horizontal	Horizontal	Pass
19332.000	-47.79	10.95	-25.0	-22.79	94.00	Horizontal	Horizontal	Pass

RSE-H&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.964	-64.68	-15.63	-25.0	-39.68	360.00	Horizontal	Vertical	Pass
2539.400	-26.61	2.00	-25.0	-1.61	172.00	Horizontal	Vertical	N/A
2637.200	-28.76	2.70	-25.0	-3.76	111.00	Horizontal	Vertical	N/A
6686.800	-40.61	12.56	-25.0	-15.61	225.00	Horizontal	Vertical	Pass
13466.362	-46.67	6.34	-25.0	-21.67	307.00	Horizontal	Vertical	Pass
19318.950	-48.16	11.08	-25.0	-23.16	300.00	Horizontal	Vertical	Pass

RSE-V&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.073	-62.61	-15.61	-25.0	-37.61	273.00	Vertical	Vertical	Pass
2558.900	-23.94	2.38	-25.0	1.06	0.00	Vertical	Vertical	N/A
2636.500	-24.25	2.71	-25.0	0.75	221.00	Vertical	Vertical	N/A
6983.000	-41.37	13.91	-25.0	-16.37	337.00	Vertical	Vertical	Pass
13417.538	-45.45	5.94	-25.0	-20.45	184.00	Vertical	Vertical	Pass
19314.448	-48.02	10.88	-25.0	-23.02	38.00	Vertical	Vertical	Pass

RSE-V&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.137	-62.67	-19.73	-25.0	-37.67	182.00	Vertical	Horizontal	Pass
2559.800	-32.39	2.38	-25.0	-7.39	306.00	Vertical	Horizontal	N/A
2636.600	-30.40	2.71	-25.0	-5.40	22.00	Vertical	Horizontal	N/A
6681.400	-40.91	12.24	-25.0	-15.91	244.00	Vertical	Horizontal	Pass
13420.951	-46.63	6.00	-25.0	-21.63	2.00	Vertical	Horizontal	Pass
19329.300	-47.48	10.99	-25.0	-22.48	0.00	Vertical	Horizontal	Pass




## 20.4 CA\_38C 15MHz+15MHz, 16-QAM, Middle Channel

RSE-H&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.763	-66.16	-15.75	-25.0	-41.16	2.00	Horizontal	Horizontal	Pass
2562.400	-26.71	2.40	-25.0	-1.71	322.00	Horizontal	Horizontal	N/A
2636.800	-26.10	2.71	-25.0	-1.10	331.00	Horizontal	Horizontal	N/A
6687.800	-40.45	12.54	-25.0	-15.45	65.00	Horizontal	Horizontal	Pass
13434.863	-45.82	6.22	-25.0	-20.82	90.00	Horizontal	Horizontal	Pass
19119.600	-48.25	6.72	-25.0	-23.25	66.00	Horizontal	Horizontal	Pass

RSE-H&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.292	-65.27	-16.36	-25.0	-40.27	334.00	Horizontal	Vertical	Pass
2561.200	-30.02	2.39	-25.0	-5.02	138.00	Horizontal	Vertical	N/A
2653.500	-33.85	2.98	-25.0	-8.85	169.00	Horizontal	Vertical	N/A
6977.400	-41.06	13.89	-25.0	-16.06	129.00	Horizontal	Vertical	Pass
13456.912	-46.34	6.47	-25.0	-21.34	336.00	Horizontal	Vertical	Pass
19321.199	-48.06	11.10	-25.0	-23.06	51.00	Horizontal	Vertical	Pass

RSE-V&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
67.442	-62.62	-15.67	-25.0	-37.62	93.00	Vertical	Vertical	Pass
2560.000	-28.62	2.38	-25.0	-3.62	201.00	Vertical	Vertical	N/A
2629.400	-28.21	2.90	-25.0	-3.21	300.00	Vertical	Vertical	N/A
6680.200	-39.63	12.18	-25.0	-14.63	291.00	Vertical	Vertical	Pass
13314.638	-46.54	5.64	-25.0	-21.54	74.00	Vertical	Vertical	Pass
19335.600	-47.42	10.90	-25.0	-22.42	134.00	Vertical	Vertical	Pass


RSE-V&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
83.204	-61.47	-19.79	-25.0	-36.47	178.00	Vertical	Horizontal	Pass
2557.700	-34.24	2.29	-25.0	-9.24	351.00	Vertical	Horizontal	N/A
2639.900	-32.26	2.63	-25.0	-7.26	54.00	Vertical	Horizontal	N/A
6695.000	-40.77	12.39	-25.0	-15.77	0.00	Vertical	Horizontal	Pass
13460.325	-46.46	6.44	-25.0	-21.46	121.00	Vertical	Horizontal	Pass
19328.850	-48.59	11.00	-25.0	-23.59	360.00	Vertical	Horizontal	Pass


## 20.5 CA\_38C 15MHz+15MHz, QPSK, High Channel

RSE-H&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.352	-57.19	-15.72	-25.0	-32.19	244.00	Horizontal	Horizontal	Pass
2550.500	-23.75	2.44	-25.0	1.25	142.00	Horizontal	Horizontal	N/A
2628.100	-19.12	2.89	-25.0	5.88	227.00	Horizontal	Horizontal	N/A
6683.800	-41.04	12.43	-25.0	-16.04	352.00	Horizontal	Horizontal	Pass
13426.987	-45.62	6.09	-25.0	-20.62	233.00	Horizontal	Horizontal	Pass
19323.025	-47.83	11.08	-25.0	-22.83	248.00	Horizontal	Horizontal	Pass

RSE-H&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.382	-68.06	-15.64	-25.0	-43.06	360.00	Horizontal	Vertical	Pass
2558.600	-29.49	2.37	-25.0	-4.49	188.00	Horizontal	Vertical	N/A
2626.800	-22.36	2.88	-25.0	2.64	166.00	Horizontal	Vertical	N/A
6981.800	-41.23	13.87	-25.0	-16.23	92.00	Horizontal	Vertical	Pass
13309.912	-46.64	5.57	-25.0	-21.64	117.00	Horizontal	Vertical	Pass
19955.700	-48.59	10.04	-25.0	-23.59	11.00	Horizontal	Vertical	Pass

RSE-V&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.525	-64.93	-19.75	-25.0	-39.93	187.00	Vertical	Vertical	Pass
2556.300	-25.21	2.23	-25.0	-0.21	221.00	Vertical	Vertical	N/A
2632.200	-19.50	2.82	-25.0	5.50	196.00	Vertical	Vertical	N/A
6985.800	-40.42	13.69	-25.0	-15.42	360.00	Vertical	Vertical	Pass
13378.950	-45.98	5.85	-25.0	-20.98	98.00	Vertical	Vertical	Pass
19327.949	-47.91	11.01	-25.0	-22.91	0.00	Vertical	Vertical	Pass

RSE-V&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.964	-56.88	-15.63	-25.0	-31.88	0.00	Vertical	Horizontal	Pass
2555.000	-31.93	2.32	-25.0	-6.93	0.00	Vertical	Horizontal	N/A
2631.000	-23.98	2.92	-25.0	1.02	308.00	Vertical	Horizontal	N/A
6998.600	-40.78	13.53	-25.0	-15.78	165.00	Vertical	Horizontal	Pass
13413.599	-46.58	5.89	-25.0	-21.58	121.00	Vertical	Horizontal	Pass
19324.725	-47.49	11.05	-25.0	-22.49	221.00	Vertical	Horizontal	Pass




## 20.6 CA\_38C 15MHz+15MHz, 16-QAM, High Channel

RSE-H&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
162.745	-67.95	-14.17	-25.0	-42.95	127.00	Horizontal	Horizontal	Pass
2560.600	-21.76	2.39	-25.0	3.24	338.00	Horizontal	Horizontal	N/A
2625.800	-19.58	2.87	-25.0	5.42	166.00	Horizontal	Horizontal	N/A
6973.800	-40.78	13.76	-25.0	-15.78	18.00	Horizontal	Horizontal	Pass
13412.550	-46.52	5.87	-25.0	-21.52	2.00	Horizontal	Horizontal	Pass
19336.950	-48.02	10.88	-25.0	-23.02	104.00	Horizontal	Horizontal	Pass

RSE-H&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
68.461	-67.78	-15.64	-25.0	-42.78	2.00	Horizontal	Vertical	Pass
2550.700	-28.08	2.43	-25.0	-3.08	141.00	Horizontal	Vertical	N/A
2633.700	-26.28	2.74	-25.0	-1.28	94.00	Horizontal	Vertical	N/A
6676.400	-40.82	12.02	-25.0	-15.82	27.00	Horizontal	Vertical	Pass
13440.375	-45.89	6.31	-25.0	-20.89	331.00	Horizontal	Vertical	Pass
19325.700	-47.78	11.04	-25.0	-22.78	13.00	Horizontal	Vertical	Pass

RSE-V&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.927	-64.51	-20.67	-25.0	-39.51	196.00	Vertical	Vertical	Pass
2559.100	-26.92	2.38	-25.0	-1.92	187.00	Vertical	Vertical	N/A
2627.900	-20.23	2.89	-25.0	4.77	258.00	Vertical	Vertical	N/A
6992.600	-40.05	13.53	-25.0	-15.05	207.00	Vertical	Vertical	Pass
13416.225	-45.96	5.93	-25.0	-20.96	330.00	Vertical	Vertical	Pass
19281.150	-48.18	10.07	-25.0	-23.18	77.00	Vertical	Vertical	Pass


RSE-V&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
85.727	-62.53	-20.49	-25.0	-37.53	173.00	Vertical	Horizontal	Pass
2561.700	-32.88	2.39	-25.0	-7.88	98.00	Vertical	Horizontal	N/A
2639.900	-27.01	2.63	-25.0	-2.01	135.00	Vertical	Horizontal	N/A
6998.600	-40.43	13.53	-25.0	-15.43	61.00	Vertical	Horizontal	Pass
13415.700	-46.86	5.92	-25.0	-21.86	169.00	Vertical	Horizontal	Pass
19317.600	-48.39	11.02	-25.0	-23.39	32.00	Vertical	Horizontal	Pass


## 20.7 CA\_38C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.303	-59.32	-15.71	-25.0	-34.32	247.00	Horizontal	Horizontal	Pass
2556.800	-20.43	2.22	-25.0	4.57	156.00	Horizontal	Horizontal	N/A
2634.400	-20.65	2.74	-25.0	4.35	318.00	Horizontal	Horizontal	N/A
6968.200	-39.77	13.52	-25.0	-14.77	304.00	Horizontal	Horizontal	Pass
13441.950	-46.37	6.34	-25.0	-21.37	151.00	Horizontal	Horizontal	Pass
21036.599	-47.30	9.24	-25.0	-22.30	0.00	Horizontal	Horizontal	Pass

RSE-H&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.109	-62.04	-15.66	-25.0	-37.04	231.00	Horizontal	Vertical	Pass
2547.100	-27.74	2.27	-25.0	-2.74	173.00	Horizontal	Vertical	N/A
2635.300	-26.39	2.73	-25.0	-1.39	135.00	Horizontal	Vertical	N/A
6985.400	-40.06	13.69	-25.0	-15.06	0.00	Horizontal	Vertical	Pass
13393.125	-46.07	5.74	-25.0	-21.07	0.00	Horizontal	Vertical	Pass
19299.600	-47.17	10.26	-25.0	-22.17	360.00	Horizontal	Vertical	Pass

RSE-V&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.430	-60.51	-15.64	-25.0	-35.51	345.00	Vertical	Vertical	Pass
2561.700	-24.08	2.39	-25.0	0.92	222.00	Vertical	Vertical	N/A
2629.100	-25.41	2.90	-25.0	-0.41	197.00	Vertical	Vertical	N/A
6993.600	-41.62	13.58	-25.0	-16.62	271.00	Vertical	Vertical	Pass
13424.099	-46.08	6.05	-25.0	-21.08	360.00	Vertical	Vertical	Pass
19456.199	-48.36	9.16	-25.0	-23.36	252.00	Vertical	Vertical	Pass

RSE-V&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.109	-60.24	-15.66	-25.0	-35.24	34.00	Vertical	Horizontal	Pass
2557.700	-27.59	2.29	-25.0	-2.59	43.00	Vertical	Horizontal	N/A
2628.600	-29.29	2.90	-25.0	-4.29	335.00	Vertical	Horizontal	N/A
6997.000	-40.78	13.50	-25.0	-15.78	99.00	Vertical	Horizontal	Pass
13423.313	-45.21	6.03	-25.0	-20.21	114.00	Vertical	Horizontal	Pass
19339.198	-47.75	10.85	-25.0	-22.75	249.00	Vertical	Horizontal	Pass




## 20.8 CA\_38C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.061	-61.53	-15.65	-25.0	-36.53	212.00	Horizontal	Horizontal	Pass
2562.800	-21.41	2.40	-25.0	3.59	142.00	Horizontal	Horizontal	N/A
2633.300	-23.48	2.75	-25.0	1.52	307.00	Horizontal	Horizontal	N/A
6992.000	-41.29	13.49	-25.0	-16.29	285.00	Horizontal	Horizontal	Pass
13379.474	-46.50	5.85	-25.0	-21.50	0.00	Horizontal	Horizontal	Pass
21618.901	-47.56	9.37	-25.0	-22.56	230.00	Horizontal	Horizontal	Pass

RSE-H&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.818	-60.75	-15.63	-25.0	-35.75	242.00	Horizontal	Vertical	Pass
2561.300	-25.53	2.39	-25.0	-0.53	155.00	Horizontal	Vertical	N/A
2633.900	-27.75	2.74	-25.0	-2.75	133.00	Horizontal	Vertical	N/A
6986.800	-40.54	13.67	-25.0	-15.54	304.00	Horizontal	Vertical	Pass
13414.388	-46.23	5.90	-25.0	-21.23	41.00	Horizontal	Vertical	Pass
19454.401	-47.98	9.16	-25.0	-22.98	174.00	Horizontal	Vertical	Pass

RSE-V&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.624	-62.32	-15.63	-25.0	-37.32	34.00	Vertical	Vertical	Pass
2562.300	-23.07	2.40	-25.0	1.93	196.00	Vertical	Vertical	N/A
2635.000	-26.74	2.74	-25.0	-1.74	273.00	Vertical	Vertical	N/A
6666.400	-40.73	11.58	-25.0	-15.73	56.00	Vertical	Vertical	Pass
13420.687	-46.40	5.99	-25.0	-21.40	43.00	Vertical	Vertical	Pass
19337.849	-47.93	10.87	-25.0	-22.93	179.00	Vertical	Vertical	Pass


RSE-V&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.721	-60.30	-15.63	-25.0	-35.30	231.00	Vertical	Horizontal	Pass
2558.700	-27.80	2.37	-25.0	-2.80	132.00	Vertical	Horizontal	N/A
2642.600	-29.20	2.50	-25.0	-4.20	120.00	Vertical	Horizontal	N/A
6682.400	-40.46	12.31	-25.0	-15.46	231.00	Vertical	Horizontal	Pass
13421.737	-46.49	6.01	-25.0	-21.49	0.00	Vertical	Horizontal	Pass
19198.800	-48.25	8.86	-25.0	-23.25	157.00	Vertical	Horizontal	Pass


## 20.9 CA\_38C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.109	-62.14	-15.66	-25.0	-37.14	244.00	Horizontal	Horizontal	Pass
2559.300	-21.86	2.38	-25.0	3.14	144.00	Horizontal	Horizontal	N/A
2627.400	-23.28	2.88	-25.0	1.72	171.00	Horizontal	Horizontal	N/A
6995.400	-41.01	13.47	-25.0	-16.01	60.00	Horizontal	Horizontal	Pass
13435.650	-45.78	6.23	-25.0	-20.78	262.00	Horizontal	Horizontal	Pass
19321.199	-47.85	11.10	-25.0	-22.85	162.00	Horizontal	Horizontal	Pass

RSE-H&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.867	-60.54	-15.63	-25.0	-35.54	246.00	Horizontal	Vertical	Pass
2563.900	-31.95	2.40	-25.0	-6.95	177.00	Horizontal	Vertical	N/A
2628.400	-27.13	2.89	-25.0	-2.13	171.00	Horizontal	Vertical	N/A
6968.400	-41.50	13.52	-25.0	-16.50	346.00	Horizontal	Vertical	Pass
13447.463	-46.36	6.46	-25.0	-21.36	132.00	Horizontal	Vertical	Pass
19311.749	-47.15	10.77	-25.0	-22.15	47.00	Horizontal	Vertical	Pass

RSE-V&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.140	-60.80	-15.64	-25.0	-35.80	341.00	Vertical	Vertical	Pass
2556.300	-25.40	2.23	-25.0	-0.40	255.00	Vertical	Vertical	N/A
2631.300	-25.19	2.89	-25.0	-0.19	248.00	Vertical	Vertical	N/A
6768.400	-41.01	11.63	-25.0	-16.01	3.00	Vertical	Vertical	Pass
13326.188	-46.82	5.80	-25.0	-21.82	54.00	Vertical	Vertical	Pass
19336.051	-47.91	10.90	-25.0	-22.91	306.00	Vertical	Vertical	Pass

RSE-V&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.915	-61.47	-15.63	-25.0	-36.47	307.00	Vertical	Horizontal	Pass
2557.800	-32.36	2.30	-25.0	-7.36	33.00	Vertical	Horizontal	N/A
2627.800	-29.10	2.89	-25.0	-4.10	51.00	Vertical	Horizontal	N/A
6606.000	-40.77	12.10	-25.0	-15.77	185.00	Vertical	Horizontal	Pass
13412.550	-46.04	5.87	-25.0	-21.04	0.00	Vertical	Horizontal	Pass
19196.101	-48.12	8.78	-25.0	-23.12	0.00	Vertical	Horizontal	Pass




## 20.10 CA\_38C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.061	-59.74	-15.65	-25.0	-34.74	239.00	Horizontal	Horizontal	Pass
2560.900	-21.01	2.39	-25.0	3.99	330.00	Horizontal	Horizontal	N/A
2636.900	-21.17	2.71	-25.0	3.83	313.00	Horizontal	Horizontal	N/A
6689.800	-39.44	12.53	-25.0	-14.44	25.00	Horizontal	Horizontal	Pass
13414.912	-46.66	5.91	-25.0	-21.66	353.00	Horizontal	Horizontal	Pass
19369.802	-47.65	10.17	-25.0	-22.65	196.00	Horizontal	Horizontal	Pass

RSE-H&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.012	-62.28	-15.64	-25.0	-37.28	219.00	Horizontal	Vertical	Pass
2559.900	-25.85	2.38	-25.0	-0.85	174.00	Horizontal	Vertical	N/A
2633.400	-27.94	2.75	-25.0	-2.94	113.00	Horizontal	Vertical	N/A
6995.400	-41.50	13.47	-25.0	-16.50	303.00	Horizontal	Vertical	Pass
13450.613	-46.71	6.51	-25.0	-21.71	47.00	Horizontal	Vertical	Pass
19329.300	-47.53	10.99	-25.0	-22.53	19.00	Horizontal	Vertical	Pass

RSE-V&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.721	-61.31	-15.63	-25.0	-36.31	26.00	Vertical	Vertical	Pass
2556.200	-25.23	2.23	-25.0	-0.23	229.00	Vertical	Vertical	N/A
2626.900	-24.55	2.88	-25.0	0.45	237.00	Vertical	Vertical	N/A
6985.000	-39.99	13.70	-25.0	-14.99	119.00	Vertical	Vertical	Pass
13436.963	-46.84	6.25	-25.0	-21.84	28.00	Vertical	Vertical	Pass
19319.400	-47.87	11.10	-25.0	-22.87	123.00	Vertical	Vertical	Pass


RSE-V&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.061	-60.86	-15.65	-25.0	-35.86	0.00	Vertical	Horizontal	Pass
2563.300	-28.89	2.40	-25.0	-3.89	143.00	Vertical	Horizontal	N/A
2627.000	-28.87	2.88	-25.0	-3.87	135.00	Vertical	Horizontal	N/A
7000.000	-40.41	13.52	-25.0	-15.41	155.00	Vertical	Horizontal	Pass
13378.688	-46.85	5.85	-25.0	-21.85	3.00	Vertical	Horizontal	Pass
19337.400	-48.01	10.88	-25.0	-23.01	110.00	Vertical	Horizontal	Pass


## 20.11 CA\_38C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.915	-59.47	-15.63	-25.0	-34.47	254.00	Horizontal	Horizontal	Pass
2561.500	-22.26	2.39	-25.0	2.74	319.00	Horizontal	Horizontal	N/A
2635.200	-24.40	2.73	-25.0	0.60	179.00	Horizontal	Horizontal	N/A
6689.400	-40.37	12.53	-25.0	-15.37	122.00	Horizontal	Horizontal	Pass
13440.375	-46.66	6.31	-25.0	-21.66	352.00	Horizontal	Horizontal	Pass
19305.449	-48.20	10.50	-25.0	-23.20	131.00	Horizontal	Horizontal	Pass

RSE-H&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
70.158	-60.47	-15.67	-25.0	-35.47	233.00	Horizontal	Vertical	Pass
2560.400	-27.26	2.38	-25.0	-2.26	151.00	Horizontal	Vertical	N/A
2641.600	-26.83	2.55	-25.0	-1.83	151.00	Horizontal	Vertical	N/A
6960.400	-40.87	13.06	-25.0	-15.87	110.00	Horizontal	Vertical	Pass
13454.550	-45.71	6.49	-25.0	-20.71	0.00	Horizontal	Vertical	Pass
19313.551	-47.92	10.84	-25.0	-22.92	145.00	Horizontal	Vertical	Pass

RSE-V&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.867	-60.79	-15.63	-25.0	-35.79	15.00	Vertical	Vertical	Pass
2561.100	-27.88	2.39	-25.0	-2.88	305.00	Vertical	Vertical	N/A
2632.300	-24.60	2.81	-25.0	0.40	234.00	Vertical	Vertical	N/A
6988.000	-40.47	13.55	-25.0	-15.47	0.00	Vertical	Vertical	Pass
13442.475	-46.67	6.35	-25.0	-21.67	360.00	Vertical	Vertical	Pass
19327.052	-48.02	11.02	-25.0	-23.02	239.00	Vertical	Vertical	Pass

RSE-V&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.915	-59.64	-15.63	-25.0	-34.64	4.00	Vertical	Horizontal	Pass
2556.200	-34.63	2.23	-25.0	-9.63	56.00	Vertical	Horizontal	N/A
2634.200	-28.93	2.74	-25.0	-3.93	135.00	Vertical	Horizontal	N/A
6675.400	-39.99	11.97	-25.0	-14.99	360.00	Vertical	Horizontal	Pass
13429.349	-46.26	6.13	-25.0	-21.26	275.00	Vertical	Horizontal	Pass
19507.950	-47.99	9.50	-25.0	-22.99	192.00	Vertical	Horizontal	Pass




## 20.12 CA\_38C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.915	-62.52	-15.63	-25.0	-37.52	229.00	Horizontal	Horizontal	Pass
2558.100	-22.37	2.33	-25.0	2.63	155.00	Horizontal	Horizontal	N/A
2640.600	-21.71	2.60	-25.0	3.29	324.00	Horizontal	Horizontal	N/A
6999.200	-40.47	13.53	-25.0	-15.47	159.00	Horizontal	Horizontal	Pass
13437.487	-46.67	6.26	-25.0	-21.67	275.00	Horizontal	Horizontal	Pass
19336.051	-47.24	10.90	-25.0	-22.24	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.964	-60.34	-15.63	-25.0	-35.34	226.00	Horizontal	Vertical	Pass
2559.000	-26.41	2.38	-25.0	-1.41	161.00	Horizontal	Vertical	N/A
2642.300	-27.85	2.52	-25.0	-2.85	139.00	Horizontal	Vertical	N/A
6999.800	-41.27	13.53	-25.0	-16.27	285.00	Horizontal	Vertical	Pass
13417.538	-46.65	5.94	-25.0	-21.65	274.00	Horizontal	Vertical	Pass
21614.850	-48.62	9.37	-25.0	-23.62	316.00	Horizontal	Vertical	Pass

RSE-V&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.915	-60.49	-15.63	-25.0	-35.49	360.00	Vertical	Vertical	Pass
2562.600	-26.84	2.40	-25.0	-1.84	259.00	Vertical	Vertical	N/A
2633.500	-24.17	2.75	-25.0	0.83	248.00	Vertical	Vertical	N/A
6687.600	-41.28	12.54	-25.0	-16.28	215.00	Vertical	Vertical	Pass
13424.362	-46.20	6.05	-25.0	-21.20	26.00	Vertical	Vertical	Pass
19201.950	-47.81	8.89	-25.0	-22.81	89.00	Vertical	Vertical	Pass

RSE-V&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.818	-61.75	-15.63	-25.0	-36.75	0.00	Vertical	Horizontal	Pass
2561.800	-31.11	2.39	-25.0	-6.11	161.00	Vertical	Horizontal	N/A
2626.400	-27.95	2.87	-25.0	-2.95	325.00	Vertical	Horizontal	N/A
6983.800	-40.75	13.82	-25.0	-15.75	360.00	Vertical	Horizontal	Pass
13430.138	-46.21	6.14	-25.0	-21.21	73.00	Vertical	Horizontal	Pass
19514.249	-48.14	9.23	-25.0	-23.14	300.00	Vertical	Horizontal	Pass

21 CA\_41C


21.1 CA\_41C 20MHz+5MHz, QPSK, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.738	-67.70	-15.95	-25.0	-42.70	133.00	Horizontal	Horizontal	Pass
2042.400	-48.10	3.78	-25.0	-23.10	335.00	Horizontal	Horizontal	Pass
2482.100	-17.94	7.38	-25.0	7.06	164.00	Horizontal	Horizontal	N/A
2601.200	-32.52	7.01	-25.0	-7.52	189.00	Horizontal	Horizontal	N/A
6709.750	-39.23	15.62	-25.0	-14.23	18.00	Horizontal	Horizontal	Pass
13372.912	-38.59	16.76	-25.0	-13.59	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.369	-67.77	-15.76	-25.0	-42.77	313.00	Horizontal	Vertical	Pass
2489.300	-19.47	8.19	-25.0	5.53	166.00	Horizontal	Vertical	N/A
2595.700	-36.68	7.43	-25.0	-11.68	161.00	Horizontal	Vertical	N/A
6692.000	-39.40	14.87	-25.0	-14.40	265.00	Horizontal	Vertical	Pass
13805.513	-38.48	16.88	-25.0	-13.48	82.00	Horizontal	Vertical	Pass
19735.699	-41.12	12.94	-25.0	-16.12	69.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.632	-68.79	-20.22	-25.0	-43.79	8.00	Vertical	Vertical	Pass
1561.600	-51.82	0.41	-25.0	-26.82	163.00	Vertical	Vertical	Pass
2490.200	-20.52	8.20	-25.0	4.48	286.00	Vertical	Vertical	N/A
2584.100	-35.55	8.04	-25.0	-10.55	256.00	Vertical	Vertical	N/A
7203.000	-38.83	14.66	-25.0	-13.83	61.00	Vertical	Vertical	Pass
13370.287	-38.60	16.73	-25.0	-13.60	15.00	Vertical	Vertical	Pass

RSE-V&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.952	-68.73	-20.07	-25.0	-43.73	1.00	Vertical	Horizontal	Pass
1542.600	-51.93	0.23	-25.0	-26.93	298.00	Vertical	Horizontal	Pass
2487.500	-21.15	8.17	-25.0	3.85	262.00	Vertical	Horizontal	N/A
2581.600	-36.42	8.42	-25.0	-11.42	298.00	Vertical	Horizontal	N/A
6700.000	-38.92	15.34	-25.0	-13.92	198.00	Vertical	Horizontal	Pass
13832.549	-38.62	16.25	-25.0	-13.62	106.00	Vertical	Horizontal	Pass




## 21.2 CA\_41C 20MHz+5MHz, 16-QAM, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.242	-65.57	-15.57	-25.0	-40.57	323.00	Horizontal	Horizontal	Pass
2479.000	-23.00	7.73	-25.0	2.00	160.00	Horizontal	Horizontal	N/A
2590.800	-35.01	7.88	-25.0	-10.01	178.00	Horizontal	Horizontal	N/A
6720.750	-39.33	15.71	-25.0	-14.33	286.00	Horizontal	Horizontal	Pass
13433.287	-38.78	16.28	-25.0	-13.78	154.00	Horizontal	Horizontal	Pass
19742.075	-41.00	12.94	-25.0	-16.00	0.00	Horizontal	Horizontal	Pass

RSE-H&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.921	-66.84	-15.49	-25.0	-41.84	145.00	Horizontal	Vertical	Pass
2479.400	-27.73	7.74	-25.0	-2.73	129.00	Horizontal	Vertical	N/A
2580.800	-41.26	8.57	-25.0	-16.26	160.00	Horizontal	Vertical	N/A
6642.000	-39.19	15.04	-25.0	-14.19	136.00	Horizontal	Vertical	Pass
13408.088	-37.21	16.83	-25.0	-12.21	107.00	Horizontal	Vertical	Pass
20092.699	-40.68	12.96	-25.0	-15.68	159.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.583	-69.05	-20.20	-25.0	-44.05	0.00	Vertical	Vertical	Pass
2488.900	-26.74	8.18	-25.0	-1.74	163.00	Vertical	Vertical	N/A
2600.500	-40.20	7.02	-25.0	-15.20	351.00	Vertical	Vertical	N/A
6647.250	-39.51	15.22	-25.0	-14.51	169.00	Vertical	Vertical	Pass
13405.987	-38.53	16.88	-25.0	-13.53	200.00	Vertical	Vertical	Pass
19314.526	-41.26	12.92	-25.0	-16.26	360.00	Vertical	Vertical	Pass


RSE-V&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.872	-69.36	-15.50	-25.0	-44.36	186.00	Vertical	Horizontal	Pass
2490.600	-36.64	8.20	-25.0	-11.64	144.00	Vertical	Horizontal	N/A
2967.900	-43.13	11.94	-25.0	-18.13	113.00	Vertical	Horizontal	Pass
6694.000	-39.19	14.87	-25.0	-14.19	0.00	Vertical	Horizontal	Pass
13385.775	-38.32	16.88	-25.0	-13.32	131.00	Vertical	Horizontal	Pass
18226.100	-40.61	12.86	-25.0	-15.61	85.00	Vertical	Horizontal	Pass


### 21.3 CA\_41C 20MHz+5MHz, QPSK, Middle Channel

RSE-H&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.746	-69.24	-15.38	-25.0	-44.24	322.00	Horizontal	Horizontal	Pass
2561.500	-27.34	8.83	-25.0	-2.34	229.00	Horizontal	Horizontal	N/A
2628.900	-20.87	8.49	-25.0	4.13	179.00	Horizontal	Horizontal	N/A
7049.000	-38.98	14.03	-25.0	-13.98	72.00	Horizontal	Horizontal	Pass
13352.700	-38.23	16.57	-25.0	-13.23	38.00	Horizontal	Horizontal	Pass
19893.801	-40.44	12.95	-25.0	-15.44	95.00	Horizontal	Horizontal	Pass

RSE-H&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.212	-69.30	-15.46	-25.0	-44.30	142.00	Horizontal	Vertical	Pass
2559.600	-28.20	8.55	-25.0	-3.20	165.00	Horizontal	Vertical	N/A
2625.800	-28.15	10.02	-25.0	-3.15	197.00	Horizontal	Vertical	N/A
6648.500	-39.56	15.17	-25.0	-14.56	61.00	Horizontal	Vertical	Pass
13397.850	-38.83	16.99	-25.0	-13.83	88.00	Horizontal	Vertical	Pass
19663.874	-41.06	12.93	-25.0	-16.06	206.00	Horizontal	Vertical	Pass

RSE-V&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
289.087	-69.64	-13.96	-25.0	-44.64	356.00	Vertical	Vertical	Pass
2561.000	-28.40	8.80	-25.0	-3.40	248.00	Vertical	Vertical	N/A
2627.800	-23.79	8.66	-25.0	1.21	254.00	Vertical	Vertical	N/A
6705.500	-38.85	15.47	-25.0	-13.85	40.00	Vertical	Vertical	Pass
12508.225	-38.57	14.59	-25.0	-13.57	299.00	Vertical	Vertical	Pass
20347.699	-40.26	12.97	-25.0	-15.26	0.00	Vertical	Vertical	Pass

RSE-V&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
293.598	-69.61	-14.38	-25.0	-44.61	360.00	Vertical	Horizontal	Pass
2563.100	-36.61	8.87	-25.0	-11.61	81.00	Vertical	Horizontal	N/A
2629.400	-31.21	8.39	-25.0	-6.21	173.00	Vertical	Horizontal	N/A
6649.000	-39.13	15.18	-25.0	-14.13	108.00	Vertical	Horizontal	Pass
13413.862	-38.86	16.71	-25.0	-13.86	298.00	Vertical	Horizontal	Pass
17946.188	-40.09	14.00	-25.0	-15.09	251.00	Vertical	Horizontal	Pass




## 21.4 CA\_41C 20MHz+5MHz, 16-QAM, Middle Channel

RSE-H&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.265	-66.93	-16.14	-25.0	-41.93	314.00	Horizontal	Horizontal	Pass
2560.600	-24.41	8.71	-25.0	0.59	310.00	Horizontal	Horizontal	N/A
2627.200	-20.55	8.83	-25.0	4.45	310.00	Horizontal	Horizontal	N/A
6627.750	-38.07	14.80	-25.0	-13.07	292.00	Horizontal	Horizontal	Pass
13392.338	-38.41	16.94	-25.0	-13.41	317.00	Horizontal	Horizontal	Pass
19499.401	-40.64	12.93	-25.0	-15.64	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.768	-70.37	-16.04	-25.0	-45.37	303.00	Horizontal	Vertical	Pass
2543.700	-31.10	6.51	-25.0	-6.10	160.00	Horizontal	Vertical	N/A
2629.900	-28.71	8.28	-25.0	-3.71	123.00	Horizontal	Vertical	N/A
6674.000	-39.24	14.54	-25.0	-14.24	294.00	Horizontal	Vertical	Pass
13397.063	-38.46	16.98	-25.0	-13.46	0.00	Horizontal	Vertical	Pass
19378.698	-40.96	12.92	-25.0	-15.96	0.00	Horizontal	Vertical	Pass

RSE-V&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
286.517	-69.47	-13.59	-25.0	-44.47	13.00	Vertical	Vertical	Pass
2554.900	-30.81	7.25	-25.0	-5.81	309.00	Vertical	Vertical	N/A
2628.500	-24.08	8.55	-25.0	0.92	241.00	Vertical	Vertical	N/A
6711.250	-38.93	15.62	-25.0	-13.93	147.00	Vertical	Vertical	Pass
12491.837	-38.50	14.65	-25.0	-13.50	181.00	Vertical	Vertical	Pass
19663.450	-39.93	12.93	-25.0	-14.93	35.00	Vertical	Vertical	Pass


RSE-V&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
289.475	-67.89	-13.98	-25.0	-42.89	0.00	Vertical	Horizontal	Pass
2558.800	-30.31	8.32	-25.0	-5.31	180.00	Vertical	Horizontal	N/A
2640.700	-36.84	8.46	-25.0	-11.84	161.00	Vertical	Horizontal	N/A
6649.000	-39.12	15.18	-25.0	-14.12	360.00	Vertical	Horizontal	Pass
13373.438	-38.43	16.76	-25.0	-13.43	245.00	Vertical	Horizontal	Pass
19670.675	-40.37	12.94	-25.0	-15.37	277.00	Vertical	Horizontal	Pass


## 21.5 CA\_41C 20MHz+5MHz, QPSK, High Channel

RSE-H&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.891	-68.61	-15.36	-25.0	-43.61	319.00	Horizontal	Horizontal	Pass
2529.300	-33.91	6.38	-25.0	-8.91	186.00	Horizontal	Horizontal	N/A
2607.900	-28.55	7.75	-25.0	-3.55	161.00	Horizontal	Horizontal	N/A
2701.100	-14.71	8.10	-25.0	10.29	321.00	Horizontal	Horizontal	N/A
6670.750	-39.24	14.57	-25.0	-14.24	343.00	Horizontal	Horizontal	Pass
17964.562	-40.76	13.73	-25.0	-15.76	97.00	Horizontal	Horizontal	Pass

RSE-H&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
176.615	-70.04	-18.99	-25.0	-45.04	79.00	Horizontal	Vertical	Pass
2592.500	-32.50	7.50	-25.0	-7.50	171.00	Horizontal	Vertical	N/A
2701.100	-22.91	8.10	-25.0	2.09	221.00	Horizontal	Vertical	N/A
6649.750	-38.61	15.14	-25.0	-13.61	360.00	Horizontal	Vertical	Pass
13365.562	-38.77	16.69	-25.0	-13.77	0.00	Horizontal	Vertical	Pass
17960.886	-40.18	13.82	-25.0	-15.18	116.00	Horizontal	Vertical	Pass

RSE-V&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
280.793	-69.30	-13.59	-25.0	-44.30	338.00	Vertical	Vertical	Pass
2612.200	-30.86	8.67	-25.0	-5.86	270.00	Vertical	Vertical	N/A
2699.000	-19.01	8.62	-25.0	5.99	239.00	Vertical	Vertical	N/A
6844.250	-39.13	14.06	-25.0	-14.13	4.00	Vertical	Vertical	Pass
13374.750	-38.55	16.77	-25.0	-13.55	360.00	Vertical	Vertical	Pass
17921.249	-41.26	13.40	-25.0	-16.26	278.00	Vertical	Vertical	Pass

RSE-V&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
297.041	-69.16	-14.48	-25.0	-44.16	360.00	Vertical	Horizontal	Pass
2603.600	-38.86	7.36	-25.0	-13.86	219.00	Vertical	Horizontal	N/A
2698.300	-26.33	8.96	-25.0	-1.33	263.00	Vertical	Horizontal	N/A
6612.750	-38.99	14.47	-25.0	-13.99	0.00	Vertical	Horizontal	Pass
13415.700	-38.78	16.66	-25.0	-13.78	95.00	Vertical	Horizontal	Pass
17951.699	-41.64	14.05	-25.0	-16.64	347.00	Vertical	Horizontal	Pass




## 21.6 CA\_41C 20MHz+5MHz, 16-QAM, High Channel

RSE-H&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.085	-68.77	-16.07	-25.0	-43.77	303.00	Horizontal	Horizontal	Pass
2612.100	-27.46	8.64	-25.0	-2.46	187.00	Horizontal	Horizontal	N/A
2701.100	-15.37	8.10	-25.0	9.63	322.00	Horizontal	Horizontal	N/A
6698.750	-39.24	15.27	-25.0	-14.24	289.00	Horizontal	Horizontal	Pass
13358.213	-38.82	16.62	-25.0	-13.82	164.00	Horizontal	Horizontal	Pass
17945.401	-41.35	13.98	-25.0	-16.35	233.00	Horizontal	Horizontal	Pass

RSE-H&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
176.033	-69.24	-18.93	-25.0	-44.24	67.00	Horizontal	Vertical	Pass
2579.600	-32.42	8.27	-25.0	-7.42	168.00	Horizontal	Vertical	N/A
2701.400	-24.90	8.13	-25.0	0.10	156.00	Horizontal	Vertical	N/A
6647.000	-39.00	15.27	-25.0	-14.00	144.00	Horizontal	Vertical	Pass
13432.237	-38.86	16.30	-25.0	-13.86	360.00	Horizontal	Vertical	Pass
17932.800	-41.56	13.68	-25.0	-16.56	234.00	Horizontal	Vertical	Pass

RSE-V&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
285.401	-69.65	-13.53	-25.0	-44.65	360.00	Vertical	Vertical	Pass
2611.300	-30.71	8.24	-25.0	-5.71	288.00	Vertical	Vertical	N/A
2700.700	-18.06	8.05	-25.0	6.94	264.00	Vertical	Vertical	N/A
7124.750	-39.14	13.82	-25.0	-14.14	0.00	Vertical	Vertical	Pass
13400.475	-38.68	17.00	-25.0	-13.68	360.00	Vertical	Vertical	Pass
17947.501	-40.69	14.03	-25.0	-15.69	208.00	Vertical	Vertical	Pass


RSE-V&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
296.362	-69.56	-14.45	-25.0	-44.56	360.00	Vertical	Horizontal	Pass
2603.300	-39.23	7.40	-25.0	-14.23	183.00	Vertical	Horizontal	N/A
2699.800	-25.29	8.23	-25.0	-0.29	46.00	Vertical	Horizontal	N/A
6596.250	-39.81	14.39	-25.0	-14.81	65.00	Vertical	Horizontal	Pass
13428.037	-38.34	16.39	-25.0	-13.34	360.00	Vertical	Horizontal	Pass
17934.113	-41.97	13.71	-25.0	-16.97	253.00	Vertical	Horizontal	Pass


## 21.7 CA\_41C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.066	-68.56	-15.48	-25.0	-43.56	303.00	Horizontal	Horizontal	Pass
2486.700	-22.87	8.16	-25.0	2.13	171.00	Horizontal	Horizontal	N/A
2592.900	-28.25	7.73	-25.0	-3.25	171.00	Horizontal	Horizontal	N/A
6663.000	-38.56	14.68	-25.0	-13.56	13.00	Horizontal	Horizontal	Pass
13375.275	-38.15	16.78	-25.0	-13.15	51.00	Horizontal	Horizontal	Pass
20114.801	-40.73	12.96	-25.0	-15.73	61.00	Horizontal	Horizontal	Pass

RSE-H&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
176.082	-70.41	-18.92	-25.0	-45.41	67.00	Horizontal	Vertical	Pass
2485.500	-27.76	7.57	-25.0	-2.76	179.00	Horizontal	Vertical	N/A
2581.300	-29.48	8.47	-25.0	-4.48	166.00	Horizontal	Vertical	N/A
6709.750	-38.43	15.62	-25.0	-13.43	277.00	Horizontal	Vertical	Pass
13375.537	-38.61	16.78	-25.0	-13.61	3.00	Horizontal	Vertical	Pass
19727.198	-40.63	12.94	-25.0	-15.63	341.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
285.353	-69.72	-13.52	-25.0	-44.72	328.00	Vertical	Vertical	Pass
2488.300	-28.45	8.18	-25.0	-3.45	258.00	Vertical	Vertical	N/A
2579.200	-32.31	8.58	-25.0	-7.31	258.00	Vertical	Vertical	N/A
6684.750	-37.50	14.60	-25.0	-12.50	213.00	Vertical	Vertical	Pass
13387.350	-38.99	16.89	-25.0	-13.99	276.00	Vertical	Vertical	Pass
19624.776	-40.53	12.93	-25.0	-15.53	85.00	Vertical	Vertical	Pass

RSE-V&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
294.713	-69.84	-14.38	-25.0	-44.84	354.00	Vertical	Horizontal	Pass
2488.600	-36.41	8.18	-25.0	-11.41	216.00	Vertical	Horizontal	N/A
2582.800	-38.32	8.25	-25.0	-13.32	56.00	Vertical	Horizontal	N/A
7183.250	-38.49	14.51	-25.0	-13.49	214.00	Vertical	Horizontal	Pass
13373.963	-38.34	16.77	-25.0	-13.34	157.00	Vertical	Horizontal	Pass
17888.963	-40.72	12.66	-25.0	-15.72	3.00	Vertical	Horizontal	Pass




## 21.8 CA\_41C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
173.754	-69.44	-19.24	-25.0	-44.44	93.00	Horizontal	Horizontal	Pass
2487.800	-25.16	8.17	-25.0	-0.16	317.00	Horizontal	Horizontal	N/A
2587.000	-31.27	7.89	-25.0	-6.27	157.00	Horizontal	Horizontal	N/A
7221.500	-39.15	13.88	-25.0	-14.15	360.00	Horizontal	Horizontal	Pass
13375.537	-38.77	16.78	-25.0	-13.77	18.00	Horizontal	Horizontal	Pass
19667.276	-40.95	12.94	-25.0	-15.95	15.00	Horizontal	Horizontal	Pass

RSE-H&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
176.324	-70.60	-18.95	-25.0	-45.60	80.00	Horizontal	Vertical	Pass
2487.300	-30.03	8.17	-25.0	-5.03	298.00	Horizontal	Vertical	N/A
2583.100	-33.55	8.21	-25.0	-8.55	217.00	Horizontal	Vertical	N/A
6710.750	-39.19	15.70	-25.0	-14.19	13.00	Horizontal	Vertical	Pass
13389.187	-37.70	16.91	-25.0	-12.70	23.00	Horizontal	Vertical	Pass
19717.425	-40.66	12.94	-25.0	-15.66	360.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
288.214	-69.21	-13.98	-25.0	-44.21	353.00	Vertical	Vertical	Pass
2486.800	-25.11	8.16	-25.0	-0.11	156.00	Vertical	Vertical	N/A
2584.200	-29.64	8.04	-25.0	-4.64	311.00	Vertical	Vertical	N/A
6643.000	-37.95	15.15	-25.0	-12.95	148.00	Vertical	Vertical	Pass
13402.050	-38.50	16.96	-25.0	-13.50	360.00	Vertical	Vertical	Pass
20206.600	-40.99	12.96	-25.0	-15.99	36.00	Vertical	Vertical	Pass


RSE-V&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
284.916	-68.67	-13.52	-25.0	-43.67	345.00	Vertical	Horizontal	Pass
2490.800	-31.28	8.20	-25.0	-6.28	193.00	Vertical	Horizontal	N/A
2580.200	-33.72	8.59	-25.0	-8.72	186.00	Vertical	Horizontal	N/A
6630.500	-39.37	14.75	-25.0	-14.37	360.00	Vertical	Horizontal	Pass
13399.950	-37.93	17.01	-25.0	-12.93	275.00	Vertical	Horizontal	Pass
19671.949	-40.86	12.94	-25.0	-15.86	0.00	Vertical	Horizontal	Pass


## 21.9 CA\_41C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
173.560	-69.97	-19.22	-25.0	-44.97	87.00	Horizontal	Horizontal	Pass
2562.200	-21.34	8.85	-25.0	3.66	151.00	Horizontal	Horizontal	N/A
2633.000	-19.03	8.16	-25.0	5.97	313.00	Horizontal	Horizontal	N/A
6646.250	-38.71	15.25	-25.0	-13.71	321.00	Horizontal	Horizontal	Pass
13372.650	-38.88	16.75	-25.0	-13.88	0.00	Horizontal	Horizontal	Pass
19755.250	-40.21	12.94	-25.0	-15.21	333.00	Horizontal	Horizontal	Pass

RSE-H&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
175.161	-70.34	-19.28	-25.0	-45.34	65.00	Horizontal	Vertical	Pass
2551.900	-26.56	6.98	-25.0	-1.56	163.00	Horizontal	Vertical	N/A
2634.000	-27.12	8.03	-25.0	-2.12	207.00	Horizontal	Vertical	N/A
6657.000	-38.87	14.96	-25.0	-13.87	40.00	Horizontal	Vertical	Pass
13796.062	-37.17	16.75	-25.0	-12.17	299.00	Horizontal	Vertical	Pass
18207.824	-40.58	12.86	-25.0	-15.58	331.00	Horizontal	Vertical	Pass

RSE-V&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
283.510	-69.16	-13.48	-25.0	-44.16	360.00	Vertical	Vertical	Pass
2555.800	-25.30	7.31	-25.0	-0.30	256.00	Vertical	Vertical	N/A
2641.000	-26.94	8.52	-25.0	-1.94	262.00	Vertical	Vertical	N/A
7049.750	-38.22	14.07	-25.0	-13.22	111.00	Vertical	Vertical	Pass
13357.688	-38.33	16.61	-25.0	-13.33	0.00	Vertical	Vertical	Pass
18101.574	-40.01	12.86	-25.0	-15.01	205.00	Vertical	Vertical	Pass

RSE-V&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
289.184	-69.14	-13.96	-25.0	-44.14	360.00	Vertical	Horizontal	Pass
2557.800	-33.70	7.99	-25.0	-8.70	88.00	Vertical	Horizontal	N/A
2633.600	-28.62	8.13	-25.0	-3.62	177.00	Vertical	Horizontal	N/A
6928.750	-38.89	14.07	-25.0	-13.89	54.00	Vertical	Horizontal	Pass
13370.287	-38.67	16.73	-25.0	-13.67	360.00	Vertical	Horizontal	Pass
19674.075	-40.65	12.94	-25.0	-15.65	231.00	Vertical	Horizontal	Pass




### 21.10 CA\_41C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
176.324	-70.30	-18.95	-25.0	-45.30	72.00	Horizontal	Horizontal	Pass
2555.000	-19.85	7.25	-25.0	5.15	171.00	Horizontal	Horizontal	N/A
2629.700	-20.46	8.32	-25.0	4.54	165.00	Horizontal	Horizontal	N/A
6571.500	-39.06	14.13	-25.0	-14.06	178.00	Horizontal	Horizontal	Pass
13406.250	-38.55	16.87	-25.0	-13.55	344.00	Horizontal	Horizontal	Pass
19748.448	-40.02	12.94	-25.0	-15.02	175.00	Horizontal	Horizontal	Pass

RSE-H&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
173.803	-72.13	-19.24	-25.0	-47.13	213.00	Horizontal	Vertical	Pass
2558.200	-30.01	8.12	-25.0	-5.01	112.00	Horizontal	Vertical	N/A
2633.000	-30.95	8.16	-25.0	-5.95	131.00	Horizontal	Vertical	N/A
6719.500	-39.15	15.63	-25.0	-14.15	200.00	Horizontal	Vertical	Pass
13394.962	-37.47	16.96	-25.0	-12.47	157.00	Horizontal	Vertical	Pass
19571.651	-41.27	12.93	-25.0	-16.27	156.00	Horizontal	Vertical	Pass

RSE-V&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
284.431	-69.39	-13.50	-25.0	-44.39	360.00	Vertical	Vertical	Pass
2556.800	-28.36	7.36	-25.0	-3.36	304.00	Vertical	Vertical	N/A
2625.600	-26.33	10.11	-25.0	-1.33	304.00	Vertical	Vertical	N/A
6584.750	-39.30	14.23	-25.0	-14.30	225.00	Vertical	Vertical	Pass
13389.975	-38.26	16.92	-25.0	-13.26	0.00	Vertical	Vertical	Pass
18276.676	-40.01	12.86	-25.0	-15.01	360.00	Vertical	Vertical	Pass


RSE-V&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
296.556	-69.96	-14.46	-25.0	-44.96	360.00	Vertical	Horizontal	Pass
2561.900	-32.95	8.84	-25.0	-7.95	190.00	Vertical	Horizontal	N/A
2632.500	-33.02	8.12	-25.0	-8.02	190.00	Vertical	Horizontal	N/A
6629.000	-39.20	14.73	-25.0	-14.20	360.00	Vertical	Horizontal	Pass
13335.638	-38.82	15.97	-25.0	-13.82	272.00	Vertical	Horizontal	Pass
19835.574	-40.85	12.94	-25.0	-15.85	352.00	Vertical	Horizontal	Pass


## 21.11 CA\_41C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.268	-69.14	-16.29	-25.0	-44.14	111.00	Horizontal	Horizontal	Pass
2609.800	-23.62	7.93	-25.0	1.38	175.00	Horizontal	Horizontal	N/A
2698.000	-20.49	9.11	-25.0	4.51	193.00	Horizontal	Horizontal	N/A
6478.000	-39.42	12.91	-25.0	-14.42	310.00	Horizontal	Horizontal	Pass
13377.112	-38.69	16.79	-25.0	-13.69	360.00	Horizontal	Horizontal	Pass
17929.386	-41.91	13.60	-25.0	-16.91	47.00	Horizontal	Horizontal	Pass

RSE-H&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
206.928	-70.71	-16.30	-25.0	-45.71	137.00	Horizontal	Vertical	Pass
2607.400	-28.49	7.61	-25.0	-3.49	170.00	Horizontal	Vertical	N/A
2703.900	-27.01	7.97	-25.0	-2.01	218.00	Horizontal	Vertical	N/A
6613.000	-39.22	14.50	-25.0	-14.22	0.00	Horizontal	Vertical	Pass
13384.200	-37.77	16.86	-25.0	-12.77	204.00	Horizontal	Vertical	Pass
17992.124	-41.55	13.05	-25.0	-16.55	321.00	Horizontal	Vertical	Pass

RSE-V&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.031	-69.80	-20.02	-25.0	-44.80	0.00	Vertical	Vertical	Pass
2611.400	-26.49	8.29	-25.0	-1.49	251.00	Vertical	Vertical	N/A
2699.500	-21.50	8.35	-25.0	3.50	251.00	Vertical	Vertical	N/A
6684.000	-39.35	14.62	-25.0	-14.35	128.00	Vertical	Vertical	Pass
13344.825	-37.66	16.34	-25.0	-12.66	182.00	Vertical	Vertical	Pass
17798.400	-41.42	13.10	-25.0	-16.42	0.00	Vertical	Vertical	Pass

RSE-V&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
71.904	-69.09	-20.07	-25.0	-44.09	0.00	Vertical	Horizontal	Pass
2614.100	-32.46	9.65	-25.0	-7.46	225.00	Vertical	Horizontal	N/A
2700.300	-30.26	8.09	-25.0	-5.26	20.00	Vertical	Horizontal	N/A
7204.500	-38.27	14.54	-25.0	-13.27	48.00	Vertical	Horizontal	Pass
13798.950	-38.52	16.94	-25.0	-13.52	345.00	Vertical	Horizontal	Pass
17950.913	-41.68	14.07	-25.0	-16.68	14.00	Vertical	Horizontal	Pass




## 21.12 CA\_41C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.358	-68.80	-15.43	-25.0	-43.80	309.00	Horizontal	Horizontal	Pass
2611.100	-24.81	8.20	-25.0	0.19	183.00	Horizontal	Horizontal	N/A
2697.700	-22.61	9.13	-25.0	2.39	296.00	Horizontal	Horizontal	N/A
6572.750	-39.18	14.16	-25.0	-14.18	108.00	Horizontal	Horizontal	Pass
13367.137	-37.93	16.70	-25.0	-12.93	65.00	Horizontal	Horizontal	Pass
17938.313	-41.01	13.81	-25.0	-16.01	0.00	Horizontal	Horizontal	Pass

RSE-H&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.648	-71.51	-15.39	-25.0	-46.51	323.00	Horizontal	Vertical	Pass
2612.500	-30.44	8.78	-25.0	-5.44	170.00	Horizontal	Vertical	N/A
2703.900	-27.67	7.97	-25.0	-2.67	213.00	Horizontal	Vertical	N/A
6653.500	-38.52	15.02	-25.0	-13.52	353.00	Horizontal	Vertical	Pass
13345.350	-39.31	16.36	-25.0	-14.31	111.00	Horizontal	Vertical	Pass
17943.562	-41.09	13.94	-25.0	-16.09	0.00	Horizontal	Vertical	Pass

RSE-V&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
288.263	-68.99	-13.99	-25.0	-43.99	348.00	Vertical	Vertical	Pass
2613.100	-27.54	9.06	-25.0	-2.54	303.00	Vertical	Vertical	N/A
2700.300	-24.68	8.09	-25.0	0.32	246.00	Vertical	Vertical	N/A
6708.500	-38.64	15.70	-25.0	-13.64	45.00	Vertical	Vertical	Pass
13409.662	-38.98	16.80	-25.0	-13.98	360.00	Vertical	Vertical	Pass
17803.911	-41.39	13.09	-25.0	-16.39	0.00	Vertical	Vertical	Pass


RSE-V&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
286.322	-69.42	-13.58	-25.0	-44.42	359.00	Vertical	Horizontal	Pass
2605.600	-35.87	7.48	-25.0	-10.87	182.00	Vertical	Horizontal	N/A
2701.500	-31.28	8.12	-25.0	-6.28	132.00	Vertical	Horizontal	N/A
6655.250	-39.02	15.01	-25.0	-14.02	296.00	Vertical	Horizontal	Pass
13396.537	-39.19	16.98	-25.0	-14.19	360.00	Vertical	Horizontal	Pass
17801.288	-41.26	13.16	-25.0	-16.26	0.00	Vertical	Horizontal	Pass

NR  
 22 n5  
 22.1 n5 BW5, Middle Channel


RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.264	-59.02	4.76	-13.0	-46.02	345.00	Horizontal	Horizontal	N/A
879.817	-29.64	4.20	-13.0	-16.64	11.00	Horizontal	Horizontal	N/A
1763.600	-54.46	-4.51	-13.0	-41.46	137.00	Horizontal	Horizontal	Pass
4432.250	-45.36	9.62	-13.0	-32.36	154.00	Horizontal	Horizontal	Pass
6617.750	-39.57	14.57	-13.0	-26.57	139.00	Horizontal	Horizontal	Pass
9461.599	-40.18	13.86	-13.0	-27.18	282.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.846	-58.70	4.79	-13.0	-45.70	48.00	Horizontal	Vertical	N/A
881.417	-31.38	4.17	-13.0	-18.38	226.00	Horizontal	Vertical	N/A
1762.900	-53.78	-4.62	-13.0	-40.78	139.00	Horizontal	Vertical	Pass
3534.750	-48.75	6.52	-13.0	-35.75	237.00	Horizontal	Vertical	Pass
7885.500	-38.79	15.26	-13.0	-25.79	351.00	Horizontal	Vertical	Pass
9487.200	-39.40	13.06	-13.0	-26.40	215.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.495	-53.79	4.85	-13.0	-40.79	71.00	Vertical	Vertical	N/A
879.526	-28.06	4.21	-13.0	-15.06	58.00	Vertical	Vertical	N/A
2092.900	-53.65	-0.63	-13.0	-40.65	64.00	Vertical	Vertical	Pass
4444.250	-46.02	9.63	-13.0	-33.02	188.00	Vertical	Vertical	Pass
6656.250	-38.48	15.05	-13.0	-25.48	253.00	Vertical	Vertical	Pass
9453.600	-38.81	14.11	-13.0	-25.81	235.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.215	-60.43	4.76	-13.0	-47.43	328.00	Vertical	Horizontal	N/A
883.358	-30.65	4.16	-13.0	-17.65	205.00	Vertical	Horizontal	N/A
1279.800	-56.49	-4.37	-13.0	-43.49	120.00	Vertical	Horizontal	Pass
3168.000	-48.86	5.67	-13.0	-35.86	24.00	Vertical	Horizontal	Pass
7200.750	-38.64	14.79	-13.0	-25.64	285.00	Vertical	Horizontal	Pass
9447.700	-40.32	14.18	-13.0	-27.32	283.00	Vertical	Horizontal	Pass




## 22.2 n5 BW15, Middle Channel


RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
526.349	-56.41	-5.45	-13.0	-43.41	281.00	Horizontal	Horizontal	Pass
883.940	-31.06	4.21	-13.0	-18.06	231.00	Horizontal	Horizontal	N/A
1437.300	-55.29	-5.01	-13.0	-42.29	249.00	Horizontal	Horizontal	Pass
3042.500	-49.52	5.60	-13.0	-36.52	157.00	Horizontal	Horizontal	Pass
6648.500	-39.56	15.17	-13.0	-26.56	287.00	Horizontal	Horizontal	Pass
9450.800	-39.17	14.20	-13.0	-26.17	189.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.474	-59.24	4.49	-13.0	-46.24	222.00	Horizontal	Vertical	N/A
877.828	-31.91	4.15	-13.0	-18.91	0.00	Horizontal	Vertical	N/A
1590.400	-56.34	-4.21	-13.0	-43.34	174.00	Horizontal	Vertical	Pass
2099.700	-52.82	-0.04	-13.0	-39.82	131.00	Horizontal	Vertical	Pass
3753.500	-47.15	8.08	-13.0	-34.15	270.00	Horizontal	Vertical	Pass
6708.750	-39.37	15.66	-13.0	-26.37	44.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.991	-58.66	4.79	-13.0	-45.66	108.00	Vertical	Vertical	N/A
876.325	-40.10	4.00	-13.0	-27.10	298.00	Vertical	Vertical	N/A
1364.100	-56.50	-3.94	-13.0	-43.50	87.00	Vertical	Vertical	Pass
2108.700	-53.28	-0.38	-13.0	-40.28	272.00	Vertical	Vertical	Pass
3038.250	-48.92	5.32	-13.0	-35.92	206.00	Vertical	Vertical	Pass
6645.250	-39.61	15.15	-13.0	-26.61	12.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
460.777	-74.14	-5.28	-13.0	-61.14	65.00	Vertical	Horizontal	Pass
891.894	-39.21	4.59	-13.0	-26.21	86.00	Vertical	Horizontal	N/A
2093.700	-53.61	-0.52	-13.0	-40.61	51.00	Vertical	Horizontal	Pass
3066.250	-48.57	5.35	-13.0	-35.57	78.00	Vertical	Horizontal	Pass
4883.000	-43.54	10.64	-13.0	-30.54	158.00	Vertical	Horizontal	Pass
8973.901	-38.83	13.57	-13.0	-25.83	0.00	Vertical	Horizontal	Pass

## 22.3 n5 BW20, Middle Channel


RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
489.198	-58.49	-5.89	-13.0	-45.49	255.00	Horizontal	Horizontal	Pass
889.274	-34.27	4.62	-13.0	-21.27	176.00	Horizontal	Horizontal	N/A
1350.300	-55.98	-3.64	-13.0	-42.98	75.00	Horizontal	Horizontal	Pass
2112.200	-53.43	-0.52	-13.0	-40.43	14.00	Horizontal	Horizontal	Pass
3889.000	-46.99	9.03	-13.0	-33.99	170.00	Horizontal	Horizontal	Pass
6684.000	-39.12	14.62	-13.0	-26.12	55.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
827.049	-60.89	4.39	-13.0	-47.89	0.00	Horizontal	Vertical	N/A
887.722	-38.09	4.49	-13.0	-25.09	0.00	Horizontal	Vertical	N/A
1373.900	-54.69	-4.40	-13.0	-41.69	260.00	Horizontal	Vertical	Pass
2205.400	-53.67	-1.78	-13.0	-40.67	63.00	Horizontal	Vertical	Pass
4465.750	-45.30	9.58	-13.0	-32.30	302.00	Horizontal	Vertical	Pass
6682.000	-38.52	14.55	-13.0	-25.52	335.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-59.13	4.81	-13.0	-46.13	192.00	Vertical	Vertical	N/A
885.734	-35.31	4.40	-13.0	-22.31	305.00	Vertical	Vertical	N/A
1313.500	-56.22	-3.89	-13.0	-43.22	298.00	Vertical	Vertical	Pass
2104.300	-53.83	-0.16	-13.0	-40.83	126.00	Vertical	Vertical	Pass
3892.500	-46.44	9.09	-13.0	-33.44	3.00	Vertical	Vertical	Pass
6706.500	-38.52	15.58	-13.0	-25.52	78.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
473.969	-63.78	-5.40	-13.0	-50.78	240.00	Vertical	Horizontal	Pass
873.997	-41.49	4.19	-13.0	-28.49	8.00	Vertical	Horizontal	N/A
2101.300	-52.86	-0.15	-13.0	-39.86	94.00	Vertical	Horizontal	Pass
3848.750	-46.28	8.52	-13.0	-33.28	10.00	Vertical	Horizontal	Pass
6681.250	-39.03	14.56	-13.0	-26.03	255.00	Vertical	Horizontal	Pass
9353.000	-40.18	14.72	-13.0	-27.18	214.00	Vertical	Horizontal	Pass




23 n7

23.1 n7 BW5, Middle Channel


RSE-H&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
350.585	-64.53	-12.37	-25.0	-39.53	0.00	Horizontal	Horizontal	Pass
2537.800	-39.70	8.16	-25.0	-14.70	216.00	Horizontal	Horizontal	N/A
2655.200	-21.14	8.24	-25.0	3.86	246.00	Horizontal	Horizontal	N/A
5157.250	-42.90	11.16	-25.0	-17.90	279.00	Horizontal	Horizontal	Pass
6713.750	-39.24	15.70	-25.0	-14.24	33.00	Horizontal	Horizontal	Pass
19753.550	-40.76	12.94	-25.0	-15.76	0.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
447.973	-69.41	-9.13	-25.0	-44.41	292.00	Horizontal	Vertical	Pass
2535.500	-44.44	8.17	-25.0	-19.44	359.00	Horizontal	Vertical	N/A
2656.600	-20.91	8.13	-25.0	4.09	195.00	Horizontal	Vertical	N/A
6722.750	-38.86	15.60	-25.0	-13.86	68.00	Horizontal	Vertical	Pass
13386.299	-38.99	16.88	-25.0	-13.99	360.00	Horizontal	Vertical	Pass
18052.276	-40.87	12.85	-25.0	-15.87	246.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.134	-59.55	-24.45	-25.0	-34.55	35.00	Vertical	Vertical	Pass
2048.700	-47.80	3.83	-25.0	-22.80	146.00	Vertical	Vertical	Pass
2654.900	-26.87	8.27	-25.0	-1.87	305.00	Vertical	Vertical	N/A
7799.000	-38.25	15.84	-25.0	-13.25	173.00	Vertical	Vertical	Pass
13389.975	-37.78	16.92	-25.0	-12.78	3.00	Vertical	Vertical	Pass
20091.849	-40.35	12.96	-25.0	-15.35	220.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
392.828	-62.40	-9.61	-25.0	-37.40	107.00	Vertical	Horizontal	Pass
2038.000	-48.06	3.76	-25.0	-23.06	6.00	Vertical	Horizontal	Pass
2654.300	-24.62	8.31	-25.0	0.38	316.00	Vertical	Horizontal	N/A
6643.000	-39.60	15.15	-25.0	-14.60	81.00	Vertical	Horizontal	Pass
13797.638	-38.29	16.85	-25.0	-13.29	277.00	Vertical	Horizontal	Pass
19762.051	-41.10	12.94	-25.0	-16.10	152.00	Vertical	Horizontal	Pass


## 23.2 n7 BW15, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
583.288	-53.86	-5.71	-25.0	-28.86	1.00	Horizontal	Horizontal	Pass
1142.900	-42.34	-1.85	-25.0	-17.34	240.00	Horizontal	Horizontal	Pass
2655.600	-28.74	8.20	-25.0	-3.74	234.00	Horizontal	Horizontal	N/A
6708.750	-38.77	15.66	-25.0	-13.77	353.00	Horizontal	Horizontal	Pass
13355.062	-38.46	16.59	-25.0	-13.46	210.00	Horizontal	Horizontal	Pass
17969.551	-40.47	13.61	-25.0	-15.47	52.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.393	-68.90	-19.22	-25.0	-43.90	27.00	Horizontal	Vertical	Pass
1673.200	-51.09	0.11	-25.0	-26.09	258.00	Horizontal	Vertical	Pass
2650.900	-26.81	8.56	-25.0	-1.81	190.00	Horizontal	Vertical	N/A
6652.250	-38.40	15.07	-25.0	-13.40	212.00	Horizontal	Vertical	Pass
12706.537	-39.22	14.78	-25.0	-14.22	288.00	Horizontal	Vertical	Pass
19785.425	-40.36	12.94	-25.0	-15.36	0.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
662.877	-60.02	-3.82	-25.0	-35.02	160.00	Vertical	Vertical	Pass
2536.100	-44.35	8.16	-25.0	-19.35	296.00	Vertical	Vertical	N/A
2650.000	-31.82	8.54	-25.0	-6.82	296.00	Vertical	Vertical	N/A
6644.250	-38.70	15.11	-25.0	-13.70	238.00	Vertical	Vertical	Pass
13809.974	-38.19	16.78	-25.0	-13.19	255.00	Vertical	Vertical	Pass
19390.599	-40.63	12.92	-25.0	-15.63	36.00	Vertical	Vertical	Pass

RSE-V&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.959	-58.99	-24.14	-25.0	-33.99	224.00	Vertical	Horizontal	Pass
1262.000	-45.36	-0.91	-25.0	-20.36	249.00	Vertical	Horizontal	Pass
2649.300	-35.04	8.51	-25.0	-10.04	316.00	Vertical	Horizontal	N/A
5899.250	-39.68	12.71	-25.0	-14.68	299.00	Vertical	Horizontal	Pass
13377.112	-37.69	16.79	-25.0	-12.69	184.00	Vertical	Horizontal	Pass
19481.125	-40.60	12.93	-25.0	-15.60	320.00	Vertical	Horizontal	Pass




### 23.3 n7 BW20, Middle Channel


RSE-H&H n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
398.261	-52.08	-9.63	-25.0	-27.08	94.00	Horizontal	Horizontal	Pass
2580.600	-43.76	8.60	-25.0	-18.76	235.00	Horizontal	Horizontal	N/A
2658.800	-27.78	8.03	-25.0	-2.78	235.00	Horizontal	Horizontal	N/A
6647.500	-39.28	15.17	-25.0	-14.28	1.00	Horizontal	Horizontal	Pass
13366.612	-38.42	16.70	-25.0	-13.42	34.00	Horizontal	Horizontal	Pass
19734.850	-40.26	12.94	-25.0	-15.26	130.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
301.066	-67.34	-14.56	-25.0	-42.34	108.00	Horizontal	Vertical	Pass
2514.800	-45.40	8.24	-25.0	-20.40	37.00	Horizontal	Vertical	Pass
2660.600	-24.03	7.93	-25.0	0.97	245.00	Horizontal	Vertical	N/A
6642.500	-39.07	15.11	-25.0	-14.07	248.00	Horizontal	Vertical	Pass
13365.300	-38.36	16.68	-25.0	-13.36	321.00	Horizontal	Vertical	Pass
17942.776	-39.97	13.92	-25.0	-14.97	50.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.677	-57.05	-17.55	-25.0	-32.05	91.00	Vertical	Vertical	Pass
2516.900	-44.47	8.23	-25.0	-19.47	32.00	Vertical	Vertical	N/A
2649.400	-29.34	8.50	-25.0	-4.34	360.00	Vertical	Vertical	N/A
6652.250	-38.11	15.07	-25.0	-13.11	151.00	Vertical	Vertical	Pass
13450.613	-38.32	15.90	-25.0	-13.32	0.00	Vertical	Vertical	Pass
19546.151	-41.01	12.93	-25.0	-16.01	0.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.074	-52.53	-23.17	-25.0	-27.53	122.00	Vertical	Horizontal	Pass
1387.800	-52.14	-0.63	-25.0	-27.14	201.00	Vertical	Horizontal	Pass
2655.200	-32.08	8.24	-25.0	-7.08	306.00	Vertical	Horizontal	N/A
6710.500	-38.93	15.68	-25.0	-13.93	353.00	Vertical	Horizontal	Pass
13382.625	-38.51	16.85	-25.0	-13.51	360.00	Vertical	Horizontal	Pass
19898.474	-40.17	12.95	-25.0	-15.17	180.00	Vertical	Horizontal	Pass


24 n38

24.1 n38 BW20, Middle Channel


RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
167.400	-68.81	-19.28	-25.0	-43.81	53.00	Horizontal	Horizontal	Pass
2556.300	-41.17	7.34	-25.0	-16.17	218.00	Horizontal	Horizontal	N/A
2631.400	-33.56	8.17	-25.0	-8.56	324.00	Horizontal	Horizontal	N/A
6735.000	-38.70	15.26	-25.0	-13.70	213.00	Horizontal	Horizontal	Pass
13329.599	-38.27	15.74	-25.0	-13.27	163.00	Horizontal	Horizontal	Pass
19716.999	-39.97	12.94	-25.0	-14.97	1.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
298.593	-68.78	-14.67	-25.0	-43.78	105.00	Horizontal	Vertical	Pass
2015.500	-48.93	3.75	-25.0	-23.93	155.00	Horizontal	Vertical	Pass
2626.500	-40.01	9.24	-25.0	-15.01	112.00	Horizontal	Vertical	N/A
6693.500	-38.99	14.83	-25.0	-13.99	353.00	Horizontal	Vertical	Pass
13376.850	-37.50	16.79	-25.0	-12.50	279.00	Horizontal	Vertical	Pass
17817.037	-40.94	12.74	-25.0	-15.94	360.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.629	-57.52	-17.55	-25.0	-32.52	67.00	Vertical	Vertical	Pass
2562.300	-43.41	8.85	-25.0	-18.41	253.00	Vertical	Vertical	N/A
2626.000	-40.20	9.79	-25.0	-15.20	68.00	Vertical	Vertical	N/A
6669.750	-39.17	14.62	-25.0	-14.17	342.00	Vertical	Vertical	Pass
13388.137	-38.29	16.90	-25.0	-13.29	209.00	Vertical	Vertical	Pass
17918.099	-39.84	13.32	-25.0	-14.84	3.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.823	-58.39	-17.61	-25.0	-33.39	86.00	Vertical	Horizontal	Pass
1201.500	-52.37	-0.59	-25.0	-27.37	155.00	Vertical	Horizontal	Pass
2621.700	-43.12	10.05	-25.0	-18.12	124.00	Vertical	Horizontal	Pass
6595.250	-39.45	14.32	-25.0	-14.45	181.00	Vertical	Horizontal	Pass
11912.813	-39.45	13.96	-25.0	-14.45	301.00	Vertical	Horizontal	Pass
19752.700	-40.83	12.94	-25.0	-15.83	38.00	Vertical	Horizontal	Pass




## 24.2 n38 BW30, Middle Channel


RSE-H&H n38 BW30 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
164.490	-68.39	-19.23	-25.0	-43.39	188.00	Horizontal	Horizontal	Pass
2561.700	-36.60	8.84	-25.0	-11.60	234.00	Horizontal	Horizontal	N/A
2630.000	-31.84	8.26	-25.0	-6.84	302.00	Horizontal	Horizontal	N/A
6575.250	-38.65	14.37	-25.0	-13.65	309.00	Horizontal	Horizontal	Pass
13374.224	-38.61	16.77	-25.0	-13.61	202.00	Horizontal	Horizontal	Pass
19796.050	-40.31	12.94	-25.0	-15.31	62.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
301.164	-69.40	-14.58	-25.0	-44.40	117.00	Horizontal	Vertical	Pass
2104.700	-47.87	4.62	-25.0	-22.87	185.00	Horizontal	Vertical	Pass
2628.300	-36.92	8.58	-25.0	-11.92	100.00	Horizontal	Vertical	N/A
6700.250	-38.41	15.32	-25.0	-13.41	235.00	Horizontal	Vertical	Pass
13798.950	-37.48	16.94	-25.0	-12.48	346.00	Horizontal	Vertical	Pass
20059.552	-40.36	12.96	-25.0	-15.36	107.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.629	-58.29	-17.55	-25.0	-33.29	105.00	Vertical	Vertical	Pass
2560.900	-41.64	8.78	-25.0	-16.64	235.00	Vertical	Vertical	N/A
2639.300	-33.88	8.18	-25.0	-8.88	229.00	Vertical	Vertical	N/A
6655.750	-38.99	15.05	-25.0	-13.99	170.00	Vertical	Vertical	Pass
13407.563	-38.80	16.84	-25.0	-13.80	360.00	Vertical	Vertical	Pass
19506.625	-40.08	12.93	-25.0	-15.08	153.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.435	-58.53	-17.58	-25.0	-33.53	64.00	Vertical	Horizontal	Pass
1573.700	-51.96	0.62	-25.0	-26.96	293.00	Vertical	Horizontal	Pass
2628.000	-40.27	8.63	-25.0	-15.27	155.00	Vertical	Horizontal	N/A
6657.250	-39.07	14.93	-25.0	-14.07	23.00	Vertical	Horizontal	Pass
13337.737	-38.97	16.06	-25.0	-13.97	3.00	Vertical	Horizontal	Pass
19699.151	-40.49	12.94	-25.0	-15.49	2.00	Vertical	Horizontal	Pass

## 24.3 n38 BW40, Middle Channel


RSE-H&H n38 BW40 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
213.087	-70.89	-16.61	-25.0	-45.89	75.00	Horizontal	Horizontal	Pass
1581.600	-51.60	0.28	-25.0	-26.60	86.00	Horizontal	Horizontal	Pass
2563.900	-41.02	8.89	-25.0	-16.02	305.00	Horizontal	Horizontal	N/A
4858.250	-44.55	10.10	-25.0	-19.55	3.00	Horizontal	Horizontal	Pass
6721.000	-38.75	15.76	-25.0	-13.75	0.00	Horizontal	Horizontal	Pass
13356.375	-38.86	16.60	-25.0	-13.86	25.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
300.873	-70.26	-14.55	-25.0	-45.26	118.00	Horizontal	Vertical	Pass
1565.000	-51.62	0.35	-25.0	-26.62	289.00	Horizontal	Vertical	Pass
2591.300	-43.59	9.55	-25.0	-18.59	137.00	Horizontal	Vertical	Pass
6708.500	-39.17	15.70	-25.0	-14.17	257.00	Horizontal	Vertical	Pass
13370.812	-38.75	16.74	-25.0	-13.75	5.00	Horizontal	Vertical	Pass
20227.850	-39.91	12.96	-25.0	-14.91	221.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
62.786	-60.21	-17.15	-25.0	-35.21	140.00	Vertical	Vertical	Pass
164.636	-66.34	-19.24	-25.0	-41.34	152.00	Vertical	Vertical	Pass
2590.600	-42.89	9.53	-25.0	-17.89	263.00	Vertical	Vertical	Pass
6644.250	-39.23	15.11	-25.0	-14.23	248.00	Vertical	Vertical	Pass
13388.137	-38.11	16.90	-25.0	-13.11	345.00	Vertical	Vertical	Pass
19631.151	-40.50	12.93	-25.0	-15.50	82.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
63.901	-63.34	-17.63	-25.0	-38.34	71.00	Vertical	Horizontal	Pass
1620.800	-52.45	0.19	-25.0	-27.45	69.00	Vertical	Horizontal	Pass
2619.100	-43.33	10.02	-25.0	-18.33	245.00	Vertical	Horizontal	Pass
6646.500	-39.32	15.26	-25.0	-14.32	34.00	Vertical	Horizontal	Pass
12504.662	-38.79	14.65	-25.0	-13.79	253.00	Vertical	Horizontal	Pass
19779.899	-40.82	12.94	-25.0	-15.82	312.00	Vertical	Horizontal	Pass




25 n41

25.1 n41 BW20, Middle Channel


RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
889.517	-47.78	-0.19	-25.0	-22.78	360.00	Horizontal	Horizontal	Pass
2561.500	-34.28	8.83	-25.0	-9.28	217.00	Horizontal	Horizontal	N/A
2630.900	-39.36	8.20	-25.0	-14.36	341.00	Horizontal	Horizontal	N/A
6710.250	-38.97	15.65	-25.0	-13.97	170.00	Horizontal	Horizontal	Pass
13366.088	-38.34	16.69	-25.0	-13.34	86.00	Horizontal	Horizontal	Pass
17942.249	-40.84	13.90	-25.0	-15.84	275.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
213.475	-72.09	-16.61	-25.0	-47.09	75.00	Horizontal	Vertical	Pass
2514.500	-40.88	7.03	-25.0	-15.88	132.00	Horizontal	Vertical	N/A
2559.800	-40.74	8.58	-25.0	-15.74	169.00	Horizontal	Vertical	N/A
6708.750	-38.83	15.66	-25.0	-13.83	82.00	Horizontal	Vertical	Pass
13390.763	-38.33	16.92	-25.0	-13.33	0.00	Horizontal	Vertical	Pass
20081.650	-40.53	12.96	-25.0	-15.53	360.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
63.368	-62.63	-17.39	-25.0	-37.63	106.00	Vertical	Vertical	Pass
2046.100	-48.49	3.80	-25.0	-23.49	296.00	Vertical	Vertical	Pass
2557.100	-38.13	7.53	-25.0	-13.13	216.00	Vertical	Vertical	N/A
6663.500	-38.88	14.66	-25.0	-13.88	288.00	Vertical	Vertical	Pass
13388.401	-37.96	16.90	-25.0	-12.96	0.00	Vertical	Vertical	Pass
17803.125	-41.11	13.12	-25.0	-16.11	46.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.823	-62.85	-17.61	-25.0	-37.85	150.00	Vertical	Horizontal	Pass
1572.500	-51.87	0.68	-25.0	-26.87	225.00	Vertical	Horizontal	Pass
2513.700	-43.27	7.18	-25.0	-18.27	94.00	Vertical	Horizontal	N/A
6692.750	-39.06	14.87	-25.0	-14.06	5.00	Vertical	Horizontal	Pass
13353.750	-38.81	16.58	-25.0	-13.81	0.00	Vertical	Horizontal	Pass
17920.463	-40.84	13.38	-25.0	-15.84	0.00	Vertical	Horizontal	Pass

## 25.2 n41 BW60, Middle Channel


RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
610.690	-64.11	-4.76	-25.0	-39.11	134.00	Horizontal	Horizontal	Pass
2564.800	15.14	8.91	-25.0	40.14	242.00	Horizontal	Horizontal	N/A
2623.000	-20.38	10.07	-25.0	4.62	236.00	Horizontal	Horizontal	N/A
6674.250	-39.07	14.52	-25.0	-14.07	28.00	Horizontal	Horizontal	Pass
13362.413	-38.09	16.66	-25.0	-13.09	253.00	Horizontal	Horizontal	Pass
19766.301	-40.38	12.94	-25.0	-15.38	254.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
214.203	-72.02	-16.64	-25.0	-47.02	77.00	Horizontal	Vertical	Pass
2564.900	9.57	8.92	-25.0	34.57	119.00	Horizontal	Vertical	N/A
2622.700	-28.93	10.07	-25.0	-3.93	138.00	Horizontal	Vertical	N/A
6640.000	-38.76	15.07	-25.0	-13.76	360.00	Horizontal	Vertical	Pass
13358.213	-38.71	16.62	-25.0	-13.71	299.00	Horizontal	Vertical	Pass
17967.450	-40.16	13.66	-25.0	-15.16	113.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
62.883	-62.32	-17.17	-25.0	-37.32	138.00	Vertical	Vertical	Pass
2564.700	9.69	8.91	-25.0	34.69	215.00	Vertical	Vertical	N/A
2623.000	-26.18	10.07	-25.0	-1.18	266.00	Vertical	Vertical	N/A
6706.250	-38.12	15.54	-25.0	-13.12	106.00	Vertical	Vertical	Pass
13386.299	-37.69	16.88	-25.0	-12.69	0.00	Vertical	Vertical	Pass
19699.575	-40.69	12.94	-25.0	-15.69	131.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.356	-62.39	-17.88	-25.0	-37.39	140.00	Vertical	Horizontal	Pass
2564.600	5.93	8.91	-25.0	30.93	94.00	Vertical	Horizontal	N/A
2622.600	-33.19	10.06	-25.0	-8.19	58.00	Vertical	Horizontal	N/A
6660.250	-39.25	14.79	-25.0	-14.25	254.00	Vertical	Horizontal	Pass
13381.049	-38.62	16.83	-25.0	-13.62	89.00	Vertical	Horizontal	Pass
17947.238	-40.83	14.02	-25.0	-15.83	360.00	Vertical	Horizontal	Pass




### 25.3 n41 BW100, Middle Channel


RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.666	-63.13	-19.20	-25.0	-38.13	193.00	Horizontal	Horizontal	Pass
2552.900	13.36	7.21	-25.0	38.36	340.00	Horizontal	Horizontal	N/A
2629.400	-18.91	8.39	-25.0	6.09	229.00	Horizontal	Horizontal	N/A
6636.500	-39.65	14.86	-25.0	-14.65	304.00	Horizontal	Horizontal	Pass
13793.700	-38.03	16.59	-25.0	-13.03	290.00	Horizontal	Horizontal	Pass
20105.026	-40.54	12.96	-25.0	-15.54	224.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
165.751	-63.91	-19.40	-25.0	-38.91	60.00	Horizontal	Vertical	Pass
2544.900	12.69	6.32	-25.0	37.69	135.00	Horizontal	Vertical	N/A
2633.300	-29.80	8.18	-25.0	-4.80	135.00	Horizontal	Vertical	N/A
6662.500	-38.56	14.80	-25.0	-13.56	229.00	Horizontal	Vertical	Pass
13384.200	-39.02	16.86	-25.0	-14.02	360.00	Horizontal	Vertical	Pass
18079.474	-40.60	12.85	-25.0	-15.60	153.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
66.520	-64.84	-18.09	-25.0	-39.84	103.00	Vertical	Vertical	Pass
2544.800	11.33	6.35	-25.0	36.33	270.00	Vertical	Vertical	N/A
2626.900	-26.59	8.99	-25.0	-1.59	264.00	Vertical	Vertical	N/A
6622.750	-39.22	14.66	-25.0	-14.22	196.00	Vertical	Vertical	Pass
13388.401	-37.54	16.90	-25.0	-12.54	263.00	Vertical	Vertical	Pass
19431.823	-41.01	12.92	-25.0	-16.01	360.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
65.841	-63.47	-17.97	-25.0	-38.47	86.00	Vertical	Horizontal	Pass
2553.200	8.94	7.27	-25.0	33.94	247.00	Vertical	Horizontal	N/A
2628.200	-30.92	8.60	-25.0	-5.92	51.00	Vertical	Horizontal	N/A
7186.000	-38.50	14.64	-25.0	-13.50	50.00	Vertical	Horizontal	Pass
13806.562	-38.73	16.86	-25.0	-13.73	277.00	Vertical	Horizontal	Pass
20165.800	-40.65	12.96	-25.0	-15.65	272.00	Vertical	Horizontal	Pass

26 DC\_5A\_n7A


26.1 DC\_5A\_n7A BW10(LTE)+BW5(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
402.286	-74.80	-6.76	-25.0	-49.80	198.00	Horizontal	Horizontal	Pass
832.142	-62.87	4.75	-25.0	-37.87	111.00	Horizontal	Horizontal	N/A
881.660	-26.73	4.86	-25.0	-1.73	287.00	Horizontal	Horizontal	N/A
2538.800	-40.91	10.22	-25.0	-15.91	136.00	Horizontal	Horizontal	N/A
2652.300	-26.83	9.90	-25.0	-1.83	198.00	Horizontal	Horizontal	N/A
13390.763	-37.93	16.92	-25.0	-12.93	57.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.398	-63.21	5.00	-25.0	-38.21	112.00	Horizontal	Vertical	N/A
880.593	-29.70	4.88	-25.0	-4.70	273.00	Horizontal	Vertical	N/A
2544.900	-43.57	10.19	-25.0	-18.57	277.00	Horizontal	Vertical	N/A
2653.500	-25.37	9.76	-25.0	-0.37	179.00	Horizontal	Vertical	N/A
7807.750	-38.82	16.10	-25.0	-13.82	228.00	Horizontal	Vertical	Pass
12721.263	-38.69	14.76	-25.0	-13.69	262.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
826.710	-63.60	4.53	-25.0	-38.60	285.00	Vertical	Vertical	N/A
877.586	-39.32	4.71	-25.0	-14.32	0.00	Vertical	Vertical	N/A
2541.900	-32.92	10.21	-25.0	-7.92	62.00	Vertical	Vertical	N/A
2654.300	-41.26	9.75	-25.0	-16.26	141.00	Vertical	Vertical	N/A
7948.500	-39.80	14.75	-25.0	-14.80	55.00	Vertical	Vertical	Pass
13362.150	-37.66	16.65	-25.0	-12.66	108.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.902	-64.04	5.06	-25.0	-39.04	267.00	Vertical	Horizontal	N/A
879.671	-40.26	4.79	-25.0	-15.26	2.00	Vertical	Horizontal	N/A
2541.700	-43.32	10.21	-25.0	-18.32	339.00	Vertical	Horizontal	N/A
2653.900	-41.08	9.76	-25.0	-16.08	198.00	Vertical	Horizontal	N/A
7805.250	-38.30	16.02	-25.0	-13.30	25.00	Vertical	Horizontal	Pass
12508.701	-38.41	14.58	-25.0	-13.41	27.00	Vertical	Horizontal	Pass




## 26.2 DC\_5A\_n7A BW10(LTE)+BW15(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.804	-63.41	5.06	-25.0	-38.41	249.00	Horizontal	Horizontal	N/A
877.150	-38.97	4.67	-25.0	-13.97	134.00	Horizontal	Horizontal	N/A
2649.700	-34.44	9.76	-25.0	-9.44	82.00	Horizontal	Horizontal	N/A
6713.250	-38.95	15.74	-25.0	-13.95	257.00	Horizontal	Horizontal	Pass
11988.575	-39.20	13.86	-25.0	-14.20	246.00	Horizontal	Horizontal	Pass
17946.188	-39.82	14.00	-25.0	-14.82	289.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.015	-63.73	4.79	-25.0	-38.73	142.00	Horizontal	Vertical	N/A
879.380	-35.19	4.81	-25.0	-10.19	165.00	Horizontal	Vertical	N/A
2537.800	-42.72	10.23	-25.0	-17.72	182.00	Horizontal	Vertical	N/A
2650.300	-27.06	9.82	-25.0	-2.06	84.00	Horizontal	Vertical	N/A
6667.000	-38.21	14.62	-25.0	-13.21	265.00	Horizontal	Vertical	Pass
13398.112	-37.95	16.99	-25.0	-12.95	257.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-63.96	4.75	-25.0	-38.96	179.00	Vertical	Vertical	N/A
877.150	-35.56	4.67	-25.0	-10.56	344.00	Vertical	Vertical	N/A
2537.300	-42.32	10.23	-25.0	-17.32	163.00	Vertical	Vertical	N/A
2650.400	-37.21	9.83	-25.0	-12.21	334.00	Vertical	Vertical	N/A
6644.000	-38.95	15.12	-25.0	-13.95	265.00	Vertical	Vertical	Pass
19667.276	-40.43	12.94	-25.0	-15.43	347.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.950	-63.50	5.07	-25.0	-38.50	105.00	Vertical	Horizontal	N/A
877.198	-37.71	4.67	-25.0	-12.71	335.00	Vertical	Horizontal	N/A
2555.700	-42.56	10.24	-25.0	-17.56	332.00	Vertical	Horizontal	N/A
2651.600	-35.75	9.88	-25.0	-10.75	338.00	Vertical	Horizontal	N/A
5898.500	-40.59	12.66	-25.0	-15.59	114.00	Vertical	Horizontal	Pass
13370.812	-38.36	16.74	-25.0	-13.36	354.00	Vertical	Horizontal	Pass


### 26.3 DC\_5A\_n7A BW10(LTE)+BW20(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.181	-68.15	-17.42	-25.0	-43.15	228.00	Horizontal	Horizontal	Pass
882.679	-29.26	4.99	-25.0	-4.26	80.00	Horizontal	Horizontal	N/A
2437.500	-32.52	7.67	-25.0	-7.52	170.00	Horizontal	Horizontal	N/A
2640.400	-25.73	9.81	-25.0	-0.73	0.00	Horizontal	Horizontal	N/A
6734.000	-39.09	15.18	-25.0	-14.09	360.00	Horizontal	Horizontal	Pass
13371.862	-38.49	16.75	-25.0	-13.49	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
879.623	-28.68	4.80	-25.0	-3.68	57.00	Horizontal	Vertical	Pass
2439.400	-33.25	7.65	-25.0	-8.25	144.00	Horizontal	Vertical	Pass
2639.100	-26.14	9.48	-25.0	-1.14	163.00	Horizontal	Vertical	Pass
3470.750	-47.69	7.18	-25.0	-22.69	151.00	Horizontal	Vertical	Pass
7788.500	-39.29	15.61	-25.0	-14.29	31.00	Horizontal	Vertical	Pass
13412.550	-38.03	16.73	-25.0	-13.03	49.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
884.570	-29.08	4.92	-25.0	-4.08	109.00	Vertical	Vertical	N/A
2435.300	-33.22	7.59	-25.0	-8.22	250.00	Vertical	Vertical	N/A
2639.900	-29.88	9.68	-25.0	-4.88	256.00	Vertical	Vertical	N/A
7816.500	-38.73	16.35	-25.0	-13.73	257.00	Vertical	Vertical	Pass
13382.887	-37.68	16.85	-25.0	-12.68	96.00	Vertical	Vertical	Pass
17783.175	-40.63	12.16	-25.0	-15.63	321.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.209	-51.03	4.80	-25.0	-26.03	360.00	Vertical	Horizontal	Pass
877.441	-35.93	4.69	-25.0	-10.93	118.00	Vertical	Horizontal	N/A
2436.400	-35.81	7.78	-25.0	-10.81	119.00	Vertical	Horizontal	N/A
2640.500	-30.64	9.83	-25.0	-5.64	269.00	Vertical	Horizontal	N/A
6720.750	-39.12	15.71	-25.0	-14.12	289.00	Vertical	Horizontal	Pass
13817.850	-38.57	16.59	-25.0	-13.57	0.00	Vertical	Horizontal	Pass



27 DC\_7A\_n5A


27.1 DC\_7A\_n5A BW20(LTE)+BW5(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.894	-54.69	4.94	-25.0	-29.69	231.00	Horizontal	Horizontal	N/A
880.787	-21.09	4.89	-25.0	3.91	284.00	Horizontal	Horizontal	N/A
2535.300	-41.20	10.24	-25.0	-16.20	288.00	Horizontal	Horizontal	N/A
2652.000	-22.97	9.94	-25.0	2.03	219.00	Horizontal	Horizontal	N/A
6657.500	-38.84	14.92	-25.0	-13.84	109.00	Horizontal	Horizontal	Pass
13374.224	-38.08	16.77	-25.0	-13.08	298.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-60.38	4.96	-25.0	-35.38	126.00	Horizontal	Vertical	N/A
879.914	-22.69	4.79	-25.0	2.31	268.00	Horizontal	Vertical	N/A
2539.600	-42.20	10.22	-25.0	-17.20	144.00	Horizontal	Vertical	N/A
2653.300	-23.44	9.76	-25.0	1.56	112.00	Horizontal	Vertical	N/A
6700.000	-38.95	15.34	-25.0	-13.95	258.00	Horizontal	Vertical	Pass
13399.425	-37.69	17.00	-25.0	-12.69	31.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.137	-56.95	4.95	-25.0	-31.95	132.00	Vertical	Vertical	N/A
883.212	-29.34	4.99	-25.0	-4.34	199.00	Vertical	Vertical	N/A
2536.900	-43.35	10.23	-25.0	-18.35	304.00	Vertical	Vertical	N/A
2662.500	-28.14	9.07	-25.0	-3.14	119.00	Vertical	Vertical	N/A
7214.250	-39.05	14.01	-25.0	-14.05	343.00	Vertical	Vertical	Pass
12727.437	-38.41	14.75	-25.0	-13.41	330.00	Vertical	Vertical	Pass