



# RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 836.555         | -57.93       | 4.93        | -25.0          | -32.93          | 57.00     | Vertical | Horizontal | N/A     |
| 882.873         | -32.05       | 4.99        | -25.0          | -7.05           | 15.00     | Vertical | Horizontal | N/A     |
| 2534.000        | -43.31       | 10.25       | -25.0          | -18.31          | 100.00    | Vertical | Horizontal | N/A     |
| 2652.900        | -36.57       | 9.77        | -25.0          | -11.57          | 316.00    | Vertical | Horizontal | N/A     |
| 6654.750        | -39.20       | 14.93       | -25.0          | -14.20          | 247.00    | Vertical | Horizontal | Pass    |
| 13348.500       | -37.91       | 16.48       | -25.0          | -12.91          | 141.00    | Vertical | Horizontal | Pass    |


## 27.2 DC\_7A\_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 836.604         | -61.46       | 4.93        | -25.0          | -36.46          | 237.00    | Horizontal | Horizontal | N/A     |
| 876.276         | -26.32       | 4.67        | -25.0          | -1.32           | 116.00    | Horizontal | Horizontal | N/A     |
| 2535.700        | -43.08       | 10.24       | -25.0          | -18.08          | 210.00    | Horizontal | Horizontal | N/A     |
| 2648.000        | -22.35       | 9.83        | -25.0          | 2.65            | 110.00    | Horizontal | Horizontal | N/A     |
| 7804.500        | -39.34       | 16.04       | -25.0          | -14.34          | 124.00    | Horizontal | Horizontal | Pass    |
| 13381.049       | -38.04       | 16.83       | -25.0          | -13.04          | 240.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 836.798         | -58.46       | 4.94        | -25.0          | -33.46          | 300.00    | Horizontal | Vertical | N/A     |
| 878.023         | -30.86       | 4.76        | -25.0          | -5.86           | 131.00    | Horizontal | Vertical | N/A     |
| 2652.900        | -22.81       | 9.77        | -25.0          | 2.19            | 107.00    | Horizontal | Vertical | N/A     |
| 6653.500        | -39.11       | 15.02       | -25.0          | -14.11          | 161.00    | Horizontal | Vertical | Pass    |
| 13381.313       | -38.61       | 16.83       | -25.0          | -13.61          | 348.00    | Horizontal | Vertical | Pass    |
| 20217.600       | -41.20       | 12.96       | -25.0          | -16.20          | 63.00     | Horizontal | Vertical | Pass    |

# RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 836.700         | -60.30       | 4.94        | -25.0          | -35.30          | 164.00    | Vertical | Vertical | N/A     |
| 875.598         | -34.33       | 4.82        | -25.0          | -9.33           | 336.00    | Vertical | Vertical | N/A     |
| 2660.800        | -29.90       | 9.12        | -25.0          | -4.90           | 160.00    | Vertical | Vertical | N/A     |
| 7858.500        | -39.04       | 14.30       | -25.0          | -14.04          | 9.00      | Vertical | Vertical | Pass    |
| 13804.987       | -38.24       | 16.89       | -25.0          | -13.24          | 217.00    | Vertical | Vertical | Pass    |
| 19645.198       | -40.44       | 12.93       | -25.0          | -15.44          | 108.00    | Vertical | Vertical | Pass    |


# RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 835.779         | -61.66       | 4.90        | -25.0          | -36.66          | 319.00    | Vertical | Horizontal | N/A     |
| 874.579         | -39.76       | 4.87        | -25.0          | -14.76          | 125.00    | Vertical | Horizontal | N/A     |
| 2662.100        | -34.42       | 9.03        | -25.0          | -9.42           | 183.00    | Vertical | Horizontal | N/A     |
| 6652.250        | -38.58       | 15.07       | -25.0          | -13.58          | 360.00    | Vertical | Horizontal | Pass    |
| 13809.188       | -38.21       | 16.80       | -25.0          | -13.21          | 214.00    | Vertical | Horizontal | Pass    |
| 18198.450       | -40.43       | 12.86       | -25.0          | -15.43          | 203.00    | Vertical | Horizontal | Pass    |


### 27.3 DC\_7A\_n5A BW20(LTE)+BW20(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 838.252         | -62.27       | 5.00        | -25.0          | -37.27          | 52.00     | Horizontal | Horizontal | N/A     |
| 875.985         | -27.31       | 4.73        | -25.0          | -2.31           | 103.00    | Horizontal | Horizontal | N/A     |
| 2662.100        | -21.79       | 9.03        | -25.0          | 3.21            | 114.00    | Horizontal | Horizontal | N/A     |
| 6762.500        | -39.06       | 14.35       | -25.0          | -14.06          | 308.00    | Horizontal | Horizontal | Pass    |
| 13371.862       | -38.73       | 16.75       | -25.0          | -13.73          | 177.00    | Horizontal | Horizontal | Pass    |
| 19718.552       | -40.79       | 12.94       | -25.0          | -15.79          | 118.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 837.865         | -60.10       | 4.98        | -25.0          | -35.10          | 296.00    | Horizontal | Vertical | N/A     |
| 875.209         | -25.83       | 4.85        | -25.0          | -0.83           | 118.00    | Horizontal | Vertical | N/A     |
| 2534.200        | -42.66       | 10.25       | -25.0          | -17.66          | 58.00     | Horizontal | Vertical | N/A     |
| 2655.500        | -23.43       | 9.56        | -25.0          | 1.57            | 110.00    | Horizontal | Vertical | N/A     |
| 6654.000        | -39.36       | 15.00       | -25.0          | -14.36          | 177.00    | Horizontal | Vertical | Pass    |
| 13387.612       | -37.92       | 16.89       | -25.0          | -12.92          | 75.00     | Horizontal | Vertical | Pass    |


# RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 837.476         | -61.42       | 4.97        | -25.0          | -36.42          | 15.00     | Vertical | Vertical | N/A     |
| 875.840         | -39.91       | 4.76        | -25.0          | -14.91          | 214.00    | Vertical | Vertical | N/A     |
| 2662.800        | -30.53       | 9.15        | -25.0          | -5.53           | 147.00    | Vertical | Vertical | N/A     |
| 6702.500        | -39.60       | 15.54       | -25.0          | -14.60          | 142.00    | Vertical | Vertical | Pass    |
| 13335.375       | -38.03       | 15.96       | -25.0          | -13.03          | 360.00    | Vertical | Vertical | Pass    |
| 19678.050       | -40.70       | 12.94       | -25.0          | -15.70          | 287.00    | Vertical | Vertical | Pass    |



# RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 839.610         | -60.66       | 5.05        | -25.0          | -35.66          | 327.00    | Vertical | Horizontal | N/A     |
| 872.154         | -39.69       | 4.97        | -25.0          | -14.69          | 83.00     | Vertical | Horizontal | N/A     |
| 2535.500        | -42.87       | 10.24       | -25.0          | -17.87          | 232.00    | Vertical | Horizontal | N/A     |
| 2655.600        | -34.13       | 9.55        | -25.0          | -9.13           | 189.00    | Vertical | Horizontal | N/A     |
| 6631.500        | -38.87       | 14.85       | -25.0          | -13.87          | 7.00      | Vertical | Horizontal | Pass    |
| 13362.938       | -38.39       | 16.66       | -25.0          | -13.39          | 49.00     | Vertical | Horizontal | Pass    |

28 DC\_26A\_n41A


28.1 DC\_26A\_n41A BW15(LTE)+BW20(NR)

RSE-H&H DC\_26A\_n41A BW15(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 824.866         | -47.38       | 4.46        | -25.0          | -22.38          | 326.00    | Horizontal | Horizontal | N/A     |
| 883.115         | -33.50       | 4.99        | -25.0          | -8.50           | 98.00     | Horizontal | Horizontal | N/A     |
| 2591.300        | -38.65       | 10.39       | -25.0          | -13.65          | 154.00    | Horizontal | Horizontal | N/A     |
| 4553.250        | -45.17       | 9.28        | -25.0          | -20.17          | 130.00    | Horizontal | Horizontal | Pass    |
| 6687.000        | -39.09       | 14.52       | -25.0          | -14.09          | 289.00    | Horizontal | Horizontal | Pass    |
| 13375.013       | -38.12       | 16.78       | -25.0          | -13.12          | 325.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_26A\_n41A BW15(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 824.769         | -49.09       | 4.46        | -25.0          | -24.09          | 17.00     | Horizontal | Vertical | N/A     |
| 883.115         | -32.40       | 4.99        | -25.0          | -7.40           | 0.00      | Horizontal | Vertical | N/A     |
| 2600.400        | -42.90       | 10.46       | -25.0          | -17.90          | 80.00     | Horizontal | Vertical | N/A     |
| 6647.250        | -39.15       | 15.22       | -25.0          | -14.15          | 333.00    | Horizontal | Vertical | Pass    |
| 13387.875       | -38.78       | 16.90       | -25.0          | -13.78          | 360.00    | Horizontal | Vertical | Pass    |
| 18028.474       | -39.92       | 12.85       | -25.0          | -14.92          | 102.00    | Horizontal | Vertical | Pass    |

# RSE-V&V DC\_26A\_n41A BW15(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 824.866         | -53.06       | 4.46        | -25.0          | -28.06          | 165.00    | Vertical | Vertical | N/A     |
| 878.604         | -37.78       | 4.81        | -25.0          | -12.78          | 40.00     | Vertical | Vertical | N/A     |
| 2051.300        | -46.85       | 5.25        | -25.0          | -21.85          | 86.00     | Vertical | Vertical | Pass    |
| 2591.300        | -41.15       | 10.39       | -25.0          | -16.15          | 318.00    | Vertical | Vertical | N/A     |
| 6739.250        | -39.61       | 15.04       | -25.0          | -14.61          | 152.00    | Vertical | Vertical | Pass    |
| 13819.688       | -38.50       | 16.55       | -25.0          | -13.50          | 57.00     | Vertical | Vertical | Pass    |


# RSE-V&H DC\_26A\_n41A BW15(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 824.866         | -49.93       | 4.46        | -25.0          | -24.93          | 19.00     | Vertical | Horizontal | N/A     |
| 879.769         | -35.67       | 4.79        | -25.0          | -10.67          | 2.00      | Vertical | Horizontal | N/A     |
| 2620.200        | -42.70       | 10.41       | -25.0          | -17.70          | 13.00     | Vertical | Horizontal | Pass    |
| 4358.000        | -43.68       | 9.37        | -25.0          | -18.68          | 132.00    | Vertical | Horizontal | Pass    |
| 6651.000        | -39.10       | 15.07       | -25.0          | -14.10          | 16.00     | Vertical | Horizontal | Pass    |
| 13346.662       | -38.45       | 16.41       | -25.0          | -13.45          | 78.00     | Vertical | Horizontal | Pass    |


## 28.2 DC\_26A\_n41A BW15(LTE)+BW60(NR)

RSE-H&H DC\_26A\_n41A BW15(LTE)+BW60(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 824.866         | -53.95       | 4.46        | -25.0          | -28.95          | 313.00    | Horizontal | Horizontal | N/A     |
| 872.639         | -36.81       | 4.88        | -25.0          | -11.81          | 1.00      | Horizontal | Horizontal | N/A     |
| 2563.000        | -27.91       | 10.18       | -25.0          | -2.91           | 154.00    | Horizontal | Horizontal | N/A     |
| 2627.300        | -28.23       | 10.05       | -25.0          | -3.23           | 154.00    | Horizontal | Horizontal | N/A     |
| 6660.750        | -39.21       | 14.74       | -25.0          | -14.21          | 186.00    | Horizontal | Horizontal | Pass    |
| 13371.600       | -37.75       | 16.74       | -25.0          | -12.75          | 168.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_26A\_n41A BW15(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 824.818         | -56.59       | 4.46        | -25.0          | -31.59          | 14.00     | Horizontal | Vertical | N/A     |
| 877.150         | -37.20       | 4.67        | -25.0          | -12.20          | 0.00      | Horizontal | Vertical | N/A     |
| 2559.100        | -34.66       | 9.74        | -25.0          | -9.66           | 142.00    | Horizontal | Vertical | N/A     |
| 2628.900        | -33.77       | 9.64        | -25.0          | -8.77           | 216.00    | Horizontal | Vertical | N/A     |
| 7789.250        | -38.59       | 15.56       | -25.0          | -13.59          | 27.00     | Horizontal | Vertical | Pass    |
| 13798.162       | -38.77       | 16.89       | -25.0          | -13.77          | 190.00    | Horizontal | Vertical | Pass    |

# RSE-V&V DC\_26A\_n41A BW15(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 824.866         | -52.66       | 4.46        | -25.0          | -27.66          | 188.00    | Vertical | Vertical | N/A     |
| 882.582         | -38.54       | 4.99        | -25.0          | -13.54          | 40.00     | Vertical | Vertical | N/A     |
| 2558.300        | -29.28       | 9.40        | -25.0          | -4.28           | 202.00    | Vertical | Vertical | N/A     |
| 2630.000        | -31.44       | 9.62        | -25.0          | -6.44           | 191.00    | Vertical | Vertical | N/A     |
| 6684.250        | -39.01       | 14.63       | -25.0          | -14.01          | 301.00    | Vertical | Vertical | Pass    |
| 13367.925       | -38.41       | 16.71       | -25.0          | -13.41          | 324.00    | Vertical | Vertical | Pass    |




# RSE-V&H DC\_26A\_n41A BW15(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 824.866         | -53.77       | 4.46        | -25.0          | -28.77          | 96.00     | Vertical | Horizontal | N/A     |
| 870.844         | -38.10       | 4.99        | -25.0          | -13.10          | 12.00     | Vertical | Horizontal | N/A     |
| 2560.600        | -39.99       | 10.08       | -25.0          | -14.99          | 57.00     | Vertical | Horizontal | N/A     |
| 2633.600        | -39.16       | 9.46        | -25.0          | -14.16          | 93.00     | Vertical | Horizontal | N/A     |
| 4124.750        | -44.16       | 9.00        | -25.0          | -19.16          | 153.00    | Vertical | Horizontal | Pass    |
| 13387.088       | -37.95       | 16.89       | -25.0          | -12.95          | 235.00    | Vertical | Horizontal | Pass    |


### 28.3 DC\_26A\_n41A BW15(LTE)+BW100(NR)

RSE-H&H DC\_26A\_n41A BW15(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 824.866         | -43.88       | 4.46        | -25.0          | -18.88          | 321.00    | Horizontal | Horizontal | N/A     |
| 882.873         | -34.46       | 4.99        | -25.0          | -9.46           | 169.00    | Horizontal | Horizontal | N/A     |
| 2559.400        | -25.72       | 9.86        | -25.0          | -0.72           | 137.00    | Horizontal | Horizontal | N/A     |
| 2632.900        | -23.02       | 9.47        | -25.0          | 1.98            | 156.00    | Horizontal | Horizontal | N/A     |
| 6652.250        | -38.50       | 15.07       | -25.0          | -13.50          | 280.00    | Horizontal | Horizontal | Pass    |
| 13380.525       | -37.95       | 16.83       | -25.0          | -12.95          | 123.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_26A\_n41A BW15(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 824.915         | -50.24       | 4.46        | -25.0          | -25.24          | 354.00    | Horizontal | Vertical | N/A     |
| 872.057         | -32.37       | 4.98        | -25.0          | -7.37           | 167.00    | Horizontal | Vertical | N/A     |
| 2561.100        | -28.63       | 10.16       | -25.0          | -3.63           | 151.00    | Horizontal | Vertical | N/A     |
| 2632.900        | -27.93       | 9.47        | -25.0          | -2.93           | 241.00    | Horizontal | Vertical | N/A     |
| 6764.750        | -39.57       | 14.22       | -25.0          | -14.57          | 185.00    | Horizontal | Vertical | Pass    |
| 13386.563       | -38.16       | 16.88       | -25.0          | -13.16          | 117.00    | Horizontal | Vertical | Pass    |

# RSE-V&V DC\_26A\_n41A BW15(LTE)+BW100(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 824.866         | -46.60       | 4.46        | -25.0          | -21.60          | 160.00    | Vertical | Vertical | N/A     |
| 877.150         | -29.29       | 4.67        | -25.0          | -4.29           | 345.00    | Vertical | Vertical | N/A     |
| 2562.600        | -24.98       | 10.18       | -25.0          | 0.02            | 345.00    | Vertical | Vertical | N/A     |
| 2627.100        | -24.33       | 10.14       | -25.0          | 0.67            | 83.00     | Vertical | Vertical | N/A     |
| 6655.000        | -38.70       | 14.97       | -25.0          | -13.70          | 244.00    | Vertical | Vertical | Pass    |
| 13796.850       | -38.31       | 16.80       | -25.0          | -13.31          | 244.00    | Vertical | Vertical | Pass    |

# RSE-V&H DC\_26A\_n41A BW15(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 824.915         | -46.29       | 4.46        | -25.0          | -21.29          | 68.00     | Vertical | Horizontal | N/A     |
| 875.113         | -29.41       | 4.86        | -25.0          | -4.41           | 199.00    | Vertical | Horizontal | N/A     |
| 2559.100        | -31.42       | 9.74        | -25.0          | -6.42           | 279.00    | Vertical | Horizontal | N/A     |
| 2628.400        | -30.14       | 9.75        | -25.0          | -5.14           | 211.00    | Vertical | Horizontal | N/A     |
| 6678.000        | -38.90       | 14.54       | -25.0          | -13.90          | 140.00    | Vertical | Horizontal | Pass    |
| 13840.162       | -37.87       | 16.07       | -25.0          | -12.87          | 284.00    | Vertical | Horizontal | Pass    |

29 DC\_66A\_n7A


29.1 DC\_66A\_n7A BW20(LTE)+BW5(NR)

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 203.678         | -67.36       | -15.52      | -25.0          | -42.36          | 296.00    | Horizontal | Horizontal | Pass    |
| 1736.700        | -46.86       | 2.04        | -25.0          | -21.86          | 169.00    | Horizontal | Horizontal | N/A     |
| 2138.200        | -16.90       | 4.49        | -25.0          | 8.10            | 120.00    | Horizontal | Horizontal | N/A     |
| 2535.900        | -41.51       | 8.31        | -25.0          | -16.51          | 114.00    | Horizontal | Horizontal | N/A     |
| 2654.800        | -19.92       | 9.08        | -25.0          | 5.08            | 108.00    | Horizontal | Horizontal | N/A     |
| 13390.763       | -38.56       | 16.92       | -25.0          | -13.56          | 128.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_66A\_n7A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 146.836         | -66.81       | -22.28      | -25.0          | -41.81          | 322.00    | Horizontal | Vertical | Pass    |
| 1736.700        | -45.98       | 2.04        | -25.0          | -20.98          | 183.00    | Horizontal | Vertical | N/A     |
| 2152.400        | -17.80       | 3.73        | -25.0          | 7.20            | 118.00    | Horizontal | Vertical | N/A     |
| 2535.700        | -43.46       | 8.31        | -25.0          | -18.46          | 216.00    | Horizontal | Vertical | N/A     |
| 2654.200        | -19.53       | 9.10        | -25.0          | 5.47            | 99.00     | Horizontal | Vertical | N/A     |
| 13369.763       | -38.75       | 16.73       | -25.0          | -13.75          | 208.00    | Horizontal | Vertical | Pass    |


# RSE-V&V DC\_66A\_n7A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 87.230          | -62.98       | -20.30      | -25.0          | -37.98          | 256.00    | Vertical | Vertical | Pass    |
| 1736.900        | -48.78       | 2.04        | -25.0          | -23.78          | 100.00    | Vertical | Vertical | N/A     |
| 2152.200        | -35.02       | 3.71        | -25.0          | -10.02          | 191.00    | Vertical | Vertical | N/A     |
| 2536.100        | -41.60       | 8.31        | -25.0          | -16.60          | 107.00    | Vertical | Vertical | N/A     |
| 2654.600        | -34.09       | 9.10        | -25.0          | -9.09           | 93.00     | Vertical | Vertical | N/A     |
| 13393.651       | -38.52       | 16.95       | -25.0          | -13.52          | 73.00     | Vertical | Vertical | Pass    |




# RSE-V&H DC\_66A\_n7A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 88.054          | -62.82       | -20.09      | -25.0          | -37.82          | 297.00    | Vertical | Horizontal | Pass    |
| 2137.400        | -35.11       | 4.53        | -25.0          | -10.11          | 211.00    | Vertical | Horizontal | N/A     |
| 2535.200        | -43.10       | 8.32        | -25.0          | -18.10          | 353.00    | Vertical | Horizontal | N/A     |
| 2654.300        | -32.74       | 9.10        | -25.0          | -7.74           | 165.00    | Vertical | Horizontal | N/A     |
| 6680.500        | -39.22       | 14.54       | -25.0          | -14.22          | 252.00    | Vertical | Horizontal | Pass    |
| 13344.300       | -38.48       | 16.32       | -25.0          | -13.48          | 18.00     | Vertical | Horizontal | Pass    |


## 29.2 DC\_66A\_n7A BW20(LTE)+BW15(NR)

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 203.921         | -63.78       | -15.49      | -25.0          | -38.78          | 289.00    | Horizontal | Horizontal | Pass    |
| 1736.900        | -46.50       | 2.04        | -25.0          | -21.50          | 191.00    | Horizontal | Horizontal | N/A     |
| 2141.100        | -18.40       | 4.46        | -25.0          | 6.60            | 123.00    | Horizontal | Horizontal | N/A     |
| 2537.800        | -40.74       | 8.30        | -25.0          | -15.74          | 154.00    | Horizontal | Horizontal | N/A     |
| 2649.500        | -26.98       | 9.41        | -25.0          | -1.98           | 136.00    | Horizontal | Horizontal | N/A     |
| 13820.213       | -38.06       | 16.54       | -25.0          | -13.06          | 256.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_66A\_n7A BW20(LTE)+BW15(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 159.738         | -70.11       | -19.54      | -25.0          | -45.11          | 304.00    | Horizontal | Vertical | Pass    |
| 1736.700        | -46.56       | 2.04        | -25.0          | -21.56          | 192.00    | Horizontal | Vertical | N/A     |
| 2146.600        | -19.91       | 4.28        | -25.0          | 5.09            | 119.00    | Horizontal | Vertical | N/A     |
| 2537.800        | -44.40       | 8.30        | -25.0          | -19.40          | 230.00    | Horizontal | Vertical | N/A     |
| 2649.400        | -26.47       | 9.39        | -25.0          | -1.47           | 106.00    | Horizontal | Vertical | N/A     |
| 13373.438       | -37.97       | 16.76       | -25.0          | -12.97          | 316.00    | Horizontal | Vertical | Pass    |

# RSE-V&V DC\_66A\_n7A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 34.219          | -64.85       | -23.13      | -25.0          | -39.85          | 360.00    | Vertical | Vertical | Pass    |
| 1736.500        | -49.05       | 2.04        | -25.0          | -24.05          | 99.00     | Vertical | Vertical | N/A     |
| 2151.600        | -31.75       | 3.92        | -25.0          | -6.75           | 203.00    | Vertical | Vertical | N/A     |
| 2535.400        | -44.36       | 8.32        | -25.0          | -19.36          | 197.00    | Vertical | Vertical | N/A     |
| 2651.500        | -33.41       | 9.36        | -25.0          | -8.41           | 145.00    | Vertical | Vertical | N/A     |
| 13344.037       | -38.42       | 16.31       | -25.0          | -13.42          | 71.00     | Vertical | Vertical | Pass    |


# RSE-V&H DC\_66A\_n7A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 86.842          | -63.60       | -20.41      | -25.0          | -38.60          | 324.00    | Vertical | Horizontal | Pass    |
| 2143.700        | -37.02       | 4.46        | -25.0          | -12.02          | 170.00    | Vertical | Horizontal | N/A     |
| 2651.400        | -39.40       | 9.36        | -25.0          | -14.40          | 196.00    | Vertical | Horizontal | N/A     |
| 7785.250        | -38.97       | 15.47       | -25.0          | -13.97          | 220.00    | Vertical | Horizontal | Pass    |
| 13380.263       | -38.18       | 16.82       | -25.0          | -13.18          | 289.00    | Vertical | Horizontal | Pass    |
| 19764.900       | -39.77       | 12.94       | -25.0          | -14.77          | 363.00    | Vertical | Horizontal | Pass    |


### 29.3 DC\_66A\_n7A BW20(LTE)+BW20(NR)

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 203.824         | -65.83       | -15.50      | -25.0          | -40.83          | 296.00    | Horizontal | Horizontal | Pass    |
| 1736.900        | -45.33       | 2.04        | -25.0          | -20.33          | 1.00      | Horizontal | Horizontal | N/A     |
| 2149.800        | -18.17       | 4.07        | -25.0          | 6.83            | 127.00    | Horizontal | Horizontal | N/A     |
| 2539.100        | -44.33       | 8.29        | -25.0          | -19.33          | 167.00    | Horizontal | Horizontal | N/A     |
| 2647.200        | -24.89       | 9.26        | -25.0          | 0.11            | 186.00    | Horizontal | Horizontal | N/A     |
| 13425.150       | -38.48       | 16.46       | -25.0          | -13.48          | 174.00    | Horizontal | Horizontal | Pass    |

# RSE-H&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 147.224         | -69.74       | -22.24      | -25.0          | -44.74          | 174.00    | Horizontal | Vertical | Pass    |
| 1736.900        | -45.74       | 2.04        | -25.0          | -20.74          | 185.00    | Horizontal | Vertical | N/A     |
| 2141.000        | -20.71       | 4.45        | -25.0          | 4.29            | 113.00    | Horizontal | Vertical | N/A     |
| 2646.600        | -28.62       | 9.26        | -25.0          | -3.62           | 100.00    | Horizontal | Vertical | N/A     |
| 7055.750        | -39.19       | 14.14       | -25.0          | -14.19          | 327.00    | Horizontal | Vertical | Pass    |
| 13359.787       | -37.68       | 16.63       | -25.0          | -12.68          | 62.00     | Horizontal | Vertical | Pass    |


# RSE-V&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 86.891          | -68.94       | -20.39      | -25.0          | -43.94          | 276.00    | Vertical | Vertical | Pass    |
| 1736.600        | -48.66       | 2.04        | -25.0          | -23.66          | 142.00    | Vertical | Vertical | N/A     |
| 2142.100        | -30.78       | 4.40        | -25.0          | -5.78           | 209.00    | Vertical | Vertical | N/A     |
| 2647.300        | -33.33       | 9.28        | -25.0          | -8.33           | 136.00    | Vertical | Vertical | N/A     |
| 6643.750        | -39.32       | 15.13       | -25.0          | -14.32          | 13.00     | Vertical | Vertical | Pass    |
| 13388.662       | -38.94       | 16.90       | -25.0          | -13.94          | 29.00     | Vertical | Vertical | Pass    |



# RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 86.600          | -66.65       | -20.48      | -25.0          | -41.65          | 290.00    | Vertical | Horizontal | Pass    |
| 1736.900        | -47.01       | 2.04        | -25.0          | -22.01          | 347.00    | Vertical | Horizontal | N/A     |
| 2143.100        | -35.20       | 4.34        | -25.0          | -10.20          | 219.00    | Vertical | Horizontal | N/A     |
| 2646.600        | -39.16       | 9.26        | -25.0          | -14.16          | 186.00    | Vertical | Horizontal | N/A     |
| 6643.750        | -39.02       | 15.13       | -25.0          | -14.02          | 231.00    | Vertical | Horizontal | Pass    |
| 13393.125       | -38.13       | 16.95       | -25.0          | -13.13          | 35.00     | Vertical | Horizontal | Pass    |