



**19.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.2	-25	Pass	2985
30	1000	0.1	RMS	840.399	-60.66	-25	Pass	9699
1000	2525	1	RMS	2505.988	-42.45	-25	Pass	1525
2525	2665	1	RMS	2618.8	11.19	60	Pass	401
2665	3000	1	RMS	2693.475	-43.77	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.6	-25	Pass	9000
12000	26500	1	RMS	26003.921	-38.97	-25	Pass	14500



**19.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.16	-25	Pass	2985
30	1000	0.1	RMS	849.4	-60.68	-25	Pass	9699
1000	2525	1	RMS	2522.999	-46.26	-25	Pass	1525
2525	2665	1	RMS	2608.65	5.51	60	Pass	401
2665	3000	1	RMS	2665	-43.27	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.58	-25	Pass	9000
12000	26500	1	RMS	26015.923	-39	-25	Pass	14500



20. CA_41C_full


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.05	-25	Pass	2985
30	1000	0.1	RMS	849.3	-60.66	-25	Pass	9699
1000	2475	1	RMS	2473.999	-36.71	-25	Pass	1475
2475	2735	1	RMS	2519.85	9.43	60	Pass	401
2735	3000	1	RMS	2949.65	-46.27	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.62	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.04	-25	Pass	15000




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.26	-25	Pass	2985
30	1000	0.1	RMS	898.465	-59.86	-25	Pass	9699
1000	2475	1	RMS	2475	-43.58	-25	Pass	1475
2475	2735	1	RMS	2516.6	12.54	60	Pass	401
2735	3000	1	RMS	2946.338	-46.28	-25	Pass	401
3000	12000	1	RMS	6957.483	-53.55	-25	Pass	9000
12000	27000	1	RMS	25999.853	-38.98	-25	Pass	15000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	Pass	2985
30	1000	0.1	RMS	859.714	-60.71	-25	Pass	9699
1000	2475	1	RMS	2475	-42.57	-25	Pass	1475
2475	2735	1	RMS	2519.85	9.36	60	Pass	401
2735	3000	1	RMS	2949.65	-46.25	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.57	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.02	-25	Pass	15000




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.83	-25	Pass	2985
30	1000	0.1	RMS	849.2	-60.73	-25	Pass	9699
1000	2475	1	RMS	2475	-44.59	-25	Pass	1475
2475	2735	1	RMS	2517.25	12.11	60	Pass	401
2735	3000	1	RMS	2950.313	-46.27	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.67	-25	Pass	9000
12000	27000	1	RMS	25988.851	-39.01	-25	Pass	15000




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-25	Pass	2985
30	1000	0.1	RMS	829.298	-60.63	-25	Pass	9699
1000	2475	1	RMS	2464.993	-47.99	-25	Pass	1475
2475	2735	1	RMS	2604.35	8.85	60	Pass	401
2735	3000	1	RMS	2949.65	-46.27	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.64	-25	Pass	9000
12000	27000	1	RMS	26021.856	-39.1	-25	Pass	15000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.99	-25	Pass	2985
30	1000	0.1	RMS	834.098	-60.61	-25	Pass	9699
1000	2475	1	RMS	2469.997	-48.03	-25	Pass	1475
2475	2735	1	RMS	2601.75	12.83	60	Pass	401
2735	3000	1	RMS	2947.663	-46.3	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.61	-25	Pass	9000
12000	27000	1	RMS	26010.855	-38.97	-25	Pass	15000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.11	-25	Pass	2985
30	1000	0.1	RMS	839.399	-60.84	-25	Pass	9699
1000	2475	1	RMS	2462.992	-48	-25	Pass	1475
2475	2735	1	RMS	2604.35	8.42	60	Pass	401
2735	3000	1	RMS	2948.325	-46.3	-25	Pass	401
3000	12000	1	RMS	6964.484	-53.59	-25	Pass	9000
12000	27000	1	RMS	26009.855	-39.03	-25	Pass	15000




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.11	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.29	-25	Pass	2985
30	1000	0.1	RMS	838.199	-60.66	-25	Pass	9699
1000	2475	1	RMS	2475	-47.98	-25	Pass	1475
2475	2735	1	RMS	2601.75	11.61	60	Pass	401
2735	3000	1	RMS	2945.675	-46.27	-25	Pass	401
3000	12000	1	RMS	6961.484	-53.61	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.06	-25	Pass	15000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.63	-25	Pass	2985
30	1000	0.1	RMS	838.799	-60.62	-25	Pass	9699
1000	2475	1	RMS	2471.998	-48.01	-25	Pass	1475
2475	2735	1	RMS	2666.1	8.93	60	Pass	401
2735	3000	1	RMS	2950.313	-46.24	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.53	-25	Pass	9000
12000	27000	1	RMS	25991.852	-39.04	-25	Pass	15000




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.84	-25	Pass	2985
30	1000	0.1	RMS	847.2	-60.78	-25	Pass	9699
1000	2475	1	RMS	2475	-48	-25	Pass	1475
2475	2735	1	RMS	2686.25	12.47	60	Pass	401
2735	3000	1	RMS	2949.65	-46.25	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.64	-25	Pass	9000
12000	27000	1	RMS	26008.854	-39.02	-25	Pass	15000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.38	-25	Pass	2985
30	1000	0.1	RMS	830.198	-60.79	-25	Pass	9699
1000	2475	1	RMS	2471.998	-47.8	-25	Pass	1475
2475	2735	1	RMS	2666.1	9.31	60	Pass	401
2735	3000	1	RMS	2948.988	-45.87	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.78	-25	Pass	9000
12000	27000	1	RMS	26017.856	-39.24	-25	Pass	15000




**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-25	Pass	2985
30	1000	0.1	RMS	835.898	-60.76	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.83	-25	Pass	1475
2475	2735	1	RMS	2686.9	11.96	60	Pass	401
2735	3000	1	RMS	2949.65	-45.89	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.82	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.13	-25	Pass	15000




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.59	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.98	-25	Pass	2985
30	1000	0.1	RMS	839.099	-60.82	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.85	-25	Pass	1475
2475	2735	1	RMS	2534.8	9.34	60	Pass	401
2735	3000	1	RMS	2944.35	-45.87	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.73	-25	Pass	9000
12000	27000	1	RMS	26016.856	-39.18	-25	Pass	15000




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	Pass	2985
30	1000	0.1	RMS	848.5	-60.53	-25	Pass	9699
1000	2475	1	RMS	2475	-42.14	-25	Pass	1475
2475	2735	1	RMS	2523.75	7.16	60	Pass	401
2735	3000	1	RMS	2945.675	-45.88	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.76	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.17	-25	Pass	15000




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.83	-25	Pass	2985
30	1000	0.1	RMS	844.799	-60.76	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.76	-25	Pass	1475
2475	2735	1	RMS	2534.15	10.03	60	Pass	401
2735	3000	1	RMS	2952.3	-45.86	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.75	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.1	-25	Pass	15000




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-25	Pass	2985
30	1000	0.1	RMS	858.012	-60.77	-25	Pass	9699
1000	2475	1	RMS	2475	-44.44	-25	Pass	1475
2475	2735	1	RMS	2524.4	6.36	60	Pass	401
2735	3000	1	RMS	2946.338	-45.86	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.76	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.12	-25	Pass	15000




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.94	-25	Pass	2985
30	1000	0.1	RMS	835.398	-60.68	-25	Pass	9699
1000	2475	1	RMS	2475	-48.11	-25	Pass	1475
2475	2735	1	RMS	2611.5	8.63	60	Pass	401
2735	3000	1	RMS	2948.325	-46.42	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.89	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.35	-25	Pass	15000




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.54	-25	Pass	2985
30	1000	0.1	RMS	839.199	-60.77	-25	Pass	9699
1000	2475	1	RMS	2475	-48.17	-25	Pass	1475
2475	2735	1	RMS	2599.8	6.67	60	Pass	401
2735	3000	1	RMS	2948.325	-46.44	-25	Pass	401
3000	12000	1	RMS	11795.747	-54.02	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.37	-25	Pass	15000




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.94	-25	Pass	2985
30	1000	0.1	RMS	854.006	-60.74	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.2	-25	Pass	1475
2475	2735	1	RMS	2611.5	9.82	60	Pass	401
2735	3000	1	RMS	2949.65	-46.44	-25	Pass	401
3000	12000	1	RMS	11816.773	-54	-25	Pass	9000
12000	27000	1	RMS	26014.855	-39.33	-25	Pass	15000




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.08	-25	Pass	2985
30	1000	0.1	RMS	817.896	-60.81	-25	Pass	9699
1000	2475	1	RMS	2464.993	-48.22	-25	Pass	1475
2475	2735	1	RMS	2584.85	5.73	60	Pass	401
2735	3000	1	RMS	2949.65	-46.4	-25	Pass	401
3000	12000	1	RMS	11823.782	-54	-25	Pass	9000
12000	27000	1	RMS	26977.997	-39.39	-25	Pass	15000




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.71	-25	Pass	2985
30	1000	0.1	RMS	862.217	-60.81	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.13	-25	Pass	1475
2475	2735	1	RMS	2651.15	8.72	60	Pass	401
2735	3000	1	RMS	2951.638	-46.45	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.93	-25	Pass	9000
12000	27000	1	RMS	26003.854	-39.33	-25	Pass	15000




**20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.21	-25	Pass	2985
30	1000	0.1	RMS	851.904	-60.8	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.19	-25	Pass	1475
2475	2735	1	RMS	2677.8	7.23	60	Pass	401
2735	3000	1	RMS	2950.975	-46.4	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.95	-25	Pass	9000
12000	27000	1	RMS	25984.851	-39.38	-25	Pass	15000




**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-25	Pass	2985
30	1000	0.1	RMS	863.819	-60.68	-25	Pass	9699
1000	2475	1	RMS	2475	-48.2	-25	Pass	1475
2475	2735	1	RMS	2651.15	8.98	60	Pass	401
2735	3000	1	RMS	2950.313	-46.42	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.97	-25	Pass	9000
12000	27000	1	RMS	25987.851	-39.34	-25	Pass	15000



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.26	-25	Pass	2985
30	1000	0.1	RMS	839.399	-60.8	-25	Pass	9699
1000	2475	1	RMS	2469.997	-48.18	-25	Pass	1475
2475	2735	1	RMS	2675.2	5.82	60	Pass	401
2735	3000	1	RMS	2950.975	-46.46	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.95	-25	Pass	9000
12000	27000	1	RMS	25982.851	-39.4	-25	Pass	15000



21. n5 15kHz


21.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.25	-13	Pass	2985
30	814	0.1	RMS	814	-63.49	-13	Pass	7840
814	859	0.1	RMS	826.027	10.89	60	Pass	450
859	1000	0.1	RMS	880.415	-63.47	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.31	-13	Pass	2000
3000	10000	1	RMS	8389.77	-60.1	-13	Pass	7000




21.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.44	-13	Pass	7840
814	859	0.1	RMS	825.726	10.97	60	Pass	450
859	1000	0.1	RMS	898.628	-63.48	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.34	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.1	-13	Pass	7000




21.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.47	-13	Pass	2985
30	814	0.1	RMS	755.192	-63.92	-13	Pass	7840
814	859	0.1	RMS	837.352	10.82	60	Pass	450
859	1000	0.1	RMS	870.308	-63.59	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.29	-13	Pass	2000
3000	10000	1	RMS	8408.773	-60.1	-13	Pass	7000




21.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2985
30	814	0.1	RMS	740.991	-63.87	-13	Pass	7840
814	859	0.1	RMS	837.352	11.04	60	Pass	450
859	1000	0.1	RMS	894.525	-63.51	-13	Pass	1410
1000	3000	1	RMS	2864.932	-48.3	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.02	-13	Pass	7000




21.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.41	-13	Pass	2985
30	814	0.1	RMS	745.991	-63.87	-13	Pass	7840
814	859	0.1	RMS	845.871	11.04	60	Pass	450
859	1000	0.1	RMS	903.331	-63.57	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.32	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.07	-13	Pass	7000




21.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-13	Pass	2985
30	814	0.1	RMS	733.79	-63.85	-13	Pass	7840
814	859	0.1	RMS	846.873	11.04	60	Pass	450
859	1000	0.1	RMS	892.123	-63.41	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.31	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.08	-13	Pass	7000




**21.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	Pass	2985
30	814	0.1	RMS	813.3	-56.48	-13	Pass	7840
814	859	0.1	RMS	828.532	6.69	60	Pass	450
859	1000	0.1	RMS	900.029	-63.66	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.3	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.09	-13	Pass	7000




21.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.8	-13	Pass	2985
30	814	0.1	RMS	814	-54.95	-13	Pass	7840
814	859	0.1	RMS	832.942	6.45	60	Pass	450
859	1000	0.1	RMS	889.322	-63.61	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.32	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.07	-13	Pass	7000




**21.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.1	-13	Pass	2985
30	814	0.1	RMS	813.7	-59.35	-13	Pass	7840
814	859	0.1	RMS	833.543	6.3	60	Pass	450
859	1000	0.1	RMS	894.625	-63.62	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.32	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.08	-13	Pass	7000




21.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	814	0.1	RMS	813.7	-57.68	-13	Pass	7840
814	859	0.1	RMS	837.953	6.83	60	Pass	450
859	1000	0.1	RMS	993.896	-63.57	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.31	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.05	-13	Pass	7000




21.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.65	-13	Pass	2985
30	814	0.1	RMS	814	-61.64	-13	Pass	7840
814	859	0.1	RMS	841.661	6.56	60	Pass	450
859	1000	0.1	RMS	896.427	-63.56	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.34	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.06	-13	Pass	7000




21.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.31	-13	Pass	7840
814	859	0.1	RMS	842.964	6.65	60	Pass	450
859	1000	0.1	RMS	888.021	-63.64	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.33	-13	Pass	2000
3000	10000	1	RMS	8409.773	-60.07	-13	Pass	7000




21.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	814	0.1	RMS	814	-55.14	-13	Pass	7840
814	859	0.1	RMS	830.236	4.89	60	Pass	450
859	1000	0.1	RMS	893.725	-63.51	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.31	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.02	-13	Pass	7000




21.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2985
30	814	0.1	RMS	813.7	-52.95	-13	Pass	7840
814	859	0.1	RMS	829.935	5.47	60	Pass	450
859	1000	0.1	RMS	890.923	-63.58	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.3	-13	Pass	2000
3000	10000	1	RMS	8421.775	-60.11	-13	Pass	7000




21.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.73	-13	Pass	2985
30	814	0.1	RMS	812.9	-56.27	-13	Pass	7840
814	859	0.1	RMS	838.555	5.13	60	Pass	450
859	1000	0.1	RMS	868.106	-63.66	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.35	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.08	-13	Pass	7000




21.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.54	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.91	-13	Pass	2985
30	814	0.1	RMS	813.6	-54.28	-13	Pass	7840
814	859	0.1	RMS	832.441	4.99	60	Pass	450
859	1000	0.1	RMS	874.911	-63.55	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.31	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.06	-13	Pass	7000




21.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.22	-13	Pass	2985
30	814	0.1	RMS	813.5	-56.44	-13	Pass	7840
814	859	0.1	RMS	840.96	5.25	60	Pass	450
859	1000	0.1	RMS	896.326	-63.54	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.26	-13	Pass	2000
3000	10000	1	RMS	8397.771	-60.03	-13	Pass	7000



21.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.92	-13	Pass	7840
814	859	0.1	RMS	840.96	5.02	60	Pass	450
859	1000	0.1	RMS	998.699	-63.6	-13	Pass	1410
1000	3000	1	RMS	2865.933	-48.31	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.12	-13	Pass	7000



22. n7 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-25	Pass	2985
30	1000	0.1	RMS	918.892	-63.68	-25	Pass	9699
1000	2490	1	RMS	2490	-50.11	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.25	60	Pass	401
2580	3000	1	RMS	2875.704	-48.65	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25501.84	-45.06	-25	Pass	19500




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.3	-25	Pass	2985
30	1000	0.1	RMS	995.694	-63.71	-25	Pass	9699
1000	2490	1	RMS	2490	-50.18	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.26	60	Pass	401
2580	3000	1	RMS	2868.687	-48.6	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.38	-25	Pass	3500
6500	26000	1	RMS	25503.84 1	-45.03	-25	Pass	19500




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-25	Pass	2985
30	1000	0.1	RMS	902.671	-63.73	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.58	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.32	60	Pass	401
2580	3000	1	RMS	2868.687	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.42	-25	Pass	3500
6500	26000	1	RMS	25509.843	-45.13	-25	Pass	19500




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-25	Pass	2985
30	1000	0.1	RMS	905.575	-63.52	-25	Pass	9699
1000	2490	1	RMS	2490	-50.52	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.3	60	Pass	401
2580	3000	1	RMS	2868.687	-48.67	-25	Pass	420
3000	6500	1	RMS	6213.918	-64.43	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.03	-25	Pass	19500




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.79	-25	Pass	2985
30	1000	0.1	RMS	923.198	-63.74	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.51	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.22	60	Pass	401
2580	3000	1	RMS	2868.687	-48.65	-25	Pass	420
3000	6500	1	RMS	5135.61	-62.84	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.02	-25	Pass	19500




22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.48	-25	Pass	2985
30	1000	0.1	RMS	876.937	-63.6	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.52	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.22	60	Pass	401
2580	3000	1	RMS	2868.687	-48.61	-25	Pass	420
3000	6500	1	RMS	5135.61	-62.59	-25	Pass	3500
6500	26000	1	RMS	25502.84	-45.03	-25	Pass	19500




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-25	Pass	2985
30	1000	0.1	RMS	892.157	-63.33	-25	Pass	9699
1000	2490	1	RMS	2490	-46.68	-25	Pass	1490
2490	2580	1	RMS	2514.975	13.75	60	Pass	401
2580	3000	1	RMS	2868.687	-48.21	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.75	-25	Pass	3500
6500	26000	1	RMS	25506.84 2	-44.37	-25	Pass	19500




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-65.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-25	Pass	2985
30	1000	0.1	RMS	888.352	-63.27	-25	Pass	9699
1000	2490	1	RMS	2490	-43.03	-25	Pass	1490
2490	2580	1	RMS	2516.1	13.81	60	Pass	401
2580	3000	1	RMS	2868.687	-48.17	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.78	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.41	-25	Pass	19500




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-25	Pass	2985
30	1000	0.1	RMS	882.744	-63.39	-25	Pass	9699
1000	2490	1	RMS	2490	-49.97	-25	Pass	1490
2490	2580	1	RMS	2529.825	13.66	60	Pass	401
2580	3000	1	RMS	2871.695	-48.17	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.77	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.32	-25	Pass	19500




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.29	-25	Pass	2985
30	1000	0.1	RMS	922.697	-63.4	-25	Pass	9699
1000	2490	1	RMS	2490	-49.84	-25	Pass	1490
2490	2580	1	RMS	2530.05	13.69	60	Pass	401
2580	3000	1	RMS	2868.687	-48.2	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.8	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.36	-25	Pass	19500




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	Pass	2985
30	1000	0.1	RMS	885.248	-63.38	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.08	-25	Pass	1490
2490	2580	1	RMS	2555.475	13.6	60	Pass	401
2580	3000	1	RMS	2580	-44.49	-25	Pass	420
3000	6500	1	RMS	6215.919	-63.79	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.32	-25	Pass	19500




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-25	Pass	2985
30	1000	0.1	RMS	886.449	-63.33	-25	Pass	9699
1000	2490	1	RMS	2490	-50.05	-25	Pass	1490
2490	2580	1	RMS	2556.825	13.74	60	Pass	401
2580	3000	1	RMS	2580	-41.66	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.77	-25	Pass	3500
6500	26000	1	RMS	25830.946	-44.42	-25	Pass	19500




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:503000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:80, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2985
30	1000	0.1	RMS	902.371	-63.72	-25	Pass	9699
1000	2490	1	RMS	2490	-46.63	-25	Pass	1490
2490	2580	1	RMS	2519.25	12.74	60	Pass	401
2580	3000	1	RMS	2870.692	-48.68	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.99	-25	Pass	19500




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:503000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:80, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.39	-25	Pass	2985
30	1000	0.1	RMS	900.969	-63.66	-25	Pass	9699
1000	2490	1	RMS	2490	-41.58	-25	Pass	1490
2490	2580	1	RMS	2517	12.62	60	Pass	401
2580	3000	1	RMS	2868.687	-48.64	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.37	-25	Pass	3500
6500	26000	1	RMS	25501.84	-45	-25	Pass	19500




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:80, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-69.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-25	Pass	2985
30	1000	0.1	RMS	888.252	-63.74	-25	Pass	9699
1000	2490	1	RMS	2490	-49.94	-25	Pass	1490
2490	2580	1	RMS	2530.275	12.51	60	Pass	401
2580	3000	1	RMS	2868.687	-48.67	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.94	-25	Pass	19500




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:80, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.33	-25	Pass	2985
30	1000	0.1	RMS	897.664	-63.65	-25	Pass	9699
1000	2490	1	RMS	2490	-48.85	-25	Pass	1490
2490	2580	1	RMS	2529.6	12.52	60	Pass	401
2580	3000	1	RMS	2580	-47.99	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.31	-25	Pass	3500
6500	26000	1	RMS	25496.839	-45.05	-25	Pass	19500




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:511000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:80, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-25	Pass	2985
30	1000	0.1	RMS	893.459	-63.6	-25	Pass	9699
1000	2490	1	RMS	2490	-50.51	-25	Pass	1490
2490	2580	1	RMS	2552.1	12.55	60	Pass	401
2580	3000	1	RMS	2580	-44.53	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.36	-25	Pass	3500
6500	26000	1	RMS	25501.84	-45.02	-25	Pass	19500



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:511000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:80, RB Position:40)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-25	Pass	2985
30	1000	0.1	RMS	890.355	-63.62	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.54	-25	Pass	1490
2490	2580	1	RMS	2553.45	12.55	60	Pass	401
2580	3000	1	RMS	2580	-40.04	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.98	-25	Pass	19500



23. n38 30kHz_PC3


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.04	-25	Pass	2985
30	1000	0.1	RMS	897.364	-60.75	-25	Pass	9699
1000	2560	1	RMS	2560	-42.67	-25	Pass	1560
2560	2630	1	RMS	2583.1	15.09	60	Pass	401
2630	3000	1	RMS	2869.575	-48.55	-25	Pass	401
3000	6500	1	RMS	6211.918	-64.21	-25	Pass	3500
6500	27000	1	RMS	25941.743	-43.91	-25	Pass	20500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.67	-25	Pass	2985
30	1000	0.1	RMS	932.11	-61.24	-25	Pass	9699
1000	2560	1	RMS	2560	-39.17	-25	Pass	1560
2560	2630	1	RMS	2582.225	14.99	60	Pass	401
2630	3000	1	RMS	2872.35	-48.57	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.15	-25	Pass	3500
6500	27000	1	RMS	25788.706	-44.02	-25	Pass	20500




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-25	Pass	2985
30	1000	0.1	RMS	993.892	-60.83	-25	Pass	9699
1000	2560	1	RMS	2518.974	-49.93	-25	Pass	1560
2560	2630	1	RMS	2595.175	14.96	60	Pass	401
2630	3000	1	RMS	2866.8	-48.58	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.1	-25	Pass	3500
6500	27000	1	RMS	25513.639	-43.95	-25	Pass	20500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.01	-25	Pass	401
0.15	30	0.01	RMS	0.51	-70.24	-25	Pass	2985
30	1000	0.1	RMS	906.876	-60.89	-25	Pass	9699
1000	2560	1	RMS	2558.999	-49.82	-25	Pass	1560
2560	2630	1	RMS	2597.45	14.89	60	Pass	401
2630	3000	1	RMS	2869.575	-48.58	-25	Pass	401
3000	6500	1	RMS	6078.88	-64.22	-25	Pass	3500
6500	27000	1	RMS	25917.737	-43.65	-25	Pass	20500




**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.12	-25	Pass	2985
30	1000	0.1	RMS	795.193	-61.31	-25	Pass	9699
1000	2560	1	RMS	2520.975	-50.03	-25	Pass	1560
2560	2630	1	RMS	2610.575	15.02	60	Pass	401
2630	3000	1	RMS	2630	-43.1	-25	Pass	401
3000	6500	1	RMS	6085.882	-64.16	-25	Pass	3500
6500	27000	1	RMS	25862.724	-43.75	-25	Pass	20500




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.81	-25	Pass	2985
30	1000	0.1	RMS	765.79	-61.26	-25	Pass	9699
1000	2560	1	RMS	2546.992	-50.09	-25	Pass	1560
2560	2630	1	RMS	2606.725	15.02	60	Pass	401
2630	3000	1	RMS	2630	-40.86	-25	Pass	401
3000	6500	1	RMS	6146.899	-64.14	-25	Pass	3500
6500	27000	1	RMS	25512.639	-43.59	-25	Pass	20500




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.39	-25	Pass	2985
30	1000	0.1	RMS	734.486	-61.08	-25	Pass	9699
1000	2560	1	RMS	2560	-42.74	-25	Pass	1560
2560	2630	1	RMS	2582.925	13.47	60	Pass	401
2630	3000	1	RMS	2870.5	-48.58	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.18	-25	Pass	3500
6500	27000	1	RMS	25784.705	-43.75	-25	Pass	20500




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.26	-25	Pass	2985
30	1000	0.1	RMS	967.657	-60.75	-25	Pass	9699
1000	2560	1	RMS	2560	-38.42	-25	Pass	1560
2560	2630	1	RMS	2588	13.86	60	Pass	401
2630	3000	1	RMS	2865.875	-48.14	-25	Pass	401
3000	6500	1	RMS	6196.913	-63.56	-25	Pass	3500
6500	27000	1	RMS	25858.723	-43.29	-25	Pass	20500




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-25	Pass	2985
30	1000	0.1	RMS	988.685	-61.02	-25	Pass	9699
1000	2560	1	RMS	2560	-47.62	-25	Pass	1560
2560	2630	1	RMS	2593.25	13.96	60	Pass	401
2630	3000	1	RMS	2630	-47.65	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.52	-25	Pass	3500
6500	27000	1	RMS	25497.635	-43.17	-25	Pass	20500




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.05	-25	Pass	2985
30	1000	0.1	RMS	934.012	-60.92	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.24	-25	Pass	1560
2560	2630	1	RMS	2593.775	13.72	60	Pass	401
2630	3000	1	RMS	2630.925	-45.49	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.43	-25	Pass	3500
6500	27000	1	RMS	25466.627	-42.77	-25	Pass	20500




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.12	-25	Pass	2985
30	1000	0.1	RMS	799.794	-61.15	-25	Pass	9699
1000	2560	1	RMS	2556.998	-49.01	-25	Pass	1560
2560	2630	1	RMS	2601.125	13.79	60	Pass	401
2630	3000	1	RMS	2630	-41.76	-25	Pass	401
3000	6500	1	RMS	6205.916	-63.43	-25	Pass	3500
6500	27000	1	RMS	26984.996	-43.26	-25	Pass	20500




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.68	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.95	-25	Pass	2985
30	1000	0.1	RMS	882.544	-60.32	-25	Pass	9699
1000	2560	1	RMS	2558.999	-48.55	-25	Pass	1560
2560	2630	1	RMS	2599.55	13.81	60	Pass	401
2630	3000	1	RMS	2630	-40.31	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.64	-25	Pass	3500
6500	27000	1	RMS	25521.641	-43.05	-25	Pass	20500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.69	-25	Pass	2985
30	1000	0.1	RMS	921.496	-60.63	-25	Pass	9699
1000	2560	1	RMS	2560	-40.9	-25	Pass	1560
2560	2630	1	RMS	2589.925	12.46	60	Pass	401
2630	3000	1	RMS	2630	-45.77	-25	Pass	401
3000	6500	1	RMS	6080.88	-63.62	-25	Pass	3500
6500	27000	1	RMS	26980.995	-42.99	-25	Pass	20500




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.17	-25	Pass	401
0.15	30	0.01	RMS	0.56	-69.33	-25	Pass	2985
30	1000	0.1	RMS	850.602	-61.01	-25	Pass	9699
1000	2560	1	RMS	2560	-36.28	-25	Pass	1560
2560	2630	1	RMS	2593.775	12.5	60	Pass	401
2630	3000	1	RMS	2630	-43.56	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.47	-25	Pass	3500
6500	27000	1	RMS	26709.93	-43.31	-25	Pass	20500




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.52	-25	Pass	2985
30	1000	0.1	RMS	921.896	-60.85	-25	Pass	9699
1000	2560	1	RMS	2558.999	-42.98	-25	Pass	1560
2560	2630	1	RMS	2598.325	12.47	60	Pass	401
2630	3000	1	RMS	2630	-43.28	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.54	-25	Pass	3500
6500	27000	1	RMS	25855.722	-43.27	-25	Pass	20500




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.05	-25	Pass	401
0.15	30	0.01	RMS	0.5	-68.54	-25	Pass	2985
30	1000	0.1	RMS	918.993	-60.79	-25	Pass	9699
1000	2560	1	RMS	2558.999	-40.12	-25	Pass	1560
2560	2630	1	RMS	2598.5	12.45	60	Pass	401
2630	3000	1	RMS	2630	-41.01	-25	Pass	401
3000	6500	1	RMS	6078.88	-63.51	-25	Pass	3500
6500	27000	1	RMS	25799.708	-43.32	-25	Pass	20500




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.49	-25	Pass	2985
30	1000	0.1	RMS	755.989	-60.95	-25	Pass	9699
1000	2560	1	RMS	2560	-44.18	-25	Pass	1560
2560	2630	1	RMS	2599.725	12.42	60	Pass	401
2630	3000	1	RMS	2630	-42.13	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.48	-25	Pass	3500
6500	27000	1	RMS	25207.565	-43.07	-25	Pass	20500



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.77	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.16	-25	Pass	2985
30	1000	0.1	RMS	892.758	-60.73	-25	Pass	9699
1000	2560	1	RMS	2560	-41.82	-25	Pass	1560
2560	2630	1	RMS	2603.575	12.42	60	Pass	401
2630	3000	1	RMS	2630	-37.3	-25	Pass	401
3000	6500	1	RMS	6196.913	-63.63	-25	Pass	3500
6500	27000	1	RMS	25501.636	-43.23	-25	Pass	20500



24. n41 30kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.92	-25	Pass	2985
30	1000	0.1	RMS	906.376	-61.58	-25	Pass	9699
1000	2486	1	RMS	2486	-43.81	-25	Pass	1486
2486	2700	1	RMS	2509.005	15.07	60	Pass	401
2700	3000	1	RMS	2868.75	-48.58	-25	Pass	401
3000	6500	1	RMS	6204.916	-64.25	-25	Pass	3500
6500	27000	1	RMS	25894.731	-43.86	-25	Pass	20500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.67	-25	Pass	2985
30	1000	0.1	RMS	979.373	-61.22	-25	Pass	9699
1000	2486	1	RMS	2486	-40.35	-25	Pass	1486
2486	2700	1	RMS	2509.005	15.11	60	Pass	401
2700	3000	1	RMS	2871	-48.57	-25	Pass	401
3000	6500	1	RMS	6197.914	-64.16	-25	Pass	3500
6500	27000	1	RMS	26828.958	-44.13	-25	Pass	20500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-25	Pass	2985
30	1000	0.1	RMS	961.048	-61.42	-25	Pass	9699
1000	2486	1	RMS	2486	-50.48	-25	Pass	1486
2486	2700	1	RMS	2592.465	14.74	60	Pass	401
2700	3000	1	RMS	2866.5	-48.66	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.35	-25	Pass	3500
6500	27000	1	RMS	25482.63 1	-44.09	-25	Pass	20500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.72	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.02	-25	Pass	2985
30	1000	0.1	RMS	999.9	-61.48	-25	Pass	9699
1000	2486	1	RMS	2478.995	-50.48	-25	Pass	1486
2486	2700	1	RMS	2593.535	14.84	60	Pass	401
2700	3000	1	RMS	2868.75	-48.61	-25	Pass	401
3000	6500	1	RMS	6223.921	-64.23	-25	Pass	3500
6500	27000	1	RMS	25822.714	-43.75	-25	Pass	20500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.73	-25	Pass	2985
30	1000	0.1	RMS	742.087	-61.25	-25	Pass	9699
1000	2486	1	RMS	2486	-50.61	-25	Pass	1486
2486	2700	1	RMS	2676.995	14.63	60	Pass	401
2700	3000	1	RMS	2700	-44.11	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.29	-25	Pass	3500
6500	27000	1	RMS	25812.712	-43.67	-25	Pass	20500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.1	-25	Pass	401
0.15	30	0.01	RMS	0.51	-68.49	-25	Pass	2985
30	1000	0.1	RMS	885.248	-60.83	-25	Pass	9699
1000	2486	1	RMS	2486	-50.4	-25	Pass	1486
2486	2700	1	RMS	2676.46	14.63	60	Pass	401
2700	3000	1	RMS	2700	-42.12	-25	Pass	401
3000	6500	1	RMS	6029.866	-64.35	-25	Pass	3500
6500	27000	1	RMS	25804.71	-43.92	-25	Pass	20500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.47	-25	Pass	2985
30	1000	0.1	RMS	946.229	-60.99	-25	Pass	9699
1000	2486	1	RMS	2486	-41.15	-25	Pass	1486
2486	2700	1	RMS	2524.52	9.79	60	Pass	401
2700	3000	1	RMS	2867.25	-48.56	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.1	-25	Pass	3500
6500	27000	1	RMS	25505.637	-43.95	-25	Pass	20500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.97	-25	Pass	2985
30	1000	0.1	RMS	977.67	-60.92	-25	Pass	9699
1000	2486	1	RMS	2486	-35.75	-25	Pass	1486
2486	2700	1	RMS	2528.265	9.77	60	Pass	401
2700	3000	1	RMS	2874.75	-48.61	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.08	-25	Pass	3500
6500	27000	1	RMS	25491.634	-43.69	-25	Pass	20500




24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.54	-25	Pass	2985
30	1000	0.1	RMS	993.491	-61.31	-25	Pass	9699
1000	2486	1	RMS	2471.991	-50.57	-25	Pass	1486
2486	2700	1	RMS	2603.165	9.78	60	Pass	401
2700	3000	1	RMS	2882.25	-48.64	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.2	-25	Pass	3500
6500	27000	1	RMS	25454.625	-43.86	-25	Pass	20500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.68	-25	Pass	2985
30	1000	0.1	RMS	891.756	-61.5	-25	Pass	9699
1000	2486	1	RMS	2486	-50.4	-25	Pass	1486
2486	2700	1	RMS	2598.35	9.91	60	Pass	401
2700	3000	1	RMS	2868.75	-48.56	-25	Pass	401
3000	6500	1	RMS	6077.879	-63.92	-25	Pass	3500
6500	27000	1	RMS	25198.56 2	-43.99	-25	Pass	20500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.53	-25	Pass	2985
30	1000	0.1	RMS	905.875	-60.79	-25	Pass	9699
1000	2486	1	RMS	2486	-50.42	-25	Pass	1486
2486	2700	1	RMS	2670.04	9.82	60	Pass	401
2700	3000	1	RMS	2700	-40.01	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.13	-25	Pass	3500
6500	27000	1	RMS	25459.626	-44	-25	Pass	20500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.93	-25	Pass	2985
30	1000	0.1	RMS	733.686	-61.04	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.58	-25	Pass	1486
2486	2700	1	RMS	2667.9	9.76	60	Pass	401
2700	3000	1	RMS	2700.75	-35.23	-25	Pass	401
3000	6500	1	RMS	6202.915	-64.17	-25	Pass	3500
6500	27000	1	RMS	25783.704	-43.83	-25	Pass	20500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.45	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.79	-25	Pass	2985
30	1000	0.1	RMS	892.758	-61.12	-25	Pass	9699
1000	2486	1	RMS	2484.999	-39.94	-25	Pass	1486
2486	2700	1	RMS	2522.915	7.78	60	Pass	401
2700	3000	1	RMS	2872.5	-48.58	-25	Pass	401
3000	6500	1	RMS	6215.919	-64.13	-25	Pass	3500
6500	27000	1	RMS	26911.979	-44.13	-25	Pass	20500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-25	Pass	2985
30	1000	0.1	RMS	769.69	-61.15	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.03	-25	Pass	1486
2486	2700	1	RMS	2526.125	7.73	60	Pass	401
2700	3000	1	RMS	2871	-48.59	-25	Pass	401
3000	6500	1	RMS	6201.915	-64.29	-25	Pass	3500
6500	27000	1	RMS	25179.558	-44.09	-25	Pass	20500




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.63	-25	Pass	2985
30	1000	0.1	RMS	942.424	-60.84	-25	Pass	9699
1000	2486	1	RMS	2486	-49.58	-25	Pass	1486
2486	2700	1	RMS	2601.025	7.77	60	Pass	401
2700	3000	1	RMS	2700	-48.35	-25	Pass	401
3000	6500	1	RMS	6223.921	-64.32	-25	Pass	3500
6500	27000	1	RMS	25488.633	-43.96	-25	Pass	20500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-25	Pass	2985
30	1000	0.1	RMS	890.955	-61.15	-25	Pass	9699
1000	2486	1	RMS	2486	-47.9	-25	Pass	1486
2486	2700	1	RMS	2601.56	7.86	60	Pass	401
2700	3000	1	RMS	2700	-47.35	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.28	-25	Pass	3500
6500	27000	1	RMS	25849.72 1	-43.98	-25	Pass	20500




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.63	-25	Pass	2985
30	1000	0.1	RMS	751.288	-60.73	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.3	-25	Pass	1486
2486	2700	1	RMS	2616.54	7.9	60	Pass	401
2700	3000	1	RMS	2700	-37.63	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.19	-25	Pass	3500
6500	27000	1	RMS	25839.718	-43.87	-25	Pass	20500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.92	-25	Pass	2985
30	1000	0.1	RMS	725.885	-61.64	-25	Pass	9699
1000	2486	1	RMS	2486	-49.82	-25	Pass	1486
2486	2700	1	RMS	2616.005	7.95	60	Pass	401
2700	3000	1	RMS	2700	-35.02	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.28	-25	Pass	3500
6500	27000	1	RMS	25800.709	-44.05	-25	Pass	20500



25. DC_5A_n7A_SCS15


25.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.47	-25	Pass	2985
30	1000	0.1	RMS	898.866	-63.5	-25	Pass	9699
1000	2490	1	RMS	2490	-49.71	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.61	60	Pass	401
2580	3000	1	RMS	2870.692	-48.24	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.77	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.43	-25	Pass	19500




25.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-25	Pass	2985
30	1000	0.1	RMS	891.456	-63.42	-25	Pass	9699
1000	2490	1	RMS	2490	-49.72	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.82	60	Pass	401
2580	3000	1	RMS	2866.683	-48.26	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.82	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.42	-25	Pass	19500




25.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	883.445	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-50.19	-25	Pass	1490
2490	2580	1	RMS	2535	20.67	60	Pass	401
2580	3000	1	RMS	2870.692	-48.22	-25	Pass	420
3000	6500	1	RMS	6215.919	-63.8	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.43	-25	Pass	19500




25.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-25	Pass	2985
30	1000	0.1	RMS	878.239	-63.36	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.19	-25	Pass	1490
2490	2580	1	RMS	2534.55	20.61	60	Pass	401
2580	3000	1	RMS	2868.687	-48.25	-25	Pass	420
3000	6500	1	RMS	6215.919	-63.81	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.44	-25	Pass	19500




25.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-25	Pass	2985
30	1000	0.1	RMS	918.392	-63.41	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.12	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.66	60	Pass	401
2580	3000	1	RMS	2872.697	-48.26	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.39	-25	Pass	19500




25.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-25	Pass	2985
30	1000	0.1	RMS	873.032	-63.24	-25	Pass	9699
1000	2490	1	RMS	2490	-50.18	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.62	60	Pass	401
2580	3000	1	RMS	2865.68	-48.19	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.8	-25	Pass	3500
6500	26000	1	RMS	25491.837	-44.45	-25	Pass	19500




25.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:64@32, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.05	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.05	-25	Pass	2985
30	1000	0.1	RMS	891.256	-63.31	-25	Pass	9699
1000	2490	1	RMS	2488.999	-45.64	-25	Pass	1490
2490	2580	1	RMS	2514.75	13.39	60	Pass	401
2580	3000	1	RMS	2869.69	-48.25	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.77	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.41	-25	Pass	19500




25.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.81	-25	Pass	2985
30	1000	0.1	RMS	871.73	-63.42	-25	Pass	9699
1000	2490	1	RMS	2490	-41.72	-25	Pass	1490
2490	2580	1	RMS	2512.05	13.47	60	Pass	401
2580	3000	1	RMS	2870.692	-48.25	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.81	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.32	-25	Pass	19500




25.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:64@32, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-67.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2985
30	1000	0.1	RMS	911.783	-63.36	-25	Pass	9699
1000	2490	1	RMS	2490	-49.84	-25	Pass	1490
2490	2580	1	RMS	2533.65	13.37	60	Pass	401
2580	3000	1	RMS	2868.687	-48.21	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.82	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.33	-25	Pass	19500




25.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-25	Pass	2985
30	1000	0.1	RMS	886.449	-63.41	-25	Pass	9699
1000	2490	1	RMS	1766.514	-48.94	-25	Pass	1490
2490	2580	1	RMS	2534.55	13.55	60	Pass	401
2580	3000	1	RMS	2871.695	-48.25	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.72	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.39	-25	Pass	19500




25.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:64@32, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-66.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.49	-25	Pass	2985
30	1000	0.1	RMS	888.552	-63.36	-25	Pass	9699
1000	2490	1	RMS	2490	-50.11	-25	Pass	1490
2490	2580	1	RMS	2555.925	13.51	60	Pass	401
2580	3000	1	RMS	2580	-45.68	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.72	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.31	-25	Pass	19500




25.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-69.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-25	Pass	2985
30	1000	0.1	RMS	899.467	-63.38	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.06	-25	Pass	1490
2490	2580	1	RMS	2557.05	13.57	60	Pass	401
2580	3000	1	RMS	2581.002	-41.86	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.84	-25	Pass	3500
6500	26000	1	RMS	25823.943	-44.37	-25	Pass	19500




25.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:503000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.07	-25	Pass	2985
30	1000	0.1	RMS	903.873	-63.67	-25	Pass	9699
1000	2490	1	RMS	2490	-48.24	-25	Pass	1490
2490	2580	1	RMS	2517.45	8.68	60	Pass	401
2580	3000	1	RMS	2866.683	-48.66	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25829.945	-45.05	-25	Pass	19500




25.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:503000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.56	-25	Pass	2985
30	1000	0.1	RMS	885.048	-63.66	-25	Pass	9699
1000	2490	1	RMS	2490	-45.31	-25	Pass	1490
2490	2580	1	RMS	2517.675	8.7	60	Pass	401
2580	3000	1	RMS	2868.687	-48.61	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25798.935	-45.01	-25	Pass	19500




25.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.34	-25	Pass	2985
30	1000	0.1	RMS	891.756	-63.63	-25	Pass	9699
1000	2490	1	RMS	2490	-49.97	-25	Pass	1490
2490	2580	1	RMS	2530.5	8.61	60	Pass	401
2580	3000	1	RMS	2868.687	-48.66	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.37	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.95	-25	Pass	19500




25.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.85	-25	Pass	2985
30	1000	0.1	RMS	884.246	-63.6	-25	Pass	9699
1000	2490	1	RMS	2490	-48.97	-25	Pass	1490
2490	2580	1	RMS	2533.2	8.57	60	Pass	401
2580	3000	1	RMS	2867.685	-48.63	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.35	-25	Pass	3500
6500	26000	1	RMS	25506.84 2	-45.06	-25	Pass	19500




25.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:80@40, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-25	Pass	2985
30	1000	0.1	RMS	889.353	-63.66	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.45	-25	Pass	1490
2490	2580	1	RMS	2550.75	8.78	60	Pass	401
2580	3000	1	RMS	2868.687	-48.64	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.37	-25	Pass	3500
6500	26000	1	RMS	25501.84	-45.04	-25	Pass	19500



25.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:80@40, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.66	-25	Pass	2985
30	1000	0.1	RMS	897.264	-63.45	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.46	-25	Pass	1490
2490	2580	1	RMS	2549.625	8.67	60	Pass	401
2580	3000	1	RMS	2581.002	-46.86	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.36	-25	Pass	3500
6500	26000	1	RMS	25490.837	-45.03	-25	Pass	19500



26. DC_7A_n5A_SCS15


26.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.55	-13	Pass	7840
814	859	0.1	RMS	826.929	10.61	60	Pass	450
859	1000	0.1	RMS	899.629	-63.52	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.15	-13	Pass	2000
3000	10000	1	RMS	8401.772	-59.89	-13	Pass	7000




26.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	Pass	2985
30	814	0.1	RMS	814	-62.33	-13	Pass	7840
814	859	0.1	RMS	825.526	10.82	60	Pass	450
859	1000	0.1	RMS	886.019	-63.35	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.19	-13	Pass	2000
3000	10000	1	RMS	8397.771	-59.95	-13	Pass	7000




26.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.2	-13	Pass	2985
30	814	0.1	RMS	746.391	-63.62	-13	Pass	7840
814	859	0.1	RMS	836.951	10.66	60	Pass	450
859	1000	0.1	RMS	905.733	-63.47	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.15	-13	Pass	2000
3000	10000	1	RMS	8403.772	-59.9	-13	Pass	7000




26.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	Pass	2985
30	814	0.1	RMS	730.189	-63.66	-13	Pass	7840
814	859	0.1	RMS	835.548	10.7	60	Pass	450
859	1000	0.1	RMS	889.221	-63.22	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.16	-13	Pass	2000
3000	10000	1	RMS	8404.772	-59.99	-13	Pass	7000




26.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-13	Pass	2985
30	814	0.1	RMS	735.59	-63.62	-13	Pass	7840
814	859	0.1	RMS	845.67	10.73	60	Pass	450
859	1000	0.1	RMS	881.216	-63.37	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.24	-13	Pass	2000
3000	10000	1	RMS	8382.769	-59.96	-13	Pass	7000




26.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	814	0.1	RMS	726.889	-63.72	-13	Pass	7840
814	859	0.1	RMS	845.57	11.1	60	Pass	450
859	1000	0.1	RMS	892.023	-63.4	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.21	-13	Pass	2000
3000	10000	1	RMS	8399.771	-59.92	-13	Pass	7000




26.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.37	-13	Pass	2985
30	814	0.1	RMS	812.7	-56.5	-13	Pass	7840
814	859	0.1	RMS	829.033	6.7	60	Pass	450
859	1000	0.1	RMS	881.116	-63.15	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.16	-13	Pass	2000
3000	10000	1	RMS	8402.772	-59.95	-13	Pass	7000




26.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2985
30	814	0.1	RMS	813	-54.7	-13	Pass	7840
814	859	0.1	RMS	829.234	6.76	60	Pass	450
859	1000	0.1	RMS	879.515	-63.32	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.15	-13	Pass	2000
3000	10000	1	RMS	8407.773	-59.97	-13	Pass	7000




26.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	Pass	2985
30	814	0.1	RMS	813.7	-59.45	-13	Pass	7840
814	859	0.1	RMS	834.445	6.33	60	Pass	450
859	1000	0.1	RMS	895.026	-63.35	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.15	-13	Pass	2000
3000	10000	1	RMS	8410.773	-59.9	-13	Pass	7000




26.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.98	-13	Pass	7840
814	859	0.1	RMS	834.245	6.27	60	Pass	450
859	1000	0.1	RMS	896.427	-63.4	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.16	-13	Pass	2000
3000	10000	1	RMS	8399.771	-59.87	-13	Pass	7000




26.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.93	-13	Pass	7840
814	859	0.1	RMS	839.457	6.29	60	Pass	450
859	1000	0.1	RMS	895.426	-63.26	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.2	-13	Pass	2000
3000	10000	1	RMS	8405.772	-59.88	-13	Pass	7000




26.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.75	-13	Pass	7840
814	859	0.1	RMS	839.256	6.37	60	Pass	450
859	1000	0.1	RMS	899.128	-63.31	-13	Pass	1410
1000	3000	1	RMS	2872.936	-48.2	-13	Pass	2000
3000	10000	1	RMS	8404.772	-59.93	-13	Pass	7000




26.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-13	Pass	2985
30	814	0.1	RMS	814	-54.82	-13	Pass	7840
814	859	0.1	RMS	830.737	4.88	60	Pass	450
859	1000	0.1	RMS	925.447	-63.35	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.18	-13	Pass	2000
3000	10000	1	RMS	8401.772	-59.92	-13	Pass	7000




26.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	Pass	2985
30	814	0.1	RMS	813.7	-53.12	-13	Pass	7840
814	859	0.1	RMS	832.641	4.82	60	Pass	450
859	1000	0.1	RMS	908.635	-63.45	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.2	-13	Pass	2000
3000	10000	1	RMS	8402.772	-59.9	-13	Pass	7000




26.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2985
30	814	0.1	RMS	812.9	-56.22	-13	Pass	7840
814	859	0.1	RMS	839.958	4.96	60	Pass	450
859	1000	0.1	RMS	896.527	-63.43	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.17	-13	Pass	2000
3000	10000	1	RMS	8415.774	-59.95	-13	Pass	7000




26.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.1	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.04	-13	Pass	2985
30	814	0.1	RMS	813.6	-54.08	-13	Pass	7840
814	859	0.1	RMS	840.158	5.01	60	Pass	450
859	1000	0.1	RMS	894.525	-63.24	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.14	-13	Pass	2000
3000	10000	1	RMS	8407.773	-59.89	-13	Pass	7000




26.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-13	Pass	2985
30	814	0.1	RMS	813.5	-56.37	-13	Pass	7840
814	859	0.1	RMS	841.361	5.05	60	Pass	450
859	1000	0.1	RMS	911.437	-63.37	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.14	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.91	-13	Pass	7000



26.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.75	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.34	-13	Pass	2985
30	814	0.1	RMS	813.5	-55.52	-13	Pass	7840
814	859	0.1	RMS	842.664	5.02	60	Pass	450
859	1000	0.1	RMS	873.811	-63.45	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.11	-13	Pass	2000
3000	10000	1	RMS	8400.772	-59.9	-13	Pass	7000



END