



**17.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-43.14	-25	Pass	401
2560	2565	1	RMS	2564.913	-38.81	-13	Pass	401
2565	2569	1	RMS	2569	-29.02	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-16.22	-10	Pass	401
2570	2580	0.1	RMS	2570.6	21.87	30	Pass	401




**17.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.4	-33.05	-25	Pass	401
2560	2565	1	RMS	2564.863	-25.9	-13	Pass	401
2565	2569	1	RMS	2569	-24.1	-10	Pass	5
2569	2570	0.2	RMS	2569.993	-26.86	-10	Pass	401
2570	2580	0.1	RMS	2573.325	4.01	30	Pass	401




**17.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-42.88	-25	Pass	401
2560	2565	1	RMS	2564.925	-38.85	-13	Pass	401
2565	2569	1	RMS	2569	-29.73	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-16.89	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.65	30	Pass	401




**17.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-34.35	-25	Pass	401
2560	2565	1	RMS	2564.813	-29.16	-13	Pass	401
2565	2569	1	RMS	2569	-27.69	-10	Pass	5
2569	2570	0.2	RMS	2569.983	-30.07	-10	Pass	401
2570	2580	0.1	RMS	2573.325	3.58	30	Pass	401




**17.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.94	30	Pass	401
2620	2621	0.2	RMS	2620.008	-15.36	-10	Pass	401
2621	2625	1	RMS	2621	-29.1	-10	Pass	5
2625	2630	1	RMS	2625.013	-38.88	-13	Pass	401
2630	2645	1	RMS	2630.075	-43.47	-25	Pass	401




**17.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.8	4.69	30	Pass	401
2620	2621	0.2	RMS	2620.02	-28.74	-10	Pass	401
2621	2625	1	RMS	2621	-26.33	-10	Pass	5
2625	2630	1	RMS	2625.488	-28.89	-13	Pass	401
2630	2645	1	RMS	2630.188	-34.05	-25	Pass	401




**17.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.48	30	Pass	401
2620	2621	0.2	RMS	2620	-16.52	-10	Pass	401
2621	2625	1	RMS	2621	-30.7	-10	Pass	5
2625	2630	1	RMS	2625.1	-39.81	-13	Pass	401
2630	2645	1	RMS	2630.15	-44.28	-25	Pass	401



**17.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2615.4	3.09	30	Pass	401
2620	2621	0.2	RMS	2620.008	-31.9	-10	Pass	401
2621	2625	1	RMS	2621	-30.23	-10	Pass	5
2625	2630	1	RMS	2625.538	-32.03	-13	Pass	401
2630	2645	1	RMS	2630.75	-36.49	-25	Pass	401






**17.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.3	-44.16	-25	Pass	401
2555	2565	1	RMS	2564.4	-37.35	-13	Pass	401
2565	2569	1	RMS	2569	-30.42	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-17.1	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.91	30	Pass	401




**17.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.55	-34.15	-25	Pass	401
2555	2565	1	RMS	2564.225	-25.06	-13	Pass	401
2565	2569	1	RMS	2569	-23.88	-10	Pass	5
2569	2570	0.3	RMS	2569.935	-26.79	-10	Pass	401
2570	2585	0.1	RMS	2572.738	2.71	30	Pass	401




**17.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.9	-44.6	-25	Pass	401
2555	2565	1	RMS	2564.175	-38.57	-13	Pass	401
2565	2569	1	RMS	2569	-31.19	-10	Pass	5
2569	2570	0.3	RMS	2569.995	-18.59	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.52	30	Pass	401




**17.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.875	-36.4	-25	Pass	401
2555	2565	1	RMS	2564	-28.53	-13	Pass	401
2565	2569	1	RMS	2569	-27.8	-10	Pass	5
2569	2570	0.3	RMS	2570	-29.83	-10	Pass	401
2570	2585	0.1	RMS	2574.988	1.3	30	Pass	401




**17.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	22	30	Pass	401
2620	2621	0.3	RMS	2620.008	-18.28	-10	Pass	401
2621	2625	1	RMS	2621	-30.63	-10	Pass	5
2625	2635	1	RMS	2625.75	-37.61	-13	Pass	401
2635	2645	1	RMS	2635.025	-44.88	-25	Pass	401




**17.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2614.075	2.85	30	Pass	401
2620	2621	0.3	RMS	2620.038	-28.54	-10	Pass	401
2621	2625	1	RMS	2622	-26.73	-10	Pass	5
2625	2635	1	RMS	2625.625	-26.69	-13	Pass	401
2635	2645	1	RMS	2637.175	-35.2	-25	Pass	401




**17.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.77	30	Pass	401
2620	2621	0.3	RMS	2620.003	-18.79	-10	Pass	401
2621	2625	1	RMS	2621	-31.99	-10	Pass	5
2625	2635	1	RMS	2625.825	-38.56	-13	Pass	401
2635	2645	1	RMS	2635	-45.25	-25	Pass	401



**17.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	1.88	30	Pass	401
2620	2621	0.3	RMS	2620.005	-31.11	-10	Pass	401
2621	2625	1	RMS	2622	-30.25	-10	Pass	5
2625	2635	1	RMS	2625.25	-30.4	-13	Pass	401
2635	2645	1	RMS	2635.875	-35.3	-25	Pass	401






**17.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.863	-45.43	-25	Pass	401
2550	2565	1	RMS	2562.188	-39.02	-13	Pass	401
2565	2569	1	RMS	2569	-31.09	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-17.53	-10	Pass	401
2570	2590	0.1	RMS	2571.05	21.01	30	Pass	401




**17.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2548.938	-33.54	-25	Pass	401
2550	2565	1	RMS	2564.513	-27.38	-13	Pass	401
2565	2569	1	RMS	2569	-26.58	-10	Pass	5
2569	2570	0.51	RMS	2569.89	-26.52	-10	Pass	401
2570	2590	0.1	RMS	2575.8	1.35	30	Pass	401




**17.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.438	-45.55	-25	Pass	401
2550	2565	1	RMS	2562	-39.57	-13	Pass	16
2565	2569	1	RMS	2569	-30.74	-10	Pass	5
2569	2570	0.51	RMS	2570	-16.64	-10	Pass	401
2570	2590	0.1	RMS	2571.05	20.21	30	Pass	401




**17.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.763	-35.89	-25	Pass	401
2550	2565	1	RMS	2564.363	-30.19	-13	Pass	401
2565	2569	1	RMS	2569	-29.45	-10	Pass	5
2569	2570	0.51	RMS	2569.925	-29.97	-10	Pass	401
2570	2590	0.1	RMS	2576.6	0.09	30	Pass	401




**17.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	21.46	30	Pass	401
2620	2621	0.51	RMS	2620.008	-17.93	-10	Pass	401
2621	2625	1	RMS	2621	-31.91	-10	Pass	5
2625	2640	1	RMS	2628	-38.96	-13	Pass	16
2640	2645	1	RMS	2640	-45.88	-25	Pass	401




**17.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.25	1.76	30	Pass	401
2620	2621	0.51	RMS	2620.033	-28.42	-10	Pass	401
2621	2625	1	RMS	2621	-28.51	-10	Pass	5
2625	2640	1	RMS	2625.525	-29.91	-13	Pass	401
2640	2645	1	RMS	2641.25	-33.88	-25	Pass	401




**17.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.12	30	Pass	401
2620	2621	0.51	RMS	2620.008	-17.64	-10	Pass	401
2621	2625	1	RMS	2621	-31.46	-10	Pass	5
2625	2640	1	RMS	2627.588	-38.79	-13	Pass	401
2640	2645	1	RMS	2640.2	-45.79	-25	Pass	401



**17.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.85	0.6	30	Pass	401
2620	2621	0.51	RMS	2620	-30.15	-10	Pass	401
2621	2625	1	RMS	2621	-30.56	-10	Pass	5
2625	2640	1	RMS	2625.188	-31.15	-13	Pass	401
2640	2645	1	RMS	2640.138	-37.18	-25	Pass	401






## 18. LTE\_Band41 full


### 18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.93	-25	Pass	401
2490	2495	1	RMS	2495	-26.29	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-16.65	-13	Pass	401
2496	2501	0.1	RMS	2496.363	22.26	30	Pass	401




**18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-31.68	-25	Pass	401
2490	2495	1	RMS	2495	-27.36	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-29.5	-13	Pass	401
2496	2501	0.1	RMS	2497.675	7.98	30	Pass	401




**18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-40.07	-25	Pass	401
2490	2495	1	RMS	2495	-26.82	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-17.24	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.4	30	Pass	401




**18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-32.07	-25	Pass	401
2490	2495	1	RMS	2495	-27.34	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-30.57	-13	Pass	401
2496	2501	0.1	RMS	2499.663	7.08	30	Pass	401




**18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	22.7	30	Pass	401
2690	2691	0.1	RMS	2690	-14.27	-10	Pass	11
2691	2695	1	RMS	2691	-24.73	-10	Pass	5
2695	2696	1	RMS	2695.008	-35.86	-13	Pass	401
2696	2715	1	RMS	2696.048	-38.23	-25	Pass	401




**18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.513	7.83	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.93	-10	Pass	401
2691	2695	1	RMS	2691	-27.13	-10	Pass	5
2695	2696	1	RMS	2695.405	-29.89	-13	Pass	401
2696	2715	1	RMS	2696.618	-33.12	-25	Pass	401




**18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.57	30	Pass	401
2690	2691	0.1	RMS	2690	-13.79	-10	Pass	11
2691	2695	1	RMS	2691	-25.69	-10	Pass	5
2695	2696	1	RMS	2695.013	-36.14	-13	Pass	401
2696	2715	1	RMS	2696.143	-38.5	-25	Pass	401



**18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.988	6.93	30	Pass	401
2690	2691	0.1	RMS	2690.003	-27.52	-10	Pass	401
2691	2695	1	RMS	2691	-27.95	-10	Pass	5
2695	2696	1	RMS	2695.738	-31.06	-13	Pass	401
2696	2715	1	RMS	2696	-34.22	-25	Pass	401






**18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.49	-25	Pass	401
2490	2495	1	RMS	2495	-28.78	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-20.48	-13	Pass	401
2496	2506	0.1	RMS	2496.6	22.21	30	Pass	401




**18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.31	-25	Pass	16
2490	2495	1	RMS	2495	-30.27	-13	Pass	6
2495	2496	0.1	RMS	2495.995	-34.01	-13	Pass	401
2496	2506	0.1	RMS	2499.275	5.07	30	Pass	401




**18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.23	-25	Pass	401
2490	2495	1	RMS	2495	-29.35	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-20.65	-13	Pass	401
2496	2506	0.1	RMS	2496.6	21.62	30	Pass	401




**18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.48	-25	Pass	16
2490	2495	1	RMS	2494	-31.06	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-34.55	-13	Pass	401
2496	2506	0.1	RMS	2497.75	3.26	30	Pass	401



**18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	22.15	30	Pass	401
2690	2691	0.2	RMS	2690	-15	-10	Pass	401
2691	2695	1	RMS	2691	-28.43	-10	Pass	5
2695	2700	1	RMS	2695.025	-38.09	-13	Pass	401
2700	2715	1	RMS	2700	-42.96	-25	Pass	401




**18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2687.525	4.86	30	Pass	401
2690	2691	0.2	RMS	2690.008	-30.39	-10	Pass	401
2691	2695	1	RMS	2691	-28.78	-10	Pass	5
2695	2700	1	RMS	2696.088	-30.82	-13	Pass	401
2700	2715	1	RMS	2700.263	-33.69	-25	Pass	401




**18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	20.82	30	Pass	401
2690	2691	0.2	RMS	2690.003	-16.53	-10	Pass	401
2691	2695	1	RMS	2691	-30.04	-10	Pass	5
2695	2700	1	RMS	2695.213	-39.72	-13	Pass	401
2700	2715	1	RMS	2700.15	-43.35	-25	Pass	401



**18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2688.775	3.85	30	Pass	401
2690	2691	0.2	RMS	2690.003	-31.63	-10	Pass	401
2691	2695	1	RMS	2692	-31.16	-10	Pass	5
2695	2700	1	RMS	2695.463	-31.12	-13	Pass	401
2700	2715	1	RMS	2700.375	-36.18	-25	Pass	401






**18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-39.32	-25	Pass	401
2490	2495	1	RMS	2495	-30.14	-13	Pass	6
2495	2496	0.15	RMS	2495.993	-21.43	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.92	30	Pass	401




**18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489	-33.75	-25	Pass	16
2490	2495	1	RMS	2494	-31.61	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-35.96	-13	Pass	401
2496	2511	0.1	RMS	2502.375	3.18	30	Pass	401




**18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.22	-25	Pass	401
2490	2495	1	RMS	2495	-31.02	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-22.44	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.47	30	Pass	401




**18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489	-34.42	-25	Pass	16
2490	2495	1	RMS	2494	-32.69	-13	Pass	6
2495	2496	0.15	RMS	2495.988	-35.46	-13	Pass	401
2496	2511	0.1	RMS	2501.025	1.62	30	Pass	401




**18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	22.03	30	Pass	401
2690	2691	0.3	RMS	2690.003	-17.12	-10	Pass	401
2691	2695	1	RMS	2691	-29.9	-10	Pass	5
2695	2705	1	RMS	2695.85	-37.02	-13	Pass	401
2705	2715	1	RMS	2705.675	-44.07	-25	Pass	401




**18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2681.375	2.66	30	Pass	401
2690	2691	0.3	RMS	2690.035	-29.45	-10	Pass	401
2691	2695	1	RMS	2692	-28.72	-10	Pass	5
2695	2705	1	RMS	2696.325	-28.72	-13	Pass	401
2705	2715	1	RMS	2705.025	-34.47	-25	Pass	401




**18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	21.67	30	Pass	401
2690	2691	0.3	RMS	2690	-16.91	-10	Pass	401
2691	2695	1	RMS	2691	-22.81	-10	Pass	5
2695	2705	1	RMS	2696.15	-29.37	-13	Pass	401
2705	2715	1	RMS	2705.2	-41.19	-25	Pass	401



**18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.238	1.92	30	Pass	401
2690	2691	0.3	RMS	2690.02	-29.56	-10	Pass	401
2691	2695	1	RMS	2691	-29.13	-10	Pass	5
2695	2705	1	RMS	2695.225	-30.66	-13	Pass	401
2705	2715	1	RMS	2705.025	-35.95	-25	Pass	401






**18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.06	-25	Pass	401
2490	2495	1	RMS	2495	-23.65	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-21.74	-13	Pass	401
2496	2516	0.1	RMS	2497.1	22.11	30	Pass	401




**18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.88	-25	Pass	16
2490	2495	1	RMS	2495	-28.39	-13	Pass	6
2495	2496	0.2	RMS	2495.715	-32.43	-13	Pass	401
2496	2516	0.1	RMS	2501.8	2.18	30	Pass	401




**18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.14	-25	Pass	401
2490	2495	1	RMS	2495	-23.3	-13	Pass	6
2495	2496	0.2	RMS	2496	-21.38	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.55	30	Pass	401




**18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489	-33.08	-25	Pass	16
2490	2495	1	RMS	2495	-31.75	-13	Pass	6
2495	2496	0.2	RMS	2495.978	-34.16	-13	Pass	401
2496	2516	0.1	RMS	2505.3	1.05	30	Pass	401




**18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	22.09	30	Pass	401
2690	2691	0.51	RMS	2690	-16.54	-10	Pass	401
2691	2695	1	RMS	2691	-23.35	-10	Pass	5
2695	2710	1	RMS	2696.013	-29.68	-13	Pass	401
2710	2715	1	RMS	2710.713	-43.5	-25	Pass	401




**18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.25	1.57	30	Pass	401
2690	2691	0.51	RMS	2690.02	-28.11	-10	Pass	401
2691	2695	1	RMS	2691	-29.56	-10	Pass	5
2695	2710	1	RMS	2701.975	-31.44	-13	Pass	401
2710	2715	1	RMS	2710.088	-37.8	-25	Pass	401




**18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.66	30	Pass	401
2690	2691	0.51	RMS	2690.003	-16.61	-10	Pass	401
2691	2695	1	RMS	2691	-23.44	-10	Pass	5
2695	2710	1	RMS	2696.163	-29.5	-13	Pass	401
2710	2715	1	RMS	2710.488	-42.91	-25	Pass	401



**18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2678.3	0.44	30	Pass	401
2690	2691	0.51	RMS	2690.053	-28.63	-10	Pass	401
2691	2695	1	RMS	2691	-30.1	-10	Pass	5
2695	2710	1	RMS	2695.075	-30.28	-13	Pass	401
2710	2715	1	RMS	2710.425	-39.07	-25	Pass	401






## 19. CA\_38C


### 19.1. CA Band Edge(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-43.73	-25	Pass	401
2540	2565	1	RMS	2555.75	-29.05	-13	Pass	401
2565	2569	1	RMS	2569	-35.04	-10	Pass	401
2569	2570	1	RMS	2570	-20.73	-10	Pass	2
2570	2600	0.1	RMS	2585.825	9.45	30	Pass	401




**19.2. CA Band Edge(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.8	-46.41	-25	Pass	401
2540	2565	1	RMS	2542.375	-29.48	-13	Pass	401
2565	2569	1	RMS	2568.99	-35.28	-10	Pass	401
2569	2570	1	RMS	2570	-20.62	-10	Pass	2
2570	2600	0.1	RMS	2599.175	9.73	30	Pass	401




**19.3. CA Band Edge(NTNV)(Subtest:3, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.25	-37.51	-25	Pass	401
2540	2565	1	RMS	2564.938	-26.95	-13	Pass	401
2565	2569	1	RMS	2568.66	-26.53	-10	Pass	401
2569	2570	1	RMS	2570	-25.76	-10	Pass	2
2570	2600	0.1	RMS	2589.275	-1.39	30	Pass	401




**19.4. CA Band Edge(NTNV)(Subtest:4, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-43.83	-25	Pass	401
2540	2565	1	RMS	2555.813	-31.84	-13	Pass	401
2565	2569	1	RMS	2568.99	-35.6	-10	Pass	401
2569	2570	1	RMS	2570	-21.36	-10	Pass	2
2570	2600	0.1	RMS	2585.825	9.25	30	Pass	401




**19.5. CA Band Edge(NTNV)(Subtest:5, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.913	-46.42	-25	Pass	401
2540	2565	1	RMS	2542.5	-31.79	-13	Pass	401
2565	2569	1	RMS	2569	-35.74	-10	Pass	401
2569	2570	1	RMS	2570	-21.36	-10	Pass	2
2570	2600	0.1	RMS	2599.175	9	30	Pass	401




**19.6. CA Band Edge(NTNV)(Subtest:6, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.625	-39.42	-25	Pass	401
2540	2565	1	RMS	2564	-32	-13	Pass	401
2565	2569	1	RMS	2567.94	-29.59	-10	Pass	401
2569	2570	1	RMS	2570	-28.14	-10	Pass	2
2570	2600	0.1	RMS	2594.225	-2.57	30	Pass	401




**19.7. CA Band Edge(NTNV)(Subtest:7, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	9.78	30	Pass	401
2620	2621	1	RMS	2620	-21.01	-10	Pass	2
2621	2625	1	RMS	2621.01	-35.89	-10	Pass	401
2625	2650	1	RMS	2647.438	-31.23	-13	Pass	401
2650	2665	1	RMS	2651.2	-46.52	-25	Pass	401



**19.8. CA Band Edge(NTNV)(Subtest:8, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	9.09	30	Pass	401
2620	2621	1	RMS	2620	-21.19	-10	Pass	2
2621	2625	1	RMS	2621	-36.28	-10	Pass	401
2625	2650	1	RMS	2634.063	-30.11	-13	Pass	401
2650	2665	1	RMS	2650	-45.25	-25	Pass	401






**19.9. CA Band Edge(NTNV)(Subtest:9, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2611.3	-1.66	30	Pass	401
2620	2621	1	RMS	2620	-28.14	-10	Pass	2
2621	2625	1	RMS	2622.16	-29.88	-10	Pass	401
2625	2650	1	RMS	2625.5	-31.1	-13	Pass	401
2650	2665	1	RMS	2651.425	-38.69	-25	Pass	401




**19.10. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	8.58	30	Pass	401
2620	2621	1	RMS	2620	-21.07	-10	Pass	2
2621	2625	1	RMS	2621.01	-35.83	-10	Pass	401
2625	2650	1	RMS	2647.375	-35.17	-13	Pass	401
2650	2665	1	RMS	2650.938	-46.39	-25	Pass	401




**19.11. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	9.29	30	Pass	401
2620	2621	1	RMS	2620	-21.17	-10	Pass	2
2621	2625	1	RMS	2621	-35.77	-10	Pass	401
2625	2650	1	RMS	2634.188	-34.42	-13	Pass	401
2650	2665	1	RMS	2650	-45.51	-25	Pass	401




**19.12. CA Band Edge(NTNV)(Subtest:12, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2595.4	-2.97	30	Pass	401
2620	2621	1	RMS	2620	-28.56	-10	Pass	2
2621	2625	1	RMS	2621.04	-32.63	-10	Pass	401
2625	2650	1	RMS	2626.125	-33.59	-13	Pass	401
2650	2665	1	RMS	2650.675	-40.05	-25	Pass	401




**19.13. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.613	-46.9	-25	Pass	401
2530	2565	1	RMS	2551.263	-29.54	-13	Pass	401
2565	2569	1	RMS	2569	-39.56	-10	Pass	401
2569	2570	1	RMS	2570	-26.28	-10	Pass	2
2570	2610	0.1	RMS	2590.9	9.31	30	Pass	401




**19.14. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.638	-46.89	-25	Pass	401
2530	2565	1	RMS	2533.413	-28.38	-13	Pass	401
2565	2569	1	RMS	2568.96	-39.22	-10	Pass	401
2569	2570	1	RMS	2570	-25.77	-10	Pass	2
2570	2610	0.1	RMS	2608.7	8.94	30	Pass	401




**19.15. CA Band Edge(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.163	-36.79	-25	Pass	401
2530	2565	1	RMS	2565	-29.58	-13	Pass	401
2565	2569	1	RMS	2567.32	-28.44	-10	Pass	401
2569	2570	1	RMS	2570	-28.98	-10	Pass	2
2570	2610	0.1	RMS	2581.7	-3.43	30	Pass	401



**19.16. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.85	-46.83	-25	Pass	401
2530	2565	1	RMS	2551.263	-32.29	-13	Pass	401
2565	2569	1	RMS	2568.99	-39.1	-10	Pass	401
2569	2570	1	RMS	2570	-26.04	-10	Pass	2
2570	2610	0.1	RMS	2590.9	8.75	30	Pass	401






**19.17. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.35	-46.83	-25	Pass	401
2530	2565	1	RMS	2533.5	-31.56	-13	Pass	401
2565	2569	1	RMS	2569	-38.99	-10	Pass	401
2569	2570	1	RMS	2570	-25.69	-10	Pass	2
2570	2610	0.1	RMS	2608.7	8.56	30	Pass	401




**19.18. CA Band Edge(NTNV)(Subtest:18, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.388	-39	-25	Pass	401
2530	2565	1	RMS	2564.563	-33.44	-13	Pass	401
2565	2569	1	RMS	2568.58	-32.71	-10	Pass	401
2569	2570	1	RMS	2570	-31.79	-10	Pass	2
2570	2610	0.1	RMS	2579.3	-4.07	30	Pass	401




**19.19. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	8.41	30	Pass	401
2620	2621	1	RMS	2620	-26.5	-10	Pass	2
2621	2625	1	RMS	2621.01	-39.66	-10	Pass	401
2625	2660	1	RMS	2656.5	-31.47	-13	Pass	401
2660	2665	1	RMS	2663.675	-46.86	-25	Pass	401




**19.20. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	8.56	30	Pass	401
2620	2621	1	RMS	2620	-27.08	-10	Pass	2
2621	2625	1	RMS	2621	-39.97	-10	Pass	401
2625	2660	1	RMS	2638.738	-30.96	-13	Pass	401
2660	2665	1	RMS	2663.75	-46.82	-25	Pass	401




**19.21. CA Band Edge(NTNV)(Subtest:21, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2593.2	-3.35	30	Pass	401
2620	2621	1	RMS	2620	-31.78	-10	Pass	2
2621	2625	1	RMS	2624.35	-33.04	-10	Pass	401
2625	2660	1	RMS	2626.05	-33.43	-13	Pass	401
2660	2665	1	RMS	2660.063	-38.3	-25	Pass	401




**19.22. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	9.06	30	Pass	401
2620	2621	1	RMS	2620	-26.45	-10	Pass	2
2621	2625	1	RMS	2621.03	-40.68	-10	Pass	401
2625	2660	1	RMS	2656.5	-35.54	-13	Pass	401
2660	2665	1	RMS	2663.775	-46.85	-25	Pass	401




**19.23. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	8.54	30	Pass	401
2620	2621	1	RMS	2620	-26.9	-10	Pass	2
2621	2625	1	RMS	2621	-40.58	-10	Pass	401
2625	2660	1	RMS	2638.738	-35.05	-13	Pass	401
2660	2665	1	RMS	2663.9	-46.81	-25	Pass	401



**19.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2609.6	-3.96	30	Pass	401
2620	2621	1	RMS	2620	-33.69	-10	Pass	2
2621	2625	1	RMS	2623.42	-34.32	-10	Pass	401
2625	2660	1	RMS	2627.363	-35.14	-13	Pass	401
2660	2665	1	RMS	2660.65	-40.32	-25	Pass	401






## 20. CA\_41C\_full


### 20.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.6	-33.93	-25	Pass	401
2490	2495	1	RMS	2495	-43.98	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-37.8	-13	Pass	401
2496	2521	0.1	RMS	2515.563	7.63	30	Pass	401




**20.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-42.95	-25	Pass	401
2490	2495	1	RMS	2495	-43.75	-13	Pass	6
2495	2496	0.3	RMS	2496	-37.04	-13	Pass	401
2496	2521	0.1	RMS	2519.875	7.8	30	Pass	401




**20.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.03	-25	Pass	401
2490	2495	1	RMS	2495	-35.79	-13	Pass	6
2495	2496	0.3	RMS	2495.983	-38.41	-13	Pass	401
2496	2521	0.1	RMS	2517.5	3.58	30	Pass	401




**20.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.6	-34.71	-25	Pass	401
2490	2495	1	RMS	2495	-44.05	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-37.75	-13	Pass	401
2496	2521	0.1	RMS	2515.5	6.98	30	Pass	401




**20.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-44.38	-25	Pass	401
2490	2495	1	RMS	2495	-43.01	-13	Pass	6
2495	2496	0.3	RMS	2496	-36.8	-13	Pass	401
2496	2521	0.1	RMS	2519.875	7.74	30	Pass	401




**20.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-37.88	-25	Pass	401
2490	2495	1	RMS	2495	-37.23	-13	Pass	6
2495	2496	0.3	RMS	2495.958	-40.62	-13	Pass	401
2496	2521	0.1	RMS	2516.813	2.27	30	Pass	401




**20.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	7.56	30	Pass	401
2690	2691	0.51	RMS	2690.005	-42.19	-10	Pass	401
2691	2695	1	RMS	2691	-43.58	-10	Pass	5
2695	2715	1	RMS	2711.6	-34.68	-13	Pass	401
2715	2735	1	RMS	2715.2	-46.5	-25	Pass	401



**20.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	7.84	30	Pass	401
2690	2691	0.51	RMS	2690	-41.57	-10	Pass	401
2691	2695	1	RMS	2694	-32.51	-10	Pass	5
2695	2715	1	RMS	2698.7	-42.08	-13	Pass	401
2715	2735	1	RMS	2722.3	-46.21	-25	Pass	401






**20.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.75	3.26	30	Pass	401
2690	2691	0.51	RMS	2690.1	-35.44	-10	Pass	401
2691	2695	1	RMS	2691	-35.31	-10	Pass	5
2695	2715	1	RMS	2697.55	-34.77	-13	Pass	401
2715	2735	1	RMS	2715.35	-40.57	-25	Pass	401




**20.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	7.69	30	Pass	401
2690	2691	0.51	RMS	2690.003	-43.85	-10	Pass	401
2691	2695	1	RMS	2691	-44.63	-10	Pass	5
2695	2715	1	RMS	2711.65	-34.94	-13	Pass	401
2715	2735	1	RMS	2715.15	-46.52	-25	Pass	401




**20.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	7.77	30	Pass	401
2690	2691	0.51	RMS	2690.028	-43.8	-10	Pass	401
2691	2695	1	RMS	2694	-33.24	-10	Pass	5
2695	2715	1	RMS	2698.8	-41.58	-13	Pass	401
2715	2735	1	RMS	2722.45	-46.18	-25	Pass	401




**20.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.75	2.56	30	Pass	401
2690	2691	0.51	RMS	2690.09	-36.13	-10	Pass	401
2691	2695	1	RMS	2691	-35.78	-10	Pass	5
2695	2715	1	RMS	2695.05	-34.71	-13	Pass	401
2715	2735	1	RMS	2715.75	-41.97	-25	Pass	401




**20.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477	-35.58	-25	Pass	16
2490	2495	1	RMS	2495	-43.97	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-32.74	-13	Pass	401
2496	2536	0.1	RMS	2516.9	7.58	30	Pass	401




**20.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2480.325	-46.28	-25	Pass	401
2490	2495	1	RMS	2495	-43.62	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-32.17	-13	Pass	401
2496	2536	0.1	RMS	2534.7	7.83	30	Pass	401




**20.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.15	-35.06	-25	Pass	401
2490	2495	1	RMS	2495	-35.3	-13	Pass	6
2495	2496	0.51	RMS	2496	-35.49	-13	Pass	401
2496	2536	0.1	RMS	2509	-2.64	30	Pass	401



**20.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.25	-35.92	-25	Pass	401
2490	2495	1	RMS	2495	-43.32	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-32.88	-13	Pass	401
2496	2536	0.1	RMS	2516.9	7.21	30	Pass	401






**20.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2480.288	-46.34	-25	Pass	401
2490	2495	1	RMS	2495	-42.93	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-32.14	-13	Pass	401
2496	2536	0.1	RMS	2534.7	8.1	30	Pass	401




**20.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.6	-35.43	-25	Pass	401
2490	2495	1	RMS	2495	-36.04	-13	Pass	6
2495	2496	0.51	RMS	2495.985	-36.24	-13	Pass	401
2496	2536	0.1	RMS	2508.9	-3.57	30	Pass	401




**20.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	7.24	30	Pass	401
2690	2691	1	RMS	2690	-27.39	-10	Pass	2
2691	2695	1	RMS	2691	-40.49	-10	Pass	401
2695	2730	1	RMS	2726.5	-41.07	-13	Pass	401
2730	2735	1	RMS	2734.638	-46.67	-25	Pass	401




**20.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	7.14	30	Pass	401
2690	2691	1	RMS	2690	-27.81	-10	Pass	2
2691	2695	1	RMS	2691.01	-41.01	-10	Pass	401
2695	2730	1	RMS	2708.738	-34.28	-13	Pass	401
2730	2735	1	RMS	2734.25	-46.64	-25	Pass	401




**20.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2678.7	-2.64	30	Pass	401
2690	2691	1	RMS	2690.003	-14.94	-10	Pass	401
2691	2695	1	RMS	2692	-35.37	-10	Pass	5
2695	2730	1	RMS	2701.825	-34.15	-13	Pass	401
2730	2735	1	RMS	2730.138	-46.43	-25	Pass	401




**20.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	7.01	30	Pass	401
2690	2691	1	RMS	2690	-27.48	-10	Pass	2
2691	2695	1	RMS	2691.02	-40.58	-10	Pass	401
2695	2730	1	RMS	2726.5	-41.26	-13	Pass	401
2730	2735	1	RMS	2734.7	-46.66	-25	Pass	401




**20.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	6.82	30	Pass	401
2690	2691	1	RMS	2690	-27.84	-10	Pass	2
2691	2695	1	RMS	2691	-40.88	-10	Pass	401
2695	2730	1	RMS	2708.65	-34.35	-13	Pass	401
2730	2735	1	RMS	2732.475	-46.67	-25	Pass	401



**20.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2678.2	-3.45	30	Pass	401
2690	2691	1	RMS	2690.003	-16.5	-10	Pass	401
2691	2695	1	RMS	2692	-36.72	-10	Pass	5
2695	2730	1	RMS	2697.8	-35.67	-13	Pass	401
2730	2735	1	RMS	2730.025	-46.47	-25	Pass	401






## 21. CA\_7C


### 21.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-40.68	-25	Pass	401
2490	2496	1	RMS	2495.985	-49.12	-13	Pass	401
2496	2499	1	RMS	2499	-43.84	-10	Pass	401
2499	2500	1	RMS	2500	-27.43	-10	Pass	2
2500	2530	0.1	RMS	2520.025	9.02	30	Pass	401




**21.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.15	-50	-25	Pass	401
2490	2496	1	RMS	2495.91	-46.07	-13	Pass	401
2496	2499	1	RMS	2499	-40.9	-10	Pass	401
2499	2500	1	RMS	2500	-26.59	-10	Pass	2
2500	2530	0.1	RMS	2528.8	9.31	30	Pass	401




**21.3. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-40.01	-25	Pass	401
2490	2496	1	RMS	2495.46	-34.31	-13	Pass	401
2496	2499	1	RMS	2498.768	-33.22	-10	Pass	401
2499	2500	1	RMS	2500	-32.62	-10	Pass	2
2500	2530	0.1	RMS	2521.3	-0.52	30	Pass	401




**21.4. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.238	-43.21	-25	Pass	401
2490	2496	1	RMS	2495.91	-50.12	-13	Pass	401
2496	2499	1	RMS	2499	-43.6	-10	Pass	401
2499	2500	1	RMS	2500	-26.87	-10	Pass	2
2500	2530	0.1	RMS	2520.025	8.8	30	Pass	401




**21.5. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.3	-50.58	-25	Pass	401
2490	2496	1	RMS	2495.4	-50.3	-13	Pass	401
2496	2499	1	RMS	2499	-43.26	-10	Pass	401
2499	2500	1	RMS	2500	-26.4	-10	Pass	2
2500	2530	0.1	RMS	2528.8	9.03	30	Pass	401




**21.6. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-40.92	-25	Pass	401
2490	2496	1	RMS	2495.985	-35.89	-13	Pass	401
2496	2499	1	RMS	2497.425	-35.21	-10	Pass	401
2499	2500	1	RMS	2500	-34.17	-10	Pass	2
2500	2530	0.1	RMS	2521.45	-1.49	30	Pass	401




**21.7. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	8.86	30	Pass	401
2570	2571	1	RMS	2570	-33.71	-10	Pass	2
2571	2575	1	RMS	2571.34	-45.35	-10	Pass	401
2575	2600	1	RMS	2578.563	-49.03	-13	Pass	401
2600	2615	1	RMS	2613.313	-51.11	-25	Pass	401



**21.8. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	8.75	30	Pass	401
2570	2571	1	RMS	2570	-34.53	-10	Pass	2
2571	2575	1	RMS	2572.86	-45.39	-10	Pass	401
2575	2600	1	RMS	2578.813	-29.57	-13	Pass	401
2600	2615	1	RMS	2600.188	-51.1	-25	Pass	401






**21.9. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2567.3	-0.77	30	Pass	401
2570	2571	1	RMS	2570	-32.6	-10	Pass	2
2571	2575	1	RMS	2572.37	-29.68	-10	Pass	401
2575	2600	1	RMS	2577	-30.96	-13	Pass	401
2600	2615	1	RMS	2601.275	-51.17	-25	Pass	401




**21.10. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	8.79	30	Pass	401
2570	2571	1	RMS	2570	-34.22	-10	Pass	2
2571	2575	1	RMS	2571	-47.75	-10	Pass	401
2575	2600	1	RMS	2578.625	-49.36	-13	Pass	401
2600	2615	1	RMS	2600.45	-51.12	-25	Pass	401




**21.11. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	8.61	30	Pass	401
2570	2571	1	RMS	2570	-34.61	-10	Pass	2
2571	2575	1	RMS	2571	-48.06	-10	Pass	401
2575	2600	1	RMS	2578.813	-32.32	-13	Pass	401
2600	2615	1	RMS	2614.963	-51.13	-25	Pass	401




**21.12. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.7	-1.85	30	Pass	401
2570	2571	1	RMS	2570	-34.43	-10	Pass	2
2571	2575	1	RMS	2571.16	-32.49	-10	Pass	401
2575	2600	1	RMS	2576.5	-34.15	-13	Pass	401
2600	2615	1	RMS	2603.9	-51.09	-25	Pass	401




**21.13. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.263	-43.25	-25	Pass	401
2490	2496	1	RMS	2491.785	-50.62	-13	Pass	401
2496	2499	1	RMS	2499	-44.57	-10	Pass	401
2499	2500	1	RMS	2500	-28.15	-10	Pass	2
2500	2540	0.1	RMS	2520.9	9.04	30	Pass	401




**21.14. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2484.3	-50.14	-25	Pass	401
2490	2496	1	RMS	2493.975	-50.26	-13	Pass	401
2496	2499	1	RMS	2499	-43.8	-10	Pass	401
2499	2500	1	RMS	2500	-27.16	-10	Pass	2
2500	2540	0.1	RMS	2538.7	8.98	30	Pass	401




**21.15. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.55	-36.5	-25	Pass	401
2490	2496	1	RMS	2495.985	-33.14	-13	Pass	401
2496	2499	1	RMS	2498.865	-32.29	-10	Pass	401
2499	2500	1	RMS	2500	-31.87	-10	Pass	2
2500	2540	0.1	RMS	2517	-3.52	30	Pass	401



**21.16. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-45.8	-25	Pass	401
2490	2496	1	RMS	2495.37	-50.34	-13	Pass	401
2496	2499	1	RMS	2499	-44.13	-10	Pass	401
2499	2500	1	RMS	2500	-27.64	-10	Pass	2
2500	2540	0.1	RMS	2520.9	8.9	30	Pass	401






**21.17. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2484.338	-50.11	-25	Pass	401
2490	2496	1	RMS	2493.9	-50.18	-13	Pass	401
2496	2499	1	RMS	2499	-43.31	-10	Pass	401
2499	2500	1	RMS	2500	-26.61	-10	Pass	2
2500	2540	0.1	RMS	2538.7	8.83	30	Pass	401




**21.18. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.363	-40.26	-25	Pass	401
2490	2496	1	RMS	2494.455	-34.91	-13	Pass	401
2496	2499	1	RMS	2498.948	-33.92	-10	Pass	401
2499	2500	1	RMS	2500	-33.82	-10	Pass	2
2500	2540	0.1	RMS	2515.4	-4.43	30	Pass	401




**21.19. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	8.89	30	Pass	401
2570	2571	1	RMS	2570	-26.35	-10	Pass	2
2571	2575	1	RMS	2571.02	-41.01	-10	Pass	401
2575	2610	1	RMS	2575	-48.31	-13	Pass	401
2610	2615	1	RMS	2610.325	-51.12	-25	Pass	401




**21.20. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	8.96	30	Pass	401
2570	2571	1	RMS	2570	-27.18	-10	Pass	2
2571	2575	1	RMS	2571	-43.9	-10	Pass	401
2575	2610	1	RMS	2588.65	-44.29	-13	Pass	401
2610	2615	1	RMS	2610.288	-51.13	-25	Pass	401




**21.21. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2553.9	-3.29	30	Pass	401
2570	2571	1	RMS	2570	-31.27	-10	Pass	2
2571	2575	1	RMS	2574.22	-28.89	-10	Pass	401
2575	2610	1	RMS	2576.663	-30	-13	Pass	401
2610	2615	1	RMS	2610.95	-51.07	-25	Pass	401




**21.22. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	8.92	30	Pass	401
2570	2571	1	RMS	2570	-26.46	-10	Pass	2
2571	2575	1	RMS	2571	-43.42	-10	Pass	401
2575	2610	1	RMS	2585.588	-49.92	-13	Pass	401
2610	2615	1	RMS	2610.325	-51.09	-25	Pass	401




**21.23. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	9	30	Pass	401
2570	2571	1	RMS	2570	-26.97	-10	Pass	2
2571	2575	1	RMS	2571	-43.94	-10	Pass	401
2575	2610	1	RMS	2588.65	-46.38	-13	Pass	401
2610	2615	1	RMS	2614.225	-51.12	-25	Pass	401



**21.24. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2554.3	-4.22	30	Pass	401
2570	2571	1	RMS	2570	-32.6	-10	Pass	2
2571	2575	1	RMS	2573.37	-30.49	-10	Pass	401
2575	2610	1	RMS	2581.475	-32.93	-13	Pass	401
2610	2615	1	RMS	2610.575	-51.1	-25	Pass	401






## 22. n5 15kHz


### 22.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.04	-44.62	-13	Pass	401
823	824	0.051	RMS	824	-22.51	-13	Pass	401
824	844	0.1	RMS	824.35	20.61	30	Pass	401




**22.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.98	-33.06	-13	Pass	401
823	824	0.051	RMS	824	-31.32	-13	Pass	401
824	844	0.1	RMS	826.7	7.6	30	Pass	401




**22.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-45.24	-13	Pass	401
823	824	0.051	RMS	824	-25.75	-13	Pass	401
824	844	0.1	RMS	824.35	20.07	30	Pass	401




**22.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-32.46	-13	Pass	401
823	824	0.051	RMS	823.998	-31.78	-13	Pass	401
824	844	0.1	RMS	824.8	7.05	30	Pass	401




**22.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.86	30	Pass	401
849	850	0.051	RMS	849	-24.41	-13	Pass	401
850	874	0.1	RMS	850.9	-44.92	-13	Pass	401




**22.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.7	7.74	30	Pass	401
849	850	0.051	RMS	849	-31.69	-13	Pass	401
850	874	0.1	RMS	850.96	-34.05	-13	Pass	401




**22.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.27	30	Pass	401
849	850	0.051	RMS	849	-23.27	-13	Pass	401
850	874	0.1	RMS	850.9	-45.29	-13	Pass	401



**22.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844.8	7.33	30	Pass	401
849	850	0.051	RMS	849	-31.57	-13	Pass	401
850	874	0.1	RMS	850	-33.14	-13	Pass	401






**22.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.78	-46.47	-13	Pass	401
823	824	0.15	RMS	823.998	-21.7	-13	Pass	401
824	844	0.1	RMS	824.45	20.62	30	Pass	401




**22.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-36.22	-13	Pass	401
823	824	0.15	RMS	823.995	-29.79	-13	Pass	401
824	844	0.1	RMS	824.95	3.57	30	Pass	401




**22.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.78	-47.13	-13	Pass	401
823	824	0.15	RMS	824	-24.45	-13	Pass	401
824	844	0.1	RMS	824.5	19.89	30	Pass	401




**22.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-32.61	-13	Pass	401
823	824	0.15	RMS	823.998	-28.75	-13	Pass	401
824	844	0.1	RMS	825.3	3.19	30	Pass	401



**22.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.79	30	Pass	401
849	850	0.15	RMS	849	-23.82	-13	Pass	401
850	874	0.1	RMS	850	-51.76	-13	Pass	401




**22.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.55	3.18	30	Pass	401
849	850	0.15	RMS	849.163	-36.3	-13	Pass	401
850	874	0.1	RMS	850	-40.15	-13	Pass	401



**22.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.11	30	Pass	401
849	850	0.15	RMS	849	-23.19	-13	Pass	401
850	874	0.1	RMS	850.42	-52.21	-13	Pass	401



**22.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.85	2.82	30	Pass	401
849	850	0.15	RMS	849.018	-34.14	-13	Pass	401
850	874	0.1	RMS	850.24	-36.85	-13	Pass	401






**22.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.62	-46.77	-13	Pass	401
823	824	0.2	RMS	824	-23.07	-13	Pass	6
824	844	0.1	RMS	824.55	20.7	30	Pass	401




**22.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-34.76	-13	Pass	401
823	824	0.2	RMS	823.993	-30.46	-13	Pass	401
824	844	0.1	RMS	825.6	2.22	30	Pass	401




**22.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.62	-47.43	-13	Pass	401
823	824	0.2	RMS	824	-26.07	-13	Pass	6
824	844	0.1	RMS	824.55	20.04	30	Pass	401




**22.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-33.18	-13	Pass	401
823	824	0.2	RMS	823.995	-29.96	-13	Pass	401
824	844	0.1	RMS	824.95	1.55	30	Pass	401




**22.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.9	30	Pass	401
849	850	0.2	RMS	849	-24.89	-13	Pass	6
850	874	0.1	RMS	850.06	-51.63	-13	Pass	401




**22.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.65	2.03	30	Pass	401
849	850	0.2	RMS	849.473	-34.93	-13	Pass	401
850	874	0.1	RMS	850.18	-38.97	-13	Pass	401




**22.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.19	30	Pass	401
849	850	0.2	RMS	849	-24.11	-13	Pass	6
850	874	0.1	RMS	850.12	-51.97	-13	Pass	401



**22.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.6	1.65	30	Pass	401
849	850	0.2	RMS	849.998	-34.12	-13	Pass	401
850	874	0.1	RMS	850.06	-36.89	-13	Pass	401






## 23. n7 15kHz


**23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-48.42	-25	Pass	401
2494	2496	1	RMS	2495.985	-43.79	-13	Pass	401
2496	2499	1	RMS	2499	-36.96	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.76	-10	Pass	401
2500	2520	1	RMS	2500.3	23.04	30	Pass	401




**23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.62	-25	Pass	401
2494	2496	1	RMS	2495.975	-34	-13	Pass	401
2496	2499	1	RMS	2498	-27.69	-10	Pass	4
2499	2500	0.1	RMS	2500	-29.78	-10	Pass	401
2500	2520	1	RMS	2502.75	16.73	30	Pass	401




**23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.815	-46.91	-25	Pass	401
2494	2496	1	RMS	2495.975	-44.06	-13	Pass	401
2496	2499	1	RMS	2499	-37.06	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.74	-10	Pass	401
2500	2520	1	RMS	2500.3	22.43	30	Pass	401




**23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.49	-25	Pass	401
2494	2496	1	RMS	2495.98	-30.78	-13	Pass	401
2496	2499	1	RMS	2499	-24.97	-10	Pass	4
2499	2500	0.1	RMS	2500	-29.74	-10	Pass	401
2500	2520	1	RMS	2501.45	16.3	30	Pass	401




**23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	22.97	30	Pass	401
2570	2571	0.051	RMS	2570	-24.22	-10	Pass	401
2571	2575	1	RMS	2571	-36.84	-10	Pass	5
2575	2576	1	RMS	2575.003	-45.81	-13	Pass	401
2576	2595	1	RMS	2576.048	-48.35	-25	Pass	401




**23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.6	16.72	30	Pass	401
2570	2571	0.1	RMS	2570	-31.76	-10	Pass	401
2571	2575	1	RMS	2572	-29.18	-10	Pass	5
2575	2576	1	RMS	2575.005	-37.1	-13	Pass	401
2576	2595	1	RMS	2576.048	-38.32	-25	Pass	401




**23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.46	30	Pass	401
2570	2571	0.051	RMS	2570	-25.9	-10	Pass	401
2571	2575	1	RMS	2571	-34.48	-10	Pass	5
2575	2576	1	RMS	2575.003	-46.27	-13	Pass	401
2576	2595	1	RMS	2578.09	-48.38	-25	Pass	401



**23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.65	16.3	30	Pass	401
2570	2571	0.1	RMS	2570	-31.16	-10	Pass	401
2571	2575	1	RMS	2571	-26.71	-10	Pass	5
2575	2576	1	RMS	2575.005	-32.86	-13	Pass	401
2576	2595	1	RMS	2576.143	-35.27	-25	Pass	401






**23.9. Band Edge for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.423	-38.93	-13	Pass	401
2496	2499	1	RMS	2499	-34.07	-10	Pass	4
2499	2500	0.051	RMS	2499.958	-36.75	-10	Pass	401
2500	2520	1	RMS	2500.55	22.4	30	Pass	401




**23.10. Band Edge for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2496	-35.28	-13	Pass	401
2496	2499	1	RMS	2499	-34.82	-10	Pass	4
2499	2500	0.51	RMS	2500	-16.52	-10	Pass	401
2500	2520	1	RMS	2517.15	10.14	30	Pass	401




**23.11. Band Edge for SA(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2491.643	-45.91	-13	Pass	401
2496	2499	1	RMS	2499	-39.79	-10	Pass	4
2499	2500	0.051	RMS	2499.95	-37.65	-10	Pass	401
2500	2520	1	RMS	2500.6	21.84	30	Pass	401




**23.12. Band Edge for SA(NTNV)(Subtest:4, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2496	-33.32	-13	Pass	401
2496	2499	1	RMS	2499	-32.54	-10	Pass	4
2499	2500	0.51	RMS	2500	-17.84	-10	Pass	401
2500	2520	1	RMS	2517.55	9.49	30	Pass	401




**23.13. Band Edge for SA(NTNV)(Subtest:5, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.3	22.34	30	Pass	401
2570	2571	0.051	RMS	2570	-39.28	-10	Pass	401
2571	2575	1	RMS	2571	-39.43	-10	Pass	5
2575	2595	1	RMS	2581.2	-43.69	-13	Pass	401




**23.14. Band Edge for SA(NTNV)(Subtest:6, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.9	9.9	30	Pass	401
2570	2571	0.51	RMS	2570.005	-36.66	-10	Pass	401
2571	2575	1	RMS	2571	-34.11	-10	Pass	5
2575	2595	1	RMS	2579.4	-36.28	-13	Pass	401




**23.15. Band Edge for SA(NTNV)(Subtest:7, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.35	21.22	30	Pass	401
2570	2571	0.051	RMS	2570.04	-37.57	-10	Pass	401
2571	2575	1	RMS	2571	-39.18	-10	Pass	5
2575	2595	1	RMS	2578.15	-44.91	-13	Pass	401



**23.16. Band Edge for SA(NTNV)(Subtest:8, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.5	9.49	30	Pass	401
2570	2571	0.51	RMS	2570.68	-36.15	-10	Pass	401
2571	2575	1	RMS	2571	-33.46	-10	Pass	5
2575	2595	1	RMS	2575	-35.29	-13	Pass	401






**23.17. Band Edge for SA(NTNV)(Subtest:1, Channel:503000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2496	-46.01	-13	Pass	401
2496	2499	1	RMS	2499	-35.71	-10	Pass	4
2499	2500	0.051	RMS	2500	-28.17	-10	Pass	401
2500	2520	1	RMS	2500.65	23.23	30	Pass	401




**23.18. Band Edge for SA(NTNV)(Subtest:2, Channel:503000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:160, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2496	-37.15	-13	Pass	401
2496	2499	1	RMS	2499	-34.58	-10	Pass	4
2499	2500	0.6	RMS	2500	-33.45	-10	Pass	3
2500	2520	1	RMS	2518.6	9.4	30	Pass	401




**23.19. Band Edge for SA(NTNV)(Subtest:3, Channel:503000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2496	-45.78	-13	Pass	401
2496	2499	1	RMS	2499	-36.1	-10	Pass	4
2499	2500	0.051	RMS	2500	-29.34	-10	Pass	401
2500	2520	1	RMS	2500.65	22.58	30	Pass	401




**23.20. Band Edge for SA(NTNV)(Subtest:4, Channel:503000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2496	-34.42	-13	Pass	401
2496	2499	1	RMS	2499	-33.43	-10	Pass	4
2499	2500	0.6	RMS	2500	-32.38	-10	Pass	3
2500	2520	1	RMS	2520	8.79	30	Pass	401




**23.21. Band Edge for SA(NTNV)(Subtest:5, Channel:511000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:159)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.3	23.11	30	Pass	401
2570	2571	0.051	RMS	2570.005	-30.1	-10	Pass	401
2571	2575	1	RMS	2571	-36.24	-10	Pass	5
2575	2600	1	RMS	2583.5	-42.42	-13	Pass	401




**23.22. Band Edge for SA(NTNV)(Subtest:6, Channel:511000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:160, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.2	9.43	30	Pass	401
2570	2571	0.6	RMS	2570	-31.64	-10	Pass	3
2571	2575	1	RMS	2571	-32.04	-10	Pass	5
2575	2600	1	RMS	2583.063	-37.84	-13	Pass	401




**23.23. Band Edge for SA(NTNV)(Subtest:7, Channel:511000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.25	22.48	30	Pass	401
2570	2571	0.051	RMS	2570.003	-29.61	-10	Pass	401
2571	2575	1	RMS	2571	-36.28	-10	Pass	5
2575	2600	1	RMS	2583.563	-43.19	-13	Pass	401



**23.24. Band Edge for SA(NTNV)(Subtest:8, Channel:511000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.45	8.84	30	Pass	401
2570	2571	0.6	RMS	2570	-31.52	-10	Pass	3
2571	2575	1	RMS	2571	-32.7	-10	Pass	5
2575	2600	1	RMS	2575	-34.68	-13	Pass	401






## 24. n38 30kHz\_PC3


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.625	-49.75	-25	Pass	401
2550	2565	1	RMS	2561.963	-38.73	-13	Pass	401
2565	2569	1	RMS	2569	-31.61	-10	Pass	401
2569	2570	0.39	RMS	2569.998	-23.56	-10	Pass	401
2570	2610	1	RMS	2571	23.51	30	Pass	401




**24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2550	-43.92	-25	Pass	401
2550	2565	1	RMS	2562.113	-32.04	-13	Pass	401
2565	2569	1	RMS	2568.99	-31.36	-10	Pass	401
2569	2570	0.39	RMS	2570	-32.6	-10	Pass	401
2570	2610	1	RMS	2587.6	11.69	30	Pass	401




**24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.75	-49.67	-25	Pass	401
2550	2565	1	RMS	2561.963	-39.26	-13	Pass	401
2565	2569	1	RMS	2569	-32.08	-10	Pass	401
2569	2570	0.39	RMS	2569.995	-22.85	-10	Pass	401
2570	2610	1	RMS	2571	22.94	30	Pass	401




**24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.938	-41.36	-25	Pass	401
2550	2565	1	RMS	2564.925	-31.28	-13	Pass	401
2565	2569	1	RMS	2568.91	-29.8	-10	Pass	401
2569	2570	0.39	RMS	2569.995	-31.56	-10	Pass	401
2570	2610	1	RMS	2582.4	11.16	30	Pass	401




**24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	23.5	30	Pass	401
2620	2621	0.4	RMS	2620	-24.86	-10	Pass	4
2621	2625	1	RMS	2621.01	-33.72	-10	Pass	401
2625	2640	1	RMS	2628.038	-38.81	-13	Pass	401
2640	2665	1	RMS	2640.313	-49.68	-25	Pass	401




**24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2607	11.7	30	Pass	401
2620	2621	0.4	RMS	2620	-36.8	-10	Pass	4
2621	2625	1	RMS	2621.21	-32.78	-10	Pass	401
2625	2640	1	RMS	2627.55	-33.13	-13	Pass	401
2640	2665	1	RMS	2640.063	-43.95	-25	Pass	401



**24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	23.1	30	Pass	401
2620	2621	0.4	RMS	2620	-26.02	-10	Pass	4
2621	2625	1	RMS	2621	-33.36	-10	Pass	401
2625	2640	1	RMS	2628.15	-39.18	-13	Pass	401
2640	2665	1	RMS	2640	-49.69	-25	Pass	401



**24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2605.4	11.15	30	Pass	401
2620	2621	0.4	RMS	2620	-35.14	-10	Pass	4
2621	2625	1	RMS	2621.89	-29.37	-10	Pass	401
2625	2640	1	RMS	2625.188	-31.27	-13	Pass	401
2640	2665	1	RMS	2640	-40.89	-25	Pass	401






**24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2530.513	-48.71	-25	Pass	401
2540	2565	1	RMS	2557.375	-38.6	-13	Pass	401
2565	2569	1	RMS	2569	-31	-10	Pass	401
2569	2570	0.51	RMS	2569.995	-16.5	-10	Pass	401
2570	2610	1	RMS	2571.1	23.49	30	Pass	401




**24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.963	-45.9	-25	Pass	401
2540	2565	1	RMS	2557.938	-35.56	-13	Pass	401
2565	2569	1	RMS	2569	-31.94	-10	Pass	401
2569	2570	0.62	RMS	2569.993	-29.05	-10	Pass	401
2570	2610	1	RMS	2586	10	30	Pass	401




**24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.588	-49.02	-25	Pass	401
2540	2565	1	RMS	2557.375	-38.95	-13	Pass	401
2565	2569	1	RMS	2568.99	-32.41	-10	Pass	401
2569	2570	0.51	RMS	2569.995	-17.3	-10	Pass	401
2570	2610	1	RMS	2571.2	22.91	30	Pass	401




**24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.963	-42.79	-25	Pass	401
2540	2565	1	RMS	2564.938	-33.52	-13	Pass	401
2565	2569	1	RMS	2569	-31.37	-10	Pass	401
2569	2570	0.62	RMS	2569.993	-28.78	-10	Pass	401
2570	2610	1	RMS	2586.4	9.46	30	Pass	401




**24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	23.54	30	Pass	401
2620	2621	0.5	RMS	2620	-21.25	-10	Pass	3
2621	2625	1	RMS	2621	-33.43	-10	Pass	401
2625	2650	1	RMS	2632.5	-39.33	-13	Pass	401
2650	2665	1	RMS	2650.188	-48.99	-25	Pass	401




**24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.8	9.98	30	Pass	401
2620	2621	0.6	RMS	2620	-36.62	-10	Pass	3
2621	2625	1	RMS	2621.03	-34.89	-10	Pass	401
2625	2650	1	RMS	2631.188	-35.6	-13	Pass	401
2650	2665	1	RMS	2650.15	-45.98	-25	Pass	401




**24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	23.03	30	Pass	401
2620	2621	0.6	RMS	2620	-20.12	-10	Pass	3
2621	2625	1	RMS	2621	-33.4	-10	Pass	401
2625	2650	1	RMS	2632.5	-39.88	-13	Pass	401
2650	2665	1	RMS	2660.95	-49.08	-25	Pass	401



**24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2595.3	9.45	30	Pass	401
2620	2621	0.6	RMS	2620.5	-35.04	-10	Pass	3
2621	2625	1	RMS	2621.02	-31.98	-10	Pass	401
2625	2650	1	RMS	2625	-33.25	-13	Pass	401
2650	2665	1	RMS	2650.675	-42.54	-25	Pass	401






**24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.638	-49.73	-25	Pass	401
2530	2565	1	RMS	2552.225	-39.47	-13	Pass	401
2565	2569	1	RMS	2569	-30.52	-10	Pass	401
2569	2570	0.51	RMS	2569.995	-15.16	-10	Pass	401
2570	2610	1	RMS	2571.1	23.53	30	Pass	401




**24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.7	-46.24	-25	Pass	401
2530	2565	1	RMS	2553.275	-37.24	-13	Pass	401
2565	2569	1	RMS	2568.96	-33.21	-10	Pass	401
2569	2570	0.82	RMS	2570	-17.19	-10	Pass	401
2570	2610	1	RMS	2595.2	8.69	30	Pass	401




**24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.338	-49.73	-25	Pass	401
2530	2565	1	RMS	2552.138	-40.01	-13	Pass	401
2565	2569	1	RMS	2568.99	-31.26	-10	Pass	401
2569	2570	0.51	RMS	2569.993	-16.07	-10	Pass	401
2570	2610	1	RMS	2571.1	22.96	30	Pass	401




**24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.913	-43.55	-25	Pass	401
2530	2565	1	RMS	2564.825	-34.44	-13	Pass	401
2565	2569	1	RMS	2568.71	-32.45	-10	Pass	401
2569	2570	0.82	RMS	2570	-18.11	-10	Pass	401
2570	2610	1	RMS	2591.7	8.3	30	Pass	401




**24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	23.54	30	Pass	401
2620	2621	0.5	RMS	2620	-19	-10	Pass	3
2621	2625	1	RMS	2621	-30.47	-10	Pass	401
2625	2660	1	RMS	2637.688	-40.22	-13	Pass	401
2660	2665	1	RMS	2661.35	-49.66	-25	Pass	401




**24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2600.1	8.9	30	Pass	401
2620	2621	0.8	RMS	2620	-36.54	-10	Pass	3
2621	2625	1	RMS	2621.05	-36.05	-10	Pass	401
2625	2660	1	RMS	2634.538	-36.53	-13	Pass	401
2660	2665	1	RMS	2660.1	-45.8	-25	Pass	401




**24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	23.08	30	Pass	401
2620	2621	0.8	RMS	2620	-15.21	-10	Pass	3
2621	2625	1	RMS	2621.01	-31.65	-10	Pass	401
2625	2660	1	RMS	2637.775	-40.93	-13	Pass	401
2660	2665	1	RMS	2661.538	-49.74	-25	Pass	401



**24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2601.7	8.26	30	Pass	401
2620	2621	0.8	RMS	2620	-34.82	-10	Pass	3
2621	2625	1	RMS	2621	-33.15	-10	Pass	401
2625	2660	1	RMS	2625.088	-34.42	-13	Pass	401
2660	2665	1	RMS	2660.025	-43.13	-25	Pass	401






## 25. n41 30kHz


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-40.59	-25	Pass	401
2490	2495	1	RMS	2494.975	-25.69	-13	Pass	401
2495	2496	0.051	RMS	2495.855	-40.38	-13	Pass	401
2496	2596	1	RMS	2497	23.31	30	Pass	401




**25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488	-29.26	-25	Pass*	100
2490	2495	1	RMS	2495	-28.6	-13	Pass	401
2495	2496	0.4	RMS	2496	-31.42	-13	Pass	4
2496	2596	1	RMS	2513.75	12.19	30	Pass	401




**25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.773	-41.27	-25	Pass	401
2490	2495	1	RMS	2495	-33.39	-13	Pass	401
2495	2496	0.051	RMS	2495.988	-39.86	-13	Pass	401
2496	2596	1	RMS	2497	22.81	30	Pass	401




**25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-30.28	-25	Pass*	100
2490	2495	1	RMS	2495	-26.96	-13	Pass	401
2495	2496	0.4	RMS	2496	-31.3	-13	Pass	4
2496	2596	1	RMS	2513.75	11.57	30	Pass	401




**25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.13	30	Pass	401
2690	2691	0.1	RMS	2690.005	-37.78	-13	Pass	401
2691	2695	1	RMS	2691	-34.23	-13	Pass	401
2695	2710	1	RMS	2697.963	-40.1	-13	Pass	401
2710	2795	1	RMS	2773.325	-49.5	-25	Pass	401




**25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.5	11.3	30	Pass	401
2690	2691	0.4	RMS	2690	-32.68	-13	Pass	4
2691	2695	1	RMS	2691.01	-29.88	-13	Pass	401
2695	2710	1	RMS	2697.4	-29.57	-13	Pass	401
2710	2715	1	RMS	2710.038	-44.71	-25	Pass	401
2715	2795	1	RMS	2715	-46.49	-25	Pass	401




**25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.59	30	Pass	401
2690	2691	0.1	RMS	2690	-37.91	-13	Pass	401
2691	2695	1	RMS	2691	-33.61	-13	Pass	401
2695	2710	1	RMS	2697.963	-40.46	-13	Pass	401
2710	2795	1	RMS	2771.838	-49.52	-25	Pass	401



**25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.25	11.01	30	Pass	401
2690	2691	0.4	RMS	2690	-32.39	-13	Pass	4
2691	2695	1	RMS	2691.01	-28.07	-13	Pass	401
2695	2710	1	RMS	2695.075	-29.99	-13	Pass	401
2710	2715	1	RMS	2710.025	-41	-25	Pass	401
2715	2795	1	RMS	2715	-44.63	-25	Pass	401






**25.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-46.21	-25	Pass	401
2490	2495	1	RMS	2495	-31.08	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-36.66	-13	Pass	401
2496	2596	1	RMS	2497	23.23	30	Pass	401




**25.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-36.86	-25	Pass	401
2490	2495	1	RMS	2494.675	-32.81	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.66	-13	Pass	2
2496	2596	1	RMS	2519.5	6.6	30	Pass	401




**25.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-46.57	-25	Pass	401
2490	2495	1	RMS	2495	-32.15	-13	Pass	401
2495	2496	0.051	RMS	2496	-36.82	-13	Pass	401
2496	2596	1	RMS	2497	22.66	30	Pass	401




**25.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-35.73	-25	Pass	401
2490	2495	1	RMS	2494.413	-33.47	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.92	-13	Pass	2
2496	2596	1	RMS	2525	6	30	Pass	401



**25.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.03	30	Pass	401
2690	2691	0.1	RMS	2690	-36.67	-13	Pass	401
2691	2695	1	RMS	2691.01	-33.99	-13	Pass	401
2695	2750	1	RMS	2717.963	-43.79	-13	Pass	401
2750	2795	1	RMS	2776.1	-49.46	-25	Pass	401




**25.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2670.75	6.53	30	Pass	401
2690	2691	1.2	RMS	2690	-26.45	-13	Pass	2
2691	2695	1	RMS	2691.4	-29.96	-13	Pass	401
2695	2750	1	RMS	2695	-33.84	-13	Pass	401
2750	2755	1	RMS	2754.788	-49.51	-25	Pass	401
2755	2795	1	RMS	2770.7	-49.38	-25	Pass	401




**25.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.58	30	Pass	401
2690	2691	0.1	RMS	2690.003	-35.53	-13	Pass	401
2691	2695	1	RMS	2691	-33.24	-13	Pass	401
2695	2750	1	RMS	2717.963	-44.21	-13	Pass	401
2750	2795	1	RMS	2774.3	-49.44	-25	Pass	401



**25.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2670.5	6.08	30	Pass	401
2690	2691	1.2	RMS	2690	-27.23	-13	Pass	2
2691	2695	1	RMS	2691.52	-29.9	-13	Pass	401
2695	2750	1	RMS	2695	-31.81	-13	Pass	401
2750	2755	1	RMS	2753.1	-49.56	-25	Pass	401
2755	2795	1	RMS	2773.3	-49.46	-25	Pass	401






**25.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.36	-25	Pass	401
2490	2495	1	RMS	2495	-30.1	-13	Pass	401
2495	2496	0.051	RMS	2496	-31.88	-13	Pass	401
2496	2596	1	RMS	2497	23.25	30	Pass	401




**25.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.45	-25	Pass	401
2490	2495	1	RMS	2494.988	-33.32	-13	Pass	401
2495	2496	1	RMS	2496	-31.16	-13	Pass	2
2496	2596	1	RMS	2590.25	4.92	30	Pass	401




**25.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-46.29	-25	Pass	401
2490	2495	1	RMS	2495	-30.93	-13	Pass	401
2495	2496	0.051	RMS	2496	-33.32	-13	Pass	401
2496	2596	1	RMS	2497	22.66	30	Pass	401




**25.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.56	-25	Pass	100
2490	2495	1	RMS	2492.4	-34.97	-13	Pass	401
2495	2496	1	RMS	2496	-33.48	-13	Pass	2
2496	2596	1	RMS	2591.5	4.44	30	Pass	401




**25.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.05	30	Pass	401
2690	2691	0.1	RMS	2690.005	-29.01	-13	Pass	401
2691	2695	1	RMS	2691.02	-30.7	-13	Pass	401
2695	2790	1	RMS	2710.438	-42	-13	Pass	401
2790	2795	1	RMS	2793.35	-49.46	-25	Pass	401




**25.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600.25	4.72	30	Pass	401
2690	2691	2	RMS	2690	-31.12	-13	Pass	2
2691	2695	1	RMS	2691.79	-34.34	-13	Pass	401
2695	2790	1	RMS	2695	-35.32	-13	Pass	401
2790	2795	1	RMS	2790.613	-49.43	-25	Pass	401




**25.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.47	30	Pass	401
2690	2691	0.1	RMS	2690.003	-29.4	-13	Pass	401
2691	2695	1	RMS	2691	-30.94	-13	Pass	401
2695	2790	1	RMS	2710.438	-42.36	-13	Pass	401
2790	2795	1	RMS	2794.688	-49.46	-25	Pass	401



**25.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2603.75	4.22	30	Pass	401
2690	2691	2	RMS	2691	-31.35	-13	Pass	2
2691	2695	1	RMS	2691.63	-34.13	-13	Pass	401
2695	2790	1	RMS	2695	-34.96	-13	Pass	401
2790	2795	1	RMS	2794.075	-49.54	-25	Pass	401






## 26. DC\_5A\_n7A\_SCS15


26.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.768	-46.81	-25	Pass	401
2494	2496	1	RMS	2495.98	-43.77	-13	Pass	401
2496	2499	1	RMS	2499	-36.57	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.57	-10	Pass	401
2500	2520	1	RMS	2500.3	23.58	30	Pass	401




**26.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.22	-25	Pass	401
2494	2496	1	RMS	2495.995	-34.68	-13	Pass	401
2496	2499	1	RMS	2498	-27.36	-10	Pass	4
2499	2500	0.1	RMS	2500	-30.59	-10	Pass	401
2500	2520	1	RMS	2503.3	17.5	30	Pass	401




**26.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.863	-47.16	-25	Pass	401
2494	2496	1	RMS	2495.95	-43.99	-13	Pass	401
2496	2499	1	RMS	2499	-37.15	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.5	-10	Pass	401
2500	2520	1	RMS	2500.3	23.11	30	Pass	401




**26.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.23	-25	Pass	401
2494	2496	1	RMS	2496	-30.62	-13	Pass	401
2496	2499	1	RMS	2499	-25.42	-10	Pass	4
2499	2500	0.1	RMS	2500	-30.2	-10	Pass	401
2500	2520	1	RMS	2502.65	16.9	30	Pass	401




**26.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	23.62	30	Pass	401
2570	2571	0.051	RMS	2570	-24.03	-10	Pass	401
2571	2575	1	RMS	2571	-37.01	-10	Pass	5
2575	2576	1	RMS	2575	-46.32	-13	Pass	401
2576	2595	1	RMS	2578.138	-48.36	-25	Pass	401




**26.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.9	17.42	30	Pass	401
2570	2571	0.1	RMS	2570	-32.82	-10	Pass	401
2571	2575	1	RMS	2571	-31.33	-10	Pass	5
2575	2576	1	RMS	2575.003	-39.7	-13	Pass	401
2576	2595	1	RMS	2576	-40.71	-25	Pass	401




**26.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	23.1	30	Pass	401
2570	2571	0.051	RMS	2570	-23.76	-10	Pass	401
2571	2575	1	RMS	2571	-37.26	-10	Pass	5
2575	2576	1	RMS	2575.005	-46.43	-13	Pass	401
2576	2595	1	RMS	2578.233	-48.31	-25	Pass	401



**26.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.25	16.92	30	Pass	401
2570	2571	0.1	RMS	2570	-31.89	-10	Pass	401
2571	2575	1	RMS	2571	-28.98	-10	Pass	5
2575	2576	1	RMS	2575	-37.12	-13	Pass	401
2576	2595	1	RMS	2576.095	-37.93	-25	Pass	401






**26.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2488.65	-43.72	-13	Pass	401
2496	2499	1	RMS	2499	-39.09	-10	Pass	4
2499	2500	0.051	RMS	2500	-37.98	-10	Pass	401
2500	2520	1	RMS	2500.6	22.87	30	Pass	401




**26.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:128@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.948	-34.99	-13	Pass	401
2496	2499	1	RMS	2499	-33.45	-10	Pass	4
2499	2500	0.51	RMS	2500	-16.67	-10	Pass	401
2500	2520	1	RMS	2514.35	10.24	30	Pass	401




**26.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2488.703	-43.97	-13	Pass	401
2496	2499	1	RMS	2499	-39.83	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-37.92	-10	Pass	401
2500	2520	1	RMS	2500.55	22.36	30	Pass	401




**26.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:128@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.843	-33.43	-13	Pass	401
2496	2499	1	RMS	2499	-32.6	-10	Pass	4
2499	2500	0.51	RMS	2500	-16.16	-10	Pass	401
2500	2520	1	RMS	2511.25	9.72	30	Pass	401




**26.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@132, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.35	22.97	30	Pass	401
2570	2571	0.051	RMS	2570	-38.88	-10	Pass	401
2571	2575	1	RMS	2571	-39.94	-10	Pass	5
2575	2595	1	RMS	2581.2	-41.09	-13	Pass	401




**26.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:128@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2553.85	10.28	30	Pass	401
2570	2571	0.51	RMS	2570.005	-38.63	-10	Pass	401
2571	2575	1	RMS	2573	-36.64	-10	Pass	5
2575	2595	1	RMS	2579.4	-40.55	-13	Pass	401




**26.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@132, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.3	22.33	30	Pass	401
2570	2571	0.051	RMS	2570.003	-39.92	-10	Pass	401
2571	2575	1	RMS	2571	-39.63	-10	Pass	5
2575	2595	1	RMS	2581.25	-41.8	-13	Pass	401



**26.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:128@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.15	9.82	30	Pass	401
2570	2571	0.51	RMS	2570.07	-38.22	-10	Pass	401
2571	2575	1	RMS	2572	-35.89	-10	Pass	5
2575	2595	1	RMS	2575.05	-38.08	-13	Pass	401






**26.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:503000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2486.315	-46.44	-13	Pass	401
2496	2499	1	RMS	2499	-39.32	-10	Pass	4
2499	2500	0.051	RMS	2500	-32.05	-10	Pass	401
2500	2520	1	RMS	2500.65	19.58	30	Pass	401




**26.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:503000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2496	-40.21	-13	Pass	401
2496	2499	1	RMS	2499	-36.13	-10	Pass	4
2499	2499.5	0.62	RMS	2499.499	-37.24	-10	Pass	401
2500	2520	1	RMS	2515.25	5.25	30	Pass	401



**26.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:503000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2486.38	-46.25	-13	Pass	401
2496	2499	1	RMS	2499	-39.91	-10	Pass	4
2499	2500	0.051	RMS	2500	-33.15	-10	Pass	401
2500	2520	1	RMS	2500.65	18.84	30	Pass	401




**26.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:503000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2496	1	RMS	2496	-37.27	-13	Pass	401
2496	2499	1	RMS	2499	-35.3	-10	Pass	4
2499	2499.5	0.62	RMS	2499.496	-36.77	-10	Pass	401
2500	2520	1	RMS	2515.45	4.79	30	Pass	401




**26.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@159, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.25	19.21	30	Pass	401
2570	2571	0.051	RMS	2570.003	-33.93	-10	Pass	401
2571	2575	1	RMS	2571	-40.61	-10	Pass	5
2575	2600	1	RMS	2583.563	-43.43	-13	Pass	401




**26.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511000, NR BW:30, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:160@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2550.3	5.25	30	Pass	401
2570.5	2571	0.62	RMS	2570.511	-39.29	-10	Pass	401
2571	2575	1	RMS	2571	-38.13	-10	Pass	5
2575	2600	1	RMS	2575	-42.97	-13	Pass	401




**26.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:511000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@159, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.3	18.48	30	Pass	401
2570	2571	0.051	RMS	2570	-33.48	-10	Pass	401
2571	2575	1	RMS	2571	-40.57	-10	Pass	5
2575	2600	1	RMS	2583.625	-44.08	-13	Pass	401



**26.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:511000, NR BW:30, SCS:15, DFT-s-OFDM, QPSK, NR RB:160@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2551.3	4.7	30	Pass	401
2570.5	2571	0.62	RMS	2570.501	-40.24	-10	Pass	401
2571	2575	1	RMS	2571	-39.02	-10	Pass	5
2575	2600	1	RMS	2575	-41.73	-13	Pass	401






## 27. DC\_7A\_n5A\_SCS15


27.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-44.78	-13	Pass	401
823	824	0.03	RMS	824	-25.25	-13	Pass	401
824	844	0.1	RMS	824.35	20.46	30	Pass	401




**27.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.98	-32.86	-13	Pass	401
823	824	0.051	RMS	823.998	-31.4	-13	Pass	401
824	844	0.1	RMS	825.2	7.54	30	Pass	401




**27.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-45.31	-13	Pass	401
823	824	0.051	RMS	824	-25.42	-13	Pass	401
824	844	0.1	RMS	824.35	19.9	30	Pass	401




**27.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-32.12	-13	Pass	401
823	824	0.051	RMS	824	-31.48	-13	Pass	401
824	844	0.1	RMS	824.8	6.87	30	Pass	401




**27.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.76	30	Pass	401
849	850	0.051	RMS	849	-24.6	-13	Pass	401
850	874	0.1	RMS	850.9	-45.22	-13	Pass	401




**27.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.7	7.54	30	Pass	401
849	850	0.051	RMS	849.008	-31.55	-13	Pass	401
850	874	0.1	RMS	850.96	-33.43	-13	Pass	401




**27.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.12	30	Pass	401
849	850	0.03	RMS	849	-26.64	-13	Pass	401
850	874	0.1	RMS	850.9	-45.83	-13	Pass	401



**27.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844.8	7.22	30	Pass	401
849	850	0.051	RMS	849	-31.33	-13	Pass	401
850	874	0.1	RMS	850	-33	-13	Pass	401






**27.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.78	-46.54	-13	Pass	401
823	824	0.1	RMS	824	-25.49	-13	Pass	401
824	844	0.1	RMS	824.45	20.43	30	Pass	401




**27.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-35.87	-13	Pass	401
823	824	0.15	RMS	823.993	-29.57	-13	Pass	401
824	844	0.1	RMS	825	3.41	30	Pass	401




**27.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.78	-47.16	-13	Pass	401
823	824	0.15	RMS	824	-24.55	-13	Pass	401
824	844	0.1	RMS	824.5	19.83	30	Pass	401




**27.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-32.65	-13	Pass	401
823	824	0.15	RMS	824	-28.71	-13	Pass	401
824	844	0.1	RMS	825.3	3.04	30	Pass	401



**27.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.79	30	Pass	401
849	850	0.15	RMS	849	-24.06	-13	Pass	401
850	874	0.1	RMS	850	-52.07	-13	Pass	401




**27.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.55	3.09	30	Pass	401
849	850	0.15	RMS	849.138	-36.21	-13	Pass	401
850	874	0.1	RMS	850.06	-40.24	-13	Pass	401




**27.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.98	30	Pass	401
849	850	0.15	RMS	849	-23.12	-13	Pass	401
850	874	0.1	RMS	850.42	-52.63	-13	Pass	401



**27.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.85	2.72	30	Pass	401
849	850	0.15	RMS	849	-33.78	-13	Pass	401
850	874	0.1	RMS	850.24	-36.31	-13	Pass	401






**27.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.62	-46.78	-13	Pass	401
823	824	0.1	RMS	824	-27.79	-13	Pass	11
824	844	0.1	RMS	824.55	20.61	30	Pass	401




**27.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-34.68	-13	Pass	401
823	824	0.2	RMS	824	-30.4	-13	Pass	401
824	844	0.1	RMS	826.35	2.05	30	Pass	401




**27.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.62	-47.51	-13	Pass	401
823	824	0.1	RMS	824	-29.47	-13	Pass	401
824	844	0.1	RMS	824.55	19.93	30	Pass	401




**27.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-33.1	-13	Pass	401
823	824	0.2	RMS	823.97	-29.99	-13	Pass	401
824	844	0.1	RMS	824.95	1.48	30	Pass	401




**27.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.76	30	Pass	401
849	850	0.1	RMS	849	-28.77	-13	Pass	401
850	874	0.1	RMS	850.12	-51.91	-13	Pass	401




**27.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.65	1.96	30	Pass	401
849	850	0.2	RMS	849.455	-34.63	-13	Pass	401
850	874	0.1	RMS	850.18	-38.85	-13	Pass	401




**27.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.16	30	Pass	401
849	850	0.1	RMS	849	-27.76	-13	Pass	401
850	874	0.1	RMS	850.06	-52.33	-13	Pass	401



**27.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.6	1.51	30	Pass	401
849	850	0.2	RMS	849.303	-33.81	-13	Pass	401
850	874	0.1	RMS	850.06	-36.4	-13	Pass	401



END