




802.11ax-20 MHz(SU) CHANNEL 10,
REFERENCE LEVEL




802.11ax-20 MHz(SU) CHANNEL 10, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 11,
REFERENCE LEVEL



802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, REFERENCE LEVEL




802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 4, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 4,
REFERENCE LEVEL




802.11ax-40 MHz(SU) CHANNEL 4, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 5, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 5,
REFERENCE LEVEL




802.11ax-40 MHz(SU) CHANNEL 5, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 7, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 7, REFERENCE LEVEL




802.11ax-40 MHz(SU) CHANNEL 7, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 8, CARRIER LEVEL




802.11ax-40 MHz(SU) CHANNEL 8,
REFERENCE LEVEL




802.11ax-40 MHz(SU) CHANNEL 8, BAND EDGE




802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 9,
REFERENCE LEVEL



802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	54.75	10.19	66.00	-11.25	Peak	L	Pass
1**	0.150	26.69	10.19	56.00	-29.31	AV	L	Pass
2	0.246	42.10	10.08	61.89	-19.79	Peak	L	Pass
2**	0.246	23.00	10.08	51.89	-28.89	AV	L	Pass
3	0.542	33.85	10.10	56.00	-22.15	Peak	L	Pass
3**	0.542	20.83	10.10	46.00	-25.17	AV	L	Pass
4	0.730	35.37	10.07	56.00	-20.63	Peak	L	Pass
4**	0.730	20.26	10.07	46.00	-25.74	AV	L	Pass
5	7.590	35.29	9.99	60.00	-24.71	Peak	L	Pass
5**	7.590	24.05	9.99	50.00	-25.95	AV	L	Pass
6	12.430	35.36	10.11	60.00	-24.64	Peak	L	Pass
6**	12.430	24.97	10.11	50.00	-25.03	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	55.46	10.19	66.00	-10.54	Peak	N	Pass
1**	0.150	27.44	10.19	56.00	-28.56	AV	N	Pass
2	0.258	41.95	10.08	61.50	-19.55	Peak	N	Pass
2**	0.258	27.77	10.08	51.50	-23.73	AV	N	Pass
3	0.512	33.81	10.11	56.00	-22.19	Peak	N	Pass
3**	0.512	22.75	10.11	46.00	-23.25	AV	N	Pass
4	1.076	34.05	10.02	56.00	-21.95	Peak	N	Pass
4**	1.076	18.87	10.02	46.00	-27.13	AV	N	Pass
5	6.074	34.24	10.06	60.00	-25.76	Peak	N	Pass
5**	6.074	21.05	10.06	50.00	-28.95	AV	N	Pass
6	7.994	36.35	10.10	60.00	-23.65	Peak	N	Pass
6**	7.994	25.38	10.10	50.00	-24.62	AV	N	Pass

A.6 Radiated Emission

Note ¹: The symbol of "--" in the table which means not application.

Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note ⁵: Both model of the charger were tested in this report. The C-P35 (Huntkey) is the main test model, and the C-P35 (Acbel) only retest the below 1GHz in this report.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	45.035	20.88	-25.54	40.0	-19.12	Peak	63.00	200	Horizontal	Pass
2	131.898	21.06	-29.94	43.5	-22.44	Peak	307.00	200	Horizontal	Pass
3	181.368	24.69	-28.42	43.5	-18.81	Peak	124.00	200	Horizontal	Pass
4	314.210	23.37	-23.29	46.0	-22.63	Peak	360.00	200	Horizontal	Pass
5	646.823	25.03	-15.04	46.0	-20.97	Peak	150.00	100	Horizontal	Pass
6	970.852	29.20	-8.97	54.0	-24.80	Peak	192.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.245	31.52	-27.14	40.0	-8.48	Peak	10.00	100	Vertical	Pass
2	54.395	30.37	-25.58	40.0	-9.63	Peak	0.00	100	Vertical	Pass
3	90.576	29.37	-28.38	43.5	-14.13	Peak	67.00	100	Vertical	Pass
4	181.950	31.55	-28.31	43.5	-11.95	Peak	360.00	200	Vertical	Pass
5	445.014	23.84	-19.99	46.0	-22.16	Peak	265.00	100	Vertical	Pass
6	971.094	29.22	-8.94	54.0	-24.78	Peak	33.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Main Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.600	41.27	-17.38	74.0	-32.73	Peak	324.00	150	Horizontal	Pass
1**	1583.600	31.76	-17.38	54.0	-22.24	AV	324.00	150	Horizontal	Pass
2	2411.900	104.49	-13.41	74.0	30.49	Peak	162.00	150	Horizontal	N/A
2**	2411.900	101.66	-13.41	54.0	47.66	AV	162.00	150	Horizontal	N/A
3	5189.500	50.55	-2.65	74.0	-23.45	Peak	295.00	150	Horizontal	Pass
3**	5189.500	41.20	-2.65	54.0	-12.80	AV	295.00	150	Horizontal	Pass
4	7137.250	51.97	0.67	74.0	-22.03	Peak	12.00	150	Horizontal	Pass
4**	7137.250	43.28	0.67	54.0	-10.72	AV	12.00	150	Horizontal	Pass
5	13678.463	51.32	0.31	74.0	-22.68	Peak	247.00	150	Horizontal	Pass
5**	13678.463	41.01	0.31	54.0	-12.99	AV	247.00	150	Horizontal	Pass
6	17281.012	53.31	1.98	74.0	-20.69	Peak	116.00	150	Horizontal	Pass
6**	17281.012	44.17	1.98	54.0	-9.83	AV	116.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.56	-17.76	74.0	-32.44	Peak	169.00	150	Vertical	Pass
1**	1600.000	35.66	-17.76	54.0	-18.34	AV	169.00	150	Vertical	Pass
2	2413.100	96.40	-13.42	74.0	22.40	Peak	50.00	150	Vertical	N/A
2**	2413.100	93.61	-13.42	54.0	39.61	AV	50.00	150	Vertical	N/A
3	4483.750	48.76	-3.75	74.0	-25.24	Peak	339.00	150	Vertical	Pass
3**	4483.750	39.15	-3.75	54.0	-14.85	AV	339.00	150	Vertical	Pass
4	7475.500	52.23	0.67	74.0	-21.77	Peak	230.00	150	Vertical	Pass
4**	7475.500	42.57	0.67	54.0	-11.43	AV	230.00	150	Vertical	Pass
5	13852.500	50.74	-0.26	74.0	-23.26	Peak	36.00	150	Vertical	Pass
5**	13852.500	40.95	-0.26	54.0	-13.05	AV	36.00	150	Vertical	Pass
6	17807.325	53.83	3.16	74.0	-20.17	Peak	301.00	150	Vertical	Pass
6**	17807.325	43.68	3.16	54.0	-10.32	AV	301.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.71	-17.78	74.0	-32.29	Peak	49.00	150	Horizontal	Pass
1**	1600.200	35.29	-17.78	54.0	-18.71	AV	49.00	150	Horizontal	Pass
2	2435.500	104.88	-12.09	74.0	30.88	Peak	158.00	150	Horizontal	N/A
2**	2435.500	101.84	-12.09	54.0	47.84	AV	158.00	150	Horizontal	N/A
3	5188.750	49.85	-2.59	74.0	-24.15	Peak	331.00	150	Horizontal	Pass
3**	5188.750	41.11	-2.59	54.0	-12.89	AV	331.00	150	Horizontal	Pass
4	7858.000	52.73	1.12	74.0	-21.27	Peak	272.00	150	Horizontal	Pass
4**	7858.000	43.64	1.12	54.0	-10.36	AV	272.00	150	Horizontal	Pass
5	12064.099	49.24	-3.44	74.0	-24.76	Peak	231.00	150	Horizontal	Pass
5**	12064.099	39.15	-3.44	54.0	-14.85	AV	231.00	150	Horizontal	Pass
6	16525.275	52.36	0.01	74.0	-21.64	Peak	36.00	150	Horizontal	Pass
6**	16525.275	42.22	0.01	54.0	-11.78	AV	36.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.88	-17.75	74.0	-32.12	Peak	360.00	150	Vertical	Pass
1**	1599.900	35.68	-17.75	54.0	-18.32	AV	360.00	150	Vertical	Pass
2	2435.600	93.07	-12.11	74.0	19.07	Peak	34.00	150	Vertical	N/A
2**	2435.600	90.09	-12.11	54.0	36.09	AV	34.00	150	Vertical	N/A
3	5178.000	50.54	-2.38	74.0	-23.46	Peak	0.00	150	Vertical	Pass
3**	5178.000	41.22	-2.38	54.0	-12.78	AV	0.00	150	Vertical	Pass
4	7513.250	52.59	0.65	74.0	-21.41	Peak	349.00	150	Vertical	Pass
4**	7513.250	43.14	0.65	54.0	-10.86	AV	349.00	150	Vertical	Pass
5	10551.937	48.66	-4.57	74.0	-25.34	Peak	128.00	150	Vertical	Pass
5**	10551.937	38.13	-4.57	54.0	-15.87	AV	128.00	150	Vertical	Pass
6	17297.551	52.57	2.01	74.0	-21.43	Peak	10.00	150	Vertical	Pass
6**	17297.551	42.42	2.01	54.0	-11.58	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.43	-17.75	74.0	-31.57	Peak	360.00	150	Horizontal	Pass
1**	1599.900	35.39	-17.75	54.0	-18.61	AV	360.00	150	Horizontal	Pass
2	2460.700	104.47	-12.62	74.0	30.47	Peak	226.00	150	Horizontal	N/A
2**	2460.700	101.56	-12.62	54.0	47.56	AV	226.00	150	Horizontal	N/A
3	5307.250	50.12	-3.53	74.0	-23.88	Peak	104.00	150	Horizontal	Pass
3**	5307.250	40.71	-3.53	54.0	-13.29	AV	104.00	150	Horizontal	Pass
4	7833.500	52.73	2.26	74.0	-21.27	Peak	330.00	150	Horizontal	Pass
4**	7833.500	44.09	2.26	54.0	-9.91	AV	330.00	150	Horizontal	Pass
5	11156.138	48.85	-4.37	74.0	-25.15	Peak	319.00	150	Horizontal	Pass
5**	11156.138	38.20	-4.37	54.0	-15.80	AV	319.00	150	Horizontal	Pass
6	17311.726	52.90	1.98	74.0	-21.10	Peak	1.00	150	Horizontal	Pass
6**	17311.726	44.08	1.98	54.0	-9.92	AV	1.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.48	-17.77	74.0	-32.52	Peak	113.00	150	Vertical	Pass
1**	1600.100	36.05	-17.77	54.0	-17.95	AV	113.00	150	Vertical	Pass
2	2460.800	92.98	-12.61	74.0	18.98	Peak	91.00	150	Vertical	N/A
2**	2460.800	90.07	-12.61	54.0	36.07	AV	91.00	150	Vertical	N/A
3	5187.500	50.63	-2.48	74.0	-23.37	Peak	280.00	150	Vertical	Pass
3**	5187.500	41.22	-2.48	54.0	-12.78	AV	280.00	150	Vertical	Pass
4	7471.250	53.20	0.77	74.0	-20.80	Peak	194.00	150	Vertical	Pass
4**	7471.250	43.87	0.77	54.0	-10.13	AV	194.00	150	Vertical	Pass
5	12443.625	49.48	-2.25	74.0	-24.52	Peak	135.00	150	Vertical	Pass
5**	12443.625	40.02	-2.25	54.0	-13.98	AV	135.00	150	Vertical	Pass
6	17889.489	53.03	2.59	74.0	-20.97	Peak	301.00	150	Vertical	Pass
6**	17889.489	42.52	2.59	54.0	-11.48	AV	301.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.33	-17.77	74.0	-31.67	Peak	294.00	150	Horizontal	Pass
1**	1600.100	36.14	-17.77	54.0	-17.86	AV	294.00	150	Horizontal	Pass
2	2410.200	106.73	-13.51	74.0	32.73	Peak	272.00	150	Horizontal	N/A
2**	2410.200	99.54	-13.51	54.0	45.54	AV	272.00	150	Horizontal	N/A
3	5378.250	50.90	-3.28	74.0	-23.10	Peak	289.00	150	Horizontal	Pass
3**	5378.250	40.81	-3.28	54.0	-13.19	AV	289.00	150	Horizontal	Pass
4	7842.500	52.89	1.60	74.0	-21.11	Peak	221.00	150	Horizontal	Pass
4**	7842.500	43.36	1.60	54.0	-10.64	AV	221.00	150	Horizontal	Pass
5	10222.763	48.16	-4.73	74.0	-25.84	Peak	23.00	150	Horizontal	Pass
5**	10222.763	39.22	-4.73	54.0	-14.78	AV	23.00	150	Horizontal	Pass
6	16839.224	53.73	0.94	74.0	-20.27	Peak	360.00	150	Horizontal	Pass
6**	16839.224	44.11	0.94	54.0	-9.89	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	41.62	-17.78	74.0	-32.38	Peak	8.00	150	Vertical	Pass
1**	1600.400	35.13	-17.78	54.0	-18.87	AV	8.00	150	Vertical	Pass
2	2410.800	97.88	-13.48	74.0	23.88	Peak	37.00	150	Vertical	N/A
2**	2410.800	90.32	-13.48	54.0	36.32	AV	37.00	150	Vertical	N/A
3	5183.000	49.95	-2.08	74.0	-24.05	Peak	89.00	150	Vertical	Pass
3**	5183.000	41.68	-2.08	54.0	-12.32	AV	89.00	150	Vertical	Pass
4	7836.500	53.22	2.11	74.0	-20.78	Peak	198.00	150	Vertical	Pass
4**	7836.500	43.73	2.11	54.0	-10.27	AV	198.00	150	Vertical	Pass
5	10635.300	49.56	-4.59	74.0	-24.44	Peak	174.00	150	Vertical	Pass
5**	10635.300	38.63	-4.59	54.0	-15.37	AV	174.00	150	Vertical	Pass
6	17816.775	53.43	3.08	74.0	-20.57	Peak	51.00	150	Vertical	Pass
6**	17816.775	43.81	3.08	54.0	-10.19	AV	51.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.000	42.19	-17.33	74.0	-31.81	Peak	98.00	150	Horizontal	Pass
1**	1613.000	31.91	-17.33	54.0	-22.09	AV	98.00	150	Horizontal	Pass
2	2414.800	105.59	-13.38	74.0	31.59	Peak	260.00	150	Horizontal	N/A
2**	2414.800	98.68	-13.38	54.0	44.68	AV	260.00	150	Horizontal	N/A
3	5188.250	50.77	-2.55	74.0	-23.23	Peak	0.00	150	Horizontal	Pass
3**	5188.250	41.65	-2.55	54.0	-12.35	AV	0.00	150	Horizontal	Pass
4	7136.500	52.68	0.83	74.0	-21.32	Peak	218.00	150	Horizontal	Pass
4**	7136.500	43.25	0.83	54.0	-10.75	AV	218.00	150	Horizontal	Pass
5	11556.799	48.91	-4.35	74.0	-25.09	Peak	54.00	150	Horizontal	Pass
5**	11556.799	39.43	-4.35	54.0	-14.57	AV	54.00	150	Horizontal	Pass
6	17052.113	53.81	0.94	74.0	-20.19	Peak	69.00	150	Horizontal	Pass
6**	17052.113	42.58	0.94	54.0	-11.42	AV	69.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.08	-17.77	74.0	-31.92	Peak	233.00	150	Vertical	Pass
1**	1600.100	36.21	-17.77	54.0	-17.79	AV	233.00	150	Vertical	Pass
2	2415.800	95.86	-13.34	74.0	21.86	Peak	108.00	150	Vertical	N/A
2**	2415.800	88.37	-13.34	54.0	34.37	AV	108.00	150	Vertical	N/A
3	5744.250	50.79	-2.96	74.0	-23.21	Peak	274.00	150	Vertical	Pass
3**	5744.250	40.02	-2.96	54.0	-13.98	AV	274.00	150	Vertical	Pass
4	7826.500	53.09	1.72	74.0	-20.91	Peak	78.00	150	Vertical	Pass
4**	7826.500	43.50	1.72	54.0	-10.50	AV	78.00	150	Vertical	Pass
5	13664.287	50.76	0.31	74.0	-23.24	Peak	339.00	150	Vertical	Pass
5**	13664.287	41.09	0.31	54.0	-12.91	AV	339.00	150	Vertical	Pass
6	16510.312	53.08	0.01	74.0	-20.92	Peak	42.00	150	Vertical	Pass
6**	16510.312	43.82	0.01	54.0	-10.18	AV	42.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	41.87	-17.78	74.0	-32.13	Peak	18.00	150	Horizontal	Pass
1**	1600.400	35.30	-17.78	54.0	-18.70	AV	18.00	150	Horizontal	Pass
2	2419.900	104.93	-13.02	74.0	30.93	Peak	264.00	150	Horizontal	N/A
2**	2419.900	97.06	-13.02	54.0	43.06	AV	264.00	150	Horizontal	N/A
3	5215.750	50.13	-3.42	74.0	-23.87	Peak	53.00	150	Horizontal	Pass
3**	5215.750	40.86	-3.42	54.0	-13.14	AV	53.00	150	Horizontal	Pass
4	7711.250	52.50	1.31	74.0	-21.50	Peak	218.00	150	Horizontal	Pass
4**	7711.250	42.36	1.31	54.0	-11.64	AV	218.00	150	Horizontal	Pass
5	11152.099	48.84	-4.40	74.0	-25.16	Peak	205.00	150	Horizontal	Pass
5**	11152.099	39.36	-4.40	54.0	-14.64	AV	205.00	150	Horizontal	Pass
6	16428.676	53.29	0.13	74.0	-20.71	Peak	201.00	150	Horizontal	Pass
6**	16428.676	43.54	0.13	54.0	-10.46	AV	201.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.53	-17.78	74.0	-31.47	Peak	278.00	150	Vertical	Pass
1**	1600.200	36.35	-17.78	54.0	-17.65	AV	278.00	150	Vertical	Pass
2	2420.500	94.85	-13.06	74.0	20.85	Peak	128.00	150	Vertical	N/A
2**	2420.500	87.91	-13.06	54.0	33.91	AV	128.00	150	Vertical	N/A
3	5182.500	50.40	-2.10	74.0	-23.60	Peak	272.00	150	Vertical	Pass
3**	5182.500	41.39	-2.10	54.0	-12.61	AV	272.00	150	Vertical	Pass
4	7864.500	52.58	1.60	74.0	-21.42	Peak	223.00	150	Vertical	Pass
4**	7864.500	43.76	1.60	54.0	-10.24	AV	223.00	150	Vertical	Pass
5	10630.550	48.71	-4.53	74.0	-25.29	Peak	228.00	150	Vertical	Pass
5**	10630.550	38.74	-4.53	54.0	-15.26	AV	228.00	150	Vertical	Pass
6	16765.725	53.43	0.42	74.0	-20.57	Peak	284.00	150	Vertical	Pass
6**	16765.725	42.56	0.42	54.0	-11.44	AV	284.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.61	-17.74	74.0	-32.39	Peak	96.00	150	Horizontal	Pass
1**	1599.800	35.03	-17.74	54.0	-18.97	AV	96.00	150	Horizontal	Pass
2	2443.900	106.45	-12.53	74.0	32.45	Peak	150.00	150	Horizontal	N/A
2**	2443.900	98.58	-12.53	54.0	44.58	AV	150.00	150	Horizontal	N/A
3	5005.750	50.10	-3.09	74.0	-23.90	Peak	347.00	150	Horizontal	Pass
3**	5005.750	39.75	-3.09	54.0	-14.25	AV	347.00	150	Horizontal	Pass
4	7838.500	53.02	2.01	74.0	-20.98	Peak	360.00	150	Horizontal	Pass
4**	7838.500	43.98	2.01	54.0	-10.02	AV	360.00	150	Horizontal	Pass
5	11381.287	49.14	-4.31	74.0	-24.86	Peak	0.00	150	Horizontal	Pass
5**	11381.287	39.64	-4.31	54.0	-14.36	AV	0.00	150	Horizontal	Pass
6	16520.550	52.35	0.01	74.0	-21.65	Peak	86.00	150	Horizontal	Pass
6**	16520.550	43.16	0.01	54.0	-10.84	AV	86.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.23	-17.72	74.0	-31.77	Peak	114.00	150	Vertical	Pass
1**	1599.700	34.87	-17.72	54.0	-19.13	AV	114.00	150	Vertical	Pass
2	2442.000	95.53	-12.29	74.0	21.53	Peak	274.00	150	Vertical	N/A
2**	2442.000	85.95	-12.29	54.0	31.95	AV	274.00	150	Vertical	N/A
3	5159.250	50.23	-3.53	74.0	-23.77	Peak	54.00	150	Vertical	Pass
3**	5159.250	40.35	-3.53	54.0	-13.65	AV	54.00	150	Vertical	Pass
4	7842.000	52.97	1.65	74.0	-21.03	Peak	178.00	150	Vertical	Pass
4**	7842.000	43.86	1.65	54.0	-10.14	AV	178.00	150	Vertical	Pass
5	11193.187	49.19	-4.10	74.0	-24.81	Peak	209.00	150	Vertical	Pass
5**	11193.187	39.33	-4.10	54.0	-14.67	AV	209.00	150	Vertical	Pass
6	16532.887	53.89	0.02	74.0	-20.11	Peak	50.00	150	Vertical	Pass
6**	16532.887	42.46	0.02	54.0	-11.54	AV	50.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.97	-17.75	74.0	-32.03	Peak	20.00	150	Horizontal	Pass
1**	1599.900	35.74	-17.75	54.0	-18.26	AV	20.00	150	Horizontal	Pass
2	2455.600	105.49	-12.90	74.0	31.49	Peak	263.00	150	Horizontal	N/A
2**	2455.600	98.51	-12.90	54.0	44.51	AV	263.00	150	Horizontal	N/A
3	5273.500	49.85	-3.11	74.0	-24.15	Peak	0.00	150	Horizontal	Pass
3**	5273.500	41.63	-3.11	54.0	-12.37	AV	0.00	150	Horizontal	Pass
4	7873.750	52.65	2.02	74.0	-21.35	Peak	84.00	150	Horizontal	Pass
4**	7873.750	43.22	2.02	54.0	-10.78	AV	84.00	150	Horizontal	Pass
5	11418.100	49.25	-4.09	74.0	-24.75	Peak	297.00	150	Horizontal	Pass
5**	11418.100	38.86	-4.09	54.0	-15.14	AV	297.00	150	Horizontal	Pass
6	16775.176	52.92	0.42	74.0	-21.08	Peak	217.00	150	Horizontal	Pass
6**	16775.176	43.53	0.42	54.0	-10.47	AV	217.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.13	-17.72	74.0	-31.87	Peak	62.00	150	Vertical	Pass
1**	1599.700	34.88	-17.72	54.0	-19.12	AV	62.00	150	Vertical	Pass
2	2458.300	94.91	-12.66	74.0	20.91	Peak	91.00	150	Vertical	N/A
2**	2458.300	87.46	-12.66	54.0	33.46	AV	91.00	150	Vertical	N/A
3	5348.000	50.76	-3.14	74.0	-23.24	Peak	52.00	150	Vertical	Pass
3**	5348.000	41.62	-3.14	54.0	-12.38	AV	52.00	150	Vertical	Pass
4	7506.000	53.27	-0.06	74.0	-20.73	Peak	341.00	150	Vertical	Pass
4**	7506.000	43.56	-0.06	54.0	-10.44	AV	341.00	150	Vertical	Pass
5	11130.250	48.90	-4.46	74.0	-25.10	Peak	10.00	150	Vertical	Pass
5**	11130.250	38.37	-4.46	54.0	-15.63	AV	10.00	150	Vertical	Pass
6	17633.286	53.47	3.02	74.0	-20.53	Peak	145.00	150	Vertical	Pass
6**	17633.286	44.24	3.02	54.0	-9.76	AV	145.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.24	-17.74	74.0	-31.76	Peak	337.00	150	Horizontal	Pass
1**	1599.800	35.43	-17.74	54.0	-18.57	AV	337.00	150	Horizontal	Pass
2	2460.300	107.04	-12.62	74.0	33.04	Peak	158.00	150	Horizontal	N/A
2**	2460.300	100.14	-12.62	54.0	46.14	AV	158.00	150	Horizontal	N/A
3	5176.750	50.52	-2.61	74.0	-23.48	Peak	145.00	150	Horizontal	Pass
3**	5176.750	41.53	-2.61	54.0	-12.47	AV	145.00	150	Horizontal	Pass
4	7861.500	53.16	1.33	74.0	-20.84	Peak	53.00	150	Horizontal	Pass
4**	7861.500	44.03	1.33	54.0	-9.97	AV	53.00	150	Horizontal	Pass
5	12047.237	49.12	-3.34	74.0	-24.88	Peak	152.00	150	Horizontal	Pass
5**	12047.237	39.62	-3.34	54.0	-14.38	AV	152.00	150	Horizontal	Pass
6	16894.614	53.07	1.47	74.0	-20.93	Peak	8.00	150	Horizontal	Pass
6**	16894.614	43.71	1.47	54.0	-10.29	AV	8.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.96	-17.75	74.0	-32.04	Peak	337.00	150	Vertical	Pass
1**	1599.900	36.62	-17.75	54.0	-17.38	AV	337.00	150	Vertical	Pass
2	2463.300	95.11	-12.68	74.0	21.11	Peak	88.00	150	Vertical	N/A
2**	2463.300	87.91	-12.68	54.0	33.91	AV	88.00	150	Vertical	N/A
3	5172.000	50.79	-2.85	74.0	-23.21	Peak	240.00	150	Vertical	Pass
3**	5172.000	40.25	-2.85	54.0	-13.75	AV	240.00	150	Vertical	Pass
4	6764.750	52.66	-0.57	74.0	-21.34	Peak	214.00	150	Vertical	Pass
4**	6764.750	43.02	-0.57	54.0	-10.98	AV	214.00	150	Vertical	Pass
5	11429.262	48.96	-4.01	74.0	-25.04	Peak	354.00	150	Vertical	Pass
5**	11429.262	38.60	-4.01	54.0	-15.40	AV	354.00	150	Vertical	Pass
6	17076.787	52.87	1.13	74.0	-21.13	Peak	78.00	150	Vertical	Pass
6**	17076.787	43.04	1.13	54.0	-10.96	AV	78.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.63	-17.75	74.0	-32.37	Peak	278.00	150	Horizontal	Pass
1**	1599.900	35.97	-17.75	54.0	-18.03	AV	278.00	150	Horizontal	Pass
2	2410.300	105.91	-13.51	74.0	31.91	Peak	220.00	150	Horizontal	N/A
2**	2410.300	98.50	-13.51	54.0	44.50	AV	220.00	150	Horizontal	N/A
3	5173.000	51.03	-2.74	74.0	-22.97	Peak	14.00	150	Horizontal	Pass
3**	5173.000	40.34	-2.74	54.0	-13.66	AV	14.00	150	Horizontal	Pass
4	7835.750	52.55	2.15	74.0	-21.45	Peak	98.00	150	Horizontal	Pass
4**	7835.750	43.82	2.15	54.0	-10.18	AV	98.00	150	Horizontal	Pass
5	10949.750	48.76	-4.87	74.0	-25.24	Peak	49.00	150	Horizontal	Pass
5**	10949.750	38.10	-4.87	54.0	-15.90	AV	49.00	150	Horizontal	Pass
6	16523.437	52.54	0.01	74.0	-21.46	Peak	22.00	150	Horizontal	Pass
6**	16523.437	42.81	0.01	54.0	-11.19	AV	22.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.400	42.05	-17.69	74.0	-31.95	Peak	141.00	150	Vertical	Pass
1**	1599.400	33.28	-17.69	54.0	-20.72	AV	141.00	150	Vertical	Pass
2	2410.300	97.35	-13.51	74.0	23.35	Peak	43.00	150	Vertical	N/A
2**	2410.300	90.04	-13.51	54.0	36.04	AV	43.00	150	Vertical	N/A
3	5183.500	50.55	-2.15	74.0	-23.45	Peak	0.00	150	Vertical	Pass
3**	5183.500	41.51	-2.15	54.0	-12.49	AV	0.00	150	Vertical	Pass
4	7834.500	53.30	2.22	74.0	-20.70	Peak	300.00	150	Vertical	Pass
4**	7834.500	43.40	2.22	54.0	-10.60	AV	300.00	150	Vertical	Pass
5	11685.287	49.75	-4.28	74.0	-24.25	Peak	71.00	150	Vertical	Pass
5**	11685.287	39.69	-4.28	54.0	-14.31	AV	71.00	150	Vertical	Pass
6	17311.988	52.85	1.98	74.0	-21.15	Peak	0.00	150	Vertical	Pass
6**	17311.988	43.71	1.98	54.0	-10.29	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.15	-17.75	74.0	-31.85	Peak	71.00	150	Horizontal	Pass
1**	1599.900	36.65	-17.75	54.0	-17.35	AV	71.00	150	Horizontal	Pass
2	2413.900	102.66	-13.42	74.0	28.66	Peak	226.00	150	Horizontal	N/A
2**	2413.900	94.52	-13.42	54.0	40.52	AV	226.00	150	Horizontal	N/A
3	5427.000	51.55	-2.76	74.0	-22.45	Peak	257.00	150	Horizontal	Pass
3**	5427.000	40.67	-2.76	54.0	-13.33	AV	257.00	150	Horizontal	Pass
4	7850.750	54.48	1.10	74.0	-19.52	Peak	249.00	150	Horizontal	Pass
4**	7850.750	45.07	1.10	54.0	-8.93	AV	249.00	150	Horizontal	Pass
5	11217.887	49.90	-4.11	74.0	-24.10	Peak	81.00	150	Horizontal	Pass
5**	11217.887	39.49	-4.11	54.0	-14.51	AV	81.00	150	Horizontal	Pass
6	16776.225	53.13	0.43	74.0	-20.87	Peak	55.00	150	Horizontal	Pass
6**	16776.225	42.74	0.43	54.0	-11.26	AV	55.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.10	-17.77	74.0	-31.90	Peak	238.00	150	Vertical	Pass
1**	1600.100	36.30	-17.77	54.0	-17.70	AV	238.00	150	Vertical	Pass
2	2415.800	90.61	-13.34	74.0	16.61	Peak	307.00	150	Vertical	N/A
2**	2415.800	83.85	-13.34	54.0	29.85	AV	307.00	150	Vertical	N/A
3	5186.000	50.43	-2.39	74.0	-23.57	Peak	0.00	150	Vertical	Pass
3**	5186.000	41.37	-2.39	54.0	-12.63	AV	0.00	150	Vertical	Pass
4	7838.000	54.48	2.03	74.0	-19.52	Peak	326.00	150	Vertical	Pass
4**	7838.000	44.72	2.03	54.0	-9.28	AV	326.00	150	Vertical	Pass
5	11721.150	49.99	-4.10	74.0	-24.01	Peak	161.00	150	Vertical	Pass
5**	11721.150	38.99	-4.10	54.0	-15.01	AV	161.00	150	Vertical	Pass
6	17050.012	53.32	0.92	74.0	-20.68	Peak	9.00	150	Vertical	Pass
6**	17050.012	43.14	0.92	54.0	-10.86	AV	9.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.65	-17.74	74.0	-32.35	Peak	181.00	150	Horizontal	Pass
1**	1599.800	36.30	-17.74	54.0	-17.70	AV	181.00	150	Horizontal	Pass
2	2420.800	104.19	-13.04	74.0	30.19	Peak	272.00	150	Horizontal	N/A
2**	2420.800	97.39	-13.04	54.0	43.39	AV	272.00	150	Horizontal	N/A
3	5182.500	50.73	-2.10	74.0	-23.27	Peak	93.00	150	Horizontal	Pass
3**	5182.500	41.57	-2.10	54.0	-12.43	AV	93.00	150	Horizontal	Pass
4	7831.250	53.79	2.07	74.0	-20.21	Peak	209.00	150	Horizontal	Pass
4**	7831.250	44.79	2.07	54.0	-9.21	AV	209.00	150	Horizontal	Pass
5	12294.713	50.17	-2.49	74.0	-23.83	Peak	258.00	150	Horizontal	Pass
5**	12294.713	40.04	-2.49	54.0	-13.96	AV	258.00	150	Horizontal	Pass
6	16884.637	53.64	1.38	74.0	-20.36	Peak	25.00	150	Horizontal	Pass
6**	16884.637	44.04	1.38	54.0	-9.96	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.08	-17.77	74.0	-32.92	Peak	238.00	150	Vertical	Pass
1**	1600.100	36.41	-17.77	54.0	-17.59	AV	238.00	150	Vertical	Pass
2	2420.100	93.17	-13.04	74.0	19.17	Peak	105.00	150	Vertical	N/A
2**	2420.100	86.75	-13.04	54.0	32.75	AV	105.00	150	Vertical	N/A
3	5274.500	50.93	-3.06	74.0	-23.07	Peak	4.00	150	Vertical	Pass
3**	5274.500	41.91	-3.06	54.0	-12.09	AV	4.00	150	Vertical	Pass
4	7152.750	52.96	0.57	74.0	-21.04	Peak	360.00	150	Vertical	Pass
4**	7152.750	43.55	0.57	54.0	-10.45	AV	360.00	150	Vertical	Pass
5	11776.250	50.51	-3.74	74.0	-23.49	Peak	130.00	150	Vertical	Pass
5**	11776.250	41.23	-3.74	54.0	-12.77	AV	130.00	150	Vertical	Pass
6	17244.000	53.69	1.87	74.0	-20.31	Peak	0.00	150	Vertical	Pass
6**	17244.000	44.07	1.87	54.0	-9.93	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.61	-17.71	74.0	-32.39	Peak	143.00	150	Horizontal	Pass
1**	1599.600	33.82	-17.71	54.0	-20.18	AV	143.00	150	Horizontal	Pass
2	2444.600	105.41	-12.56	74.0	31.41	Peak	215.00	150	Horizontal	N/A
2**	2444.600	97.91	-12.56	54.0	43.91	AV	215.00	150	Horizontal	N/A
3	5183.750	49.92	-2.18	74.0	-24.08	Peak	188.00	150	Horizontal	Pass
3**	5183.750	42.53	-2.18	54.0	-11.47	AV	188.00	150	Horizontal	Pass
4	7818.500	52.59	1.79	74.0	-21.41	Peak	104.00	150	Horizontal	Pass
4**	7818.500	44.17	1.79	54.0	-9.83	AV	104.00	150	Horizontal	Pass
5	11219.787	48.79	-4.12	74.0	-25.21	Peak	236.00	150	Horizontal	Pass
5**	11219.787	38.63	-4.12	54.0	-15.37	AV	236.00	150	Horizontal	Pass
6	16827.412	53.55	0.79	74.0	-20.45	Peak	82.00	150	Horizontal	Pass
6**	16827.412	43.28	0.79	54.0	-10.72	AV	82.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.34	-17.77	74.0	-31.66	Peak	89.00	150	Vertical	Pass
1**	1600.100	36.19	-17.77	54.0	-17.81	AV	89.00	150	Vertical	Pass
2	2435.800	94.81	-12.13	74.0	20.81	Peak	80.00	150	Vertical	N/A
2**	2435.800	87.28	-12.13	54.0	33.28	AV	80.00	150	Vertical	N/A
3	5339.250	50.11	-3.58	74.0	-23.89	Peak	334.00	150	Vertical	Pass
3**	5339.250	41.36	-3.58	54.0	-12.64	AV	334.00	150	Vertical	Pass
4	7836.750	52.91	2.09	74.0	-21.09	Peak	143.00	150	Vertical	Pass
4**	7836.750	44.70	2.09	54.0	-9.30	AV	143.00	150	Vertical	Pass
5	13700.775	50.91	0.30	74.0	-23.09	Peak	109.00	150	Vertical	Pass
5**	13700.775	41.16	0.30	54.0	-12.84	AV	109.00	150	Vertical	Pass
6	16525.537	53.23	0.01	74.0	-20.77	Peak	209.00	150	Vertical	Pass
6**	16525.537	43.51	0.01	54.0	-10.49	AV	209.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.31	-17.78	74.0	-32.69	Peak	98.00	150	Horizontal	Pass
1**	1600.200	36.01	-17.78	54.0	-17.99	AV	98.00	150	Horizontal	Pass
2	2450.900	107.03	-12.76	74.0	33.03	Peak	142.00	150	Horizontal	N/A
2**	2450.900	100.41	-12.76	54.0	46.41	AV	142.00	150	Horizontal	N/A
3	5294.000	50.91	-3.31	74.0	-23.09	Peak	168.00	150	Horizontal	Pass
3**	5294.000	41.73	-3.31	54.0	-12.27	AV	168.00	150	Horizontal	Pass
4	7841.250	53.55	1.73	74.0	-20.45	Peak	250.00	150	Horizontal	Pass
4**	7841.250	45.00	1.73	54.0	-9.00	AV	250.00	150	Horizontal	Pass
5	12297.800	50.38	-2.46	74.0	-23.62	Peak	37.00	150	Horizontal	Pass
5**	12297.800	40.71	-2.46	54.0	-13.29	AV	37.00	150	Horizontal	Pass
6	17309.886	53.28	1.99	74.0	-20.72	Peak	124.00	150	Horizontal	Pass
6**	17309.886	44.87	1.99	54.0	-9.13	AV	124.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.28	-17.76	74.0	-31.72	Peak	49.00	150	Vertical	Pass
1**	1600.000	36.44	-17.76	54.0	-17.56	AV	49.00	150	Vertical	Pass
2	2450.800	95.51	-12.75	74.0	21.51	Peak	96.00	150	Vertical	N/A
2**	2450.800	88.53	-12.75	54.0	34.53	AV	96.00	150	Vertical	N/A
3	5354.000	51.22	-3.10	74.0	-22.78	Peak	86.00	150	Vertical	Pass
3**	5354.000	40.82	-3.10	54.0	-13.18	AV	86.00	150	Vertical	Pass
4	7840.750	53.97	1.79	74.0	-20.03	Peak	27.00	150	Vertical	Pass
4**	7840.750	44.85	1.79	54.0	-9.15	AV	27.00	150	Vertical	Pass
5	13121.700	50.97	-1.19	74.0	-23.03	Peak	76.00	150	Vertical	Pass
5**	13121.700	41.05	-1.19	54.0	-12.95	AV	76.00	150	Vertical	Pass
6	17808.114	54.66	3.16	74.0	-19.34	Peak	254.00	150	Vertical	Pass
6**	17808.114	45.17	3.16	54.0	-8.83	AV	254.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.10	-17.77	74.0	-32.90	Peak	36.00	150	Horizontal	Pass
1**	1600.100	37.02	-17.77	54.0	-16.98	AV	36.00	150	Horizontal	Pass
2	2455.800	104.75	-12.86	74.0	30.75	Peak	144.00	150	Horizontal	N/A
2**	2455.800	97.04	-12.86	54.0	43.04	AV	144.00	150	Horizontal	N/A
3	5124.750	50.85	-2.87	74.0	-23.15	Peak	136.00	150	Horizontal	Pass
3**	5124.750	40.53	-2.87	54.0	-13.47	AV	136.00	150	Horizontal	Pass
4	7834.750	54.08	2.21	74.0	-19.92	Peak	103.00	150	Horizontal	Pass
4**	7834.750	45.70	2.21	54.0	-8.30	AV	103.00	150	Horizontal	Pass
5	11387.463	49.34	-4.28	74.0	-24.66	Peak	191.00	150	Horizontal	Pass
5**	11387.463	40.87	-4.28	54.0	-13.13	AV	191.00	150	Horizontal	Pass
6	16394.812	53.81	0.26	74.0	-20.19	Peak	73.00	150	Horizontal	Pass
6**	16394.812	43.62	0.26	54.0	-10.38	AV	73.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.04	-17.77	74.0	-32.96	Peak	188.00	150	Vertical	Pass
1**	1600.100	36.60	-17.77	54.0	-17.40	AV	188.00	150	Vertical	Pass
2	2456.000	91.37	-12.81	74.0	17.37	Peak	95.00	150	Vertical	N/A
2**	2456.000	84.96	-12.81	54.0	30.96	AV	95.00	150	Vertical	N/A
3	5184.250	51.12	-2.24	74.0	-22.88	Peak	29.00	150	Vertical	Pass
3**	5184.250	42.46	-2.24	54.0	-11.54	AV	29.00	150	Vertical	Pass
4	7020.000	53.06	-0.96	74.0	-20.94	Peak	177.00	150	Vertical	Pass
4**	7020.000	43.25	-0.96	54.0	-10.75	AV	177.00	150	Vertical	Pass
5	13626.488	51.09	0.09	74.0	-22.91	Peak	10.00	150	Vertical	Pass
5**	13626.488	40.97	0.09	54.0	-13.03	AV	10.00	150	Vertical	Pass
6	17028.225	53.46	0.75	74.0	-20.54	Peak	188.00	150	Vertical	Pass
6**	17028.225	43.27	0.75	54.0	-10.73	AV	188.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.96	-17.78	74.0	-32.04	Peak	44.00	150	Horizontal	Pass
1**	1600.200	36.22	-17.78	54.0	-17.78	AV	44.00	150	Horizontal	Pass
2	2463.200	106.35	-12.67	74.0	32.35	Peak	224.00	150	Horizontal	N/A
2**	2463.200	98.55	-12.67	54.0	44.55	AV	224.00	150	Horizontal	N/A
3	5184.000	50.10	-2.21	74.0	-23.90	Peak	4.00	150	Horizontal	Pass
3**	5184.000	41.18	-2.21	54.0	-12.82	AV	4.00	150	Horizontal	Pass
4	7832.250	52.76	2.21	74.0	-21.24	Peak	210.00	150	Horizontal	Pass
4**	7832.250	43.25	2.21	54.0	-10.75	AV	210.00	150	Horizontal	Pass
5	10967.800	49.80	-4.85	74.0	-24.20	Peak	3.00	150	Horizontal	Pass
5**	10967.800	38.96	-4.85	54.0	-15.04	AV	3.00	150	Horizontal	Pass
6	17575.012	52.70	3.23	74.0	-21.30	Peak	139.00	150	Horizontal	Pass
6**	17575.012	44.03	3.23	54.0	-9.97	AV	139.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.96	-17.78	74.0	-32.04	Peak	269.00	150	Vertical	Pass
1**	1600.200	36.80	-17.78	54.0	-17.20	AV	269.00	150	Vertical	Pass
2	2459.200	94.56	-12.65	74.0	20.56	Peak	119.00	150	Vertical	N/A
2**	2459.200	86.66	-12.65	54.0	32.66	AV	119.00	150	Vertical	N/A
3	5183.500	51.39	-2.15	74.0	-22.61	Peak	130.00	150	Vertical	Pass
3**	5183.500	41.08	-2.15	54.0	-12.92	AV	130.00	150	Vertical	Pass
4	7464.000	52.60	0.94	74.0	-21.40	Peak	13.00	150	Vertical	Pass
4**	7464.000	43.19	0.94	54.0	-10.81	AV	13.00	150	Vertical	Pass
5	10590.412	48.54	-4.22	74.0	-25.46	Peak	190.00	150	Vertical	Pass
5**	10590.412	39.25	-4.22	54.0	-14.75	AV	190.00	150	Vertical	Pass
6	16539.975	52.30	0.02	74.0	-21.70	Peak	0.00	150	Vertical	Pass
6**	16539.975	43.02	0.02	54.0	-10.98	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.09	-17.76	74.0	-31.91	Peak	360.00	150	Horizontal	Pass
1**	1600.000	36.44	-17.76	54.0	-17.56	AV	360.00	150	Horizontal	Pass
2	2413.800	102.55	-13.42	74.0	28.55	Peak	249.00	150	Horizontal	N/A
2**	2413.800	94.45	-13.42	54.0	40.45	AV	249.00	150	Horizontal	N/A
3	5234.250	50.44	-3.27	74.0	-23.56	Peak	136.00	150	Horizontal	Pass
3**	5234.250	41.03	-3.27	54.0	-12.97	AV	136.00	150	Horizontal	Pass
4	7768.000	52.69	-0.14	74.0	-21.31	Peak	94.00	150	Horizontal	Pass
4**	7768.000	42.54	-0.14	54.0	-11.46	AV	94.00	150	Horizontal	Pass
5	12426.287	49.28	-2.51	74.0	-24.72	Peak	247.00	150	Horizontal	Pass
5**	12426.287	39.45	-2.51	54.0	-14.55	AV	247.00	150	Horizontal	Pass
6	17246.626	52.69	1.89	74.0	-21.31	Peak	136.00	150	Horizontal	Pass
6**	17246.626	43.74	1.89	54.0	-10.26	AV	136.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.06	-17.71	74.0	-31.94	Peak	75.00	150	Vertical	Pass
1**	1599.600	35.16	-17.71	54.0	-18.84	AV	75.00	150	Vertical	Pass
2	2414.200	93.70	-13.41	74.0	19.70	Peak	43.00	150	Vertical	N/A
2**	2414.200	85.80	-13.41	54.0	31.80	AV	43.00	150	Vertical	N/A
3	5369.750	50.53	-3.40	74.0	-23.47	Peak	39.00	150	Vertical	Pass
3**	5369.750	40.47	-3.40	54.0	-13.53	AV	39.00	150	Vertical	Pass
4	7878.000	52.66	2.17	74.0	-21.34	Peak	155.00	150	Vertical	Pass
4**	7878.000	43.27	2.17	54.0	-10.73	AV	155.00	150	Vertical	Pass
5	10554.075	48.47	-4.55	74.0	-25.53	Peak	353.00	150	Vertical	Pass
5**	10554.075	37.69	-4.55	54.0	-16.31	AV	353.00	150	Vertical	Pass
6	17254.500	52.72	1.93	74.0	-21.28	Peak	340.00	150	Vertical	Pass
6**	17254.500	43.84	1.93	54.0	-10.16	AV	340.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.91	-17.76	74.0	-32.09	Peak	96.00	150	Horizontal	Pass
1**	1600.000	36.47	-17.76	54.0	-17.53	AV	96.00	150	Horizontal	Pass
2	2418.300	100.10	-12.93	74.0	26.10	Peak	267.00	150	Horizontal	N/A
2**	2418.300	92.34	-12.93	54.0	38.34	AV	267.00	150	Horizontal	N/A
3	5174.500	50.73	-2.55	74.0	-23.27	Peak	341.00	150	Horizontal	Pass
3**	5174.500	41.80	-2.55	54.0	-12.20	AV	341.00	150	Horizontal	Pass
4	7840.250	54.32	1.85	74.0	-19.68	Peak	316.00	150	Horizontal	Pass
4**	7840.250	45.09	1.85	54.0	-8.91	AV	316.00	150	Horizontal	Pass
5	14084.025	53.05	-0.27	74.0	-20.95	Peak	97.00	150	Horizontal	Pass
5**	14084.025	41.84	-0.27	54.0	-12.16	AV	97.00	150	Horizontal	Pass
6	17619.900	54.77	3.13	74.0	-19.23	Peak	78.00	150	Horizontal	Pass
6**	17619.900	44.51	3.13	54.0	-9.49	AV	78.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.50	-17.78	74.0	-32.50	Peak	360.00	150	Vertical	Pass
1**	1600.200	36.56	-17.78	54.0	-17.44	AV	360.00	150	Vertical	Pass
2	2435.700	88.23	-12.12	74.0	14.23	Peak	98.00	150	Vertical	N/A
2**	2435.700	81.17	-12.12	54.0	27.17	AV	98.00	150	Vertical	N/A
3	5231.250	50.65	-3.43	74.0	-23.35	Peak	202.00	150	Vertical	Pass
3**	5231.250	42.04	-3.43	54.0	-11.96	AV	202.00	150	Vertical	Pass
4	7830.500	53.91	1.98	74.0	-20.09	Peak	343.00	150	Vertical	Pass
4**	7830.500	44.62	1.98	54.0	-9.38	AV	343.00	150	Vertical	Pass
5	14031.000	51.23	-0.77	74.0	-22.77	Peak	10.00	150	Vertical	Pass
5**	14031.000	42.18	-0.77	54.0	-11.82	AV	10.00	150	Vertical	Pass
6	17499.150	53.86	3.08	74.0	-20.14	Peak	108.00	150	Vertical	Pass
6**	17499.150	43.75	3.08	54.0	-10.25	AV	108.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.35	-17.78	74.0	-32.65	Peak	74.00	150	Horizontal	Pass
1**	1600.200	36.12	-17.78	54.0	-17.88	AV	74.00	150	Horizontal	Pass
2	2444.800	99.91	-12.56	74.0	25.91	Peak	145.00	150	Horizontal	N/A
2**	2444.800	92.13	-12.56	54.0	38.13	AV	145.00	150	Horizontal	N/A
3	5184.500	50.73	-2.27	74.0	-23.27	Peak	86.00	150	Horizontal	Pass
3**	5184.500	42.33	-2.27	54.0	-11.67	AV	86.00	150	Horizontal	Pass
4	7027.750	53.06	-0.81	74.0	-20.94	Peak	208.00	150	Horizontal	Pass
4**	7027.750	44.20	-0.81	54.0	-9.80	AV	208.00	150	Horizontal	Pass
5	11299.112	50.64	-4.01	74.0	-23.36	Peak	214.00	150	Horizontal	Pass
5**	11299.112	40.55	-4.01	54.0	-13.45	AV	214.00	150	Horizontal	Pass
6	17813.101	54.61	3.12	74.0	-19.39	Peak	154.00	150	Horizontal	Pass
6**	17813.101	44.78	3.12	54.0	-9.22	AV	154.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.78	-17.77	74.0	-32.22	Peak	15.00	150	Vertical	Pass
1**	1600.100	35.87	-17.77	54.0	-18.13	AV	15.00	150	Vertical	Pass
2	2445.300	88.38	-12.58	74.0	14.38	Peak	96.00	150	Vertical	N/A
2**	2445.300	80.70	-12.58	54.0	26.70	AV	96.00	150	Vertical	N/A
3	5180.000	50.69	-2.21	74.0	-23.31	Peak	303.00	150	Vertical	Pass
3**	5180.000	42.67	-2.21	54.0	-11.33	AV	303.00	150	Vertical	Pass
4	7820.250	53.85	1.93	74.0	-20.15	Peak	97.00	150	Vertical	Pass
4**	7820.250	44.71	1.93	54.0	-9.29	AV	97.00	150	Vertical	Pass
5	11781.950	50.40	-3.69	74.0	-23.60	Peak	72.00	150	Vertical	Pass
5**	11781.950	40.41	-3.69	54.0	-13.59	AV	72.00	150	Vertical	Pass
6	16905.375	53.31	1.43	74.0	-20.69	Peak	10.00	150	Vertical	Pass
6**	16905.375	44.37	1.43	54.0	-9.63	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	43.37	-17.76	74.0	-30.63	Peak	29.00	150	Horizontal	Pass
1**	1600.000	36.36	-17.76	54.0	-17.64	AV	29.00	150	Horizontal	Pass
2	2445.300	102.86	-12.58	74.0	28.86	Peak	149.00	150	Horizontal	N/A
2**	2445.300	95.76	-12.58	54.0	41.76	AV	149.00	150	Horizontal	N/A
3	5119.000	50.37	-2.96	74.0	-23.63	Peak	54.00	150	Horizontal	Pass
3**	5119.000	39.22	-2.96	54.0	-14.78	AV	54.00	150	Horizontal	Pass
4	7136.250	53.24	0.88	74.0	-20.76	Peak	331.00	150	Horizontal	Pass
4**	7136.250	43.36	0.88	54.0	-10.64	AV	331.00	150	Horizontal	Pass
5	11462.038	49.30	-3.98	74.0	-24.70	Peak	269.00	150	Horizontal	Pass
5**	11462.038	38.84	-3.98	54.0	-15.16	AV	269.00	150	Horizontal	Pass
6	17040.037	52.46	0.84	74.0	-21.54	Peak	24.00	150	Horizontal	Pass
6**	17040.037	43.14	0.84	54.0	-10.86	AV	24.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.83	-17.77	74.0	-31.17	Peak	197.00	150	Vertical	Pass
1**	1600.100	37.54	-17.77	54.0	-16.46	AV	197.00	150	Vertical	Pass
2	2443.900	93.24	-12.53	74.0	19.24	Peak	121.00	150	Vertical	N/A
2**	2443.900	83.85	-12.53	54.0	29.85	AV	121.00	150	Vertical	N/A
3	5184.750	50.67	-2.30	74.0	-23.33	Peak	200.00	150	Vertical	Pass
3**	5184.750	41.33	-2.30	54.0	-12.67	AV	200.00	150	Vertical	Pass
4	7835.500	52.86	2.16	74.0	-21.14	Peak	48.00	150	Vertical	Pass
4**	7835.500	43.41	2.16	54.0	-10.59	AV	48.00	150	Vertical	Pass
5	12418.450	49.49	-2.63	74.0	-24.51	Peak	353.00	150	Vertical	Pass
5**	12418.450	38.44	-2.63	54.0	-15.56	AV	353.00	150	Vertical	Pass
6	17794.988	53.21	3.16	74.0	-20.79	Peak	10.00	150	Vertical	Pass
6**	17794.988	43.22	3.16	54.0	-10.78	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.52	-17.76	74.0	-32.48	Peak	211.00	150	Horizontal	Pass
1**	1600.000	36.01	-17.76	54.0	-17.99	AV	211.00	150	Horizontal	Pass
2	2450.000	102.54	-12.75	74.0	28.54	Peak	152.00	150	Horizontal	N/A
2**	2450.000	94.24	-12.75	54.0	40.24	AV	152.00	150	Horizontal	N/A
3	4486.750	49.95	-3.89	74.0	-24.05	Peak	236.00	150	Horizontal	Pass
3**	4486.750	39.03	-3.89	54.0	-14.97	AV	236.00	150	Horizontal	Pass
4	7819.000	54.14	1.85	74.0	-19.86	Peak	270.00	150	Horizontal	Pass
4**	7819.000	46.09	1.85	54.0	-7.91	AV	270.00	150	Horizontal	Pass
5	13419.112	51.11	0.01	74.0	-22.89	Peak	168.00	150	Horizontal	Pass
5**	13419.112	41.94	0.01	54.0	-12.06	AV	168.00	150	Horizontal	Pass
6	16853.926	54.25	1.11	74.0	-19.75	Peak	72.00	150	Horizontal	Pass
6**	16853.926	44.21	1.11	54.0	-9.79	AV	72.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.45	-17.78	74.0	-32.55	Peak	67.00	150	Vertical	Pass
1**	1600.300	36.02	-17.78	54.0	-17.98	AV	67.00	150	Vertical	Pass
2	2444.700	91.03	-12.56	74.0	17.03	Peak	99.00	150	Vertical	N/A
2**	2444.700	83.34	-12.56	54.0	29.34	AV	99.00	150	Vertical	N/A
3	4494.500	49.20	-4.33	74.0	-24.80	Peak	221.00	150	Vertical	Pass
3**	4494.500	40.41	-4.33	54.0	-13.59	AV	221.00	150	Vertical	Pass
4	7831.000	53.54	2.03	74.0	-20.46	Peak	337.00	150	Vertical	Pass
4**	7831.000	45.08	2.03	54.0	-8.92	AV	337.00	150	Vertical	Pass
5	12700.599	50.02	-2.34	74.0	-23.98	Peak	147.00	150	Vertical	Pass
5**	12700.599	41.27	-2.34	54.0	-12.73	AV	147.00	150	Vertical	Pass
6	17802.074	53.86	3.21	74.0	-20.14	Peak	25.00	150	Vertical	Pass
6**	17802.074	45.09	3.21	54.0	-8.91	AV	25.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.72	-17.75	74.0	-32.28	Peak	94.00	150	Horizontal	Pass
1**	1599.900	36.60	-17.75	54.0	-17.40	AV	94.00	150	Horizontal	Pass
2	2445.600	98.84	-12.59	74.0	24.84	Peak	148.00	150	Horizontal	N/A
2**	2445.600	91.40	-12.59	54.0	37.40	AV	148.00	150	Horizontal	N/A
3	5185.750	50.62	-2.37	74.0	-23.38	Peak	256.00	150	Horizontal	Pass
3**	5185.750	42.01	-2.37	54.0	-11.99	AV	256.00	150	Horizontal	Pass
4	7819.750	53.89	1.95	74.0	-20.11	Peak	208.00	150	Horizontal	Pass
4**	7819.750	45.51	1.95	54.0	-8.49	AV	208.00	150	Horizontal	Pass
5	13654.050	51.68	0.30	74.0	-22.32	Peak	25.00	150	Horizontal	Pass
5**	13654.050	41.53	0.30	54.0	-12.47	AV	25.00	150	Horizontal	Pass
6	17482.351	54.22	3.09	74.0	-19.78	Peak	186.00	150	Horizontal	Pass
6**	17482.351	44.79	3.09	54.0	-9.21	AV	186.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.32	-17.77	74.0	-32.68	Peak	60.00	150	Vertical	Pass
1**	1600.100	35.85	-17.77	54.0	-18.15	AV	60.00	150	Vertical	Pass
2	2445.400	87.19	-12.59	74.0	13.19	Peak	94.00	150	Vertical	N/A
2**	2445.400	80.01	-12.59	54.0	26.01	AV	94.00	150	Vertical	N/A
3	5183.500	50.42	-2.15	74.0	-23.58	Peak	56.00	150	Vertical	Pass
3**	5183.500	41.85	-2.15	54.0	-12.15	AV	56.00	150	Vertical	Pass
4	7813.750	53.95	0.99	74.0	-20.05	Peak	240.00	150	Vertical	Pass
4**	7813.750	44.74	0.99	54.0	-9.26	AV	240.00	150	Vertical	Pass
5	13628.588	51.81	0.11	74.0	-22.19	Peak	301.00	150	Vertical	Pass
5**	13628.588	41.96	0.11	54.0	-12.04	AV	301.00	150	Vertical	Pass
6	16407.412	53.66	0.28	74.0	-20.34	Peak	26.00	150	Vertical	Pass
6**	16407.412	45.10	0.28	54.0	-8.90	AV	26.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.39	-17.75	74.0	-31.61	Peak	274.00	150	Horizontal	Pass
1**	1599.900	36.97	-17.75	54.0	-17.03	AV	274.00	150	Horizontal	Pass
2	2450.000	104.85	-12.75	74.0	30.85	Peak	166.00	150	Horizontal	N/A
2**	2450.000	97.35	-12.75	54.0	43.35	AV	166.00	150	Horizontal	N/A
3	5101.750	49.76	-2.85	74.0	-24.24	Peak	4.00	150	Horizontal	Pass
3**	5101.750	39.84	-2.85	54.0	-14.16	AV	4.00	150	Horizontal	Pass
4	7461.250	53.17	1.13	74.0	-20.83	Peak	316.00	150	Horizontal	Pass
4**	7461.250	43.63	1.13	54.0	-10.37	AV	316.00	150	Horizontal	Pass
5	10893.700	48.94	-4.88	74.0	-25.06	Peak	341.00	150	Horizontal	Pass
5**	10893.700	37.58	-4.88	54.0	-16.42	AV	341.00	150	Horizontal	Pass
6	17794.988	53.43	3.16	74.0	-20.57	Peak	66.00	150	Horizontal	Pass
6**	17794.988	43.51	3.16	54.0	-10.49	AV	66.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.51	-17.74	74.0	-31.49	Peak	104.00	150	Vertical	Pass
1**	1599.800	36.67	-17.74	54.0	-17.33	AV	104.00	150	Vertical	Pass
2	2450.000	93.54	-12.75	74.0	19.54	Peak	117.00	150	Vertical	N/A
2**	2450.000	85.94	-12.75	54.0	31.94	AV	117.00	150	Vertical	N/A
3	5270.250	50.90	-3.28	74.0	-23.10	Peak	340.00	150	Vertical	Pass
3**	5270.250	42.20	-3.28	54.0	-11.80	AV	340.00	150	Vertical	Pass
4	7835.250	52.86	2.18	74.0	-21.14	Peak	0.00	150	Vertical	Pass
4**	7835.250	43.75	2.18	54.0	-10.25	AV	0.00	150	Vertical	Pass
5	13456.650	50.51	0.20	74.0	-23.49	Peak	108.00	150	Vertical	Pass
5**	13456.650	41.02	0.20	54.0	-12.98	AV	108.00	150	Vertical	Pass
6	16888.313	53.29	1.41	74.0	-20.71	Peak	80.00	150	Vertical	Pass
6**	16888.313	43.39	1.41	54.0	-10.61	AV	80.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.84	-17.72	74.0	-31.16	Peak	12.00	150	Horizontal	Pass
1**	1599.700	36.15	-17.72	54.0	-17.85	AV	12.00	150	Horizontal	Pass
2	2414.900	105.84	-13.38	74.0	31.84	Peak	227.00	150	Horizontal	N/A
2**	2414.900	98.04	-13.38	54.0	44.04	AV	227.00	150	Horizontal	N/A
3	5273.500	50.17	-3.11	74.0	-23.83	Peak	0.00	150	Horizontal	Pass
3**	5273.500	40.94	-3.11	54.0	-13.06	AV	0.00	150	Horizontal	Pass
4	7461.250	52.52	1.13	74.0	-21.48	Peak	63.00	150	Horizontal	Pass
4**	7461.250	42.83	1.13	54.0	-11.17	AV	63.00	150	Horizontal	Pass
5	11191.525	49.12	-4.11	74.0	-24.88	Peak	343.00	150	Horizontal	Pass
5**	11191.525	39.78	-4.11	54.0	-14.22	AV	343.00	150	Horizontal	Pass
6	17808.900	53.81	3.15	74.0	-20.19	Peak	10.00	150	Horizontal	Pass
6**	17808.900	44.19	3.15	54.0	-9.81	AV	10.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	43.29	-17.76	74.0	-30.71	Peak	213.00	150	Vertical	Pass
1**	1600.000	37.47	-17.76	54.0	-16.53	AV	213.00	150	Vertical	Pass
2	2410.800	96.88	-13.48	74.0	22.88	Peak	44.00	150	Vertical	N/A
2**	2410.800	89.92	-13.48	54.0	35.92	AV	44.00	150	Vertical	N/A
3	5305.500	51.16	-3.41	74.0	-22.84	Peak	289.00	150	Vertical	Pass
3**	5305.500	41.04	-3.41	54.0	-12.96	AV	289.00	150	Vertical	Pass
4	7477.500	52.44	0.17	74.0	-21.56	Peak	28.00	150	Vertical	Pass
4**	7477.500	43.12	0.17	54.0	-10.88	AV	28.00	150	Vertical	Pass
5	13447.725	50.67	0.18	74.0	-23.33	Peak	0.00	150	Vertical	Pass
5**	13447.725	39.97	0.18	54.0	-14.03	AV	0.00	150	Vertical	Pass
6	17294.137	52.88	2.00	74.0	-21.12	Peak	183.00	150	Vertical	Pass
6**	17294.137	44.05	2.00	54.0	-9.95	AV	183.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.46	-17.78	74.0	-32.54	Peak	77.00	150	Horizontal	Pass
1**	1600.200	36.44	-17.78	54.0	-17.56	AV	77.00	150	Horizontal	Pass
2	2415.300	102.70	-13.36	74.0	28.70	Peak	55.00	150	Horizontal	N/A
2**	2415.300	95.61	-13.36	54.0	41.61	AV	55.00	150	Horizontal	N/A
3	5326.500	51.04	-3.36	74.0	-22.96	Peak	339.00	150	Horizontal	Pass
3**	5326.500	42.03	-3.36	54.0	-11.97	AV	339.00	150	Horizontal	Pass
4	7826.750	54.57	1.74	74.0	-19.43	Peak	117.00	150	Horizontal	Pass
4**	7826.750	45.47	1.74	54.0	-8.53	AV	117.00	150	Horizontal	Pass
5	13376.062	51.20	-0.15	74.0	-22.80	Peak	7.00	150	Horizontal	Pass
5**	13376.062	41.69	-0.15	54.0	-12.31	AV	7.00	150	Horizontal	Pass
6	16896.187	53.70	1.48	74.0	-20.30	Peak	90.00	150	Horizontal	Pass
6**	16896.187	45.01	1.48	54.0	-8.99	AV	90.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.69	-17.75	74.0	-31.31	Peak	217.00	150	Vertical	Pass
1**	1599.900	36.79	-17.75	54.0	-17.21	AV	217.00	150	Vertical	Pass
2	2418.200	90.70	-12.95	74.0	16.70	Peak	308.00	150	Vertical	N/A
2**	2418.200	82.82	-12.95	54.0	28.82	AV	308.00	150	Vertical	N/A
3	5177.500	50.45	-2.47	74.0	-23.55	Peak	258.00	150	Vertical	Pass
3**	5177.500	41.88	-2.47	54.0	-12.12	AV	258.00	150	Vertical	Pass
4	7815.000	53.98	0.88	74.0	-20.02	Peak	282.00	150	Vertical	Pass
4**	7815.000	43.80	0.88	54.0	-10.20	AV	282.00	150	Vertical	Pass
5	11368.225	50.38	-4.39	74.0	-23.62	Peak	169.00	150	Vertical	Pass
5**	11368.225	39.71	-4.39	54.0	-14.29	AV	169.00	150	Vertical	Pass
6	16520.025	54.14	0.01	74.0	-19.86	Peak	120.00	150	Vertical	Pass
6**	16520.025	44.01	0.01	54.0	-9.99	AV	120.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	40.67	-17.78	74.0	-33.33	Peak	62.00	150	Horizontal	Pass
1**	1600.300	36.34	-17.78	54.0	-17.66	AV	62.00	150	Horizontal	Pass
2	2421.300	103.95	-12.97	74.0	29.95	Peak	267.00	150	Horizontal	N/A
2**	2421.300	96.58	-12.97	54.0	42.58	AV	267.00	150	Horizontal	N/A
3	5165.000	51.00	-3.13	74.0	-23.00	Peak	78.00	150	Horizontal	Pass
3**	5165.000	41.30	-3.13	54.0	-12.70	AV	78.00	150	Horizontal	Pass
4	7145.250	52.80	0.24	74.0	-21.20	Peak	69.00	150	Horizontal	Pass
4**	7145.250	42.90	0.24	54.0	-11.10	AV	69.00	150	Horizontal	Pass
5	12294.950	50.14	-2.48	74.0	-23.86	Peak	169.00	150	Horizontal	Pass
5**	12294.950	41.00	-2.48	54.0	-13.00	AV	169.00	150	Horizontal	Pass
6	17315.926	54.22	1.97	74.0	-19.78	Peak	26.00	150	Horizontal	Pass
6**	17315.926	44.09	1.97	54.0	-9.91	AV	26.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.36	-17.78	74.0	-32.64	Peak	194.00	150	Vertical	Pass
1**	1600.200	35.70	-17.78	54.0	-18.30	AV	194.00	150	Vertical	Pass
2	2423.400	92.38	-12.81	74.0	18.38	Peak	103.00	150	Vertical	N/A
2**	2423.400	85.17	-12.81	54.0	31.17	AV	103.00	150	Vertical	N/A
3	5185.750	51.90	-2.37	74.0	-22.10	Peak	360.00	150	Vertical	Pass
3**	5185.750	42.41	-2.37	54.0	-11.59	AV	360.00	150	Vertical	Pass
4	7508.000	53.01	0.34	74.0	-20.99	Peak	140.00	150	Vertical	Pass
4**	7508.000	43.77	0.34	54.0	-10.23	AV	140.00	150	Vertical	Pass
5	11309.325	49.42	-4.09	74.0	-24.58	Peak	27.00	150	Vertical	Pass
5**	11309.325	39.95	-4.09	54.0	-14.05	AV	27.00	150	Vertical	Pass
6	16432.088	53.11	0.10	74.0	-20.89	Peak	12.00	150	Vertical	Pass
6**	16432.088	43.31	0.10	54.0	-10.69	AV	12.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.16	-17.77	74.0	-32.84	Peak	160.00	150	Horizontal	Pass
1**	1600.100	36.44	-17.77	54.0	-17.56	AV	160.00	150	Horizontal	Pass
2	2424.700	103.56	-12.84	74.0	29.56	Peak	150.00	150	Horizontal	N/A
2**	2424.700	96.02	-12.84	54.0	42.02	AV	150.00	150	Horizontal	N/A
3	5280.500	51.28	-3.42	74.0	-22.72	Peak	243.00	150	Horizontal	Pass
3**	5280.500	40.63	-3.42	54.0	-13.37	AV	243.00	150	Horizontal	Pass
4	7838.250	54.13	2.02	74.0	-19.87	Peak	353.00	150	Horizontal	Pass
4**	7838.250	44.74	2.02	54.0	-9.26	AV	353.00	150	Horizontal	Pass
5	12041.300	49.70	-3.37	74.0	-24.30	Peak	317.00	150	Horizontal	Pass
5**	12041.300	39.69	-3.37	54.0	-14.31	AV	317.00	150	Horizontal	Pass
6	17660.588	53.64	2.77	74.0	-20.36	Peak	9.00	150	Horizontal	Pass
6**	17660.588	44.64	2.77	54.0	-9.36	AV	9.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.18	-17.77	74.0	-31.82	Peak	55.00	150	Vertical	Pass
1**	1600.100	35.92	-17.77	54.0	-18.08	AV	55.00	150	Vertical	Pass
2	2425.700	92.83	-12.67	74.0	18.83	Peak	106.00	150	Vertical	N/A
2**	2425.700	85.51	-12.67	54.0	31.51	AV	106.00	150	Vertical	N/A
3	5228.250	51.17	-3.63	74.0	-22.83	Peak	351.00	150	Vertical	Pass
3**	5228.250	41.09	-3.63	54.0	-12.91	AV	351.00	150	Vertical	Pass
4	7836.500	53.56	2.11	74.0	-20.44	Peak	162.00	150	Vertical	Pass
4**	7836.500	44.80	2.11	54.0	-9.20	AV	162.00	150	Vertical	Pass
5	11805.225	49.58	-3.50	74.0	-24.42	Peak	284.00	150	Vertical	Pass
5**	11805.225	40.20	-3.50	54.0	-13.80	AV	284.00	150	Vertical	Pass
6	16420.537	53.67	0.18	74.0	-20.33	Peak	25.00	150	Vertical	Pass
6**	16420.537	44.26	0.18	54.0	-9.74	AV	25.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.03	-17.72	74.0	-31.97	Peak	327.00	150	Horizontal	Pass
1**	1599.700	36.01	-17.72	54.0	-17.99	AV	327.00	150	Horizontal	Pass
2	2444.700	105.11	-12.56	74.0	31.11	Peak	218.00	150	Horizontal	N/A
2**	2444.700	97.31	-12.56	54.0	43.31	AV	218.00	150	Horizontal	N/A
3	5188.500	50.82	-2.57	74.0	-23.18	Peak	247.00	150	Horizontal	Pass
3**	5188.500	41.71	-2.57	54.0	-12.29	AV	247.00	150	Horizontal	Pass
4	6765.000	52.27	-0.56	74.0	-21.73	Peak	352.00	150	Horizontal	Pass
4**	6765.000	42.39	-0.56	54.0	-11.61	AV	352.00	150	Horizontal	Pass
5	13419.900	50.13	0.02	74.0	-23.87	Peak	0.00	150	Horizontal	Pass
5**	13419.900	40.88	0.02	54.0	-13.12	AV	0.00	150	Horizontal	Pass
6	17789.213	53.08	3.08	74.0	-20.92	Peak	70.00	150	Horizontal	Pass
6**	17789.213	43.87	3.08	54.0	-10.13	AV	70.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.17	-17.78	74.0	-31.83	Peak	159.00	150	Vertical	Pass
1**	1600.200	37.14	-17.78	54.0	-16.86	AV	159.00	150	Vertical	Pass
2	2444.700	94.87	-12.56	74.0	20.87	Peak	122.00	150	Vertical	N/A
2**	2444.700	86.64	-12.56	54.0	32.64	AV	122.00	150	Vertical	N/A
3	5841.750	50.48	-2.54	74.0	-23.52	Peak	217.00	150	Vertical	Pass
3**	5841.750	40.50	-2.54	54.0	-13.50	AV	217.00	150	Vertical	Pass
4	7875.000	53.27	2.12	74.0	-20.73	Peak	336.00	150	Vertical	Pass
4**	7875.000	42.97	2.12	54.0	-11.03	AV	336.00	150	Vertical	Pass
5	11800.475	49.05	-3.53	74.0	-24.95	Peak	18.00	150	Vertical	Pass
5**	11800.475	40.41	-3.53	54.0	-13.59	AV	18.00	150	Vertical	Pass
6	17077.838	52.84	1.14	74.0	-21.16	Peak	56.00	150	Vertical	Pass
6**	17077.838	43.11	1.14	54.0	-10.89	AV	56.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.30	-17.78	74.0	-32.70	Peak	360.00	150	Horizontal	Pass
1**	1600.200	36.61	-17.78	54.0	-17.39	AV	360.00	150	Horizontal	Pass
2	2453.200	107.13	-12.97	74.0	33.13	Peak	221.00	150	Horizontal	N/A
2**	2453.200	99.24	-12.97	54.0	45.24	AV	221.00	150	Horizontal	N/A
3	5271.500	50.87	-3.27	74.0	-23.13	Peak	297.00	150	Horizontal	Pass
3**	5271.500	41.23	-3.27	54.0	-12.77	AV	297.00	150	Horizontal	Pass
4	7837.500	54.06	2.05	74.0	-19.94	Peak	360.00	150	Horizontal	Pass
4**	7837.500	45.29	2.05	54.0	-8.71	AV	360.00	150	Horizontal	Pass
5	11318.587	49.70	-4.18	74.0	-24.30	Peak	282.00	150	Horizontal	Pass
5**	11318.587	38.72	-4.18	54.0	-15.28	AV	282.00	150	Horizontal	Pass
6	16418.437	53.06	0.20	74.0	-20.94	Peak	28.00	150	Horizontal	Pass
6**	16418.437	43.46	0.20	54.0	-10.54	AV	28.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	40.95	-17.76	74.0	-33.05	Peak	246.00	150	Vertical	Pass
1**	1600.000	35.91	-17.76	54.0	-18.09	AV	246.00	150	Vertical	Pass
2	2453.200	95.64	-12.97	74.0	21.64	Peak	97.00	150	Vertical	N/A
2**	2453.200	88.06	-12.97	54.0	34.06	AV	97.00	150	Vertical	N/A
3	5187.500	51.61	-2.48	74.0	-22.39	Peak	113.00	150	Vertical	Pass
3**	5187.500	41.09	-2.48	54.0	-12.91	AV	113.00	150	Vertical	Pass
4	7833.000	53.73	2.28	74.0	-20.27	Peak	300.00	150	Vertical	Pass
4**	7833.000	45.64	2.28	54.0	-8.36	AV	300.00	150	Vertical	Pass
5	11304.813	49.60	-4.05	74.0	-24.40	Peak	186.00	150	Vertical	Pass
5**	11304.813	40.92	-4.05	54.0	-13.08	AV	186.00	150	Vertical	Pass
6	17042.400	53.07	0.86	74.0	-20.93	Peak	78.00	150	Vertical	Pass
6**	17042.400	44.13	0.86	54.0	-9.87	AV	78.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.47	-17.76	74.0	-32.53	Peak	106.00	150	Horizontal	Pass
1**	1600.000	36.51	-17.76	54.0	-17.49	AV	106.00	150	Horizontal	Pass
2	2455.600	104.15	-12.90	74.0	30.15	Peak	222.00	150	Horizontal	N/A
2**	2455.600	96.94	-12.90	54.0	42.94	AV	222.00	150	Horizontal	N/A
3	5178.750	51.01	-2.25	74.0	-22.99	Peak	188.00	150	Horizontal	Pass
3**	5178.750	42.59	-2.25	54.0	-11.41	AV	188.00	150	Horizontal	Pass
4	7510.000	53.53	0.55	74.0	-20.47	Peak	40.00	150	Horizontal	Pass
4**	7510.000	44.83	0.55	54.0	-9.17	AV	40.00	150	Horizontal	Pass
5	11367.037	50.37	-4.39	74.0	-23.63	Peak	22.00	150	Horizontal	Pass
5**	11367.037	39.15	-4.39	54.0	-14.85	AV	22.00	150	Horizontal	Pass
6	17297.025	54.48	2.01	74.0	-19.52	Peak	60.00	150	Horizontal	Pass
6**	17297.025	45.14	2.01	54.0	-8.86	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.42	-17.77	74.0	-32.58	Peak	278.00	150	Vertical	Pass
1**	1600.100	36.85	-17.77	54.0	-17.15	AV	278.00	150	Vertical	Pass
2	2455.300	91.93	-12.97	74.0	17.93	Peak	97.00	150	Vertical	N/A
2**	2455.300	84.19	-12.97	54.0	30.19	AV	97.00	150	Vertical	N/A
3	5008.000	50.39	-3.07	74.0	-23.61	Peak	85.00	150	Vertical	Pass
3**	5008.000	41.03	-3.07	54.0	-12.97	AV	85.00	150	Vertical	Pass
4	7841.750	53.76	1.68	74.0	-20.24	Peak	119.00	150	Vertical	Pass
4**	7841.750	45.40	1.68	54.0	-8.60	AV	119.00	150	Vertical	Pass
5	11793.350	49.66	-3.59	74.0	-24.34	Peak	292.00	150	Vertical	Pass
5**	11793.350	40.84	-3.59	54.0	-13.16	AV	292.00	150	Vertical	Pass
6	16411.350	53.84	0.25	74.0	-20.16	Peak	207.00	150	Vertical	Pass
6**	16411.350	44.21	0.25	54.0	-9.79	AV	207.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.61	-17.71	74.0	-31.39	Peak	337.00	150	Horizontal	Pass
1**	1599.600	35.22	-17.71	54.0	-18.78	AV	337.00	150	Horizontal	Pass
2	2463.000	106.06	-12.66	74.0	32.06	Peak	138.00	150	Horizontal	N/A
2**	2463.000	98.59	-12.66	54.0	44.59	AV	138.00	150	Horizontal	N/A
3	5328.750	50.87	-3.54	74.0	-23.13	Peak	71.00	150	Horizontal	Pass
3**	5328.750	39.66	-3.54	54.0	-14.34	AV	71.00	150	Horizontal	Pass
4	7844.500	53.76	1.43	74.0	-20.24	Peak	113.00	150	Horizontal	Pass
4**	7844.500	43.02	1.43	54.0	-10.98	AV	113.00	150	Horizontal	Pass
5	11793.588	49.14	-3.59	74.0	-24.86	Peak	89.00	150	Horizontal	Pass
5**	11793.588	39.41	-3.59	54.0	-14.59	AV	89.00	150	Horizontal	Pass
6	17658.751	52.68	2.79	74.0	-21.32	Peak	195.00	150	Horizontal	Pass
6**	17658.751	43.15	2.79	54.0	-10.85	AV	195.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.91	-17.77	74.0	-32.09	Peak	359.00	150	Vertical	Pass
1**	1600.100	37.91	-17.77	54.0	-16.09	AV	359.00	150	Vertical	Pass
2	2460.100	94.47	-12.63	74.0	20.47	Peak	43.00	150	Vertical	N/A
2**	2460.100	86.85	-12.63	54.0	32.85	AV	43.00	150	Vertical	N/A
3	5324.500	49.69	-3.32	74.0	-24.31	Peak	46.00	150	Vertical	Pass
3**	5324.500	40.69	-3.32	54.0	-13.31	AV	46.00	150	Vertical	Pass
4	7259.500	52.32	-0.20	74.0	-21.68	Peak	0.00	150	Vertical	Pass
4**	7259.500	42.95	-0.20	54.0	-11.05	AV	0.00	150	Vertical	Pass
5	12460.963	49.50	-2.22	74.0	-24.50	Peak	329.00	150	Vertical	Pass
5**	12460.963	38.75	-2.22	54.0	-15.25	AV	329.00	150	Vertical	Pass
6	16893.563	52.76	1.46	74.0	-21.24	Peak	70.00	150	Vertical	Pass
6**	16893.563	43.25	1.46	54.0	-10.75	AV	70.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.54	-17.78	74.0	-31.46	Peak	12.00	150	Horizontal	Pass
1**	1600.200	37.61	-17.78	54.0	-16.39	AV	12.00	150	Horizontal	Pass
2	2420.000	102.33	-13.03	74.0	28.33	Peak	225.00	150	Horizontal	N/A
2**	2420.000	94.71	-13.03	54.0	40.71	AV	225.00	150	Horizontal	N/A
3	5222.500	50.17	-3.45	74.0	-23.83	Peak	318.00	150	Horizontal	Pass
3**	5222.500	41.06	-3.45	54.0	-12.94	AV	318.00	150	Horizontal	Pass
4	7463.500	53.44	1.01	74.0	-20.56	Peak	115.00	150	Horizontal	Pass
4**	7463.500	44.13	1.01	54.0	-9.87	AV	115.00	150	Horizontal	Pass
5	10640.287	49.01	-4.66	74.0	-24.99	Peak	174.00	150	Horizontal	Pass
5**	10640.287	38.60	-4.66	54.0	-15.40	AV	174.00	150	Horizontal	Pass
6	16573.574	52.89	0.01	74.0	-21.11	Peak	11.00	150	Horizontal	Pass
6**	16573.574	42.15	0.01	54.0	-11.85	AV	11.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.60	-17.77	74.0	-31.40	Peak	94.00	150	Vertical	Pass
1**	1600.100	38.46	-17.77	54.0	-15.54	AV	94.00	150	Vertical	Pass
2	2414.400	93.76	-13.40	74.0	19.76	Peak	38.00	150	Vertical	N/A
2**	2414.400	86.02	-13.40	54.0	32.02	AV	38.00	150	Vertical	N/A
3	5263.500	51.37	-3.62	74.0	-22.63	Peak	224.00	150	Vertical	Pass
3**	5263.500	42.14	-3.62	54.0	-11.86	AV	224.00	150	Vertical	Pass
4	7464.000	52.63	0.94	74.0	-21.37	Peak	96.00	150	Vertical	Pass
4**	7464.000	42.71	0.94	54.0	-11.29	AV	96.00	150	Vertical	Pass
5	11772.687	49.03	-3.78	74.0	-24.97	Peak	355.00	150	Vertical	Pass
5**	11772.687	39.27	-3.78	54.0	-14.73	AV	355.00	150	Vertical	Pass
6	17310.151	52.95	1.99	74.0	-21.05	Peak	8.00	150	Vertical	Pass
6**	17310.151	43.68	1.99	54.0	-10.32	AV	8.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.85	-17.77	74.0	-32.15	Peak	11.00	150	Horizontal	Pass
1**	1600.100	36.89	-17.77	54.0	-17.11	AV	11.00	150	Horizontal	Pass
2	2413.200	99.07	-13.42	74.0	25.07	Peak	265.00	150	Horizontal	N/A
2**	2413.200	92.01	-13.42	54.0	38.01	AV	265.00	150	Horizontal	N/A
3	5164.750	50.42	-3.17	74.0	-23.58	Peak	48.00	150	Horizontal	Pass
3**	5164.750	41.18	-3.17	54.0	-12.82	AV	48.00	150	Horizontal	Pass
4	7843.000	53.82	1.54	74.0	-20.18	Peak	344.00	150	Horizontal	Pass
4**	7843.000	45.41	1.54	54.0	-8.59	AV	344.00	150	Horizontal	Pass
5	11780.525	49.91	-3.71	74.0	-24.09	Peak	209.00	150	Horizontal	Pass
5**	11780.525	39.60	-3.71	54.0	-14.40	AV	209.00	150	Horizontal	Pass
6	17793.675	53.58	3.14	74.0	-20.42	Peak	30.00	150	Horizontal	Pass
6**	17793.675	44.95	3.14	54.0	-9.05	AV	30.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.85	-17.77	74.0	-32.15	Peak	82.00	150	Vertical	Pass
1**	1600.100	37.47	-17.77	54.0	-16.53	AV	82.00	150	Vertical	Pass
2	2443.500	87.93	-12.48	74.0	13.93	Peak	96.00	150	Vertical	N/A
2**	2443.500	80.64	-12.48	54.0	26.64	AV	96.00	150	Vertical	N/A
3	5237.750	50.98	-3.24	74.0	-23.02	Peak	266.00	150	Vertical	Pass
3**	5237.750	41.47	-3.24	54.0	-12.53	AV	266.00	150	Vertical	Pass
4	7841.250	53.72	1.73	74.0	-20.28	Peak	37.00	150	Vertical	Pass
4**	7841.250	44.67	1.73	54.0	-9.33	AV	37.00	150	Vertical	Pass
5	11794.300	49.54	-3.59	74.0	-24.46	Peak	138.00	150	Vertical	Pass
5**	11794.300	40.28	-3.59	54.0	-13.72	AV	138.00	150	Vertical	Pass
6	16442.849	53.53	0.03	74.0	-20.47	Peak	46.00	150	Vertical	Pass
6**	16442.849	43.72	0.03	54.0	-10.28	AV	46.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.86	-17.78	74.0	-33.14	Peak	21.00	150	Horizontal	Pass
1**	1600.200	36.10	-17.78	54.0	-17.90	AV	21.00	150	Horizontal	Pass
2	2443.700	100.46	-12.51	74.0	26.46	Peak	143.00	150	Horizontal	N/A
2**	2443.700	92.39	-12.51	54.0	38.39	AV	143.00	150	Horizontal	N/A
3	5768.250	51.78	-2.16	74.0	-22.22	Peak	88.00	150	Horizontal	Pass
3**	5768.250	41.92	-2.16	54.0	-12.08	AV	88.00	150	Horizontal	Pass
4	7863.750	54.02	1.51	74.0	-19.98	Peak	260.00	150	Horizontal	Pass
4**	7863.750	45.16	1.51	54.0	-8.84	AV	260.00	150	Horizontal	Pass
5	12052.225	49.92	-3.34	74.0	-24.08	Peak	224.00	150	Horizontal	Pass
5**	12052.225	40.03	-3.34	54.0	-13.97	AV	224.00	150	Horizontal	Pass
6	17791.574	54.00	3.11	74.0	-20.00	Peak	42.00	150	Horizontal	Pass
6**	17791.574	44.55	3.11	54.0	-9.45	AV	42.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	40.92	-17.75	74.0	-33.08	Peak	292.00	150	Vertical	Pass
1**	1599.900	35.84	-17.75	54.0	-18.16	AV	292.00	150	Vertical	Pass
2	2443.100	88.54	-12.43	74.0	14.54	Peak	99.00	150	Vertical	N/A
2**	2443.100	80.20	-12.43	54.0	26.20	AV	99.00	150	Vertical	N/A
3	5191.250	50.89	-2.69	74.0	-23.11	Peak	56.00	150	Vertical	Pass
3**	5191.250	41.39	-2.69	54.0	-12.61	AV	56.00	150	Vertical	Pass
4	7842.250	54.24	1.62	74.0	-19.76	Peak	6.00	150	Vertical	Pass
4**	7842.250	45.90	1.62	54.0	-8.10	AV	6.00	150	Vertical	Pass
5	11785.037	49.74	-3.67	74.0	-24.26	Peak	153.00	150	Vertical	Pass
5**	11785.037	40.82	-3.67	54.0	-13.18	AV	153.00	150	Vertical	Pass
6	17827.801	54.36	2.99	74.0	-19.64	Peak	10.00	150	Vertical	Pass
6**	17827.801	43.84	2.99	54.0	-10.16	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.31	-17.76	74.0	-31.69	Peak	1.00	150	Horizontal	Pass
1**	1600.000	37.40	-17.76	54.0	-16.60	AV	1.00	150	Horizontal	Pass
2	2447.400	103.49	-12.85	74.0	29.49	Peak	160.00	150	Horizontal	N/A
2**	2447.400	96.14	-12.85	54.0	42.14	AV	160.00	150	Horizontal	N/A
3	5244.000	50.07	-3.61	74.0	-23.93	Peak	63.00	150	Horizontal	Pass
3**	5244.000	40.13	-3.61	54.0	-13.87	AV	63.00	150	Horizontal	Pass
4	7135.000	52.09	0.87	74.0	-21.91	Peak	299.00	150	Horizontal	Pass
4**	7135.000	43.01	0.87	54.0	-10.99	AV	299.00	150	Horizontal	Pass
5	11781.238	48.98	-3.70	74.0	-25.02	Peak	360.00	150	Horizontal	Pass
5**	11781.238	39.51	-3.70	54.0	-14.49	AV	360.00	150	Horizontal	Pass
6	17807.849	54.40	3.16	74.0	-19.60	Peak	352.00	150	Horizontal	Pass
6**	17807.849	43.81	3.16	54.0	-10.19	AV	352.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.27	-17.76	74.0	-31.73	Peak	119.00	150	Vertical	Pass
1**	1600.000	37.61	-17.76	54.0	-16.39	AV	119.00	150	Vertical	Pass
2	2441.800	92.62	-12.26	74.0	18.62	Peak	124.00	150	Vertical	N/A
2**	2441.800	83.88	-12.26	54.0	29.88	AV	124.00	150	Vertical	N/A
3	5174.750	50.25	-2.57	74.0	-23.75	Peak	284.00	150	Vertical	Pass
3**	5174.750	40.90	-2.57	54.0	-13.10	AV	284.00	150	Vertical	Pass
4	7835.250	52.43	2.18	74.0	-21.57	Peak	182.00	150	Vertical	Pass
4**	7835.250	43.94	2.18	54.0	-10.06	AV	182.00	150	Vertical	Pass
5	11709.987	49.01	-4.15	74.0	-24.99	Peak	211.00	150	Vertical	Pass
5**	11709.987	38.93	-4.15	54.0	-15.07	AV	211.00	150	Vertical	Pass
6	16434.449	52.36	0.09	74.0	-21.64	Peak	22.00	150	Vertical	Pass
6**	16434.449	43.19	0.09	54.0	-10.81	AV	22.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.55	-17.76	74.0	-32.45	Peak	70.00	150	Horizontal	Pass
1**	1600.000	36.59	-17.76	54.0	-17.41	AV	70.00	150	Horizontal	Pass
2	2444.000	100.33	-12.53	74.0	26.33	Peak	145.00	150	Horizontal	N/A
2**	2444.000	92.52	-12.53	54.0	38.52	AV	145.00	150	Horizontal	N/A
3	5178.750	51.12	-2.25	74.0	-22.88	Peak	266.00	150	Horizontal	Pass
3**	5178.750	42.63	-2.25	54.0	-11.37	AV	266.00	150	Horizontal	Pass
4	7824.250	54.87	2.00	74.0	-19.13	Peak	12.00	150	Horizontal	Pass
4**	7824.250	44.16	2.00	54.0	-9.84	AV	12.00	150	Horizontal	Pass
5	11809.974	49.51	-3.47	74.0	-24.49	Peak	354.00	150	Horizontal	Pass
5**	11809.974	39.33	-3.47	54.0	-14.67	AV	354.00	150	Horizontal	Pass
6	16805.887	53.72	0.51	74.0	-20.28	Peak	30.00	150	Horizontal	Pass
6**	16805.887	43.37	0.51	54.0	-10.63	AV	30.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.38	-17.77	74.0	-32.62	Peak	18.00	150	Vertical	Pass
1**	1600.100	36.00	-17.77	54.0	-18.00	AV	18.00	150	Vertical	Pass
2	2443.800	88.65	-12.52	74.0	14.65	Peak	99.00	150	Vertical	N/A
2**	2443.800	81.52	-12.52	54.0	27.52	AV	99.00	150	Vertical	N/A
3	5188.750	50.68	-2.59	74.0	-23.32	Peak	88.00	150	Vertical	Pass
3**	5188.750	41.76	-2.59	54.0	-12.24	AV	88.00	150	Vertical	Pass
4	7508.000	54.25	0.34	74.0	-19.75	Peak	138.00	150	Vertical	Pass
4**	7508.000	43.48	0.34	54.0	-10.52	AV	138.00	150	Vertical	Pass
5	10377.612	49.62	-4.64	74.0	-24.38	Peak	317.00	150	Vertical	Pass
5**	10377.612	38.87	-4.64	54.0	-15.13	AV	317.00	150	Vertical	Pass
6	16506.900	53.05	0.00	74.0	-20.95	Peak	26.00	150	Vertical	Pass
6**	16506.900	43.52	0.00	54.0	-10.48	AV	26.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.56	-17.77	74.0	-32.44	Peak	129.00	150	Horizontal	Pass
1**	1600.100	35.98	-17.77	54.0	-18.02	AV	129.00	150	Horizontal	Pass
2	2448.800	99.34	-12.89	74.0	25.34	Peak	148.00	150	Horizontal	N/A
2**	2448.800	91.50	-12.89	54.0	37.50	AV	148.00	150	Horizontal	N/A
3	5192.500	50.66	-2.81	74.0	-23.34	Peak	336.00	150	Horizontal	Pass
3**	5192.500	41.70	-2.81	54.0	-12.30	AV	336.00	150	Horizontal	Pass
4	7819.000	53.70	1.85	74.0	-20.30	Peak	253.00	150	Horizontal	Pass
4**	7819.000	45.43	1.85	54.0	-8.57	AV	253.00	150	Horizontal	Pass
5	11414.062	50.17	-4.12	74.0	-23.83	Peak	57.00	150	Horizontal	Pass
5**	11414.062	40.90	-4.12	54.0	-13.10	AV	57.00	150	Horizontal	Pass
6	17803.387	54.49	3.20	74.0	-19.51	Peak	193.00	150	Horizontal	Pass
6**	17803.387	45.30	3.20	54.0	-8.70	AV	193.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.12	-17.78	74.0	-32.88	Peak	204.00	150	Vertical	Pass
1**	1600.200	36.22	-17.78	54.0	-17.78	AV	204.00	150	Vertical	Pass
2	2448.700	87.03	-12.91	74.0	13.03	Peak	97.00	150	Vertical	N/A
2**	2448.700	80.25	-12.91	54.0	26.25	AV	97.00	150	Vertical	N/A
3	5274.000	50.82	-3.05	74.0	-23.18	Peak	4.00	150	Vertical	Pass
3**	5274.000	41.93	-3.05	54.0	-12.07	AV	4.00	150	Vertical	Pass
4	7859.000	53.62	1.17	74.0	-20.38	Peak	13.00	150	Vertical	Pass
4**	7859.000	44.43	1.17	54.0	-9.57	AV	13.00	150	Vertical	Pass
5	12266.925	49.91	-2.75	74.0	-24.09	Peak	316.00	150	Vertical	Pass
5**	12266.925	39.26	-2.75	54.0	-14.74	AV	316.00	150	Vertical	Pass
6	17497.313	54.16	3.08	74.0	-19.84	Peak	78.00	150	Vertical	Pass
6**	17497.313	43.80	3.08	54.0	-10.20	AV	78.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.86	-17.77	74.0	-32.14	Peak	164.00	150	Horizontal	Pass
1**	1600.100	37.37	-17.77	54.0	-16.63	AV	164.00	150	Horizontal	Pass
2	2447.200	104.48	-12.82	74.0	30.48	Peak	215.00	150	Horizontal	N/A
2**	2447.200	96.21	-12.82	54.0	42.21	AV	215.00	150	Horizontal	N/A
3	5181.250	49.92	-2.16	74.0	-24.08	Peak	268.00	150	Horizontal	Pass
3**	5181.250	41.15	-2.16	54.0	-12.85	AV	268.00	150	Horizontal	Pass
4	7462.250	52.60	1.10	74.0	-21.40	Peak	80.00	150	Horizontal	Pass
4**	7462.250	44.21	1.10	54.0	-9.79	AV	80.00	150	Horizontal	Pass
5	11166.349	49.76	-4.30	74.0	-24.24	Peak	219.00	150	Horizontal	Pass
5**	11166.349	39.44	-4.30	54.0	-14.56	AV	219.00	150	Horizontal	Pass
6	17548.239	52.97	3.15	74.0	-21.03	Peak	68.00	150	Horizontal	Pass
6**	17548.239	44.22	3.15	54.0	-9.78	AV	68.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.73	-17.77	74.0	-32.27	Peak	360.00	150	Vertical	Pass
1**	1600.100	37.61	-17.77	54.0	-16.39	AV	360.00	150	Vertical	Pass
2	2450.100	93.73	-12.74	74.0	19.73	Peak	114.00	150	Vertical	N/A
2**	2450.100	86.35	-12.74	54.0	32.35	AV	114.00	150	Vertical	N/A
3	5303.000	50.32	-3.64	74.0	-23.68	Peak	14.00	150	Vertical	Pass
3**	5303.000	40.46	-3.64	54.0	-13.54	AV	14.00	150	Vertical	Pass
4	7858.250	53.48	1.11	74.0	-20.52	Peak	266.00	150	Vertical	Pass
4**	7858.250	43.36	1.11	54.0	-10.64	AV	266.00	150	Vertical	Pass
5	12057.687	48.85	-3.39	74.0	-25.15	Peak	244.00	150	Vertical	Pass
5**	12057.687	39.96	-3.39	54.0	-14.04	AV	244.00	150	Vertical	Pass
6	17139.261	52.70	1.56	74.0	-21.30	Peak	58.00	150	Vertical	Pass
6**	17139.261	42.32	1.56	54.0	-11.68	AV	58.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.28	-17.75	74.0	-32.72	Peak	305.00	150	Horizontal	Pass
1**	1599.900	37.65	-17.75	54.0	-16.35	AV	305.00	150	Horizontal	Pass
2	2412.900	108.30	-13.42	74.0	34.30	Peak	225.00	150	Horizontal	N/A
2**	2412.900	100.83	-13.42	54.0	46.83	AV	225.00	150	Horizontal	N/A
3	5180.250	50.89	-2.21	74.0	-23.11	Peak	166.00	150	Horizontal	Pass
3**	5180.250	41.59	-2.21	54.0	-12.41	AV	166.00	150	Horizontal	Pass
4	7458.000	52.69	1.14	74.0	-21.31	Peak	0.00	150	Horizontal	Pass
4**	7458.000	43.94	1.14	54.0	-10.06	AV	0.00	150	Horizontal	Pass
5	11383.900	49.05	-4.30	74.0	-24.95	Peak	351.00	150	Horizontal	Pass
5**	11383.900	38.65	-4.30	54.0	-15.35	AV	351.00	150	Horizontal	Pass
6	16517.401	52.67	0.01	74.0	-21.33	Peak	54.00	150	Horizontal	Pass
6**	16517.401	42.15	0.01	54.0	-11.85	AV	54.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.11	-17.76	74.0	-31.89	Peak	232.00	150	Vertical	Pass
1**	1600.000	37.74	-17.76	54.0	-16.26	AV	232.00	150	Vertical	Pass
2	2410.800	99.68	-13.48	74.0	25.68	Peak	85.00	150	Vertical	N/A
2**	2410.800	90.29	-13.48	54.0	36.29	AV	85.00	150	Vertical	N/A
3	5408.250	50.26	-3.35	74.0	-23.74	Peak	4.00	150	Vertical	Pass
3**	5408.250	39.20	-3.35	54.0	-14.80	AV	4.00	150	Vertical	Pass
4	7820.000	52.65	1.98	74.0	-21.35	Peak	88.00	150	Vertical	Pass
4**	7820.000	43.43	1.98	54.0	-10.57	AV	88.00	150	Vertical	Pass
5	10955.924	48.62	-4.86	74.0	-25.38	Peak	158.00	150	Vertical	Pass
5**	10955.924	39.27	-4.86	54.0	-14.73	AV	158.00	150	Vertical	Pass
6	16887.788	52.57	1.41	74.0	-21.43	Peak	22.00	150	Vertical	Pass
6**	16887.788	42.34	1.41	54.0	-11.66	AV	22.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	40.36	-17.76	74.0	-33.64	Peak	360.00	150	Horizontal	Pass
1**	1600.000	35.80	-17.76	54.0	-18.20	AV	360.00	150	Horizontal	Pass
2	2414.600	103.84	-13.39	74.0	29.84	Peak	226.00	150	Horizontal	N/A
2**	2414.600	94.42	-13.39	54.0	40.42	AV	226.00	150	Horizontal	N/A
3	5219.250	50.98	-3.47	74.0	-23.02	Peak	326.00	150	Horizontal	Pass
3**	5219.250	41.31	-3.47	54.0	-12.69	AV	326.00	150	Horizontal	Pass
4	7836.000	54.30	2.14	74.0	-19.70	Peak	353.00	150	Horizontal	Pass
4**	7836.000	45.14	2.14	54.0	-8.86	AV	353.00	150	Horizontal	Pass
5	12210.638	49.96	-2.97	74.0	-24.04	Peak	153.00	150	Horizontal	Pass
5**	12210.638	40.04	-2.97	54.0	-13.96	AV	153.00	150	Horizontal	Pass
6	16858.651	53.26	1.15	74.0	-20.74	Peak	26.00	150	Horizontal	Pass
6**	16858.651	43.36	1.15	54.0	-10.64	AV	26.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.64	-17.75	74.0	-32.36	Peak	134.00	150	Vertical	Pass
1**	1599.900	36.13	-17.75	54.0	-17.87	AV	134.00	150	Vertical	Pass
2	2418.600	91.36	-12.92	74.0	17.36	Peak	134.00	150	Vertical	N/A
2**	2418.600	82.68	-12.92	54.0	28.68	AV	134.00	150	Vertical	N/A
3	5358.500	50.99	-3.11	74.0	-23.01	Peak	29.00	150	Vertical	Pass
3**	5358.500	40.87	-3.11	54.0	-13.13	AV	29.00	150	Vertical	Pass
4	7833.500	53.90	2.26	74.0	-20.10	Peak	293.00	150	Vertical	Pass
4**	7833.500	45.37	2.26	54.0	-8.63	AV	293.00	150	Vertical	Pass
5	11776.963	49.80	-3.74	74.0	-24.20	Peak	44.00	150	Vertical	Pass
5**	11776.963	40.09	-3.74	54.0	-13.91	AV	44.00	150	Vertical	Pass
6	17867.962	54.27	2.71	74.0	-19.73	Peak	58.00	150	Vertical	Pass
6**	17867.962	44.35	2.71	54.0	-9.65	AV	58.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.69	-17.76	74.0	-32.31	Peak	160.00	150	Horizontal	Pass
1**	1600.000	36.47	-17.76	54.0	-17.53	AV	160.00	150	Horizontal	Pass
2	2419.600	104.31	-13.00	74.0	30.31	Peak	280.00	150	Horizontal	N/A
2**	2419.600	95.79	-13.00	54.0	41.79	AV	280.00	150	Horizontal	N/A
3	5187.250	50.42	-2.46	74.0	-23.58	Peak	285.00	150	Horizontal	Pass
3**	5187.250	42.01	-2.46	54.0	-11.99	AV	285.00	150	Horizontal	Pass
4	7839.750	53.66	1.91	74.0	-20.34	Peak	208.00	150	Horizontal	Pass
4**	7839.750	44.80	1.91	54.0	-9.20	AV	208.00	150	Horizontal	Pass
5	10628.650	49.14	-4.51	74.0	-24.86	Peak	290.00	150	Horizontal	Pass
5**	10628.650	39.31	-4.51	54.0	-14.69	AV	290.00	150	Horizontal	Pass
6	16394.550	54.38	0.26	74.0	-19.62	Peak	44.00	150	Horizontal	Pass
6**	16394.550	45.43	0.26	54.0	-8.57	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.50	-17.77	74.0	-32.50	Peak	26.00	150	Vertical	Pass
1**	1600.100	36.50	-17.77	54.0	-17.50	AV	26.00	150	Vertical	Pass
2	2421.300	92.54	-12.97	74.0	18.54	Peak	104.00	150	Vertical	N/A
2**	2421.300	84.08	-12.97	54.0	30.08	AV	104.00	150	Vertical	N/A
3	5181.500	50.85	-2.15	74.0	-23.15	Peak	105.00	150	Vertical	Pass
3**	5181.500	41.52	-2.15	54.0	-12.48	AV	105.00	150	Vertical	Pass
4	7836.250	53.67	2.12	74.0	-20.33	Peak	88.00	150	Vertical	Pass
4**	7836.250	44.72	2.12	54.0	-9.28	AV	88.00	150	Vertical	Pass
5	11204.112	49.38	-4.06	74.0	-24.62	Peak	235.00	150	Vertical	Pass
5**	11204.112	39.62	-4.06	54.0	-14.38	AV	235.00	150	Vertical	Pass
6	17252.137	53.66	1.93	74.0	-20.34	Peak	0.00	150	Vertical	Pass
6**	17252.137	44.94	1.93	54.0	-9.06	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.64	-17.77	74.0	-32.36	Peak	298.00	150	Horizontal	Pass
1**	1600.100	35.79	-17.77	54.0	-18.21	AV	298.00	150	Horizontal	Pass
2	2428.300	105.52	-12.52	74.0	31.52	Peak	151.00	150	Horizontal	N/A
2**	2428.300	98.07	-12.52	54.0	44.07	AV	151.00	150	Horizontal	N/A
3	5166.500	50.82	-3.03	74.0	-23.18	Peak	88.00	150	Horizontal	Pass
3**	5166.500	41.44	-3.03	54.0	-12.56	AV	88.00	150	Horizontal	Pass
4	7867.500	53.62	1.61	74.0	-20.38	Peak	334.00	150	Horizontal	Pass
4**	7867.500	44.07	1.61	54.0	-9.93	AV	334.00	150	Horizontal	Pass
5	11781.950	50.08	-3.69	74.0	-23.92	Peak	184.00	150	Horizontal	Pass
5**	11781.950	40.25	-3.69	54.0	-13.75	AV	184.00	150	Horizontal	Pass
6	16886.475	54.89	1.40	74.0	-19.11	Peak	10.00	150	Horizontal	Pass
6**	16886.475	43.09	1.40	54.0	-10.91	AV	10.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.47	-17.75	74.0	-32.53	Peak	330.00	150	Vertical	Pass
1**	1599.900	36.55	-17.75	54.0	-17.45	AV	330.00	150	Vertical	Pass
2	2425.100	94.17	-12.78	74.0	20.17	Peak	100.00	150	Vertical	N/A
2**	2425.100	85.06	-12.78	54.0	31.06	AV	100.00	150	Vertical	N/A
3	5171.500	50.44	-2.88	74.0	-23.56	Peak	233.00	150	Vertical	Pass
3**	5171.500	41.21	-2.88	54.0	-12.79	AV	233.00	150	Vertical	Pass
4	7822.500	53.68	1.64	74.0	-20.32	Peak	88.00	150	Vertical	Pass
4**	7822.500	44.98	1.64	54.0	-9.02	AV	88.00	150	Vertical	Pass
5	11395.537	49.84	-4.24	74.0	-24.16	Peak	268.00	150	Vertical	Pass
5**	11395.537	39.38	-4.24	54.0	-14.62	AV	268.00	150	Vertical	Pass
6	17251.088	53.32	1.93	74.0	-20.68	Peak	10.00	150	Vertical	Pass
6**	17251.088	43.27	1.93	54.0	-10.73	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.88	-17.78	74.0	-32.12	Peak	129.00	150	Horizontal	Pass
1**	1600.200	38.22	-17.78	54.0	-15.78	AV	129.00	150	Horizontal	Pass
2	2435.800	107.25	-12.13	74.0	33.25	Peak	144.00	150	Horizontal	N/A
2**	2435.800	98.48	-12.13	54.0	44.48	AV	144.00	150	Horizontal	N/A
3	5346.250	50.53	-3.29	74.0	-23.47	Peak	318.00	150	Horizontal	Pass
3**	5346.250	40.84	-3.29	54.0	-13.16	AV	318.00	150	Horizontal	Pass
4	7453.250	52.05	1.04	74.0	-21.95	Peak	38.00	150	Horizontal	Pass
4**	7453.250	43.22	1.04	54.0	-10.78	AV	38.00	150	Horizontal	Pass
5	11135.000	49.28	-4.45	74.0	-24.72	Peak	343.00	150	Horizontal	Pass
5**	11135.000	38.28	-4.45	54.0	-15.72	AV	343.00	150	Horizontal	Pass
6	17808.636	53.35	3.15	74.0	-20.65	Peak	38.00	150	Horizontal	Pass
6**	17808.636	43.59	3.15	54.0	-10.41	AV	38.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.42	-17.77	74.0	-32.58	Peak	360.00	150	Vertical	Pass
1**	1600.100	38.47	-17.77	54.0	-15.53	AV	360.00	150	Vertical	Pass
2	2434.600	96.48	-12.12	74.0	22.48	Peak	78.00	150	Vertical	N/A
2**	2434.600	87.01	-12.12	54.0	33.01	AV	78.00	150	Vertical	N/A
3	5384.500	49.81	-3.65	74.0	-24.19	Peak	169.00	150	Vertical	Pass
3**	5384.500	39.68	-3.65	54.0	-14.32	AV	169.00	150	Vertical	Pass
4	7304.750	52.40	-1.29	74.0	-21.60	Peak	169.00	150	Vertical	Pass
4**	7304.750	41.63	-1.29	54.0	-12.37	AV	169.00	150	Vertical	Pass
5	11710.937	48.63	-4.15	74.0	-25.37	Peak	304.00	150	Vertical	Pass
5**	11710.937	38.39	-4.15	54.0	-15.61	AV	304.00	150	Vertical	Pass
6	17643.526	53.32	2.93	74.0	-20.68	Peak	96.00	150	Vertical	Pass
6**	17643.526	42.59	2.93	54.0	-11.41	AV	96.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.63	-17.75	74.0	-32.37	Peak	305.00	150	Horizontal	Pass
1**	1599.900	36.08	-17.75	54.0	-17.92	AV	305.00	150	Horizontal	Pass
2	2445.200	107.69	-12.58	74.0	33.69	Peak	161.00	150	Horizontal	N/A
2**	2445.200	98.96	-12.58	54.0	44.96	AV	161.00	150	Horizontal	N/A
3	5193.500	51.12	-2.91	74.0	-22.88	Peak	114.00	150	Horizontal	Pass
3**	5193.500	41.51	-2.91	54.0	-12.49	AV	114.00	150	Horizontal	Pass
4	7446.000	53.38	0.42	74.0	-20.62	Peak	309.00	150	Horizontal	Pass
4**	7446.000	42.88	0.42	54.0	-11.12	AV	309.00	150	Horizontal	Pass
5	10812.713	49.55	-5.19	74.0	-24.45	Peak	246.00	150	Horizontal	Pass
5**	10812.713	38.77	-5.19	54.0	-15.23	AV	246.00	150	Horizontal	Pass
6	17322.488	53.47	1.95	74.0	-20.53	Peak	26.00	150	Horizontal	Pass
6**	17322.488	43.68	1.95	54.0	-10.32	AV	26.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.91	-17.78	74.0	-33.09	Peak	39.00	150	Vertical	Pass
1**	1600.200	35.61	-17.78	54.0	-18.39	AV	39.00	150	Vertical	Pass
2	2445.700	97.50	-12.60	74.0	23.50	Peak	280.00	150	Vertical	N/A
2**	2445.700	88.44	-12.60	54.0	34.44	AV	280.00	150	Vertical	N/A
3	5193.000	50.58	-2.86	74.0	-23.42	Peak	0.00	150	Vertical	Pass
3**	5193.000	41.58	-2.86	54.0	-12.42	AV	0.00	150	Vertical	Pass
4	7471.750	53.45	0.78	74.0	-20.55	Peak	294.00	150	Vertical	Pass
4**	7471.750	44.17	0.78	54.0	-9.83	AV	294.00	150	Vertical	Pass
5	11813.537	49.97	-3.45	74.0	-24.03	Peak	15.00	150	Vertical	Pass
5**	11813.537	40.48	-3.45	54.0	-13.52	AV	15.00	150	Vertical	Pass
6	16776.225	53.84	0.43	74.0	-20.16	Peak	126.00	150	Vertical	Pass
6**	16776.225	42.81	0.43	54.0	-11.19	AV	126.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.08	-17.76	74.0	-32.92	Peak	313.00	150	Horizontal	Pass
1**	1600.000	36.53	-17.76	54.0	-17.47	AV	313.00	150	Horizontal	Pass
2	2449.100	106.93	-12.86	74.0	32.93	Peak	231.00	150	Horizontal	N/A
2**	2449.100	97.45	-12.86	54.0	43.45	AV	231.00	150	Horizontal	N/A
3	5150.750	50.56	-3.44	74.0	-23.44	Peak	236.00	150	Horizontal	Pass
3**	5150.750	40.62	-3.44	54.0	-13.38	AV	236.00	150	Horizontal	Pass
4	7832.250	54.90	2.21	74.0	-19.10	Peak	61.00	150	Horizontal	Pass
4**	7832.250	44.48	2.21	54.0	-9.52	AV	61.00	150	Horizontal	Pass
5	12325.826	50.08	-2.64	74.0	-23.92	Peak	165.00	150	Horizontal	Pass
5**	12325.826	38.72	-2.64	54.0	-15.28	AV	165.00	150	Horizontal	Pass
6	16401.901	53.63	0.31	74.0	-20.37	Peak	42.00	150	Horizontal	Pass
6**	16401.901	42.67	0.31	54.0	-11.33	AV	42.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.45	-17.75	74.0	-32.55	Peak	119.00	150	Vertical	Pass
1**	1599.900	35.78	-17.75	54.0	-18.22	AV	119.00	150	Vertical	Pass
2	2452.700	94.37	-12.89	74.0	20.37	Peak	280.00	150	Vertical	N/A
2**	2452.700	85.13	-12.89	54.0	31.13	AV	280.00	150	Vertical	N/A
3	5182.750	50.95	-2.08	74.0	-23.05	Peak	4.00	150	Vertical	Pass
3**	5182.750	41.47	-2.08	54.0	-12.53	AV	4.00	150	Vertical	Pass
4	7837.250	53.32	2.06	74.0	-20.68	Peak	112.00	150	Vertical	Pass
4**	7837.250	44.68	2.06	54.0	-9.32	AV	112.00	150	Vertical	Pass
5	11228.575	49.23	-4.16	74.0	-24.77	Peak	234.00	150	Vertical	Pass
5**	11228.575	41.13	-4.16	54.0	-12.87	AV	234.00	150	Vertical	Pass
6	17253.974	53.50	1.93	74.0	-20.50	Peak	10.00	150	Vertical	Pass
6**	17253.974	43.50	1.93	54.0	-10.50	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	40.54	-17.76	74.0	-33.46	Peak	288.00	150	Horizontal	Pass
1**	1600.000	36.69	-17.76	54.0	-17.31	AV	288.00	150	Horizontal	Pass
2	2456.700	104.47	-12.67	74.0	30.47	Peak	143.00	150	Horizontal	N/A
2**	2456.700	95.63	-12.67	54.0	41.63	AV	143.00	150	Horizontal	N/A
3	5198.500	51.86	-3.28	74.0	-22.14	Peak	4.00	150	Horizontal	Pass
3**	5198.500	41.33	-3.28	54.0	-12.67	AV	4.00	150	Horizontal	Pass
4	7844.500	53.90	1.43	74.0	-20.10	Peak	96.00	150	Horizontal	Pass
4**	7844.500	44.05	1.43	54.0	-9.95	AV	96.00	150	Horizontal	Pass
5	12679.463	50.65	-2.32	74.0	-23.35	Peak	174.00	150	Horizontal	Pass
5**	12679.463	40.18	-2.32	54.0	-13.82	AV	174.00	150	Horizontal	Pass
6	17247.937	53.26	1.91	74.0	-20.74	Peak	28.00	150	Horizontal	Pass
6**	17247.937	42.92	1.91	54.0	-11.08	AV	28.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.27	-17.77	74.0	-32.73	Peak	253.00	150	Vertical	Pass
1**	1600.100	36.53	-17.77	54.0	-17.47	AV	253.00	150	Vertical	Pass
2	2458.200	92.76	-12.66	74.0	18.76	Peak	271.00	150	Vertical	N/A
2**	2458.200	83.53	-12.66	54.0	29.53	AV	271.00	150	Vertical	N/A
3	5176.250	50.58	-2.63	74.0	-23.42	Peak	112.00	150	Vertical	Pass
3**	5176.250	41.02	-2.63	54.0	-12.98	AV	112.00	150	Vertical	Pass
4	7819.000	52.98	1.85	74.0	-21.02	Peak	21.00	150	Vertical	Pass
4**	7819.000	45.13	1.85	54.0	-8.87	AV	21.00	150	Vertical	Pass
5	11202.925	50.23	-4.06	74.0	-23.77	Peak	142.00	150	Vertical	Pass
5**	11202.925	39.79	-4.06	54.0	-14.21	AV	142.00	150	Vertical	Pass
6	17373.938	53.81	2.30	74.0	-20.19	Peak	26.00	150	Vertical	Pass
6**	17373.938	42.71	2.30	54.0	-11.29	AV	26.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.56	-17.78	74.0	-32.44	Peak	344.00	150	Horizontal	Pass
1**	1600.200	37.33	-17.78	54.0	-16.67	AV	344.00	150	Horizontal	Pass
2	2460.400	107.40	-12.62	74.0	33.40	Peak	219.00	150	Horizontal	N/A
2**	2460.400	99.18	-12.62	54.0	45.18	AV	219.00	150	Horizontal	N/A
3	5300.750	50.02	-3.66	74.0	-23.98	Peak	46.00	150	Horizontal	Pass
3**	5300.750	39.80	-3.66	54.0	-14.20	AV	46.00	150	Horizontal	Pass
4	7845.250	52.99	1.38	74.0	-21.01	Peak	274.00	150	Horizontal	Pass
4**	7845.250	43.59	1.38	54.0	-10.41	AV	274.00	150	Horizontal	Pass
5	10570.700	49.37	-4.40	74.0	-24.63	Peak	317.00	150	Horizontal	Pass
5**	10570.700	39.32	-4.40	54.0	-14.68	AV	317.00	150	Horizontal	Pass
6	17799.188	53.76	3.21	74.0	-20.24	Peak	70.00	150	Horizontal	Pass
6**	17799.188	43.87	3.21	54.0	-10.13	AV	70.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.22	-17.75	74.0	-32.78	Peak	175.00	150	Vertical	Pass
1**	1599.900	37.18	-17.75	54.0	-16.82	AV	175.00	150	Vertical	Pass
2	2460.100	97.86	-12.63	74.0	23.86	Peak	46.00	150	Vertical	N/A
2**	2460.100	86.83	-12.63	54.0	32.83	AV	46.00	150	Vertical	N/A
3	5183.250	49.74	-2.11	74.0	-24.26	Peak	121.00	150	Vertical	Pass
3**	5183.250	41.43	-2.11	54.0	-12.57	AV	121.00	150	Vertical	Pass
4	7841.000	52.74	1.76	74.0	-21.26	Peak	130.00	150	Vertical	Pass
4**	7841.000	43.56	1.76	54.0	-10.44	AV	130.00	150	Vertical	Pass
5	10572.599	49.16	-4.38	74.0	-24.84	Peak	292.00	150	Vertical	Pass
5**	10572.599	39.03	-4.38	54.0	-14.97	AV	292.00	150	Vertical	Pass
6	17785.801	53.01	3.03	74.0	-20.99	Peak	0.00	150	Vertical	Pass
6**	17785.801	45.03	3.03	54.0	-8.97	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1707.400	38.92	-17.22	74.0	-35.08	Peak	270.00	150	Horizontal	Pass
1**	1707.400	29.59	-17.22	54.0	-24.41	AV	270.00	150	Horizontal	Pass
2	2412.700	106.60	-12.26	74.0	32.60	Peak	189.00	150	Horizontal	N/A
2**	2412.700	96.25	-12.26	54.0	42.25	AV	189.00	150	Horizontal	N/A
3	4798.800	50.92	-2.55	74.0	-23.08	Peak	50.00	150	Horizontal	Pass
3**	4798.800	42.13	-2.55	54.0	-11.87	AV	50.00	150	Horizontal	Pass
4	6691.600	53.46	-0.30	74.0	-20.54	Peak	360.00	150	Horizontal	Pass
4**	6691.600	45.66	-0.30	54.0	-8.34	AV	360.00	150	Horizontal	Pass
5	9967.287	51.62	-0.63	74.0	-22.38	Peak	14.00	150	Horizontal	Pass
5**	9967.287	41.91	-0.63	54.0	-12.09	AV	14.00	150	Horizontal	Pass
6	15998.701	56.78	0.27	74.0	-17.22	Peak	241.00	150	Horizontal	Pass
6**	15998.701	45.64	0.27	54.0	-8.36	AV	241.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.72	-17.76	74.0	-32.28	Peak	139.00	150	Vertical	Pass
1**	1600.000	37.36	-17.76	54.0	-16.64	AV	139.00	150	Vertical	Pass
2	2412.900	96.52	-13.42	74.0	22.52	Peak	39.00	150	Vertical	N/A
2**	2412.900	86.36	-13.42	54.0	32.36	AV	39.00	150	Vertical	N/A
3	5201.000	50.33	-3.27	74.0	-23.67	Peak	182.00	150	Vertical	Pass
3**	5201.000	40.83	-3.27	54.0	-13.17	AV	182.00	150	Vertical	Pass
4	7509.750	52.66	0.56	74.0	-21.34	Peak	343.00	150	Vertical	Pass
4**	7509.750	43.30	0.56	54.0	-10.70	AV	343.00	150	Vertical	Pass
5	12440.063	49.32	-2.30	74.0	-24.68	Peak	360.00	150	Vertical	Pass
5**	12440.063	39.60	-2.30	54.0	-14.40	AV	360.00	150	Vertical	Pass
6	16540.238	53.75	0.02	74.0	-20.25	Peak	56.00	150	Vertical	Pass
6**	16540.238	43.36	0.02	54.0	-10.64	AV	56.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.37	-17.76	74.0	-32.63	Peak	286.00	150	Horizontal	Pass
1**	1600.000	35.63	-17.76	54.0	-18.37	AV	286.00	150	Horizontal	Pass
2	2442.200	100.16	-12.31	74.0	26.16	Peak	141.00	150	Horizontal	N/A
2**	2442.200	91.03	-12.31	54.0	37.03	AV	141.00	150	Horizontal	N/A
3	5183.750	50.75	-2.18	74.0	-23.25	Peak	189.00	150	Horizontal	Pass
3**	5183.750	42.60	-2.18	54.0	-11.40	AV	189.00	150	Horizontal	Pass
4	7831.000	53.06	2.03	74.0	-20.94	Peak	339.00	150	Horizontal	Pass
4**	7831.000	44.50	2.03	54.0	-9.50	AV	339.00	150	Horizontal	Pass
5	11792.638	49.34	-3.60	74.0	-24.66	Peak	185.00	150	Horizontal	Pass
5**	11792.638	40.57	-3.60	54.0	-13.43	AV	185.00	150	Horizontal	Pass
6	17878.725	53.63	2.65	74.0	-20.37	Peak	92.00	150	Horizontal	Pass
6**	17878.725	44.80	2.65	54.0	-9.20	AV	92.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.60	-17.78	74.0	-33.40	Peak	138.00	150	Vertical	Pass
1**	1600.200	35.99	-17.78	54.0	-18.01	AV	138.00	150	Vertical	Pass
2	2431.000	87.16	-12.41	74.0	13.16	Peak	266.00	150	Vertical	N/A
2**	2431.000	78.61	-12.41	54.0	24.61	AV	266.00	150	Vertical	N/A
3	5232.250	50.44	-3.34	74.0	-23.56	Peak	88.00	150	Vertical	Pass
3**	5232.250	40.87	-3.34	54.0	-13.13	AV	88.00	150	Vertical	Pass
4	7822.750	53.40	1.69	74.0	-20.60	Peak	63.00	150	Vertical	Pass
4**	7822.750	44.14	1.69	54.0	-9.86	AV	63.00	150	Vertical	Pass
5	11771.737	49.47	-3.78	74.0	-24.53	Peak	329.00	150	Vertical	Pass
5**	11771.737	39.03	-3.78	54.0	-14.97	AV	329.00	150	Vertical	Pass
6	17799.713	53.70	3.22	74.0	-20.30	Peak	58.00	150	Vertical	Pass
6**	17799.713	44.60	3.22	54.0	-9.40	AV	58.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	40.79	-17.76	74.0	-33.21	Peak	360.00	150	Horizontal	Pass
1**	1600.000	36.24	-17.76	54.0	-17.76	AV	360.00	150	Horizontal	Pass
2	2447.100	101.32	-12.80	74.0	27.32	Peak	215.00	150	Horizontal	N/A
2**	2447.100	92.52	-12.80	54.0	38.52	AV	215.00	150	Horizontal	N/A
3	5198.500	50.69	-3.28	74.0	-23.31	Peak	105.00	150	Horizontal	Pass
3**	5198.500	40.73	-3.28	54.0	-13.27	AV	105.00	150	Horizontal	Pass
4	7461.500	53.74	1.12	74.0	-20.26	Peak	38.00	150	Horizontal	Pass
4**	7461.500	44.12	1.12	54.0	-9.88	AV	38.00	150	Horizontal	Pass
5	11790.026	50.00	-3.62	74.0	-24.00	Peak	192.00	150	Horizontal	Pass
5**	11790.026	40.59	-3.62	54.0	-13.41	AV	192.00	150	Horizontal	Pass
6	17556.113	54.26	3.17	74.0	-19.74	Peak	129.00	150	Horizontal	Pass
6**	17556.113	43.79	3.17	54.0	-10.21	AV	129.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.34	-17.75	74.0	-32.66	Peak	156.00	150	Vertical	Pass
1**	1599.900	36.60	-17.75	54.0	-17.40	AV	156.00	150	Vertical	Pass
2	2442.900	88.92	-12.41	74.0	14.92	Peak	97.00	150	Vertical	N/A
2**	2442.900	79.01	-12.41	54.0	25.01	AV	97.00	150	Vertical	N/A
3	5181.000	50.57	-2.18	74.0	-23.43	Peak	209.00	150	Vertical	Pass
3**	5181.000	41.71	-2.18	54.0	-12.29	AV	209.00	150	Vertical	Pass
4	7470.750	53.76	0.71	74.0	-20.24	Peak	308.00	150	Vertical	Pass
4**	7470.750	43.68	0.71	54.0	-10.32	AV	308.00	150	Vertical	Pass
5	11217.412	49.15	-4.11	74.0	-24.85	Peak	224.00	150	Vertical	Pass
5**	11217.412	39.40	-4.11	54.0	-14.60	AV	224.00	150	Vertical	Pass
6	17801.812	53.77	3.21	74.0	-20.23	Peak	10.00	150	Vertical	Pass
6**	17801.812	44.42	3.21	54.0	-9.58	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.54	-17.78	74.0	-32.46	Peak	173.00	150	Horizontal	Pass
1**	1600.200	37.54	-17.78	54.0	-16.46	AV	173.00	150	Horizontal	Pass
2	2444.600	105.06	-12.56	74.0	31.06	Peak	149.00	150	Horizontal	N/A
2**	2444.600	95.28	-12.56	54.0	41.28	AV	149.00	150	Horizontal	N/A
3	4894.750	49.70	-3.65	74.0	-24.30	Peak	120.00	150	Horizontal	Pass
3**	4894.750	39.52	-3.65	54.0	-14.48	AV	120.00	150	Horizontal	Pass
4	6767.250	52.21	-0.29	74.0	-21.79	Peak	31.00	150	Horizontal	Pass
4**	6767.250	42.87	-0.29	54.0	-11.13	AV	31.00	150	Horizontal	Pass
5	11063.750	48.77	-4.92	74.0	-25.23	Peak	96.00	150	Horizontal	Pass
5**	11063.750	38.65	-4.92	54.0	-15.35	AV	96.00	150	Horizontal	Pass
6	17831.475	53.06	2.96	74.0	-20.94	Peak	0.00	150	Horizontal	Pass
6**	17831.475	42.80	2.96	54.0	-11.20	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.01	-17.75	74.0	-31.99	Peak	347.00	150	Vertical	Pass
1**	1599.900	37.14	-17.75	54.0	-16.86	AV	347.00	150	Vertical	Pass
2	2445.700	93.72	-12.60	74.0	19.72	Peak	121.00	150	Vertical	N/A
2**	2445.700	83.70	-12.60	54.0	29.70	AV	121.00	150	Vertical	N/A
3	5180.250	50.85	-2.21	74.0	-23.15	Peak	115.00	150	Vertical	Pass
3**	5180.250	41.59	-2.21	54.0	-12.41	AV	115.00	150	Vertical	Pass
4	7135.000	52.05	0.87	74.0	-21.95	Peak	90.00	150	Vertical	Pass
4**	7135.000	43.00	0.87	54.0	-11.00	AV	90.00	150	Vertical	Pass
5	12443.862	50.19	-2.25	74.0	-23.81	Peak	304.00	150	Vertical	Pass
5**	12443.862	39.72	-2.25	54.0	-14.28	AV	304.00	150	Vertical	Pass
6	16905.114	52.57	1.43	74.0	-21.43	Peak	38.00	150	Vertical	Pass
6**	16905.114	43.84	1.43	54.0	-10.16	AV	38.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.21	-17.77	74.0	-32.79	Peak	62.00	150	Horizontal	Pass
1**	1600.100	36.51	-17.77	54.0	-17.49	AV	62.00	150	Horizontal	Pass
2	2446.400	102.14	-12.68	74.0	28.14	Peak	141.00	150	Horizontal	N/A
2**	2446.400	93.44	-12.68	54.0	39.44	AV	141.00	150	Horizontal	N/A
3	5268.500	50.47	-3.49	74.0	-23.53	Peak	349.00	150	Horizontal	Pass
3**	5268.500	41.55	-3.49	54.0	-12.45	AV	349.00	150	Horizontal	Pass
4	7839.750	53.86	1.91	74.0	-20.14	Peak	187.00	150	Horizontal	Pass
4**	7839.750	44.63	1.91	54.0	-9.37	AV	187.00	150	Horizontal	Pass
5	12424.388	49.75	-2.54	74.0	-24.25	Peak	132.00	150	Horizontal	Pass
5**	12424.388	40.35	-2.54	54.0	-13.65	AV	132.00	150	Horizontal	Pass
6	17488.650	53.56	3.08	74.0	-20.44	Peak	222.00	150	Horizontal	Pass
6**	17488.650	44.11	3.08	54.0	-9.89	AV	222.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.21	-17.76	74.0	-31.79	Peak	203.00	150	Vertical	Pass
1**	1600.000	36.70	-17.76	54.0	-17.30	AV	203.00	150	Vertical	Pass
2	2447.500	89.42	-12.87	74.0	15.42	Peak	92.00	150	Vertical	N/A
2**	2447.500	80.18	-12.87	54.0	26.18	AV	92.00	150	Vertical	N/A
3	5180.000	50.96	-2.21	74.0	-23.04	Peak	21.00	150	Vertical	Pass
3**	5180.000	41.13	-2.21	54.0	-12.87	AV	21.00	150	Vertical	Pass
4	7835.750	54.22	2.15	74.0	-19.78	Peak	152.00	150	Vertical	Pass
4**	7835.750	44.50	2.15	54.0	-9.50	AV	152.00	150	Vertical	Pass
5	11804.037	50.21	-3.51	74.0	-23.79	Peak	0.00	150	Vertical	Pass
5**	11804.037	41.14	-3.51	54.0	-12.86	AV	0.00	150	Vertical	Pass
6	17793.151	54.45	3.13	74.0	-19.55	Peak	23.00	150	Vertical	Pass
6**	17793.151	44.63	3.13	54.0	-9.37	AV	23.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.16	-17.77	74.0	-32.84	Peak	82.00	150	Horizontal	Pass
1**	1600.100	37.00	-17.77	54.0	-17.00	AV	82.00	150	Horizontal	Pass
2	2452.700	100.71	-12.89	74.0	26.71	Peak	266.00	150	Horizontal	N/A
2**	2452.700	91.45	-12.89	54.0	37.45	AV	266.00	150	Horizontal	N/A
3	4484.250	48.95	-3.78	74.0	-25.05	Peak	60.00	150	Horizontal	Pass
3**	4484.250	40.25	-3.78	54.0	-13.75	AV	60.00	150	Horizontal	Pass
4	7451.250	53.48	0.80	74.0	-20.52	Peak	283.00	150	Horizontal	Pass
4**	7451.250	44.34	0.80	54.0	-9.66	AV	283.00	150	Horizontal	Pass
5	13439.849	51.72	0.13	74.0	-22.28	Peak	282.00	150	Horizontal	Pass
5**	13439.849	41.55	0.13	54.0	-12.45	AV	282.00	150	Horizontal	Pass
6	16683.824	54.09	0.33	74.0	-19.91	Peak	266.00	150	Horizontal	Pass
6**	16683.824	43.51	0.33	54.0	-10.49	AV	266.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.88	-17.75	74.0	-32.12	Peak	85.00	150	Vertical	Pass
1**	1599.900	36.37	-17.75	54.0	-17.63	AV	85.00	150	Vertical	Pass
2	2447.700	87.95	-12.90	74.0	13.95	Peak	268.00	150	Vertical	N/A
2**	2447.700	78.50	-12.90	54.0	24.50	AV	268.00	150	Vertical	N/A
3	5184.250	51.26	-2.24	74.0	-22.74	Peak	88.00	150	Vertical	Pass
3**	5184.250	44.05	-2.24	54.0	-9.95	AV	88.00	150	Vertical	Pass
4	7850.500	53.60	1.13	74.0	-20.40	Peak	29.00	150	Vertical	Pass
4**	7850.500	44.27	1.13	54.0	-9.73	AV	29.00	150	Vertical	Pass
5	12446.000	49.76	-2.21	74.0	-24.24	Peak	236.00	150	Vertical	Pass
5**	12446.000	40.09	-2.21	54.0	-13.91	AV	236.00	150	Vertical	Pass
6	17313.825	53.27	1.98	74.0	-20.73	Peak	58.00	150	Vertical	Pass
6**	17313.825	43.79	1.98	54.0	-10.21	AV	58.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.81	-17.76	74.0	-32.19	Peak	274.00	150	Horizontal	Pass
1**	1600.000	37.49	-17.76	54.0	-16.51	AV	274.00	150	Horizontal	Pass
2	2449.800	106.85	-12.77	74.0	32.85	Peak	149.00	150	Horizontal	N/A
2**	2449.800	98.42	-12.77	54.0	44.42	AV	149.00	150	Horizontal	N/A
3	4759.250	49.04	-3.98	74.0	-24.96	Peak	155.00	150	Horizontal	Pass
3**	4759.250	38.69	-3.98	54.0	-15.31	AV	155.00	150	Horizontal	Pass
4	7478.250	52.25	0.07	74.0	-21.75	Peak	63.00	150	Horizontal	Pass
4**	7478.250	43.39	0.07	54.0	-10.61	AV	63.00	150	Horizontal	Pass
5	11180.599	49.44	-4.19	74.0	-24.56	Peak	44.00	150	Horizontal	Pass
5**	11180.599	39.37	-4.19	54.0	-14.63	AV	44.00	150	Horizontal	Pass
6	16917.188	52.61	1.23	74.0	-21.39	Peak	38.00	150	Horizontal	Pass
6**	16917.188	43.15	1.23	54.0	-10.85	AV	38.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.91	-17.77	74.0	-32.09	Peak	325.00	150	Vertical	Pass
1**	1600.100	37.21	-17.77	54.0	-16.79	AV	325.00	150	Vertical	Pass
2	2450.800	95.04	-12.75	74.0	21.04	Peak	122.00	150	Vertical	N/A
2**	2450.800	86.58	-12.75	54.0	32.58	AV	122.00	150	Vertical	N/A
3	4455.000	48.06	-4.26	74.0	-25.94	Peak	115.00	150	Vertical	Pass
3**	4455.000	41.88	-4.26	54.0	-12.12	AV	115.00	150	Vertical	Pass
4	6891.500	51.73	-0.65	74.0	-22.27	Peak	89.00	150	Vertical	Pass
4**	6891.500	42.30	-0.65	54.0	-11.70	AV	89.00	150	Vertical	Pass
5	11687.900	49.04	-4.27	74.0	-24.96	Peak	223.00	150	Vertical	Pass
5**	11687.900	38.99	-4.27	54.0	-15.01	AV	223.00	150	Vertical	Pass
6	17305.162	53.26	2.00	74.0	-20.74	Peak	102.00	150	Vertical	Pass
6**	17305.162	43.70	2.00	54.0	-10.30	AV	102.00	150	Vertical	Pass

Aux. Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.28	-17.76	74.0	-32.72	Peak	65.00	150	Horizontal	Pass
1**	1600.000	36.59	-17.76	54.0	-17.41	AV	65.00	150	Horizontal	Pass
2	2410.700	104.28	-13.48	74.0	30.28	Peak	65.00	150	Horizontal	N/A
2**	2410.700	101.37	-13.48	54.0	47.37	AV	65.00	150	Horizontal	N/A
3	4478.000	49.36	-3.84	74.0	-24.64	Peak	277.00	150	Horizontal	Pass
3**	4478.000	40.57	-3.84	54.0	-13.43	AV	277.00	150	Horizontal	Pass
4	6764.250	52.99	-0.60	74.0	-21.01	Peak	260.00	150	Horizontal	Pass
4**	6764.250	42.92	-0.60	54.0	-11.08	AV	260.00	150	Horizontal	Pass
5	11714.025	49.38	-4.14	74.0	-24.62	Peak	341.00	150	Horizontal	Pass
5**	11714.025	38.21	-4.14	54.0	-15.79	AV	341.00	150	Horizontal	Pass
6	16400.850	52.67	0.32	74.0	-21.33	Peak	0.00	150	Horizontal	Pass
6**	16400.850	42.52	0.32	54.0	-11.48	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.03	-17.77	74.0	-32.97	Peak	307.00	150	Vertical	Pass
1**	1600.100	36.55	-17.77	54.0	-17.45	AV	307.00	150	Vertical	Pass
2	2410.800	94.12	-13.48	74.0	20.12	Peak	175.00	150	Vertical	N/A
2**	2410.800	91.22	-13.48	54.0	37.22	AV	175.00	150	Vertical	N/A
3	5289.500	50.57	-3.29	74.0	-23.43	Peak	208.00	150	Vertical	Pass
3**	5289.500	41.25	-3.29	54.0	-12.75	AV	208.00	150	Vertical	Pass
4	7829.250	53.83	1.94	74.0	-20.17	Peak	73.00	150	Vertical	Pass
4**	7829.250	45.50	1.94	54.0	-8.50	AV	73.00	150	Vertical	Pass
5	12444.100	50.45	-2.24	74.0	-23.55	Peak	294.00	150	Vertical	Pass
5**	12444.100	40.60	-2.24	54.0	-13.40	AV	294.00	150	Vertical	Pass
6	17787.376	53.64	3.05	74.0	-20.36	Peak	26.00	150	Vertical	Pass
6**	17787.376	43.35	3.05	54.0	-10.65	AV	26.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	43.06	-17.76	74.0	-30.94	Peak	349.00	150	Horizontal	Pass
1**	1600.000	35.95	-17.76	54.0	-18.05	AV	349.00	150	Horizontal	Pass
2	2435.400	106.55	-12.08	74.0	32.55	Peak	72.00	150	Horizontal	N/A
2**	2435.400	103.67	-12.08	54.0	49.67	AV	72.00	150	Horizontal	N/A
3	5441.250	51.04	-2.59	74.0	-22.96	Peak	144.00	150	Horizontal	Pass
3**	5441.250	41.78	-2.59	54.0	-12.22	AV	144.00	150	Horizontal	Pass
4	7829.500	54.61	1.95	74.0	-19.39	Peak	85.00	150	Horizontal	Pass
4**	7829.500	44.81	1.95	54.0	-9.19	AV	85.00	150	Horizontal	Pass
5	10639.813	48.92	-4.65	74.0	-25.08	Peak	295.00	150	Horizontal	Pass
5**	10639.813	39.52	-4.65	54.0	-14.48	AV	295.00	150	Horizontal	Pass
6	16189.537	53.06	-0.44	74.0	-20.94	Peak	60.00	150	Horizontal	Pass
6**	16189.537	42.37	-0.44	54.0	-11.63	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.10	-17.77	74.0	-32.90	Peak	70.00	150	Vertical	Pass
1**	1600.100	36.72	-17.77	54.0	-17.28	AV	70.00	150	Vertical	Pass
2	2435.300	94.88	-12.06	74.0	20.88	Peak	327.00	150	Vertical	N/A
2**	2435.300	91.96	-12.06	54.0	37.96	AV	327.00	150	Vertical	N/A
3	5215.000	51.09	-3.39	74.0	-22.91	Peak	201.00	150	Vertical	Pass
3**	5215.000	41.61	-3.39	54.0	-12.39	AV	201.00	150	Vertical	Pass
4	7846.500	54.60	1.21	74.0	-19.40	Peak	148.00	150	Vertical	Pass
4**	7846.500	44.21	1.21	54.0	-9.79	AV	148.00	150	Vertical	Pass
5	11312.888	49.49	-4.13	74.0	-24.51	Peak	329.00	150	Vertical	Pass
5**	11312.888	39.51	-4.13	54.0	-14.49	AV	329.00	150	Vertical	Pass
6	17808.636	53.10	3.15	74.0	-20.90	Peak	19.00	150	Vertical	Pass
6**	17808.636	44.22	3.15	54.0	-9.78	AV	19.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.46	-17.78	74.0	-32.54	Peak	92.00	150	Horizontal	Pass
1**	1600.200	36.52	-17.78	54.0	-17.48	AV	92.00	150	Horizontal	Pass
2	2463.100	106.38	-12.67	74.0	32.38	Peak	74.00	150	Horizontal	N/A
2**	2463.100	103.51	-12.67	54.0	49.51	AV	74.00	150	Horizontal	N/A
3	5190.750	51.05	-2.68	74.0	-22.95	Peak	360.00	150	Horizontal	Pass
3**	5190.750	41.26	-2.68	54.0	-12.74	AV	360.00	150	Horizontal	Pass
4	7817.500	53.46	1.55	74.0	-20.54	Peak	226.00	150	Horizontal	Pass
4**	7817.500	44.69	1.55	54.0	-9.31	AV	226.00	150	Horizontal	Pass
5	10714.863	49.67	-4.83	74.0	-24.33	Peak	196.00	150	Horizontal	Pass
5**	10714.863	39.29	-4.83	54.0	-14.71	AV	196.00	150	Horizontal	Pass
6	17812.838	54.25	3.12	74.0	-19.75	Peak	44.00	150	Horizontal	Pass
6**	17812.838	44.63	3.12	54.0	-9.37	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	40.82	-17.77	74.0	-33.18	Peak	360.00	150	Vertical	Pass
1**	1600.100	36.88	-17.77	54.0	-17.12	AV	360.00	150	Vertical	Pass
2	2463.400	99.14	-12.68	74.0	25.14	Peak	172.00	150	Vertical	N/A
2**	2463.400	96.29	-12.68	54.0	42.29	AV	172.00	150	Vertical	N/A
3	4924.250	48.37	-3.74	74.0	-25.63	Peak	351.00	150	Vertical	Pass
3**	4924.250	42.89	-3.74	54.0	-11.11	AV	351.00	150	Vertical	Pass
4	7387.000	51.70	-0.77	74.0	-22.30	Peak	351.00	150	Vertical	Pass
4**	7387.000	47.76	-0.77	54.0	-6.24	AV	351.00	150	Vertical	Pass
5	11801.900	49.35	-3.52	74.0	-24.65	Peak	225.00	150	Vertical	Pass
5**	11801.900	40.40	-3.52	54.0	-13.60	AV	225.00	150	Vertical	Pass
6	17470.800	53.20	3.09	74.0	-20.80	Peak	26.00	150	Vertical	Pass
6**	17470.800	43.00	3.09	54.0	-11.00	AV	26.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.93	-17.78	74.0	-33.07	Peak	148.00	150	Horizontal	Pass
1**	1600.200	36.54	-17.78	54.0	-17.46	AV	148.00	150	Horizontal	Pass
2	2413.900	106.17	-13.42	74.0	32.17	Peak	68.00	150	Horizontal	N/A
2**	2413.900	98.64	-13.42	54.0	44.64	AV	68.00	150	Horizontal	N/A
3	5182.250	50.42	-2.11	74.0	-23.58	Peak	186.00	150	Horizontal	Pass
3**	5182.250	42.19	-2.11	54.0	-11.81	AV	186.00	150	Horizontal	Pass
4	7824.500	53.85	1.97	74.0	-20.15	Peak	93.00	150	Horizontal	Pass
4**	7824.500	45.74	1.97	54.0	-8.26	AV	93.00	150	Horizontal	Pass
5	12703.213	50.06	-2.34	74.0	-23.94	Peak	309.00	150	Horizontal	Pass
5**	12703.213	40.41	-2.34	54.0	-13.59	AV	309.00	150	Horizontal	Pass
6	16837.386	53.96	0.91	74.0	-20.04	Peak	214.00	150	Horizontal	Pass
6**	16837.386	43.01	0.91	54.0	-10.99	AV	214.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.10	-17.76	74.0	-31.90	Peak	96.00	150	Vertical	Pass
1**	1600.000	37.51	-17.76	54.0	-16.49	AV	96.00	150	Vertical	Pass
2	2413.300	95.66	-13.42	74.0	21.66	Peak	324.00	150	Vertical	N/A
2**	2413.300	88.75	-13.42	54.0	34.75	AV	324.00	150	Vertical	N/A
3	5178.000	50.62	-2.38	74.0	-23.38	Peak	31.00	150	Vertical	Pass
3**	5178.000	41.56	-2.38	54.0	-12.44	AV	31.00	150	Vertical	Pass
4	7131.500	54.10	0.70	74.0	-19.90	Peak	191.00	150	Vertical	Pass
4**	7131.500	44.09	0.70	54.0	-9.91	AV	191.00	150	Vertical	Pass
5	12308.013	49.72	-2.50	74.0	-24.28	Peak	152.00	150	Vertical	Pass
5**	12308.013	39.93	-2.50	54.0	-14.07	AV	152.00	150	Vertical	Pass
6	17297.551	53.75	2.01	74.0	-20.25	Peak	127.00	150	Vertical	Pass
6**	17297.551	44.07	2.01	54.0	-9.93	AV	127.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	42.36	-17.78	74.0	-31.64	Peak	89.00	150	Horizontal	Pass
1**	1600.400	35.44	-17.78	54.0	-18.56	AV	89.00	150	Horizontal	Pass
2	2420.900	105.80	-13.02	74.0	31.80	Peak	72.00	150	Horizontal	N/A
2**	2420.900	97.82	-13.02	54.0	43.82	AV	72.00	150	Horizontal	N/A
3	5165.750	50.05	-3.01	74.0	-23.95	Peak	46.00	150	Horizontal	Pass
3**	5165.750	40.48	-3.01	54.0	-13.52	AV	46.00	150	Horizontal	Pass
4	7832.000	55.08	2.18	74.0	-18.92	Peak	173.00	150	Horizontal	Pass
4**	7832.000	44.62	2.18	54.0	-9.38	AV	173.00	150	Horizontal	Pass
5	11779.100	49.92	-3.72	74.0	-24.08	Peak	341.00	150	Horizontal	Pass
5**	11779.100	38.44	-3.72	54.0	-15.56	AV	341.00	150	Horizontal	Pass
6	17045.812	53.00	0.89	74.0	-21.00	Peak	76.00	150	Horizontal	Pass
6**	17045.812	43.63	0.89	54.0	-10.37	AV	76.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.48	-17.78	74.0	-31.52	Peak	262.00	150	Vertical	Pass
1**	1600.200	35.83	-17.78	54.0	-18.17	AV	262.00	150	Vertical	Pass
2	2418.600	94.97	-12.92	74.0	20.97	Peak	322.00	150	Vertical	N/A
2**	2418.600	87.46	-12.92	54.0	33.46	AV	322.00	150	Vertical	N/A
3	5251.250	50.68	-3.79	74.0	-23.32	Peak	98.00	150	Vertical	Pass
3**	5251.250	40.73	-3.79	54.0	-13.27	AV	98.00	150	Vertical	Pass
4	7832.250	54.13	2.21	74.0	-19.87	Peak	21.00	150	Vertical	Pass
4**	7832.250	44.15	2.21	54.0	-9.85	AV	21.00	150	Vertical	Pass
5	11795.963	49.29	-3.57	74.0	-24.71	Peak	255.00	150	Vertical	Pass
5**	11795.963	39.82	-3.57	54.0	-14.18	AV	255.00	150	Vertical	Pass
6	17801.812	53.96	3.21	74.0	-20.04	Peak	9.00	150	Vertical	Pass
6**	17801.812	45.40	3.21	54.0	-8.60	AV	9.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.11	-17.77	74.0	-31.89	Peak	263.00	150	Horizontal	Pass
1**	1600.100	36.57	-17.77	54.0	-17.43	AV	263.00	150	Horizontal	Pass
2	2434.100	108.00	-12.17	74.0	34.00	Peak	68.00	150	Horizontal	N/A
2**	2434.100	100.80	-12.17	54.0	46.80	AV	68.00	150	Horizontal	N/A
3	5180.500	50.65	-2.20	74.0	-23.35	Peak	92.00	150	Horizontal	Pass
3**	5180.500	42.11	-2.20	54.0	-11.89	AV	92.00	150	Horizontal	Pass
4	7846.250	53.54	1.25	74.0	-20.46	Peak	58.00	150	Horizontal	Pass
4**	7846.250	44.31	1.25	54.0	-9.69	AV	58.00	150	Horizontal	Pass
5	11937.512	50.05	-3.57	74.0	-23.95	Peak	360.00	150	Horizontal	Pass
5**	11937.512	38.52	-3.57	54.0	-15.48	AV	360.00	150	Horizontal	Pass
6	16431.563	53.03	0.11	74.0	-20.97	Peak	10.00	150	Horizontal	Pass
6**	16431.563	43.69	0.11	54.0	-10.31	AV	10.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.52	-17.78	74.0	-32.48	Peak	327.00	150	Vertical	Pass
1**	1600.200	36.76	-17.78	54.0	-17.24	AV	327.00	150	Vertical	Pass
2	2434.600	97.13	-12.12	74.0	23.13	Peak	327.00	150	Vertical	N/A
2**	2434.600	89.42	-12.12	54.0	35.42	AV	327.00	150	Vertical	N/A
3	5431.500	50.35	-2.72	74.0	-23.65	Peak	0.00	150	Vertical	Pass
3**	5431.500	40.31	-2.72	54.0	-13.69	AV	0.00	150	Vertical	Pass
4	7831.750	53.94	2.14	74.0	-20.06	Peak	360.00	150	Vertical	Pass
4**	7831.750	45.16	2.14	54.0	-8.84	AV	360.00	150	Vertical	Pass
5	12306.825	49.77	-2.49	74.0	-24.23	Peak	176.00	150	Vertical	Pass
5**	12306.825	40.38	-2.49	54.0	-13.62	AV	176.00	150	Vertical	Pass
6	16408.724	53.68	0.27	74.0	-20.32	Peak	60.00	150	Vertical	Pass
6**	16408.724	43.92	0.27	54.0	-10.08	AV	60.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.09	-17.75	74.0	-31.91	Peak	15.00	150	Horizontal	Pass
1**	1599.900	35.93	-17.75	54.0	-18.07	AV	15.00	150	Horizontal	Pass
2	2458.700	105.86	-12.66	74.0	31.86	Peak	62.00	150	Horizontal	N/A
2**	2458.700	98.48	-12.66	54.0	44.48	AV	62.00	150	Horizontal	N/A
3	5201.250	50.54	-3.29	74.0	-23.46	Peak	4.00	150	Horizontal	Pass
3**	5201.250	40.99	-3.29	54.0	-13.01	AV	4.00	150	Horizontal	Pass
4	7830.750	54.02	2.00	74.0	-19.98	Peak	29.00	150	Horizontal	Pass
4**	7830.750	44.88	2.00	54.0	-9.12	AV	29.00	150	Horizontal	Pass
5	11781.950	49.11	-3.69	74.0	-24.89	Peak	268.00	150	Horizontal	Pass
5**	11781.950	39.89	-3.69	54.0	-14.11	AV	268.00	150	Horizontal	Pass
6	16916.662	53.79	1.24	74.0	-20.21	Peak	28.00	150	Horizontal	Pass
6**	16916.662	44.13	1.24	54.0	-9.87	AV	28.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.79	-17.75	74.0	-32.21	Peak	280.00	150	Vertical	Pass
1**	1599.900	35.68	-17.75	54.0	-18.32	AV	280.00	150	Vertical	Pass
2	2458.100	93.68	-12.66	74.0	19.68	Peak	169.00	150	Vertical	N/A
2**	2458.100	86.66	-12.66	54.0	32.66	AV	169.00	150	Vertical	N/A
3	5183.500	51.27	-2.15	74.0	-22.73	Peak	329.00	150	Vertical	Pass
3**	5183.500	42.64	-2.15	54.0	-11.36	AV	329.00	150	Vertical	Pass
4	7824.250	54.39	2.00	74.0	-19.61	Peak	296.00	150	Vertical	Pass
4**	7824.250	45.83	2.00	54.0	-8.17	AV	296.00	150	Vertical	Pass
5	12291.387	50.15	-2.52	74.0	-23.85	Peak	125.00	150	Vertical	Pass
5**	12291.387	40.82	-2.52	54.0	-13.18	AV	125.00	150	Vertical	Pass
6	17794.724	54.25	3.15	74.0	-19.75	Peak	28.00	150	Vertical	Pass
6**	17794.724	46.56	3.15	54.0	-7.44	AV	28.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.04	-17.77	74.0	-31.96	Peak	250.00	150	Horizontal	Pass
1**	1600.100	36.52	-17.77	54.0	-17.48	AV	250.00	150	Horizontal	Pass
2	2464.600	108.89	-12.73	74.0	34.89	Peak	125.00	150	Horizontal	N/A
2**	2464.600	101.50	-12.73	54.0	47.50	AV	125.00	150	Horizontal	N/A
3	5324.250	50.90	-3.32	74.0	-23.10	Peak	200.00	150	Horizontal	Pass
3**	5324.250	41.65	-3.32	54.0	-12.35	AV	200.00	150	Horizontal	Pass
4	7838.750	53.93	2.00	74.0	-20.07	Peak	294.00	150	Horizontal	Pass
4**	7838.750	45.28	2.00	54.0	-8.72	AV	294.00	150	Horizontal	Pass
5	11420.000	49.10	-4.08	74.0	-24.90	Peak	55.00	150	Horizontal	Pass
5**	11420.000	39.36	-4.08	54.0	-14.64	AV	55.00	150	Horizontal	Pass
6	16412.401	53.30	0.24	74.0	-20.70	Peak	254.00	150	Horizontal	Pass
6**	16412.401	43.08	0.24	54.0	-10.92	AV	254.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.400	43.08	-17.45	74.0	-30.92	Peak	181.00	150	Vertical	Pass
1**	1603.400	31.73	-17.45	54.0	-22.27	AV	181.00	150	Vertical	Pass
2	2460.800	102.65	-12.61	74.0	28.65	Peak	171.00	150	Vertical	N/A
2**	2460.800	95.52	-12.61	54.0	41.52	AV	171.00	150	Vertical	N/A
3	5180.750	50.96	-2.19	74.0	-23.04	Peak	279.00	150	Vertical	Pass
3**	5180.750	42.22	-2.19	54.0	-11.78	AV	279.00	150	Vertical	Pass
4	7381.500	51.19	-1.22	74.0	-22.81	Peak	360.00	150	Vertical	Pass
4**	7381.500	46.69	-1.22	54.0	-7.31	AV	360.00	150	Vertical	Pass
5	11218.125	50.18	-4.12	74.0	-23.82	Peak	339.00	150	Vertical	Pass
5**	11218.125	39.91	-4.12	54.0	-14.09	AV	339.00	150	Vertical	Pass
6	17476.837	53.04	3.09	74.0	-20.96	Peak	9.00	150	Vertical	Pass
6**	17476.837	44.46	3.09	54.0	-9.54	AV	9.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	40.99	-17.76	74.0	-33.01	Peak	226.00	150	Horizontal	Pass
1**	1600.000	36.41	-17.76	54.0	-17.59	AV	226.00	150	Horizontal	Pass
2	2418.100	105.99	-12.97	74.0	31.99	Peak	78.00	150	Horizontal	N/A
2**	2418.100	97.68	-12.97	54.0	43.68	AV	78.00	150	Horizontal	N/A
3	5205.500	50.77	-3.47	74.0	-23.23	Peak	8.00	150	Horizontal	Pass
3**	5205.500	40.69	-3.47	54.0	-13.31	AV	8.00	150	Horizontal	Pass
4	7492.250	53.39	-0.34	74.0	-20.61	Peak	108.00	150	Horizontal	Pass
4**	7492.250	43.85	-0.34	54.0	-10.15	AV	108.00	150	Horizontal	Pass
5	11787.412	49.32	-3.65	74.0	-24.68	Peak	294.00	150	Horizontal	Pass
5**	11787.412	40.12	-3.65	54.0	-13.88	AV	294.00	150	Horizontal	Pass
6	17794.988	53.90	3.16	74.0	-20.10	Peak	0.00	150	Horizontal	Pass
6**	17794.988	44.37	3.16	54.0	-9.63	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.30	-17.74	74.0	-31.70	Peak	300.00	150	Vertical	Pass
1**	1599.800	36.12	-17.74	54.0	-17.88	AV	300.00	150	Vertical	Pass
2	2418.100	95.15	-12.97	74.0	21.15	Peak	192.00	150	Vertical	N/A
2**	2418.100	87.64	-12.97	54.0	33.64	AV	192.00	150	Vertical	N/A
3	5188.750	51.12	-2.59	74.0	-22.88	Peak	0.00	150	Vertical	Pass
3**	5188.750	41.89	-2.59	54.0	-12.11	AV	0.00	150	Vertical	Pass
4	7835.750	54.33	2.15	74.0	-19.67	Peak	185.00	150	Vertical	Pass
4**	7835.750	44.66	2.15	54.0	-9.34	AV	185.00	150	Vertical	Pass
5	13426.463	52.14	0.06	74.0	-21.86	Peak	44.00	150	Vertical	Pass
5**	13426.463	41.68	0.06	54.0	-12.32	AV	44.00	150	Vertical	Pass
6	17793.937	55.33	3.14	74.0	-18.67	Peak	126.00	150	Vertical	Pass
6**	17793.937	44.05	3.14	54.0	-9.95	AV	126.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.93	-17.78	74.0	-32.07	Peak	327.00	150	Horizontal	Pass
1**	1600.300	35.77	-17.78	54.0	-18.23	AV	327.00	150	Horizontal	Pass
2	2422.000	105.06	-12.87	74.0	31.06	Peak	65.00	150	Horizontal	N/A
2**	2422.000	98.18	-12.87	54.0	44.18	AV	65.00	150	Horizontal	N/A
3	5165.500	50.28	-3.05	74.0	-23.72	Peak	46.00	150	Horizontal	Pass
3**	5165.500	41.22	-3.05	54.0	-12.78	AV	46.00	150	Horizontal	Pass
4	7832.750	53.47	2.28	74.0	-20.53	Peak	2.00	150	Horizontal	Pass
4**	7832.750	45.07	2.28	54.0	-8.93	AV	2.00	150	Horizontal	Pass
5	11325.000	50.37	-4.24	74.0	-23.63	Peak	65.00	150	Horizontal	Pass
5**	11325.000	39.95	-4.24	54.0	-14.05	AV	65.00	150	Horizontal	Pass
6	17867.962	54.14	2.71	74.0	-19.86	Peak	145.00	150	Horizontal	Pass
6**	17867.962	44.64	2.71	54.0	-9.36	AV	145.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.400	42.05	-17.69	74.0	-31.95	Peak	55.00	150	Vertical	Pass
1**	1599.400	34.00	-17.69	54.0	-20.00	AV	55.00	150	Vertical	Pass
2	2418.700	94.11	-12.93	74.0	20.11	Peak	326.00	150	Vertical	N/A
2**	2418.700	86.99	-12.93	54.0	32.99	AV	326.00	150	Vertical	N/A
3	5229.500	51.25	-3.62	74.0	-22.75	Peak	249.00	150	Vertical	Pass
3**	5229.500	40.71	-3.62	54.0	-13.29	AV	249.00	150	Vertical	Pass
4	7835.000	54.39	2.19	74.0	-19.61	Peak	29.00	150	Vertical	Pass
4**	7835.000	45.95	2.19	54.0	-8.05	AV	29.00	150	Vertical	Pass
5	12445.525	50.11	-2.22	74.0	-23.89	Peak	256.00	150	Vertical	Pass
5**	12445.525	39.50	-2.22	54.0	-14.50	AV	256.00	150	Vertical	Pass
6	16580.137	53.65	0.01	74.0	-20.35	Peak	44.00	150	Vertical	Pass
6**	16580.137	42.74	0.01	54.0	-11.26	AV	44.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.50	-17.72	74.0	-31.50	Peak	214.00	150	Horizontal	Pass
1**	1599.700	35.19	-17.72	54.0	-18.81	AV	214.00	150	Horizontal	Pass
2	2424.300	106.37	-12.83	74.0	32.37	Peak	69.00	150	Horizontal	N/A
2**	2424.300	98.86	-12.83	54.0	44.86	AV	69.00	150	Horizontal	N/A
3	5191.750	50.15	-2.73	74.0	-23.85	Peak	74.00	150	Horizontal	Pass
3**	5191.750	41.25	-2.73	54.0	-12.75	AV	74.00	150	Horizontal	Pass
4	7833.750	53.67	2.25	74.0	-20.33	Peak	259.00	150	Horizontal	Pass
4**	7833.750	45.46	2.25	54.0	-8.54	AV	259.00	150	Horizontal	Pass
5	11451.588	49.52	-3.89	74.0	-24.48	Peak	174.00	150	Horizontal	Pass
5**	11451.588	40.70	-3.89	54.0	-13.30	AV	174.00	150	Horizontal	Pass
6	16509.525	53.43	0.00	74.0	-20.57	Peak	62.00	150	Horizontal	Pass
6**	16509.525	43.27	0.00	54.0	-10.73	AV	62.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.51	-17.75	74.0	-31.49	Peak	163.00	150	Vertical	Pass
1**	1599.900	36.09	-17.75	54.0	-17.91	AV	163.00	150	Vertical	Pass
2	2427.700	95.89	-12.50	74.0	21.89	Peak	326.00	150	Vertical	N/A
2**	2427.700	87.99	-12.50	54.0	33.99	AV	326.00	150	Vertical	N/A
3	5200.250	50.65	-3.22	74.0	-23.35	Peak	358.00	150	Vertical	Pass
3**	5200.250	41.43	-3.22	54.0	-12.57	AV	358.00	150	Vertical	Pass
4	7824.500	54.09	1.97	74.0	-19.91	Peak	183.00	150	Vertical	Pass
4**	7824.500	44.82	1.97	54.0	-9.18	AV	183.00	150	Vertical	Pass
5	11198.412	49.68	-4.06	74.0	-24.32	Peak	113.00	150	Vertical	Pass
5**	11198.412	39.75	-4.06	54.0	-14.25	AV	113.00	150	Vertical	Pass
6	16759.687	53.79	0.42	74.0	-20.21	Peak	0.00	150	Vertical	Pass
6**	16759.687	42.97	0.42	54.0	-11.03	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.11	-17.75	74.0	-31.89	Peak	94.00	150	Horizontal	Pass
1**	1599.900	35.96	-17.75	54.0	-18.04	AV	94.00	150	Horizontal	Pass
2	2425.700	105.72	-12.67	74.0	31.72	Peak	75.00	150	Horizontal	N/A
2**	2425.700	98.82	-12.67	54.0	44.82	AV	75.00	150	Horizontal	N/A
3	5347.000	50.80	-3.23	74.0	-23.20	Peak	256.00	150	Horizontal	Pass
3**	5347.000	40.98	-3.23	54.0	-13.02	AV	256.00	150	Horizontal	Pass
4	7827.000	53.81	1.77	74.0	-20.19	Peak	214.00	150	Horizontal	Pass
4**	7827.000	44.96	1.77	54.0	-9.04	AV	214.00	150	Horizontal	Pass
5	12515.350	50.15	-2.37	74.0	-23.85	Peak	136.00	150	Horizontal	Pass
5**	12515.350	39.96	-2.37	54.0	-14.04	AV	136.00	150	Horizontal	Pass
6	16811.137	53.54	0.58	74.0	-20.46	Peak	9.00	150	Horizontal	Pass
6**	16811.137	42.83	0.58	54.0	-11.17	AV	9.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.99	-17.76	74.0	-32.01	Peak	321.00	150	Vertical	Pass
1**	1600.000	36.89	-17.76	54.0	-17.11	AV	321.00	150	Vertical	Pass
2	2426.100	94.15	-12.60	74.0	20.15	Peak	325.00	150	Vertical	N/A
2**	2426.100	86.76	-12.60	54.0	32.76	AV	325.00	150	Vertical	N/A
3	5187.250	51.01	-2.46	74.0	-22.99	Peak	0.00	150	Vertical	Pass
3**	5187.250	41.77	-2.46	54.0	-12.23	AV	0.00	150	Vertical	Pass
4	7837.250	53.83	2.06	74.0	-20.17	Peak	241.00	150	Vertical	Pass
4**	7837.250	45.05	2.06	54.0	-8.95	AV	241.00	150	Vertical	Pass
5	12446.713	50.39	-2.20	74.0	-23.61	Peak	151.00	150	Vertical	Pass
5**	12446.713	40.33	-2.20	54.0	-13.67	AV	151.00	150	Vertical	Pass
6	16537.875	53.33	0.02	74.0	-20.67	Peak	41.00	150	Vertical	Pass
6**	16537.875	43.20	0.02	54.0	-10.80	AV	41.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.44	-17.75	74.0	-31.56	Peak	341.00	150	Horizontal	Pass
1**	1599.900	35.52	-17.75	54.0	-18.48	AV	341.00	150	Horizontal	Pass
2	2430.500	106.22	-12.43	74.0	32.22	Peak	74.00	150	Horizontal	N/A
2**	2430.500	99.13	-12.43	54.0	45.13	AV	74.00	150	Horizontal	N/A
3	5193.250	50.62	-2.88	74.0	-23.38	Peak	105.00	150	Horizontal	Pass
3**	5193.250	41.19	-2.88	54.0	-12.81	AV	105.00	150	Horizontal	Pass
4	7837.500	53.56	2.05	74.0	-20.44	Peak	80.00	150	Horizontal	Pass
4**	7837.500	46.12	2.05	54.0	-7.88	AV	80.00	150	Horizontal	Pass
5	11784.800	50.07	-3.67	74.0	-23.93	Peak	0.00	150	Horizontal	Pass
5**	11784.800	40.39	-3.67	54.0	-13.61	AV	0.00	150	Horizontal	Pass
6	17865.599	54.20	2.72	74.0	-19.80	Peak	25.00	150	Horizontal	Pass
6**	17865.599	44.51	2.72	54.0	-9.49	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.27	-17.74	74.0	-31.73	Peak	82.00	150	Vertical	Pass
1**	1599.800	36.63	-17.74	54.0	-17.37	AV	82.00	150	Vertical	Pass
2	2429.200	94.60	-12.51	74.0	20.60	Peak	329.00	150	Vertical	N/A
2**	2429.200	87.20	-12.51	54.0	33.20	AV	329.00	150	Vertical	N/A
3	5192.250	50.69	-2.78	74.0	-23.31	Peak	27.00	150	Vertical	Pass
3**	5192.250	41.47	-2.78	54.0	-12.53	AV	27.00	150	Vertical	Pass
4	7855.500	53.62	1.00	74.0	-20.38	Peak	10.00	150	Vertical	Pass
4**	7855.500	44.80	1.00	54.0	-9.20	AV	10.00	150	Vertical	Pass
5	11799.763	50.03	-3.54	74.0	-23.97	Peak	256.00	150	Vertical	Pass
5**	11799.763	40.04	-3.54	54.0	-13.96	AV	256.00	150	Vertical	Pass
6	16895.926	53.25	1.48	74.0	-20.75	Peak	9.00	150	Vertical	Pass
6**	16895.926	42.87	1.48	54.0	-11.13	AV	9.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.79	-17.77	74.0	-32.21	Peak	360.00	150	Horizontal	Pass
1**	1600.100	36.73	-17.77	54.0	-17.27	AV	360.00	150	Horizontal	Pass
2	2435.400	108.06	-12.08	74.0	34.06	Peak	67.00	150	Horizontal	N/A
2**	2435.400	101.00	-12.08	54.0	47.00	AV	67.00	150	Horizontal	N/A
3	5176.750	51.02	-2.61	74.0	-22.98	Peak	137.00	150	Horizontal	Pass
3**	5176.750	41.78	-2.61	54.0	-12.22	AV	137.00	150	Horizontal	Pass
4	7843.500	54.04	1.49	74.0	-19.96	Peak	357.00	150	Horizontal	Pass
4**	7843.500	45.22	1.49	54.0	-8.78	AV	357.00	150	Horizontal	Pass
5	14094.262	51.03	-0.06	74.0	-22.97	Peak	126.00	150	Horizontal	Pass
5**	14094.262	42.75	-0.06	54.0	-11.25	AV	126.00	150	Horizontal	Pass
6	17802.600	54.06	3.20	74.0	-19.94	Peak	211.00	150	Horizontal	Pass
6**	17802.600	43.74	3.20	54.0	-10.26	AV	211.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.98	-17.78	74.0	-32.02	Peak	160.00	150	Vertical	Pass
1**	1600.200	36.60	-17.78	54.0	-17.40	AV	160.00	150	Vertical	Pass
2	2435.300	97.02	-12.06	74.0	23.02	Peak	329.00	150	Vertical	N/A
2**	2435.300	89.98	-12.06	54.0	35.98	AV	329.00	150	Vertical	N/A
3	5239.500	50.72	-3.22	74.0	-23.28	Peak	304.00	150	Vertical	Pass
3**	5239.500	41.50	-3.22	54.0	-12.50	AV	304.00	150	Vertical	Pass
4	7820.500	54.27	1.88	74.0	-19.73	Peak	321.00	150	Vertical	Pass
4**	7820.500	44.89	1.88	54.0	-9.11	AV	321.00	150	Vertical	Pass
5	11797.151	50.09	-3.56	74.0	-23.91	Peak	159.00	150	Vertical	Pass
5**	11797.151	40.07	-3.56	54.0	-13.93	AV	159.00	150	Vertical	Pass
6	17013.000	53.17	0.64	74.0	-20.83	Peak	30.00	150	Vertical	Pass
6**	17013.000	43.76	0.64	54.0	-10.24	AV	30.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.71	-17.78	74.0	-31.29	Peak	0.00	150	Horizontal	Pass
1**	1600.200	36.24	-17.78	54.0	-17.76	AV	0.00	150	Horizontal	Pass
2	2450.700	104.54	-12.75	74.0	30.54	Peak	63.00	150	Horizontal	N/A
2**	2450.700	97.19	-12.75	54.0	43.19	AV	63.00	150	Horizontal	N/A
3	5232.000	50.55	-3.35	74.0	-23.45	Peak	139.00	150	Horizontal	Pass
3**	5232.000	40.99	-3.35	54.0	-13.01	AV	139.00	150	Horizontal	Pass
4	7819.250	54.78	1.89	74.0	-19.22	Peak	360.00	150	Horizontal	Pass
4**	7819.250	45.17	1.89	54.0	-8.83	AV	360.00	150	Horizontal	Pass
5	11395.063	49.97	-4.24	74.0	-24.03	Peak	10.00	150	Horizontal	Pass
5**	11395.063	40.56	-4.24	54.0	-13.44	AV	10.00	150	Horizontal	Pass
6	17636.700	53.62	2.99	74.0	-20.38	Peak	94.00	150	Horizontal	Pass
6**	17636.700	43.50	2.99	54.0	-10.50	AV	94.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.300	42.64	-17.68	74.0	-31.36	Peak	232.00	150	Vertical	Pass
1**	1599.300	33.04	-17.68	54.0	-20.96	AV	232.00	150	Vertical	Pass
2	2450.900	92.89	-12.76	74.0	18.89	Peak	163.00	150	Vertical	N/A
2**	2450.900	85.14	-12.76	54.0	31.14	AV	163.00	150	Vertical	N/A
3	5183.000	51.47	-2.08	74.0	-22.53	Peak	205.00	150	Vertical	Pass
3**	5183.000	42.12	-2.08	54.0	-11.88	AV	205.00	150	Vertical	Pass
4	7839.000	53.80	1.99	74.0	-20.20	Peak	12.00	150	Vertical	Pass
4**	7839.000	44.58	1.99	54.0	-9.42	AV	12.00	150	Vertical	Pass
5	12301.125	50.09	-2.44	74.0	-23.91	Peak	279.00	150	Vertical	Pass
5**	12301.125	40.36	-2.44	54.0	-13.64	AV	279.00	150	Vertical	Pass
6	17798.662	54.18	3.21	74.0	-19.82	Peak	75.00	150	Vertical	Pass
6**	17798.662	45.22	3.21	54.0	-8.78	AV	75.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.59	-17.71	74.0	-31.41	Peak	232.00	150	Horizontal	Pass
1**	1599.600	35.12	-17.71	54.0	-18.88	AV	232.00	150	Horizontal	Pass
2	2462.300	104.91	-12.65	74.0	30.91	Peak	126.00	150	Horizontal	N/A
2**	2462.300	97.21	-12.65	54.0	43.21	AV	126.00	150	Horizontal	N/A
3	5203.500	51.25	-3.49	74.0	-22.75	Peak	274.00	150	Horizontal	Pass
3**	5203.500	40.98	-3.49	54.0	-13.02	AV	274.00	150	Horizontal	Pass
4	7465.500	53.45	0.79	74.0	-20.55	Peak	29.00	150	Horizontal	Pass
4**	7465.500	45.01	0.79	54.0	-8.99	AV	29.00	150	Horizontal	Pass
5	12427.475	49.76	-2.49	74.0	-24.24	Peak	256.00	150	Horizontal	Pass
5**	12427.475	40.81	-2.49	54.0	-13.19	AV	256.00	150	Horizontal	Pass
6	16831.088	53.56	0.83	74.0	-20.44	Peak	28.00	150	Horizontal	Pass
6**	16831.088	42.94	0.83	54.0	-11.06	AV	28.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.16	-17.78	74.0	-31.84	Peak	206.00	150	Vertical	Pass
1**	1600.200	35.94	-17.78	54.0	-18.06	AV	206.00	150	Vertical	Pass
2	2458.000	92.91	-12.66	74.0	18.91	Peak	166.00	150	Vertical	N/A
2**	2458.000	85.94	-12.66	54.0	31.94	AV	166.00	150	Vertical	N/A
3	5179.250	51.42	-2.24	74.0	-22.58	Peak	14.00	150	Vertical	Pass
3**	5179.250	42.22	-2.24	54.0	-11.78	AV	14.00	150	Vertical	Pass
4	7817.500	53.98	1.55	74.0	-20.02	Peak	327.00	150	Vertical	Pass
4**	7817.500	45.19	1.55	54.0	-8.81	AV	327.00	150	Vertical	Pass
5	11200.787	49.38	-4.05	74.0	-24.62	Peak	256.00	150	Vertical	Pass
5**	11200.787	40.10	-4.05	54.0	-13.90	AV	256.00	150	Vertical	Pass
6	17873.476	53.80	2.68	74.0	-20.20	Peak	80.00	150	Vertical	Pass
6**	17873.476	44.47	2.68	54.0	-9.53	AV	80.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	40.57	-17.75	74.0	-33.43	Peak	95.00	150	Horizontal	Pass
1**	1599.900	36.14	-17.75	54.0	-17.86	AV	95.00	150	Horizontal	Pass
2	2464.000	109.00	-12.70	74.0	35.00	Peak	63.00	150	Horizontal	N/A
2**	2464.000	101.98	-12.70	54.0	47.98	AV	63.00	150	Horizontal	N/A
3	5438.250	50.32	-2.41	74.0	-23.68	Peak	213.00	150	Horizontal	Pass
3**	5438.250	41.17	-2.41	54.0	-12.83	AV	213.00	150	Horizontal	Pass
4	7830.250	54.22	1.97	74.0	-19.78	Peak	254.00	150	Horizontal	Pass
4**	7830.250	44.75	1.97	54.0	-9.25	AV	254.00	150	Horizontal	Pass
5	12304.213	49.93	-2.47	74.0	-24.07	Peak	278.00	150	Horizontal	Pass
5**	12304.213	40.36	-2.47	54.0	-13.64	AV	278.00	150	Horizontal	Pass
6	17819.136	55.14	3.06	74.0	-18.86	Peak	115.00	150	Horizontal	Pass
6**	17819.136	44.01	3.06	54.0	-9.99	AV	115.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.33	-17.76	74.0	-32.67	Peak	344.00	150	Vertical	Pass
1**	1600.000	36.80	-17.76	54.0	-17.20	AV	344.00	150	Vertical	Pass
2	2464.600	102.72	-12.73	74.0	28.72	Peak	339.00	150	Vertical	N/A
2**	2464.600	94.79	-12.73	54.0	40.79	AV	339.00	150	Vertical	N/A
3	5222.250	50.68	-3.43	74.0	-23.32	Peak	18.00	150	Vertical	Pass
3**	5222.250	41.29	-3.43	54.0	-12.71	AV	18.00	150	Vertical	Pass
4	7388.750	52.82	-0.74	74.0	-21.18	Peak	8.00	150	Vertical	Pass
4**	7388.750	46.55	-0.74	54.0	-7.45	AV	8.00	150	Vertical	Pass
5	12284.975	49.69	-2.58	74.0	-24.31	Peak	302.00	150	Vertical	Pass
5**	12284.975	39.73	-2.58	54.0	-14.27	AV	302.00	150	Vertical	Pass
6	17798.136	54.42	3.20	74.0	-19.58	Peak	76.00	150	Vertical	Pass
6**	17798.136	44.51	3.20	54.0	-9.49	AV	76.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.22	-17.76	74.0	-32.78	Peak	300.00	150	Horizontal	Pass
1**	1600.000	37.38	-17.76	54.0	-16.62	AV	300.00	150	Horizontal	Pass
2	2426.500	105.43	-12.54	74.0	31.43	Peak	70.00	150	Horizontal	N/A
2**	2426.500	98.11	-12.54	54.0	44.11	AV	70.00	150	Horizontal	N/A
3	4355.000	49.52	-4.33	74.0	-24.48	Peak	177.00	150	Horizontal	Pass
3**	4355.000	38.37	-4.33	54.0	-15.63	AV	177.00	150	Horizontal	Pass
4	7869.250	54.72	1.85	74.0	-19.28	Peak	177.00	150	Horizontal	Pass
4**	7869.250	44.51	1.85	54.0	-9.49	AV	177.00	150	Horizontal	Pass
5	10812.951	49.22	-5.19	74.0	-24.78	Peak	124.00	150	Horizontal	Pass
5**	10812.951	39.85	-5.19	54.0	-14.15	AV	124.00	150	Horizontal	Pass
6	17559.261	53.55	3.18	74.0	-20.45	Peak	147.00	150	Horizontal	Pass
6**	17559.261	45.09	3.18	54.0	-8.91	AV	147.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.32	-17.77	74.0	-31.68	Peak	360.00	150	Vertical	Pass
1**	1600.100	37.46	-17.77	54.0	-16.54	AV	360.00	150	Vertical	Pass
2	2425.000	95.88	-12.79	74.0	21.88	Peak	197.00	150	Vertical	N/A
2**	2425.000	88.98	-12.79	54.0	34.98	AV	197.00	150	Vertical	N/A
3	5351.250	50.94	-3.08	74.0	-23.06	Peak	78.00	150	Vertical	Pass
3**	5351.250	41.14	-3.08	54.0	-12.86	AV	78.00	150	Vertical	Pass
4	7671.500	52.69	0.58	74.0	-21.31	Peak	43.00	150	Vertical	Pass
4**	7671.500	42.43	0.58	54.0	-11.57	AV	43.00	150	Vertical	Pass
5	11415.725	49.48	-4.11	74.0	-24.52	Peak	6.00	150	Vertical	Pass
5**	11415.725	40.71	-4.11	54.0	-13.29	AV	6.00	150	Vertical	Pass
6	16895.137	53.15	1.47	74.0	-20.85	Peak	209.00	150	Vertical	Pass
6**	16895.137	44.68	1.47	54.0	-9.32	AV	209.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	43.48	-17.77	74.0	-30.52	Peak	206.00	150	Horizontal	Pass
1**	1600.100	35.83	-17.77	54.0	-18.17	AV	206.00	150	Horizontal	Pass
2	2429.400	99.43	-12.50	74.0	25.43	Peak	73.00	150	Horizontal	N/A
2**	2429.400	92.38	-12.50	54.0	38.38	AV	73.00	150	Horizontal	N/A
3	4482.750	48.04	-3.70	74.0	-25.96	Peak	21.00	150	Horizontal	Pass
3**	4482.750	39.58	-3.70	54.0	-14.42	AV	21.00	150	Horizontal	Pass
4	7863.500	54.01	1.48	74.0	-19.99	Peak	357.00	150	Horizontal	Pass
4**	7863.500	45.08	1.48	54.0	-8.92	AV	357.00	150	Horizontal	Pass
5	13631.475	50.96	0.14	74.0	-23.04	Peak	124.00	150	Horizontal	Pass
5**	13631.475	41.66	0.14	54.0	-12.34	AV	124.00	150	Horizontal	Pass
6	16530.525	53.54	0.02	74.0	-20.46	Peak	124.00	150	Horizontal	Pass
6**	16530.525	43.68	0.02	54.0	-10.32	AV	124.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.07	-17.74	74.0	-31.93	Peak	289.00	150	Vertical	Pass
1**	1599.800	35.14	-17.74	54.0	-18.86	AV	289.00	150	Vertical	Pass
2	2429.700	87.84	-12.48	74.0	13.84	Peak	328.00	150	Vertical	N/A
2**	2429.700	79.90	-12.48	54.0	25.90	AV	328.00	150	Vertical	N/A
3	5188.000	51.12	-2.53	74.0	-22.88	Peak	284.00	150	Vertical	Pass
3**	5188.000	42.89	-2.53	54.0	-11.11	AV	284.00	150	Vertical	Pass
4	7818.750	53.66	1.82	74.0	-20.34	Peak	181.00	150	Vertical	Pass
4**	7818.750	45.17	1.82	54.0	-8.83	AV	181.00	150	Vertical	Pass
5	11299.826	49.72	-4.01	74.0	-24.28	Peak	8.00	150	Vertical	Pass
5**	11299.826	40.67	-4.01	54.0	-13.33	AV	8.00	150	Vertical	Pass
6	16903.276	53.09	1.46	74.0	-20.91	Peak	25.00	150	Vertical	Pass
6**	16903.276	43.64	1.46	54.0	-10.36	AV	25.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.700	42.36	-17.74	74.0	-31.64	Peak	248.00	150	Horizontal	Pass
1**	1600.700	33.88	-17.74	54.0	-20.12	AV	248.00	150	Horizontal	Pass
2	2429.800	98.97	-12.47	74.0	24.97	Peak	76.00	150	Horizontal	N/A
2**	2429.800	91.74	-12.47	54.0	37.74	AV	76.00	150	Horizontal	N/A
3	4787.000	49.54	-3.90	74.0	-24.46	Peak	150.00	150	Horizontal	Pass
3**	4787.000	40.27	-3.90	54.0	-13.73	AV	150.00	150	Horizontal	Pass
4	7833.250	54.10	2.27	74.0	-19.90	Peak	273.00	150	Horizontal	Pass
4**	7833.250	45.48	2.27	54.0	-8.52	AV	273.00	150	Horizontal	Pass
5	13125.638	50.88	-1.17	74.0	-23.12	Peak	23.00	150	Horizontal	Pass
5**	13125.638	39.89	-1.17	54.0	-14.11	AV	23.00	150	Horizontal	Pass
6	16839.224	53.78	0.94	74.0	-20.22	Peak	264.00	150	Horizontal	Pass
6**	16839.224	43.56	0.94	54.0	-10.44	AV	264.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.47	-17.74	74.0	-31.53	Peak	113.00	150	Vertical	Pass
1**	1599.800	35.29	-17.74	54.0	-18.71	AV	113.00	150	Vertical	Pass
2	2431.000	88.28	-12.41	74.0	14.28	Peak	327.00	150	Vertical	N/A
2**	2431.000	80.01	-12.41	54.0	26.01	AV	327.00	150	Vertical	N/A
3	5184.750	50.79	-2.30	74.0	-23.21	Peak	12.00	150	Vertical	Pass
3**	5184.750	41.75	-2.30	54.0	-12.25	AV	12.00	150	Vertical	Pass
4	7510.250	53.40	0.54	74.0	-20.60	Peak	12.00	150	Vertical	Pass
4**	7510.250	43.88	0.54	54.0	-10.12	AV	12.00	150	Vertical	Pass
5	11454.437	50.06	-3.91	74.0	-23.94	Peak	5.00	150	Vertical	Pass
5**	11454.437	40.68	-3.91	54.0	-13.32	AV	5.00	150	Vertical	Pass
6	16440.488	53.72	0.04	74.0	-20.28	Peak	69.00	150	Vertical	Pass
6**	16440.488	43.07	0.04	54.0	-10.93	AV	69.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.25	-17.75	74.0	-32.75	Peak	38.00	150	Horizontal	Pass
1**	1599.900	36.70	-17.75	54.0	-17.30	AV	38.00	150	Horizontal	Pass
2	2431.100	106.70	-12.40	74.0	32.70	Peak	75.00	150	Horizontal	N/A
2**	2431.100	98.42	-12.40	54.0	44.42	AV	75.00	150	Horizontal	N/A
3	5232.250	51.09	-3.34	74.0	-22.91	Peak	227.00	150	Horizontal	Pass
3**	5232.250	41.35	-3.34	54.0	-12.65	AV	227.00	150	Horizontal	Pass
4	7454.500	52.90	1.17	74.0	-21.10	Peak	356.00	150	Horizontal	Pass
4**	7454.500	43.99	1.17	54.0	-10.01	AV	356.00	150	Horizontal	Pass
5	11786.700	48.95	-3.65	74.0	-25.05	Peak	315.00	150	Horizontal	Pass
5**	11786.700	39.97	-3.65	54.0	-14.03	AV	315.00	150	Horizontal	Pass
6	17806.537	52.88	3.17	74.0	-21.12	Peak	44.00	150	Horizontal	Pass
6**	17806.537	43.91	3.17	54.0	-10.09	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1727.700	40.68	-17.15	74.0	-33.32	Peak	12.00	150	Vertical	Pass
1**	1727.700	30.70	-17.15	54.0	-23.30	AV	12.00	150	Vertical	Pass
2	2430.600	95.79	-12.78	74.0	21.79	Peak	125.00	150	Vertical	N/A
2**	2430.600	88.72	-12.78	54.0	34.72	AV	125.00	150	Vertical	N/A
3	4905.400	51.59	-2.57	74.0	-22.41	Peak	180.00	150	Vertical	Pass
3**	4905.400	41.58	-2.57	54.0	-12.42	AV	180.00	150	Vertical	Pass
4	6680.800	54.20	-0.52	74.0	-19.80	Peak	143.00	150	Vertical	Pass
4**	6680.800	44.75	-0.52	54.0	-9.25	AV	143.00	150	Vertical	Pass
5	10148.125	52.34	0.01	74.0	-21.66	Peak	196.00	150	Vertical	Pass
5**	10148.125	42.92	0.01	54.0	-11.08	AV	196.00	150	Vertical	Pass
6	15628.575	58.03	1.71	74.0	-15.97	Peak	136.00	150	Vertical	Pass
6**	15628.575	47.05	1.71	54.0	-6.95	AV	136.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.74	-17.78	74.0	-32.26	Peak	199.00	150	Horizontal	Pass
1**	1600.300	34.88	-17.78	54.0	-19.12	AV	199.00	150	Horizontal	Pass
2	2430.500	98.77	-12.43	74.0	24.77	Peak	111.00	150	Horizontal	N/A
2**	2430.500	91.28	-12.43	54.0	37.28	AV	111.00	150	Horizontal	N/A
3	5182.000	51.58	-2.12	74.0	-22.42	Peak	250.00	150	Horizontal	Pass
3**	5182.000	42.05	-2.12	54.0	-11.95	AV	250.00	150	Horizontal	Pass
4	7825.500	54.96	1.83	74.0	-19.04	Peak	341.00	150	Horizontal	Pass
4**	7825.500	44.64	1.83	54.0	-9.36	AV	341.00	150	Horizontal	Pass
5	11464.651	49.37	-4.00	74.0	-24.63	Peak	360.00	150	Horizontal	Pass
5**	11464.651	40.14	-4.00	54.0	-13.86	AV	360.00	150	Horizontal	Pass
6	16874.926	53.18	1.30	74.0	-20.82	Peak	9.00	150	Horizontal	Pass
6**	16874.926	42.36	1.30	54.0	-11.64	AV	9.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.49	-17.76	74.0	-32.51	Peak	334.00	150	Vertical	Pass
1**	1600.000	36.01	-17.76	54.0	-17.99	AV	334.00	150	Vertical	Pass
2	2433.500	88.15	-12.22	74.0	14.15	Peak	334.00	150	Vertical	N/A
2**	2433.500	80.22	-12.22	54.0	26.22	AV	334.00	150	Vertical	N/A
3	5182.500	50.73	-2.10	74.0	-23.27	Peak	90.00	150	Vertical	Pass
3**	5182.500	42.20	-2.10	54.0	-11.80	AV	90.00	150	Vertical	Pass
4	7846.000	54.31	1.29	74.0	-19.69	Peak	157.00	150	Vertical	Pass
4**	7846.000	45.37	1.29	54.0	-8.63	AV	157.00	150	Vertical	Pass
5	11390.312	49.77	-4.27	74.0	-24.23	Peak	280.00	150	Vertical	Pass
5**	11390.312	40.11	-4.27	54.0	-13.89	AV	280.00	150	Vertical	Pass
6	17032.162	53.12	0.78	74.0	-20.88	Peak	42.00	150	Vertical	Pass
6**	17032.162	44.02	0.78	54.0	-9.98	AV	42.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.100	41.71	-17.52	74.0	-32.29	Peak	72.00	150	Horizontal	Pass
1**	1611.100	32.29	-17.52	54.0	-21.71	AV	72.00	150	Horizontal	Pass
2	2432.900	98.85	-12.29	74.0	24.85	Peak	72.00	150	Horizontal	N/A
2**	2432.900	90.73	-12.29	54.0	36.73	AV	72.00	150	Horizontal	N/A
3	5322.250	51.18	-3.35	74.0	-22.82	Peak	78.00	150	Horizontal	Pass
3**	5322.250	41.63	-3.35	54.0	-12.37	AV	78.00	150	Horizontal	Pass
4	7868.500	53.65	1.75	74.0	-20.35	Peak	196.00	150	Horizontal	Pass
4**	7868.500	44.66	1.75	54.0	-9.34	AV	196.00	150	Horizontal	Pass
5	12290.201	49.47	-2.53	74.0	-24.53	Peak	186.00	150	Horizontal	Pass
5**	12290.201	40.82	-2.53	54.0	-13.18	AV	186.00	150	Horizontal	Pass
6	17793.151	54.40	3.13	74.0	-19.60	Peak	44.00	150	Horizontal	Pass
6**	17793.151	44.24	3.13	54.0	-9.76	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	42.40	-17.78	74.0	-31.60	Peak	321.00	150	Vertical	Pass
1**	1600.400	33.78	-17.78	54.0	-20.22	AV	321.00	150	Vertical	Pass
2	2435.200	87.36	-12.07	74.0	13.36	Peak	334.00	150	Vertical	N/A
2**	2435.200	80.56	-12.07	54.0	26.56	AV	334.00	150	Vertical	N/A
3	5186.500	50.64	-2.41	74.0	-23.36	Peak	21.00	150	Vertical	Pass
3**	5186.500	41.45	-2.41	54.0	-12.55	AV	21.00	150	Vertical	Pass
4	7838.750	53.63	2.00	74.0	-20.37	Peak	245.00	150	Vertical	Pass
4**	7838.750	46.35	2.00	54.0	-7.65	AV	245.00	150	Vertical	Pass
5	11374.401	49.29	-4.35	74.0	-24.71	Peak	341.00	150	Vertical	Pass
5**	11374.401	38.98	-4.35	54.0	-15.02	AV	341.00	150	Vertical	Pass
6	17793.937	54.44	3.14	74.0	-19.56	Peak	9.00	150	Vertical	Pass
6**	17793.937	44.72	3.14	54.0	-9.28	AV	9.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.35	-17.77	74.0	-32.65	Peak	222.00	150	Horizontal	Pass
1**	1600.100	36.93	-17.77	54.0	-17.07	AV	222.00	150	Horizontal	Pass
2	2464.300	105.62	-12.72	74.0	31.62	Peak	126.00	150	Horizontal	N/A
2**	2464.300	97.95	-12.72	54.0	43.95	AV	126.00	150	Horizontal	N/A
3	5193.500	51.91	-2.91	74.0	-22.09	Peak	279.00	150	Horizontal	Pass
3**	5193.500	41.68	-2.91	54.0	-12.32	AV	279.00	150	Horizontal	Pass
4	7455.500	53.49	1.16	74.0	-20.51	Peak	118.00	150	Horizontal	Pass
4**	7455.500	44.02	1.16	54.0	-9.98	AV	118.00	150	Horizontal	Pass
5	12420.350	49.83	-2.60	74.0	-24.17	Peak	87.00	150	Horizontal	Pass
5**	12420.350	40.12	-2.60	54.0	-13.88	AV	87.00	150	Horizontal	Pass
6	16898.813	53.40	1.51	74.0	-20.60	Peak	163.00	150	Horizontal	Pass
6**	16898.813	44.29	1.51	54.0	-9.71	AV	163.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.16	-17.76	74.0	-31.84	Peak	176.00	150	Vertical	Pass
1**	1600.000	36.47	-17.76	54.0	-17.53	AV	176.00	150	Vertical	Pass
2	2455.700	97.95	-12.88	74.0	23.95	Peak	168.00	150	Vertical	N/A
2**	2455.700	89.78	-12.88	54.0	35.78	AV	168.00	150	Vertical	N/A
3	5196.500	51.20	-3.21	74.0	-22.80	Peak	220.00	150	Vertical	Pass
3**	5196.500	41.60	-3.21	54.0	-12.40	AV	220.00	150	Vertical	Pass
4	7367.250	53.25	-1.04	74.0	-20.75	Peak	109.00	150	Vertical	Pass
4**	7367.250	42.90	-1.04	54.0	-11.10	AV	109.00	150	Vertical	Pass
5	11799.050	49.23	-3.54	74.0	-24.77	Peak	317.00	150	Vertical	Pass
5**	11799.050	40.12	-3.54	54.0	-13.88	AV	317.00	150	Vertical	Pass
6	17878.725	54.28	2.65	74.0	-19.72	Peak	44.00	150	Vertical	Pass
6**	17878.725	43.80	2.65	54.0	-10.20	AV	44.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.10	-17.76	74.0	-32.90	Peak	93.00	150	Horizontal	Pass
1**	1600.000	36.69	-17.76	54.0	-17.31	AV	93.00	150	Horizontal	Pass
2	2413.700	106.07	-13.42	74.0	32.07	Peak	66.00	150	Horizontal	N/A
2**	2413.700	98.45	-13.42	54.0	44.45	AV	66.00	150	Horizontal	N/A
3	5264.250	50.99	-3.63	74.0	-23.01	Peak	288.00	150	Horizontal	Pass
3**	5264.250	41.38	-3.63	54.0	-12.62	AV	288.00	150	Horizontal	Pass
4	7831.000	53.44	2.03	74.0	-20.56	Peak	177.00	150	Horizontal	Pass
4**	7831.000	44.77	2.03	54.0	-9.23	AV	177.00	150	Horizontal	Pass
5	11315.262	49.34	-4.15	74.0	-24.66	Peak	258.00	150	Horizontal	Pass
5**	11315.262	40.45	-4.15	54.0	-13.55	AV	258.00	150	Horizontal	Pass
6	16544.176	53.00	0.03	74.0	-21.00	Peak	147.00	150	Horizontal	Pass
6**	16544.176	43.74	0.03	54.0	-10.26	AV	147.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.27	-17.78	74.0	-32.73	Peak	161.00	150	Vertical	Pass
1**	1600.200	36.75	-17.78	54.0	-17.25	AV	161.00	150	Vertical	Pass
2	2414.900	95.46	-13.38	74.0	21.46	Peak	190.00	150	Vertical	N/A
2**	2414.900	87.47	-13.38	54.0	33.47	AV	190.00	150	Vertical	N/A
3	4452.750	49.51	-4.24	74.0	-24.49	Peak	26.00	150	Vertical	Pass
3**	4452.750	39.35	-4.24	54.0	-14.65	AV	26.00	150	Vertical	Pass
4	7833.250	54.09	2.27	74.0	-19.91	Peak	26.00	150	Vertical	Pass
4**	7833.250	44.54	2.27	54.0	-9.46	AV	26.00	150	Vertical	Pass
5	11182.262	49.73	-4.18	74.0	-24.27	Peak	28.00	150	Vertical	Pass
5**	11182.262	40.19	-4.18	54.0	-13.81	AV	28.00	150	Vertical	Pass
6	16397.699	52.93	0.30	74.0	-21.07	Peak	26.00	150	Vertical	Pass
6**	16397.699	42.89	0.30	54.0	-11.11	AV	26.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.00	-17.71	74.0	-32.00	Peak	248.00	150	Horizontal	Pass
1**	1599.600	34.57	-17.71	54.0	-19.43	AV	248.00	150	Horizontal	Pass
2	2424.500	105.27	-12.83	74.0	31.27	Peak	72.00	150	Horizontal	N/A
2**	2424.500	97.21	-12.83	54.0	43.21	AV	72.00	150	Horizontal	N/A
3	5190.250	52.07	-2.67	74.0	-21.93	Peak	237.00	150	Horizontal	Pass
3**	5190.250	42.67	-2.67	54.0	-11.33	AV	237.00	150	Horizontal	Pass
4	7199.250	53.01	-0.78	74.0	-20.99	Peak	44.00	150	Horizontal	Pass
4**	7199.250	42.77	-0.78	54.0	-11.23	AV	44.00	150	Horizontal	Pass
5	13580.026	51.15	0.20	74.0	-22.85	Peak	26.00	150	Horizontal	Pass
5**	13580.026	42.06	0.20	54.0	-11.94	AV	26.00	150	Horizontal	Pass
6	17556.900	54.19	3.17	74.0	-19.81	Peak	359.00	150	Horizontal	Pass
6**	17556.900	44.47	3.17	54.0	-9.53	AV	359.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.58	-17.72	74.0	-31.42	Peak	347.00	150	Vertical	Pass
1**	1599.700	35.37	-17.72	54.0	-18.63	AV	347.00	150	Vertical	Pass
2	2424.000	93.82	-12.82	74.0	19.82	Peak	320.00	150	Vertical	N/A
2**	2424.000	85.93	-12.82	54.0	31.93	AV	320.00	150	Vertical	N/A
3	5194.750	51.06	-3.04	74.0	-22.94	Peak	46.00	150	Vertical	Pass
3**	5194.750	41.40	-3.04	54.0	-12.60	AV	46.00	150	Vertical	Pass
4	7850.000	54.14	1.19	74.0	-19.86	Peak	122.00	150	Vertical	Pass
4**	7850.000	45.18	1.19	54.0	-8.82	AV	122.00	150	Vertical	Pass
5	13294.687	51.01	-0.11	74.0	-22.99	Peak	228.00	150	Vertical	Pass
5**	13294.687	41.14	-0.11	54.0	-12.86	AV	228.00	150	Vertical	Pass
6	17613.599	54.22	3.18	74.0	-19.78	Peak	95.00	150	Vertical	Pass
6**	17613.599	43.46	3.18	54.0	-10.54	AV	95.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.93	-17.76	74.0	-32.07	Peak	324.00	150	Horizontal	Pass
1**	1600.000	36.70	-17.76	54.0	-17.30	AV	324.00	150	Horizontal	Pass
2	2423.700	106.36	-12.81	74.0	32.36	Peak	75.00	150	Horizontal	N/A
2**	2423.700	99.15	-12.81	54.0	45.15	AV	75.00	150	Horizontal	N/A
3	5181.500	51.77	-2.15	74.0	-22.23	Peak	55.00	150	Horizontal	Pass
3**	5181.500	43.36	-2.15	54.0	-10.64	AV	55.00	150	Horizontal	Pass
4	7859.000	53.82	1.17	74.0	-20.18	Peak	319.00	150	Horizontal	Pass
4**	7859.000	45.02	1.17	54.0	-8.98	AV	319.00	150	Horizontal	Pass
5	13393.912	51.02	-0.11	74.0	-22.98	Peak	12.00	150	Horizontal	Pass
5**	13393.912	41.98	-0.11	54.0	-12.02	AV	12.00	150	Horizontal	Pass
6	17235.864	53.49	1.80	74.0	-20.51	Peak	60.00	150	Horizontal	Pass
6**	17235.864	43.96	1.80	54.0	-10.04	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.54	-17.77	74.0	-31.46	Peak	38.00	150	Vertical	Pass
1**	1600.100	36.49	-17.77	54.0	-17.51	AV	38.00	150	Vertical	Pass
2	2423.700	95.91	-12.81	74.0	21.91	Peak	324.00	150	Vertical	N/A
2**	2423.700	88.62	-12.81	54.0	34.62	AV	324.00	150	Vertical	N/A
3	5185.750	50.28	-2.37	74.0	-23.72	Peak	297.00	150	Vertical	Pass
3**	5185.750	42.20	-2.37	54.0	-11.80	AV	297.00	150	Vertical	Pass
4	7860.500	54.58	1.29	74.0	-19.42	Peak	305.00	150	Vertical	Pass
4**	7860.500	45.18	1.29	54.0	-8.82	AV	305.00	150	Vertical	Pass
5	14077.987	52.45	-0.39	74.0	-21.55	Peak	273.00	150	Vertical	Pass
5**	14077.987	42.40	-0.39	54.0	-11.60	AV	273.00	150	Vertical	Pass
6	17497.051	53.93	3.08	74.0	-20.07	Peak	360.00	150	Vertical	Pass
6**	17497.051	43.69	3.08	54.0	-10.31	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.91	-17.78	74.0	-32.09	Peak	62.00	150	Horizontal	Pass
1**	1600.300	35.78	-17.78	54.0	-18.22	AV	62.00	150	Horizontal	Pass
2	2428.400	105.60	-12.52	74.0	31.60	Peak	62.00	150	Horizontal	N/A
2**	2428.400	99.04	-12.52	54.0	45.04	AV	62.00	150	Horizontal	N/A
3	5335.500	51.59	-3.60	74.0	-22.41	Peak	167.00	150	Horizontal	Pass
3**	5335.500	41.27	-3.60	54.0	-12.73	AV	167.00	150	Horizontal	Pass
4	7860.500	54.17	1.29	74.0	-19.83	Peak	184.00	150	Horizontal	Pass
4**	7860.500	45.16	1.29	54.0	-8.84	AV	184.00	150	Horizontal	Pass
5	12275.474	50.43	-2.67	74.0	-23.57	Peak	284.00	150	Horizontal	Pass
5**	12275.474	40.03	-2.67	54.0	-13.97	AV	284.00	150	Horizontal	Pass
6	16519.762	53.66	0.01	74.0	-20.34	Peak	12.00	150	Horizontal	Pass
6**	16519.762	42.56	0.01	54.0	-11.44	AV	12.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.58	-17.75	74.0	-31.42	Peak	84.00	150	Vertical	Pass
1**	1599.900	35.94	-17.75	54.0	-18.06	AV	84.00	150	Vertical	Pass
2	2428.200	94.74	-12.51	74.0	20.74	Peak	329.00	150	Vertical	N/A
2**	2428.200	87.69	-12.51	54.0	33.69	AV	329.00	150	Vertical	N/A
3	5175.750	50.70	-2.61	74.0	-23.30	Peak	4.00	150	Vertical	Pass
3**	5175.750	41.97	-2.61	54.0	-12.03	AV	4.00	150	Vertical	Pass
4	7841.000	54.50	1.76	74.0	-19.50	Peak	154.00	150	Vertical	Pass
4**	7841.000	46.16	1.76	54.0	-7.84	AV	154.00	150	Vertical	Pass
5	13671.900	50.79	0.31	74.0	-23.21	Peak	74.00	150	Vertical	Pass
5**	13671.900	40.76	0.31	54.0	-13.24	AV	74.00	150	Vertical	Pass
6	17878.725	54.09	2.65	74.0	-19.91	Peak	189.00	150	Vertical	Pass
6**	17878.725	45.07	2.65	54.0	-8.93	AV	189.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.28	-17.76	74.0	-31.72	Peak	346.00	150	Horizontal	Pass
1**	1600.000	35.86	-17.76	54.0	-18.14	AV	346.00	150	Horizontal	Pass
2	2433.200	106.26	-12.26	74.0	32.26	Peak	70.00	150	Horizontal	N/A
2**	2433.200	98.77	-12.26	54.0	44.77	AV	70.00	150	Horizontal	N/A
3	5184.250	50.75	-2.24	74.0	-23.25	Peak	289.00	150	Horizontal	Pass
3**	5184.250	42.35	-2.24	54.0	-11.65	AV	289.00	150	Horizontal	Pass
4	7834.500	53.93	2.22	74.0	-20.07	Peak	12.00	150	Horizontal	Pass
4**	7834.500	45.44	2.22	54.0	-8.56	AV	12.00	150	Horizontal	Pass
5	11204.825	49.52	-4.07	74.0	-24.48	Peak	294.00	150	Horizontal	Pass
5**	11204.825	38.81	-4.07	54.0	-15.19	AV	294.00	150	Horizontal	Pass
6	16912.725	53.31	1.31	74.0	-20.69	Peak	26.00	150	Horizontal	Pass
6**	16912.725	44.54	1.31	54.0	-9.46	AV	26.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.51	-17.74	74.0	-31.49	Peak	77.00	150	Vertical	Pass
1**	1599.800	35.73	-17.74	54.0	-18.27	AV	77.00	150	Vertical	Pass
2	2430.500	94.46	-12.43	74.0	20.46	Peak	331.00	150	Vertical	N/A
2**	2430.500	86.82	-12.43	54.0	32.82	AV	331.00	150	Vertical	N/A
3	4313.750	49.13	-4.34	74.0	-24.87	Peak	174.00	150	Vertical	Pass
3**	4313.750	38.63	-4.34	54.0	-15.37	AV	174.00	150	Vertical	Pass
4	7847.750	54.05	1.04	74.0	-19.95	Peak	353.00	150	Vertical	Pass
4**	7847.750	44.92	1.04	54.0	-9.08	AV	353.00	150	Vertical	Pass
5	11419.050	49.79	-4.08	74.0	-24.21	Peak	147.00	150	Vertical	Pass
5**	11419.050	39.95	-4.08	54.0	-14.05	AV	147.00	150	Vertical	Pass
6	17274.450	53.17	1.97	74.0	-20.83	Peak	44.00	150	Vertical	Pass
6**	17274.450	43.38	1.97	54.0	-10.62	AV	44.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.44	-17.77	74.0	-32.56	Peak	217.00	150	Horizontal	Pass
1**	1600.100	36.67	-17.77	54.0	-17.33	AV	217.00	150	Horizontal	Pass
2	2433.600	108.23	-12.21	74.0	34.23	Peak	76.00	150	Horizontal	N/A
2**	2433.600	100.42	-12.21	54.0	46.42	AV	76.00	150	Horizontal	N/A
3	4429.000	49.65	-4.04	74.0	-24.35	Peak	50.00	150	Horizontal	Pass
3**	4429.000	38.94	-4.04	54.0	-15.06	AV	50.00	150	Horizontal	Pass
4	7847.250	53.57	1.09	74.0	-20.43	Peak	8.00	150	Horizontal	Pass
4**	7847.250	44.55	1.09	54.0	-9.45	AV	8.00	150	Horizontal	Pass
5	11807.600	49.58	-3.48	74.0	-24.42	Peak	304.00	150	Horizontal	Pass
5**	11807.600	39.58	-3.48	54.0	-14.42	AV	304.00	150	Horizontal	Pass
6	17770.052	53.50	2.81	74.0	-20.50	Peak	44.00	150	Horizontal	Pass
6**	17770.052	42.80	2.81	54.0	-11.20	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.71	-17.77	74.0	-32.29	Peak	68.00	150	Vertical	Pass
1**	1600.100	36.87	-17.77	54.0	-17.13	AV	68.00	150	Vertical	Pass
2	2430.800	96.01	-12.42	74.0	22.01	Peak	192.00	150	Vertical	N/A
2**	2430.800	88.68	-12.42	54.0	34.68	AV	192.00	150	Vertical	N/A
3	5183.500	51.76	-2.15	74.0	-22.24	Peak	286.00	150	Vertical	Pass
3**	5183.500	41.98	-2.15	54.0	-12.02	AV	286.00	150	Vertical	Pass
4	7860.250	53.89	1.28	74.0	-20.11	Peak	32.00	150	Vertical	Pass
4**	7860.250	44.81	1.28	54.0	-9.19	AV	32.00	150	Vertical	Pass
5	11412.163	49.18	-4.13	74.0	-24.82	Peak	143.00	150	Vertical	Pass
5**	11412.163	39.33	-4.13	54.0	-14.67	AV	143.00	150	Vertical	Pass
6	17809.426	53.70	3.15	74.0	-20.30	Peak	0.00	150	Vertical	Pass
6**	17809.426	44.79	3.15	54.0	-9.21	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	42.06	-17.78	74.0	-31.94	Peak	335.00	150	Horizontal	Pass
1**	1600.400	35.49	-17.78	54.0	-18.51	AV	335.00	150	Horizontal	Pass
2	2458.800	105.45	-12.65	74.0	31.45	Peak	129.00	150	Horizontal	N/A
2**	2458.800	98.06	-12.65	54.0	44.06	AV	129.00	150	Horizontal	N/A
3	5197.250	51.04	-3.27	74.0	-22.96	Peak	222.00	150	Horizontal	Pass
3**	5197.250	41.01	-3.27	54.0	-12.99	AV	222.00	150	Horizontal	Pass
4	7840.250	53.98	1.85	74.0	-20.02	Peak	299.00	150	Horizontal	Pass
4**	7840.250	45.08	1.85	54.0	-8.92	AV	299.00	150	Horizontal	Pass
5	11308.849	49.69	-4.09	74.0	-24.31	Peak	82.00	150	Horizontal	Pass
5**	11308.849	41.37	-4.09	54.0	-12.63	AV	82.00	150	Horizontal	Pass
6	16891.725	53.35	1.44	74.0	-20.65	Peak	7.00	150	Horizontal	Pass
6**	16891.725	44.16	1.44	54.0	-9.84	AV	7.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	43.19	-17.77	74.0	-30.81	Peak	271.00	150	Vertical	Pass
1**	1600.100	36.76	-17.77	54.0	-17.24	AV	271.00	150	Vertical	Pass
2	2458.700	93.04	-12.66	74.0	19.04	Peak	193.00	150	Vertical	N/A
2**	2458.700	85.82	-12.66	54.0	31.82	AV	193.00	150	Vertical	N/A
3	5278.750	51.58	-3.38	74.0	-22.42	Peak	360.00	150	Vertical	Pass
3**	5278.750	44.84	-3.38	54.0	-9.16	AV	360.00	150	Vertical	Pass
4	7130.000	52.85	0.62	74.0	-21.15	Peak	291.00	150	Vertical	Pass
4**	7130.000	43.98	0.62	54.0	-10.02	AV	291.00	150	Vertical	Pass
5	11368.463	49.57	-4.38	74.0	-24.43	Peak	294.00	150	Vertical	Pass
5**	11368.463	39.68	-4.38	54.0	-14.32	AV	294.00	150	Vertical	Pass
6	16493.776	53.35	-0.00	74.0	-20.65	Peak	202.00	150	Vertical	Pass
6**	16493.776	43.41	-0.00	54.0	-10.59	AV	202.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.34	-17.76	74.0	-32.66	Peak	313.00	150	Horizontal	Pass
1**	1600.000	37.27	-17.76	54.0	-16.73	AV	313.00	150	Horizontal	Pass
2	2464.300	109.43	-12.72	74.0	35.43	Peak	109.00	150	Horizontal	N/A
2**	2464.300	102.27	-12.72	54.0	48.27	AV	109.00	150	Horizontal	N/A
3	5189.250	50.79	-2.64	74.0	-23.21	Peak	315.00	150	Horizontal	Pass
3**	5189.250	42.22	-2.64	54.0	-11.78	AV	315.00	150	Horizontal	Pass
4	7387.000	50.95	-0.77	74.0	-23.05	Peak	0.00	150	Horizontal	Pass
4**	7387.000	46.06	-0.77	54.0	-7.94	AV	0.00	150	Horizontal	Pass
5	11820.662	49.64	-3.40	74.0	-24.36	Peak	228.00	150	Horizontal	Pass
5**	11820.662	39.04	-3.40	54.0	-14.96	AV	228.00	150	Horizontal	Pass
6	16898.025	54.01	1.50	74.0	-19.99	Peak	163.00	150	Horizontal	Pass
6**	16898.025	44.40	1.50	54.0	-9.60	AV	163.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.02	-17.77	74.0	-32.98	Peak	242.00	150	Vertical	Pass
1**	1600.100	37.14	-17.77	54.0	-16.86	AV	242.00	150	Vertical	Pass
2	2464.400	100.36	-12.72	74.0	26.36	Peak	337.00	150	Vertical	N/A
2**	2464.400	94.25	-12.72	54.0	40.25	AV	337.00	150	Vertical	N/A
3	4463.250	48.25	-4.27	74.0	-25.75	Peak	355.00	150	Vertical	Pass
3**	4463.250	38.28	-4.27	54.0	-15.72	AV	355.00	150	Vertical	Pass
4	7383.000	51.71	-1.13	74.0	-22.29	Peak	24.00	150	Vertical	Pass
4**	7383.000	47.85	-1.13	54.0	-6.15	AV	24.00	150	Vertical	Pass
5	11384.375	49.25	-4.30	74.0	-24.75	Peak	327.00	150	Vertical	Pass
5**	11384.375	39.11	-4.30	54.0	-14.89	AV	327.00	150	Vertical	Pass
6	17807.325	53.67	3.16	74.0	-20.33	Peak	126.00	150	Vertical	Pass
6**	17807.325	44.37	3.16	54.0	-9.63	AV	126.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.66	-17.77	74.0	-32.34	Peak	48.00	150	Horizontal	Pass
1**	1600.100	36.77	-17.77	54.0	-17.23	AV	48.00	150	Horizontal	Pass
2	2426.700	105.62	-12.50	74.0	31.62	Peak	75.00	150	Horizontal	N/A
2**	2426.700	98.06	-12.50	54.0	44.06	AV	75.00	150	Horizontal	N/A
3	5082.250	50.64	-3.32	74.0	-23.36	Peak	0.00	150	Horizontal	Pass
3**	5082.250	38.97	-3.32	54.0	-15.03	AV	0.00	150	Horizontal	Pass
4	6813.000	53.08	-1.22	74.0	-20.92	Peak	266.00	150	Horizontal	Pass
4**	6813.000	42.53	-1.22	54.0	-11.47	AV	266.00	150	Horizontal	Pass
5	11289.375	49.74	-4.05	74.0	-24.26	Peak	146.00	150	Horizontal	Pass
5**	11289.375	39.11	-4.05	54.0	-14.89	AV	146.00	150	Horizontal	Pass
6	16905.637	53.30	1.42	74.0	-20.70	Peak	25.00	150	Horizontal	Pass
6**	16905.637	43.86	1.42	54.0	-10.14	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.17	-17.77	74.0	-31.83	Peak	259.00	150	Vertical	Pass
1**	1600.100	36.89	-17.77	54.0	-17.11	AV	259.00	150	Vertical	Pass
2	2423.400	95.18	-12.81	74.0	21.18	Peak	193.00	150	Vertical	N/A
2**	2423.400	88.18	-12.81	54.0	34.18	AV	193.00	150	Vertical	N/A
3	5189.000	50.89	-2.62	74.0	-23.11	Peak	360.00	150	Vertical	Pass
3**	5189.000	41.76	-2.62	54.0	-12.24	AV	360.00	150	Vertical	Pass
4	6756.750	52.99	-1.11	74.0	-21.01	Peak	41.00	150	Vertical	Pass
4**	6756.750	41.90	-1.11	54.0	-12.10	AV	41.00	150	Vertical	Pass
5	11456.099	49.53	-3.92	74.0	-24.47	Peak	244.00	150	Vertical	Pass
5**	11456.099	39.15	-3.92	54.0	-14.85	AV	244.00	150	Vertical	Pass
6	17548.239	53.47	3.15	74.0	-20.53	Peak	113.00	150	Vertical	Pass
6**	17548.239	42.88	3.15	54.0	-11.12	AV	113.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.99	-17.76	74.0	-32.01	Peak	163.00	150	Horizontal	Pass
1**	1600.000	36.01	-17.76	54.0	-17.99	AV	163.00	150	Horizontal	Pass
2	2429.800	103.87	-12.47	74.0	29.87	Peak	75.00	150	Horizontal	N/A
2**	2429.800	96.59	-12.47	54.0	42.59	AV	75.00	150	Horizontal	N/A
3	4490.000	48.88	-3.93	74.0	-25.12	Peak	255.00	150	Horizontal	Pass
3**	4490.000	39.41	-3.93	54.0	-14.59	AV	255.00	150	Horizontal	Pass
4	7562.250	52.76	-0.31	74.0	-21.24	Peak	17.00	150	Horizontal	Pass
4**	7562.250	42.79	-0.31	54.0	-11.21	AV	17.00	150	Horizontal	Pass
5	13653.787	51.27	0.30	74.0	-22.73	Peak	76.00	150	Horizontal	Pass
5**	13653.787	41.12	0.30	54.0	-12.88	AV	76.00	150	Horizontal	Pass
6	16775.699	53.06	0.42	74.0	-20.94	Peak	292.00	150	Horizontal	Pass
6**	16775.699	42.92	0.42	54.0	-11.08	AV	292.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.700	41.80	-17.45	74.0	-32.20	Peak	341.00	150	Vertical	Pass
1**	1619.700	32.37	-17.45	54.0	-21.63	AV	341.00	150	Vertical	Pass
2	2429.700	93.20	-12.48	74.0	19.20	Peak	19.00	150	Vertical	N/A
2**	2429.700	85.74	-12.48	54.0	31.74	AV	19.00	150	Vertical	N/A
3	5085.750	49.74	-3.19	74.0	-24.26	Peak	29.00	150	Vertical	Pass
3**	5085.750	40.25	-3.19	54.0	-13.75	AV	29.00	150	Vertical	Pass
4	7457.500	53.31	1.14	74.0	-20.69	Peak	314.00	150	Vertical	Pass
4**	7457.500	44.02	1.14	54.0	-9.98	AV	314.00	150	Vertical	Pass
5	13144.013	50.59	-1.08	74.0	-23.41	Peak	361.00	150	Vertical	Pass
5**	13144.013	40.04	-1.08	54.0	-13.96	AV	361.00	150	Vertical	Pass
6	16514.250	53.27	0.01	74.0	-20.73	Peak	63.00	150	Vertical	Pass
6**	16514.250	44.17	0.01	54.0	-9.83	AV	63.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.24	-17.78	74.0	-31.76	Peak	308.00	150	Horizontal	Pass
1**	1600.200	36.29	-17.78	54.0	-17.71	AV	308.00	150	Horizontal	Pass
2	2429.900	103.52	-12.47	74.0	29.52	Peak	63.00	150	Horizontal	N/A
2**	2429.900	96.53	-12.47	54.0	42.53	AV	63.00	150	Horizontal	N/A
3	4495.500	48.06	-4.26	74.0	-25.94	Peak	228.00	150	Horizontal	Pass
3**	4495.500	39.10	-4.26	54.0	-14.90	AV	228.00	150	Horizontal	Pass
4	7453.250	52.39	1.04	74.0	-21.61	Peak	306.00	150	Horizontal	Pass
4**	7453.250	43.10	1.04	54.0	-10.90	AV	306.00	150	Horizontal	Pass
5	13196.775	50.32	-0.03	74.0	-23.68	Peak	43.00	150	Horizontal	Pass
5**	13196.775	40.68	-0.03	54.0	-13.32	AV	43.00	150	Horizontal	Pass
6	16901.437	53.04	1.49	74.0	-20.96	Peak	233.00	150	Horizontal	Pass
6**	16901.437	43.28	1.49	54.0	-10.72	AV	233.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.800	42.56	-17.37	74.0	-31.44	Peak	122.00	150	Vertical	Pass
1**	1336.800	33.04	-17.37	54.0	-20.96	AV	122.00	150	Vertical	Pass
2	2427.900	92.37	-12.51	74.0	18.37	Peak	325.00	150	Vertical	N/A
2**	2427.900	84.77	-12.51	54.0	30.77	AV	325.00	150	Vertical	N/A
3	6114.250	50.41	-2.17	74.0	-23.59	Peak	304.00	150	Vertical	Pass
3**	6114.250	41.58	-2.17	54.0	-12.42	AV	304.00	150	Vertical	Pass
4	7461.000	52.31	1.13	74.0	-21.69	Peak	0.00	150	Vertical	Pass
4**	7461.000	43.30	1.13	54.0	-10.70	AV	0.00	150	Vertical	Pass
5	13428.563	50.23	0.07	74.0	-23.77	Peak	43.00	150	Vertical	Pass
5**	13428.563	41.42	0.07	54.0	-12.58	AV	43.00	150	Vertical	Pass
6	17561.362	53.18	3.18	74.0	-20.82	Peak	186.00	150	Vertical	Pass
6**	17561.362	44.18	3.18	54.0	-9.82	AV	186.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.75	-17.76	74.0	-32.25	Peak	62.00	150	Horizontal	Pass
1**	1600.000	36.73	-17.76	54.0	-17.27	AV	62.00	150	Horizontal	Pass
2	2432.300	105.97	-12.33	74.0	31.97	Peak	72.00	150	Horizontal	N/A
2**	2432.300	98.33	-12.33	54.0	44.33	AV	72.00	150	Horizontal	N/A
3	5180.000	51.26	-2.21	74.0	-22.74	Peak	286.00	150	Horizontal	Pass
3**	5180.000	42.58	-2.21	54.0	-11.42	AV	286.00	150	Horizontal	Pass
4	7819.250	54.18	1.89	74.0	-19.82	Peak	96.00	150	Horizontal	Pass
4**	7819.250	45.22	1.89	54.0	-8.78	AV	96.00	150	Horizontal	Pass
5	12543.375	50.01	-2.18	74.0	-23.99	Peak	352.00	150	Horizontal	Pass
5**	12543.375	39.17	-2.18	54.0	-14.83	AV	352.00	150	Horizontal	Pass
6	16886.475	53.44	1.40	74.0	-20.56	Peak	12.00	150	Horizontal	Pass
6**	16886.475	43.48	1.40	54.0	-10.52	AV	12.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.96	-17.76	74.0	-32.04	Peak	232.00	150	Vertical	Pass
1**	1600.000	36.68	-17.76	54.0	-17.32	AV	232.00	150	Vertical	Pass
2	2426.500	94.95	-12.54	74.0	20.95	Peak	190.00	150	Vertical	N/A
2**	2426.500	87.10	-12.54	54.0	33.10	AV	190.00	150	Vertical	N/A
3	5184.250	50.82	-2.24	74.0	-23.18	Peak	287.00	150	Vertical	Pass
3**	5184.250	42.10	-2.24	54.0	-11.90	AV	287.00	150	Vertical	Pass
4	7878.500	54.43	2.21	74.0	-19.57	Peak	109.00	150	Vertical	Pass
4**	7878.500	44.82	2.21	54.0	-9.18	AV	109.00	150	Vertical	Pass
5	12543.612	50.35	-2.17	74.0	-23.65	Peak	294.00	150	Vertical	Pass
5**	12543.612	39.24	-2.17	54.0	-14.76	AV	294.00	150	Vertical	Pass
6	17786.849	53.43	3.04	74.0	-20.57	Peak	78.00	150	Vertical	Pass
6**	17786.849	44.51	3.04	54.0	-9.49	AV	78.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.68	-17.74	74.0	-32.32	Peak	332.00	150	Horizontal	Pass
1**	1599.800	35.32	-17.74	54.0	-18.68	AV	332.00	150	Horizontal	Pass
2	2432.000	102.48	-12.35	74.0	28.48	Peak	66.00	150	Horizontal	N/A
2**	2432.000	95.44	-12.35	54.0	41.44	AV	66.00	150	Horizontal	N/A
3	5177.500	50.25	-2.47	74.0	-23.75	Peak	86.00	150	Horizontal	Pass
3**	5177.500	40.70	-2.47	54.0	-13.30	AV	86.00	150	Horizontal	Pass
4	7979.000	52.79	0.76	74.0	-21.21	Peak	301.00	150	Horizontal	Pass
4**	7979.000	42.78	0.76	54.0	-11.22	AV	301.00	150	Horizontal	Pass
5	13678.200	50.34	0.31	74.0	-23.66	Peak	338.00	150	Horizontal	Pass
5**	13678.200	42.02	0.31	54.0	-11.98	AV	338.00	150	Horizontal	Pass
6	17640.114	52.99	2.96	74.0	-21.01	Peak	160.00	150	Horizontal	Pass
6**	17640.114	43.50	2.96	54.0	-10.50	AV	160.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.92	-17.74	74.0	-32.08	Peak	300.00	150	Vertical	Pass
1**	1599.800	35.38	-17.74	54.0	-18.62	AV	300.00	150	Vertical	Pass
2	2427.700	91.07	-12.50	74.0	17.07	Peak	318.00	150	Vertical	N/A
2**	2427.700	83.64	-12.50	54.0	29.64	AV	318.00	150	Vertical	N/A
3	4556.750	48.29	-4.40	74.0	-25.71	Peak	88.00	150	Vertical	Pass
3**	4556.750	38.00	-4.40	54.0	-16.00	AV	88.00	150	Vertical	Pass
4	7133.000	52.16	0.68	74.0	-21.84	Peak	328.00	150	Vertical	Pass
4**	7133.000	43.66	0.68	54.0	-10.34	AV	328.00	150	Vertical	Pass
5	13690.537	50.75	0.31	74.0	-23.25	Peak	185.00	150	Vertical	Pass
5**	13690.537	40.23	0.31	54.0	-13.77	AV	185.00	150	Vertical	Pass
6	17048.176	52.38	0.91	74.0	-21.62	Peak	138.00	150	Vertical	Pass
6**	17048.176	43.45	0.91	54.0	-10.55	AV	138.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	42.07	-17.47	74.0	-31.93	Peak	168.00	150	Horizontal	Pass
1**	1493.100	32.07	-17.47	54.0	-21.93	AV	168.00	150	Horizontal	Pass
2	2433.400	102.07	-12.23	74.0	28.07	Peak	58.00	150	Horizontal	N/A
2**	2433.400	95.01	-12.23	54.0	41.01	AV	58.00	150	Horizontal	N/A
3	5213.250	50.20	-3.45	74.0	-23.80	Peak	37.00	150	Horizontal	Pass
3**	5213.250	42.52	-3.45	54.0	-11.48	AV	37.00	150	Horizontal	Pass
4	7461.750	52.43	1.11	74.0	-21.57	Peak	4.00	150	Horizontal	Pass
4**	7461.750	43.30	1.11	54.0	-10.70	AV	4.00	150	Horizontal	Pass
5	11458.000	49.03	-3.94	74.0	-24.97	Peak	341.00	150	Horizontal	Pass
5**	11458.000	38.68	-3.94	54.0	-15.32	AV	341.00	150	Horizontal	Pass
6	16888.838	52.78	1.42	74.0	-21.22	Peak	224.00	150	Horizontal	Pass
6**	16888.838	42.62	1.42	54.0	-11.38	AV	224.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.600	41.56	-17.83	74.0	-32.44	Peak	154.00	150	Vertical	Pass
1**	1557.600	32.00	-17.83	54.0	-22.00	AV	154.00	150	Vertical	Pass
2	2432.200	90.79	-12.34	74.0	16.79	Peak	319.00	150	Vertical	N/A
2**	2432.200	83.24	-12.34	54.0	29.24	AV	319.00	150	Vertical	N/A
3	5697.000	49.82	-2.83	74.0	-24.18	Peak	316.00	150	Vertical	Pass
3**	5697.000	39.87	-2.83	54.0	-14.13	AV	316.00	150	Vertical	Pass
4	7682.500	52.16	0.93	74.0	-21.84	Peak	39.00	150	Vertical	Pass
4**	7682.500	42.60	0.93	54.0	-11.40	AV	39.00	150	Vertical	Pass
5	11546.350	48.58	-4.37	74.0	-25.42	Peak	0.00	150	Vertical	Pass
5**	11546.350	39.07	-4.37	54.0	-14.93	AV	0.00	150	Vertical	Pass
6	17280.487	52.45	1.98	74.0	-21.55	Peak	128.00	150	Vertical	Pass
6**	17280.487	43.14	1.98	54.0	-10.86	AV	128.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.95	-17.76	74.0	-32.05	Peak	34.00	150	Horizontal	Pass
1**	1600.000	37.07	-17.76	54.0	-16.93	AV	34.00	150	Horizontal	Pass
2	2464.800	105.66	-12.74	74.0	31.66	Peak	48.00	150	Horizontal	N/A
2**	2464.800	98.84	-12.74	54.0	44.84	AV	48.00	150	Horizontal	N/A
3	5191.250	51.07	-2.69	74.0	-22.93	Peak	51.00	150	Horizontal	Pass
3**	5191.250	40.67	-2.69	54.0	-13.33	AV	51.00	150	Horizontal	Pass
4	7825.000	54.17	1.90	74.0	-19.83	Peak	204.00	150	Horizontal	Pass
4**	7825.000	45.31	1.90	54.0	-8.69	AV	204.00	150	Horizontal	Pass
5	11457.287	49.31	-3.93	74.0	-24.69	Peak	135.00	150	Horizontal	Pass
5**	11457.287	40.17	-3.93	54.0	-13.83	AV	135.00	150	Horizontal	Pass
6	16897.500	53.43	1.49	74.0	-20.57	Peak	126.00	150	Horizontal	Pass
6**	16897.500	45.27	1.49	54.0	-8.73	AV	126.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.03	-17.76	74.0	-31.97	Peak	90.00	150	Vertical	Pass
1**	1600.000	36.95	-17.76	54.0	-17.05	AV	90.00	150	Vertical	Pass
2	2462.400	100.21	-12.65	74.0	26.21	Peak	161.00	150	Vertical	N/A
2**	2462.400	92.11	-12.65	54.0	38.11	AV	161.00	150	Vertical	N/A
3	5159.750	50.48	-3.53	74.0	-23.52	Peak	332.00	150	Vertical	Pass
3**	5159.750	40.52	-3.53	54.0	-13.48	AV	332.00	150	Vertical	Pass
4	7369.000	49.63	-0.92	74.0	-24.37	Peak	68.00	150	Vertical	Pass
4**	7369.000	46.57	-0.92	54.0	-7.43	AV	68.00	150	Vertical	Pass
5	12667.825	50.51	-2.31	74.0	-23.49	Peak	327.00	150	Vertical	Pass
5**	12667.825	41.40	-2.31	54.0	-12.60	AV	327.00	150	Vertical	Pass
6	16402.426	53.49	0.31	74.0	-20.51	Peak	28.00	150	Vertical	Pass
6**	16402.426	43.20	0.31	54.0	-10.80	AV	28.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.53	-17.76	74.0	-32.47	Peak	217.00	150	Horizontal	Pass
1**	1600.000	36.69	-17.76	54.0	-17.31	AV	217.00	150	Horizontal	Pass
2	2413.300	107.76	-13.42	74.0	33.76	Peak	78.00	150	Horizontal	N/A
2**	2413.300	98.86	-13.42	54.0	44.86	AV	78.00	150	Horizontal	N/A
3	5310.500	50.86	-3.67	74.0	-23.14	Peak	137.00	150	Horizontal	Pass
3**	5310.500	41.29	-3.67	54.0	-12.71	AV	137.00	150	Horizontal	Pass
4	7818.500	53.60	1.79	74.0	-20.40	Peak	110.00	150	Horizontal	Pass
4**	7818.500	45.06	1.79	54.0	-8.94	AV	110.00	150	Horizontal	Pass
5	11425.700	49.25	-4.04	74.0	-24.75	Peak	52.00	150	Horizontal	Pass
5**	11425.700	40.00	-4.04	54.0	-14.00	AV	52.00	150	Horizontal	Pass
6	17823.338	53.30	3.03	74.0	-20.70	Peak	25.00	150	Horizontal	Pass
6**	17823.338	44.48	3.03	54.0	-9.52	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.23	-17.77	74.0	-32.77	Peak	39.00	150	Vertical	Pass
1**	1600.100	37.20	-17.77	54.0	-16.80	AV	39.00	150	Vertical	Pass
2	2412.900	97.03	-13.42	74.0	23.03	Peak	318.00	150	Vertical	N/A
2**	2412.900	87.36	-13.42	54.0	33.36	AV	318.00	150	Vertical	N/A
3	5193.750	50.18	-2.93	74.0	-23.82	Peak	0.00	150	Vertical	Pass
3**	5193.750	40.51	-2.93	54.0	-13.49	AV	0.00	150	Vertical	Pass
4	7130.750	52.69	0.66	74.0	-21.31	Peak	75.00	150	Vertical	Pass
4**	7130.750	43.23	0.66	54.0	-10.77	AV	75.00	150	Vertical	Pass
5	10692.300	49.03	-4.79	74.0	-24.97	Peak	40.00	150	Vertical	Pass
5**	10692.300	39.06	-4.79	54.0	-14.94	AV	40.00	150	Vertical	Pass
6	17802.338	53.89	3.21	74.0	-20.11	Peak	12.00	150	Vertical	Pass
6**	17802.338	43.85	3.21	54.0	-10.15	AV	12.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.82	-17.77	74.0	-32.18	Peak	73.00	150	Horizontal	Pass
1**	1600.100	36.15	-17.77	54.0	-17.85	AV	73.00	150	Horizontal	Pass
2	2422.100	106.21	-12.86	74.0	32.21	Peak	65.00	150	Horizontal	N/A
2**	2422.100	97.55	-12.86	54.0	43.55	AV	65.00	150	Horizontal	N/A
3	4562.000	48.28	-4.42	74.0	-25.72	Peak	189.00	150	Horizontal	Pass
3**	4562.000	37.58	-4.42	54.0	-16.42	AV	189.00	150	Horizontal	Pass
4	7141.000	51.94	0.41	74.0	-22.06	Peak	64.00	150	Horizontal	Pass
4**	7141.000	42.34	0.41	54.0	-11.66	AV	64.00	150	Horizontal	Pass
5	14109.487	50.45	-0.06	74.0	-23.55	Peak	318.00	150	Horizontal	Pass
5**	14109.487	40.35	-0.06	54.0	-13.65	AV	318.00	150	Horizontal	Pass
6	17151.600	52.33	1.62	74.0	-21.67	Peak	282.00	150	Horizontal	Pass
6**	17151.600	41.89	1.62	54.0	-12.11	AV	282.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.60	-17.75	74.0	-32.40	Peak	172.00	150	Vertical	Pass
1**	1599.900	35.79	-17.75	54.0	-18.21	AV	172.00	150	Vertical	Pass
2	2423.800	96.53	-12.82	74.0	22.53	Peak	38.00	150	Vertical	N/A
2**	2423.800	87.70	-12.82	54.0	33.70	AV	38.00	150	Vertical	N/A
3	5327.750	50.36	-3.42	74.0	-23.64	Peak	181.00	150	Vertical	Pass
3**	5327.750	41.23	-3.42	54.0	-12.77	AV	181.00	150	Vertical	Pass
4	7534.750	52.13	0.78	74.0	-21.87	Peak	113.00	150	Vertical	Pass
4**	7534.750	42.62	0.78	54.0	-11.38	AV	113.00	150	Vertical	Pass
5	13146.637	49.88	-1.06	74.0	-24.12	Peak	151.00	150	Vertical	Pass
5**	13146.637	40.23	-1.06	54.0	-13.77	AV	151.00	150	Vertical	Pass
6	17635.125	53.13	3.00	74.0	-20.87	Peak	294.00	150	Vertical	Pass
6**	17635.125	43.18	3.00	54.0	-10.82	AV	294.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.91	-17.71	74.0	-31.09	Peak	337.00	150	Horizontal	Pass
1**	1599.600	34.81	-17.71	54.0	-19.19	AV	337.00	150	Horizontal	Pass
2	2423.500	107.32	-12.81	74.0	33.32	Peak	66.00	150	Horizontal	N/A
2**	2423.500	99.00	-12.81	54.0	45.00	AV	66.00	150	Horizontal	N/A
3	5073.500	49.68	-3.09	74.0	-24.32	Peak	304.00	150	Horizontal	Pass
3**	5073.500	40.39	-3.09	54.0	-13.61	AV	304.00	150	Horizontal	Pass
4	7500.750	52.65	-0.49	74.0	-21.35	Peak	170.00	150	Horizontal	Pass
4**	7500.750	43.32	-0.49	54.0	-10.68	AV	170.00	150	Horizontal	Pass
5	13856.963	50.77	-0.28	74.0	-23.23	Peak	32.00	150	Horizontal	Pass
5**	13856.963	41.48	-0.28	54.0	-12.52	AV	32.00	150	Horizontal	Pass
6	16495.875	53.05	-0.00	74.0	-20.95	Peak	104.00	150	Horizontal	Pass
6**	16495.875	42.93	-0.00	54.0	-11.07	AV	104.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.75	-17.78	74.0	-32.25	Peak	236.00	150	Vertical	Pass
1**	1600.200	36.70	-17.78	54.0	-17.30	AV	236.00	150	Vertical	Pass
2	2430.100	97.16	-12.46	74.0	23.16	Peak	327.00	150	Vertical	N/A
2**	2430.100	86.78	-12.46	54.0	32.78	AV	327.00	150	Vertical	N/A
3	4839.500	48.90	-3.70	74.0	-25.10	Peak	337.00	150	Vertical	Pass
3**	4839.500	38.61	-3.70	54.0	-15.39	AV	337.00	150	Vertical	Pass
4	7858.000	53.18	1.12	74.0	-20.82	Peak	113.00	150	Vertical	Pass
4**	7858.000	43.83	1.12	54.0	-10.17	AV	113.00	150	Vertical	Pass
5	13439.062	51.07	0.13	74.0	-22.93	Peak	173.00	150	Vertical	Pass
5**	13439.062	41.57	0.13	54.0	-12.43	AV	173.00	150	Vertical	Pass
6	16841.850	52.90	0.97	74.0	-21.10	Peak	89.00	150	Vertical	Pass
6**	16841.850	43.06	0.97	54.0	-10.94	AV	89.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.87	-17.72	74.0	-31.13	Peak	304.00	150	Horizontal	Pass
1**	1599.700	36.09	-17.72	54.0	-17.91	AV	304.00	150	Horizontal	Pass
2	2429.100	107.36	-12.52	74.0	33.36	Peak	27.00	150	Horizontal	N/A
2**	2429.100	98.53	-12.52	54.0	44.53	AV	27.00	150	Horizontal	N/A
3	5254.000	51.03	-3.82	74.0	-22.97	Peak	0.00	150	Horizontal	Pass
3**	5254.000	40.29	-3.82	54.0	-13.71	AV	0.00	150	Horizontal	Pass
4	7817.250	53.16	1.45	74.0	-20.84	Peak	46.00	150	Horizontal	Pass
4**	7817.250	43.69	1.45	54.0	-10.31	AV	46.00	150	Horizontal	Pass
5	13965.901	50.70	-0.26	74.0	-23.30	Peak	147.00	150	Horizontal	Pass
5**	13965.901	41.59	-0.26	54.0	-12.41	AV	147.00	150	Horizontal	Pass
6	16813.238	52.91	0.60	74.0	-21.09	Peak	124.00	150	Horizontal	Pass
6**	16813.238	44.31	0.60	54.0	-9.69	AV	124.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.16	-17.77	74.0	-31.84	Peak	233.00	150	Vertical	Pass
1**	1600.100	36.29	-17.77	54.0	-17.71	AV	233.00	150	Vertical	Pass
2	2428.100	97.67	-12.51	74.0	23.67	Peak	196.00	150	Vertical	N/A
2**	2428.100	88.71	-12.51	54.0	34.71	AV	196.00	150	Vertical	N/A
3	5182.750	50.55	-2.08	74.0	-23.45	Peak	146.00	150	Vertical	Pass
3**	5182.750	42.00	-2.08	54.0	-12.00	AV	146.00	150	Vertical	Pass
4	7820.500	53.22	1.88	74.0	-20.78	Peak	238.00	150	Vertical	Pass
4**	7820.500	43.90	1.88	54.0	-10.10	AV	238.00	150	Vertical	Pass
5	13411.763	50.32	-0.03	74.0	-23.68	Peak	32.00	150	Vertical	Pass
5**	13411.763	41.73	-0.03	54.0	-12.27	AV	32.00	150	Vertical	Pass
6	16490.887	53.22	-0.00	74.0	-20.78	Peak	56.00	150	Vertical	Pass
6**	16490.887	43.19	-0.00	54.0	-10.81	AV	56.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.52	-17.74	74.0	-31.48	Peak	119.00	150	Horizontal	Pass
1**	1599.800	35.47	-17.74	54.0	-18.53	AV	119.00	150	Horizontal	Pass
2	2427.500	107.58	-12.49	74.0	33.58	Peak	22.00	150	Horizontal	N/A
2**	2427.500	97.99	-12.49	54.0	43.99	AV	22.00	150	Horizontal	N/A
3	5221.250	50.69	-3.37	74.0	-23.31	Peak	307.00	150	Horizontal	Pass
3**	5221.250	43.20	-3.37	54.0	-10.80	AV	307.00	150	Horizontal	Pass
4	7849.000	52.77	1.15	74.0	-21.23	Peak	0.00	150	Horizontal	Pass
4**	7849.000	43.97	1.15	54.0	-10.03	AV	0.00	150	Horizontal	Pass
5	13929.938	50.84	-0.28	74.0	-23.16	Peak	79.00	150	Horizontal	Pass
5**	13929.938	41.09	-0.28	54.0	-12.91	AV	79.00	150	Horizontal	Pass
6	16399.537	53.33	0.32	74.0	-20.67	Peak	161.00	150	Horizontal	Pass
6**	16399.537	42.96	0.32	54.0	-11.04	AV	161.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1711.600	42.04	-17.36	74.0	-31.96	Peak	90.00	150	Vertical	Pass
1**	1711.600	31.79	-17.36	54.0	-22.21	AV	90.00	150	Vertical	Pass
2	2431.200	95.44	-12.41	74.0	21.44	Peak	39.00	150	Vertical	N/A
2**	2431.200	87.28	-12.41	54.0	33.28	AV	39.00	150	Vertical	N/A
3	4476.000	48.18	-3.95	74.0	-25.82	Peak	186.00	150	Vertical	Pass
3**	4476.000	38.20	-3.95	54.0	-15.80	AV	186.00	150	Vertical	Pass
4	7453.000	52.39	1.01	74.0	-21.61	Peak	360.00	150	Vertical	Pass
4**	7453.000	43.71	1.01	54.0	-10.29	AV	360.00	150	Vertical	Pass
5	11689.326	49.32	-4.26	74.0	-24.68	Peak	343.00	150	Vertical	Pass
5**	11689.326	39.81	-4.26	54.0	-14.19	AV	343.00	150	Vertical	Pass
6	16797.488	53.86	0.43	74.0	-20.14	Peak	42.00	150	Vertical	Pass
6**	16797.488	44.15	0.43	54.0	-9.85	AV	42.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.17	-17.77	74.0	-32.83	Peak	71.00	150	Horizontal	Pass
1**	1600.100	36.79	-17.77	54.0	-17.21	AV	71.00	150	Horizontal	Pass
2	2432.400	108.05	-12.32	74.0	34.05	Peak	127.00	150	Horizontal	N/A
2**	2432.400	99.58	-12.32	54.0	45.58	AV	127.00	150	Horizontal	N/A
3	5190.500	51.09	-2.67	74.0	-22.91	Peak	78.00	150	Horizontal	Pass
3**	5190.500	41.44	-2.67	54.0	-12.56	AV	78.00	150	Horizontal	Pass
4	7835.750	53.44	2.15	74.0	-20.56	Peak	314.00	150	Horizontal	Pass
4**	7835.750	46.03	2.15	54.0	-7.97	AV	314.00	150	Horizontal	Pass
5	11419.050	50.13	-4.08	74.0	-23.87	Peak	339.00	150	Horizontal	Pass
5**	11419.050	40.51	-4.08	54.0	-13.49	AV	339.00	150	Horizontal	Pass
6	16523.437	53.34	0.01	74.0	-20.66	Peak	60.00	150	Horizontal	Pass
6**	16523.437	43.90	0.01	54.0	-10.10	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.78	-17.77	74.0	-32.22	Peak	39.00	150	Vertical	Pass
1**	1600.100	37.13	-17.77	54.0	-16.87	AV	39.00	150	Vertical	Pass
2	2434.400	97.95	-12.14	74.0	23.95	Peak	212.00	150	Vertical	N/A
2**	2434.400	88.92	-12.14	54.0	34.92	AV	212.00	150	Vertical	N/A
3	5184.250	51.93	-2.24	74.0	-22.07	Peak	43.00	150	Vertical	Pass
3**	5184.250	42.70	-2.24	54.0	-11.30	AV	43.00	150	Vertical	Pass
4	7828.000	54.25	1.87	74.0	-19.75	Peak	360.00	150	Vertical	Pass
4**	7828.000	44.74	1.87	54.0	-9.26	AV	360.00	150	Vertical	Pass
5	11799.287	49.61	-3.54	74.0	-24.39	Peak	256.00	150	Vertical	Pass
5**	11799.287	39.93	-3.54	54.0	-14.07	AV	256.00	150	Vertical	Pass
6	17882.401	53.86	2.63	74.0	-20.14	Peak	28.00	150	Vertical	Pass
6**	17882.401	42.87	2.63	54.0	-11.13	AV	28.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.91	-17.78	74.0	-31.09	Peak	39.00	150	Horizontal	Pass
1**	1600.200	35.41	-17.78	54.0	-18.59	AV	39.00	150	Horizontal	Pass
2	2450.000	106.26	-12.75	74.0	32.26	Peak	71.00	150	Horizontal	N/A
2**	2450.000	96.68	-12.75	54.0	42.68	AV	71.00	150	Horizontal	N/A
3	5231.750	50.24	-3.37	74.0	-23.76	Peak	61.00	150	Horizontal	Pass
3**	5231.750	40.80	-3.37	54.0	-13.20	AV	61.00	150	Horizontal	Pass
4	7833.250	53.39	2.27	74.0	-20.61	Peak	238.00	150	Horizontal	Pass
4**	7833.250	44.88	2.27	54.0	-9.12	AV	238.00	150	Horizontal	Pass
5	13622.287	51.03	0.06	74.0	-22.97	Peak	183.00	150	Horizontal	Pass
5**	13622.287	41.21	0.06	54.0	-12.79	AV	183.00	150	Horizontal	Pass
6	16875.713	52.91	1.30	74.0	-21.09	Peak	99.00	150	Horizontal	Pass
6**	16875.713	44.65	1.30	54.0	-9.35	AV	99.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.24	-17.74	74.0	-31.76	Peak	199.00	150	Vertical	Pass
1**	1599.800	35.60	-17.74	54.0	-18.40	AV	199.00	150	Vertical	Pass
2	2455.900	93.92	-12.83	74.0	19.92	Peak	208.00	150	Vertical	N/A
2**	2455.900	84.73	-12.83	54.0	30.73	AV	208.00	150	Vertical	N/A
3	5186.500	51.27	-2.41	74.0	-22.73	Peak	253.00	150	Vertical	Pass
3**	5186.500	41.52	-2.41	54.0	-12.48	AV	253.00	150	Vertical	Pass
4	7862.750	53.16	1.39	74.0	-20.84	Peak	112.00	150	Vertical	Pass
4**	7862.750	43.83	1.39	54.0	-10.17	AV	112.00	150	Vertical	Pass
5	13296.787	51.33	-0.07	74.0	-22.67	Peak	303.00	150	Vertical	Pass
5**	13296.787	40.81	-0.07	54.0	-13.19	AV	303.00	150	Vertical	Pass
6	17302.012	53.56	2.01	74.0	-20.44	Peak	231.00	150	Vertical	Pass
6**	17302.012	44.42	2.01	54.0	-9.58	AV	231.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.90	-17.75	74.0	-31.10	Peak	279.00	150	Horizontal	Pass
1**	1599.900	36.38	-17.75	54.0	-17.62	AV	279.00	150	Horizontal	Pass
2	2458.000	107.33	-12.66	74.0	33.33	Peak	61.00	150	Horizontal	N/A
2**	2458.000	98.01	-12.66	54.0	44.01	AV	61.00	150	Horizontal	N/A
3	5324.500	50.87	-3.32	74.0	-23.13	Peak	208.00	150	Horizontal	Pass
3**	5324.500	41.12	-3.32	54.0	-12.88	AV	208.00	150	Horizontal	Pass
4	7826.500	53.59	1.72	74.0	-20.41	Peak	181.00	150	Horizontal	Pass
4**	7826.500	44.12	1.72	54.0	-9.88	AV	181.00	150	Horizontal	Pass
5	13672.162	50.91	0.31	74.0	-23.09	Peak	198.00	150	Horizontal	Pass
5**	13672.162	41.50	0.31	54.0	-12.50	AV	198.00	150	Horizontal	Pass
6	17802.338	54.00	3.21	74.0	-20.00	Peak	341.00	150	Horizontal	Pass
6**	17802.338	44.79	3.21	54.0	-9.21	AV	341.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.80	-17.78	74.0	-31.20	Peak	110.00	150	Vertical	Pass
1**	1600.200	37.00	-17.78	54.0	-17.00	AV	110.00	150	Vertical	Pass
2	2459.200	95.47	-12.65	74.0	21.47	Peak	190.00	150	Vertical	N/A
2**	2459.200	85.72	-12.65	54.0	31.72	AV	190.00	150	Vertical	N/A
3	4954.000	49.23	-3.92	74.0	-24.77	Peak	0.00	150	Vertical	Pass
3**	4954.000	38.79	-3.92	54.0	-15.21	AV	0.00	150	Vertical	Pass
4	7831.250	53.96	2.07	74.0	-20.04	Peak	78.00	150	Vertical	Pass
4**	7831.250	44.62	2.07	54.0	-9.38	AV	78.00	150	Vertical	Pass
5	13540.125	51.17	0.62	74.0	-22.83	Peak	328.00	150	Vertical	Pass
5**	13540.125	41.22	0.62	54.0	-12.78	AV	328.00	150	Vertical	Pass
6	17766.375	53.95	2.76	74.0	-20.05	Peak	136.00	150	Vertical	Pass
6**	17766.375	43.23	2.76	54.0	-10.77	AV	136.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.74	-17.77	74.0	-32.26	Peak	41.00	150	Horizontal	Pass
1**	1600.100	36.89	-17.77	54.0	-17.11	AV	41.00	150	Horizontal	Pass
2	2464.300	110.15	-12.72	74.0	36.15	Peak	41.00	150	Horizontal	N/A
2**	2464.300	100.67	-12.72	54.0	46.67	AV	41.00	150	Horizontal	N/A
3	4455.000	47.60	-4.26	74.0	-26.40	Peak	93.00	150	Horizontal	Pass
3**	4455.000	43.38	-4.26	54.0	-10.62	AV	93.00	150	Horizontal	Pass
4	7854.750	53.66	0.84	74.0	-20.34	Peak	51.00	150	Horizontal	Pass
4**	7854.750	44.47	0.84	54.0	-9.53	AV	51.00	150	Horizontal	Pass
5	11788.125	49.84	-3.64	74.0	-24.16	Peak	255.00	150	Horizontal	Pass
5**	11788.125	40.67	-3.64	54.0	-13.33	AV	255.00	150	Horizontal	Pass
6	17802.600	54.02	3.20	74.0	-19.98	Peak	62.00	150	Horizontal	Pass
6**	17802.600	45.06	3.20	54.0	-8.94	AV	62.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.49	-17.77	74.0	-32.51	Peak	148.00	150	Vertical	Pass
1**	1600.100	36.91	-17.77	54.0	-17.09	AV	148.00	150	Vertical	Pass
2	2463.700	100.42	-12.69	74.0	26.42	Peak	337.00	150	Vertical	N/A
2**	2463.700	91.43	-12.69	54.0	37.43	AV	337.00	150	Vertical	N/A
3	5173.750	50.73	-2.64	74.0	-23.27	Peak	154.00	150	Vertical	Pass
3**	5173.750	41.37	-2.64	54.0	-12.63	AV	154.00	150	Vertical	Pass
4	7811.500	53.45	0.74	74.0	-20.55	Peak	231.00	150	Vertical	Pass
4**	7811.500	44.49	0.74	54.0	-9.51	AV	231.00	150	Vertical	Pass
5	11413.349	50.07	-4.12	74.0	-23.93	Peak	40.00	150	Vertical	Pass
5**	11413.349	40.07	-4.12	54.0	-13.93	AV	40.00	150	Vertical	Pass
6	17026.912	53.14	0.74	74.0	-20.86	Peak	12.00	150	Vertical	Pass
6**	17026.912	42.38	0.74	54.0	-11.62	AV	12.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.46	-17.74	74.0	-32.54	Peak	58.00	150	Horizontal	Pass
1**	1599.800	36.72	-17.74	54.0	-17.28	AV	58.00	150	Horizontal	Pass
2	2428.500	107.49	-12.52	74.0	33.49	Peak	71.00	150	Horizontal	N/A
2**	2428.500	98.35	-12.52	54.0	44.35	AV	71.00	150	Horizontal	N/A
3	5208.000	51.01	-3.29	74.0	-22.99	Peak	86.00	150	Horizontal	Pass
3**	5208.000	40.97	-3.29	54.0	-13.03	AV	86.00	150	Horizontal	Pass
4	7454.500	53.04	1.17	74.0	-20.96	Peak	26.00	150	Horizontal	Pass
4**	7454.500	44.26	1.17	54.0	-9.74	AV	26.00	150	Horizontal	Pass
5	12365.725	49.96	-2.85	74.0	-24.04	Peak	315.00	150	Horizontal	Pass
5**	12365.725	38.45	-2.85	54.0	-15.55	AV	315.00	150	Horizontal	Pass
6	16832.663	53.76	0.85	74.0	-20.24	Peak	76.00	150	Horizontal	Pass
6**	16832.663	43.06	0.85	54.0	-10.94	AV	76.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.96	-17.76	74.0	-31.04	Peak	97.00	150	Vertical	Pass
1**	1600.000	36.73	-17.76	54.0	-17.27	AV	97.00	150	Vertical	Pass
2	2427.300	97.15	-12.49	74.0	23.15	Peak	325.00	150	Vertical	N/A
2**	2427.300	88.27	-12.49	54.0	34.27	AV	325.00	150	Vertical	N/A
3	5184.000	50.92	-2.21	74.0	-23.08	Peak	338.00	150	Vertical	Pass
3**	5184.000	42.02	-2.21	54.0	-11.98	AV	338.00	150	Vertical	Pass
4	7460.250	54.32	1.14	74.0	-19.68	Peak	321.00	150	Vertical	Pass
4**	7460.250	44.60	1.14	54.0	-9.40	AV	321.00	150	Vertical	Pass
5	11202.925	49.88	-4.06	74.0	-24.12	Peak	135.00	150	Vertical	Pass
5**	11202.925	38.98	-4.06	54.0	-15.02	AV	135.00	150	Vertical	Pass
6	16508.474	52.92	0.00	74.0	-21.08	Peak	44.00	150	Vertical	Pass
6**	16508.474	43.27	0.00	54.0	-10.73	AV	44.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.66	-17.77	74.0	-32.34	Peak	312.00	150	Horizontal	Pass
1**	1600.100	35.77	-17.77	54.0	-18.23	AV	312.00	150	Horizontal	Pass
2	2429.200	105.05	-12.51	74.0	31.05	Peak	126.00	150	Horizontal	N/A
2**	2429.200	96.71	-12.51	54.0	42.71	AV	126.00	150	Horizontal	N/A
3	4454.750	48.17	-4.23	74.0	-25.83	Peak	86.00	150	Horizontal	Pass
3**	4454.750	39.89	-4.23	54.0	-14.11	AV	86.00	150	Horizontal	Pass
4	7472.000	53.05	0.76	74.0	-20.95	Peak	69.00	150	Horizontal	Pass
4**	7472.000	43.41	0.76	54.0	-10.59	AV	69.00	150	Horizontal	Pass
5	13944.112	51.18	-0.19	74.0	-22.82	Peak	174.00	150	Horizontal	Pass
5**	13944.112	41.25	-0.19	54.0	-12.75	AV	174.00	150	Horizontal	Pass
6	16895.400	53.52	1.48	74.0	-20.48	Peak	209.00	150	Horizontal	Pass
6**	16895.400	44.51	1.48	54.0	-9.49	AV	209.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.26	-17.74	74.0	-31.74	Peak	238.00	150	Vertical	Pass
1**	1599.800	35.31	-17.74	54.0	-18.69	AV	238.00	150	Vertical	Pass
2	2431.300	94.12	-12.40	74.0	20.12	Peak	314.00	150	Vertical	N/A
2**	2431.300	85.22	-12.40	54.0	31.22	AV	314.00	150	Vertical	N/A
3	4487.000	49.91	-3.88	74.0	-24.09	Peak	337.00	150	Vertical	Pass
3**	4487.000	39.51	-3.88	54.0	-14.49	AV	337.00	150	Vertical	Pass
4	7827.500	53.80	1.82	74.0	-20.20	Peak	21.00	150	Vertical	Pass
4**	7827.500	44.01	1.82	54.0	-9.99	AV	21.00	150	Vertical	Pass
5	13941.750	51.40	-0.21	74.0	-22.60	Peak	266.00	150	Vertical	Pass
5**	13941.750	42.02	-0.21	54.0	-11.98	AV	266.00	150	Vertical	Pass
6	16801.950	53.47	0.46	74.0	-20.53	Peak	31.00	150	Vertical	Pass
6**	16801.950	44.60	0.46	54.0	-9.40	AV	31.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.00	-17.77	74.0	-32.00	Peak	267.00	150	Horizontal	Pass
1**	1600.100	36.23	-17.77	54.0	-17.77	AV	267.00	150	Horizontal	Pass
2	2432.900	104.55	-12.29	74.0	30.55	Peak	61.00	150	Horizontal	N/A
2**	2432.900	95.96	-12.29	54.0	41.96	AV	61.00	150	Horizontal	N/A
3	4807.500	48.40	-3.82	74.0	-25.60	Peak	236.00	150	Horizontal	Pass
3**	4807.500	38.52	-3.82	54.0	-15.48	AV	236.00	150	Horizontal	Pass
4	7507.000	53.14	0.16	74.0	-20.86	Peak	20.00	150	Horizontal	Pass
4**	7507.000	43.49	0.16	54.0	-10.51	AV	20.00	150	Horizontal	Pass
5	13600.500	51.03	-0.13	74.0	-22.97	Peak	196.00	150	Horizontal	Pass
5**	13600.500	41.62	-0.13	54.0	-12.38	AV	196.00	150	Horizontal	Pass
6	17277.600	53.23	1.97	74.0	-20.77	Peak	196.00	150	Horizontal	Pass
6**	17277.600	43.58	1.97	54.0	-10.42	AV	196.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.64	-17.75	74.0	-31.36	Peak	257.00	150	Vertical	Pass
1**	1599.900	36.24	-17.75	54.0	-17.76	AV	257.00	150	Vertical	Pass
2	2424.800	95.25	-12.82	74.0	21.25	Peak	314.00	150	Vertical	N/A
2**	2424.800	84.20	-12.82	54.0	30.20	AV	314.00	150	Vertical	N/A
3	5182.500	50.25	-2.10	74.0	-23.75	Peak	62.00	150	Vertical	Pass
3**	5182.500	41.49	-2.10	54.0	-12.51	AV	62.00	150	Vertical	Pass
4	7833.750	53.01	2.25	74.0	-20.99	Peak	171.00	150	Vertical	Pass
4**	7833.750	44.51	2.25	54.0	-9.49	AV	171.00	150	Vertical	Pass
5	13926.787	51.03	-0.31	74.0	-22.97	Peak	243.00	150	Vertical	Pass
5**	13926.787	41.96	-0.31	54.0	-12.04	AV	243.00	150	Vertical	Pass
6	17513.325	53.77	3.10	74.0	-20.23	Peak	315.00	150	Vertical	Pass
6**	17513.325	44.16	3.10	54.0	-9.84	AV	315.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.66	-17.77	74.0	-32.34	Peak	360.00	150	Horizontal	Pass
1**	1600.100	37.28	-17.77	54.0	-16.72	AV	360.00	150	Horizontal	Pass
2	2431.600	107.36	-12.38	74.0	33.36	Peak	70.00	150	Horizontal	N/A
2**	2431.600	97.56	-12.38	54.0	43.56	AV	70.00	150	Horizontal	N/A
3	5182.500	51.01	-2.10	74.0	-22.99	Peak	360.00	150	Horizontal	Pass
3**	5182.500	42.88	-2.10	54.0	-11.12	AV	360.00	150	Horizontal	Pass
4	7849.750	54.05	1.22	74.0	-19.95	Peak	75.00	150	Horizontal	Pass
4**	7849.750	45.14	1.22	54.0	-8.86	AV	75.00	150	Horizontal	Pass
5	11799.287	50.15	-3.54	74.0	-23.85	Peak	98.00	150	Horizontal	Pass
5**	11799.287	39.67	-3.54	54.0	-14.33	AV	98.00	150	Horizontal	Pass
6	17303.325	53.32	2.01	74.0	-20.68	Peak	300.00	150	Horizontal	Pass
6**	17303.325	44.31	2.01	54.0	-9.69	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.01	-17.77	74.0	-31.99	Peak	224.00	150	Vertical	Pass
1**	1600.100	37.29	-17.77	54.0	-16.71	AV	224.00	150	Vertical	Pass
2	2432.300	96.27	-12.33	74.0	22.27	Peak	332.00	150	Vertical	N/A
2**	2432.300	86.55	-12.33	54.0	32.55	AV	332.00	150	Vertical	N/A
3	4337.250	49.25	-4.67	74.0	-24.75	Peak	95.00	150	Vertical	Pass
3**	4337.250	37.85	-4.67	54.0	-16.15	AV	95.00	150	Vertical	Pass
4	6767.500	52.37	-0.25	74.0	-21.63	Peak	113.00	150	Vertical	Pass
4**	6767.500	43.04	-0.25	54.0	-10.96	AV	113.00	150	Vertical	Pass
5	10960.437	48.85	-4.86	74.0	-25.15	Peak	315.00	150	Vertical	Pass
5**	10960.437	38.36	-4.86	54.0	-15.64	AV	315.00	150	Vertical	Pass
6	16900.125	53.66	1.51	74.0	-20.34	Peak	62.00	150	Vertical	Pass
6**	16900.125	43.38	1.51	54.0	-10.62	AV	62.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.84	-17.75	74.0	-32.16	Peak	121.00	150	Horizontal	Pass
1**	1599.900	36.57	-17.75	54.0	-17.43	AV	121.00	150	Horizontal	Pass
2	2432.900	104.80	-12.29	74.0	30.80	Peak	66.00	150	Horizontal	N/A
2**	2432.900	97.07	-12.29	54.0	43.07	AV	66.00	150	Horizontal	N/A
3	4493.750	48.71	-4.29	74.0	-25.29	Peak	10.00	150	Horizontal	Pass
3**	4493.750	38.66	-4.29	54.0	-15.34	AV	10.00	150	Horizontal	Pass
4	7859.250	52.93	1.19	74.0	-21.07	Peak	279.00	150	Horizontal	Pass
4**	7859.250	43.63	1.19	54.0	-10.37	AV	279.00	150	Horizontal	Pass
5	13662.188	51.34	0.30	74.0	-22.66	Peak	245.00	150	Horizontal	Pass
5**	13662.188	40.52	0.30	54.0	-13.48	AV	245.00	150	Horizontal	Pass
6	17620.427	53.24	3.13	74.0	-20.76	Peak	269.00	150	Horizontal	Pass
6**	17620.427	43.38	3.13	54.0	-10.62	AV	269.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.25	-17.77	74.0	-31.75	Peak	65.00	150	Vertical	Pass
1**	1600.100	36.61	-17.77	54.0	-17.39	AV	65.00	150	Vertical	Pass
2	2429.800	94.20	-12.47	74.0	20.20	Peak	33.00	150	Vertical	N/A
2**	2429.800	84.16	-12.47	54.0	30.16	AV	33.00	150	Vertical	N/A
3	5076.750	49.78	-3.07	74.0	-24.22	Peak	223.00	150	Vertical	Pass
3**	5076.750	40.66	-3.07	54.0	-13.34	AV	223.00	150	Vertical	Pass
4	7463.000	52.98	1.08	74.0	-21.02	Peak	31.00	150	Vertical	Pass
4**	7463.000	43.11	1.08	54.0	-10.89	AV	31.00	150	Vertical	Pass
5	13188.375	51.49	-0.21	74.0	-22.51	Peak	235.00	150	Vertical	Pass
5**	13188.375	40.44	-0.21	54.0	-13.56	AV	235.00	150	Vertical	Pass
6	17605.724	54.21	3.25	74.0	-19.79	Peak	246.00	150	Vertical	Pass
6**	17605.724	43.53	3.25	54.0	-10.47	AV	246.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.45	-17.74	74.0	-31.55	Peak	84.00	150	Horizontal	Pass
1**	1599.800	36.27	-17.74	54.0	-17.73	AV	84.00	150	Horizontal	Pass
2	2462.800	103.94	-12.66	74.0	29.94	Peak	44.00	150	Horizontal	N/A
2**	2462.800	94.12	-12.66	54.0	40.12	AV	44.00	150	Horizontal	N/A
3	4314.750	47.97	-4.46	74.0	-26.03	Peak	194.00	150	Horizontal	Pass
3**	4314.750	38.68	-4.46	54.0	-15.32	AV	194.00	150	Horizontal	Pass
4	7828.250	53.09	1.89	74.0	-20.91	Peak	194.00	150	Horizontal	Pass
4**	7828.250	43.63	1.89	54.0	-10.37	AV	194.00	150	Horizontal	Pass
5	13708.125	50.98	0.22	74.0	-23.02	Peak	149.00	150	Horizontal	Pass
5**	13708.125	40.99	0.22	54.0	-13.01	AV	149.00	150	Horizontal	Pass
6	17803.651	53.51	3.19	74.0	-20.49	Peak	42.00	150	Horizontal	Pass
6**	17803.651	44.71	3.19	54.0	-9.29	AV	42.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.68	-17.77	74.0	-31.32	Peak	294.00	150	Vertical	Pass
1**	1600.100	37.14	-17.77	54.0	-16.86	AV	294.00	150	Vertical	Pass
2	2432.500	92.19	-12.31	74.0	18.19	Peak	25.00	150	Vertical	N/A
2**	2432.500	84.49	-12.31	54.0	30.49	AV	25.00	150	Vertical	N/A
3	4532.750	48.68	-4.60	74.0	-25.32	Peak	163.00	150	Vertical	Pass
3**	4532.750	38.81	-4.60	54.0	-15.19	AV	163.00	150	Vertical	Pass
4	7839.000	53.04	1.99	74.0	-20.96	Peak	347.00	150	Vertical	Pass
4**	7839.000	44.20	1.99	54.0	-9.80	AV	347.00	150	Vertical	Pass
5	13968.000	51.90	-0.28	74.0	-22.10	Peak	349.00	150	Vertical	Pass
5**	13968.000	41.31	-0.28	54.0	-12.69	AV	349.00	150	Vertical	Pass
6	16887.000	53.50	1.40	74.0	-20.50	Peak	349.00	150	Vertical	Pass
6**	16887.000	44.19	1.40	54.0	-9.81	AV	349.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.66	-17.78	74.0	-31.34	Peak	360.00	150	Horizontal	Pass
1**	1600.200	36.79	-17.78	54.0	-17.21	AV	360.00	150	Horizontal	Pass
2	2461.600	106.04	-12.63	74.0	32.04	Peak	131.00	150	Horizontal	N/A
2**	2461.600	97.17	-12.63	54.0	43.17	AV	131.00	150	Horizontal	N/A
3	5273.000	51.37	-3.17	74.0	-22.63	Peak	53.00	150	Horizontal	Pass
3**	5273.000	40.83	-3.17	54.0	-13.17	AV	53.00	150	Horizontal	Pass
4	7837.250	53.90	2.06	74.0	-20.10	Peak	154.00	150	Horizontal	Pass
4**	7837.250	45.98	2.06	54.0	-8.02	AV	154.00	150	Horizontal	Pass
5	12453.838	49.97	-2.18	74.0	-24.03	Peak	196.00	150	Horizontal	Pass
5**	12453.838	40.20	-2.18	54.0	-13.80	AV	196.00	150	Horizontal	Pass
6	17254.762	53.18	1.93	74.0	-20.82	Peak	78.00	150	Horizontal	Pass
6**	17254.762	43.25	1.93	54.0	-10.75	AV	78.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	42.47	-17.78	74.0	-31.53	Peak	66.00	150	Vertical	Pass
1**	1600.200	37.08	-17.78	54.0	-16.92	AV	66.00	150	Vertical	Pass
2	2457.200	98.37	-12.66	74.0	24.37	Peak	170.00	150	Vertical	N/A
2**	2457.200	87.50	-12.66	54.0	33.50	AV	170.00	150	Vertical	N/A
3	5193.000	50.48	-2.86	74.0	-23.52	Peak	204.00	150	Vertical	Pass
3**	5193.000	42.62	-2.86	54.0	-11.38	AV	204.00	150	Vertical	Pass
4	7497.250	53.60	-0.37	74.0	-20.40	Peak	8.00	150	Vertical	Pass
4**	7497.250	43.51	-0.37	54.0	-10.49	AV	8.00	150	Vertical	Pass
5	10532.938	49.01	-4.54	74.0	-24.99	Peak	101.00	150	Vertical	Pass
5**	10532.938	38.58	-4.54	54.0	-15.42	AV	101.00	150	Vertical	Pass
6	16153.838	53.58	-0.47	74.0	-20.42	Peak	28.00	150	Vertical	Pass
6**	16153.838	42.19	-0.47	54.0	-11.81	AV	28.00	150	Vertical	Pass

MIMO**1 GHz to 18 GHz, ANT H 802.11b Channel 1**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.44	-17.76	74.0	-32.56	Peak	136.00	150	Horizontal	Pass
1**	1600.000	35.69	-17.76	54.0	-18.31	AV	136.00	150	Horizontal	Pass
2	2413.600	106.02	-13.42	74.0	32.02	Peak	70.00	150	Horizontal	N/A
2**	2413.600	103.24	-13.42	54.0	49.24	AV	70.00	150	Horizontal	N/A
3	5233.000	50.25	-3.30	74.0	-23.75	Peak	12.00	150	Horizontal	Pass
3**	5233.000	40.96	-3.30	54.0	-13.04	AV	12.00	150	Horizontal	Pass
4	7512.750	52.73	0.58	74.0	-21.27	Peak	70.00	150	Horizontal	Pass
4**	7512.750	43.21	0.58	54.0	-10.79	AV	70.00	150	Horizontal	Pass
5	10810.575	48.26	-5.22	74.0	-25.74	Peak	360.00	150	Horizontal	Pass
5**	10810.575	39.00	-5.22	54.0	-15.00	AV	360.00	150	Horizontal	Pass
6	16908.261	53.67	1.38	74.0	-20.33	Peak	22.00	150	Horizontal	Pass
6**	16908.261	43.98	1.38	54.0	-10.02	AV	22.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.53	-17.78	74.0	-32.47	Peak	150.00	150	Vertical	Pass
1**	1600.200	36.32	-17.78	54.0	-17.68	AV	150.00	150	Vertical	Pass
2	2413.400	97.54	-13.42	74.0	23.54	Peak	38.00	150	Vertical	N/A
2**	2413.400	94.65	-13.42	54.0	40.65	AV	38.00	150	Vertical	N/A
3	5316.750	50.56	-3.30	74.0	-23.44	Peak	95.00	150	Vertical	Pass
3**	5316.750	41.86	-3.30	54.0	-12.14	AV	95.00	150	Vertical	Pass
4	7450.250	52.63	0.68	74.0	-21.37	Peak	19.00	150	Vertical	Pass
4**	7450.250	43.21	0.68	54.0	-10.79	AV	19.00	150	Vertical	Pass
5	11074.675	49.05	-4.80	74.0	-24.95	Peak	64.00	150	Vertical	Pass
5**	11074.675	39.17	-4.80	54.0	-14.83	AV	64.00	150	Vertical	Pass
6	17800.239	54.01	3.22	74.0	-19.99	Peak	8.00	150	Vertical	Pass
6**	17800.239	44.91	3.22	54.0	-9.09	AV	8.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.36	-17.76	74.0	-32.64	Peak	183.00	150	Horizontal	Pass
1**	1600.000	36.40	-17.76	54.0	-17.60	AV	183.00	150	Horizontal	Pass
2	2435.400	107.13	-12.08	74.0	33.13	Peak	65.00	150	Horizontal	N/A
2**	2435.400	104.30	-12.08	54.0	50.30	AV	65.00	150	Horizontal	N/A
3	5294.500	50.44	-3.38	74.0	-23.56	Peak	201.00	150	Horizontal	Pass
3**	5294.500	41.19	-3.38	54.0	-12.81	AV	201.00	150	Horizontal	Pass
4	7845.750	53.21	1.33	74.0	-20.79	Peak	225.00	150	Horizontal	Pass
4**	7845.750	43.09	1.33	54.0	-10.91	AV	225.00	150	Horizontal	Pass
5	10656.201	48.54	-4.79	74.0	-25.46	Peak	66.00	150	Horizontal	Pass
5**	10656.201	38.71	-4.79	54.0	-15.29	AV	66.00	150	Horizontal	Pass
6	16529.475	52.39	0.02	74.0	-21.61	Peak	90.00	150	Horizontal	Pass
6**	16529.475	43.09	0.02	54.0	-10.91	AV	90.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.09	-17.75	74.0	-32.91	Peak	275.00	150	Vertical	Pass
1**	1599.900	36.17	-17.75	54.0	-17.83	AV	275.00	150	Vertical	Pass
2	2438.200	94.78	-12.39	74.0	20.78	Peak	15.00	150	Vertical	N/A
2**	2438.200	91.91	-12.39	54.0	37.91	AV	15.00	150	Vertical	N/A
3	5180.250	50.14	-2.21	74.0	-23.86	Peak	288.00	150	Vertical	Pass
3**	5180.250	41.30	-2.21	54.0	-12.70	AV	288.00	150	Vertical	Pass
4	7858.750	53.29	1.15	74.0	-20.71	Peak	271.00	150	Vertical	Pass
4**	7858.750	43.91	1.15	54.0	-10.09	AV	271.00	150	Vertical	Pass
5	10664.988	48.40	-4.79	74.0	-25.60	Peak	30.00	150	Vertical	Pass
5**	10664.988	38.84	-4.79	54.0	-15.16	AV	30.00	150	Vertical	Pass
6	16508.739	53.50	0.00	74.0	-20.50	Peak	360.00	150	Vertical	Pass
6**	16508.739	43.16	0.00	54.0	-10.84	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.15	-17.78	74.0	-32.85	Peak	187.00	150	Horizontal	Pass
1**	1600.200	36.63	-17.78	54.0	-17.37	AV	187.00	150	Horizontal	Pass
2	2463.500	106.73	-12.68	74.0	32.73	Peak	210.00	150	Horizontal	N/A
2**	2463.500	103.84	-12.68	54.0	49.84	AV	210.00	150	Horizontal	N/A
3	5177.500	50.14	-2.47	74.0	-23.86	Peak	335.00	150	Horizontal	Pass
3**	5177.500	41.65	-2.47	54.0	-12.35	AV	335.00	150	Horizontal	Pass
4	7831.000	53.41	2.03	74.0	-20.59	Peak	227.00	150	Horizontal	Pass
4**	7831.000	43.90	2.03	54.0	-10.10	AV	227.00	150	Horizontal	Pass
5	11448.974	49.26	-3.88	74.0	-24.74	Peak	274.00	150	Horizontal	Pass
5**	11448.974	39.24	-3.88	54.0	-14.76	AV	274.00	150	Horizontal	Pass
6	16430.250	52.41	0.12	74.0	-21.59	Peak	188.00	150	Horizontal	Pass
6**	16430.250	43.31	0.12	54.0	-10.69	AV	188.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.62	-17.78	74.0	-32.38	Peak	360.00	150	Vertical	Pass
1**	1600.200	36.24	-17.78	54.0	-17.76	AV	360.00	150	Vertical	Pass
2	2463.100	99.42	-12.67	74.0	25.42	Peak	173.00	150	Vertical	N/A
2**	2463.100	96.64	-12.67	54.0	42.64	AV	173.00	150	Vertical	N/A
3	5324.250	50.40	-3.32	74.0	-23.60	Peak	87.00	150	Vertical	Pass
3**	5324.250	41.18	-3.32	54.0	-12.82	AV	87.00	150	Vertical	Pass
4	7838.500	53.43	2.01	74.0	-20.57	Peak	12.00	150	Vertical	Pass
4**	7838.500	43.97	2.01	54.0	-10.03	AV	12.00	150	Vertical	Pass
5	11137.613	49.13	-4.45	74.0	-24.87	Peak	284.00	150	Vertical	Pass
5**	11137.613	38.80	-4.45	54.0	-15.20	AV	284.00	150	Vertical	Pass
6	16450.200	52.98	-0.02	74.0	-21.02	Peak	50.00	150	Vertical	Pass
6**	16450.200	42.29	-0.02	54.0	-11.71	AV	50.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.76	-17.76	74.0	-32.24	Peak	163.00	150	Horizontal	Pass
1**	1600.000	36.13	-17.76	54.0	-17.87	AV	163.00	150	Horizontal	Pass
2	2413.200	108.85	-13.42	74.0	34.85	Peak	75.00	150	Horizontal	N/A
2**	2413.200	102.23	-13.42	54.0	48.23	AV	75.00	150	Horizontal	N/A
3	5186.750	50.14	-2.43	74.0	-23.86	Peak	305.00	150	Horizontal	Pass
3**	5186.750	42.38	-2.43	54.0	-11.62	AV	305.00	150	Horizontal	Pass
4	7829.000	53.21	1.93	74.0	-20.79	Peak	55.00	150	Horizontal	Pass
4**	7829.000	43.91	1.93	54.0	-10.09	AV	55.00	150	Horizontal	Pass
5	11168.487	49.44	-4.28	74.0	-24.56	Peak	46.00	150	Horizontal	Pass
5**	11168.487	40.10	-4.28	54.0	-13.90	AV	46.00	150	Horizontal	Pass
6	17142.675	52.71	1.58	74.0	-21.29	Peak	92.00	150	Horizontal	Pass
6**	17142.675	43.24	1.58	54.0	-10.76	AV	92.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.74	-17.77	74.0	-32.26	Peak	266.00	150	Vertical	Pass
1**	1600.100	36.70	-17.77	54.0	-17.30	AV	266.00	150	Vertical	Pass
2	2413.200	100.46	-13.42	74.0	26.46	Peak	45.00	150	Vertical	N/A
2**	2413.200	93.98	-13.42	54.0	39.98	AV	45.00	150	Vertical	N/A
3	5271.000	49.96	-3.27	74.0	-24.04	Peak	232.00	150	Vertical	Pass
3**	5271.000	40.99	-3.27	54.0	-13.01	AV	232.00	150	Vertical	Pass
4	7845.250	53.30	1.38	74.0	-20.70	Peak	264.00	150	Vertical	Pass
4**	7845.250	43.23	1.38	54.0	-10.77	AV	264.00	150	Vertical	Pass
5	11712.600	49.33	-4.14	74.0	-24.67	Peak	22.00	150	Vertical	Pass
5**	11712.600	38.63	-4.14	54.0	-15.37	AV	22.00	150	Vertical	Pass
6	17574.224	53.72	3.22	74.0	-20.28	Peak	218.00	150	Vertical	Pass
6**	17574.224	43.79	3.22	54.0	-10.21	AV	218.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.00	-17.75	74.0	-32.00	Peak	346.00	150	Horizontal	Pass
1**	1599.900	35.99	-17.75	54.0	-18.01	AV	346.00	150	Horizontal	Pass
2	2417.800	106.97	-13.03	74.0	32.97	Peak	73.00	150	Horizontal	N/A
2**	2417.800	100.61	-13.03	54.0	46.61	AV	73.00	150	Horizontal	N/A
3	5191.500	50.48	-2.70	74.0	-23.52	Peak	121.00	150	Horizontal	Pass
3**	5191.500	41.67	-2.70	54.0	-12.33	AV	121.00	150	Horizontal	Pass
4	7846.250	53.10	1.25	74.0	-20.90	Peak	4.00	150	Horizontal	Pass
4**	7846.250	45.01	1.25	54.0	-8.99	AV	4.00	150	Horizontal	Pass
5	11305.050	49.86	-4.05	74.0	-24.14	Peak	113.00	150	Horizontal	Pass
5**	11305.050	41.05	-4.05	54.0	-12.95	AV	113.00	150	Horizontal	Pass
6	16444.950	53.56	0.01	74.0	-20.44	Peak	203.00	150	Horizontal	Pass
6**	16444.950	43.75	0.01	54.0	-10.25	AV	203.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.53	-17.72	74.0	-31.47	Peak	105.00	150	Vertical	Pass
1**	1599.700	35.05	-17.72	54.0	-18.95	AV	105.00	150	Vertical	Pass
2	2417.900	96.53	-13.01	74.0	22.53	Peak	84.00	150	Vertical	N/A
2**	2417.900	89.87	-13.01	54.0	35.87	AV	84.00	150	Vertical	N/A
3	5135.000	50.95	-3.50	74.0	-23.05	Peak	212.00	150	Vertical	Pass
3**	5135.000	40.61	-3.50	54.0	-13.39	AV	212.00	150	Vertical	Pass
4	7860.750	54.11	1.30	74.0	-19.89	Peak	271.00	150	Vertical	Pass
4**	7860.750	43.78	1.30	54.0	-10.22	AV	271.00	150	Vertical	Pass
5	13515.713	51.65	0.40	74.0	-22.35	Peak	360.00	150	Vertical	Pass
5**	13515.713	42.43	0.40	54.0	-11.57	AV	360.00	150	Vertical	Pass
6	17485.238	54.40	3.08	74.0	-19.60	Peak	5.00	150	Vertical	Pass
6**	17485.238	44.54	3.08	54.0	-9.46	AV	5.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.97	-17.75	74.0	-32.03	Peak	195.00	150	Horizontal	Pass
1**	1599.900	35.82	-17.75	54.0	-18.18	AV	195.00	150	Horizontal	Pass
2	2424.800	109.22	-12.82	74.0	35.22	Peak	49.00	150	Horizontal	N/A
2**	2424.800	101.76	-12.82	54.0	47.76	AV	49.00	150	Horizontal	N/A
3	5182.500	50.72	-2.10	74.0	-23.28	Peak	332.00	150	Horizontal	Pass
3**	5182.500	41.94	-2.10	54.0	-12.06	AV	332.00	150	Horizontal	Pass
4	7467.500	53.91	0.88	74.0	-20.09	Peak	141.00	150	Horizontal	Pass
4**	7467.500	43.11	0.88	54.0	-10.89	AV	141.00	150	Horizontal	Pass
5	13582.913	51.01	0.15	74.0	-22.99	Peak	335.00	150	Horizontal	Pass
5**	13582.913	41.41	0.15	54.0	-12.59	AV	335.00	150	Horizontal	Pass
6	17781.862	54.37	2.97	74.0	-19.63	Peak	187.00	150	Horizontal	Pass
6**	17781.862	45.01	2.97	54.0	-8.99	AV	187.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.91	-17.75	74.0	-32.09	Peak	137.00	150	Vertical	Pass
1**	1599.900	36.18	-17.75	54.0	-17.82	AV	137.00	150	Vertical	Pass
2	2424.400	100.36	-12.83	74.0	26.36	Peak	88.00	150	Vertical	N/A
2**	2424.400	93.76	-12.83	54.0	39.76	AV	88.00	150	Vertical	N/A
3	4950.000	51.02	-4.06	74.0	-22.98	Peak	270.00	150	Vertical	Pass
3**	4950.000	39.08	-4.06	54.0	-14.92	AV	270.00	150	Vertical	Pass
4	7829.250	54.52	1.94	74.0	-19.48	Peak	162.00	150	Vertical	Pass
4**	7829.250	44.88	1.94	54.0	-9.12	AV	162.00	150	Vertical	Pass
5	11385.800	49.67	-4.29	74.0	-24.33	Peak	334.00	150	Vertical	Pass
5**	11385.800	39.36	-4.29	54.0	-14.64	AV	334.00	150	Vertical	Pass
6	17286.525	53.81	1.99	74.0	-20.19	Peak	137.00	150	Vertical	Pass
6**	17286.525	43.63	1.99	54.0	-10.37	AV	137.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.41	-17.77	74.0	-32.59	Peak	92.00	150	Horizontal	Pass
1**	1600.100	35.86	-17.77	54.0	-18.14	AV	92.00	150	Horizontal	Pass
2	2434.900	109.04	-12.10	74.0	35.04	Peak	68.00	150	Horizontal	N/A
2**	2434.900	102.43	-12.10	54.0	48.43	AV	68.00	150	Horizontal	N/A
3	5246.000	50.08	-3.69	74.0	-23.92	Peak	356.00	150	Horizontal	Pass
3**	5246.000	41.51	-3.69	54.0	-12.49	AV	356.00	150	Horizontal	Pass
4	7869.250	53.43	1.85	74.0	-20.57	Peak	360.00	150	Horizontal	Pass
4**	7869.250	43.16	1.85	54.0	-10.84	AV	360.00	150	Horizontal	Pass
5	11215.513	49.84	-4.11	74.0	-24.16	Peak	272.00	150	Horizontal	Pass
5**	11215.513	39.18	-4.11	54.0	-14.82	AV	272.00	150	Horizontal	Pass
6	16897.500	53.54	1.49	74.0	-20.46	Peak	168.00	150	Horizontal	Pass
6**	16897.500	44.32	1.49	54.0	-9.68	AV	168.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.06	-17.78	74.0	-32.94	Peak	360.00	150	Vertical	Pass
1**	1600.300	36.06	-17.78	54.0	-17.94	AV	360.00	150	Vertical	Pass
2	2435.100	99.86	-12.08	74.0	25.86	Peak	82.00	150	Vertical	N/A
2**	2435.100	92.96	-12.08	54.0	38.96	AV	82.00	150	Vertical	N/A
3	5182.000	50.36	-2.12	74.0	-23.64	Peak	257.00	150	Vertical	Pass
3**	5182.000	41.74	-2.12	54.0	-12.26	AV	257.00	150	Vertical	Pass
4	7836.750	53.48	2.09	74.0	-20.52	Peak	82.00	150	Vertical	Pass
4**	7836.750	44.12	2.09	54.0	-9.88	AV	82.00	150	Vertical	Pass
5	10636.250	48.63	-4.61	74.0	-25.37	Peak	90.00	150	Vertical	Pass
5**	10636.250	39.26	-4.61	54.0	-14.74	AV	90.00	150	Vertical	Pass
6	16299.525	52.32	0.12	74.0	-21.68	Peak	36.00	150	Vertical	Pass
6**	16299.525	42.61	0.12	54.0	-11.39	AV	36.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	43.20	-17.77	74.0	-30.80	Peak	279.00	150	Horizontal	Pass
1**	1600.100	36.60	-17.77	54.0	-17.40	AV	279.00	150	Horizontal	Pass
2	2448.000	109.25	-12.96	74.0	35.25	Peak	68.00	150	Horizontal	N/A
2**	2448.000	102.86	-12.96	54.0	48.86	AV	68.00	150	Horizontal	N/A
3	5177.250	50.27	-2.52	74.0	-23.73	Peak	122.00	150	Horizontal	Pass
3**	5177.250	41.04	-2.52	54.0	-12.96	AV	122.00	150	Horizontal	Pass
4	7834.750	53.76	2.21	74.0	-20.24	Peak	331.00	150	Horizontal	Pass
4**	7834.750	45.26	2.21	54.0	-8.74	AV	331.00	150	Horizontal	Pass
5	13625.962	51.21	0.09	74.0	-22.79	Peak	74.00	150	Horizontal	Pass
5**	13625.962	41.51	0.09	54.0	-12.49	AV	74.00	150	Horizontal	Pass
6	17284.688	53.66	1.99	74.0	-20.34	Peak	190.00	150	Horizontal	Pass
6**	17284.688	44.16	1.99	54.0	-9.84	AV	190.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.03	-17.74	74.0	-31.97	Peak	0.00	150	Vertical	Pass
1**	1599.800	36.01	-17.74	54.0	-17.99	AV	0.00	150	Vertical	Pass
2	2442.400	98.50	-12.34	74.0	24.50	Peak	117.00	150	Vertical	N/A
2**	2442.400	90.69	-12.34	54.0	36.69	AV	117.00	150	Vertical	N/A
3	4998.500	50.35	-3.33	74.0	-23.65	Peak	74.00	150	Vertical	Pass
3**	4998.500	39.62	-3.33	54.0	-14.38	AV	74.00	150	Vertical	Pass
4	7460.000	53.59	1.14	74.0	-20.41	Peak	216.00	150	Vertical	Pass
4**	7460.000	43.88	1.14	54.0	-10.12	AV	216.00	150	Vertical	Pass
5	11796.200	50.14	-3.57	74.0	-23.86	Peak	64.00	150	Vertical	Pass
5**	11796.200	39.92	-3.57	54.0	-14.08	AV	64.00	150	Vertical	Pass
6	16409.512	53.27	0.26	74.0	-20.73	Peak	268.00	150	Vertical	Pass
6**	16409.512	42.94	0.26	54.0	-11.06	AV	268.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.92	-17.74	74.0	-32.08	Peak	318.00	150	Horizontal	Pass
1**	1599.800	34.79	-17.74	54.0	-19.21	AV	318.00	150	Horizontal	Pass
2	2450.100	107.98	-12.74	74.0	33.98	Peak	48.00	150	Horizontal	N/A
2**	2450.100	101.32	-12.74	54.0	47.32	AV	48.00	150	Horizontal	N/A
3	5118.500	51.05	-3.01	74.0	-22.95	Peak	89.00	150	Horizontal	Pass
3**	5118.500	41.54	-3.01	54.0	-12.46	AV	89.00	150	Horizontal	Pass
4	7834.250	54.26	2.23	74.0	-19.74	Peak	267.00	150	Horizontal	Pass
4**	7834.250	45.04	2.23	54.0	-8.96	AV	267.00	150	Horizontal	Pass
5	14100.300	50.65	0.05	74.0	-23.35	Peak	302.00	150	Horizontal	Pass
5**	14100.300	41.97	0.05	54.0	-12.03	AV	302.00	150	Horizontal	Pass
6	17486.551	54.22	3.08	74.0	-19.78	Peak	270.00	150	Horizontal	Pass
6**	17486.551	44.10	3.08	54.0	-9.90	AV	270.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.17	-17.74	74.0	-31.83	Peak	257.00	150	Vertical	Pass
1**	1599.800	35.24	-17.74	54.0	-18.76	AV	257.00	150	Vertical	Pass
2	2450.000	96.21	-12.75	74.0	22.21	Peak	83.00	150	Vertical	N/A
2**	2450.000	89.39	-12.75	54.0	35.39	AV	83.00	150	Vertical	N/A
3	5229.500	51.10	-3.62	74.0	-22.90	Peak	331.00	150	Vertical	Pass
3**	5229.500	41.43	-3.62	54.0	-12.57	AV	331.00	150	Vertical	Pass
4	7509.000	53.43	0.47	74.0	-20.57	Peak	238.00	150	Vertical	Pass
4**	7509.000	43.71	0.47	54.0	-10.29	AV	238.00	150	Vertical	Pass
5	14091.638	51.19	-0.11	74.0	-22.81	Peak	100.00	150	Vertical	Pass
5**	14091.638	42.65	-0.11	54.0	-11.35	AV	100.00	150	Vertical	Pass
6	16525.012	53.95	0.01	74.0	-20.05	Peak	217.00	150	Vertical	Pass
6**	16525.012	43.56	0.01	54.0	-10.44	AV	217.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.01	-17.76	74.0	-31.99	Peak	239.00	150	Horizontal	Pass
1**	1600.000	35.93	-17.76	54.0	-18.07	AV	239.00	150	Horizontal	Pass
2	2457.600	106.64	-12.66	74.0	32.64	Peak	76.00	150	Horizontal	N/A
2**	2457.600	98.71	-12.66	54.0	44.71	AV	76.00	150	Horizontal	N/A
3	5168.500	51.18	-3.10	74.0	-22.82	Peak	26.00	150	Horizontal	Pass
3**	5168.500	41.33	-3.10	54.0	-12.67	AV	26.00	150	Horizontal	Pass
4	7834.250	53.53	2.23	74.0	-20.47	Peak	26.00	150	Horizontal	Pass
4**	7834.250	44.63	2.23	54.0	-9.37	AV	26.00	150	Horizontal	Pass
5	11311.225	49.71	-4.11	74.0	-24.29	Peak	232.00	150	Horizontal	Pass
5**	11311.225	40.70	-4.11	54.0	-13.30	AV	232.00	150	Horizontal	Pass
6	17554.536	53.25	3.16	74.0	-20.75	Peak	332.00	150	Horizontal	Pass
6**	17554.536	43.91	3.16	54.0	-10.09	AV	332.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.73	-17.74	74.0	-31.27	Peak	330.00	150	Vertical	Pass
1**	1599.800	35.58	-17.74	54.0	-18.42	AV	330.00	150	Vertical	Pass
2	2452.800	92.74	-12.91	74.0	18.74	Peak	148.00	150	Vertical	N/A
2**	2452.800	84.98	-12.91	54.0	30.98	AV	148.00	150	Vertical	N/A
3	5490.500	51.21	-3.13	74.0	-22.79	Peak	240.00	150	Vertical	Pass
3**	5490.500	40.61	-3.13	54.0	-13.39	AV	240.00	150	Vertical	Pass
4	7849.750	54.01	1.22	74.0	-19.99	Peak	356.00	150	Vertical	Pass
4**	7849.750	44.64	1.22	54.0	-9.36	AV	356.00	150	Vertical	Pass
5	11424.513	49.98	-4.05	74.0	-24.02	Peak	53.00	150	Vertical	Pass
5**	11424.513	39.87	-4.05	54.0	-14.13	AV	53.00	150	Vertical	Pass
6	16894.875	53.66	1.47	74.0	-20.34	Peak	224.00	150	Vertical	Pass
6**	16894.875	44.03	1.47	54.0	-9.97	AV	224.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	40.29	-17.77	74.0	-33.71	Peak	295.00	150	Horizontal	Pass
1**	1600.100	35.96	-17.77	54.0	-18.04	AV	295.00	150	Horizontal	Pass
2	2462.500	108.62	-12.65	74.0	34.62	Peak	82.00	150	Horizontal	N/A
2**	2462.500	101.72	-12.65	54.0	47.72	AV	82.00	150	Horizontal	N/A
3	5265.000	50.64	-3.66	74.0	-23.36	Peak	12.00	150	Horizontal	Pass
3**	5265.000	40.37	-3.66	54.0	-13.63	AV	12.00	150	Horizontal	Pass
4	7822.750	52.79	1.69	74.0	-21.21	Peak	112.00	150	Horizontal	Pass
4**	7822.750	44.48	1.69	54.0	-9.52	AV	112.00	150	Horizontal	Pass
5	11683.625	49.74	-4.29	74.0	-24.26	Peak	159.00	150	Horizontal	Pass
5**	11683.625	40.21	-4.29	54.0	-13.79	AV	159.00	150	Horizontal	Pass
6	17811.788	53.93	3.13	74.0	-20.07	Peak	333.00	150	Horizontal	Pass
6**	17811.788	44.14	3.13	54.0	-9.86	AV	333.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	40.91	-17.78	74.0	-33.09	Peak	21.00	150	Vertical	Pass
1**	1600.300	36.46	-17.78	54.0	-17.54	AV	21.00	150	Vertical	Pass
2	2464.500	101.13	-12.73	74.0	27.13	Peak	175.00	150	Vertical	N/A
2**	2464.500	93.26	-12.73	54.0	39.26	AV	175.00	150	Vertical	N/A
3	5183.000	50.29	-2.08	74.0	-23.71	Peak	212.00	150	Vertical	Pass
3**	5183.000	41.51	-2.08	54.0	-12.49	AV	212.00	150	Vertical	Pass
4	7454.750	53.64	1.18	74.0	-20.36	Peak	29.00	150	Vertical	Pass
4**	7454.750	43.64	1.18	54.0	-10.36	AV	29.00	150	Vertical	Pass
5	11452.775	49.49	-3.90	74.0	-24.51	Peak	26.00	150	Vertical	Pass
5**	11452.775	40.22	-3.90	54.0	-13.78	AV	26.00	150	Vertical	Pass
6	16544.699	52.99	0.03	74.0	-21.01	Peak	62.00	150	Vertical	Pass
6**	16544.699	42.85	0.03	54.0	-11.15	AV	62.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.49	-17.78	74.0	-32.51	Peak	51.00	150	Horizontal	Pass
1**	1600.200	36.11	-17.78	54.0	-17.89	AV	51.00	150	Horizontal	Pass
2	2414.400	107.21	-13.40	74.0	33.21	Peak	110.00	150	Horizontal	N/A
2**	2414.400	100.55	-13.40	54.0	46.55	AV	110.00	150	Horizontal	N/A
3	5199.000	50.52	-3.25	74.0	-23.48	Peak	244.00	150	Horizontal	Pass
3**	5199.000	40.75	-3.25	54.0	-13.25	AV	244.00	150	Horizontal	Pass
4	7822.500	52.65	1.64	74.0	-21.35	Peak	55.00	150	Horizontal	Pass
4**	7822.500	43.27	1.64	54.0	-10.73	AV	55.00	150	Horizontal	Pass
5	11687.900	48.88	-4.27	74.0	-25.12	Peak	18.00	150	Horizontal	Pass
5**	11687.900	38.98	-4.27	54.0	-15.02	AV	18.00	150	Horizontal	Pass
6	16525.012	52.53	0.01	74.0	-21.47	Peak	316.00	150	Horizontal	Pass
6**	16525.012	43.91	0.01	54.0	-10.09	AV	316.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.89	-17.78	74.0	-32.11	Peak	360.00	150	Vertical	Pass
1**	1600.200	36.25	-17.78	54.0	-17.75	AV	360.00	150	Vertical	Pass
2	2409.900	97.19	-13.53	74.0	23.19	Peak	49.00	150	Vertical	N/A
2**	2409.900	90.73	-13.53	54.0	36.73	AV	49.00	150	Vertical	N/A
3	5198.500	50.09	-3.28	74.0	-23.91	Peak	104.00	150	Vertical	Pass
3**	5198.500	40.85	-3.28	54.0	-13.15	AV	104.00	150	Vertical	Pass
4	7867.500	52.56	1.61	74.0	-21.44	Peak	261.00	150	Vertical	Pass
4**	7867.500	43.05	1.61	54.0	-10.95	AV	261.00	150	Vertical	Pass
5	10816.513	49.54	-5.13	74.0	-24.46	Peak	8.00	150	Vertical	Pass
5**	10816.513	38.80	-5.13	54.0	-15.20	AV	8.00	150	Vertical	Pass
6	16824.262	52.84	0.75	74.0	-21.16	Peak	123.00	150	Vertical	Pass
6**	16824.262	43.31	0.75	54.0	-10.69	AV	123.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.81	-17.78	74.0	-32.19	Peak	234.00	150	Horizontal	Pass
1**	1600.200	35.85	-17.78	54.0	-18.15	AV	234.00	150	Horizontal	Pass
2	2418.800	105.64	-12.93	74.0	31.64	Peak	55.00	150	Horizontal	N/A
2**	2418.800	99.34	-12.93	54.0	45.34	AV	55.00	150	Horizontal	N/A
3	5200.500	50.55	-3.23	74.0	-23.45	Peak	348.00	150	Horizontal	Pass
3**	5200.500	41.42	-3.23	54.0	-12.58	AV	348.00	150	Horizontal	Pass
4	7834.500	53.87	2.22	74.0	-20.13	Peak	1.00	150	Horizontal	Pass
4**	7834.500	45.32	2.22	54.0	-8.68	AV	1.00	150	Horizontal	Pass
5	11775.537	49.97	-3.75	74.0	-24.03	Peak	9.00	150	Horizontal	Pass
5**	11775.537	39.64	-3.75	54.0	-14.36	AV	9.00	150	Horizontal	Pass
6	17792.362	53.90	3.12	74.0	-20.10	Peak	360.00	150	Horizontal	Pass
6**	17792.362	45.19	3.12	54.0	-8.81	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.06	-17.75	74.0	-31.94	Peak	50.00	150	Vertical	Pass
1**	1599.900	35.74	-17.75	54.0	-18.26	AV	50.00	150	Vertical	Pass
2	2419.300	95.52	-12.97	74.0	21.52	Peak	86.00	150	Vertical	N/A
2**	2419.300	89.10	-12.97	54.0	35.10	AV	86.00	150	Vertical	N/A
3	5173.750	51.12	-2.64	74.0	-22.88	Peak	192.00	150	Vertical	Pass
3**	5173.750	41.12	-2.64	54.0	-12.88	AV	192.00	150	Vertical	Pass
4	7124.000	53.11	-0.21	74.0	-20.89	Peak	152.00	150	Vertical	Pass
4**	7124.000	43.51	-0.21	54.0	-10.49	AV	152.00	150	Vertical	Pass
5	13363.987	51.66	-0.17	74.0	-22.34	Peak	360.00	150	Vertical	Pass
5**	13363.987	41.47	-0.17	54.0	-12.53	AV	360.00	150	Vertical	Pass
6	17272.613	53.86	1.97	74.0	-20.14	Peak	263.00	150	Vertical	Pass
6**	17272.613	43.69	1.97	54.0	-10.31	AV	263.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.63	-17.71	74.0	-32.37	Peak	182.00	150	Horizontal	Pass
1**	1599.600	34.65	-17.71	54.0	-19.35	AV	182.00	150	Horizontal	Pass
2	2422.500	107.91	-12.81	74.0	33.91	Peak	132.00	150	Horizontal	N/A
2**	2422.500	99.82	-12.81	54.0	45.82	AV	132.00	150	Horizontal	N/A
3	5178.500	51.13	-2.29	74.0	-22.87	Peak	45.00	150	Horizontal	Pass
3**	5178.500	41.54	-2.29	54.0	-12.46	AV	45.00	150	Horizontal	Pass
4	7843.750	54.27	1.48	74.0	-19.73	Peak	336.00	150	Horizontal	Pass
4**	7843.750	44.94	1.48	54.0	-9.06	AV	336.00	150	Horizontal	Pass
5	10898.450	49.48	-4.91	74.0	-24.52	Peak	110.00	150	Horizontal	Pass
5**	10898.450	39.39	-4.91	54.0	-14.61	AV	110.00	150	Horizontal	Pass
6	16487.999	53.24	-0.01	74.0	-20.76	Peak	277.00	150	Horizontal	Pass
6**	16487.999	43.54	-0.01	54.0	-10.46	AV	277.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	42.19	-17.78	74.0	-31.81	Peak	213.00	150	Vertical	Pass
1**	1600.400	35.12	-17.78	54.0	-18.88	AV	213.00	150	Vertical	Pass
2	2424.300	99.16	-12.83	74.0	25.16	Peak	87.00	150	Vertical	N/A
2**	2424.300	93.21	-12.83	54.0	39.21	AV	87.00	150	Vertical	N/A
3	5324.500	51.77	-3.32	74.0	-22.23	Peak	360.00	150	Vertical	Pass
3**	5324.500	42.04	-3.32	54.0	-11.96	AV	360.00	150	Vertical	Pass
4	7853.750	53.83	0.72	74.0	-20.17	Peak	161.00	150	Vertical	Pass
4**	7853.750	44.41	0.72	54.0	-9.59	AV	161.00	150	Vertical	Pass
5	11802.138	50.07	-3.52	74.0	-23.93	Peak	137.00	150	Vertical	Pass
5**	11802.138	39.94	-3.52	54.0	-14.06	AV	137.00	150	Vertical	Pass
6	17780.552	54.48	2.96	74.0	-19.52	Peak	198.00	150	Vertical	Pass
6**	17780.552	44.29	2.96	54.0	-9.71	AV	198.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.71	-17.77	74.0	-32.29	Peak	238.00	150	Horizontal	Pass
1**	1600.100	35.77	-17.77	54.0	-18.23	AV	238.00	150	Horizontal	Pass
2	2429.000	107.91	-12.53	74.0	33.91	Peak	73.00	150	Horizontal	N/A
2**	2429.000	99.58	-12.53	54.0	45.58	AV	73.00	150	Horizontal	N/A
3	5269.000	50.55	-3.42	74.0	-23.45	Peak	147.00	150	Horizontal	Pass
3**	5269.000	41.29	-3.42	54.0	-12.71	AV	147.00	150	Horizontal	Pass
4	7841.000	54.00	1.76	74.0	-20.00	Peak	246.00	150	Horizontal	Pass
4**	7841.000	45.45	1.76	54.0	-8.55	AV	246.00	150	Horizontal	Pass
5	10714.150	49.52	-4.83	74.0	-24.48	Peak	36.00	150	Horizontal	Pass
5**	10714.150	40.05	-4.83	54.0	-13.95	AV	36.00	150	Horizontal	Pass
6	16892.250	53.95	1.45	74.0	-20.05	Peak	360.00	150	Horizontal	Pass
6**	16892.250	44.77	1.45	54.0	-9.23	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.17	-17.77	74.0	-31.83	Peak	278.00	150	Vertical	Pass
1**	1600.100	36.49	-17.77	54.0	-17.51	AV	278.00	150	Vertical	Pass
2	2428.400	97.07	-12.52	74.0	23.07	Peak	84.00	150	Vertical	N/A
2**	2428.400	90.59	-12.52	54.0	36.59	AV	84.00	150	Vertical	N/A
3	5182.000	51.08	-2.12	74.0	-22.92	Peak	121.00	150	Vertical	Pass
3**	5182.000	42.05	-2.12	54.0	-11.95	AV	121.00	150	Vertical	Pass
4	7817.500	53.45	1.55	74.0	-20.55	Peak	102.00	150	Vertical	Pass
4**	7817.500	44.65	1.55	54.0	-9.35	AV	102.00	150	Vertical	Pass
5	10790.388	49.75	-5.30	74.0	-24.25	Peak	330.00	150	Vertical	Pass
5**	10790.388	40.22	-5.30	54.0	-13.78	AV	330.00	150	Vertical	Pass
6	17547.713	53.84	3.15	74.0	-20.16	Peak	312.00	150	Vertical	Pass
6**	17547.713	43.31	3.15	54.0	-10.69	AV	312.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.00	-17.75	74.0	-32.00	Peak	19.00	150	Horizontal	Pass
1**	1599.900	35.32	-17.75	54.0	-18.68	AV	19.00	150	Horizontal	Pass
2	2434.300	108.01	-12.15	74.0	34.01	Peak	122.00	150	Horizontal	N/A
2**	2434.300	101.53	-12.15	54.0	47.53	AV	122.00	150	Horizontal	N/A
3	5318.250	51.01	-3.48	74.0	-22.99	Peak	218.00	150	Horizontal	Pass
3**	5318.250	41.50	-3.48	54.0	-12.50	AV	218.00	150	Horizontal	Pass
4	7856.000	53.44	1.10	74.0	-20.56	Peak	55.00	150	Horizontal	Pass
4**	7856.000	44.52	1.10	54.0	-9.48	AV	55.00	150	Horizontal	Pass
5	11439.713	49.61	-3.94	74.0	-24.39	Peak	279.00	150	Horizontal	Pass
5**	11439.713	40.07	-3.94	54.0	-13.93	AV	279.00	150	Horizontal	Pass
6	17298.074	53.45	2.01	74.0	-20.55	Peak	360.00	150	Horizontal	Pass
6**	17298.074	43.01	2.01	54.0	-10.99	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.48	-17.72	74.0	-32.52	Peak	172.00	150	Vertical	Pass
1**	1599.700	34.52	-17.72	54.0	-19.48	AV	172.00	150	Vertical	Pass
2	2429.500	99.08	-12.49	74.0	25.08	Peak	84.00	150	Vertical	N/A
2**	2429.500	91.82	-12.49	54.0	37.82	AV	84.00	150	Vertical	N/A
3	5203.500	51.04	-3.49	74.0	-22.96	Peak	57.00	150	Vertical	Pass
3**	5203.500	41.40	-3.49	54.0	-12.60	AV	57.00	150	Vertical	Pass
4	7832.750	53.90	2.28	74.0	-20.10	Peak	231.00	150	Vertical	Pass
4**	7832.750	44.90	2.28	54.0	-9.10	AV	231.00	150	Vertical	Pass
5	11958.651	49.10	-3.64	74.0	-24.90	Peak	88.00	150	Vertical	Pass
5**	11958.651	39.10	-3.64	54.0	-14.90	AV	88.00	150	Vertical	Pass
6	17487.864	53.45	3.08	74.0	-20.55	Peak	360.00	150	Vertical	Pass
6**	17487.864	42.64	3.08	54.0	-11.36	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.35	-17.78	74.0	-32.65	Peak	308.00	150	Horizontal	Pass
1**	1600.300	36.47	-17.78	54.0	-17.53	AV	308.00	150	Horizontal	Pass
2	2432.600	108.84	-12.31	74.0	34.84	Peak	67.00	150	Horizontal	N/A
2**	2432.600	101.48	-12.31	54.0	47.48	AV	67.00	150	Horizontal	N/A
3	4490.000	49.06	-3.93	74.0	-24.94	Peak	217.00	150	Horizontal	Pass
3**	4490.000	39.50	-3.93	54.0	-14.50	AV	217.00	150	Horizontal	Pass
4	7846.250	53.91	1.25	74.0	-20.09	Peak	291.00	150	Horizontal	Pass
4**	7846.250	44.57	1.25	54.0	-9.43	AV	291.00	150	Horizontal	Pass
5	11719.250	48.95	-4.11	74.0	-25.05	Peak	53.00	150	Horizontal	Pass
5**	11719.250	39.89	-4.11	54.0	-14.11	AV	53.00	150	Horizontal	Pass
6	16910.364	54.17	1.35	74.0	-19.83	Peak	8.00	150	Horizontal	Pass
6**	16910.364	43.65	1.35	54.0	-10.35	AV	8.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.85	-17.75	74.0	-32.15	Peak	23.00	150	Vertical	Pass
1**	1599.900	37.13	-17.75	54.0	-16.87	AV	23.00	150	Vertical	Pass
2	2433.100	97.70	-12.27	74.0	23.70	Peak	204.00	150	Vertical	N/A
2**	2433.100	90.86	-12.27	54.0	36.86	AV	204.00	150	Vertical	N/A
3	5179.750	51.10	-2.22	74.0	-22.90	Peak	146.00	150	Vertical	Pass
3**	5179.750	42.10	-2.22	54.0	-11.90	AV	146.00	150	Vertical	Pass
4	7837.000	53.72	2.08	74.0	-20.28	Peak	95.00	150	Vertical	Pass
4**	7837.000	44.85	2.08	54.0	-9.15	AV	95.00	150	Vertical	Pass
5	13668.750	51.11	0.31	74.0	-22.89	Peak	322.00	150	Vertical	Pass
5**	13668.750	41.64	0.31	54.0	-12.36	AV	322.00	150	Vertical	Pass
6	16414.762	53.58	0.22	74.0	-20.42	Peak	210.00	150	Vertical	Pass
6**	16414.762	44.56	0.22	54.0	-9.44	AV	210.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.66	-17.78	74.0	-32.34	Peak	347.00	150	Horizontal	Pass
1**	1600.200	36.06	-17.78	54.0	-17.94	AV	347.00	150	Horizontal	Pass
2	2448.800	107.88	-12.89	74.0	33.88	Peak	100.00	150	Horizontal	N/A
2**	2448.800	101.98	-12.89	54.0	47.98	AV	100.00	150	Horizontal	N/A
3	5192.000	51.30	-2.75	74.0	-22.70	Peak	0.00	150	Horizontal	Pass
3**	5192.000	42.75	-2.75	54.0	-11.25	AV	0.00	150	Horizontal	Pass
4	7858.250	53.89	1.11	74.0	-20.11	Peak	43.00	150	Horizontal	Pass
4**	7858.250	45.04	1.11	54.0	-8.96	AV	43.00	150	Horizontal	Pass
5	11797.862	49.96	-3.55	74.0	-24.04	Peak	90.00	150	Horizontal	Pass
5**	11797.862	40.28	-3.55	54.0	-13.72	AV	90.00	150	Horizontal	Pass
6	17305.688	53.26	2.00	74.0	-20.74	Peak	325.00	150	Horizontal	Pass
6**	17305.688	43.47	2.00	54.0	-10.53	AV	325.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.00	-17.75	74.0	-32.00	Peak	338.00	150	Vertical	Pass
1**	1599.900	35.93	-17.75	54.0	-18.07	AV	338.00	150	Vertical	Pass
2	2445.700	97.64	-12.60	74.0	23.64	Peak	120.00	150	Vertical	N/A
2**	2445.700	89.02	-12.60	54.0	35.02	AV	120.00	150	Vertical	N/A
3	5181.750	50.53	-2.14	74.0	-23.47	Peak	342.00	150	Vertical	Pass
3**	5181.750	41.82	-2.14	54.0	-12.18	AV	342.00	150	Vertical	Pass
4	7849.750	53.65	1.22	74.0	-20.35	Peak	100.00	150	Vertical	Pass
4**	7849.750	45.16	1.22	54.0	-8.84	AV	100.00	150	Vertical	Pass
5	13364.513	51.04	-0.17	74.0	-22.96	Peak	325.00	150	Vertical	Pass
5**	13364.513	42.31	-0.17	54.0	-11.69	AV	325.00	150	Vertical	Pass
6	17800.239	54.56	3.22	74.0	-19.44	Peak	61.00	150	Vertical	Pass
6**	17800.239	45.17	3.22	54.0	-8.83	AV	61.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.61	-17.72	74.0	-32.39	Peak	157.00	150	Horizontal	Pass
1**	1599.700	35.24	-17.72	54.0	-18.76	AV	157.00	150	Horizontal	Pass
2	2449.800	106.98	-12.77	74.0	32.98	Peak	71.00	150	Horizontal	N/A
2**	2449.800	100.60	-12.77	54.0	46.60	AV	71.00	150	Horizontal	N/A
3	5239.000	50.94	-3.22	74.0	-23.06	Peak	75.00	150	Horizontal	Pass
3**	5239.000	41.74	-3.22	54.0	-12.26	AV	75.00	150	Horizontal	Pass
4	7863.750	53.74	1.51	74.0	-20.26	Peak	125.00	150	Horizontal	Pass
4**	7863.750	45.44	1.51	54.0	-8.56	AV	125.00	150	Horizontal	Pass
5	11303.388	49.59	-4.04	74.0	-24.41	Peak	22.00	150	Horizontal	Pass
5**	11303.388	39.43	-4.04	54.0	-14.57	AV	22.00	150	Horizontal	Pass
6	17634.339	53.24	3.01	74.0	-20.76	Peak	360.00	150	Horizontal	Pass
6**	17634.339	44.19	3.01	54.0	-9.81	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.87	-17.75	74.0	-32.13	Peak	194.00	150	Vertical	Pass
1**	1599.900	35.74	-17.75	54.0	-18.26	AV	194.00	150	Vertical	Pass
2	2450.100	95.70	-12.74	74.0	21.70	Peak	86.00	150	Vertical	N/A
2**	2450.100	88.12	-12.74	54.0	34.12	AV	86.00	150	Vertical	N/A
3	5186.250	51.52	-2.40	74.0	-22.48	Peak	312.00	150	Vertical	Pass
3**	5186.250	41.88	-2.40	54.0	-12.12	AV	312.00	150	Vertical	Pass
4	7849.500	54.93	1.19	74.0	-19.07	Peak	169.00	150	Vertical	Pass
4**	7849.500	45.15	1.19	54.0	-8.85	AV	169.00	150	Vertical	Pass
5	12305.637	50.05	-2.48	74.0	-23.95	Peak	26.00	150	Vertical	Pass
5**	12305.637	40.90	-2.48	54.0	-13.10	AV	26.00	150	Vertical	Pass
6	17920.725	53.86	2.28	74.0	-20.14	Peak	325.00	150	Vertical	Pass
6**	17920.725	43.09	2.28	54.0	-10.91	AV	325.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.17	-17.75	74.0	-31.83	Peak	325.00	150	Horizontal	Pass
1**	1599.900	35.53	-17.75	54.0	-18.47	AV	325.00	150	Horizontal	Pass
2	2457.100	104.20	-12.67	74.0	30.20	Peak	64.00	150	Horizontal	N/A
2**	2457.100	95.95	-12.67	54.0	41.95	AV	64.00	150	Horizontal	N/A
3	5180.500	50.44	-2.20	74.0	-23.56	Peak	47.00	150	Horizontal	Pass
3**	5180.500	42.19	-2.20	54.0	-11.81	AV	47.00	150	Horizontal	Pass
4	7829.750	53.79	1.95	74.0	-20.21	Peak	338.00	150	Horizontal	Pass
4**	7829.750	45.13	1.95	54.0	-8.87	AV	338.00	150	Horizontal	Pass
5	11459.188	49.29	-3.95	74.0	-24.71	Peak	90.00	150	Horizontal	Pass
5**	11459.188	40.62	-3.95	54.0	-13.38	AV	90.00	150	Horizontal	Pass
6	17803.911	55.47	3.19	74.0	-18.53	Peak	81.00	150	Horizontal	Pass
6**	17803.911	45.29	3.19	54.0	-8.71	AV	81.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.96	-17.74	74.0	-32.04	Peak	112.00	150	Vertical	Pass
1**	1599.800	35.37	-17.74	54.0	-18.63	AV	112.00	150	Vertical	Pass
2	2450.400	91.62	-12.73	74.0	17.62	Peak	124.00	150	Vertical	N/A
2**	2450.400	83.58	-12.73	54.0	29.58	AV	124.00	150	Vertical	N/A
3	5310.750	50.44	-3.68	74.0	-23.56	Peak	246.00	150	Vertical	Pass
3**	5310.750	40.43	-3.68	54.0	-13.57	AV	246.00	150	Vertical	Pass
4	7835.750	53.61	2.15	74.0	-20.39	Peak	316.00	150	Vertical	Pass
4**	7835.750	45.40	2.15	54.0	-8.60	AV	316.00	150	Vertical	Pass
5	12299.700	49.78	-2.44	74.0	-24.22	Peak	9.00	150	Vertical	Pass
5**	12299.700	40.30	-2.44	54.0	-13.70	AV	9.00	150	Vertical	Pass
6	17291.776	53.87	2.00	74.0	-20.13	Peak	346.00	150	Vertical	Pass
6**	17291.776	44.35	2.00	54.0	-9.65	AV	346.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	40.86	-17.77	74.0	-33.14	Peak	223.00	150	Horizontal	Pass
1**	1600.100	36.64	-17.77	54.0	-17.36	AV	223.00	150	Horizontal	Pass
2	2464.000	108.78	-12.70	74.0	34.78	Peak	121.00	150	Horizontal	N/A
2**	2464.000	101.70	-12.70	54.0	47.70	AV	121.00	150	Horizontal	N/A
3	5178.500	50.47	-2.29	74.0	-23.53	Peak	107.00	150	Horizontal	Pass
3**	5178.500	41.82	-2.29	54.0	-12.18	AV	107.00	150	Horizontal	Pass
4	7818.500	53.37	1.79	74.0	-20.63	Peak	283.00	150	Horizontal	Pass
4**	7818.500	44.25	1.79	54.0	-9.75	AV	283.00	150	Horizontal	Pass
5	10803.213	49.25	-5.34	74.0	-24.75	Peak	57.00	150	Horizontal	Pass
5**	10803.213	38.93	-5.34	54.0	-15.07	AV	57.00	150	Horizontal	Pass
6	16409.250	53.43	0.26	74.0	-20.57	Peak	44.00	150	Horizontal	Pass
6**	16409.250	43.30	0.26	54.0	-10.70	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.13	-17.77	74.0	-32.87	Peak	180.00	150	Vertical	Pass
1**	1600.100	36.67	-17.77	54.0	-17.33	AV	180.00	150	Vertical	Pass
2	2466.000	99.77	-12.74	74.0	25.77	Peak	40.00	150	Vertical	N/A
2**	2466.000	92.38	-12.74	54.0	38.38	AV	40.00	150	Vertical	N/A
3	6448.750	51.93	-1.20	74.0	-22.07	Peak	276.00	150	Vertical	Pass
3**	6448.750	41.00	-1.20	54.0	-13.00	AV	276.00	150	Vertical	Pass
4	7860.500	53.52	1.29	74.0	-20.48	Peak	56.00	150	Vertical	Pass
4**	7860.500	45.28	1.29	54.0	-8.72	AV	56.00	150	Vertical	Pass
5	13543.800	51.09	0.65	74.0	-22.91	Peak	0.00	150	Vertical	Pass
5**	13543.800	40.41	0.65	54.0	-13.59	AV	0.00	150	Vertical	Pass
6	17298.338	54.00	2.01	74.0	-20.00	Peak	76.00	150	Vertical	Pass
6**	17298.338	44.66	2.01	54.0	-9.34	AV	76.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.16	-17.78	74.0	-32.84	Peak	292.00	150	Horizontal	Pass
1**	1600.200	36.45	-17.78	54.0	-17.55	AV	292.00	150	Horizontal	Pass
2	2427.300	106.10	-12.49	74.0	32.10	Peak	27.00	150	Horizontal	N/A
2**	2427.300	98.82	-12.49	54.0	44.82	AV	27.00	150	Horizontal	N/A
3	5180.000	50.74	-2.21	74.0	-23.26	Peak	97.00	150	Horizontal	Pass
3**	5180.000	41.64	-2.21	54.0	-12.36	AV	97.00	150	Horizontal	Pass
4	7840.500	53.77	1.82	74.0	-20.23	Peak	306.00	150	Horizontal	Pass
4**	7840.500	45.28	1.82	54.0	-8.72	AV	306.00	150	Horizontal	Pass
5	11784.088	50.37	-3.68	74.0	-23.63	Peak	176.00	150	Horizontal	Pass
5**	11784.088	40.29	-3.68	54.0	-13.71	AV	176.00	150	Horizontal	Pass
6	16522.125	54.62	0.01	74.0	-19.38	Peak	9.00	150	Horizontal	Pass
6**	16522.125	44.10	0.01	54.0	-9.90	AV	9.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.78	-17.78	74.0	-33.22	Peak	231.00	150	Vertical	Pass
1**	1600.200	36.44	-17.78	54.0	-17.56	AV	231.00	150	Vertical	Pass
2	2424.000	95.84	-12.82	74.0	21.84	Peak	202.00	150	Vertical	N/A
2**	2424.000	87.34	-12.82	54.0	33.34	AV	202.00	150	Vertical	N/A
3	5184.000	51.38	-2.21	74.0	-22.62	Peak	230.00	150	Vertical	Pass
3**	5184.000	42.42	-2.21	54.0	-11.58	AV	230.00	150	Vertical	Pass
4	7819.000	54.03	1.85	74.0	-19.97	Peak	321.00	150	Vertical	Pass
4**	7819.000	44.35	1.85	54.0	-9.65	AV	321.00	150	Vertical	Pass
5	10792.526	49.27	-5.32	74.0	-24.73	Peak	177.00	150	Vertical	Pass
5**	10792.526	39.56	-5.32	54.0	-14.44	AV	177.00	150	Vertical	Pass
6	17790.525	53.73	3.09	74.0	-20.27	Peak	0.00	150	Vertical	Pass
6**	17790.525	43.88	3.09	54.0	-10.12	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.700	41.90	-17.38	74.0	-32.10	Peak	360.00	150	Horizontal	Pass
1**	1604.700	32.76	-17.38	54.0	-21.24	AV	360.00	150	Horizontal	Pass
2	2429.800	101.44	-12.47	74.0	27.44	Peak	75.00	150	Horizontal	N/A
2**	2429.800	94.55	-12.47	54.0	40.55	AV	75.00	150	Horizontal	N/A
3	5189.750	51.18	-2.65	74.0	-22.82	Peak	360.00	150	Horizontal	Pass
3**	5189.750	41.59	-2.65	54.0	-12.41	AV	360.00	150	Horizontal	Pass
4	7858.750	54.30	1.15	74.0	-19.70	Peak	182.00	150	Horizontal	Pass
4**	7858.750	44.38	1.15	54.0	-9.62	AV	182.00	150	Horizontal	Pass
5	11418.812	49.88	-4.08	74.0	-24.12	Peak	266.00	150	Horizontal	Pass
5**	11418.812	39.99	-4.08	54.0	-14.01	AV	266.00	150	Horizontal	Pass
6	16499.025	53.13	-0.00	74.0	-20.87	Peak	312.00	150	Horizontal	Pass
6**	16499.025	43.75	-0.00	54.0	-10.25	AV	312.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	41.27	-17.70	74.0	-32.73	Peak	91.00	150	Vertical	Pass
1**	1599.500	33.32	-17.70	54.0	-20.68	AV	91.00	150	Vertical	Pass
2	2432.600	90.38	-12.31	74.0	16.38	Peak	83.00	150	Vertical	N/A
2**	2432.600	83.34	-12.31	54.0	29.34	AV	83.00	150	Vertical	N/A
3	5279.250	50.72	-3.39	74.0	-23.28	Peak	177.00	150	Vertical	Pass
3**	5279.250	42.46	-3.39	54.0	-11.54	AV	177.00	150	Vertical	Pass
4	7829.500	53.68	1.95	74.0	-20.32	Peak	79.00	150	Vertical	Pass
4**	7829.500	45.39	1.95	54.0	-8.61	AV	79.00	150	Vertical	Pass
5	11706.424	49.60	-4.17	74.0	-24.40	Peak	106.00	150	Vertical	Pass
5**	11706.424	39.90	-4.17	54.0	-14.10	AV	106.00	150	Vertical	Pass
6	16899.338	52.70	1.51	74.0	-21.30	Peak	360.00	150	Vertical	Pass
6**	16899.338	43.83	1.51	54.0	-10.17	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.25	-17.77	74.0	-31.75	Peak	58.00	150	Horizontal	Pass
1**	1600.100	36.21	-17.77	54.0	-17.79	AV	58.00	150	Horizontal	Pass
2	2433.500	102.45	-12.22	74.0	28.45	Peak	68.00	150	Horizontal	N/A
2**	2433.500	96.12	-12.22	54.0	42.12	AV	68.00	150	Horizontal	N/A
3	5184.000	51.57	-2.21	74.0	-22.43	Peak	35.00	150	Horizontal	Pass
3**	5184.000	42.55	-2.21	54.0	-11.45	AV	35.00	150	Horizontal	Pass
4	7840.000	53.78	1.88	74.0	-20.22	Peak	82.00	150	Horizontal	Pass
4**	7840.000	44.60	1.88	54.0	-9.40	AV	82.00	150	Horizontal	Pass
5	11814.013	49.65	-3.44	74.0	-24.35	Peak	76.00	150	Horizontal	Pass
5**	11814.013	40.59	-3.44	54.0	-13.41	AV	76.00	150	Horizontal	Pass
6	17875.313	53.50	2.67	74.0	-20.50	Peak	346.00	150	Horizontal	Pass
6**	17875.313	44.03	2.67	54.0	-9.97	AV	346.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.18	-17.75	74.0	-31.82	Peak	174.00	150	Vertical	Pass
1**	1599.900	35.53	-17.75	54.0	-18.47	AV	174.00	150	Vertical	Pass
2	2430.500	91.45	-12.43	74.0	17.45	Peak	85.00	150	Vertical	N/A
2**	2430.500	84.53	-12.43	54.0	30.53	AV	85.00	150	Vertical	N/A
3	5307.250	50.85	-3.53	74.0	-23.15	Peak	145.00	150	Vertical	Pass
3**	5307.250	41.30	-3.53	54.0	-12.70	AV	145.00	150	Vertical	Pass
4	7830.750	54.79	2.00	74.0	-19.21	Peak	304.00	150	Vertical	Pass
4**	7830.750	44.56	2.00	54.0	-9.44	AV	304.00	150	Vertical	Pass
5	11445.888	50.23	-3.90	74.0	-23.77	Peak	46.00	150	Vertical	Pass
5**	11445.888	40.02	-3.90	54.0	-13.98	AV	46.00	150	Vertical	Pass
6	17812.838	53.61	3.12	74.0	-20.39	Peak	327.00	150	Vertical	Pass
6**	17812.838	44.80	3.12	54.0	-9.20	AV	327.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.19	-17.78	74.0	-32.81	Peak	31.00	150	Horizontal	Pass
1**	1600.200	36.05	-17.78	54.0	-17.95	AV	31.00	150	Horizontal	Pass
2	2431.500	105.47	-12.39	74.0	31.47	Peak	130.00	150	Horizontal	N/A
2**	2431.500	96.05	-12.39	54.0	42.05	AV	130.00	150	Horizontal	N/A
3	5312.250	51.09	-3.75	74.0	-22.91	Peak	233.00	150	Horizontal	Pass
3**	5312.250	41.45	-3.75	54.0	-12.55	AV	233.00	150	Horizontal	Pass
4	7835.000	54.69	2.19	74.0	-19.31	Peak	275.00	150	Horizontal	Pass
4**	7835.000	45.66	2.19	54.0	-8.34	AV	275.00	150	Horizontal	Pass
5	10374.762	49.92	-4.63	74.0	-24.08	Peak	186.00	150	Horizontal	Pass
5**	10374.762	39.70	-4.63	54.0	-14.30	AV	186.00	150	Horizontal	Pass
6	16428.676	53.68	0.13	74.0	-20.32	Peak	159.00	150	Horizontal	Pass
6**	16428.676	43.13	0.13	54.0	-10.87	AV	159.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.68	-17.75	74.0	-32.32	Peak	188.00	150	Vertical	Pass
1**	1599.900	36.98	-17.75	54.0	-17.02	AV	188.00	150	Vertical	Pass
2	2433.300	94.68	-12.24	74.0	20.68	Peak	34.00	150	Vertical	N/A
2**	2433.300	87.45	-12.24	54.0	33.45	AV	34.00	150	Vertical	N/A
3	5180.250	51.94	-2.21	74.0	-22.06	Peak	169.00	150	Vertical	Pass
3**	5180.250	41.97	-2.21	54.0	-12.03	AV	169.00	150	Vertical	Pass
4	7829.750	53.43	1.95	74.0	-20.57	Peak	70.00	150	Vertical	Pass
4**	7829.750	44.77	1.95	54.0	-9.23	AV	70.00	150	Vertical	Pass
5	11458.713	49.88	-3.95	74.0	-24.12	Peak	223.00	150	Vertical	Pass
5**	11458.713	40.03	-3.95	54.0	-13.97	AV	223.00	150	Vertical	Pass
6	16879.651	53.93	1.34	74.0	-20.07	Peak	60.00	150	Vertical	Pass
6**	16879.651	44.73	1.34	54.0	-9.27	AV	60.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.76	-17.72	74.0	-32.24	Peak	290.00	150	Horizontal	Pass
1**	1599.700	34.82	-17.72	54.0	-19.18	AV	290.00	150	Horizontal	Pass
2	2434.700	101.09	-12.12	74.0	27.09	Peak	129.00	150	Horizontal	N/A
2**	2434.700	93.77	-12.12	54.0	39.77	AV	129.00	150	Horizontal	N/A
3	5433.000	50.63	-2.61	74.0	-23.37	Peak	152.00	150	Horizontal	Pass
3**	5433.000	40.98	-2.61	54.0	-13.02	AV	152.00	150	Horizontal	Pass
4	7831.000	54.12	2.03	74.0	-19.88	Peak	67.00	150	Horizontal	Pass
4**	7831.000	45.87	2.03	54.0	-8.13	AV	67.00	150	Horizontal	Pass
5	10551.937	49.13	-4.57	74.0	-24.87	Peak	306.00	150	Horizontal	Pass
5**	10551.937	39.20	-4.57	54.0	-14.80	AV	306.00	150	Horizontal	Pass
6	17819.400	54.17	3.06	74.0	-19.83	Peak	309.00	150	Horizontal	Pass
6**	17819.400	43.62	3.06	54.0	-10.38	AV	309.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.60	-17.74	74.0	-31.40	Peak	4.00	150	Vertical	Pass
1**	1599.800	35.06	-17.74	54.0	-18.94	AV	4.00	150	Vertical	Pass
2	2433.500	89.74	-12.22	74.0	15.74	Peak	81.00	150	Vertical	N/A
2**	2433.500	83.18	-12.22	54.0	29.18	AV	81.00	150	Vertical	N/A
3	5243.250	50.88	-3.59	74.0	-23.12	Peak	162.00	150	Vertical	Pass
3**	5243.250	40.91	-3.59	54.0	-13.09	AV	162.00	150	Vertical	Pass
4	7829.000	53.68	1.93	74.0	-20.32	Peak	0.00	150	Vertical	Pass
4**	7829.000	44.62	1.93	54.0	-9.38	AV	0.00	150	Vertical	Pass
5	11410.975	49.72	-4.14	74.0	-24.28	Peak	194.00	150	Vertical	Pass
5**	11410.975	40.14	-4.14	54.0	-13.86	AV	194.00	150	Vertical	Pass
6	16402.162	53.39	0.31	74.0	-20.61	Peak	350.00	150	Vertical	Pass
6**	16402.162	42.66	0.31	54.0	-11.34	AV	350.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.20	-17.76	74.0	-31.80	Peak	74.00	150	Horizontal	Pass
1**	1600.000	36.12	-17.76	54.0	-17.88	AV	74.00	150	Horizontal	Pass
2	2435.100	101.16	-12.08	74.0	27.16	Peak	69.00	150	Horizontal	N/A
2**	2435.100	93.20	-12.08	54.0	39.20	AV	69.00	150	Horizontal	N/A
3	5315.250	50.77	-3.51	74.0	-23.23	Peak	209.00	150	Horizontal	Pass
3**	5315.250	41.07	-3.51	54.0	-12.93	AV	209.00	150	Horizontal	Pass
4	7838.750	54.01	2.00	74.0	-19.99	Peak	173.00	150	Horizontal	Pass
4**	7838.750	44.74	2.00	54.0	-9.26	AV	173.00	150	Horizontal	Pass
5	11801.187	49.80	-3.53	74.0	-24.20	Peak	122.00	150	Horizontal	Pass
5**	11801.187	40.18	-3.53	54.0	-13.82	AV	122.00	150	Horizontal	Pass
6	17868.489	54.39	2.71	74.0	-19.61	Peak	261.00	150	Horizontal	Pass
6**	17868.489	44.14	2.71	54.0	-9.86	AV	261.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.600	42.15	-17.76	74.0	-31.85	Peak	46.00	150	Vertical	Pass
1**	1600.600	33.95	-17.76	54.0	-20.05	AV	46.00	150	Vertical	Pass
2	2435.300	88.67	-12.06	74.0	14.67	Peak	125.00	150	Vertical	N/A
2**	2435.300	81.16	-12.06	54.0	27.16	AV	125.00	150	Vertical	N/A
3	5181.750	51.97	-2.14	74.0	-22.03	Peak	312.00	150	Vertical	Pass
3**	5181.750	41.07	-2.14	54.0	-12.93	AV	312.00	150	Vertical	Pass
4	7846.750	54.13	1.17	74.0	-19.87	Peak	120.00	150	Vertical	Pass
4**	7846.750	44.71	1.17	54.0	-9.29	AV	120.00	150	Vertical	Pass
5	11432.825	48.96	-3.99	74.0	-25.04	Peak	174.00	150	Vertical	Pass
5**	11432.825	39.47	-3.99	54.0	-14.53	AV	174.00	150	Vertical	Pass
6	17801.550	53.13	3.21	74.0	-20.87	Peak	312.00	150	Vertical	Pass
6**	17801.550	43.34	3.21	54.0	-10.66	AV	312.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.10	-17.75	74.0	-32.90	Peak	311.00	150	Horizontal	Pass
1**	1599.900	36.05	-17.75	54.0	-17.95	AV	311.00	150	Horizontal	Pass
2	2454.100	105.04	-13.11	74.0	31.04	Peak	218.00	150	Horizontal	N/A
2**	2454.100	97.67	-13.11	54.0	43.67	AV	218.00	150	Horizontal	N/A
3	5197.250	50.99	-3.27	74.0	-23.01	Peak	21.00	150	Horizontal	Pass
3**	5197.250	40.99	-3.27	54.0	-13.01	AV	21.00	150	Horizontal	Pass
4	7456.500	53.45	1.14	74.0	-20.55	Peak	186.00	150	Horizontal	Pass
4**	7456.500	43.17	1.14	54.0	-10.83	AV	186.00	150	Horizontal	Pass
5	11456.099	50.02	-3.92	74.0	-23.98	Peak	200.00	150	Horizontal	Pass
5**	11456.099	40.27	-3.92	54.0	-13.73	AV	200.00	150	Horizontal	Pass
6	17331.413	53.70	1.93	74.0	-20.30	Peak	25.00	150	Horizontal	Pass
6**	17331.413	42.32	1.93	54.0	-11.68	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.68	-17.76	74.0	-32.32	Peak	253.00	150	Vertical	Pass
1**	1600.000	36.43	-17.76	54.0	-17.57	AV	253.00	150	Vertical	Pass
2	2464.800	94.14	-12.74	74.0	20.14	Peak	44.00	150	Vertical	N/A
2**	2464.800	87.28	-12.74	54.0	33.28	AV	44.00	150	Vertical	N/A
3	5182.750	50.89	-2.08	74.0	-23.11	Peak	174.00	150	Vertical	Pass
3**	5182.750	41.50	-2.08	54.0	-12.50	AV	174.00	150	Vertical	Pass
4	7460.250	53.24	1.14	74.0	-20.76	Peak	258.00	150	Vertical	Pass
4**	7460.250	44.46	1.14	54.0	-9.54	AV	258.00	150	Vertical	Pass
5	13285.500	50.43	-0.26	74.0	-23.57	Peak	58.00	150	Vertical	Pass
5**	13285.500	40.69	-0.26	54.0	-13.31	AV	58.00	150	Vertical	Pass
6	17038.725	53.50	0.83	74.0	-20.50	Peak	42.00	150	Vertical	Pass
6**	17038.725	43.91	0.83	54.0	-10.09	AV	42.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.18	-17.78	74.0	-32.82	Peak	351.00	150	Horizontal	Pass
1**	1600.200	36.68	-17.78	54.0	-17.32	AV	351.00	150	Horizontal	Pass
2	2413.500	107.59	-13.42	74.0	33.59	Peak	62.00	150	Horizontal	N/A
2**	2413.500	100.18	-13.42	54.0	46.18	AV	62.00	150	Horizontal	N/A
3	5238.000	50.70	-3.23	74.0	-23.30	Peak	105.00	150	Horizontal	Pass
3**	5238.000	41.19	-3.23	54.0	-12.81	AV	105.00	150	Horizontal	Pass
4	7820.500	53.53	1.88	74.0	-20.47	Peak	156.00	150	Horizontal	Pass
4**	7820.500	44.73	1.88	54.0	-9.27	AV	156.00	150	Horizontal	Pass
5	10223.713	49.77	-4.71	74.0	-24.23	Peak	318.00	150	Horizontal	Pass
5**	10223.713	39.39	-4.71	54.0	-14.61	AV	318.00	150	Horizontal	Pass
6	16533.676	53.28	0.02	74.0	-20.72	Peak	44.00	150	Horizontal	Pass
6**	16533.676	42.72	0.02	54.0	-11.28	AV	44.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.84	-17.77	74.0	-32.16	Peak	191.00	150	Vertical	Pass
1**	1600.100	36.50	-17.77	54.0	-17.50	AV	191.00	150	Vertical	Pass
2	2413.700	96.29	-13.42	74.0	22.29	Peak	35.00	150	Vertical	N/A
2**	2413.700	89.60	-13.42	54.0	35.60	AV	35.00	150	Vertical	N/A
3	5184.000	50.28	-2.21	74.0	-23.72	Peak	4.00	150	Vertical	Pass
3**	5184.000	41.95	-2.21	54.0	-12.05	AV	4.00	150	Vertical	Pass
4	7826.000	53.63	1.76	74.0	-20.37	Peak	0.00	150	Vertical	Pass
4**	7826.000	44.56	1.76	54.0	-9.44	AV	0.00	150	Vertical	Pass
5	13358.474	51.27	-0.19	74.0	-22.73	Peak	42.00	150	Vertical	Pass
5**	13358.474	41.94	-0.19	54.0	-12.06	AV	42.00	150	Vertical	Pass
6	17790.788	54.52	3.10	74.0	-19.48	Peak	154.00	150	Vertical	Pass
6**	17790.788	45.09	3.10	54.0	-8.91	AV	154.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	42.20	-17.77	74.0	-31.80	Peak	186.00	150	Horizontal	Pass
1**	1600.500	33.98	-17.77	54.0	-20.02	AV	186.00	150	Horizontal	Pass
2	2416.000	105.55	-13.33	74.0	31.55	Peak	78.00	150	Horizontal	N/A
2**	2416.000	99.00	-13.33	54.0	45.00	AV	78.00	150	Horizontal	N/A
3	5174.250	50.70	-2.58	74.0	-23.30	Peak	1.00	150	Horizontal	Pass
3**	5174.250	42.16	-2.58	54.0	-11.84	AV	1.00	150	Horizontal	Pass
4	7821.500	54.07	1.69	74.0	-19.93	Peak	50.00	150	Horizontal	Pass
4**	7821.500	44.01	1.69	54.0	-9.99	AV	50.00	150	Horizontal	Pass
5	13545.375	51.30	0.67	74.0	-22.70	Peak	42.00	150	Horizontal	Pass
5**	13545.375	41.51	0.67	54.0	-12.49	AV	42.00	150	Horizontal	Pass
6	16393.500	52.90	0.25	74.0	-21.10	Peak	157.00	150	Horizontal	Pass
6**	16393.500	43.61	0.25	54.0	-10.39	AV	157.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	42.12	-17.77	74.0	-31.88	Peak	306.00	150	Vertical	Pass
1**	1600.500	34.06	-17.77	54.0	-19.94	AV	306.00	150	Vertical	Pass
2	2417.400	94.86	-13.10	74.0	20.86	Peak	85.00	150	Vertical	N/A
2**	2417.400	87.00	-13.10	54.0	33.00	AV	85.00	150	Vertical	N/A
3	5231.750	51.23	-3.37	74.0	-22.77	Peak	39.00	150	Vertical	Pass
3**	5231.750	41.05	-3.37	54.0	-12.95	AV	39.00	150	Vertical	Pass
4	7838.250	54.70	2.02	74.0	-19.30	Peak	170.00	150	Vertical	Pass
4**	7838.250	44.85	2.02	54.0	-9.15	AV	170.00	150	Vertical	Pass
5	10721.275	49.53	-4.85	74.0	-24.47	Peak	69.00	150	Vertical	Pass
5**	10721.275	39.55	-4.85	54.0	-14.45	AV	69.00	150	Vertical	Pass
6	16900.125	53.13	1.51	74.0	-20.87	Peak	229.00	150	Vertical	Pass
6**	16900.125	44.97	1.51	54.0	-9.03	AV	229.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.40	-17.78	74.0	-32.60	Peak	68.00	150	Horizontal	Pass
1**	1600.200	35.62	-17.78	54.0	-18.38	AV	68.00	150	Horizontal	Pass
2	2423.800	108.15	-12.82	74.0	34.15	Peak	82.00	150	Horizontal	N/A
2**	2423.800	101.88	-12.82	54.0	47.88	AV	82.00	150	Horizontal	N/A
3	5326.000	51.76	-3.34	74.0	-22.24	Peak	6.00	150	Horizontal	Pass
3**	5326.000	41.45	-3.34	54.0	-12.55	AV	6.00	150	Horizontal	Pass
4	7830.250	54.13	1.97	74.0	-19.87	Peak	360.00	150	Horizontal	Pass
4**	7830.250	44.38	1.97	54.0	-9.62	AV	360.00	150	Horizontal	Pass
5	10575.925	50.55	-4.35	74.0	-23.45	Peak	7.00	150	Horizontal	Pass
5**	10575.925	38.61	-4.35	54.0	-15.39	AV	7.00	150	Horizontal	Pass
6	16415.025	52.73	0.22	74.0	-21.27	Peak	291.00	150	Horizontal	Pass
6**	16415.025	43.24	0.22	54.0	-10.76	AV	291.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.17	-17.78	74.0	-31.83	Peak	142.00	150	Vertical	Pass
1**	1600.300	36.47	-17.78	54.0	-17.53	AV	142.00	150	Vertical	Pass
2	2423.400	98.79	-12.81	74.0	24.79	Peak	85.00	150	Vertical	N/A
2**	2423.400	92.10	-12.81	54.0	38.10	AV	85.00	150	Vertical	N/A
3	5212.500	50.78	-3.47	74.0	-23.22	Peak	62.00	150	Vertical	Pass
3**	5212.500	40.97	-3.47	54.0	-13.03	AV	62.00	150	Vertical	Pass
4	7474.500	53.21	0.64	74.0	-20.79	Peak	240.00	150	Vertical	Pass
4**	7474.500	43.75	0.64	54.0	-10.25	AV	240.00	150	Vertical	Pass
5	11784.800	49.44	-3.67	74.0	-24.56	Peak	227.00	150	Vertical	Pass
5**	11784.800	41.01	-3.67	54.0	-12.99	AV	227.00	150	Vertical	Pass
6	17334.301	53.53	1.92	74.0	-20.47	Peak	348.00	150	Vertical	Pass
6**	17334.301	43.39	1.92	54.0	-10.61	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.00	-17.74	74.0	-32.00	Peak	56.00	150	Horizontal	Pass
1**	1599.800	35.22	-17.74	54.0	-18.78	AV	56.00	150	Horizontal	Pass
2	2428.000	108.08	-12.51	74.0	34.08	Peak	132.00	150	Horizontal	N/A
2**	2428.000	101.12	-12.51	54.0	47.12	AV	132.00	150	Horizontal	N/A
3	5004.000	49.89	-3.03	74.0	-24.11	Peak	155.00	150	Horizontal	Pass
3**	5004.000	40.10	-3.03	54.0	-13.90	AV	155.00	150	Horizontal	Pass
4	7835.000	53.88	2.19	74.0	-20.12	Peak	31.00	150	Horizontal	Pass
4**	7835.000	45.22	2.19	54.0	-8.78	AV	31.00	150	Horizontal	Pass
5	11940.838	49.49	-3.59	74.0	-24.51	Peak	258.00	150	Horizontal	Pass
5**	11940.838	39.66	-3.59	54.0	-14.34	AV	258.00	150	Horizontal	Pass
6	17782.651	53.91	2.99	74.0	-20.09	Peak	300.00	150	Horizontal	Pass
6**	17782.651	43.80	2.99	54.0	-10.20	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.89	-17.75	74.0	-32.11	Peak	352.00	150	Vertical	Pass
1**	1599.900	35.56	-17.75	54.0	-18.44	AV	352.00	150	Vertical	Pass
2	2428.300	98.62	-12.52	74.0	24.62	Peak	81.00	150	Vertical	N/A
2**	2428.300	91.78	-12.52	54.0	37.78	AV	81.00	150	Vertical	N/A
3	5183.000	52.10	-2.08	74.0	-21.90	Peak	74.00	150	Vertical	Pass
3**	5183.000	42.54	-2.08	54.0	-11.46	AV	74.00	150	Vertical	Pass
4	7838.500	53.92	2.01	74.0	-20.08	Peak	74.00	150	Vertical	Pass
4**	7838.500	45.02	2.01	54.0	-8.98	AV	74.00	150	Vertical	Pass
5	11422.375	49.80	-4.06	74.0	-24.20	Peak	322.00	150	Vertical	Pass
5**	11422.375	39.75	-4.06	54.0	-14.25	AV	322.00	150	Vertical	Pass
6	17758.761	53.64	2.66	74.0	-20.36	Peak	351.00	150	Vertical	Pass
6**	17758.761	42.52	2.66	54.0	-11.48	AV	351.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	43.27	-17.74	74.0	-30.73	Peak	270.00	150	Horizontal	Pass
1**	1599.800	35.90	-17.74	54.0	-18.10	AV	270.00	150	Horizontal	Pass
2	2430.100	107.84	-12.46	74.0	33.84	Peak	135.00	150	Horizontal	N/A
2**	2430.100	100.27	-12.46	54.0	46.27	AV	135.00	150	Horizontal	N/A
3	5182.250	51.06	-2.11	74.0	-22.94	Peak	338.00	150	Horizontal	Pass
3**	5182.250	42.46	-2.11	54.0	-11.54	AV	338.00	150	Horizontal	Pass
4	7838.500	54.01	2.01	74.0	-19.99	Peak	346.00	150	Horizontal	Pass
4**	7838.500	45.71	2.01	54.0	-8.29	AV	346.00	150	Horizontal	Pass
5	11300.775	49.43	-4.01	74.0	-24.57	Peak	288.00	150	Horizontal	Pass
5**	11300.775	40.66	-4.01	54.0	-13.34	AV	288.00	150	Horizontal	Pass
6	16558.875	53.25	0.02	74.0	-20.75	Peak	360.00	150	Horizontal	Pass
6**	16558.875	42.62	0.02	54.0	-11.38	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.39	-17.75	74.0	-31.61	Peak	211.00	150	Vertical	Pass
1**	1599.900	36.02	-17.75	54.0	-17.98	AV	211.00	150	Vertical	Pass
2	2433.400	97.50	-12.23	74.0	23.50	Peak	124.00	150	Vertical	N/A
2**	2433.400	91.08	-12.23	54.0	37.08	AV	124.00	150	Vertical	N/A
3	5172.750	51.80	-2.78	74.0	-22.20	Peak	322.00	150	Vertical	Pass
3**	5172.750	41.20	-2.78	54.0	-12.80	AV	322.00	150	Vertical	Pass
4	7864.500	54.67	1.60	74.0	-19.33	Peak	163.00	150	Vertical	Pass
4**	7864.500	44.55	1.60	54.0	-9.45	AV	163.00	150	Vertical	Pass
5	11943.925	49.27	-3.61	74.0	-24.73	Peak	0.00	150	Vertical	Pass
5**	11943.925	38.54	-3.61	54.0	-15.46	AV	0.00	150	Vertical	Pass
6	17879.251	53.82	2.65	74.0	-20.18	Peak	302.00	150	Vertical	Pass
6**	17879.251	43.64	2.65	54.0	-10.36	AV	302.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.78	-17.78	74.0	-32.22	Peak	226.00	150	Horizontal	Pass
1**	1600.200	35.42	-17.78	54.0	-18.58	AV	226.00	150	Horizontal	Pass
2	2436.000	108.49	-12.16	74.0	34.49	Peak	76.00	150	Horizontal	N/A
2**	2436.000	101.63	-12.16	54.0	47.63	AV	76.00	150	Horizontal	N/A
3	5316.750	50.97	-3.30	74.0	-23.03	Peak	335.00	150	Horizontal	Pass
3**	5316.750	41.95	-3.30	54.0	-12.05	AV	335.00	150	Horizontal	Pass
4	7823.750	53.79	1.90	74.0	-20.21	Peak	343.00	150	Horizontal	Pass
4**	7823.750	45.29	1.90	54.0	-8.71	AV	343.00	150	Horizontal	Pass
5	12294.000	49.63	-2.49	74.0	-24.37	Peak	191.00	150	Horizontal	Pass
5**	12294.000	40.72	-2.49	54.0	-13.28	AV	191.00	150	Horizontal	Pass
6	17064.188	53.71	1.03	74.0	-20.29	Peak	60.00	150	Horizontal	Pass
6**	17064.188	43.33	1.03	54.0	-10.67	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.72	-17.77	74.0	-32.28	Peak	273.00	150	Vertical	Pass
1**	1600.100	36.18	-17.77	54.0	-17.82	AV	273.00	150	Vertical	Pass
2	2435.200	98.12	-12.07	74.0	24.12	Peak	204.00	150	Vertical	N/A
2**	2435.200	89.93	-12.07	54.0	35.93	AV	204.00	150	Vertical	N/A
3	5071.750	50.58	-3.07	74.0	-23.42	Peak	205.00	150	Vertical	Pass
3**	5071.750	40.60	-3.07	54.0	-13.40	AV	205.00	150	Vertical	Pass
4	7834.000	54.63	2.24	74.0	-19.37	Peak	163.00	150	Vertical	Pass
4**	7834.000	44.79	2.24	54.0	-9.21	AV	163.00	150	Vertical	Pass
5	10464.538	49.62	-4.56	74.0	-24.38	Peak	155.00	150	Vertical	Pass
5**	10464.538	39.03	-4.56	54.0	-14.97	AV	155.00	150	Vertical	Pass
6	17456.886	53.26	3.10	74.0	-20.74	Peak	46.00	150	Vertical	Pass
6**	17456.886	42.89	3.10	54.0	-11.11	AV	46.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.67	-17.78	74.0	-31.33	Peak	262.00	150	Horizontal	Pass
1**	1600.300	36.81	-17.78	54.0	-17.19	AV	262.00	150	Horizontal	Pass
2	2449.000	107.78	-12.87	74.0	33.78	Peak	71.00	150	Horizontal	N/A
2**	2449.000	100.91	-12.87	54.0	46.91	AV	71.00	150	Horizontal	N/A
3	5134.500	50.30	-3.49	74.0	-23.70	Peak	240.00	150	Horizontal	Pass
3**	5134.500	41.01	-3.49	54.0	-12.99	AV	240.00	150	Horizontal	Pass
4	7839.000	52.48	1.99	74.0	-21.52	Peak	223.00	150	Horizontal	Pass
4**	7839.000	43.00	1.99	54.0	-11.00	AV	223.00	150	Horizontal	Pass
5	14105.813	50.84	-0.02	74.0	-23.16	Peak	363.00	150	Horizontal	Pass
5**	14105.813	40.43	-0.02	54.0	-13.57	AV	363.00	150	Horizontal	Pass
6	17077.313	53.18	1.13	74.0	-20.82	Peak	300.00	150	Horizontal	Pass
6**	17077.313	42.44	1.13	54.0	-11.56	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	43.02	-17.71	74.0	-30.98	Peak	360.00	150	Vertical	Pass
1**	1599.600	36.52	-17.71	54.0	-17.48	AV	360.00	150	Vertical	Pass
2	2444.900	97.88	-12.57	74.0	23.88	Peak	80.00	150	Vertical	N/A
2**	2444.900	90.82	-12.57	54.0	36.82	AV	80.00	150	Vertical	N/A
3	5328.000	49.68	-3.45	74.0	-24.32	Peak	283.00	150	Vertical	Pass
3**	5328.000	40.42	-3.45	54.0	-13.58	AV	283.00	150	Vertical	Pass
4	7719.750	52.23	0.69	74.0	-21.77	Peak	338.00	150	Vertical	Pass
4**	7719.750	42.43	0.69	54.0	-11.57	AV	338.00	150	Vertical	Pass
5	13386.299	50.25	-0.12	74.0	-23.75	Peak	206.00	150	Vertical	Pass
5**	13386.299	42.10	-0.12	54.0	-11.90	AV	206.00	150	Vertical	Pass
6	17484.450	53.83	3.08	74.0	-20.17	Peak	295.00	150	Vertical	Pass
6**	17484.450	43.71	3.08	54.0	-10.29	AV	295.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.97	-17.74	74.0	-31.03	Peak	0.00	150	Horizontal	Pass
1**	1599.800	37.16	-17.74	54.0	-16.84	AV	0.00	150	Horizontal	Pass
2	2450.900	107.28	-12.76	74.0	33.28	Peak	46.00	150	Horizontal	N/A
2**	2450.900	100.39	-12.76	54.0	46.39	AV	46.00	150	Horizontal	N/A
3	5350.000	50.25	-3.09	74.0	-23.75	Peak	343.00	150	Horizontal	Pass
3**	5350.000	41.52	-3.09	54.0	-12.48	AV	343.00	150	Horizontal	Pass
4	7861.000	53.08	1.31	74.0	-20.92	Peak	293.00	150	Horizontal	Pass
4**	7861.000	42.98	1.31	54.0	-11.02	AV	293.00	150	Horizontal	Pass
5	13390.238	50.83	-0.11	74.0	-23.17	Peak	48.00	150	Horizontal	Pass
5**	13390.238	41.30	-0.11	54.0	-12.70	AV	48.00	150	Horizontal	Pass
6	17555.849	52.53	3.17	74.0	-21.47	Peak	145.00	150	Horizontal	Pass
6**	17555.849	43.81	3.17	54.0	-10.19	AV	145.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	43.47	-17.76	74.0	-30.53	Peak	112.00	150	Vertical	Pass
1**	1600.000	37.65	-17.76	54.0	-16.35	AV	112.00	150	Vertical	Pass
2	2450.800	97.56	-12.75	74.0	23.56	Peak	80.00	150	Vertical	N/A
2**	2450.800	90.39	-12.75	54.0	36.39	AV	80.00	150	Vertical	N/A
3	5198.500	50.44	-3.28	74.0	-23.56	Peak	237.00	150	Vertical	Pass
3**	5198.500	39.83	-3.28	54.0	-14.17	AV	237.00	150	Vertical	Pass
4	7838.750	53.30	2.00	74.0	-20.70	Peak	359.00	150	Vertical	Pass
4**	7838.750	43.58	2.00	54.0	-10.42	AV	359.00	150	Vertical	Pass
5	13652.475	50.65	0.30	74.0	-23.35	Peak	361.00	150	Vertical	Pass
5**	13652.475	41.24	0.30	54.0	-12.76	AV	361.00	150	Vertical	Pass
6	17565.825	52.99	3.20	74.0	-21.01	Peak	338.00	150	Vertical	Pass
6**	17565.825	43.87	3.20	54.0	-10.13	AV	338.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.15	-17.78	74.0	-31.85	Peak	233.00	150	Horizontal	Pass
1**	1600.300	36.60	-17.78	54.0	-17.40	AV	233.00	150	Horizontal	Pass
2	2458.400	107.06	-12.66	74.0	33.06	Peak	78.00	150	Horizontal	N/A
2**	2458.400	100.52	-12.66	54.0	46.52	AV	78.00	150	Horizontal	N/A
3	5198.250	50.40	-3.30	74.0	-23.60	Peak	54.00	150	Horizontal	Pass
3**	5198.250	40.68	-3.30	54.0	-13.32	AV	54.00	150	Horizontal	Pass
4	7466.000	52.61	0.83	74.0	-21.39	Peak	341.00	150	Horizontal	Pass
4**	7466.000	43.01	0.83	54.0	-10.99	AV	341.00	150	Horizontal	Pass
5	13372.650	49.70	-0.15	74.0	-24.30	Peak	205.00	150	Horizontal	Pass
5**	13372.650	40.19	-0.15	54.0	-13.81	AV	205.00	150	Horizontal	Pass
6	17798.926	53.33	3.21	74.0	-20.67	Peak	169.00	150	Horizontal	Pass
6**	17798.926	43.40	3.21	54.0	-10.60	AV	169.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	43.68	-17.77	74.0	-30.32	Peak	14.00	150	Vertical	Pass
1**	1600.100	37.25	-17.77	54.0	-16.75	AV	14.00	150	Vertical	Pass
2	2455.900	96.27	-12.83	74.0	22.27	Peak	79.00	150	Vertical	N/A
2**	2455.900	89.59	-12.83	54.0	35.59	AV	79.00	150	Vertical	N/A
3	5165.500	49.52	-3.05	74.0	-24.48	Peak	297.00	150	Vertical	Pass
3**	5165.500	40.54	-3.05	54.0	-13.46	AV	297.00	150	Vertical	Pass
4	7839.250	52.34	1.98	74.0	-21.66	Peak	331.00	150	Vertical	Pass
4**	7839.250	42.80	1.98	54.0	-11.20	AV	331.00	150	Vertical	Pass
5	11212.662	49.63	-4.09	74.0	-24.37	Peak	145.00	150	Vertical	Pass
5**	11212.662	38.75	-4.09	54.0	-15.25	AV	145.00	150	Vertical	Pass
6	17487.073	52.74	3.08	74.0	-21.26	Peak	97.00	150	Vertical	Pass
6**	17487.073	43.69	3.08	54.0	-10.31	AV	97.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.38	-17.77	74.0	-31.62	Peak	267.00	150	Horizontal	Pass
1**	1600.100	36.31	-17.77	54.0	-17.69	AV	267.00	150	Horizontal	Pass
2	2464.600	108.80	-12.73	74.0	34.80	Peak	37.00	150	Horizontal	N/A
2**	2464.600	101.89	-12.73	54.0	47.89	AV	37.00	150	Horizontal	N/A
3	5272.750	50.50	-3.20	74.0	-23.50	Peak	129.00	150	Horizontal	Pass
3**	5272.750	41.30	-3.20	54.0	-12.70	AV	129.00	150	Horizontal	Pass
4	7845.250	54.03	1.38	74.0	-19.97	Peak	29.00	150	Horizontal	Pass
4**	7845.250	45.64	1.38	54.0	-8.36	AV	29.00	150	Horizontal	Pass
5	11306.713	49.04	-4.07	74.0	-24.96	Peak	309.00	150	Horizontal	Pass
5**	11306.713	39.78	-4.07	54.0	-14.22	AV	309.00	150	Horizontal	Pass
6	16468.051	54.57	-0.01	74.0	-19.43	Peak	28.00	150	Horizontal	Pass
6**	16468.051	42.84	-0.01	54.0	-11.16	AV	28.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.58	-17.78	74.0	-32.42	Peak	148.00	150	Vertical	Pass
1**	1600.200	36.11	-17.78	54.0	-17.89	AV	148.00	150	Vertical	Pass
2	2464.300	98.70	-12.72	74.0	24.70	Peak	206.00	150	Vertical	N/A
2**	2464.300	91.71	-12.72	54.0	37.71	AV	206.00	150	Vertical	N/A
3	5196.750	51.21	-3.23	74.0	-22.79	Peak	188.00	150	Vertical	Pass
3**	5196.750	41.30	-3.23	54.0	-12.70	AV	188.00	150	Vertical	Pass
4	7833.000	54.37	2.28	74.0	-19.63	Peak	95.00	150	Vertical	Pass
4**	7833.000	45.53	2.28	54.0	-8.47	AV	95.00	150	Vertical	Pass
5	10821.737	49.65	-5.05	74.0	-24.35	Peak	306.00	150	Vertical	Pass
5**	10821.737	39.99	-5.05	54.0	-14.01	AV	306.00	150	Vertical	Pass
6	17507.025	53.87	3.09	74.0	-20.13	Peak	60.00	150	Vertical	Pass
6**	17507.025	42.88	3.09	54.0	-11.12	AV	60.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.87	-17.77	74.0	-32.13	Peak	168.00	100	Horizontal	Pass
1**	1600.100	36.76	-17.77	54.0	-17.24	AV	168.00	100	Horizontal	Pass
2	2423.000	105.15	-12.80	74.0	31.15	Peak	126.00	100	Horizontal	N/A
2**	2423.000	97.30	-12.80	54.0	43.30	AV	126.00	100	Horizontal	N/A
3	5292.000	51.18	-3.22	74.0	-22.82	Peak	12.00	100	Horizontal	Pass
3**	5292.000	41.12	-3.22	54.0	-12.88	AV	12.00	100	Horizontal	Pass
4	7820.500	54.32	1.88	74.0	-19.68	Peak	120.00	100	Horizontal	Pass
4**	7820.500	45.61	1.88	54.0	-8.39	AV	120.00	100	Horizontal	Pass
5	11315.500	50.30	-4.15	74.0	-23.70	Peak	0.00	100	Horizontal	Pass
5**	11315.500	39.87	-4.15	54.0	-14.13	AV	0.00	100	Horizontal	Pass
6	17811.788	54.18	3.13	74.0	-19.82	Peak	122.00	100	Horizontal	Pass
6**	17811.788	45.76	3.13	54.0	-8.24	AV	122.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.53	-17.75	74.0	-32.47	Peak	268.00	100	Vertical	Pass
1**	1599.900	36.46	-17.75	54.0	-17.54	AV	268.00	100	Vertical	Pass
2	2427.200	93.89	-12.49	74.0	19.89	Peak	35.00	100	Vertical	N/A
2**	2427.200	87.95	-12.49	54.0	33.95	AV	35.00	100	Vertical	N/A
3	5863.000	52.03	-1.98	74.0	-21.97	Peak	149.00	100	Vertical	Pass
3**	5863.000	43.35	-1.98	54.0	-10.65	AV	149.00	100	Vertical	Pass
4	7819.750	54.15	1.95	74.0	-19.85	Peak	56.00	100	Vertical	Pass
4**	7819.750	44.87	1.95	54.0	-9.13	AV	56.00	100	Vertical	Pass
5	11398.150	49.37	-4.22	74.0	-24.63	Peak	211.00	100	Vertical	Pass
5**	11398.150	40.21	-4.22	54.0	-13.79	AV	211.00	100	Vertical	Pass
6	17480.776	54.02	3.09	74.0	-19.98	Peak	42.00	100	Vertical	Pass
6**	17480.776	43.67	3.09	54.0	-10.33	AV	42.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.60	-17.77	74.0	-31.40	Peak	43.00	150	Horizontal	Pass
1**	1600.100	37.00	-17.77	54.0	-17.00	AV	43.00	150	Horizontal	Pass
2	2429.600	105.06	-12.49	74.0	31.06	Peak	124.00	150	Horizontal	N/A
2**	2429.600	98.36	-12.49	54.0	44.36	AV	124.00	150	Horizontal	N/A
3	5182.500	49.95	-2.10	74.0	-24.05	Peak	290.00	150	Horizontal	Pass
3**	5182.500	41.75	-2.10	54.0	-12.25	AV	290.00	150	Horizontal	Pass
4	7455.500	53.05	1.16	74.0	-20.95	Peak	265.00	150	Horizontal	Pass
4**	7455.500	43.45	1.16	54.0	-10.55	AV	265.00	150	Horizontal	Pass
5	12444.575	49.48	-2.23	74.0	-24.52	Peak	155.00	150	Horizontal	Pass
5**	12444.575	40.18	-2.23	54.0	-13.82	AV	155.00	150	Horizontal	Pass
6	17497.573	52.83	3.08	74.0	-21.17	Peak	205.00	150	Horizontal	Pass
6**	17497.573	42.76	3.08	54.0	-11.24	AV	205.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	42.08	-17.71	74.0	-31.92	Peak	188.00	150	Vertical	Pass
1**	1599.600	34.83	-17.71	54.0	-19.17	AV	188.00	150	Vertical	Pass
2	2425.600	96.29	-12.69	74.0	22.29	Peak	87.00	150	Vertical	N/A
2**	2425.600	88.91	-12.69	54.0	34.91	AV	87.00	150	Vertical	N/A
3	5206.500	49.53	-3.40	74.0	-24.47	Peak	356.00	150	Vertical	Pass
3**	5206.500	40.12	-3.40	54.0	-13.88	AV	356.00	150	Vertical	Pass
4	7834.000	52.25	2.24	74.0	-21.75	Peak	324.00	150	Vertical	Pass
4**	7834.000	43.46	2.24	54.0	-10.54	AV	324.00	150	Vertical	Pass
5	14087.963	51.44	-0.19	74.0	-22.56	Peak	97.00	150	Vertical	Pass
5**	14087.963	40.62	-0.19	54.0	-13.38	AV	97.00	150	Vertical	Pass
6	17319.338	52.49	1.96	74.0	-21.51	Peak	115.00	150	Vertical	Pass
6**	17319.338	42.89	1.96	54.0	-11.11	AV	115.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.13	-17.77	74.0	-31.87	Peak	219.00	150	Horizontal	Pass
1**	1600.100	36.52	-17.77	54.0	-17.48	AV	219.00	150	Horizontal	Pass
2	2435.200	104.91	-12.07	74.0	30.91	Peak	74.00	150	Horizontal	N/A
2**	2435.200	97.36	-12.07	54.0	43.36	AV	74.00	150	Horizontal	N/A
3	5239.500	50.10	-3.22	74.0	-23.90	Peak	21.00	150	Horizontal	Pass
3**	5239.500	41.35	-3.22	54.0	-12.65	AV	21.00	150	Horizontal	Pass
4	7863.500	51.99	1.48	74.0	-22.01	Peak	317.00	150	Horizontal	Pass
4**	7863.500	43.81	1.48	54.0	-10.19	AV	317.00	150	Horizontal	Pass
5	13687.912	50.77	0.31	74.0	-23.23	Peak	187.00	150	Horizontal	Pass
5**	13687.912	40.80	0.31	54.0	-13.20	AV	187.00	150	Horizontal	Pass
6	17798.662	53.09	3.21	74.0	-20.91	Peak	151.00	150	Horizontal	Pass
6**	17798.662	43.33	3.21	54.0	-10.67	AV	151.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	43.10	-17.78	74.0	-30.90	Peak	1.00	150	Vertical	Pass
1**	1600.200	36.22	-17.78	54.0	-17.78	AV	1.00	150	Vertical	Pass
2	2429.300	95.25	-12.50	74.0	21.25	Peak	81.00	150	Vertical	N/A
2**	2429.300	88.83	-12.50	54.0	34.83	AV	81.00	150	Vertical	N/A
3	5345.000	49.93	-3.41	74.0	-24.07	Peak	198.00	150	Vertical	Pass
3**	5345.000	40.44	-3.41	54.0	-13.56	AV	198.00	150	Vertical	Pass
4	7820.500	51.96	1.88	74.0	-22.04	Peak	0.00	150	Vertical	Pass
4**	7820.500	43.42	1.88	54.0	-10.58	AV	0.00	150	Vertical	Pass
5	13667.963	50.40	0.31	74.0	-23.60	Peak	64.00	150	Vertical	Pass
5**	13667.963	41.84	0.31	54.0	-12.16	AV	64.00	150	Vertical	Pass
6	17573.437	52.82	3.22	74.0	-21.18	Peak	226.00	150	Vertical	Pass
6**	17573.437	43.26	3.22	54.0	-10.74	AV	226.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	40.80	-17.77	74.0	-33.20	Peak	292.00	150	Horizontal	Pass
1**	1600.100	37.35	-17.77	54.0	-16.65	AV	292.00	150	Horizontal	Pass
2	2429.200	106.66	-12.51	74.0	32.66	Peak	127.00	150	Horizontal	N/A
2**	2429.200	98.30	-12.51	54.0	44.30	AV	127.00	150	Horizontal	N/A
3	5316.500	51.40	-3.33	74.0	-22.60	Peak	11.00	150	Horizontal	Pass
3**	5316.500	40.90	-3.33	54.0	-13.10	AV	11.00	150	Horizontal	Pass
4	7837.500	54.13	2.05	74.0	-19.87	Peak	61.00	150	Horizontal	Pass
4**	7837.500	45.27	2.05	54.0	-8.73	AV	61.00	150	Horizontal	Pass
5	12279.276	50.55	-2.63	74.0	-23.45	Peak	118.00	150	Horizontal	Pass
5**	12279.276	39.85	-2.63	54.0	-14.15	AV	118.00	150	Horizontal	Pass
6	16538.662	52.60	0.02	74.0	-21.40	Peak	0.00	150	Horizontal	Pass
6**	16538.662	43.86	0.02	54.0	-10.14	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.53	-17.77	74.0	-32.47	Peak	123.00	150	Vertical	Pass
1**	1600.100	36.30	-17.77	54.0	-17.70	AV	123.00	150	Vertical	Pass
2	2430.100	95.56	-12.46	74.0	21.56	Peak	206.00	150	Vertical	N/A
2**	2430.100	87.09	-12.46	54.0	33.09	AV	206.00	150	Vertical	N/A
3	5081.500	50.35	-3.38	74.0	-23.65	Peak	151.00	150	Vertical	Pass
3**	5081.500	40.67	-3.38	54.0	-13.33	AV	151.00	150	Vertical	Pass
4	7841.750	54.02	1.68	74.0	-19.98	Peak	0.00	150	Vertical	Pass
4**	7841.750	45.23	1.68	54.0	-8.77	AV	0.00	150	Vertical	Pass
5	11803.800	50.45	-3.51	74.0	-23.55	Peak	10.00	150	Vertical	Pass
5**	11803.800	39.86	-3.51	54.0	-14.14	AV	10.00	150	Vertical	Pass
6	17799.975	54.73	3.22	74.0	-19.27	Peak	0.00	150	Vertical	Pass
6**	17799.975	44.28	3.22	54.0	-9.72	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	42.22	-17.78	74.0	-31.78	Peak	226.00	150	Horizontal	Pass
1**	1600.400	35.07	-17.78	54.0	-18.93	AV	226.00	150	Horizontal	Pass
2	2438.300	105.29	-12.39	74.0	31.29	Peak	68.00	150	Horizontal	N/A
2**	2438.300	97.65	-12.39	54.0	43.65	AV	68.00	150	Horizontal	N/A
3	5181.250	49.74	-2.16	74.0	-24.26	Peak	187.00	150	Horizontal	Pass
3**	5181.250	41.76	-2.16	54.0	-12.24	AV	187.00	150	Horizontal	Pass
4	7830.750	52.63	2.00	74.0	-21.37	Peak	358.00	150	Horizontal	Pass
4**	7830.750	43.06	2.00	54.0	-10.94	AV	358.00	150	Horizontal	Pass
5	13694.213	50.38	0.31	74.0	-23.62	Peak	64.00	150	Horizontal	Pass
5**	13694.213	41.04	0.31	54.0	-12.96	AV	64.00	150	Horizontal	Pass
6	17554.801	52.99	3.16	74.0	-21.01	Peak	175.00	150	Horizontal	Pass
6**	17554.801	43.19	3.16	54.0	-10.81	AV	175.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.44	-17.77	74.0	-32.56	Peak	151.00	150	Vertical	Pass
1**	1600.100	36.35	-17.77	54.0	-17.65	AV	151.00	150	Vertical	Pass
2	2434.500	95.54	-12.13	74.0	21.54	Peak	78.00	150	Vertical	N/A
2**	2434.500	88.33	-12.13	54.0	34.33	AV	78.00	150	Vertical	N/A
3	5304.750	50.12	-3.52	74.0	-23.88	Peak	91.00	150	Vertical	Pass
3**	5304.750	40.10	-3.52	54.0	-13.90	AV	91.00	150	Vertical	Pass
4	7827.250	52.34	1.79	74.0	-21.66	Peak	166.00	150	Vertical	Pass
4**	7827.250	42.55	1.79	54.0	-11.45	AV	166.00	150	Vertical	Pass
5	13678.987	50.24	0.31	74.0	-23.76	Peak	267.00	150	Vertical	Pass
5**	13678.987	40.20	0.31	54.0	-13.80	AV	267.00	150	Vertical	Pass
6	16513.724	52.78	0.01	74.0	-21.22	Peak	195.00	150	Vertical	Pass
6**	16513.724	43.10	0.01	54.0	-10.90	AV	195.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.19	-17.78	74.0	-31.81	Peak	1.00	150	Horizontal	Pass
1**	1600.300	35.32	-17.78	54.0	-18.68	AV	1.00	150	Horizontal	Pass
2	2449.700	104.26	-12.78	74.0	30.26	Peak	142.00	150	Horizontal	N/A
2**	2449.700	97.08	-12.78	54.0	43.08	AV	142.00	150	Horizontal	N/A
3	5175.250	49.57	-2.59	74.0	-24.43	Peak	331.00	150	Horizontal	Pass
3**	5175.250	40.13	-2.59	54.0	-13.87	AV	331.00	150	Horizontal	Pass
4	7467.750	51.92	0.83	74.0	-22.08	Peak	356.00	150	Horizontal	Pass
4**	7467.750	42.76	0.83	54.0	-11.24	AV	356.00	150	Horizontal	Pass
5	12450.513	49.25	-2.16	74.0	-24.75	Peak	166.00	150	Horizontal	Pass
5**	12450.513	40.06	-2.16	54.0	-13.94	AV	166.00	150	Horizontal	Pass
6	17562.151	52.77	3.19	74.0	-21.23	Peak	148.00	150	Horizontal	Pass
6**	17562.151	42.76	3.19	54.0	-11.24	AV	148.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.100	41.83	-17.81	74.0	-32.17	Peak	183.00	150	Vertical	Pass
1**	1592.100	31.77	-17.81	54.0	-22.23	AV	183.00	150	Vertical	Pass
2	2433.300	95.37	-12.24	74.0	21.37	Peak	81.00	150	Vertical	N/A
2**	2433.300	89.19	-12.24	54.0	35.19	AV	81.00	150	Vertical	N/A
3	5322.750	49.81	-3.34	74.0	-24.19	Peak	83.00	150	Vertical	Pass
3**	5322.750	39.87	-3.34	54.0	-14.13	AV	83.00	150	Vertical	Pass
4	7844.250	52.08	1.44	74.0	-21.92	Peak	290.00	150	Vertical	Pass
4**	7844.250	43.32	1.44	54.0	-10.68	AV	290.00	150	Vertical	Pass
5	14102.925	50.78	0.02	74.0	-23.22	Peak	169.00	150	Vertical	Pass
5**	14102.925	40.90	0.02	54.0	-13.10	AV	169.00	150	Vertical	Pass
6	17518.051	52.43	3.10	74.0	-21.57	Peak	360.00	150	Vertical	Pass
6**	17518.051	42.87	3.10	54.0	-11.13	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	41.44	-17.76	74.0	-32.56	Peak	31.00	150	Horizontal	Pass
1**	1600.000	35.69	-17.76	54.0	-18.31	AV	31.00	150	Horizontal	Pass
2	2465.700	105.03	-12.74	74.0	31.03	Peak	72.00	150	Horizontal	N/A
2**	2465.700	97.22	-12.74	54.0	43.22	AV	72.00	150	Horizontal	N/A
3	5235.250	50.23	-3.29	74.0	-23.77	Peak	314.00	150	Horizontal	Pass
3**	5235.250	40.90	-3.29	54.0	-13.10	AV	314.00	150	Horizontal	Pass
4	7125.500	53.39	0.15	74.0	-20.61	Peak	314.00	150	Horizontal	Pass
4**	7125.500	43.34	0.15	54.0	-10.66	AV	314.00	150	Horizontal	Pass
5	12299.700	49.88	-2.44	74.0	-24.12	Peak	328.00	150	Horizontal	Pass
5**	12299.700	40.53	-2.44	54.0	-13.47	AV	328.00	150	Horizontal	Pass
6	17263.426	53.18	1.95	74.0	-20.82	Peak	300.00	150	Horizontal	Pass
6**	17263.426	43.26	1.95	54.0	-10.74	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.96	-17.78	74.0	-33.04	Peak	303.00	150	Vertical	Pass
1**	1600.200	36.40	-17.78	54.0	-17.60	AV	303.00	150	Vertical	Pass
2	2450.000	95.26	-12.75	74.0	21.26	Peak	75.00	150	Vertical	N/A
2**	2450.000	85.21	-12.75	54.0	31.21	AV	75.00	150	Vertical	N/A
3	5234.750	50.78	-3.28	74.0	-23.22	Peak	297.00	150	Vertical	Pass
3**	5234.750	41.40	-3.28	54.0	-12.60	AV	297.00	150	Vertical	Pass
4	7812.000	54.05	0.80	74.0	-19.95	Peak	22.00	150	Vertical	Pass
4**	7812.000	44.29	0.80	54.0	-9.71	AV	22.00	150	Vertical	Pass
5	11809.738	49.41	-3.47	74.0	-24.59	Peak	19.00	150	Vertical	Pass
5**	11809.738	39.10	-3.47	54.0	-14.90	AV	19.00	150	Vertical	Pass
6	17393.099	53.22	2.64	74.0	-20.78	Peak	321.00	150	Vertical	Pass
6**	17393.099	42.98	2.64	54.0	-11.02	AV	321.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.75	-17.78	74.0	-32.25	Peak	174.00	150	Horizontal	Pass
1**	1600.300	35.71	-17.78	54.0	-18.29	AV	174.00	150	Horizontal	Pass
2	2414.000	108.56	-13.42	74.0	34.56	Peak	58.00	150	Horizontal	N/A
2**	2414.000	100.85	-13.42	54.0	46.85	AV	58.00	150	Horizontal	N/A
3	5170.250	51.05	-2.95	74.0	-22.95	Peak	198.00	150	Horizontal	Pass
3**	5170.250	40.87	-2.95	54.0	-13.13	AV	198.00	150	Horizontal	Pass
4	7831.500	53.56	2.10	74.0	-20.44	Peak	190.00	150	Horizontal	Pass
4**	7831.500	45.09	2.10	54.0	-8.91	AV	190.00	150	Horizontal	Pass
5	11797.151	49.73	-3.56	74.0	-24.27	Peak	306.00	150	Horizontal	Pass
5**	11797.151	39.57	-3.56	54.0	-14.43	AV	306.00	150	Horizontal	Pass
6	16908.000	53.78	1.38	74.0	-20.22	Peak	145.00	150	Horizontal	Pass
6**	16908.000	44.20	1.38	54.0	-9.80	AV	145.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.90	-17.78	74.0	-32.10	Peak	165.00	150	Vertical	Pass
1**	1600.200	36.07	-17.78	54.0	-17.93	AV	165.00	150	Vertical	Pass
2	2413.400	99.61	-13.42	74.0	25.61	Peak	47.00	150	Vertical	N/A
2**	2413.400	89.68	-13.42	54.0	35.68	AV	47.00	150	Vertical	N/A
3	4514.750	48.57	-4.46	74.0	-25.43	Peak	109.00	150	Vertical	Pass
3**	4514.750	38.35	-4.46	54.0	-15.65	AV	109.00	150	Vertical	Pass
4	7824.250	53.78	2.00	74.0	-20.22	Peak	169.00	150	Vertical	Pass
4**	7824.250	44.54	2.00	54.0	-9.46	AV	169.00	150	Vertical	Pass
5	11459.188	49.74	-3.95	74.0	-24.26	Peak	246.00	150	Vertical	Pass
5**	11459.188	39.52	-3.95	54.0	-14.48	AV	246.00	150	Vertical	Pass
6	17550.338	53.17	3.15	74.0	-20.83	Peak	60.00	150	Vertical	Pass
6**	17550.338	43.96	3.15	54.0	-10.04	AV	60.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.600	41.37	-17.71	74.0	-32.63	Peak	196.00	150	Horizontal	Pass
1**	1599.600	33.73	-17.71	54.0	-20.27	AV	196.00	150	Horizontal	Pass
2	2414.600	107.94	-13.39	74.0	33.94	Peak	73.00	150	Horizontal	N/A
2**	2414.600	100.28	-13.39	54.0	46.28	AV	73.00	150	Horizontal	N/A
3	5321.500	49.49	-3.37	74.0	-24.51	Peak	210.00	150	Horizontal	Pass
3**	5321.500	40.44	-3.37	54.0	-13.56	AV	210.00	150	Horizontal	Pass
4	7838.750	52.72	2.00	74.0	-21.28	Peak	360.00	150	Horizontal	Pass
4**	7838.750	43.48	2.00	54.0	-10.52	AV	360.00	150	Horizontal	Pass
5	13676.625	50.13	0.31	74.0	-23.87	Peak	259.00	150	Horizontal	Pass
5**	13676.625	40.86	0.31	54.0	-13.14	AV	259.00	150	Horizontal	Pass
6	17486.025	52.18	3.08	74.0	-21.82	Peak	46.00	150	Horizontal	Pass
6**	17486.025	43.66	3.08	54.0	-10.34	AV	46.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	42.26	-17.78	74.0	-31.74	Peak	326.00	150	Vertical	Pass
1**	1600.300	35.27	-17.78	54.0	-18.73	AV	326.00	150	Vertical	Pass
2	2419.600	101.00	-13.00	74.0	27.00	Peak	87.00	150	Vertical	N/A
2**	2419.600	92.96	-13.00	54.0	38.96	AV	87.00	150	Vertical	N/A
3	5304.500	49.95	-3.55	74.0	-24.05	Peak	317.00	150	Vertical	Pass
3**	5304.500	40.04	-3.55	54.0	-13.96	AV	317.00	150	Vertical	Pass
4	7870.000	52.86	1.94	74.0	-21.14	Peak	12.00	150	Vertical	Pass
4**	7870.000	43.59	1.94	54.0	-10.41	AV	12.00	150	Vertical	Pass
5	13662.975	49.68	0.30	74.0	-24.32	Peak	363.00	150	Vertical	Pass
5**	13662.975	41.79	0.30	54.0	-12.21	AV	363.00	150	Vertical	Pass
6	16831.350	52.33	0.84	74.0	-21.67	Peak	323.00	150	Vertical	Pass
6**	16831.350	41.94	0.84	54.0	-12.06	AV	323.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	41.70	-17.70	74.0	-32.30	Peak	151.00	150	Horizontal	Pass
1**	1599.500	33.12	-17.70	54.0	-20.88	AV	151.00	150	Horizontal	Pass
2	2424.300	109.45	-12.83	74.0	35.45	Peak	62.00	150	Horizontal	N/A
2**	2424.300	99.56	-12.83	54.0	45.56	AV	62.00	150	Horizontal	N/A
3	4864.250	48.72	-4.21	74.0	-25.28	Peak	360.00	150	Horizontal	Pass
3**	4864.250	38.56	-4.21	54.0	-15.44	AV	360.00	150	Horizontal	Pass
4	7519.750	52.13	0.82	74.0	-21.87	Peak	282.00	150	Horizontal	Pass
4**	7519.750	43.41	0.82	54.0	-10.59	AV	282.00	150	Horizontal	Pass
5	13576.612	51.20	0.26	74.0	-22.80	Peak	0.00	150	Horizontal	Pass
5**	13576.612	39.72	0.26	54.0	-14.28	AV	0.00	150	Horizontal	Pass
6	17822.812	52.92	3.03	74.0	-21.08	Peak	363.00	150	Horizontal	Pass
6**	17822.812	42.87	3.03	54.0	-11.13	AV	363.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	41.56	-17.78	74.0	-32.44	Peak	0.00	150	Vertical	Pass
1**	1600.300	35.42	-17.78	54.0	-18.58	AV	0.00	150	Vertical	Pass
2	2426.900	99.98	-12.48	74.0	25.98	Peak	78.00	150	Vertical	N/A
2**	2426.900	92.33	-12.48	54.0	38.33	AV	78.00	150	Vertical	N/A
3	5177.250	49.83	-2.52	74.0	-24.17	Peak	145.00	150	Vertical	Pass
3**	5177.250	40.57	-2.52	54.0	-13.43	AV	145.00	150	Vertical	Pass
4	7857.000	52.10	1.12	74.0	-21.90	Peak	69.00	150	Vertical	Pass
4**	7857.000	43.04	1.12	54.0	-10.96	AV	69.00	150	Vertical	Pass
5	10715.099	49.42	-4.83	74.0	-24.58	Peak	329.00	150	Vertical	Pass
5**	10715.099	38.63	-4.83	54.0	-15.37	AV	329.00	150	Vertical	Pass
6	16532.625	51.96	0.02	74.0	-22.04	Peak	213.00	150	Vertical	Pass
6**	16532.625	42.75	0.02	54.0	-11.25	AV	213.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.68	-17.74	74.0	-32.32	Peak	360.00	150	Horizontal	Pass
1**	1599.800	34.95	-17.74	54.0	-19.05	AV	360.00	150	Horizontal	Pass
2	2425.100	109.18	-12.78	74.0	35.18	Peak	107.00	150	Horizontal	N/A
2**	2425.100	99.86	-12.78	54.0	45.86	AV	107.00	150	Horizontal	N/A
3	5182.250	50.25	-2.11	74.0	-23.75	Peak	135.00	150	Horizontal	Pass
3**	5182.250	40.13	-2.11	54.0	-13.87	AV	135.00	150	Horizontal	Pass
4	7456.000	52.30	1.15	74.0	-21.70	Peak	185.00	150	Horizontal	Pass
4**	7456.000	43.48	1.15	54.0	-10.52	AV	185.00	150	Horizontal	Pass
5	13679.776	49.79	0.31	74.0	-24.21	Peak	136.00	150	Horizontal	Pass
5**	13679.776	40.50	0.31	54.0	-13.50	AV	136.00	150	Horizontal	Pass
6	16427.887	51.69	0.13	74.0	-22.31	Peak	190.00	150	Horizontal	Pass
6**	16427.887	42.63	0.13	54.0	-11.37	AV	190.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.02	-17.75	74.0	-31.98	Peak	26.00	150	Vertical	Pass
1**	1599.900	35.33	-17.75	54.0	-18.67	AV	26.00	150	Vertical	Pass
2	2424.700	99.99	-12.84	74.0	25.99	Peak	82.00	150	Vertical	N/A
2**	2424.700	90.82	-12.84	54.0	36.82	AV	82.00	150	Vertical	N/A
3	5172.500	49.48	-2.81	74.0	-24.52	Peak	52.00	150	Vertical	Pass
3**	5172.500	41.61	-2.81	54.0	-12.39	AV	52.00	150	Vertical	Pass
4	7840.500	52.03	1.82	74.0	-21.97	Peak	135.00	150	Vertical	Pass
4**	7840.500	43.03	1.82	54.0	-10.97	AV	135.00	150	Vertical	Pass
5	13602.600	50.06	-0.12	74.0	-23.94	Peak	336.00	150	Vertical	Pass
5**	13602.600	41.29	-0.12	54.0	-12.71	AV	336.00	150	Vertical	Pass
6	16437.599	52.15	0.06	74.0	-21.85	Peak	363.00	150	Vertical	Pass
6**	16437.599	41.97	0.06	54.0	-12.03	AV	363.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.09	-17.75	74.0	-32.91	Peak	50.00	150	Horizontal	Pass
1**	1599.900	35.62	-17.75	54.0	-18.38	AV	50.00	150	Horizontal	Pass
2	2433.900	108.63	-12.19	74.0	34.63	Peak	82.00	150	Horizontal	N/A
2**	2433.900	100.68	-12.19	54.0	46.68	AV	82.00	150	Horizontal	N/A
3	5269.750	49.42	-3.31	74.0	-24.58	Peak	207.00	150	Horizontal	Pass
3**	5269.750	40.49	-3.31	54.0	-13.51	AV	207.00	150	Horizontal	Pass
4	7823.500	52.72	1.85	74.0	-21.28	Peak	360.00	150	Horizontal	Pass
4**	7823.500	44.24	1.85	54.0	-9.76	AV	360.00	150	Horizontal	Pass
5	11186.775	48.30	-4.15	74.0	-25.70	Peak	46.00	150	Horizontal	Pass
5**	11186.775	38.08	-4.15	54.0	-15.92	AV	46.00	150	Horizontal	Pass
6	17583.675	52.38	3.25	74.0	-21.62	Peak	313.00	150	Horizontal	Pass
6**	17583.675	43.13	3.25	54.0	-10.87	AV	313.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.48	-17.78	74.0	-32.52	Peak	190.00	150	Vertical	Pass
1**	1600.200	35.38	-17.78	54.0	-18.62	AV	190.00	150	Vertical	Pass
2	2430.700	98.77	-12.42	74.0	24.77	Peak	78.00	150	Vertical	N/A
2**	2430.700	91.31	-12.42	54.0	37.31	AV	78.00	150	Vertical	N/A
3	5319.000	50.30	-3.55	74.0	-23.70	Peak	46.00	150	Vertical	Pass
3**	5319.000	41.24	-3.55	54.0	-12.76	AV	46.00	150	Vertical	Pass
4	7933.000	52.31	0.60	74.0	-21.69	Peak	290.00	150	Vertical	Pass
4**	7933.000	42.49	0.60	54.0	-11.51	AV	290.00	150	Vertical	Pass
5	13608.112	50.50	-0.07	74.0	-23.50	Peak	277.00	150	Vertical	Pass
5**	13608.112	41.23	-0.07	54.0	-12.77	AV	277.00	150	Vertical	Pass
6	17820.449	52.43	3.05	74.0	-21.57	Peak	136.00	150	Vertical	Pass
6**	17820.449	42.95	3.05	54.0	-11.05	AV	136.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	40.94	-17.75	74.0	-33.06	Peak	76.00	150	Horizontal	Pass
1**	1599.900	35.98	-17.75	54.0	-18.02	AV	76.00	150	Horizontal	Pass
2	2434.900	108.69	-12.10	74.0	34.69	Peak	71.00	150	Horizontal	N/A
2**	2434.900	101.28	-12.10	54.0	47.28	AV	71.00	150	Horizontal	N/A
3	5178.500	51.02	-2.29	74.0	-22.98	Peak	331.00	150	Horizontal	Pass
3**	5178.500	42.03	-2.29	54.0	-11.97	AV	331.00	150	Horizontal	Pass
4	7468.500	52.83	0.71	74.0	-21.17	Peak	71.00	150	Horizontal	Pass
4**	7468.500	42.67	0.71	54.0	-11.33	AV	71.00	150	Horizontal	Pass
5	12669.250	50.19	-2.31	74.0	-23.81	Peak	142.00	150	Horizontal	Pass
5**	12669.250	40.06	-2.31	54.0	-13.94	AV	142.00	150	Horizontal	Pass
6	17796.563	53.68	3.18	74.0	-20.32	Peak	111.00	150	Horizontal	Pass
6**	17796.563	44.50	3.18	54.0	-9.50	AV	111.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	41.75	-17.78	74.0	-32.25	Peak	170.00	150	Vertical	Pass
1**	1600.400	35.95	-17.78	54.0	-18.05	AV	170.00	150	Vertical	Pass
2	2432.900	97.98	-12.29	74.0	23.98	Peak	208.00	150	Vertical	N/A
2**	2432.900	88.77	-12.29	54.0	34.77	AV	208.00	150	Vertical	N/A
3	5187.000	50.71	-2.44	74.0	-23.29	Peak	104.00	150	Vertical	Pass
3**	5187.000	41.74	-2.44	54.0	-12.26	AV	104.00	150	Vertical	Pass
4	7851.750	53.75	0.98	74.0	-20.25	Peak	12.00	150	Vertical	Pass
4**	7851.750	44.34	0.98	54.0	-9.66	AV	12.00	150	Vertical	Pass
5	11196.512	49.40	-4.07	74.0	-24.60	Peak	245.00	150	Vertical	Pass
5**	11196.512	39.17	-4.07	54.0	-14.83	AV	245.00	150	Vertical	Pass
6	17810.475	53.79	3.14	74.0	-20.21	Peak	10.00	150	Vertical	Pass
6**	17810.475	43.37	3.14	54.0	-10.63	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.51	-17.75	74.0	-31.49	Peak	1.00	150	Horizontal	Pass
1**	1599.900	36.37	-17.75	54.0	-17.63	AV	1.00	150	Horizontal	Pass
2	2450.600	108.44	-12.74	74.0	34.44	Peak	73.00	150	Horizontal	N/A
2**	2450.600	101.39	-12.74	54.0	47.39	AV	73.00	150	Horizontal	N/A
3	5340.750	50.39	-3.40	74.0	-23.61	Peak	220.00	150	Horizontal	Pass
3**	5340.750	40.71	-3.40	54.0	-13.29	AV	220.00	150	Horizontal	Pass
4	7464.750	53.39	0.83	74.0	-20.61	Peak	276.00	150	Horizontal	Pass
4**	7464.750	43.38	0.83	54.0	-10.62	AV	276.00	150	Horizontal	Pass
5	13998.975	51.27	-0.49	74.0	-22.73	Peak	136.00	150	Horizontal	Pass
5**	13998.975	40.51	-0.49	54.0	-13.49	AV	136.00	150	Horizontal	Pass
6	17819.400	53.26	3.06	74.0	-20.74	Peak	296.00	150	Horizontal	Pass
6**	17819.400	43.55	3.06	54.0	-10.45	AV	296.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	42.25	-17.70	74.0	-31.75	Peak	1.00	150	Vertical	Pass
1**	1599.500	33.99	-17.70	54.0	-20.01	AV	1.00	150	Vertical	Pass
2	2446.500	98.71	-12.70	74.0	24.71	Peak	81.00	150	Vertical	N/A
2**	2446.500	89.38	-12.70	54.0	35.38	AV	81.00	150	Vertical	N/A
3	5166.750	50.68	-3.05	74.0	-23.32	Peak	292.00	150	Vertical	Pass
3**	5166.750	41.29	-3.05	54.0	-12.71	AV	292.00	150	Vertical	Pass
4	7860.250	52.84	1.28	74.0	-21.16	Peak	160.00	150	Vertical	Pass
4**	7860.250	43.27	1.28	54.0	-10.73	AV	160.00	150	Vertical	Pass
5	10642.900	49.36	-4.69	74.0	-24.64	Peak	350.00	150	Vertical	Pass
5**	10642.900	39.19	-4.69	54.0	-14.81	AV	350.00	150	Vertical	Pass
6	16914.824	53.00	1.27	74.0	-21.00	Peak	260.00	150	Vertical	Pass
6**	16914.824	43.22	1.27	54.0	-10.78	AV	260.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	43.99	-17.75	74.0	-30.01	Peak	338.00	150	Horizontal	Pass
1**	1599.900	37.14	-17.75	54.0	-16.86	AV	338.00	150	Horizontal	Pass
2	2453.300	109.80	-12.99	74.0	35.80	Peak	127.00	150	Horizontal	N/A
2**	2453.300	100.86	-12.99	54.0	46.86	AV	127.00	150	Horizontal	N/A
3	5186.500	50.44	-2.41	74.0	-23.56	Peak	61.00	150	Horizontal	Pass
3**	5186.500	41.57	-2.41	54.0	-12.43	AV	61.00	150	Horizontal	Pass
4	7679.000	52.77	0.91	74.0	-21.23	Peak	242.00	150	Horizontal	Pass
4**	7679.000	42.86	0.91	54.0	-11.14	AV	242.00	150	Horizontal	Pass
5	13701.826	51.00	0.29	74.0	-23.00	Peak	262.00	150	Horizontal	Pass
5**	13701.826	40.93	0.29	54.0	-13.07	AV	262.00	150	Horizontal	Pass
6	17302.800	53.43	2.01	74.0	-20.57	Peak	103.00	150	Horizontal	Pass
6**	17302.800	44.57	2.01	54.0	-9.43	AV	103.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.62	-17.74	74.0	-31.38	Peak	184.00	150	Vertical	Pass
1**	1599.800	36.13	-17.74	54.0	-17.87	AV	184.00	150	Vertical	Pass
2	2449.700	97.70	-12.78	74.0	23.70	Peak	144.00	150	Vertical	N/A
2**	2449.700	89.49	-12.78	54.0	35.49	AV	144.00	150	Vertical	N/A
3	5617.500	50.48	-2.73	74.0	-23.52	Peak	231.00	150	Vertical	Pass
3**	5617.500	40.61	-2.73	54.0	-13.39	AV	231.00	150	Vertical	Pass
4	7836.500	52.72	2.11	74.0	-21.28	Peak	61.00	150	Vertical	Pass
4**	7836.500	43.78	2.11	54.0	-10.22	AV	61.00	150	Vertical	Pass
5	11448.500	48.72	-3.88	74.0	-25.28	Peak	12.00	150	Vertical	Pass
5**	11448.500	39.36	-3.88	54.0	-14.64	AV	12.00	150	Vertical	Pass
6	17653.500	52.98	2.84	74.0	-21.02	Peak	244.00	150	Vertical	Pass
6**	17653.500	43.28	2.84	54.0	-10.72	AV	244.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.66	-17.74	74.0	-32.34	Peak	305.00	150	Horizontal	Pass
1**	1599.800	35.93	-17.74	54.0	-18.07	AV	305.00	150	Horizontal	Pass
2	2456.000	108.41	-12.81	74.0	34.41	Peak	155.00	150	Horizontal	N/A
2**	2456.000	100.52	-12.81	54.0	46.52	AV	155.00	150	Horizontal	N/A
3	5235.500	49.39	-3.30	74.0	-24.61	Peak	83.00	150	Horizontal	Pass
3**	5235.500	40.34	-3.30	54.0	-13.66	AV	83.00	150	Horizontal	Pass
4	7988.500	52.47	0.78	74.0	-21.53	Peak	117.00	150	Horizontal	Pass
4**	7988.500	41.72	0.78	54.0	-12.28	AV	117.00	150	Horizontal	Pass
5	13638.300	49.96	0.20	74.0	-24.04	Peak	43.00	150	Horizontal	Pass
5**	13638.300	40.36	0.20	54.0	-13.64	AV	43.00	150	Horizontal	Pass
6	17613.599	53.25	3.18	74.0	-20.75	Peak	278.00	150	Horizontal	Pass
6**	17613.599	42.68	3.18	54.0	-11.32	AV	278.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.400	41.78	-17.78	74.0	-32.22	Peak	125.00	150	Vertical	Pass
1**	1600.400	34.89	-17.78	54.0	-19.11	AV	125.00	150	Vertical	Pass
2	2456.500	97.93	-12.69	74.0	23.93	Peak	69.00	150	Vertical	N/A
2**	2456.500	88.38	-12.69	54.0	34.38	AV	69.00	150	Vertical	N/A
3	5235.750	49.63	-3.31	74.0	-24.37	Peak	355.00	150	Vertical	Pass
3**	5235.750	40.26	-3.31	54.0	-13.74	AV	355.00	150	Vertical	Pass
4	7861.750	51.86	1.34	74.0	-22.14	Peak	132.00	150	Vertical	Pass
4**	7861.750	42.83	1.34	54.0	-11.17	AV	132.00	150	Vertical	Pass
5	13780.312	50.43	-0.28	74.0	-23.57	Peak	278.00	150	Vertical	Pass
5**	13780.312	40.58	-0.28	54.0	-13.42	AV	278.00	150	Vertical	Pass
6	17320.387	52.72	1.96	74.0	-21.28	Peak	115.00	150	Vertical	Pass
6**	17320.387	42.58	1.96	54.0	-11.42	AV	115.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	40.81	-17.76	74.0	-33.19	Peak	255.00	150	Horizontal	Pass
1**	1600.000	36.35	-17.76	54.0	-17.65	AV	255.00	150	Horizontal	Pass
2	2464.600	109.75	-12.73	74.0	35.75	Peak	133.00	150	Horizontal	N/A
2**	2464.600	101.54	-12.73	54.0	47.54	AV	133.00	150	Horizontal	N/A
3	5006.500	50.11	-3.13	74.0	-23.89	Peak	0.00	150	Horizontal	Pass
3**	5006.500	40.51	-3.13	54.0	-13.49	AV	0.00	150	Horizontal	Pass
4	7833.250	54.32	2.27	74.0	-19.68	Peak	87.00	150	Horizontal	Pass
4**	7833.250	44.76	2.27	54.0	-9.24	AV	87.00	150	Horizontal	Pass
5	11435.437	49.28	-3.97	74.0	-24.72	Peak	329.00	150	Horizontal	Pass
5**	11435.437	38.44	-3.97	54.0	-15.56	AV	329.00	150	Horizontal	Pass
6	17245.837	53.13	1.89	74.0	-20.87	Peak	26.00	150	Horizontal	Pass
6**	17245.837	43.44	1.89	54.0	-10.56	AV	26.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.24	-17.77	74.0	-32.76	Peak	213.00	150	Vertical	Pass
1**	1600.100	36.47	-17.77	54.0	-17.53	AV	213.00	150	Vertical	Pass
2	2463.600	98.70	-12.69	74.0	24.70	Peak	35.00	150	Vertical	N/A
2**	2463.600	91.61	-12.69	54.0	37.61	AV	35.00	150	Vertical	N/A
3	5180.250	50.47	-2.21	74.0	-23.53	Peak	114.00	150	Vertical	Pass
3**	5180.250	40.70	-2.21	54.0	-13.30	AV	114.00	150	Vertical	Pass
4	7811.250	53.30	0.71	74.0	-20.70	Peak	188.00	150	Vertical	Pass
4**	7811.250	43.56	0.71	54.0	-10.44	AV	188.00	150	Vertical	Pass
5	11448.974	49.46	-3.88	74.0	-24.54	Peak	200.00	150	Vertical	Pass
5**	11448.974	40.24	-3.88	54.0	-13.76	AV	200.00	150	Vertical	Pass
6	17815.200	53.76	3.10	74.0	-20.24	Peak	44.00	150	Vertical	Pass
6**	17815.200	44.03	3.10	54.0	-9.97	AV	44.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	42.80	-17.70	74.0	-31.20	Peak	175.00	150	Horizontal	Pass
1**	1599.500	33.82	-17.70	54.0	-20.18	AV	175.00	150	Horizontal	Pass
2	2427.300	107.46	-12.49	74.0	33.46	Peak	124.00	150	Horizontal	N/A
2**	2427.300	98.03	-12.49	54.0	44.03	AV	124.00	150	Horizontal	N/A
3	5184.000	50.48	-2.21	74.0	-23.52	Peak	217.00	150	Horizontal	Pass
3**	5184.000	42.77	-2.21	54.0	-11.23	AV	217.00	150	Horizontal	Pass
4	7818.500	54.00	1.79	74.0	-20.00	Peak	12.00	150	Horizontal	Pass
4**	7818.500	45.05	1.79	54.0	-8.95	AV	12.00	150	Horizontal	Pass
5	14039.137	51.61	-0.84	74.0	-22.39	Peak	106.00	150	Horizontal	Pass
5**	14039.137	41.32	-0.84	54.0	-12.68	AV	106.00	150	Horizontal	Pass
6	17811.261	54.36	3.13	74.0	-19.64	Peak	353.00	150	Horizontal	Pass
6**	17811.261	44.51	3.13	54.0	-9.49	AV	353.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	41.09	-17.72	74.0	-32.91	Peak	317.00	150	Vertical	Pass
1**	1599.700	36.13	-17.72	54.0	-17.87	AV	317.00	150	Vertical	Pass
2	2416.200	96.70	-13.32	74.0	22.70	Peak	33.00	150	Vertical	N/A
2**	2416.200	86.02	-13.32	54.0	32.02	AV	33.00	150	Vertical	N/A
3	5173.250	50.19	-2.71	74.0	-23.81	Peak	203.00	150	Vertical	Pass
3**	5173.250	41.29	-2.71	54.0	-12.71	AV	203.00	150	Vertical	Pass
4	7827.750	53.69	1.84	74.0	-20.31	Peak	311.00	150	Vertical	Pass
4**	7827.750	45.07	1.84	54.0	-8.93	AV	311.00	150	Vertical	Pass
5	11311.700	49.30	-4.12	74.0	-24.70	Peak	283.00	150	Vertical	Pass
5**	11311.700	40.24	-4.12	54.0	-13.76	AV	283.00	150	Vertical	Pass
6	17779.761	53.48	2.95	74.0	-20.52	Peak	42.00	150	Vertical	Pass
6**	17779.761	43.75	2.95	54.0	-10.25	AV	42.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.53	-17.74	74.0	-31.47	Peak	0.00	150	Horizontal	Pass
1**	1599.800	36.55	-17.74	54.0	-17.45	AV	0.00	150	Horizontal	Pass
2	2426.200	107.92	-12.59	74.0	33.92	Peak	69.00	150	Horizontal	N/A
2**	2426.200	99.08	-12.59	54.0	45.08	AV	69.00	150	Horizontal	N/A
3	5188.250	50.83	-2.55	74.0	-23.17	Peak	9.00	150	Horizontal	Pass
3**	5188.250	40.97	-2.55	54.0	-13.03	AV	9.00	150	Horizontal	Pass
4	7834.000	53.11	2.24	74.0	-20.89	Peak	215.00	150	Horizontal	Pass
4**	7834.000	44.97	2.24	54.0	-9.03	AV	215.00	150	Horizontal	Pass
5	13409.401	50.82	-0.04	74.0	-23.18	Peak	27.00	150	Horizontal	Pass
5**	13409.401	41.38	-0.04	54.0	-12.62	AV	27.00	150	Horizontal	Pass
6	16903.276	53.32	1.46	74.0	-20.68	Peak	27.00	150	Horizontal	Pass
6**	16903.276	44.05	1.46	54.0	-9.95	AV	27.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.95	-17.74	74.0	-31.05	Peak	272.00	150	Vertical	Pass
1**	1599.800	36.36	-17.74	54.0	-17.64	AV	272.00	150	Vertical	Pass
2	2431.000	98.12	-12.41	74.0	24.12	Peak	81.00	150	Vertical	N/A
2**	2431.000	88.49	-12.41	54.0	34.49	AV	81.00	150	Vertical	N/A
3	5217.750	50.67	-3.47	74.0	-23.33	Peak	174.00	150	Vertical	Pass
3**	5217.750	40.42	-3.47	54.0	-13.58	AV	174.00	150	Vertical	Pass
4	7817.750	52.67	1.66	74.0	-21.33	Peak	240.00	150	Vertical	Pass
4**	7817.750	44.20	1.66	54.0	-9.80	AV	240.00	150	Vertical	Pass
5	13404.937	50.89	-0.07	74.0	-23.11	Peak	79.00	150	Vertical	Pass
5**	13404.937	41.55	-0.07	54.0	-12.45	AV	79.00	150	Vertical	Pass
6	16819.801	53.30	0.69	74.0	-20.70	Peak	-3.00	150	Vertical	Pass
6**	16819.801	42.85	0.69	54.0	-11.15	AV	-3.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.94	-17.74	74.0	-32.06	Peak	219.00	150	Horizontal	Pass
1**	1599.800	35.53	-17.74	54.0	-18.47	AV	219.00	150	Horizontal	Pass
2	2434.000	107.74	-12.18	74.0	33.74	Peak	108.00	150	Horizontal	N/A
2**	2434.000	99.33	-12.18	54.0	45.33	AV	108.00	150	Horizontal	N/A
3	5180.250	50.61	-2.21	74.0	-23.39	Peak	79.00	150	Horizontal	Pass
3**	5180.250	41.65	-2.21	54.0	-12.35	AV	79.00	150	Horizontal	Pass
4	7704.250	53.52	1.92	74.0	-20.48	Peak	37.00	150	Horizontal	Pass
4**	7704.250	43.64	1.92	54.0	-10.36	AV	37.00	150	Horizontal	Pass
5	13702.088	50.95	0.29	74.0	-23.05	Peak	44.00	150	Horizontal	Pass
5**	13702.088	40.67	0.29	54.0	-13.33	AV	44.00	150	Horizontal	Pass
6	17567.926	53.21	3.20	74.0	-20.79	Peak	268.00	150	Horizontal	Pass
6**	17567.926	44.62	3.20	54.0	-9.38	AV	268.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	42.17	-17.77	74.0	-31.83	Peak	233.00	150	Vertical	Pass
1**	1600.100	36.60	-17.77	54.0	-17.40	AV	233.00	150	Vertical	Pass
2	2436.100	98.71	-12.18	74.0	24.71	Peak	116.00	150	Vertical	N/A
2**	2436.100	90.14	-12.18	54.0	36.14	AV	116.00	150	Vertical	N/A
3	5325.750	50.31	-3.33	74.0	-23.69	Peak	202.00	150	Vertical	Pass
3**	5325.750	41.50	-3.33	54.0	-12.50	AV	202.00	150	Vertical	Pass
4	7456.750	52.91	1.13	74.0	-21.09	Peak	153.00	150	Vertical	Pass
4**	7456.750	44.46	1.13	54.0	-9.54	AV	153.00	150	Vertical	Pass
5	12629.588	49.79	-2.43	74.0	-24.21	Peak	157.00	150	Vertical	Pass
5**	12629.588	39.45	-2.43	54.0	-14.55	AV	157.00	150	Vertical	Pass
6	17056.051	53.41	0.97	74.0	-20.59	Peak	123.00	150	Vertical	Pass
6**	17056.051	43.84	0.97	54.0	-10.16	AV	123.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.15	-17.76	74.0	-31.85	Peak	155.00	150	Horizontal	Pass
1**	1600.000	36.66	-17.76	54.0	-17.34	AV	155.00	150	Horizontal	Pass
2	2434.300	107.20	-12.15	74.0	33.20	Peak	109.00	150	Horizontal	N/A
2**	2434.300	98.85	-12.15	54.0	44.85	AV	109.00	150	Horizontal	N/A
3	4895.750	49.70	-3.48	74.0	-24.30	Peak	103.00	150	Horizontal	Pass
3**	4895.750	39.34	-3.48	54.0	-14.66	AV	103.00	150	Horizontal	Pass
4	7458.250	53.00	1.14	74.0	-21.00	Peak	230.00	150	Horizontal	Pass
4**	7458.250	44.71	1.14	54.0	-9.29	AV	230.00	150	Horizontal	Pass
5	13372.125	51.10	-0.15	74.0	-22.90	Peak	90.00	150	Horizontal	Pass
5**	13372.125	41.97	-0.15	54.0	-12.03	AV	90.00	150	Horizontal	Pass
6	17798.662	54.49	3.21	74.0	-19.51	Peak	10.00	150	Horizontal	Pass
6**	17798.662	45.53	3.21	54.0	-8.47	AV	10.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.56	-17.75	74.0	-32.44	Peak	120.00	150	Vertical	Pass
1**	1599.900	36.07	-17.75	54.0	-17.93	AV	120.00	150	Vertical	Pass
2	2433.200	96.02	-12.26	74.0	22.02	Peak	79.00	150	Vertical	N/A
2**	2433.200	86.51	-12.26	54.0	32.51	AV	79.00	150	Vertical	N/A
3	5179.750	51.05	-2.22	74.0	-22.95	Peak	193.00	150	Vertical	Pass
3**	5179.750	42.34	-2.22	54.0	-11.66	AV	193.00	150	Vertical	Pass
4	7827.250	53.98	1.79	74.0	-20.02	Peak	345.00	150	Vertical	Pass
4**	7827.250	44.80	1.79	54.0	-9.20	AV	345.00	150	Vertical	Pass
5	10926.238	49.64	-4.90	74.0	-24.36	Peak	19.00	150	Vertical	Pass
5**	10926.238	39.86	-4.90	54.0	-14.14	AV	19.00	150	Vertical	Pass
6	16178.250	53.03	-0.45	74.0	-20.97	Peak	12.00	150	Vertical	Pass
6**	16178.250	43.11	-0.45	54.0	-10.89	AV	12.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.71	-17.74	74.0	-31.29	Peak	295.00	150	Horizontal	Pass
1**	1599.800	36.75	-17.74	54.0	-17.25	AV	295.00	150	Horizontal	Pass
2	2429.200	106.37	-12.51	74.0	32.37	Peak	112.00	150	Horizontal	N/A
2**	2429.200	96.83	-12.51	54.0	42.83	AV	112.00	150	Horizontal	N/A
3	5240.000	50.59	-3.22	74.0	-23.41	Peak	322.00	150	Horizontal	Pass
3**	5240.000	40.09	-3.22	54.0	-13.91	AV	322.00	150	Horizontal	Pass
4	7710.000	53.65	1.36	74.0	-20.35	Peak	180.00	150	Horizontal	Pass
4**	7710.000	42.37	1.36	54.0	-11.63	AV	180.00	150	Horizontal	Pass
5	13386.299	50.21	-0.12	74.0	-23.79	Peak	135.00	150	Horizontal	Pass
5**	13386.299	41.15	-0.12	54.0	-12.85	AV	135.00	150	Horizontal	Pass
6	16526.063	52.10	0.02	74.0	-21.90	Peak	341.00	150	Horizontal	Pass
6**	16526.063	42.29	0.02	54.0	-11.71	AV	341.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	43.34	-17.78	74.0	-30.66	Peak	109.00	150	Vertical	Pass
1**	1600.300	37.66	-17.78	54.0	-16.34	AV	109.00	150	Vertical	Pass
2	2453.500	97.89	-13.02	74.0	23.89	Peak	109.00	150	Vertical	N/A
2**	2453.500	87.57	-13.02	54.0	33.57	AV	109.00	150	Vertical	N/A
3	5313.500	49.66	-3.69	74.0	-24.34	Peak	247.00	150	Vertical	Pass
3**	5313.500	39.87	-3.69	54.0	-14.13	AV	247.00	150	Vertical	Pass
4	7844.750	53.22	1.41	74.0	-20.78	Peak	360.00	150	Vertical	Pass
4**	7844.750	42.82	1.41	54.0	-11.18	AV	360.00	150	Vertical	Pass
5	12431.988	49.17	-2.43	74.0	-24.83	Peak	360.00	150	Vertical	Pass
5**	12431.988	40.74	-2.43	54.0	-13.26	AV	360.00	150	Vertical	Pass
6	16506.900	52.90	0.00	74.0	-21.10	Peak	352.00	150	Vertical	Pass
6**	16506.900	44.13	0.00	54.0	-9.87	AV	352.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.600	41.12	-17.37	74.0	-32.88	Peak	87.00	150	Horizontal	Pass
1**	1509.600	32.07	-17.37	54.0	-21.93	AV	87.00	150	Horizontal	Pass
2	2455.100	107.94	-13.02	74.0	33.94	Peak	108.00	150	Horizontal	N/A
2**	2455.100	99.09	-13.02	54.0	45.09	AV	108.00	150	Horizontal	N/A
3	5181.000	50.17	-2.18	74.0	-23.83	Peak	318.00	150	Horizontal	Pass
3**	5181.000	41.66	-2.18	54.0	-12.34	AV	318.00	150	Horizontal	Pass
4	7834.500	52.71	2.22	74.0	-21.29	Peak	286.00	150	Horizontal	Pass
4**	7834.500	43.53	2.22	54.0	-10.47	AV	286.00	150	Horizontal	Pass
5	14086.125	51.57	-0.22	74.0	-22.43	Peak	150.00	150	Horizontal	Pass
5**	14086.125	40.99	-0.22	54.0	-13.01	AV	150.00	150	Horizontal	Pass
6	16907.213	53.22	1.40	74.0	-20.78	Peak	305.00	150	Horizontal	Pass
6**	16907.213	42.49	1.40	54.0	-11.51	AV	305.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	44.17	-17.75	74.0	-29.83	Peak	195.00	150	Vertical	Pass
1**	1599.900	37.83	-17.75	54.0	-16.17	AV	195.00	150	Vertical	Pass
2	2454.500	97.45	-13.15	74.0	23.45	Peak	111.00	150	Vertical	N/A
2**	2454.500	88.26	-13.15	54.0	34.26	AV	111.00	150	Vertical	N/A
3	5184.500	50.61	-2.27	74.0	-23.39	Peak	111.00	150	Vertical	Pass
3**	5184.500	41.59	-2.27	54.0	-12.41	AV	111.00	150	Vertical	Pass
4	7837.750	52.44	2.04	74.0	-21.56	Peak	360.00	150	Vertical	Pass
4**	7837.750	43.77	2.04	54.0	-10.23	AV	360.00	150	Vertical	Pass
5	11443.037	48.78	-3.92	74.0	-25.22	Peak	86.00	150	Vertical	Pass
5**	11443.037	39.17	-3.92	54.0	-14.83	AV	86.00	150	Vertical	Pass
6	17152.387	53.48	1.62	74.0	-20.52	Peak	174.00	150	Vertical	Pass
6**	17152.387	43.04	1.62	54.0	-10.96	AV	174.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.32	-17.77	74.0	-32.68	Peak	238.00	150	Horizontal	Pass
1**	1600.100	35.80	-17.77	54.0	-18.20	AV	238.00	150	Horizontal	Pass
2	2449.800	107.19	-12.77	74.0	33.19	Peak	141.00	150	Horizontal	N/A
2**	2449.800	98.68	-12.77	54.0	44.68	AV	141.00	150	Horizontal	N/A
3	5025.500	49.93	-3.90	74.0	-24.07	Peak	97.00	150	Horizontal	Pass
3**	5025.500	40.05	-3.90	54.0	-13.95	AV	97.00	150	Horizontal	Pass
4	7841.750	53.77	1.68	74.0	-20.23	Peak	122.00	150	Horizontal	Pass
4**	7841.750	44.49	1.68	54.0	-9.51	AV	122.00	150	Horizontal	Pass
5	11451.112	49.06	-3.88	74.0	-24.94	Peak	247.00	150	Horizontal	Pass
5**	11451.112	39.98	-3.88	54.0	-14.02	AV	247.00	150	Horizontal	Pass
6	16421.063	52.60	0.18	74.0	-21.40	Peak	0.00	150	Horizontal	Pass
6**	16421.063	43.88	0.18	54.0	-10.12	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	40.68	-17.78	74.0	-33.32	Peak	360.00	150	Vertical	Pass
1**	1600.200	36.10	-17.78	54.0	-17.90	AV	360.00	150	Vertical	Pass
2	2465.800	96.35	-12.74	74.0	22.35	Peak	43.00	150	Vertical	N/A
2**	2465.800	87.24	-12.74	54.0	33.24	AV	43.00	150	Vertical	N/A
3	5304.750	50.72	-3.52	74.0	-23.28	Peak	304.00	150	Vertical	Pass
3**	5304.750	41.71	-3.52	54.0	-12.29	AV	304.00	150	Vertical	Pass
4	7509.000	53.18	0.47	74.0	-20.82	Peak	126.00	150	Vertical	Pass
4**	7509.000	45.22	0.47	54.0	-8.78	AV	126.00	150	Vertical	Pass
5	11338.299	49.69	-4.37	74.0	-24.31	Peak	183.00	150	Vertical	Pass
5**	11338.299	38.73	-4.37	54.0	-15.27	AV	183.00	150	Vertical	Pass
6	17870.324	54.29	2.70	74.0	-19.71	Peak	42.00	150	Vertical	Pass
6**	17870.324	44.47	2.70	54.0	-9.53	AV	42.00	150	Vertical	Pass

Simultaneous transmission

MAIN antenna: 2.4G 802.11n20 mode + AUX antenna: BLE mode

1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.500	39.30	-17.54	74.0	-34.70	Peak	109.00	150	Horizontal	Pass
1**	1503.500	29.54	-17.54	54.0	-24.46	AV	109.00	150	Horizontal	Pass
2	2410.700	96.88	-12.25	74.0	22.88	Peak	238.00	150	Horizontal	N/A
2**	2410.700	93.95	-12.25	54.0	39.95	AV	238.00	150	Horizontal	N/A
3	2439.700	100.54	-12.64	74.0	26.54	Peak	197.00	150	Horizontal	N/A
3**	2439.700	99.47	-12.64	54.0	45.47	AV	197.00	150	Horizontal	N/A
4	5196.400	52.07	-2.82	74.0	-21.93	Peak	0.00	150	Horizontal	Pass
4**	5196.400	43.88	-2.82	54.0	-10.12	AV	0.00	150	Horizontal	Pass
5	11044.550	52.61	-0.59	74.0	-21.39	Peak	253.00	150	Horizontal	Pass
5**	11044.550	42.59	-0.59	54.0	-11.41	AV	253.00	150	Horizontal	Pass
6	16093.725	56.83	1.35	74.0	-17.17	Peak	157.00	150	Horizontal	Pass
6**	16093.725	46.79	1.35	54.0	-7.21	AV	157.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.100	39.18	-17.52	74.0	-34.82	Peak	298.00	150	Vertical	Pass
1**	1578.100	28.86	-17.52	54.0	-25.14	AV	298.00	150	Vertical	Pass
2	2410.700	93.61	-12.25	74.0	19.61	Peak	130.00	150	Vertical	N/A
2**	2410.700	90.62	-12.25	54.0	36.62	AV	130.00	150	Vertical	N/A
3	2439.700	89.72	-12.64	74.0	15.72	Peak	64.00	150	Vertical	N/A
3**	2439.700	88.42	-12.64	54.0	34.42	AV	64.00	150	Vertical	N/A
4	6006.600	53.67	-1.38	74.0	-20.33	Peak	14.00	150	Vertical	Pass
4**	6006.600	43.62	-1.38	54.0	-10.38	AV	14.00	150	Vertical	Pass
5	10364.900	52.54	0.10	74.0	-21.46	Peak	109.00	150	Vertical	Pass
5**	10364.900	42.95	0.10	54.0	-11.05	AV	109.00	150	Vertical	Pass
6	16415.287	56.62	1.30	74.0	-17.38	Peak	217.00	150	Vertical	Pass
6**	16415.287	47.35	1.30	54.0	-6.65	AV	217.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Main Antenna

802.11b CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.82	1.62	74.0	-17.18	Peak	205.00	150	Horizontal	Pass
1**	2390.000	45.83	1.62	54.0	-8.17	AV	205.00	150	Horizontal	Pass
2	2329.833	58.21	2.42	74.0	-15.79	Peak	202.00	150	Horizontal	Pass
2**	2329.833	46.13	2.42	54.0	-7.87	AV	202.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.53	1.98	74.0	-17.47	Peak	265.00	150	Horizontal	Pass
1**	2483.500	48.78	1.98	54.0	-5.22	AV	265.00	150	Horizontal	Pass
2	2486.000	57.75	1.84	74.0	-16.25	Peak	206.00	150	Horizontal	Pass
2**	2486.000	47.11	1.84	54.0	-6.89	AV	206.00	150	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.75	1.62	74.0	-14.25	Peak	236.00	150	Horizontal	Pass
1**	2390.000	48.87	1.62	54.0	-5.13	AV	236.00	150	Horizontal	Pass
2	2389.833	61.02	1.64	74.0	-12.98	Peak	216.00	150	Horizontal	Pass
2**	2389.833	48.71	1.64	54.0	-5.29	AV	216.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.68	1.62	74.0	-13.32	Peak	2.00	150	Horizontal	Pass
1**	2390.000	48.57	1.62	54.0	-5.43	AV	2.00	150	Horizontal	Pass
2	2389.833	63.06	1.64	74.0	-10.94	Peak	226.00	150	Horizontal	Pass
2**	2389.833	48.46	1.64	54.0	-5.54	AV	226.00	150	Horizontal	Pass

802.11g CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.42	1.62	74.0	-11.58	Peak	236.00	150	Horizontal	Pass
1**	2390.000	48.74	1.62	54.0	-5.26	AV	236.00	150	Horizontal	Pass
2	2389.833	62.65	1.64	74.0	-11.35	Peak	218.00	150	Horizontal	Pass
2**	2389.833	49.00	1.64	54.0	-5.00	AV	218.00	150	Horizontal	Pass

802.11g CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.09	1.98	74.0	-14.91	Peak	0.00	150	Horizontal	Pass
1**	2483.500	47.49	1.98	54.0	-6.51	AV	0.00	150	Horizontal	Pass
2	2483.600	61.03	1.99	74.0	-12.97	Peak	0.00	150	Horizontal	Pass
2**	2483.600	47.53	1.99	54.0	-6.47	AV	0.00	150	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.42	1.98	74.0	-14.58	Peak	209.00	150	Horizontal	Pass
1**	2483.500	48.96	1.98	54.0	-5.04	AV	209.00	150	Horizontal	Pass
2	2483.750	62.66	1.99	74.0	-11.34	Peak	147.00	150	Horizontal	Pass
2**	2483.750	48.47	1.99	54.0	-5.53	AV	147.00	150	Horizontal	Pass

802.11n20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.41	1.62	74.0	-7.59	Peak	228.00	150	Horizontal	Pass
1**	2390.000	46.45	1.62	54.0	-7.55	AV	228.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.29	1.62	74.0	-10.71	Peak	257.00	150	Horizontal	Pass
1**	2390.000	48.63	1.62	54.0	-5.37	AV	257.00	150	Horizontal	Pass

802.11n20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.08	1.62	74.0	-10.92	Peak	254.00	150	Horizontal	Pass
1**	2390.000	48.64	1.62	54.0	-5.36	AV	254.00	150	Horizontal	Pass

802.11n20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.32	1.98	74.0	-13.68	Peak	232.00	150	Horizontal	Pass
1**	2483.500	48.95	1.98	54.0	-5.05	AV	232.00	150	Horizontal	Pass
2	2483.600	60.91	1.99	74.0	-13.09	Peak	226.00	150	Horizontal	Pass
2**	2483.600	48.96	1.99	54.0	-5.04	AV	226.00	150	Horizontal	Pass

802.11n20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.18	1.98	74.0	-14.82	Peak	247.00	150	Horizontal	Pass
1**	2483.500	48.82	1.98	54.0	-5.18	AV	247.00	150	Horizontal	Pass
2	2484.450	60.20	1.97	74.0	-13.80	Peak	212.00	150	Horizontal	Pass
2**	2484.450	48.64	1.97	54.0	-5.36	AV	212.00	150	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.63	1.98	74.0	-14.37	Peak	246.00	150	Horizontal	Pass
1**	2483.500	48.90	1.98	54.0	-5.10	AV	246.00	150	Horizontal	Pass
2	2483.800	62.38	1.99	74.0	-11.62	Peak	142.00	150	Horizontal	Pass
2**	2483.800	48.61	1.99	54.0	-5.39	AV	142.00	150	Horizontal	Pass

802.11n40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.95	1.62	74.0	-7.05	Peak	251.00	150	Horizontal	Pass
1**	2390.000	48.98	1.62	54.0	-5.02	AV	251.00	150	Horizontal	Pass
2	2389.833	67.39	1.64	74.0	-6.61	Peak	205.00	150	Horizontal	Pass
2**	2389.833	48.98	1.64	54.0	-5.02	AV	205.00	150	Horizontal	Pass

802.11n40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	68.51	1.62	74.0	-5.49	Peak	258.00	150	Horizontal	Pass
1**	2390.000	48.57	1.62	54.0	-5.43	AV	258.00	150	Horizontal	Pass

802.11n40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.98	1.62	74.0	-9.02	Peak	218.00	150	Horizontal	Pass
1**	2390.000	47.94	1.62	54.0	-6.06	AV	218.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.98	1.62	74.0	-9.02	Peak	218.00	150	Horizontal	Pass
1**	2390.000	47.94	1.62	54.0	-6.06	AV	218.00	150	Horizontal	Pass
2	2389.500	64.75	1.66	74.0	-9.25	Peak	260.00	150	Horizontal	Pass
2**	2389.500	47.53	1.66	54.0	-6.47	AV	260.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.72	1.98	74.0	-11.28	Peak	234.00	150	Horizontal	Pass
1**	2483.500	48.63	1.98	54.0	-5.37	AV	234.00	150	Horizontal	Pass
2	2483.800	65.91	1.99	74.0	-8.09	Peak	232.00	150	Horizontal	Pass
2**	2483.800	48.44	1.99	54.0	-5.56	AV	232.00	150	Horizontal	Pass

802.11n40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.75	1.98	74.0	-10.25	Peak	215.00	150	Horizontal	Pass
1**	2483.500	48.86	1.98	54.0	-5.14	AV	215.00	150	Horizontal	Pass
2	2484.300	64.10	1.99	74.0	-9.90	Peak	226.00	150	Horizontal	Pass
2**	2484.300	48.78	1.99	54.0	-5.22	AV	226.00	150	Horizontal	Pass

802.11n40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.07	1.98	74.0	-5.93	Peak	233.00	150	Horizontal	Pass
1**	2483.500	48.27	1.98	54.0	-5.73	AV	233.00	150	Horizontal	Pass
2	2483.650	68.40	1.99	74.0	-5.60	Peak	228.00	150	Horizontal	Pass
2**	2483.650	48.51	1.99	54.0	-5.49	AV	228.00	150	Horizontal	Pass

802.11n40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.91	1.98	74.0	-8.09	Peak	205.00	150	Horizontal	Pass
1**	2483.500	47.16	1.98	54.0	-6.84	AV	205.00	150	Horizontal	Pass
2	2484.200	67.21	2.00	74.0	-6.79	Peak	251.00	150	Horizontal	Pass
2**	2484.200	47.19	2.00	54.0	-6.81	AV	251.00	150	Horizontal	Pass

VHT20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.38	1.62	74.0	-9.62	Peak	229.00	150	Horizontal	Pass
1**	2390.000	46.32	1.62	54.0	-7.68	AV	229.00	150	Horizontal	Pass

VHT20 CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.69	1.62	74.0	-13.31	Peak	263.00	150	Horizontal	Pass
1**	2390.000	48.66	1.62	54.0	-5.34	AV	263.00	150	Horizontal	Pass

VHT20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.49	1.62	74.0	-13.51	Peak	240.00	150	Horizontal	Pass
1**	2390.000	48.56	1.62	54.0	-5.44	AV	240.00	150	Horizontal	Pass
2	2388.500	61.61	1.74	74.0	-12.39	Peak	64.00	150	Horizontal	Pass
2**	2388.500	48.20	1.74	54.0	-5.80	AV	64.00	150	Horizontal	Pass

VHT20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.75	1.62	74.0	-16.25	Peak	110.00	150	Horizontal	Pass
1**	2390.000	47.56	1.62	54.0	-6.44	AV	110.00	150	Horizontal	Pass
2	2382.833	58.12	1.71	74.0	-15.88	Peak	255.00	150	Horizontal	Pass
2**	2382.833	46.18	1.71	54.0	-7.82	AV	255.00	150	Horizontal	Pass

VHT20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.15	1.98	74.0	-10.85	Peak	215.00	150	Horizontal	Pass
1**	2483.500	48.95	1.98	54.0	-5.05	AV	215.00	150	Horizontal	Pass

VHT20 CHANNEL 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.19	1.98	74.0	-14.81	Peak	236.00	150	Horizontal	Pass
1**	2483.500	48.97	1.98	54.0	-5.03	AV	236.00	150	Horizontal	Pass
2	2484.650	60.16	1.96	74.0	-13.84	Peak	213.00	150	Horizontal	Pass
2**	2484.650	48.78	1.96	54.0	-5.22	AV	213.00	150	Horizontal	Pass

VHT20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.01	1.98	74.0	-13.99	Peak	233.00	150	Horizontal	Pass
1**	2483.500	48.98	1.98	54.0	-5.02	AV	233.00	150	Horizontal	Pass
2	2484.200	62.89	2.00	74.0	-11.11	Peak	233.00	150	Horizontal	Pass
2**	2484.200	48.52	2.00	54.0	-5.48	AV	233.00	150	Horizontal	Pass

VHT40 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.28	1.62	74.0	-14.72	Peak	35.00	150	Horizontal	Pass
1**	2390.000	48.96	1.62	54.0	-5.04	AV	35.00	150	Horizontal	Pass
2	2387.667	63.63	1.77	74.0	-10.37	Peak	235.00	150	Horizontal	Pass
2**	2387.667	47.42	1.77	54.0	-6.58	AV	235.00	150	Horizontal	Pass

VHT40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.01	1.62	74.0	-10.99	Peak	230.00	150	Horizontal	Pass
1**	2390.000	48.58	1.62	54.0	-5.42	AV	230.00	150	Horizontal	Pass
2	2389.500	64.65	1.66	74.0	-9.35	Peak	153.00	150	Horizontal	Pass
2**	2389.500	48.40	1.66	54.0	-5.60	AV	153.00	150	Horizontal	Pass

VHT40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.26	1.62	74.0	-11.74	Peak	55.00	150	Horizontal	Pass
1**	2390.000	48.29	1.62	54.0	-5.71	AV	55.00	150	Horizontal	Pass
2	2388.667	66.35	1.72	74.0	-7.65	Peak	231.00	150	Horizontal	Pass
2**	2388.667	47.77	1.72	54.0	-6.23	AV	231.00	150	Horizontal	Pass

VHT40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.92	1.62	74.0	-12.08	Peak	120.00	150	Horizontal	Pass
1**	2390.000	48.08	1.62	54.0	-5.92	AV	120.00	150	Horizontal	Pass
2	2389.500	62.54	1.66	74.0	-11.46	Peak	174.00	150	Horizontal	Pass
2**	2389.500	47.76	1.66	54.0	-6.24	AV	174.00	150	Horizontal	Pass

VHT40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.27	1.98	74.0	-11.73	Peak	56.00	150	Horizontal	Pass
1**	2483.500	48.17	1.98	54.0	-5.83	AV	56.00	150	Horizontal	Pass
2	2484.200	63.72	2.00	74.0	-10.28	Peak	264.00	150	Horizontal	Pass
2**	2484.200	47.96	2.00	54.0	-6.04	AV	264.00	150	Horizontal	Pass

VHT40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.96	1.99	74.0	-12.04	Peak	53.00	150	Horizontal	Pass
1**	2483.650	48.30	1.99	54.0	-5.70	AV	53.00	150	Horizontal	Pass
2	2484.100	64.06	1.99	74.0	-9.94	Peak	217.00	150	Horizontal	Pass
2**	2484.100	47.89	1.99	54.0	-6.11	AV	217.00	150	Horizontal	Pass

VHT40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	63.34	1.98	74.0	-10.66	Peak	213.00	150	Horizontal	Pass
1**	2483.550	47.57	1.98	54.0	-6.43	AV	213.00	150	Horizontal	Pass
2	2483.900	65.67	1.99	74.0	-8.33	Peak	240.00	150	Horizontal	Pass
2**	2483.900	47.50	1.99	54.0	-6.50	AV	240.00	150	Horizontal	Pass

VHT40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.91	1.98	74.0	-13.09	Peak	222.00	150	Horizontal	Pass
1**	2483.500	47.05	1.98	54.0	-6.95	AV	222.00	150	Horizontal	Pass
2	2484.700	65.24	1.95	74.0	-8.76	Peak	214.00	150	Horizontal	Pass
2**	2484.700	47.00	1.95	54.0	-7.00	AV	214.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.57	1.62	74.0	-16.43	Peak	236.00	150	Horizontal	Pass
1**	2390.000	46.37	1.62	54.0	-7.63	AV	236.00	150	Horizontal	Pass
2	2389.667	60.33	1.65	74.0	-13.67	Peak	235.00	150	Horizontal	Pass
2**	2389.667	46.69	1.65	54.0	-7.31	AV	235.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.49	1.62	74.0	-14.51	Peak	232.00	150	Horizontal	Pass
1**	2390.000	48.87	1.62	54.0	-5.13	AV	232.00	150	Horizontal	Pass
2	2388.333	61.77	1.74	74.0	-12.23	Peak	254.00	150	Horizontal	Pass
2**	2388.333	48.14	1.74	54.0	-5.86	AV	254.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.66	1.62	74.0	-13.34	Peak	230.00	150	Horizontal	Pass
1**	2390.000	48.60	1.62	54.0	-5.40	AV	230.00	150	Horizontal	Pass
2	2388.167	61.49	1.75	74.0	-12.51	Peak	260.00	150	Horizontal	Pass
2**	2388.167	47.69	1.75	54.0	-6.31	AV	260.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.97	1.62	74.0	-15.03	Peak	240.00	150	Horizontal	Pass
1**	2390.000	48.02	1.62	54.0	-5.98	AV	240.00	150	Horizontal	Pass
2	2389.833	61.94	1.64	74.0	-12.06	Peak	260.00	150	Horizontal	Pass
2**	2389.833	47.92	1.64	54.0	-6.08	AV	260.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.23	1.98	74.0	-14.77	Peak	246.00	150	Horizontal	Pass
1**	2483.500	48.71	1.98	54.0	-5.29	AV	246.00	150	Horizontal	Pass
2	2483.600	62.90	1.99	74.0	-11.10	Peak	247.00	150	Horizontal	Pass
2**	2483.600	48.36	1.99	54.0	-5.64	AV	247.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.22	1.98	74.0	-12.78	Peak	211.00	150	Horizontal	Pass
1**	2483.500	48.83	1.98	54.0	-5.17	AV	211.00	150	Horizontal	Pass
2	2483.650	61.51	1.99	74.0	-12.49	Peak	211.00	150	Horizontal	Pass
2**	2483.650	48.94	1.99	54.0	-5.56	AV	211.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.28	1.98	74.0	-13.72	Peak	213.00	150	Horizontal	Pass
1**	2483.500	48.93	1.98	54.0	-5.07	AV	213.00	150	Horizontal	Pass
2	2483.850	61.10	1.99	74.0	-12.90	Peak	148.00	150	Horizontal	Pass
2**	2483.850	48.77	1.99	54.0	-5.23	AV	148.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.25	1.98	74.0	-12.75	Peak	214.00	150	Horizontal	Pass
1**	2483.500	48.99	1.98	54.0	-5.01	AV	214.00	150	Horizontal	Pass
2	2486.100	63.84	1.83	74.0	-10.16	Peak	145.00	150	Horizontal	Pass
2**	2486.100	47.49	1.83	54.0	-6.51	AV	145.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.63	1.62	74.0	-8.37	Peak	218.00	150	Horizontal	Pass
1**	2390.000	48.89	1.62	54.0	-5.11	AV	218.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.167	61.55	1.61	74.0	-12.45	Peak	226.00	150	Horizontal	Pass
1**	2390.167	48.51	1.61	54.0	-5.49	AV	226.00	150	Horizontal	Pass
2	2389.167	62.47	1.69	74.0	-11.53	Peak	236.00	150	Horizontal	Pass
2**	2389.167	47.98	1.69	54.0	-6.02	AV	236.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.500	61.72	1.58	74.0	-12.28	Peak	234.00	150	Horizontal	Pass
1**	2390.500	48.43	1.58	54.0	-5.57	AV	234.00	150	Horizontal	Pass
2	2389.167	62.74	1.69	74.0	-11.26	Peak	239.00	150	Horizontal	Pass
2**	2389.167	47.90	1.69	54.0	-6.10	AV	239.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.74	1.62	74.0	-14.26	Peak	215.00	150	Horizontal	Pass
1**	2390.000	48.04	1.62	54.0	-5.96	AV	215.00	150	Horizontal	Pass
2	2388.500	60.36	1.74	74.0	-13.64	Peak	256.00	150	Horizontal	Pass
2**	2388.500	47.36	1.74	54.0	-6.64	AV	256.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.46	1.98	74.0	-14.54	Peak	235.00	150	Horizontal	Pass
1**	2483.500	48.10	1.98	54.0	-5.90	AV	235.00	150	Horizontal	Pass
2	2483.650	61.18	1.99	74.0	-12.82	Peak	231.00	150	Horizontal	Pass
2**	2483.650	47.87	1.99	54.0	-6.13	AV	231.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.72	1.98	74.0	-11.28	Peak	155.00	150	Horizontal	Pass
1**	2483.500	48.37	1.98	54.0	-5.63	AV	155.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.24	1.98	74.0	-11.76	Peak	214.00	150	Horizontal	Pass
1**	2483.500	47.70	1.98	54.0	-6.30	AV	214.00	150	Horizontal	Pass
2	2486.850	68.01	1.78	74.0	-5.99	Peak	155.00	150	Horizontal	Pass
2**	2486.850	47.08	1.78	54.0	-6.92	AV	155.00	150	Horizontal	Pass


802.11 ax40(SU) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.52	1.98	74.0	-9.48	Peak	54.00	150	Horizontal	Pass
1**	2483.500	47.70	1.98	54.0	-6.30	AV	54.00	150	Horizontal	Pass
2	2485.050	67.31	1.92	74.0	-6.69	Peak	212.00	150	Horizontal	Pass
2**	2485.050	47.41	1.92	54.0	-6.59	AV	212.00	150	Horizontal	Pass


Aux. Antenna

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.29	1.62	74.0	-17.71	Peak	286.00	150	Horizontal	Pass
1**	2390.000	45.82	1.62	54.0	-8.18	AV	286.00	150	Horizontal	Pass
2	2322.667	58.58	1.80	74.0	-15.42	Peak	300.00	150	Horizontal	Pass
2**	2322.667	45.79	1.80	54.0	-8.21	AV	300.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.46	1.98	74.0	-16.54	Peak	78.00	150	Horizontal	Pass
1**	2483.500	48.09	1.98	54.0	-5.91	AV	78.00	150	Horizontal	Pass
2	2490.300	58.72	1.93	74.0	-15.28	Peak	219.00	150	Horizontal	Pass
2**	2490.300	46.24	1.93	54.0	-7.76	AV	219.00	150	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.48	1.62	74.0	-10.52	Peak	112.00	150	Horizontal	Pass
1**	2390.000	48.61	1.62	54.0	-5.39	AV	112.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.70	1.62	74.0	-9.30	Peak	126.00	150	Horizontal	Pass
1**	2390.000	48.05	1.62	54.0	-5.95	AV	126.00	150	Horizontal	Pass

802.11g CHANNEL 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.82	1.98	74.0	-12.18	Peak	155.00	150	Horizontal	Pass
1**	2483.500	48.01	1.98	54.0	-5.99	AV	155.00	150	Horizontal	Pass
2	2485.250	64.42	1.90	74.0	-9.58	Peak	35.00	150	Horizontal	Pass
2**	2485.250	47.57	1.90	54.0	-6.43	AV	35.00	150	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.35	1.98	74.0	-12.65	Peak	23.00	150	Horizontal	Pass
1**	2483.500	48.66	1.98	54.0	-5.34	AV	23.00	150	Horizontal	Pass

802.11n20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.06	1.62	74.0	-9.94	Peak	75.00	150	Horizontal	Pass
1**	2390.000	48.40	1.62	54.0	-5.60	AV	75.00	150	Horizontal	Pass
2	2389.333	65.47	1.67	74.0	-8.53	Peak	129.00	150	Horizontal	Pass
2**	2389.333	48.08	1.67	54.0	-5.92	AV	129.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	68.91	1.62	74.0	-5.09	Peak	72.00	150	Horizontal	Pass
1**	2390.000	48.42	1.62	54.0	-5.58	AV	72.00	150	Horizontal	Pass

802.11n20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.16	1.62	74.0	-8.84	Peak	89.00	150	Horizontal	Pass
1**	2390.000	48.73	1.62	54.0	-5.27	AV	89.00	150	Horizontal	Pass

802.11n20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.53	1.62	74.0	-12.47	Peak	72.00	150	Horizontal	Pass
1**	2390.000	48.30	1.62	54.0	-5.70	AV	72.00	150	Horizontal	Pass
2	2389.833	62.29	1.64	74.0	-11.71	Peak	119.00	150	Horizontal	Pass
2**	2389.833	47.99	1.64	54.0	-6.01	AV	119.00	150	Horizontal	Pass

802.11n20 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.67	1.62	74.0	-10.33	Peak	76.00	150	Horizontal	Pass
1**	2390.000	48.99	1.62	54.0	-5.01	AV	76.00	150	Horizontal	Pass

802.11n20 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.07	1.62	74.0	-14.93	Peak	31.00	150	Horizontal	Pass
1**	2390.000	48.16	1.62	54.0	-5.84	AV	31.00	150	Horizontal	Pass
2	2386.333	61.33	1.83	74.0	-12.67	Peak	78.00	150	Horizontal	Pass
2**	2386.333	46.93	1.83	54.0	-7.07	AV	78.00	150	Horizontal	Pass

802.11n20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.29	1.98	74.0	-14.71	Peak	56.00	150	Horizontal	Pass
1**	2483.500	48.09	1.98	54.0	-5.91	AV	56.00	150	Horizontal	Pass
2	2483.800	61.09	1.99	74.0	-12.91	Peak	108.00	150	Horizontal	Pass
2**	2483.800	48.07	1.99	54.0	-5.93	AV	108.00	150	Horizontal	Pass

802.11n20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.78	1.98	74.0	-12.22	Peak	71.00	150	Horizontal	Pass
1**	2483.500	48.37	1.98	54.0	-5.63	AV	71.00	150	Horizontal	Pass
2	2483.950	68.19	1.99	74.0	-5.81	Peak	127.00	150	Horizontal	Pass
2**	2483.950	47.88	1.99	54.0	-6.12	AV	127.00	150	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.04	1.98	74.0	-12.96	Peak	33.00	150	Horizontal	Pass
1**	2483.500	48.66	1.98	54.0	-5.34	AV	33.00	150	Horizontal	Pass
2	2483.800	61.39	1.99	74.0	-12.61	Peak	53.00	150	Horizontal	Pass
2**	2483.800	48.49	1.99	54.0	-5.51	AV	53.00	150	Horizontal	Pass

802.11n40 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.61	1.62	74.0	-8.39	Peak	70.00	150	Horizontal	Pass
1**	2390.000	48.82	1.62	54.0	-5.18	AV	70.00	150	Horizontal	Pass
2	2389.667	66.01	1.65	74.0	-7.99	Peak	72.00	150	Horizontal	Pass
2**	2389.667	48.78	1.65	54.0	-5.22	AV	72.00	150	Horizontal	Pass

802.11n40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	68.97	1.62	74.0	-5.03	Peak	75.00	150	Horizontal	Pass
1**	2390.000	48.94	1.62	54.0	-5.06	AV	75.00	150	Horizontal	Pass

802.11n40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.23	1.62	74.0	-10.77	Peak	72.00	150	Horizontal	Pass
1**	2390.000	46.69	1.62	54.0	-7.31	AV	72.00	150	Horizontal	Pass
2	2389.500	63.53	1.66	74.0	-10.47	Peak	77.00	150	Horizontal	Pass
2**	2389.500	46.76	1.66	54.0	-7.24	AV	77.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.65	1.62	74.0	-15.35	Peak	77.00	150	Horizontal	Pass
1**	2390.000	48.65	1.62	54.0	-5.35	AV	77.00	150	Horizontal	Pass
2	2386.167	60.39	1.84	74.0	-13.61	Peak	74.00	150	Horizontal	Pass
2**	2386.167	47.03	1.84	54.0	-6.97	AV	74.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.16	1.98	74.0	-13.84	Peak	31.00	150	Horizontal	Pass
1**	2483.500	48.95	1.98	54.0	-5.05	AV	31.00	150	Horizontal	Pass
2	2485.300	62.34	1.90	74.0	-11.66	Peak	77.00	150	Horizontal	Pass
2**	2485.300	48.35	1.90	54.0	-5.65	AV	77.00	150	Horizontal	Pass

802.11n40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.47	1.98	74.0	-10.53	Peak	74.00	150	Horizontal	Pass
1**	2483.500	48.98	1.98	54.0	-5.02	AV	74.00	150	Horizontal	Pass

802.11n40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.61	1.98	74.0	-10.39	Peak	116.00	150	Horizontal	Pass
1**	2483.500	48.76	1.98	54.0	-5.24	AV	116.00	150	Horizontal	Pass
2	2485.000	65.18	1.93	74.0	-8.82	Peak	75.00	150	Horizontal	Pass
2**	2485.000	48.61	1.93	54.0	-5.39	AV	75.00	150	Horizontal	Pass

802.11n40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.45	1.98	74.0	-8.55	Peak	58.00	150	Horizontal	Pass
1**	2483.500	48.09	1.98	54.0	-5.91	AV	58.00	150	Horizontal	Pass
2	2484.550	66.85	1.97	74.0	-7.15	Peak	72.00	150	Horizontal	Pass
2**	2484.550	48.08	1.97	54.0	-5.92	AV	72.00	150	Horizontal	Pass

VHT20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.833	61.99	1.64	74.0	-12.01	Peak	52.00	150	Horizontal	Pass
1**	2389.833	49.00	1.64	54.0	-5.00	AV	52.00	150	Horizontal	Pass
2	2389.000	65.93	1.70	74.0	-8.07	Peak	70.00	150	Horizontal	Pass
2**	2389.000	48.18	1.70	54.0	-5.82	AV	70.00	150	Horizontal	Pass

VHT20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.11	1.62	74.0	-10.89	Peak	72.00	150	Horizontal	Pass
1**	2390.000	48.83	1.62	54.0	-5.17	AV	72.00	150	Horizontal	Pass
2	2386.500	64.10	1.83	74.0	-9.90	Peak	77.00	150	Horizontal	Pass
2**	2386.500	47.24	1.83	54.0	-6.76	AV	77.00	150	Horizontal	Pass

VHT20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.80	1.62	74.0	-13.20	Peak	33.00	150	Horizontal	Pass
1**	2390.000	48.27	1.62	54.0	-5.73	AV	33.00	150	Horizontal	Pass
2	2388.833	62.10	1.71	74.0	-11.90	Peak	112.00	150	Horizontal	Pass
2**	2388.833	47.57	1.71	54.0	-6.43	AV	112.00	150	Horizontal	Pass

VHT20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.64	1.62	74.0	-9.36	Peak	77.00	150	Horizontal	Pass
1**	2390.000	48.93	1.62	54.0	-5.07	AV	77.00	150	Horizontal	Pass

VHT20 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.33	1.62	74.0	-10.67	Peak	127.00	150	Horizontal	Pass
1**	2390.000	48.37	1.62	54.0	-5.63	AV	127.00	150	Horizontal	Pass

VHT20 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.78	1.62	74.0	-14.22	Peak	109.00	150	Horizontal	Pass
1**	2390.000	47.73	1.62	54.0	-6.27	AV	109.00	150	Horizontal	Pass
2	2389.500	61.92	1.66	74.0	-12.08	Peak	70.00	150	Horizontal	Pass
2**	2389.500	47.65	1.66	54.0	-6.35	AV	70.00	150	Horizontal	Pass

VHT20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	61.81	1.98	74.0	-12.19	Peak	26.00	150	Horizontal	Pass
1**	2483.550	48.43	1.98	54.0	-5.57	AV	26.00	150	Horizontal	Pass
2	2483.750	67.04	1.99	74.0	-6.96	Peak	71.00	150	Horizontal	Pass
2**	2483.750	48.42	1.99	54.0	-5.58	AV	71.00	150	Horizontal	Pass

VHT20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.61	1.98	74.0	-12.39	Peak	73.00	150	Horizontal	Pass
1**	2483.500	48.95	1.98	54.0	-5.05	AV	73.00	150	Horizontal	Pass
2	2484.650	62.21	1.96	74.0	-11.79	Peak	73.00	150	Horizontal	Pass
2**	2484.650	48.60	1.96	54.0	-5.40	AV	73.00	150	Horizontal	Pass

VHT40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.37	1.62	74.0	-12.63	Peak	74.00	150	Horizontal	Pass
1**	2390.000	48.43	1.62	54.0	-5.57	AV	74.00	150	Horizontal	Pass
2	2389.000	64.02	1.70	74.0	-9.98	Peak	68.00	150	Horizontal	Pass
2**	2389.000	47.81	1.70	54.0	-6.19	AV	68.00	150	Horizontal	Pass

VHT40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.44	1.62	74.0	-13.56	Peak	19.00	150	Horizontal	Pass
1**	2390.000	48.68	1.62	54.0	-5.32	AV	19.00	150	Horizontal	Pass
2	2389.667	60.82	1.65	74.0	-13.18	Peak	44.00	150	Horizontal	Pass
2**	2389.667	48.36	1.65	54.0	-5.64	AV	44.00	150	Horizontal	Pass

VHT40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.61	1.62	74.0	-14.39	Peak	67.00	150	Horizontal	Pass
1**	2390.000	48.47	1.62	54.0	-5.53	AV	67.00	150	Horizontal	Pass
2	2389.667	60.45	1.65	74.0	-13.55	Peak	69.00	150	Horizontal	Pass
2**	2389.667	48.54	1.65	54.0	-5.46	AV	69.00	150	Horizontal	Pass

VHT40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.75	1.62	74.0	-15.25	Peak	70.00	150	Horizontal	Pass
1**	2390.000	48.15	1.62	54.0	-5.85	AV	70.00	150	Horizontal	Pass
2	2388.167	59.99	1.75	74.0	-14.01	Peak	117.00	150	Horizontal	Pass
2**	2388.167	47.18	1.75	54.0	-6.82	AV	117.00	150	Horizontal	Pass

VHT40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.38	1.98	74.0	-13.62	Peak	115.00	150	Horizontal	Pass
1**	2483.500	48.77	1.98	54.0	-5.23	AV	115.00	150	Horizontal	Pass
2	2483.700	62.44	1.99	74.0	-11.56	Peak	74.00	150	Horizontal	Pass
2**	2483.700	48.78	1.99	54.0	-5.22	AV	74.00	150	Horizontal	Pass

VHT40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.06	1.98	74.0	-12.94	Peak	67.00	150	Horizontal	Pass
1**	2483.500	48.81	1.98	54.0	-5.19	AV	67.00	150	Horizontal	Pass
2	2483.900	64.81	1.99	74.0	-9.19	Peak	115.00	150	Horizontal	Pass
2**	2483.900	48.82	1.99	54.0	-5.18	AV	115.00	150	Horizontal	Pass

VHT40 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.99	1.98	74.0	-12.01	Peak	71.00	150	Horizontal	Pass
1**	2483.500	48.70	1.98	54.0	-5.30	AV	71.00	150	Horizontal	Pass
2	2483.550	62.38	1.98	74.0	-11.62	Peak	66.00	150	Horizontal	Pass
2**	2483.550	48.56	1.98	54.0	-5.44	AV	66.00	150	Horizontal	Pass

VHT40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.50	1.98	74.0	-10.50	Peak	111.00	150	Horizontal	Pass
1**	2483.500	48.39	1.98	54.0	-5.61	AV	111.00	150	Horizontal	Pass
2	2484.600	64.49	1.96	74.0	-9.51	Peak	77.00	150	Horizontal	Pass
2**	2484.600	48.64	1.96	54.0	-5.36	AV	77.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.03	1.62	74.0	-12.97	Peak	69.00	150	Horizontal	Pass
1**	2390.000	48.75	1.62	54.0	-5.25	AV	69.00	150	Horizontal	Pass
2	2388.500	61.24	1.74	74.0	-12.76	Peak	113.00	150	Horizontal	Pass
2**	2388.500	47.62	1.74	54.0	-6.38	AV	113.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.31	1.62	74.0	-8.69	Peak	68.00	150	Horizontal	Pass
1**	2390.000	48.74	1.62	54.0	-5.26	AV	68.00	150	Horizontal	Pass
2	2389.333	67.86	1.67	74.0	-6.14	Peak	126.00	150	Horizontal	Pass
2**	2389.333	47.46	1.67	54.0	-6.54	AV	126.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.62	1.62	74.0	-11.38	Peak	34.00	150	Horizontal	Pass
1**	2390.000	48.81	1.62	54.0	-5.19	AV	34.00	150	Horizontal	Pass
2	2389.500	64.84	1.66	74.0	-9.16	Peak	22.00	150	Horizontal	Pass
2**	2389.500	48.57	1.66	54.0	-5.43	AV	22.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.44	1.62	74.0	-12.56	Peak	115.00	150	Horizontal	Pass
1**	2390.000	48.95	1.62	54.0	-5.05	AV	115.00	150	Horizontal	Pass
2	2389.667	62.25	1.65	74.0	-11.75	Peak	80.00	150	Horizontal	Pass
2**	2389.667	48.75	1.65	54.0	-5.25	AV	80.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.44	1.62	74.0	-11.56	Peak	64.00	150	Horizontal	Pass
1**	2390.000	48.71	1.62	54.0	-5.29	AV	64.00	150	Horizontal	Pass
2	2389.833	62.83	1.64	74.0	-11.17	Peak	46.00	150	Horizontal	Pass
2**	2389.833	48.30	1.64	54.0	-5.70	AV	46.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.21	1.62	74.0	-13.79	Peak	60.00	150	Horizontal	Pass
1**	2390.000	47.74	1.62	54.0	-6.26	AV	60.00	150	Horizontal	Pass
2	2389.833	63.37	1.64	74.0	-10.63	Peak	68.00	150	Horizontal	Pass
2**	2389.833	47.79	1.64	54.0	-6.21	AV	68.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.57	1.98	74.0	-13.43	Peak	10.00	150	Horizontal	Pass
1**	2483.500	48.28	1.98	54.0	-5.72	AV	10.00	150	Horizontal	Pass
2	2484.100	63.93	1.99	74.0	-10.07	Peak	112.00	150	Horizontal	Pass
2**	2484.100	48.32	1.99	54.0	-5.68	AV	112.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.35	1.98	74.0	-10.65	Peak	109.00	150	Horizontal	Pass
1**	2483.500	48.61	1.98	54.0	-5.39	AV	109.00	150	Horizontal	Pass
2	2484.000	64.22	1.99	74.0	-9.78	Peak	21.00	150	Horizontal	Pass
2**	2484.000	48.36	1.99	54.0	-5.64	AV	21.00	150	Horizontal	Pass

802.11 ax20(SU) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.91	1.98	74.0	-7.09	Peak	126.00	150	Horizontal	Pass
1**	2483.500	47.61	1.98	54.0	-6.39	AV	126.00	150	Horizontal	Pass
2	2484.400	67.56	1.98	74.0	-6.44	Peak	120.00	150	Horizontal	Pass
2**	2484.400	47.64	1.98	54.0	-6.36	AV	120.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.11	1.62	74.0	-12.89	Peak	124.00	150	Horizontal	Pass
1**	2390.000	48.40	1.62	54.0	-5.60	AV	124.00	150	Horizontal	Pass
2	2387.833	63.69	1.77	74.0	-10.31	Peak	124.00	150	Horizontal	Pass
2**	2387.833	47.32	1.77	54.0	-6.68	AV	124.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.55	1.62	74.0	-11.45	Peak	117.00	150	Horizontal	Pass
1**	2390.000	47.74	1.62	54.0	-6.26	AV	117.00	150	Horizontal	Pass
2	2389.000	63.00	1.70	74.0	-11.00	Peak	101.00	150	Horizontal	Pass
2**	2389.000	47.51	1.70	54.0	-6.49	AV	101.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.83	1.62	74.0	-15.17	Peak	73.00	150	Horizontal	Pass
1**	2390.000	48.71	1.62	54.0	-5.29	AV	73.00	150	Horizontal	Pass
2	2389.667	60.97	1.65	74.0	-13.03	Peak	75.00	150	Horizontal	Pass
2**	2389.667	48.96	1.65	54.0	-5.04	AV	75.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.32	1.62	74.0	-12.68	Peak	66.00	150	H	Pass
1**	2390.000	48.84	1.62	54.0	-5.16	AV	66.00	150	H	Pass

802.11 ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.55	1.98	74.0	-14.45	Peak	53.00	150	Horizontal	Pass
1**	2483.500	48.97	1.98	54.0	-5.03	AV	53.00	150	Horizontal	Pass
2	2484.950	63.57	1.93	74.0	-10.43	Peak	62.00	150	Horizontal	Pass
2**	2484.950	48.72	1.93	54.0	-5.28	AV	62.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.14	1.98	74.0	-13.86	Peak	58.00	150	Horizontal	Pass
1**	2483.500	48.98	1.98	54.0	-5.02	AV	58.00	150	Horizontal	Pass
2	2484.500	65.17	1.97	74.0	-8.83	Peak	112.00	150	Horizontal	Pass
2**	2484.500	48.67	1.97	54.0	-5.33	AV	112.00	150	Horizontal	Pass

802.11 ax40(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.94	1.98	74.0	-13.06	Peak	55.00	150	Horizontal	Pass
1**	2483.500	48.80	1.98	54.0	-5.20	AV	55.00	150	Horizontal	Pass
2	2484.650	62.93	1.96	74.0	-11.07	Peak	65.00	150	Horizontal	Pass
2**	2484.650	48.65	1.96	54.0	-5.35	AV	65.00	150	Horizontal	Pass


802.11 ax40(SU) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.08	1.98	74.0	-11.92	Peak	139.00	150	Horizontal	Pass
1**	2483.500	48.92	1.98	54.0	-5.08	AV	139.00	150	Horizontal	Pass
2	2485.350	67.70	1.90	74.0	-6.30	Peak	115.00	150	Horizontal	Pass
2**	2485.350	48.60	1.90	54.0	-5.40	AV	115.00	150	Horizontal	Pass


MIMO

802.11b CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	56.22	1.62	74.0	-17.78	Peak	351.00	150	Horizontal	Pass
1**	2390.000	46.59	1.62	54.0	-7.41	AV	351.00	150	Horizontal	Pass
2	2325.000	58.44	2.03	74.0	-15.56	Peak	303.00	150	Horizontal	Pass
2**	2325.000	45.81	2.03	54.0	-8.19	AV	303.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.90	1.98	74.0	-17.10	Peak	135.00	150	Horizontal	Pass
1**	2483.500	47.60	1.98	54.0	-6.40	AV	135.00	150	Horizontal	Pass
2	2489.800	58.38	1.86	74.0	-15.62	Peak	110.00	150	Horizontal	Pass
2**	2489.800	46.67	1.86	54.0	-7.33	AV	110.00	150	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.90	1.62	74.0	-8.10	Peak	217.00	150	Horizontal	Pass
1**	2390.000	47.01	1.62	54.0	-6.99	AV	217.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.89	1.62	74.0	-14.11	Peak	175.00	150	Horizontal	Pass
1**	2390.000	48.44	1.62	54.0	-5.56	AV	175.00	150	Horizontal	Pass
2	2388.000	60.88	1.76	74.0	-13.12	Peak	111.00	150	Horizontal	Pass
2**	2388.000	47.64	1.76	54.0	-6.36	AV	111.00	150	Horizontal	Pass

802.11g CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.52	1.62	74.0	-13.48	Peak	271.00	150	Horizontal	Pass
1**	2390.000	48.73	1.62	54.0	-5.27	AV	271.00	150	Horizontal	Pass
2	2387.667	61.83	1.77	74.0	-12.17	Peak	168.00	150	Horizontal	Pass
2**	2387.667	47.52	1.77	54.0	-6.48	AV	168.00	150	Horizontal	Pass

802.11g CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.53	1.98	74.0	-15.47	Peak	164.00	150	Horizontal	Pass
1**	2483.500	48.49	1.98	54.0	-5.51	AV	164.00	150	Horizontal	Pass
2	2484.000	60.95	1.99	74.0	-13.05	Peak	164.00	150	Horizontal	Pass
2**	2484.000	48.35	1.99	54.0	-5.65	AV	164.00	150	Horizontal	Pass

802.11g CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.92	1.98	74.0	-15.08	Peak	177.00	150	Horizontal	Pass
1**	2483.500	48.51	1.98	54.0	-5.49	AV	177.00	150	Horizontal	Pass
2	2484.450	60.13	1.97	74.0	-13.87	Peak	152.00	150	Horizontal	Pass
2**	2484.450	48.54	1.97	54.0	-5.46	AV	152.00	150	Horizontal	Pass

802.11g CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.46	1.98	74.0	-8.54	Peak	116.00	150	Horizontal	Pass
1**	2483.500	46.94	1.98	54.0	-7.06	AV	116.00	150	Horizontal	Pass
2	2484.850	68.39	1.94	74.0	-5.61	Peak	79.00	150	Horizontal	Pass
2**	2484.850	47.05	1.94	54.0	-6.95	AV	79.00	150	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.93	1.98	74.0	-7.07	Peak	60.00	150	Horizontal	Pass
1**	2483.500	48.92	1.98	54.0	-5.08	AV	60.00	150	Horizontal	Pass
2	2483.950	68.32	1.99	74.0	-5.68	Peak	77.00	150	Horizontal	Pass
2**	2483.950	47.82	1.99	54.0	-6.18	AV	77.00	150	Horizontal	Pass

802.11n20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	67.89	1.62	74.0	-6.11	Peak	114.00	150	Horizontal	Pass
1**	2390.000	46.80	1.62	54.0	-7.20	AV	114.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.08	1.62	74.0	-11.92	Peak	226.00	150	Horizontal	Pass
1**	2390.000	48.70	1.62	54.0	-5.30	AV	226.00	150	Horizontal	Pass
2	2389.500	62.36	1.66	74.0	-11.64	Peak	256.00	150	Horizontal	Pass
2**	2389.500	48.46	1.66	54.0	-5.54	AV	256.00	150	Horizontal	Pass

802.11n20 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.26	1.62	74.0	-15.74	Peak	124.00	150	Horizontal	Pass
1**	2390.000	48.46	1.62	54.0	-5.54	AV	124.00	150	Horizontal	Pass
2	2389.667	59.64	1.65	74.0	-14.36	Peak	72.00	150	Horizontal	Pass
2**	2389.667	48.35	1.65	54.0	-5.65	AV	72.00	150	Horizontal	Pass

802.11n20 CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.67	1.62	74.0	-10.33	Peak	69.00	150	Horizontal	Pass
1**	2390.000	48.74	1.62	54.0	-5.26	AV	69.00	150	Horizontal	Pass