



U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.11	3.94	74.0	-16.89	Peak	335.00	150	Horizontal	Pass
1**	5150.000	47.49	3.94	54.0	-6.51	AV	335.00	150	Horizontal	Pass
2	5146.750	58.14	3.89	74.0	-15.86	Peak	360.00	150	Horizontal	Pass
2**	5146.750	47.28	3.89	54.0	-6.72	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.10	3.96	74.0	-15.90	Peak	101.00	150	Horizontal	Pass
1**	5350.000	48.11	3.96	54.0	-5.89	AV	101.00	150	Horizontal	Pass
2	5350.733	59.90	3.95	74.0	-14.10	Peak	156.00	150	Horizontal	Pass
2**	5350.733	48.27	3.95	54.0	-5.73	AV	156.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.47	3.80	68.2	-12.73	Peak	324.00	150	Horizontal	Pass
1**	5470.000	45.66	3.80	--	--	AV	324.00	150	Horizontal	N/A
2	5460.000	56.76	4.23	74.0	-17.24	Peak	331.00	150	Horizontal	Pass
2**	5460.000	45.83	4.23	54.0	-8.17	AV	331.00	150	Horizontal	Pass
3	5463.200	58.07	4.25	68.2	-10.13	Peak	256.00	150	Horizontal	Pass
3**	5463.200	46.04	4.25	--	--	AV	256.00	150	Horizontal	N/A
4	5354.000	59.10	3.75	74.0	-14.90	Peak	2.00	150	Horizontal	Pass
4**	5354.000	47.36	3.75	54.0	-6.64	AV	2.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.72	4.45	68.2	-9.48	Peak	192.00	150	Horizontal	Pass
2	5844.167	60.17	5.82	68.2	-8.03	Peak	289.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.23	3.80	68.2	-11.97	Peak	50.00	150	Horizontal	Pass
1**	5470.000	45.81	3.80	--	--	AV	50.00	150	Horizontal	N/A
2	5460.000	56.69	4.23	74.0	-17.31	Peak	78.00	150	Horizontal	Pass
2**	5460.000	46.15	4.23	54.0	-7.85	AV	78.00	150	Horizontal	Pass
3	5464.400	57.95	4.14	68.2	-10.25	Peak	109.00	150	Horizontal	Pass
3**	5464.400	46.09	4.14	--	--	AV	109.00	150	Horizontal	N/A
4	5434.400	58.66	4.86	74.0	-15.34	Peak	210.00	150	Horizontal	Pass
4**	5434.400	46.81	4.86	54.0	-7.19	AV	210.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.67	4.45	68.2	-10.53	Peak	342.00	150	Horizontal	Pass
2	5845.000	60.13	5.79	68.2	-8.07	Peak	219.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.52	3.80	68.2	-12.68	Peak	337.00	150	Horizontal	Pass
1**	5470.000	45.65	3.80	--	--	AV	337.00	150	Horizontal	N/A
2	5460.000	56.43	4.23	74.0	-17.57	Peak	237.00	150	Horizontal	Pass
2**	5460.000	46.00	4.23	54.0	-8.00	AV	237.00	150	Horizontal	Pass
3	5468.000	57.98	3.93	68.2	-10.22	Peak	132.00	150	Horizontal	Pass
3**	5468.000	46.39	3.93	--	--	AV	132.00	150	Horizontal	N/A
4	5353.400	59.44	3.85	74.0	-14.56	Peak	296.00	150	Horizontal	Pass
4**	5353.400	47.41	3.85	54.0	-6.59	AV	296.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.27	4.45	68.2	-10.93	Peak	43.00	150	Horizontal	Pass
2	5838.959	60.60	5.38	68.2	-7.60	Peak	318.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.23	3.80	68.2	-11.97	Peak	123.00	150	Horizontal	Pass
1**	5470.000	46.03	3.80	--	--	AV	123.00	150	Horizontal	N/A
2	5460.000	56.83	4.23	74.0	-17.17	Peak	0.00	150	Horizontal	Pass
2**	5460.000	46.08	4.23	54.0	-7.92	AV	0.00	150	Horizontal	Pass
3	5464.600	58.08	4.12	68.2	-10.12	Peak	182.00	150	Horizontal	Pass
3**	5464.600	45.94	4.12	--	--	AV	182.00	150	Horizontal	N/A
4	5379.600	59.50	4.02	74.0	-14.50	Peak	209.00	150	Horizontal	Pass
4**	5379.600	46.89	4.02	54.0	-7.11	AV	209.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.26	4.45	68.2	-8.94	Peak	210.00	150	Horizontal	Pass
2	5791.458	60.17	4.68	68.2	-8.03	Peak	22.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.07	3.80	68.2	-12.13	Peak	150.00	150	Horizontal	Pass
1**	5470.000	46.33	3.80	--	--	AV	150.00	150	Horizontal	N/A
2	5460.000	57.72	4.23	74.0	-16.28	Peak	60.00	150	Horizontal	Pass
2**	5460.000	46.39	4.23	54.0	-7.61	AV	60.00	150	Horizontal	Pass
3	5466.200	59.04	3.99	68.2	-9.16	Peak	43.00	150	Horizontal	Pass
3**	5466.200	46.30	3.99	--	--	AV	43.00	150	Horizontal	N/A
4	5352.400	59.26	3.93	74.0	-14.74	Peak	268.00	150	Horizontal	Pass
4**	5352.400	47.58	3.93	54.0	-6.42	AV	268.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.36	4.45	68.2	-10.84	Peak	5.00	150	Horizontal	Pass
2	5845.209	59.96	5.78	68.2	-8.24	Peak	271.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.43	3.80	68.2	-9.77	Peak	19.00	150	Horizontal	Pass
1**	5470.000	47.30	3.80	--	--	AV	19.00	150	Horizontal	N/A
2	5460.000	56.84	4.23	74.0	-17.16	Peak	321.00	150	Horizontal	Pass
2**	5460.000	47.13	4.23	54.0	-6.87	AV	321.00	150	Horizontal	Pass
3	5469.800	58.77	3.78	68.2	-9.43	Peak	156.00	150	Horizontal	Pass
3**	5469.800	47.21	3.78	--	--	AV	156.00	150	Horizontal	N/A
4	5357.600	59.50	3.73	74.0	-14.50	Peak	306.00	150	Horizontal	Pass
4**	5357.600	47.15	3.73	54.0	-6.85	AV	306.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.00	4.45	68.2	-10.20	Peak	76.00	150	Horizontal	Pass
2	5846.250	59.81	5.73	68.2	-8.39	Peak	219.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.21	3.80	68.2	-11.99	Peak	158.00	150	Horizontal	Pass
1**	5470.000	45.87	3.80	--	--	AV	158.00	150	Horizontal	N/A
2	5460.000	56.79	4.23	74.0	-17.21	Peak	26.00	150	Horizontal	Pass
2**	5460.000	46.30	4.23	54.0	-7.70	AV	26.00	150	Horizontal	Pass
3	5465.000	57.65	4.07	68.2	-10.55	Peak	122.00	150	Horizontal	Pass
3**	5465.000	46.13	4.07	--	--	AV	122.00	150	Horizontal	N/A
4	5351.000	59.11	3.95	74.0	-14.89	Peak	326.00	150	Horizontal	Pass
4**	5351.000	47.53	3.95	54.0	-6.47	AV	326.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.22	4.45	68.2	-10.98	Peak	153.00	150	Horizontal	Pass
2	5845.000	60.51	5.79	68.2	-7.69	Peak	224.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.71	3.80	68.2	-12.49	Peak	28.00	150	Horizontal	Pass
1**	5470.000	46.15	3.80	--	--	AV	28.00	150	Horizontal	N/A
2	5460.000	57.35	4.23	74.0	-16.65	Peak	56.00	150	Horizontal	Pass
2**	5460.000	46.20	4.23	54.0	-7.80	AV	56.00	150	Horizontal	Pass
3	5469.000	58.00	3.85	68.2	-10.20	Peak	198.00	150	Horizontal	Pass
3**	5469.000	45.93	3.85	--	--	AV	198.00	150	Horizontal	N/A
4	5353.600	59.31	3.82	74.0	-14.69	Peak	105.00	150	Horizontal	Pass
4**	5353.600	47.44	3.82	54.0	-6.56	AV	105.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.99	4.45	68.2	-10.21	Peak	3.00	150	Horizontal	Pass
2	5792.083	59.43	4.69	68.2	-8.77	Peak	6.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.16	3.80	68.2	-12.04	Peak	160.00	150	Horizontal	Pass
1**	5470.000	46.25	3.80	--	--	AV	160.00	150	Horizontal	N/A
2	5460.000	56.29	4.23	74.0	-17.71	Peak	163.00	150	Horizontal	Pass
2**	5460.000	46.24	4.23	54.0	-7.76	AV	163.00	150	Horizontal	Pass
3	5469.600	58.04	3.80	68.2	-10.16	Peak	138.00	150	Horizontal	Pass
3**	5469.600	46.25	3.80	--	--	AV	138.00	150	Horizontal	N/A
4	5352.000	59.33	3.94	74.0	-14.67	Peak	162.00	150	Horizontal	Pass
4**	5352.000	47.54	3.94	54.0	-6.46	AV	162.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.14	4.45	68.2	-11.06	Peak	143.00	150	Horizontal	Pass
2	5843.958	59.81	5.83	68.2	-8.39	Peak	205.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.91	4.91	68.2	-10.29	Peak	287.00	150	Horizontal	Pass
2	5640.625	59.74	5.35	68.2	-8.46	Peak	270.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.15	4.25	68.2	-11.05	Peak	43.00	150	Horizontal	Pass
2	5939.750	60.72	4.57	68.2	-7.48	Peak	287.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.67	4.91	68.2	-9.53	Peak	151.00	150	Horizontal	Pass
2	5607.084	59.05	4.82	68.2	-9.15	Peak	89.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.58	4.25	68.2	-10.62	Peak	336.00	150	Horizontal	Pass
2	5940.000	60.56	4.59	68.2	-7.64	Peak	202.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.55	4.91	68.2	-10.65	Peak	293.00	150	Horizontal	Pass
2	5642.500	59.39	5.21	68.2	-8.81	Peak	127.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.78	4.25	68.2	-11.42	Peak	80.00	150	Horizontal	Pass
2	5939.250	60.35	4.54	68.2	-7.85	Peak	242.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.12	4.91	68.2	-11.08	Peak	1.00	150	Horizontal	Pass
2	5626.666	59.30	5.06	68.2	-8.90	Peak	32.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.76	4.25	68.2	-11.44	Peak	357.00	150	Horizontal	Pass
2	5939.250	60.17	4.54	68.2	-8.03	Peak	243.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.15	4.91	68.2	-10.05	Peak	354.00	150	Horizontal	Pass
2	5622.500	59.62	5.06	68.2	-8.58	Peak	219.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.57	4.25	68.2	-11.63	Peak	89.00	150	Horizontal	Pass
2	5939.750	60.20	4.57	68.2	-8.00	Peak	94.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.44	4.91	68.2	-8.76	Peak	47.00	150	Horizontal	Pass
2	5639.166	62.05	5.41	68.2	-6.15	Peak	37.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.30	4.25	68.2	-11.90	Peak	268.00	150	Horizontal	Pass
2	5939.750	60.21	4.57	68.2	-7.99	Peak	210.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.53	4.91	68.2	-10.67	Peak	21.00	150	Horizontal	Pass
2	5626.666	59.35	5.06	68.2	-8.85	Peak	58.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.41	4.25	68.2	-11.79	Peak	317.00	150	Horizontal	Pass
2	5940.000	60.08	4.59	68.2	-8.12	Peak	239.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.09	4.91	68.2	-11.11	Peak	327.00	150	Horizontal	Pass
2	5625.625	59.36	4.92	68.2	-8.84	Peak	77.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.26	4.25	68.2	-11.94	Peak	76.00	150	Horizontal	Pass
2	5940.250	60.19	4.62	68.2	-8.01	Peak	131.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.00	4.91	68.2	-9.20	Peak	143.00	150	Horizontal	Pass
2	5635.000	60.02	5.49	68.2	-8.18	Peak	38.00	150	Horizontal	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.83	4.25	68.2	-11.37	Peak	82.00	150	Horizontal	Pass
2	5940.000	59.57	4.59	68.2	-8.63	Peak	0.00	150	Horizontal	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.03	3.94	74.0	-15.97	Peak	206.00	150	Horizontal	Pass
1**	5150.000	47.78	3.94	54.0	-6.22	AV	206.00	150	Horizontal	Pass
2	5147.400	58.67	3.90	74.0	-15.33	Peak	211.00	150	Horizontal	Pass
2**	5147.400	47.59	3.90	54.0	-6.41	AV	211.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	3.96	74.0	-16.10	Peak	234.00	150	Horizontal	Pass
1**	5350.000	47.46	3.96	54.0	-6.54	AV	234.00	150	Horizontal	Pass
2	5351.100	59.00	3.95	74.0	-15.00	Peak	225.00	150	Horizontal	Pass
2**	5351.100	47.47	3.95	54.0	-6.53	AV	225.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.24	3.94	74.0	-15.76	Peak	225.00	150	Horizontal	Pass
1**	5150.000	48.59	3.94	54.0	-5.41	AV	225.00	150	Horizontal	Pass
2	5127.250	58.51	4.07	74.0	-15.49	Peak	183.00	150	Horizontal	Pass
2**	5127.250	47.47	4.07	54.0	-6.53	AV	183.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.51	3.96	74.0	-16.49	Peak	91.00	150	Horizontal	Pass
1**	5350.000	47.37	3.96	54.0	-6.63	AV	91.00	150	Horizontal	Pass
2	5351.100	59.35	3.95	74.0	-14.65	Peak	209.00	150	Horizontal	Pass
2**	5351.100	47.42	3.95	54.0	-6.58	AV	209.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.26	3.94	74.0	-14.74	Peak	257.00	150	Horizontal	Pass
1**	5150.000	48.69	3.94	54.0	-5.31	AV	257.00	150	Horizontal	Pass
2	5131.475	59.44	3.73	74.0	-14.56	Peak	216.00	150	Horizontal	Pass
2**	5131.475	47.24	3.73	54.0	-6.76	AV	216.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.55	3.96	74.0	-16.45	Peak	202.00	150	Horizontal	Pass
1**	5350.000	47.18	3.96	54.0	-6.82	AV	202.00	150	Horizontal	Pass
2	5357.334	58.51	3.71	74.0	-15.49	Peak	19.00	150	Horizontal	Pass
2**	5357.334	46.87	3.71	54.0	-7.13	AV	19.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.16	3.94	74.0	-15.84	Peak	329.00	150	Horizontal	Pass
1**	5150.000	48.07	3.94	54.0	-5.93	AV	329.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.35	3.96	74.0	-15.65	Peak	26.00	150	Horizontal	Pass
1**	5350.000	47.25	3.96	54.0	-6.75	AV	26.00	150	Horizontal	Pass
2	5410.867	59.19	3.89	74.0	-14.81	Peak	275.00	150	Horizontal	Pass
2**	5410.867	46.25	3.89	54.0	-7.75	AV	275.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.66	3.94	74.0	-15.34	Peak	227.00	150	Horizontal	Pass
1**	5150.000	48.71	3.94	54.0	-5.29	AV	227.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.67	3.96	74.0	-16.33	Peak	50.00	150	Horizontal	Pass
1**	5350.000	47.20	3.96	54.0	-6.80	AV	50.00	150	Horizontal	Pass
2	5378.417	58.76	4.17	74.0	-15.24	Peak	58.00	150	Horizontal	Pass
2**	5378.417	47.02	4.17	54.0	-6.98	AV	58.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.15	3.94	74.0	-15.85	Peak	348.00	150	Horizontal	Pass
1**	5150.000	48.84	3.94	54.0	-5.16	AV	348.00	150	Horizontal	Pass
2	5149.350	59.09	3.93	74.0	-14.91	Peak	34.00	150	Horizontal	Pass
2**	5149.350	48.91	3.93	54.0	-5.09	AV	34.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	3.96	74.0	-15.76	Peak	0.00	150	Horizontal	Pass
1**	5350.000	47.06	3.96	54.0	-6.94	AV	0.00	150	Horizontal	Pass
2	5356.967	58.87	3.69	74.0	-15.13	Peak	210.00	150	Horizontal	Pass
2**	5356.967	46.84	3.69	54.0	-7.16	AV	210.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.09	3.94	74.0	-15.91	Peak	324.00	150	Horizontal	Pass
1**	5150.000	47.98	3.94	54.0	-6.02	AV	324.00	150	Horizontal	Pass
2	5148.050	58.47	3.91	74.0	-15.53	Peak	85.00	150	Horizontal	Pass
2**	5148.050	47.66	3.91	54.0	-6.34	AV	85.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.73	3.96	74.0	-16.27	Peak	255.00	150	Horizontal	Pass
1**	5350.000	47.28	3.96	54.0	-6.72	AV	255.00	150	Horizontal	Pass
2	5358.067	59.06	3.76	74.0	-14.94	Peak	82.00	150	Horizontal	Pass
2**	5358.067	46.95	3.76	54.0	-7.05	AV	82.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.65	3.94	74.0	-16.35	Peak	225.00	150	Horizontal	Pass
1**	5150.000	48.37	3.94	54.0	-5.63	AV	225.00	150	Horizontal	Pass
2	5112.300	58.58	3.89	74.0	-15.42	Peak	360.00	150	Horizontal	Pass
2**	5112.300	46.41	3.89	54.0	-7.59	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.48	3.96	74.0	-16.52	Peak	112.00	150	Horizontal	Pass
1**	5350.000	47.17	3.96	54.0	-6.83	AV	112.00	150	Horizontal	Pass
2	5350.917	58.94	3.95	74.0	-15.06	Peak	18.00	150	Horizontal	Pass
2**	5350.917	47.00	3.95	54.0	-7.00	AV	18.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.41	3.94	74.0	-15.59	Peak	268.00	150	Horizontal	Pass
1**	5150.000	48.85	3.94	54.0	-5.15	AV	268.00	150	Horizontal	Pass
2	5147.400	58.97	3.90	74.0	-15.03	Peak	278.00	150	Horizontal	Pass
2**	5147.400	47.92	3.90	54.0	-6.08	AV	278.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.23	3.96	74.0	-16.77	Peak	270.00	150	Horizontal	Pass
1**	5350.000	47.20	3.96	54.0	-6.80	AV	270.00	150	Horizontal	Pass
2	5388.867	58.78	3.46	74.0	-15.22	Peak	360.00	150	Horizontal	Pass
2**	5388.867	46.08	3.46	54.0	-7.92	AV	360.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.700	58.22	4.01	74.0	-15.78	Peak	336.00	150	Horizontal	Pass
1**	5122.700	47.12	4.01	54.0	-6.88	AV	336.00	150	Horizontal	Pass
2	5150.000	56.35	3.94	74.0	-17.65	Peak	265.00	150	Horizontal	Pass
2**	5150.000	47.54	3.94	54.0	-6.46	AV	265.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	3.96	74.0	-16.09	Peak	186.00	150	Horizontal	Pass
1**	5350.000	48.49	3.96	54.0	-5.51	AV	186.00	150	Horizontal	Pass
2	5355.133	59.61	3.59	74.0	-14.39	Peak	223.00	150	Horizontal	Pass
2**	5355.133	47.67	3.59	54.0	-6.33	AV	223.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.61	3.94	74.0	-15.39	Peak	338.00	150	Horizontal	Pass
1**	5150.000	47.53	3.94	54.0	-6.47	AV	338.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.55	3.96	74.0	-15.45	Peak	188.00	150	Horizontal	Pass
1**	5350.000	48.20	3.96	54.0	-5.80	AV	188.00	150	Horizontal	Pass
2	5350.183	59.57	3.96	74.0	-14.43	Peak	242.00	150	Horizontal	Pass
2**	5350.183	48.43	3.96	54.0	-5.57	AV	242.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	58.25	4.10	74.0	-15.75	Peak	173.00	150	Horizontal	Pass
1**	5128.875	47.21	4.10	54.0	-6.79	AV	173.00	150	Horizontal	Pass
2	5150.000	56.61	3.94	74.0	-17.39	Peak	251.00	150	Horizontal	Pass
2**	5150.000	47.48	3.94	54.0	-6.52	AV	251.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.10	3.96	74.0	-13.90	Peak	320.00	150	Horizontal	Pass
1**	5350.000	48.34	3.96	54.0	-5.66	AV	320.00	150	Horizontal	Pass
2	5350.550	61.91	3.95	74.0	-12.09	Peak	227.00	150	Horizontal	Pass
2**	5350.550	48.37	3.95	54.0	-5.63	AV	227.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.925	58.23	4.07	74.0	-15.77	Peak	261.00	150	Horizontal	Pass
1**	5126.925	47.16	4.07	54.0	-6.84	AV	261.00	150	Horizontal	Pass
2	5150.000	56.85	3.94	74.0	-17.15	Peak	151.00	150	Horizontal	Pass
2**	5150.000	47.47	3.94	54.0	-6.53	AV	151.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.49	3.96	74.0	-15.51	Peak	39.00	150	Horizontal	Pass
1**	5350.000	48.13	3.96	54.0	-5.87	AV	39.00	150	Horizontal	Pass
2	5370.166	58.83	3.68	74.0	-15.17	Peak	19.00	150	Horizontal	Pass
2**	5370.166	46.96	3.68	54.0	-7.04	AV	19.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	58.81	4.08	74.0	-15.19	Peak	244.00	150	Horizontal	Pass
1**	5128.225	47.39	4.08	54.0	-6.61	AV	244.00	150	Horizontal	Pass
2	5150.000	56.74	3.94	74.0	-17.26	Peak	30.00	150	Horizontal	Pass
2**	5150.000	47.46	3.94	54.0	-6.54	AV	30.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	3.96	74.0	-16.10	Peak	220.00	150	Horizontal	Pass
1**	5350.000	48.30	3.96	54.0	-5.70	AV	220.00	150	Horizontal	Pass
2	5353.300	59.79	3.86	74.0	-14.21	Peak	227.00	150	Horizontal	Pass
2**	5353.300	47.72	3.86	54.0	-6.28	AV	227.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.975	58.95	4.07	74.0	-15.05	Peak	42.00	150	Horizontal	Pass
1**	5124.975	47.15	4.07	54.0	-6.85	AV	42.00	150	Horizontal	Pass
2	5150.000	56.81	3.94	74.0	-17.19	Peak	344.00	150	Horizontal	Pass
2**	5150.000	47.43	3.94	54.0	-6.57	AV	344.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.56	3.96	74.0	-15.44	Peak	253.00	150	Horizontal	Pass
1**	5350.000	48.66	3.96	54.0	-5.34	AV	253.00	150	Horizontal	Pass
2	5365.033	59.12	3.55	74.0	-14.88	Peak	222.00	150	Horizontal	Pass
2**	5365.033	47.56	3.55	54.0	-6.44	AV	222.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	58.55	3.94	74.0	-15.45	Peak	159.00	150	Horizontal	Pass
1**	5149.675	47.34	3.94	54.0	-6.66	AV	159.00	150	Horizontal	Pass
2	5150.000	56.80	3.94	74.0	-17.20	Peak	159.00	150	Horizontal	Pass
2**	5150.000	47.41	3.94	54.0	-6.59	AV	159.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.04	3.96	74.0	-16.96	Peak	5.00	150	Horizontal	Pass
1**	5350.000	47.47	3.96	54.0	-6.53	AV	5.00	150	Horizontal	Pass
2	5350.733	59.08	3.95	74.0	-14.92	Peak	232.00	150	Horizontal	Pass
2**	5350.733	48.21	3.95	54.0	-5.79	AV	232.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.275	58.14	4.15	74.0	-15.86	Peak	24.00	150	Horizontal	Pass
1**	5100.275	46.67	4.15	54.0	-7.33	AV	24.00	150	Horizontal	Pass
2	5150.000	56.98	3.94	74.0	-17.02	Peak	273.00	150	Horizontal	Pass
2**	5150.000	47.29	3.94	54.0	-6.71	AV	273.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.71	3.96	74.0	-14.29	Peak	228.00	150	Horizontal	Pass
1**	5350.000	48.27	3.96	54.0	-5.73	AV	228.00	150	Horizontal	Pass
2	5359.533	61.62	4.26	68.2	-6.58	Peak	14.00	150	Horizontal	Pass
2**	5359.533	47.78	4.26	54.0	-6.22	AV	14.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.43	3.94	74.0	-17.57	Peak	294.00	150	Horizontal	Pass
1**	5150.000	47.55	3.94	54.0	-6.45	AV	294.00	150	Horizontal	Pass
2	5149.350	57.77	3.93	74.0	-16.23	Peak	216.00	150	Horizontal	Pass
2**	5149.350	47.35	3.93	54.0	-6.65	AV	216.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.25	3.96	74.0	-13.75	Peak	227.00	150	Horizontal	Pass
1**	5350.000	48.78	3.96	54.0	-5.22	AV	227.00	150	Horizontal	Pass
2	5350.917	60.78	3.95	74.0	-13.22	Peak	213.00	150	Horizontal	Pass
2**	5350.917	48.65	3.95	54.0	-5.35	AV	213.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.000	59.13	5.08	74.0	-14.87	Peak	317.00	150	Vertical	Pass
1**	5437.000	47.08	5.08	54.0	-6.92	AV	317.00	150	Vertical	Pass
2	5460.000	55.74	4.23	74.0	-18.26	Peak	273.00	150	Vertical	Pass
2**	5460.000	45.53	4.23	54.0	-8.47	AV	273.00	150	Vertical	Pass
3	5462.200	57.25	4.18	68.2	-10.95	Peak	337.00	150	Vertical	Pass
3**	5462.200	45.95	4.18	--	--	AV	337.00	150	Vertical	N/A
4	5470.000	55.99	3.80	68.2	-12.21	Peak	24.00	150	Vertical	Pass
4**	5470.000	46.03	3.80	--	--	AV	24.00	150	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.57	4.45	68.2	-10.63	Peak	0.00	150	Vertical	Pass
2	5847.084	60.03	5.69	68.2	-8.17	Peak	132.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.400	59.68	5.08	74.0	-14.32	Peak	116.00	150	Vertical	Pass
1**	5438.400	47.07	5.08	54.0	-6.93	AV	116.00	150	Vertical	Pass
2	5460.000	56.28	4.23	74.0	-17.72	Peak	42.00	150	Vertical	Pass
2**	5460.000	45.69	4.23	54.0	-8.31	AV	42.00	150	Vertical	Pass
3	5464.800	57.17	4.09	68.2	-11.03	Peak	0.00	150	Vertical	Pass
3**	5464.800	45.91	4.09	--	--	AV	0.00	150	Vertical	N/A
4	5470.000	56.22	3.80	68.2	-11.98	Peak	1.00	150	Vertical	Pass
4**	5470.000	45.96	3.80	--	-	AV	1.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.44	4.45	68.2	-10.76	Peak	360.00	150	Vertical	Pass
2	5844.583	59.69	5.80	68.2	-8.51	Peak	132.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5415.400	58.86	3.81	74.0	-15.14	Peak	1.00	150	Vertical	Pass
1**	5415.400	46.34	3.81	54.0	-7.66	AV	1.00	150	Vertical	Pass
2	5460.000	55.79	4.23	74.0	-18.21	Peak	335.00	150	Vertical	Pass
2**	5460.000	46.48	4.23	54.0	-7.52	AV	335.00	150	Vertical	Pass
3	5469.600	58.74	3.80	68.2	-9.46	Peak	336.00	150	Vertical	Pass
3**	5469.600	46.22	3.80	--	--	AV	336.00	150	Vertical	N/A
4	5470.000	57.72	3.80	68.2	-10.48	Peak	338.00	150	Vertical	Pass
4**	5470.000	46.33	3.80	--	--	AV	338.00	150	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.94	4.45	68.2	-11.26	Peak	47.00	150	Vertical	Pass
2	5763.542	59.33	4.69	68.2	-8.87	Peak	134.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.800	59.25	4.94	74.0	-14.75	Peak	306.00	150	Vertical	Pass
1**	5440.800	46.55	4.94	54.0	-7.45	AV	306.00	150	Vertical	Pass
2	5460.000	57.09	4.23	74.0	-16.91	Peak	342.00	150	Vertical	Pass
2**	5460.000	46.08	4.23	54.0	-7.92	AV	342.00	150	Vertical	Pass
3	5460.600	59.09	4.17	68.2	-9.11	Peak	348.00	150	Vertical	Pass
3**	5460.600	46.01	4.17	--	--	AV	348.00	150	Vertical	N/A
4	5470.000	56.79	3.80	68.2	-11.41	Peak	335.00	150	Vertical	Pass
4**	5470.000	46.46	3.80	--	--	AV	335.00	150	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	4.45	68.2	-10.47	Peak	345.00	150	Vertical	Pass
2	5848.125	59.90	5.64	68.2	-8.30	Peak	313.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5409.000	59.38	3.96	74.0	-14.62	Peak	322.00	150	Vertical	Pass
1**	5409.000	46.54	3.96	54.0	-7.46	AV	322.00	150	Vertical	Pass
2	5460.000	55.53	4.23	74.0	-18.47	Peak	295.00	150	Vertical	Pass
2**	5460.000	46.29	4.23	54.0	-7.71	AV	295.00	150	Vertical	Pass
3	5460.800	57.53	4.16	68.2	-10.67	Peak	190.00	150	Vertical	Pass
3**	5460.800	46.06	4.16	--	--	AV	190.00	150	Vertical	N/A
4	5470.000	55.94	3.80	68.2	-12.26	Peak	341.00	150	Vertical	Pass
4**	5470.000	46.19	3.80	--	--	AV	341.00	150	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.75	4.45	68.2	-10.45	Peak	199.00	150	Vertical	Pass
2	5846.042	59.30	5.74	68.2	-8.90	Peak	332.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.200	59.66	5.10	74.0	-14.34	Peak	343.00	150	Vertical	Pass
1**	5438.200	48.50	5.10	54.0	-5.50	AV	343.00	150	Vertical	Pass
2	5460.000	56.12	4.23	74.0	-17.88	Peak	41.00	150	Vertical	Pass
2**	5460.000	46.78	4.23	54.0	-7.22	AV	41.00	150	Vertical	Pass
3	5467.400	57.76	3.96	68.2	-10.44	Peak	352.00	150	Vertical	Pass
3**	5467.400	46.81	3.96	--	--	AV	352.00	150	Vertical	N/A
4	5470.000	56.65	3.80	68.2	-11.55	Peak	335.00	150	Vertical	Pass
4**	5470.000	47.31	3.80	--	--	AV	335.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.42	4.45	68.2	-10.78	Peak	307.00	150	Vertical	Pass
2	5820.833	59.90	4.96	68.2	-8.30	Peak	0.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.800	58.72	4.95	74.0	-15.28	Peak	324.00	150	Vertical	Pass
1**	5439.800	46.75	4.95	54.0	-7.25	AV	324.00	150	Vertical	Pass
2	5460.000	55.80	4.23	74.0	-18.20	Peak	165.00	150	Vertical	Pass
2**	5460.000	45.37	4.23	54.0	-8.63	AV	165.00	150	Vertical	Pass
3	5464.800	56.68	4.09	68.2	-11.52	Peak	36.00	150	Vertical	Pass
3**	5464.800	45.45	4.09	--	--	AV	36.00	150	Vertical	N/A
4	5470.000	55.10	3.80	68.2	-13.10	Peak	43.00	150	Vertical	Pass
4**	5470.000	45.73	3.80	--	--	AV	43.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.33	4.45	68.2	-10.87	Peak	236.00	150	Vertical	Pass
2	5771.666	59.60	4.78	68.2	-8.60	Peak	112.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.600	59.10	3.94	74.0	-14.90	Peak	57.00	150	Vertical	Pass
1**	5351.600	46.88	3.94	54.0	-7.12	AV	57.00	150	Vertical	Pass
2	5460.000	56.06	4.23	74.0	-17.94	Peak	334.00	150	Vertical	Pass
2**	5460.000	45.75	4.23	54.0	-8.25	AV	334.00	150	Vertical	Pass
3	5466.000	57.21	3.99	68.2	-10.99	Peak	181.00	150	Vertical	Pass
3**	5466.000	45.97	3.99	--	--	AV	181.00	150	Vertical	N/A
4	5470.000	56.31	3.80	68.2	-11.89	Peak	344.00	150	Vertical	Pass
4**	5470.000	46.04	3.80	--	--	AV	344.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.10	4.45	68.2	-11.10	Peak	136.00	150	Vertical	Pass
2	5789.167	59.73	4.63	68.2	-8.47	Peak	91.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5363.000	59.51	3.59	74.0	-14.49	Peak	200.00	150	Vertical	Pass
1**	5363.000	46.60	3.59	54.0	-7.40	AV	200.00	150	Vertical	Pass
2	5460.000	56.15	4.23	74.0	-17.85	Peak	93.00	150	Vertical	Pass
2**	5460.000	46.08	4.23	54.0	-7.92	AV	93.00	150	Vertical	Pass
3	5465.000	57.22	4.07	68.2	-10.98	Peak	350.00	150	Vertical	Pass
3**	5465.000	46.72	4.07	--	--	AV	350.00	150	Vertical	N/A
4	5470.000	56.81	3.80	68.2	-11.39	Peak	342.00	150	Vertical	Pass
4**	5470.000	46.82	3.80	--	--	AV	342.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.57	4.45	68.2	-11.63	Peak	354.00	150	Vertical	Pass
2	5841.459	59.11	5.47	68.2	-9.09	Peak	113.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.46	4.91	68.2	-10.74	Peak	24.00	150	Vertical	Pass
2	5646.875	59.40	5.04	68.2	-8.80	Peak	357.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.95	4.25	68.2	-11.25	Peak	288.00	150	Vertical	Pass
2	5993.000	58.77	5.26	68.2	-9.43	Peak	359.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.89	4.91	68.2	-11.31	Peak	348.00	150	Vertical	Pass
2	5644.583	59.60	5.06	68.2	-8.60	Peak	320.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.16	4.25	68.2	-12.04	Peak	20.00	150	Vertical	Pass
2	5958.000	59.34	4.68	68.2	-8.86	Peak	253.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.78	4.91	68.2	-10.42	Peak	327.00	150	Vertical	Pass
2	5635.000	59.73	5.49	68.2	-8.47	Peak	315.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.01	4.25	68.2	-11.19	Peak	0.00	150	Vertical	Pass
2	5985.750	58.62	5.08	68.2	-9.58	Peak	251.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.28	4.91	68.2	-9.92	Peak	335.00	150	Vertical	Pass
2	5616.667	59.61	4.89	68.2	-8.59	Peak	288.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.14	4.25	68.2	-11.06	Peak	90.00	150	Vertical	Pass
2	5958.250	59.17	4.67	68.2	-9.03	Peak	232.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.96	4.91	68.2	-11.24	Peak	258.00	150	Vertical	Pass
2	5635.417	59.64	5.53	68.2	-8.56	Peak	111.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.30	4.25	68.2	-10.90	Peak	267.00	150	Vertical	Pass
2	5930.000	59.59	4.43	68.2	-8.61	Peak	344.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.042	62.66	5.51	68.2	-5.54	Peak	347.00	150	Vertical	Pass
2	5650.000	61.78	4.91	68.2	-6.42	Peak	360.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.26	4.25	68.2	-9.94	Peak	83.00	150	Vertical	Pass
2	5997.500	58.90	5.22	68.2	-9.30	Peak	35.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.87	4.91	68.2	-10.33	Peak	119.00	150	Vertical	Pass
2	5622.084	59.50	5.00	68.2	-8.70	Peak	239.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.33	4.25	68.2	-10.87	Peak	255.00	150	Vertical	Pass
2	5951.000	58.66	4.56	68.2	-9.54	Peak	5.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.66	4.91	68.2	-10.54	Peak	0.00	150	Vertical	Pass
2	5646.875	59.41	5.04	68.2	-8.79	Peak	102.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.29	4.25	68.2	-11.91	Peak	175.00	150	Vertical	Pass
2	5957.500	58.95	4.70	68.2	-9.25	Peak	130.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.042	61.10	5.11	68.2	-7.10	Peak	360.00	150	Vertical	Pass
2	5650.000	58.92	4.91	68.2	-9.28	Peak	359.00	150	Vertical	Pass


U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.54	4.25	68.2	-11.66	Peak	52.00	150	Vertical	Pass
2	5966.500	59.24	4.59	68.2	-8.96	Peak	299.00	150	Vertical	Pass


MIMO

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.325	58.16	4.19	74.0	-15.84	Peak	314.00	150	Horizontal	Pass
1**	5085.325	46.65	4.19	54.0	-7.35	AV	314.00	150	Horizontal	Pass
2	5150.000	57.54	3.94	74.0	-16.46	Peak	133.00	150	Horizontal	Pass
2**	5150.000	47.55	3.94	54.0	-6.45	AV	133.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.63	3.96	74.0	-16.37	Peak	135.00	150	Horizontal	Pass
1**	5350.000	47.05	3.96	54.0	-6.95	AV	135.00	150	Horizontal	Pass
2	5382.450	58.57	4.05	74.0	-15.43	Peak	278.00	150	Horizontal	Pass
2**	5382.450	46.61	4.05	54.0	-7.39	AV	278.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.33	3.96	74.0	-16.67	Peak	324.00	150	Horizontal	Pass
1**	5350.000	47.10	3.96	54.0	-6.90	AV	324.00	150	Horizontal	Pass
2	5372.000	58.93	3.86	74.0	-15.07	Peak	324.00	150	Horizontal	Pass
2**	5372.000	46.58	3.86	54.0	-7.42	AV	324.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.73	3.96	74.0	-16.27	Peak	18.00	150	Horizontal	Pass
1**	5350.000	47.02	3.96	54.0	-6.98	AV	18.00	150	Horizontal	Pass
2	5438.367	58.83	5.09	74.0	-15.17	Peak	83.00	150	Horizontal	Pass
2**	5438.367	47.53	5.09	54.0	-6.47	AV	83.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.87	3.94	74.0	-15.13	Peak	236.00	150	Horizontal	Pass
1**	5150.000	48.52	3.94	54.0	-5.48	AV	236.00	150	Horizontal	Pass
2	5147.725	59.62	3.91	74.0	-14.38	Peak	107.00	150	Horizontal	Pass
2**	5147.725	48.03	3.91	54.0	-5.97	AV	107.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.78	3.96	74.0	-16.22	Peak	122.00	150	Horizontal	Pass
1**	5350.000	47.08	3.96	54.0	-6.92	AV	122.00	150	Horizontal	Pass
2	5443.867	59.56	4.97	74.0	-14.44	Peak	360.00	150	Horizontal	Pass
2**	5443.867	47.33	4.97	54.0	-6.67	AV	360.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	58.51	3.94	74.0	-15.49	Peak	200.00	150	Horizontal	Pass
1**	5149.675	47.92	3.94	54.0	-6.08	AV	200.00	150	Horizontal	Pass
2	5150.000	58.08	3.94	74.0	-15.92	Peak	213.00	150	Horizontal	Pass
2**	5150.000	47.89	3.94	54.0	-6.11	AV	213.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.50	3.96	74.0	-16.50	Peak	106.00	150	Horizontal	Pass
1**	5350.000	47.12	3.96	54.0	-6.88	AV	106.00	150	Horizontal	Pass
2	5431.950	59.47	4.66	74.0	-14.53	Peak	331.00	150	Horizontal	Pass
2**	5431.950	47.21	4.66	54.0	-6.79	AV	331.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.23	3.94	74.0	-14.77	Peak	245.00	150	Horizontal	Pass
1**	5150.000	48.62	3.94	54.0	-5.38	AV	245.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.92	3.96	74.0	-17.08	Peak	74.00	150	Horizontal	Pass
1**	5350.000	47.13	3.96	54.0	-6.87	AV	74.00	150	Horizontal	Pass
2	5350.733	59.58	3.95	74.0	-14.42	Peak	182.00	150	Horizontal	Pass
2**	5350.733	47.00	3.95	54.0	-7.00	AV	182.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.88	3.94	74.0	-15.12	Peak	306.00	150	Horizontal	Pass
1**	5150.000	48.79	3.94	54.0	-5.21	AV	306.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.95	3.96	74.0	-16.05	Peak	92.00	150	Horizontal	Pass
1**	5350.000	47.03	3.96	54.0	-6.97	AV	92.00	150	Horizontal	Pass
2	5353.850	59.12	3.78	74.0	-14.88	Peak	228.00	150	Horizontal	Pass
2**	5353.850	46.71	3.78	54.0	-7.29	AV	228.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.82	3.94	74.0	-16.18	Peak	164.00	150	Horizontal	Pass
1**	5150.000	47.58	3.94	54.0	-6.42	AV	164.00	150	Horizontal	Pass
2	4919.900	57.86	3.58	74.0	-16.14	Peak	2.00	150	Horizontal	Pass
2**	4919.900	45.84	3.58	54.0	-8.16	AV	2.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.067	59.45	4.94	74.0	-14.55	Peak	146.00	150	Horizontal	Pass
1**	5435.067	47.26	4.94	54.0	-6.74	AV	146.00	150	Horizontal	Pass
2	5350.000	57.24	3.96	74.0	-16.76	Peak	0.00	150	Horizontal	Pass
2**	5350.000	47.08	3.96	54.0	-6.92	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.42	3.94	74.0	-16.58	Peak	131.00	150	Horizontal	Pass
1**	5150.000	47.91	3.94	54.0	-6.09	AV	131.00	150	Horizontal	Pass
2	5146.100	58.50	3.83	74.0	-15.50	Peak	227.00	150	Horizontal	Pass
2**	5146.100	47.61	3.83	54.0	-6.39	AV	227.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.950	59.10	3.60	74.0	-14.90	Peak	0.00	150	Horizontal	Pass
1**	5354.950	46.42	3.60	54.0	-7.58	AV	0.00	150	Horizontal	Pass
2	5350.000	57.40	3.96	74.0	-16.60	Peak	126.00	150	Horizontal	Pass
2**	5350.000	47.04	3.96	54.0	-6.96	AV	126.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.07	3.94	74.0	-15.93	Peak	221.00	150	Horizontal	Pass
1**	5150.000	48.96	3.94	54.0	-5.04	AV	221.00	150	Horizontal	Pass
2	5148.700	59.54	3.92	74.0	-14.46	Peak	34.00	150	Horizontal	Pass
2**	5148.700	47.94	3.92	54.0	-6.06	AV	34.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	3.96	74.0	-16.10	Peak	193.00	150	Horizontal	Pass
1**	5350.000	47.12	3.96	54.0	-6.88	AV	193.00	150	Horizontal	Pass
2	5440.200	58.95	4.93	74.0	-15.05	Peak	290.00	150	Horizontal	Pass
2**	5440.200	47.20	4.93	54.0	-6.80	AV	290.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.44	3.94	74.0	-16.56	Peak	226.00	150	Horizontal	Pass
1**	5150.000	47.09	3.94	54.0	-6.91	AV	226.00	150	Horizontal	Pass
2	5129.200	57.93	4.10	74.0	-16.07	Peak	322.00	150	Horizontal	Pass
2**	5129.200	46.98	4.10	54.0	-7.02	AV	322.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.60	3.96	74.0	-15.40	Peak	161.00	150	Horizontal	Pass
1**	5350.000	47.56	3.96	54.0	-6.44	AV	161.00	150	Horizontal	Pass
2	5350.367	59.40	3.96	74.0	-14.60	Peak	211.00	150	Horizontal	Pass
2**	5350.367	47.47	3.96	54.0	-6.53	AV	211.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5092.150	57.60	4.22	74.0	-16.40	Peak	76.00	150	Horizontal	Pass
1**	5092.150	46.96	4.22	54.0	-7.04	AV	76.00	150	Horizontal	Pass
2	5150.000	56.46	3.94	74.0	-17.54	Peak	202.00	150	Horizontal	Pass
2**	5150.000	46.95	3.94	54.0	-7.05	AV	202.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.06	3.96	74.0	-15.94	Peak	173.00	150	Horizontal	Pass
1**	5350.000	47.70	3.96	54.0	-6.30	AV	173.00	150	Horizontal	Pass
2	5405.917	58.73	4.13	74.0	-15.27	Peak	223.00	150	Horizontal	Pass
2**	5405.917	46.84	4.13	54.0	-7.16	AV	223.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.46	3.94	74.0	-17.54	Peak	152.00	150	Horizontal	Pass
1**	5150.000	46.98	3.94	54.0	-7.02	AV	152.00	150	Horizontal	Pass
2	5128.550	58.31	4.09	74.0	-15.69	Peak	303.00	150	Horizontal	Pass
2**	5128.550	46.96	4.09	54.0	-7.04	AV	303.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.16	3.96	74.0	-11.84	Peak	238.00	150	Horizontal	Pass
1**	5350.000	48.75	3.96	54.0	-5.25	AV	238.00	150	Horizontal	Pass
2	5350.367	62.52	3.96	74.0	-11.48	Peak	228.00	150	Horizontal	Pass
2**	5350.367	48.55	3.96	54.0	-5.45	AV	228.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.84	3.94	74.0	-17.16	Peak	28.00	150	Horizontal	Pass
1**	5150.000	46.97	3.94	54.0	-7.03	AV	28.00	150	Horizontal	Pass
2	5146.750	58.22	3.89	74.0	-15.78	Peak	347.00	150	Horizontal	Pass
2**	5146.750	46.88	3.89	54.0	-7.12	AV	347.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.92	3.96	74.0	-15.08	Peak	230.00	150	Horizontal	Pass
1**	5350.000	47.72	3.96	54.0	-6.28	AV	230.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.08	3.86	74.0	-15.92	Peak	235.00	150	Horizontal	Pass
1**	5146.425	46.74	3.86	54.0	-7.26	AV	235.00	150	Horizontal	Pass
2	5150.000	57.00	3.94	74.0	-17.00	Peak	300.00	150	Horizontal	Pass
2**	5150.000	47.09	3.94	54.0	-6.91	AV	300.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.95	3.96	74.0	-16.05	Peak	187.00	150	Horizontal	Pass
1**	5350.000	48.39	3.96	54.0	-5.61	AV	187.00	150	Horizontal	Pass
2	5350.917	59.63	3.95	74.0	-14.37	Peak	231.00	150	Horizontal	Pass
2**	5350.917	48.10	3.95	54.0	-5.90	AV	231.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.54	3.94	74.0	-16.46	Peak	155.00	150	Horizontal	Pass
1**	5150.000	46.99	3.94	54.0	-7.01	AV	155.00	150	Horizontal	Pass
2	5084.350	58.35	4.07	74.0	-15.65	Peak	325.00	150	Horizontal	Pass
2**	5084.350	46.43	4.07	54.0	-7.57	AV	325.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.59	3.96	74.0	-14.41	Peak	302.00	150	Horizontal	Pass
1**	5350.000	48.53	3.96	54.0	-5.47	AV	302.00	150	Horizontal	Pass
2	5353.483	60.24	3.83	74.0	-13.76	Peak	236.00	150	Horizontal	Pass
2**	5353.483	48.06	3.83	54.0	-5.94	AV	236.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.99	3.94	74.0	-17.01	Peak	315.00	150	Horizontal	Pass
1**	5150.000	47.00	3.94	54.0	-7.00	AV	315.00	150	Horizontal	Pass
2	5066.475	58.75	3.80	74.0	-15.25	Peak	10.00	150	Horizontal	Pass
2**	5066.475	46.49	3.80	54.0	-7.51	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.09	3.96	74.0	-15.91	Peak	196.00	150	Horizontal	Pass
1**	5350.000	48.10	3.96	54.0	-5.90	AV	196.00	150	Horizontal	Pass
2	5351.834	59.82	3.94	74.0	-14.18	Peak	229.00	150	Horizontal	Pass
2**	5351.834	47.73	3.94	54.0	-6.27	AV	229.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.43	3.94	74.0	-17.57	Peak	192.00	150	Horizontal	Pass
1**	5150.000	47.11	3.94	54.0	-6.89	AV	192.00	150	Horizontal	Pass
2	5137.325	58.04	3.49	74.0	-15.96	Peak	218.00	150	Horizontal	Pass
2**	5137.325	46.48	3.49	54.0	-7.52	AV	218.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.92	3.96	74.0	-16.08	Peak	216.00	150	Horizontal	Pass
1**	5350.000	48.05	3.96	54.0	-5.95	AV	216.00	150	Horizontal	Pass
2	5352.750	59.49	3.93	74.0	-14.51	Peak	55.00	150	Horizontal	Pass
2**	5352.750	47.47	3.93	54.0	-6.53	AV	55.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.79	3.94	74.0	-16.21	Peak	255.00	150	Horizontal	Pass
1**	5150.000	46.99	3.94	54.0	-7.01	AV	255.00	150	Horizontal	Pass
2	5138.625	58.38	3.46	74.0	-15.62	Peak	360.00	150	Horizontal	Pass
2**	5138.625	46.38	3.46	54.0	-7.62	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	4.25	68.2	-10.30	Peak	4.00	150	Horizontal	Pass
1**	5350.000	47.87	4.25	54.0	-6.13	AV	4.00	150	Horizontal	Pass
2	5378.233	58.56	5.03	68.2	-9.64	Peak	19.00	150	Horizontal	Pass
2**	5378.233	48.54	5.03	54.0	-5.46	AV	19.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.800	59.34	4.63	74.0	-14.66	Peak	101.00	150	Vertical	Pass
1**	5445.800	46.90	4.63	54.0	-7.10	AV	101.00	150	Vertical	Pass
2	5460.000	57.03	4.23	74.0	-16.97	Peak	321.00	150	Vertical	Pass
2**	5460.000	46.44	4.23	54.0	-7.56	AV	321.00	150	Vertical	Pass
3	5462.200	58.46	4.18	68.2	-9.74	Peak	356.00	150	Vertical	Pass
3**	5462.200	46.63	4.18	--	--	AV	356.00	150	Vertical	N/A
4	5470.000	56.54	3.80	68.2	-11.66	Peak	153.00	150	Vertical	Pass
4**	5470.000	46.31	3.80	--	--	AV	153.00	150	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.15	4.45	68.2	-11.05	Peak	330.00	150	Vertical	Pass
2	5837.917	59.26	5.34	68.2	-8.94	Peak	310.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.400	59.47	4.40	74.0	-14.53	Peak	221.00	150	Vertical	Pass
1**	5458.400	46.70	4.40	54.0	-7.30	AV	221.00	150	Vertical	Pass
2	5460.000	56.89	4.23	74.0	-17.11	Peak	189.00	150	Vertical	Pass
2**	5460.000	46.29	4.23	54.0	-7.71	AV	189.00	150	Vertical	Pass
3	5468.200	58.33	3.91	68.2	-9.87	Peak	360.00	150	Vertical	Pass
3**	5468.200	46.75	3.91	--	--	AV	360.00	150	Vertical	N/A
4	5470.000	56.47	3.80	68.2	-11.73	Peak	0.00	150	Vertical	Pass
4**	5470.000	46.48	3.80	--	--	AV	0.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.38	4.45	68.2	-10.82	Peak	330.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.600	58.74	3.95	74.0	-15.26	Peak	108.00	150	Vertical	Pass
1**	5350.600	47.42	3.95	54.0	-6.58	AV	108.00	150	Vertical	Pass
2	5459.800	57.21	4.25	74.0	-16.79	Peak	337.00	150	Vertical	Pass
2**	5459.800	47.20	4.25	54.0	-6.80	AV	337.00	150	Vertical	Pass
3	5469.000	58.59	3.85	68.2	-9.61	Peak	337.00	150	Vertical	Pass
3**	5469.000	47.12	3.85	--	--	AV	337.00	150	Vertical	N/A
4	5470.000	58.12	3.80	68.2	-10.08	Peak	347.00	150	Vertical	Pass
4**	5470.000	47.84	3.80	--	--	AV	347.00	150	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.50	4.45	68.2	-10.70	Peak	44.00	150	Vertical	Pass
2	5842.916	59.92	5.69	68.2	-8.28	Peak	181.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.000	59.02	5.03	74.0	-14.98	Peak	141.00	150	Vertical	Pass
1**	5439.000	46.85	5.03	54.0	-7.15	AV	141.00	150	Vertical	Pass
2	5460.000	56.58	4.23	74.0	-17.42	Peak	40.00	150	Vertical	Pass
2**	5460.000	46.06	4.23	54.0	-7.94	AV	40.00	150	Vertical	Pass
3	5462.400	58.58	4.19	68.2	-9.62	Peak	134.00	150	Vertical	Pass
3**	5462.400	46.04	4.19	--	--	AV	134.00	150	Vertical	N/A
4	5470.000	56.07	3.80	68.2	-12.13	Peak	79.00	150	Vertical	Pass
4**	5470.000	45.74	3.80	--	--	AV	79.00	150	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.22	4.45	68.2	-9.98	Peak	354.00	150	Vertical	Pass
2	5827.916	61.58	4.78	68.2	-6.62	Peak	250.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5358.600	59.05	3.80	74.0	-14.95	Peak	0.00	150	Vertical	Pass
1**	5358.600	47.07	3.80	54.0	-6.93	AV	0.00	150	Vertical	Pass
2	5460.000	56.70	4.23	74.0	-17.30	Peak	100.00	150	Vertical	Pass
2**	5460.000	46.95	4.23	54.0	-7.05	AV	100.00	150	Vertical	Pass
3	5467.200	59.48	3.96	68.2	-8.72	Peak	338.00	150	Vertical	Pass
3**	5467.200	47.24	3.96	--	--	AV	338.00	150	Vertical	N/A
4	5470.000	57.18	3.80	68.2	-11.02	Peak	347.00	150	Vertical	Pass
4**	5470.000	47.29	3.80	--	--	AV	347.00	150	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.07	4.45	68.2	-11.13	Peak	129.00	150	Vertical	Pass
2	5832.500	61.95	5.04	68.2	-6.25	Peak	360.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.200	61.37	5.04	74.0	-12.63	Peak	339.00	150	Vertical	Pass
1**	5436.200	49.23	5.04	54.0	-4.77	AV	339.00	150	Vertical	Pass
2	5460.000	57.23	4.23	74.0	-16.77	Peak	339.00	150	Vertical	Pass
2**	5460.000	47.07	4.23	54.0	-6.93	AV	339.00	150	Vertical	Pass
3	5465.600	59.51	4.00	68.2	-8.69	Peak	343.00	150	Vertical	Pass
3**	5465.600	48.59	4.00	--	--	AV	343.00	150	Vertical	N/A
4	5470.000	58.33	3.80	68.2	-9.87	Peak	331.00	150	Vertical	Pass
4**	5470.000	47.27	3.80	--	--	AV	331.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.55	4.45	68.2	-10.65	Peak	48.00	150	Vertical	Pass
2	5759.166	59.75	4.81	68.2	-8.45	Peak	273.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.600	59.09	3.94	74.0	-14.91	Peak	237.00	150	Vertical	Pass
1**	5374.600	46.90	3.94	54.0	-7.10	AV	237.00	150	Vertical	Pass
2	5460.000	56.66	4.23	74.0	-17.34	Peak	290.00	150	Vertical	Pass
2**	5460.000	46.24	4.23	54.0	-7.76	AV	290.00	150	Vertical	Pass
3	5463.800	57.60	4.22	68.2	-10.60	Peak	336.00	150	Vertical	Pass
3**	5463.800	46.39	4.22	--	--	AV	336.00	150	Vertical	N/A
4	5470.000	56.33	3.80	68.2	-11.87	Peak	317.00	150	Vertical	Pass
4**	5470.000	46.62	3.80	--	--	AV	317.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.85	4.45	68.2	-10.35	Peak	354.00	150	Vertical	Pass
2	5821.875	60.89	4.81	68.2	-7.31	Peak	250.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.800	59.57	3.93	74.0	-14.43	Peak	265.00	150	Vertical	Pass
1**	5352.800	47.42	3.93	54.0	-6.58	AV	265.00	150	Vertical	Pass
2	5460.000	57.22	4.23	74.0	-16.78	Peak	359.00	150	Vertical	Pass
2**	5460.000	46.54	4.23	54.0	-7.46	AV	359.00	150	Vertical	Pass
3	5470.000	57.90	3.80	68.2	-10.30	Peak	337.00	150	Vertical	Pass
3**	5470.000	47.08	3.80	--	--	AV	337.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.77	4.45	68.2	-10.43	Peak	360.00	150	Vertical	Pass
2	5832.709	60.02	5.05	68.2	-8.18	Peak	332.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.600	60.58	4.90	74.0	-13.42	Peak	347.00	150	Vertical	Pass
1**	5444.600	48.22	4.90	54.0	-5.78	AV	347.00	150	Vertical	Pass
2	5460.000	56.63	4.23	74.0	-17.37	Peak	360.00	150	Vertical	Pass
2**	5460.000	47.45	4.23	54.0	-6.55	AV	360.00	150	Vertical	Pass
3	5464.600	59.06	4.12	68.2	-9.14	Peak	85.00	150	Vertical	Pass
3**	5464.600	47.53	4.12	--	--	AV	85.00	150	Vertical	N/A
4	5470.000	58.39	3.80	68.2	-9.81	Peak	352.00	150	Vertical	Pass
4**	5470.000	48.30	3.80	--	--	AV	352.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.66	4.45	68.2	-10.54	Peak	173.00	150	Vertical	Pass
2	5827.083	61.60	4.81	68.2	-6.60	Peak	101.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.584	59.99	5.40	68.2	-8.21	Peak	254.00	150	Vertical	Pass
2	5650.000	57.83	4.91	68.2	-10.37	Peak	332.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.02	4.25	68.2	-10.18	Peak	320.00	150	Vertical	Pass
2	5984.250	59.16	5.11	68.2	-9.04	Peak	337.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.667	59.87	5.18	68.2	-8.33	Peak	337.00	150	Vertical	Pass
2	5650.000	57.75	4.91	68.2	-10.45	Peak	152.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.36	4.25	68.2	-10.84	Peak	67.00	150	Vertical	Pass
2	5992.500	59.92	5.26	68.2	-8.28	Peak	77.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.75	4.91	68.2	-10.45	Peak	264.00	150	Vertical	Pass
2	5641.875	59.52	5.27	68.2	-8.68	Peak	178.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.47	4.25	68.2	-11.73	Peak	115.00	150	Vertical	Pass
2	5935.000	59.07	4.43	68.2	-9.13	Peak	70.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.792	59.43	5.40	68.2	-8.77	Peak	309.00	150	Vertical	Pass
2	5650.000	57.32	4.91	68.2	-10.88	Peak	21.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.76	4.25	68.2	-11.44	Peak	11.00	150	Vertical	Pass
2	5985.250	59.13	5.09	68.2	-9.07	Peak	276.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.62	4.91	68.2	-10.58	Peak	14.00	150	Vertical	Pass
2	5641.459	58.82	5.29	68.2	-9.38	Peak	342.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.85	4.25	68.2	-11.35	Peak	161.00	150	Vertical	Pass
2	5977.750	58.74	4.78	68.2	-9.46	Peak	352.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.40	4.91	68.2	-8.80	Peak	356.00	150	Vertical	Pass
2	5621.042	62.75	4.87	68.2	-5.45	Peak	344.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.34	4.25	68.2	-10.86	Peak	344.00	150	Vertical	Pass
2	5928.000	59.17	4.46	68.2	-9.03	Peak	344.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.76	4.91	68.2	-10.44	Peak	92.00	150	Vertical	Pass
2	5634.375	59.40	5.44	68.2	-8.80	Peak	216.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.01	4.25	68.2	-11.19	Peak	30.00	150	Vertical	Pass
2	5938.000	59.10	4.56	68.2	-9.10	Peak	241.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.05	4.91	68.2	-10.15	Peak	271.00	150	Vertical	Pass
2	5637.292	59.84	5.46	68.2	-8.36	Peak	242.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.16	4.25	68.2	-11.04	Peak	23.00	150	Vertical	Pass
2	5989.500	59.49	5.16	68.2	-8.71	Peak	31.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.291	61.98	4.87	68.2	-6.22	Peak	351.00	150	Vertical	Pass
2	5650.000	58.89	4.91	68.2	-9.31	Peak	356.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.95	4.25	68.2	-11.25	Peak	226.00	150	Vertical	Pass
2	5962.750	59.61	4.71	68.2	-8.59	Peak	39.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2230121-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2230121-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2230121-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--