



TEST REPORT

No.I21N04025-SAR

For

Guangdong OPPO Mobile Telecommunications Corp., Ltd.

Mobile Phone

Model Name: CPH2363

With

Hardware Version: 11

Software Version: ColorOS V12.1

FCC ID: R9C-CPH2363

Issued Date: 2022-01-21

Designation Number: CN1210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001


Email: yewu@caict.ac.cn www.saict.ac.cn




Picture 1: Front side of the sample (plate material shell)



Picture 2: Back side of the sample (plate material shell)




Picture 3: Front side of the sample (leather material shell)




Picture 4: Back side of the sample (leather material shell)


Test positions for Head:




Picture 5: Left Cheek Position



Picture 6: Left Tilt 15° Position




Picture 7: Right Cheek Position




Picture 8: Right Tilt 15° Position


Test positions for Hotspot:




Picture 9: Front Side (10mm)



Picture 10: Rear Side (10mm)




Picture 11: Left Side (10mm)



Picture 12: Right Side (10mm)



Picture 13: Top Side (10mm)



Picture 14: Bottom Side (10mm)

Test positions for Body-worn:




Picture 15: Front Side (15mm)




Picture 16: Rear Side (15mm)


Test positions for Body (0mm):




Picture 17: Front Side (0mm)




Picture 18: Rear Side (0mm)



Picture 19: Left Side (0mm)



Picture 20: Right Side (0mm)



Picture 21: Top Side (0mm)