



Spectrum Plot


64QAM-26815



64QAM-26915




64QAM-27015




LTE Band 26_10M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9584	26840	829	9.966
26915	836.5	8.9875	26915	836.5	9.968
26990	844	8.9731	26990	844	10.01
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9676	26840	829	9.918
26915	836.5	8.9874	26915	836.5	9.837
26990	844	8.9585	26990	844	9.840
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9746	26840	829	9.880
26915	836.5	8.9738	26915	836.5	9.869
26990	844	8.9631	26990	844	9.834

Spectrum Plot




Spectrum Plot


64QAM-26840



64QAM-26915




64QAM-26990




LTE Band 26_15M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.462	26865	831.5	14.62
26915	836.5	13.458	26915	836.5	14.69
26965	841.5	13.463	26965	841.5	14.65
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.458	26865	831.5	14.74
26915	836.5	13.455	26915	836.5	14.67
26965	841.5	13.437	26965	841.5	14.72
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.458	26865	831.5	14.67
26915	836.5	13.468	26915	836.5	14.63
26965	841.5	13.427	26965	841.5	14.73

Spectrum Plot




Spectrum Plot


64QAM-26865




64QAM-26915




64QAM-26965





APPENDIX C - CONDUCTED SPURIOUS EMISSIONS






LTE Band 5_1.4M Spectrum Plot


Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5



Channel	Frequency(MHz)	-	-
20525	836.5	-	-



LTE Band 5_5M Spectrum Plot			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20525	836.5	20525	836.5
Date: 7.JAN.2021 09:57:27		Date: 7.JAN.2021 09:59:48	
Channel	Frequency(MHz)	-	-
20525	836.5	-	-
Date: 7.JAN.2021 10:01:00			





LTE Band 26_1.4M Spectrum Plot



Channel	Frequency(MHz)	Channel	Frequency(MHz)
26915	836.5	26915	836.5
Channel	Frequency(MHz)	-	-
26915	836.5	-	-

LTE Band 26_5M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
26915	836.5	26915	836.5



Channel	Frequency(MHz)	-	-
26915	836.5	-	-



LTE Band 26_15M Spectrum Plot

Channel	Frequency(MHz)	Channel	Frequency(MHz)
26915	836.5	26915	836.5
Channel	Frequency(MHz)	-	-
26915	836.5	-	-
		-	

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.0182	45.61	13.78	59.39	122.40	-63.01			AVG
2	*	0.0451	39.25	12.55	51.80	114.52	-62.72			AVG
3		0.0901	28.47	12.66	41.13	108.51	-67.38			AVG

Test Mode TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3997	30.57	12.26	42.83	95.57	-52.74			AVG
2		0.7793	31.64	11.89	43.53	69.77	-26.24			QP
3	*	2.2250	35.22	11.20	46.42	69.54	-23.12			QP

Test Mode TX Mode


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	0.0186	44.13	13.65	57.78	122.21	-64.43			AVG
2		0.0421	36.72	12.63	49.35	115.12	-65.77			AVG
3		0.0881	29.03	12.65	41.68	108.71	-67.03			AVG

Test Mode TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3133	31.25	12.48	43.73	97.69	-53.96			AVG
2		0.7550	28.64	11.90	40.54	70.05	-29.51			QP
3	*	2.1668	29.16	11.22	40.38	69.54	-29.16			QP

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)

Test Mode GSM850_TX CH190_GSM_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		90.6250	-66.73	-6.08	-72.81	-13.00	-59.81	peak	
2		157.5550	-65.89	-1.39	-67.28	-13.00	-54.28	peak	
3		205.5700	-65.61	-5.45	-71.06	-13.00	-58.06	peak	
4		455.8300	-78.19	2.00	-76.19	-13.00	-63.19	peak	
5		625.0950	-76.64	4.78	-71.86	-13.00	-58.86	peak	
6	*	948.1050	-76.17	9.67	-66.50	-13.00	-53.50	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		110.0250	-69.64	-4.64	-74.28	-13.00	-61.28	peak	
2		159.9800	-69.46	-1.08	-70.54	-13.00	-57.54	peak	
3		207.0250	-62.94	-5.50	-68.44	-13.00	-55.44	peak	
4		313.7250	-71.40	-1.19	-72.59	-13.00	-59.59	peak	
5		625.0950	-76.97	4.78	-72.19	-13.00	-59.19	peak	
6	*	948.1050	-73.60	9.67	-63.93	-13.00	-50.93	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.0050	-60.52	-4.38	-64.90	-13.00	-51.90	peak	
2	*	64.9200	-52.96	-5.26	-58.22	-13.00	-45.22	peak	
3		127.4850	-66.47	-3.15	-69.62	-13.00	-56.62	peak	
4		180.8350	-64.62	-3.31	-67.93	-13.00	-54.93	peak	
5		507.7250	-66.36	2.40	-63.96	-13.00	-50.96	peak	
6		948.1050	-75.44	9.67	-65.77	-13.00	-52.77	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		91.1100	-65.64	-6.02	-71.66	-13.00	-58.66	peak	
2		141.5500	-68.08	-2.87	-70.95	-13.00	-57.95	peak	
3		205.0850	-62.72	-5.42	-68.14	-13.00	-55.14	peak	
4		318.0900	-70.46	-1.12	-71.58	-13.00	-58.58	peak	
5		625.0950	-76.16	4.78	-71.38	-13.00	-58.38	peak	
6	*	948.1050	-75.90	9.67	-66.23	-13.00	-53.23	peak	

Test Mode | WCDMA Band V_TX CH4182_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		48.9150	-66.57	-4.17	-70.74	-13.00	-57.74	peak	
2		78.5000	-62.68	-7.86	-70.54	-13.00	-57.54	peak	
3	*	169.1950	-66.74	-2.38	-69.12	-13.00	-56.12	peak	
4		205.0850	-65.94	-5.42	-71.36	-13.00	-58.36	peak	
5		317.1200	-78.09	-1.14	-79.23	-13.00	-66.23	peak	
6		625.0950	-76.62	4.78	-71.84	-13.00	-58.84	peak	

Test Mode WCDMA Band V_TX CH4182_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		111.4800	-69.55	-4.41	-73.96	-13.00	-60.96	peak	
2		141.0650	-68.85	-2.90	-71.75	-13.00	-58.75	peak	
3	*	205.0850	-63.30	-5.42	-68.72	-13.00	-55.72	peak	
4		241.4600	-68.56	-3.95	-72.51	-13.00	-59.51	peak	
5		317.6050	-71.14	-1.13	-72.27	-13.00	-59.27	peak	
6		625.0950	-77.45	4.78	-72.67	-13.00	-59.67	peak	

Test Mode WCDMA Band V_TX CH4182_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		50.3700	-69.51	-3.97	-73.48	-13.00	-60.48	peak	
2		101.2950	-67.79	-5.24	-73.03	-13.00	-60.03	peak	
3	*	157.0700	-65.21	-1.46	-66.67	-13.00	-53.67	peak	
4		205.5700	-65.00	-5.45	-70.45	-13.00	-57.45	peak	
5		436.9150	-72.29	1.59	-70.70	-13.00	-57.70	peak	
6		625.0950	-76.71	4.78	-71.93	-13.00	-58.93	peak	

Test Mode WCDMA Band V_TX CH4182_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		109.5400	-69.78	-4.67	-74.45	-13.00	-61.45	peak	
2		156.5850	-69.37	-1.52	-70.89	-13.00	-57.89	peak	
3		205.0850	-62.75	-5.42	-68.17	-13.00	-55.17	peak	
4		319.0600	-71.61	-1.11	-72.72	-13.00	-59.72	peak	
5		625.0950	-76.70	4.78	-71.92	-13.00	-58.92	peak	
6	*	948.1050	-75.58	9.67	-65.91	-13.00	-52.91	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		76.0750	-56.73	-7.44	-64.17	-13.00	-51.17	peak	
2	*	156.1000	-61.87	-1.59	-63.46	-13.00	-50.46	peak	
3		178.4100	-64.24	-3.08	-67.32	-13.00	-54.32	peak	
4		299.1750	-72.94	-1.44	-74.38	-13.00	-61.38	peak	
5		455.8300	-78.44	2.00	-76.44	-13.00	-63.44	peak	
6		638.6750	-69.02	5.08	-63.94	-13.00	-50.94	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		117.7850	-65.55	-3.48	-69.03	-13.00	-56.03	peak	
2	*	152.2200	-66.39	-2.08	-68.47	-13.00	-55.47	peak	
3		201.2050	-65.85	-5.26	-71.11	-13.00	-58.11	peak	
4		299.1750	-67.28	-1.44	-68.72	-13.00	-55.72	peak	
5		316.6350	-72.33	-1.15	-73.48	-13.00	-60.48	peak	
6		452.9200	-78.29	1.97	-76.32	-13.00	-63.32	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		87.2300	-56.66	-6.70	-63.36	-13.00	-50.36	peak	
2		153.1900	-62.95	-1.97	-64.92	-13.00	-51.92	peak	
3	*	167.2550	-60.55	-2.10	-62.65	-13.00	-49.65	peak	
4		185.6850	-63.55	-3.95	-67.50	-13.00	-54.50	peak	
5		250.1900	-71.74	-3.69	-75.43	-13.00	-62.43	peak	
6		299.1750	-73.81	-1.44	-75.25	-13.00	-62.25	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	116.3300	-64.93	-3.69	-68.62	-13.00	-55.62	peak	
2		151.7350	-66.79	-2.14	-68.93	-13.00	-55.93	peak	
3		200.7200	-65.13	-5.25	-70.38	-13.00	-57.38	peak	
4		299.1750	-67.40	-1.44	-68.84	-13.00	-55.84	peak	
5		316.6350	-72.67	-1.15	-73.82	-13.00	-60.82	peak	
6		358.8300	-75.60	-0.41	-76.01	-13.00	-63.01	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	87.2300	-56.67	-6.70	-63.37	-13.00	-50.37	peak	
2		105.1750	-60.42	-4.97	-65.39	-13.00	-52.39	peak	
3		159.4950	-63.84	-1.15	-64.99	-13.00	-51.99	peak	
4		185.2000	-63.66	-3.88	-67.54	-13.00	-54.54	peak	
5		299.1750	-73.90	-1.44	-75.34	-13.00	-62.34	peak	
6		455.8300	-77.25	2.00	-75.25	-13.00	-62.25	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		106.6300	-63.44	-4.87	-68.31	-13.00	-55.31	peak	
2		152.2200	-66.32	-2.08	-68.40	-13.00	-55.40	peak	
3		203.1450	-65.06	-5.35	-70.41	-13.00	-57.41	peak	
4	*	299.1750	-66.38	-1.44	-67.82	-13.00	-54.82	peak	
5		316.6350	-72.80	-1.15	-73.95	-13.00	-60.95	peak	
6		455.8300	-77.50	2.00	-75.50	-13.00	-62.50	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	157.0700	-65.04	-1.46	-66.50	-13.00	-53.50	peak	
2		181.3200	-66.29	-3.36	-69.65	-13.00	-56.65	peak	
3		205.0850	-65.72	-5.42	-71.14	-13.00	-58.14	peak	
4		255.0400	-70.44	-3.17	-73.61	-13.00	-60.61	peak	
5		749.2550	-76.43	6.38	-70.05	-13.00	-57.05	peak	
6		948.1050	-76.51	9.67	-66.84	-13.00	-53.84	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		143.9750	-70.28	-2.73	-73.01	-13.00	-60.01	peak	
2		207.5100	-63.24	-5.53	-68.77	-13.00	-55.77	peak	
3		321.4850	-71.49	-1.07	-72.56	-13.00	-59.56	peak	
4		617.8200	-76.02	4.62	-71.40	-13.00	-58.40	peak	
5		786.6000	-78.87	6.88	-71.99	-13.00	-58.99	peak	
6	*	922.4000	-75.08	9.01	-66.07	-13.00	-53.07	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		115.8450	-69.34	-3.76	-73.10	-13.00	-60.10	peak	
2	*	159.9800	-67.36	-1.08	-68.44	-13.00	-55.44	peak	
3		181.3200	-65.81	-3.36	-69.17	-13.00	-56.17	peak	
4		205.5700	-65.43	-5.45	-70.88	-13.00	-57.88	peak	
5		455.8300	-77.74	2.00	-75.74	-13.00	-62.74	peak	
6		625.0950	-76.55	4.78	-71.77	-13.00	-58.77	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.4950	-70.12	-1.15	-71.27	-13.00	-58.27	peak	
2		206.5400	-63.85	-5.50	-69.35	-13.00	-56.35	peak	
3		310.3300	-71.53	-1.24	-72.77	-13.00	-59.77	peak	
4		433.0350	-74.67	1.48	-73.19	-13.00	-60.19	peak	
5		625.0950	-77.71	4.78	-72.93	-13.00	-59.93	peak	
6	*	948.1050	-76.57	9.67	-66.90	-13.00	-53.90	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	70.2550	-58.06	-6.36	-64.42	-13.00	-51.42	peak	
2		122.6350	-62.80	-3.15	-65.95	-13.00	-52.95	peak	
3		159.9800	-66.95	-1.08	-68.03	-13.00	-55.03	peak	
4		546.5250	-74.22	2.75	-71.47	-13.00	-58.47	peak	
5		766.2300	-77.54	6.61	-70.93	-13.00	-57.93	peak	
6		948.1050	-77.16	9.67	-67.49	-13.00	-54.49	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		143.9750	-69.70	-2.73	-72.43	-13.00	-59.43	peak	
2		206.0550	-63.72	-5.47	-69.19	-13.00	-56.19	peak	
3		321.0000	-71.32	-1.08	-72.40	-13.00	-59.40	peak	
4		455.8300	-78.11	2.00	-76.11	-13.00	-63.11	peak	
5		625.0950	-77.00	4.78	-72.22	-13.00	-59.22	peak	
6	*	948.1050	-75.98	9.67	-66.31	-13.00	-53.31	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.5300	-65.24	-7.70	-72.94	-13.00	-59.94	peak	
2		101.2950	-66.66	-5.24	-71.90	-13.00	-58.90	peak	
3		160.4650	-65.18	-1.15	-66.33	-13.00	-53.33	peak	
4		181.3200	-62.15	-3.36	-65.51	-13.00	-52.51	peak	
5		265.7100	-69.79	-2.87	-72.66	-13.00	-59.66	peak	
6	*	699.3000	-66.26	6.00	-60.26	-13.00	-47.26	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	71.7100	-70.16	-6.64	-76.80	-13.00	-63.80	peak	
2	111.9650	-70.96	-4.34	-75.30	-13.00	-62.30	peak	
3 *	151.2500	-69.83	-2.21	-72.04	-13.00	-59.04	peak	
4	203.1450	-68.07	-5.35	-73.42	-13.00	-60.42	peak	
5	241.9450	-72.50	-3.94	-76.44	-13.00	-63.44	peak	
6	320.5150	-73.46	-1.08	-74.54	-13.00	-61.54	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	83.8350	-57.03	-7.39	-64.42	-13.00	-51.42	peak	
2		95.9600	-66.35	-5.61	-71.96	-13.00	-58.96	peak	
3		159.9800	-65.08	-1.08	-66.16	-13.00	-53.16	peak	
4		181.3200	-63.40	-3.36	-66.76	-13.00	-53.76	peak	
5		265.7100	-73.52	-2.87	-76.39	-13.00	-63.39	peak	
6		455.8300	-78.63	2.00	-76.63	-13.00	-63.63	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-69.99	-6.64	-76.63	-13.00	-63.63	peak	
2		112.4500	-71.28	-4.27	-75.55	-13.00	-62.55	peak	
3	*	159.9800	-70.59	-1.08	-71.67	-13.00	-58.67	peak	
4		203.1450	-68.31	-5.35	-73.66	-13.00	-60.66	peak	
5		311.7850	-72.76	-1.22	-73.98	-13.00	-60.98	peak	
6		426.7300	-78.09	1.32	-76.77	-13.00	-63.77	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.6800	-64.63	-6.83	-71.46	-13.00	-58.46	peak	
2		96.9300	-65.28	-5.54	-70.82	-13.00	-57.82	peak	
3		158.0400	-65.49	-1.34	-66.83	-13.00	-53.83	peak	
4	*	181.3200	-63.19	-3.36	-66.55	-13.00	-53.55	peak	
5		265.7100	-72.46	-2.87	-75.33	-13.00	-62.33	peak	
6		516.4550	-75.07	2.47	-72.60	-13.00	-59.60	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-70.16	-6.64	-76.80	-13.00	-63.80	peak	
2		111.4800	-70.70	-4.41	-75.11	-13.00	-62.11	peak	
3	*	143.9750	-69.30	-2.73	-72.03	-13.00	-59.03	peak	
4		204.6000	-67.92	-5.41	-73.33	-13.00	-60.33	peak	
5		317.6050	-73.59	-1.13	-74.72	-13.00	-61.72	peak	
6		455.8300	-78.50	2.00	-76.50	-13.00	-63.50	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	116.3300	-69.51	-3.69	-73.20	-13.00	-60.20	peak	
2	169.1950	-64.31	-2.38	-66.69	-13.00	-53.69	peak	
3	455.8300	-78.22	2.00	-76.22	-13.00	-63.22	peak	
4	625.0950	-76.83	4.78	-72.05	-13.00	-59.05	peak	
5	859.8350	-79.46	7.97	-71.49	-13.00	-58.49	peak	
6 *	948.1050	-75.34	9.67	-65.67	-13.00	-52.67	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		169.1950	-69.15	-2.38	-71.53	-13.00	-58.53	peak	
2		206.5400	-63.11	-5.50	-68.61	-13.00	-55.61	peak	
3		321.9700	-71.40	-1.06	-72.46	-13.00	-59.46	peak	
4		625.0950	-76.76	4.78	-71.98	-13.00	-58.98	peak	
5		848.1950	-78.95	7.82	-71.13	-13.00	-58.13	peak	
6	*	948.1050	-77.39	9.67	-67.72	-13.00	-54.72	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	91.1100	-58.16	-6.02	-64.18	-13.00	-51.18	peak	
2		181.3200	-63.64	-3.36	-67.00	-13.00	-54.00	peak	
3		262.3150	-74.34	-2.73	-77.07	-13.00	-64.07	peak	
4		353.9800	-70.38	-0.52	-70.90	-13.00	-57.90	peak	
5		625.0950	-76.57	4.78	-71.79	-13.00	-58.79	peak	
6		948.1050	-76.36	9.67	-66.69	-13.00	-53.69	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		169.1950	-69.92	-2.38	-72.30	-13.00	-59.30	peak	
2		207.5100	-63.84	-5.53	-69.37	-13.00	-56.37	peak	
3		321.9700	-71.53	-1.06	-72.59	-13.00	-59.59	peak	
4		455.8300	-78.19	2.00	-76.19	-13.00	-63.19	peak	
5	*	630.9150	-68.89	4.91	-63.98	-13.00	-50.98	peak	
6		948.1050	-75.02	9.67	-65.35	-13.00	-52.35	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		115.3600	-70.43	-3.84	-74.27	-13.00	-61.27	peak	
2		159.0100	-67.49	-1.21	-68.70	-13.00	-55.70	peak	
3		313.2400	-76.50	-1.20	-77.70	-13.00	-64.70	peak	
4		607.1500	-75.37	4.40	-70.97	-13.00	-57.97	peak	
5		779.8100	-74.88	6.79	-68.09	-13.00	-55.09	peak	
6	*	948.1050	-75.83	9.67	-66.16	-13.00	-53.16	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.9800	-69.79	-1.08	-70.87	-13.00	-57.87	peak	
2		207.0250	-64.11	-5.50	-69.61	-13.00	-56.61	peak	
3		321.0000	-71.50	-1.08	-72.58	-13.00	-59.58	peak	
4		625.0950	-77.39	4.78	-72.61	-13.00	-59.61	peak	
5		824.9150	-78.22	7.46	-70.76	-13.00	-57.76	peak	
6	*	948.1050	-77.14	9.67	-67.47	-13.00	-54.47	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode GSM850_TX CH190_GSM_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14413.00	-68.96	29.92	-39.04	-13.00	-26.04	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14421.50	-68.55	29.91	-38.64	-13.00	-25.64	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14090.00	-69.57	30.14	-39.43	-13.00	-26.43	peak	

Test Mode	GSM850_TX CH190_GSM_Second Antenna
-----------	------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14370.50	-68.70	29.95	-38.75	-13.00	-25.75	peak	

Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14472.50	-68.92	29.88	-39.04	-13.00	-26.04	peak	

Test Mode WCDMA Band V_TX CH4182_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14447.00	-69.72	29.90	-39.82	-13.00	-26.82	peak	

Test Mode WCDMA Band V_TX CH4182_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	13750.00	-68.10	29.33	-38.77	-13.00	-25.77	peak	

Test Mode WCDMA Band V_TX CH4182_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	13801.00	-68.97	29.50	-39.47	-13.00	-26.47	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14574.50	-68.55	29.59	-38.96	-13.00	-25.96	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14557.50	-68.16	29.64	-38.52	-13.00	-25.52	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14455.50	-69.29	29.89	-39.40	-13.00	-26.40	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14489.50	-68.56	29.86	-38.70	-13.00	-25.70	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	13988.00	-69.39	30.17	-39.22	-13.00	-26.22	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14438.50	-68.33	29.90	-38.43	-13.00	-25.43	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14455.50	-68.87	29.89	-38.98	-13.00	-25.98	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14336.50	-68.78	29.98	-38.80	-13.00	-25.80	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14404.50	-68.93	29.93	-39.00	-13.00	-26.00	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14532.00	-68.78	29.74	-39.04	-13.00	-26.04	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14251.50	-69.57	30.03	-39.54	-13.00	-26.54	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14455.50	-68.85	29.89	-38.96	-13.00	-25.96	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14498.00	-69.09	29.86	-39.23	-13.00	-26.23	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14362.00	-69.23	29.96	-39.27	-13.00	-26.27	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	13775.50	-68.47	29.41	-39.06	-13.00	-26.06	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14549.00	-68.71	29.68	-39.03	-13.00	-26.03	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14243.00	-68.92	30.04	-38.88	-13.00	-25.88	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	13894.50	-69.14	29.84	-39.30	-13.00	-26.30	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14583.00	-69.11	29.56	-39.55	-13.00	-26.55	peak	


Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14515.00	-69.11	29.81	-39.30	-13.00	-26.30	peak	


Test Mode LTE Band 26_TX CH26915_5M_Second Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14549.00	-69.11	29.68	-39.43	-13.00	-26.43	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14498.00	-68.92	29.86	-39.06	-13.00	-26.06	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14566.00	-68.75	29.62	-39.13	-13.00	-26.13	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14404.50	-68.71	29.93	-38.78	-13.00	-25.78	peak	

APPENDIX G - BAND EDGE


GSM850_GSM Spectrum Plot




GSM850_EDGE Spectrum Plot



WCDMA Band V_WCDMA Spectrum Plot



WCDMA Band V_HSDPA Spectrum Plot



WCDMA Band V_HSUPA Spectrum Plot

