


## 25. NR\_n41\_SCS30\_100M\_H\_Outer Full(QPSK)

### 25.18. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2640	99.00	26	1	Peak	100	95.94266	99.69248	Pass



## 26. DC\_5A\_n7A\_SCS15\_5M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.1. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.483761	4.873431	Pass



## 26. DC\_5A\_n7A\_SCS15\_5M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 26.2. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.483225	4.954535	Pass



## 26. DC\_5A\_n7A\_SCS15\_5M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.3. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.484813	4.872319	Pass



## 26. DC\_5A\_n7A\_SCS15\_5M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 26.4. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.484431	4.967795	Pass



## 26. DC\_5A\_n7A\_SCS15\_5M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.5. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.487772	4.888001	Pass



## 26. DC\_5A\_n7A\_SCS15\_5M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 26.6. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.484359	4.954289	Pass



## 26. DC\_5A\_n7A\_SCS15\_15M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.42334	14.46703	Pass






## 26. DC\_5A\_n7A\_SCS15\_15M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 26.8. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.41412	14.45144	Pass



## 26. DC\_5A\_n7A\_SCS15\_15M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.9. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.42271	14.4109	Pass



## 26. DC\_5A\_n7A\_SCS15\_15M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 26.10. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.409	14.37486	Pass



## 26. DC\_5A\_n7A\_SCS15\_15M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.11. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.42277	14.45822	Pass



## 26. DC\_5A\_n7A\_SCS15\_15M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 26.12. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.40857	14.38672	Pass



## 26. DC\_5A\_n7A\_SCS15\_20M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.13. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.8724	19.11096	Pass



## 26. DC\_5A\_n7A\_SCS15\_20M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 26.14. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.81359	19.08347	Pass



## 26. DC\_5A\_n7A\_SCS15\_20M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.87893	19.13009	Pass






## 26. DC\_5A\_n7A\_SCS15\_20M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 26.16. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.81997	19.15622	Pass



## 26. DC\_5A\_n7A\_SCS15\_20M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 26.17. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.90266	19.22827	Pass



## 26. DC\_5A\_n7A\_SCS15\_20M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 26.18. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.81798	19.15089	Pass



## 27. DC\_7A\_n5A\_SCS15\_5M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.1. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
826.5	99.00	26	0.1	Peak	5	4.502191	4.887656	Pass



## 27. DC\_7A\_n5A\_SCS15\_5M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 27.2. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
826.5	99.00	26	0.1	Peak	5	4.474304	4.922149	Pass



## 27. DC\_7A\_n5A\_SCS15\_5M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.3. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.1	Peak	5	4.498053	4.887453	Pass



## 27. DC\_7A\_n5A\_SCS15\_5M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 27.4. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.1	Peak	5	4.503952	4.979796	Pass



## 27. DC\_7A\_n5A\_SCS15\_5M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
846.5	99.00	26	0.1	Peak	5	4.503927	4.89862	Pass






## 27. DC\_7A\_n5A\_SCS15\_5M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 27.6. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
846.5	99.00	26	0.1	Peak	5	4.486061	4.910609	Pass



## 27. DC\_7A\_n5A\_SCS15\_15M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.7. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
831.5	99.00	26	0.3	Peak	15	13.42109	14.3234	Pass



## 27. DC\_7A\_n5A\_SCS15\_15M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 27.8. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
831.5	99.00	26	0.3	Peak	15	13.4375	14.39634	Pass



## 27. DC\_7A\_n5A\_SCS15\_15M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.9. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	15	13.43435	14.39406	Pass



## 27. DC\_7A\_n5A\_SCS15\_15M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 27.10. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	15	13.46508	14.42164	Pass



## 27. DC\_7A\_n5A\_SCS15\_15M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.11. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
841.5	99.00	26	0.3	Peak	15	13.38596	14.36805	Pass



## 27. DC\_7A\_n5A\_SCS15\_15M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 27.12. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
841.5	99.00	26	0.3	Peak	15	13.4212	14.42445	Pass



## 27. DC\_7A\_n5A\_SCS15\_20M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
834	99.00	26	0.3	Peak	20	17.91706	19.21803	Pass






## 27. DC\_7A\_n5A\_SCS15\_20M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 27.14. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
834	99.00	26	0.3	Peak	20	17.89718	19.29045	Pass



## 27. DC\_7A\_n5A\_SCS15\_20M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.15. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	20	17.90216	19.27124	Pass



## 27. DC\_7A\_n5A\_SCS15\_20M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 27.16. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.3	Peak	20	17.87286	19.2891	Pass



## 27. DC\_7A\_n5A\_SCS15\_20M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 27.17. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
839	99.00	26	0.3	Peak	20	17.86672	19.18686	Pass



## 27. DC\_7A\_n5A\_SCS15\_20M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 27.18. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
839	99.00	26	0.3	Peak	20	17.84282	19.21608	Pass



## 28. DC\_7A\_n7A\_SCS15\_5M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.1. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.497936	4.864457	Pass



## 28. DC\_7A\_n7A\_SCS15\_5M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 28.2. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.507879	4.991187	Pass



## 28. DC\_7A\_n7A\_SCS15\_5M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.3. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.497832	4.857532	Pass






## 28. DC\_7A\_n7A\_SCS15\_5M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 28.4. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.508867	4.989811	Pass



## 28. DC\_7A\_n7A\_SCS15\_5M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.5. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.498397	4.882822	Pass



## 28. DC\_7A\_n7A\_SCS15\_5M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 28.6. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.506849	4.991836	Pass



## 28. DC\_7A\_n7A\_SCS15\_15M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.7. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.4012	14.37137	Pass



## 28. DC\_7A\_n7A\_SCS15\_15M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 28.8. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.44771	14.41549	Pass



## 28. DC\_7A\_n7A\_SCS15\_15M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.9. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.41188	14.3372	Pass



## 28. DC\_7A\_n7A\_SCS15\_15M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 28.10. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.43383	14.44055	Pass



## 28. DC\_7A\_n7A\_SCS15\_15M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.40025	14.29918	Pass






## 28. DC\_7A\_n7A\_SCS15\_15M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 28.12. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.41614	14.39577	Pass



## 28. DC\_7A\_n7A\_SCS15\_20M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.13. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.87048	19.18284	Pass



## 28. DC\_7A\_n7A\_SCS15\_20M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 28.14. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.85904	19.18997	Pass



## 28. DC\_7A\_n7A\_SCS15\_20M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.15. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.86542	19.24883	Pass



## 28. DC\_7A\_n7A\_SCS15\_20M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 28.16. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.86114	19.22209	Pass



## 28. DC\_7A\_n7A\_SCS15\_20M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 28.17. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.87407	19.23176	Pass



## 28. DC\_7A\_n7A\_SCS15\_20M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 28.18. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.8742	19.274	Pass



## 29. DC\_7A\_n66A\_SCS15\_5M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.1. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1712.5	99.00	26	0.1	Peak	5	4.482532	4.932052	Pass






## 29. DC\_7A\_n66A\_SCS15\_5M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 29.2. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1712.5	99.00	26	0.1	Peak	5	4.479414	4.945147	Pass



## 29. DC\_7A\_n66A\_SCS15\_5M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.3. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.1	Peak	5	4.482645	4.885921	Pass



## 29. DC\_7A\_n66A\_SCS15\_5M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 29.4. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.1	Peak	5	4.480935	4.937449	Pass



## 29. DC\_7A\_n66A\_SCS15\_5M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.5. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1777.5	99.00	26	0.1	Peak	5	4.483011	4.908985	Pass



## 29. DC\_7A\_n66A\_SCS15\_5M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 29.6. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1777.5	99.00	26	0.1	Peak	5	4.483839	4.953772	Pass



## 29. DC\_7A\_n66A\_SCS15\_15M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.7. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1717.5	99.00	26	0.3	Peak	15	13.41607	14.41955	Pass



## 29. DC\_7A\_n66A\_SCS15\_15M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 29.8. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1717.5	99.00	26	0.3	Peak	15	13.40464	14.38062	Pass



## 29. DC\_7A\_n66A\_SCS15\_15M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.9. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	15	13.41963	14.45298	Pass






## 29. DC\_7A\_n66A\_SCS15\_15M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 29.10. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	15	13.40952	14.37869	Pass



## 29. DC\_7A\_n66A\_SCS15\_15M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.11. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1772.5	99.00	26	0.3	Peak	15	13.42182	14.50144	Pass



## 29. DC\_7A\_n66A\_SCS15\_15M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 29.12. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1772.5	99.00	26	0.3	Peak	15	13.42254	14.43209	Pass



## 29. DC\_7A\_n66A\_SCS15\_20M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.13. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1720	99.00	26	0.3	Peak	20	17.83733	19.14678	Pass



## 29. DC\_7A\_n66A\_SCS15\_20M\_L\_Outer Full(QPSK DFT-s-OFDM)

### 29.14. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1720	99.00	26	0.3	Peak	20	17.79542	19.10493	Pass



## 29. DC\_7A\_n66A\_SCS15\_20M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.15. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	20	17.8682	19.1127	Pass



## 29. DC\_7A\_n66A\_SCS15\_20M\_M\_Outer Full(QPSK DFT-s-OFDM)

### 29.16. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	20	17.81667	19.16455	Pass



## 29. DC\_7A\_n66A\_SCS15\_20M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

### 29.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1770	99.00	26	0.3	Peak	20	17.9282	19.17069	Pass






## 29. DC\_7A\_n66A\_SCS15\_20M\_H\_Outer Full(QPSK DFT-s-OFDM)

### 29.18. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1770	99.00	26	0.3	Peak	20	17.8784	19.17239	Pass



### 30. DC\_66A\_n7A\_SCS15\_5M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.1. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.484609	4.897666	Pass



### 30. DC\_66A\_n7A\_SCS15\_5M\_L\_Outer Full(QPSK DFT-s-OFDM)

#### 30.2. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2502.5	99.00	26	0.1	Peak	5	4.515681	4.95438	Pass



### 30. DC\_66A\_n7A\_SCS15\_5M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.3. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.484152	4.895403	Pass



### 30. DC\_66A\_n7A\_SCS15\_5M\_M\_Outer Full(QPSK DFT-s-OFDM)

#### 30.4. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.1	Peak	5	4.517153	4.941071	Pass



### 30. DC\_66A\_n7A\_SCS15\_5M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.5. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.48635	4.879569	Pass



### 30. DC\_66A\_n7A\_SCS15\_5M\_H\_Outer Full(QPSK DFT-s-OFDM)

#### 30.6. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2567.5	99.00	26	0.1	Peak	5	4.511319	4.939501	Pass



### 30. DC\_66A\_n7A\_SCS15\_15M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.7. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.40208	14.42711	Pass






### 30. DC\_66A\_n7A\_SCS15\_15M\_L\_Outer Full(QPSK DFT-s-OFDM)

#### 30.8. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2507.5	99.00	26	0.3	Peak	15	13.41585	14.44635	Pass



### 30. DC\_66A\_n7A\_SCS15\_15M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.9. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.40445	14.42828	Pass



### 30. DC\_66A\_n7A\_SCS15\_15M\_M\_Outer Full(QPSK DFT-s-OFDM)

#### 30.10. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	15	13.41268	14.3703	Pass



### 30. DC\_66A\_n7A\_SCS15\_15M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.11. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.40567	14.42859	Pass



### 30. DC\_66A\_n7A\_SCS15\_15M\_H\_Outer Full(QPSK DFT-s-OFDM)

#### 30.12. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2562.5	99.00	26	0.3	Peak	15	13.40403	14.38805	Pass



### 30. DC\_66A\_n7A\_SCS15\_20M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.13. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.88076	19.10802	Pass



### 30. DC\_66A\_n7A\_SCS15\_20M\_L\_Outer Full(QPSK DFT-s-OFDM)

#### 30.14. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2510	99.00	26	0.3	Peak	20	17.80974	19.11382	Pass



### 30. DC\_66A\_n7A\_SCS15\_20M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.15. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.87105	19.15077	Pass






### 30. DC\_66A\_n7A\_SCS15\_20M\_M\_Outer Full(QPSK DFT-s-OFDM)

#### 30.16. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2535	99.00	26	0.3	Peak	20	17.81939	19.13583	Pass



### 30. DC\_66A\_n7A\_SCS15\_20M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 30.17. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.88172	19.23149	Pass



### 30. DC\_66A\_n7A\_SCS15\_20M\_H\_Outer Full(QPSK DFT-s-OFDM)

#### 30.18. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
2560	99.00	26	0.3	Peak	20	17.81022	19.1471	Pass



### 31. DC\_66A\_n66A\_SCS15\_5M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.1. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1712.5	99.00	26	0.1	Peak	5	4.494511	4.94729	Pass



### 31. DC\_66A\_n66A\_SCS15\_5M\_L\_Outer Full(QPSK DFT-s-OFDM)

#### 31.2. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1712.5	99.00	26	0.1	Peak	5	4.485069	4.979394	Pass



### 31. DC\_66A\_n66A\_SCS15\_5M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.3. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.1	Peak	5	4.491261	4.958849	Pass



### 31. DC\_66A\_n66A\_SCS15\_5M\_M\_Outer Full(QPSK DFT-s-OFDM)

#### 31.4. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.1	Peak	5	4.494509	4.992144	Pass



### 31. DC\_66A\_n66A\_SCS15\_5M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.5. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1777.5	99.00	26	0.1	Peak	5	4.493278	4.946962	Pass






### 31. DC\_66A\_n66A\_SCS15\_5M\_H\_Outer Full(QPSK DFT-s-OFDM)

#### 31.6. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1777.5	99.00	26	0.1	Peak	5	4.484925	4.991478	Pass



### 31. DC\_66A\_n66A\_SCS15\_15M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.7. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1717.5	99.00	26	0.3	Peak	15	13.40552	14.30968	Pass



### 31. DC\_66A\_n66A\_SCS15\_15M\_L\_Outer Full(QPSK DFT-s-OFDM)

#### 31.8. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1717.5	99.00	26	0.3	Peak	15	13.46248	14.43162	Pass



### 31. DC\_66A\_n66A\_SCS15\_15M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.9. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	15	13.41196	14.34668	Pass



### 31. DC\_66A\_n66A\_SCS15\_15M\_M\_Outer Full(QPSK DFT-s-OFDM)

#### 31.10. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	15	13.46546	14.44587	Pass



### 31. DC\_66A\_n66A\_SCS15\_15M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.11. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1772.5	99.00	26	0.3	Peak	15	13.41145	14.31001	Pass



### 31. DC\_66A\_n66A\_SCS15\_15M\_H\_Outer Full(QPSK DFT-s-OFDM)

#### 31.12. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1772.5	99.00	26	0.3	Peak	15	13.4862	14.45456	Pass

**Agilent** 17:15:38 Jun 8, 2021

**Ch Freq** 1.7725 GHz **Ext Ref**

Occupied Bandwidth **Trig** Free

Averages: 2

**Freq/Channel**

**Center Freq**  
1.77250000 GHz

**Start Freq**  
1.75750000 GHz

**Stop Freq**  
1.78750000 GHz

**CF Step**  
3.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 30 dBm #Atten 30 dB

Center 1.772 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**13.4862 MHz** **x dB** -26.00 dB

**Transmit Freq Error** -356.351 kHz


**x dB Bandwidth** 14.455 MHz

Copyright 2000-2012 Agilent Technologies

### 31. DC\_66A\_n66A\_SCS15\_20M\_L\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.13. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1720	99.00	26	0.3	Peak	20	17.87501	19.1436	Pass






### 31. DC\_66A\_n66A\_SCS15\_20M\_L\_Outer Full(QPSK DFT-s-OFDM)

#### 31.14. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1720	99.00	26	0.3	Peak	20	17.82106	19.06823	Pass



### 31. DC\_66A\_n66A\_SCS15\_20M\_M\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.15. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	20	17.88652	19.22412	Pass



### 31. DC\_66A\_n66A\_SCS15\_20M\_M\_Outer Full(QPSK DFT-s-OFDM)

#### 31.16. NR Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.3	Peak	20	17.85084	19.10316	Pass



### 31. DC\_66A\_n66A\_SCS15\_20M\_H\_Outer Full(PI2 BPSK DFT-s-OFDM)

#### 31.17. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1770	99.00	26	0.3	Peak	20	17.94086	19.26552	Pass



### 31. DC\_66A\_n66A\_SCS15\_20M\_H\_Outer Full(QPSK DFT-s-OFDM)

#### 31.18. NR Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1770	99.00	26	0.3	Peak	20	17.90767	19.10655	Pass

**Agilent** 17:22:21 Jun 8, 2021

**Ch Freq** 1.77 GHz **Ext Ref**

Occupied Bandwidth **Trig** Free

Averages: 2

**Freq/Channel**

**Center Freq**  
1.77000000 GHz

**Start Freq**  
1.75000000 GHz

**Stop Freq**  
1.79000000 GHz

**CF Step**  
4.00000000 MHz  
Auto Man

**Freq Offset**  
0.00000000 Hz

**Signal Track**  
On Off

Ref 30 dBm #Atten 30 dB

Center 1.770 00 GHz Span 40 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (666 pts)

**Occupied Bandwidth** **Occ BW % Pwr** 99.00 %

**17.9077 MHz** **x dB** -26.00 dB

**Transmit Freq Error** -532.236 kHz

**x dB Bandwidth** 19.107 MHz

Copyright 2000-2012 Agilent Technologies

---

END