


Annex A5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-55.22	-13	Pass	401
0.15	30	0.01	Peak	0.2	-52.82	-13	Pass	2985
30	500	0.1	Peak	462.792	-43.71	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.96	-13	N/A	5000
1000	10000	1	Peak	7360.776	-22.81	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.39	-13	Pass	401
0.15	30	0.01	Peak	0.28	-52.77	-13	Pass	2985
30	500	0.1	Peak	365.871	-44.27	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.69	-13	N/A	5000
1000	10000	1	Peak	7122.747	-22.11	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.63	-13	Pass	401
0.15	30	0.01	Peak	0.26	-53.39	-13	Pass	2985
30	500	0.1	Peak	490.098	-43.85	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.99	-13	N/A	5000
1000	10000	1	Peak	7132.749	-22.72	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.72	-13	Pass	401
0.15	30	0.01	Peak	0.18	-61.42	-13	Pass	2985
30	1000	0.1	Peak	840.599	-49.41	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.97	-13	N/A	2000
3000	20000	1	Peak	3700.085	-40.06	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.82	-13	Pass	401
0.15	30	0.01	Peak	0.34	-60.96	-13	Pass	2985
30	1000	0.1	Peak	849.901	-49.43	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.13	-13	N/A	2000
3000	20000	1	Peak	3760.093	-41.24	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.6	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.65	-13	Pass	2985
30	1000	0.1	Peak	702.482	-49.51	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.88	-13	N/A	2000
3000	20000	1	Peak	3820.1	-38.17	-13	Pass	17000




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.72	-13	Pass	401
0.15	30	0.01	Peak	0.27	-52.85	-13	Pass	2985
30	500	0.1	Peak	459.891	-43.61	-13	Pass	4700
500	1000	0.1	Peak	824.265	30	-13	N/A	5000
1000	10000	1	Peak	7033.737	-22.49	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-54.97	-13	Pass	401
0.15	30	0.01	Peak	0.23	-51.69	-13	Pass	2985
30	500	0.1	Peak	485.397	-43.86	-13	Pass	4700
500	1000	0.1	Peak	836.567	26.77	-13	N/A	5000
1000	10000	1	Peak	6744.701	-23.09	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.7	-13	Pass	401
0.15	30	0.01	Peak	0.37	-53.4	-13	Pass	2985
30	500	0.1	Peak	455.391	-44.04	-13	Pass	4700
500	1000	0.1	Peak	848.87	27.42	-13	N/A	5000
1000	10000	1	Peak	7059.74	-22.61	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.84	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.77	-13	Pass	2985
30	1000	0.1	Peak	351.239	-49.58	-13	Pass	9699
1000	3000	1	Peak	1850.425	23.65	-13	N/A	2000
3000	20000	1	Peak	19380	-44.9	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.95	-13	Pass	401
0.15	30	0.01	Peak	0.81	-61.1	-13	Pass	2985
30	1000	0.1	Peak	910.581	-49.55	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.55	-13	N/A	2000
3000	20000	1	Peak	19790.66	-45.35	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.91	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.72	-13	Pass	2985
30	1000	0.1	Peak	781.392	-49.82	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.02	-13	N/A	2000
3000	20000	1	Peak	3819.1	-44.47	-13	Pass	17000




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.77	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.54	-13	Pass	2985
30	1000	0.1	Peak	888.752	-53.71	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.4	-13	N/A	2000
3000	20000	1	Peak	19639.415	-23.96	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.71	-13	Pass	401
0.15	30	0.01	Peak	0.21	-66.06	-13	Pass	2985
30	1000	0.1	Peak	741.487	-53.7	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.27	-13	N/A	2000
3000	20000	1	Peak	19670.465	-24.12	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.16	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.72	-13	Pass	2985
30	1000	0.1	Peak	750.988	-53.67	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.33	-13	N/A	2000
3000	20000	1	Peak	19690.498	-24.24	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.05	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.69	-13	Pass	2985
30	1000	0.1	Peak	859.814	-53.97	-13	Pass	9699
1000	3000	1	Peak	1711.356	24.12	-13	N/A	2000
3000	20000	1	Peak	19672.468	-23.91	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.55	-13	Pass	401
0.15	30	0.01	Peak	0.16	-66.19	-13	Pass	2985
30	1000	0.1	Peak	348.439	-53.94	-13	Pass	9699
1000	3000	1	Peak	1731.366	24.26	-13	N/A	2000
3000	20000	1	Peak	19680.481	-23.85	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.09	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.99	-13	Pass	2985
30	1000	0.1	Peak	617.972	-53.97	-13	Pass	9699
1000	3000	1	Peak	1751.376	24.1	-13	N/A	2000
3000	20000	1	Peak	19669.463	-24.22	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.95	-13	Pass	2985
30	500	0.1	Peak	423.684	-54.64	-13	Pass	4700
500	1000	0.1	Peak	826.965	19.07	-13	N/A	5000
1000	10000	1	Peak	6962.728	-32.82	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.63	-13	Pass	2985
30	500	0.1	Peak	330.064	-54.32	-13	Pass	4700
500	1000	0.1	Peak	835.167	17.42	-13	N/A	5000
1000	10000	1	Peak	7893.842	-32.93	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.85	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.67	-13	Pass	2985
30	500	0.1	Peak	413.582	-54.44	-13	Pass	4700
500	1000	0.1	Peak	847.269	18.35	-13	N/A	5000
1000	10000	1	Peak	7216.759	-32.66	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2985
30	1000	0.1	RMS	848.4	-65.07	-13	Pass	9699
1000	1840	1	RMS	1840	-52.45	-13	Pass	840
1840	1920	1	RMS	1850.2	22.88	60	Pass	401
1920	3000	1	RMS	2956.96	-50.02	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.53	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.25	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.1	-13	Pass	2985
30	1000	0.1	RMS	843.099	-65.06	-13	Pass	9699
1000	1840	1	RMS	1840	-52.61	-13	Pass	840
1840	1920	1	RMS	1850.2	21.95	60	Pass	401
1920	3000	1	RMS	2947.952	-49.98	-13	Pass	1080
3000	12000	1	RMS	12000	-43.5	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	826.697	-65.12	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.41	-13	Pass	840
1840	1920	1	RMS	1879.4	22.95	60	Pass	401
1920	3000	1	RMS	2951.956	-50	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.19	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.24	-13	Pass	2985
30	1000	0.1	RMS	844.399	-65.06	-13	Pass	9699
1000	1840	1	RMS	1840	-53.49	-13	Pass	840
1840	1920	1	RMS	1879.4	22.02	60	Pass	401
1920	3000	1	RMS	2948.953	-50.01	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.51	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.19	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.93	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.51	-13	Pass	840
1840	1920	1	RMS	1908.8	22.91	60	Pass	401
1920	3000	1	RMS	2950.955	-49.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.47	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.31	-13	Pass	8000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	848.1	-65.05	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.49	-13	Pass	840
1840	1920	1	RMS	1908.8	22.09	60	Pass	401
1920	3000	1	RMS	2944.949	-50.03	-13	Pass	1080
3000	12000	1	RMS	12000	-43.58	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.28	-13	Pass	8000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2985
30	1000	0.1	RMS	853.806	-65.04	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.42	-13	Pass	840
1840	1920	1	RMS	1850.2	22.95	60	Pass	401
1920	3000	1	RMS	2947.952	-50.02	-13	Pass	1080
3000	12000	1	RMS	11994.994	-43.63	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.28	-13	Pass	8000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	Pass	2985
30	1000	0.1	RMS	855.709	-65.08	-13	Pass	9699
1000	1840	1	RMS	1840	-52.47	-13	Pass	840
1840	1920	1	RMS	1850.2	22.14	60	Pass	401
1920	3000	1	RMS	2948.953	-49.99	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.59	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.29	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	870.128	-65.1	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.5	-13	Pass	840
1840	1920	1	RMS	1878.6	22.97	60	Pass	401
1920	3000	1	RMS	2949.954	-50.05	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.6	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.19	-13	Pass	8000




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.09	-13	Pass	2985
30	1000	0.1	RMS	866.022	-65.04	-13	Pass	9699
1000	1840	1	RMS	1840	-53.57	-13	Pass	840
1840	1920	1	RMS	1878.6	22.03	60	Pass	401
1920	3000	1	RMS	2945.95	-50.04	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19687.961	-35.33	-13	Pass	8000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.29	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.99	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.52	-13	Pass	840
1840	1920	1	RMS	1907.2	22.9	60	Pass	401
1920	3000	1	RMS	2950.955	-50.04	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.59	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.29	-13	Pass	8000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	849.5	-65.06	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.51	-13	Pass	840
1840	1920	1	RMS	1907.2	22.05	60	Pass	401
1920	3000	1	RMS	2952.956	-50.07	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.61	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.22	-13	Pass	8000




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2985
30	1000	0.1	RMS	851.303	-65.09	-13	Pass	9699
1000	1840	1	RMS	1840	-51.92	-13	Pass	840
1840	1920	1	RMS	1850.2	23.07	60	Pass	401
1920	3000	1	RMS	2950.955	-50.05	-13	Pass	1080
3000	12000	1	RMS	11992.991	-43.6	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.27	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	Pass	2985
30	1000	0.1	RMS	863.719	-64.95	-13	Pass	9699
1000	1840	1	RMS	1840	-49.85	-13	Pass	840
1840	1920	1	RMS	1850.2	21.98	60	Pass	401
1920	3000	1	RMS	2953.957	-50.02	-13	Pass	1080
3000	12000	1	RMS	12000	-43.52	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.25	-13	Pass	8000




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	856.61	-65.1	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.54	-13	Pass	840
1840	1920	1	RMS	1877.8	22.98	60	Pass	401
1920	3000	1	RMS	2946.951	-50.01	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.61	-13	Pass	9000
12000	20000	1	RMS	19690.961	-35.29	-13	Pass	8000




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	1000	0.1	RMS	836.999	-65.13	-13	Pass	9699
1000	1840	1	RMS	1840	-53.49	-13	Pass	840
1840	1920	1	RMS	1877.8	22.11	60	Pass	401
1920	3000	1	RMS	2947.952	-50.04	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.61	-13	Pass	9000
12000	20000	1	RMS	19690.961	-35.3	-13	Pass	8000




8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	1000	0.1	RMS	858.813	-65.07	-13	Pass	9699
1000	1840	1	RMS	1840	-53.45	-13	Pass	840
1840	1920	1	RMS	1905.2	22.99	60	Pass	401
1920	3000	1	RMS	2946.951	-50.04	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.6	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.29	-13	Pass	8000




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.96	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.54	-13	Pass	840
1840	1920	1	RMS	1905.2	22.15	60	Pass	401
1920	3000	1	RMS	2947.952	-50.06	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.55	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.26	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	849.601	-65.05	-13	Pass	9699
1000	1840	1	RMS	1840	-50.2	-13	Pass	840
1840	1920	1	RMS	1850.4	22.93	60	Pass	401
1920	3000	1	RMS	2947.952	-50	-13	Pass	1080
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	838.099	-64.79	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.42	-13	Pass	840
1840	1920	1	RMS	1850.4	22.05	60	Pass	401
1920	3000	1	RMS	2950.955	-50.07	-13	Pass	1080
3000	12000	1	RMS	12000	-43.52	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.26	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-13	Pass	2985
30	1000	0.1	RMS	850.301	-65.14	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.48	-13	Pass	840
1840	1920	1	RMS	1875.4	22.95	60	Pass	401
1920	3000	1	RMS	2948.953	-50.06	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.59	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.23	-13	Pass	8000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2985
30	1000	0.1	RMS	843.699	-65.11	-13	Pass	9699
1000	1840	1	RMS	1840	-53.45	-13	Pass	840
1840	1920	1	RMS	1875.4	21.96	60	Pass	401
1920	3000	1	RMS	2946.951	-50.02	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.27	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	1000	0.1	RMS	844.899	-65.02	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.52	-13	Pass	840
1840	1920	1	RMS	1900.4	22.77	60	Pass	401
1920	3000	1	RMS	2947.952	-49.95	-13	Pass	1080
3000	12000	1	RMS	12000	-43.66	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.27	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73	-13	Pass	2985
30	1000	0.1	RMS	853.406	-65.03	-13	Pass	9699
1000	1840	1	RMS	1840	-53.56	-13	Pass	840
1840	1920	1	RMS	1900.6	21.92	60	Pass	401
1920	3000	1	RMS	2945.95	-50.05	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.53	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.3	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2985
30	1000	0.1	RMS	840.999	-65.04	-13	Pass	9699
1000	1840	1	RMS	1840	-47.66	-13	Pass	840
1840	1920	1	RMS	1850.8	22.95	60	Pass	401
1920	3000	1	RMS	2940.945	-50.04	-13	Pass	1080
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.29	-13	Pass	8000




8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2985
30	1000	0.1	RMS	839.799	-65.08	-13	Pass	9699
1000	1840	1	RMS	1840	-49.07	-13	Pass	840
1840	1920	1	RMS	1850.8	22.06	60	Pass	401
1920	3000	1	RMS	2953.957	-50.03	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.59	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.27	-13	Pass	8000




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.03	-13	Pass	2985
30	1000	0.1	RMS	834.398	-65.03	-13	Pass	9699
1000	1840	1	RMS	1840	-53.45	-13	Pass	840
1840	1920	1	RMS	1873.2	22.99	60	Pass	401
1920	3000	1	RMS	2947.952	-50.07	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.64	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.26	-13	Pass	8000




8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	1000	0.1	RMS	856.009	-65.14	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1873.2	22	60	Pass	401
1920	3000	1	RMS	2947.952	-50.04	-13	Pass	1080
3000	12000	1	RMS	12000	-43.62	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.32	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.33	-13	Pass	2985
30	1000	0.1	RMS	852.404	-65.06	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.47	-13	Pass	840
1840	1920	1	RMS	1895.8	22.8	60	Pass	401
1920	3000	1	RMS	2943.948	-50.04	-13	Pass	1080
3000	12000	1	RMS	12000	-43.54	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.32	-13	Pass	8000




8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.8	-13	Pass	2985
30	1000	0.1	RMS	873.432	-65.11	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.53	-13	Pass	840
1840	1920	1	RMS	1895.8	21.96	60	Pass	401
1920	3000	1	RMS	2949.954	-49.98	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.66	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.29	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	845.6	-65.07	-13	Pass	9699
1000	1840	1	RMS	1840	-49.08	-13	Pass	840
1840	1920	1	RMS	1851	22.89	60	Pass	401
1920	3000	1	RMS	2947.952	-50.03	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.57	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.33	-13	Pass	8000




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	Pass	2985
30	1000	0.1	RMS	851.403	-65.06	-13	Pass	9699
1000	1840	1	RMS	1840	-49.24	-13	Pass	840
1840	1920	1	RMS	1851	22.03	60	Pass	401
1920	3000	1	RMS	2950.955	-49.97	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.58	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.25	-13	Pass	8000




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	1000	0.1	RMS	835.998	-64.95	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.8	-13	Pass	840
1840	1920	1	RMS	1871	22.97	60	Pass	401
1920	3000	1	RMS	2945.95	-50.02	-13	Pass	1080
3000	12000	1	RMS	12000	-43.6	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.28	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.72	-13	Pass	2985
30	1000	0.1	RMS	833.998	-65.12	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.24	-13	Pass	840
1840	1920	1	RMS	1871	22.01	60	Pass	401
1920	3000	1	RMS	2950.955	-50.07	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.59	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.34	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	1000	0.1	RMS	848.8	-65.12	-13	Pass	9699
1000	1840	1	RMS	1840	-53.46	-13	Pass	840
1840	1920	1	RMS	1891	22.75	60	Pass	401
1920	3000	1	RMS	2953.957	-50.04	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.2	-13	Pass	8000



8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.84	-13	Pass	2985
30	1000	0.1	RMS	857.01	-64.95	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.56	-13	Pass	840
1840	1920	1	RMS	1891	21.87	60	Pass	401
1920	3000	1	RMS	2949.954	-50	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.56	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.28	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.76	-13	Pass	2985
30	1000	0.1	RMS	823.697	-65.15	-13	Pass	9699
1000	1700	1	RMS	1700	-52.54	-13	Pass	700
1700	1765	1	RMS	1710.238	23.58	60	Pass	401
1765	3000	1	RMS	2944.955	-49.98	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.53	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.19	-13	Pass	8000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	Pass	2985
30	1000	0.1	RMS	844.799	-65.04	-13	Pass	9699
1000	1700	1	RMS	1700	-52.78	-13	Pass	700
1700	1765	1	RMS	1710.238	22.66	60	Pass	401
1765	3000	1	RMS	2944.955	-49.98	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.54	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.23	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	1000	0.1	RMS	832.298	-65.18	-13	Pass	9699
1000	1700	1	RMS	1700	-53.25	-13	Pass	700
1700	1765	1	RMS	1732.013	23.7	60	Pass	401
1765	3000	1	RMS	2952.962	-50.03	-13	Pass	1235
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.28	-13	Pass	8000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	855.709	-65.04	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.91	-13	Pass	700
1700	1765	1	RMS	1732.013	22.74	60	Pass	401
1765	3000	1	RMS	2950.96	-50.04	-13	Pass	1235
3000	12000	1	RMS	12000	-43.5	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.28	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	860.215	-65	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.88	-13	Pass	700
1700	1765	1	RMS	1753.788	23.67	60	Pass	401
1765	3000	1	RMS	2952.962	-50.03	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.55	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.21	-13	Pass	8000




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	Pass	2985
30	1000	0.1	RMS	839.299	-64.92	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.9	-13	Pass	700
1700	1765	1	RMS	1753.788	22.81	60	Pass	401
1765	3000	1	RMS	2950.96	-50.05	-13	Pass	1235
3000	12000	1	RMS	12000	-43.5	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.22	-13	Pass	8000




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-13	Pass	2985
30	1000	0.1	RMS	854.908	-65.04	-13	Pass	9699
1000	1700	1	RMS	1700	-52.39	-13	Pass	700
1700	1765	1	RMS	1710.238	23.79	60	Pass	401
1765	3000	1	RMS	2942.954	-50.01	-13	Pass	1235
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.33	-13	Pass	8000




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2985
30	1000	0.1	RMS	838.699	-65.1	-13	Pass	9699
1000	1700	1	RMS	1700	-52.64	-13	Pass	700
1700	1765	1	RMS	1710.238	22.91	60	Pass	401
1765	3000	1	RMS	2943.955	-50.05	-13	Pass	1235
3000	12000	1	RMS	11992.991	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.27	-13	Pass	8000




9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	833.398	-65.09	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.86	-13	Pass	700
1700	1765	1	RMS	1731.2	23.76	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.59	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.2	-13	Pass	8000




9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	Pass	2985
30	1000	0.1	RMS	838.599	-64.97	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.87	-13	Pass	700
1700	1765	1	RMS	1731.2	22.81	60	Pass	401
1765	3000	1	RMS	2956.965	-50.07	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.57	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.27	-13	Pass	8000




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	850.402	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-53.9	-13	Pass	700
1700	1765	1	RMS	1752.163	23.69	60	Pass	401
1765	3000	1	RMS	2954.964	-49.98	-13	Pass	1235
3000	12000	1	RMS	12000	-43.5	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.25	-13	Pass	8000




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2985
30	1000	0.1	RMS	845.7	-65.08	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.88	-13	Pass	700
1700	1765	1	RMS	1752.163	22.87	60	Pass	401
1765	3000	1	RMS	2951.961	-50.04	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.62	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.25	-13	Pass	8000




9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	Pass	2985
30	1000	0.1	RMS	853.906	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-51.78	-13	Pass	700
1700	1765	1	RMS	1710.238	23.92	60	Pass	401
1765	3000	1	RMS	2951.961	-50	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.28	-13	Pass	8000




9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-52.25	-13	Pass	700
1700	1765	1	RMS	1710.238	22.8	60	Pass	401
1765	3000	1	RMS	2946.957	-50.04	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.51	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.31	-13	Pass	8000




9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.99	-13	Pass	9699
1000	1700	1	RMS	1700	-53.86	-13	Pass	700
1700	1765	1	RMS	1730.225	23.83	60	Pass	401
1765	3000	1	RMS	2944.955	-50	-13	Pass	1235
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.24	-13	Pass	8000




9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	865.422	-65.05	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.85	-13	Pass	700
1700	1765	1	RMS	1730.225	22.88	60	Pass	401
1765	3000	1	RMS	2949.959	-50	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.58	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.33	-13	Pass	8000




9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	851.703	-65.1	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.9	-13	Pass	700
1700	1765	1	RMS	1750.213	23.69	60	Pass	401
1765	3000	1	RMS	2951.961	-50.05	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.57	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.24	-13	Pass	8000




9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.9	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.86	-13	Pass	700
1700	1765	1	RMS	1750.213	22.88	60	Pass	401
1765	3000	1	RMS	2948.959	-50.04	-13	Pass	1235
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.3	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-13	Pass	2985
30	1000	0.1	RMS	838.999	-65.1	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.33	-13	Pass	700
1700	1765	1	RMS	1710.563	23.86	60	Pass	401
1765	3000	1	RMS	2949.959	-49.95	-13	Pass	1235
3000	12000	1	RMS	12000	-43.56	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.24	-13	Pass	8000




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	Pass	2985
30	1000	0.1	RMS	841.299	-65.09	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.28	-13	Pass	700
1700	1765	1	RMS	1710.563	22.93	60	Pass	401
1765	3000	1	RMS	2947.958	-50	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	844.899	-65.05	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.8	-13	Pass	700
1700	1765	1	RMS	1727.95	23.69	60	Pass	401
1765	3000	1	RMS	2949.959	-50.04	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.53	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.27	-13	Pass	8000




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	Pass	2985
30	1000	0.1	RMS	840.899	-65.11	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.89	-13	Pass	700
1700	1765	1	RMS	1727.95	22.69	60	Pass	401
1765	3000	1	RMS	2950.96	-50.02	-13	Pass	1235
3000	12000	1	RMS	12000	-43.6	-13	Pass	9000
12000	20000	1	RMS	19675.959	-35.3	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	1000	0.1	RMS	847.2	-65.03	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.9	-13	Pass	700
1700	1765	1	RMS	1745.5	23.7	60	Pass	401
1765	3000	1	RMS	2952.962	-50.04	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.55	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.24	-13	Pass	8000




9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.19	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.96	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.9	-13	Pass	700
1700	1765	1	RMS	1745.5	22.78	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.21	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	1000	0.1	RMS	840.199	-65.02	-13	Pass	9699
1000	1700	1	RMS	1697.997	-45.52	-13	Pass	700
1700	1765	1	RMS	1710.725	23.84	60	Pass	401
1765	3000	1	RMS	2952.962	-50.04	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.57	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.27	-13	Pass	8000




9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	1000	0.1	RMS	848.8	-65.03	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.66	-13	Pass	700
1700	1765	1	RMS	1710.725	22.92	60	Pass	401
1765	3000	1	RMS	2949.959	-50.02	-13	Pass	1235
3000	12000	1	RMS	12000	-43.62	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.28	-13	Pass	8000




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	818.796	-65.11	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.04	-13	Pass	700
1700	1765	1	RMS	1725.838	23.58	60	Pass	401
1765	3000	1	RMS	2952.962	-50.01	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.63	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.24	-13	Pass	8000




9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.26	-73.4	-13	Pass	2985
30	1000	0.1	RMS	841.599	-64.85	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.44	-13	Pass	700
1700	1765	1	RMS	1725.838	22.63	60	Pass	401
1765	3000	1	RMS	2949.959	-50.02	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.62	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.28	-13	Pass	8000




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	1000	0.1	RMS	845.3	-65.09	-13	Pass	9699
1000	1700	1	RMS	1700	-53.82	-13	Pass	700
1700	1765	1	RMS	1740.788	23.65	60	Pass	401
1765	3000	1	RMS	1767.002	-37.44	-13	Pass	1235
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.33	-13	Pass	8000




9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	843.199	-64.93	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.83	-13	Pass	700
1700	1765	1	RMS	1740.788	22.75	60	Pass	401
1765	3000	1	RMS	1768.002	-39.2	-13	Pass	1235
3000	12000	1	RMS	12000	-43.56	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.37	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2985
30	1000	0.1	RMS	858.312	-65.07	-13	Pass	9699
1000	1700	1	RMS	1695.994	-46.74	-13	Pass	700
1700	1765	1	RMS	1711.05	23.73	60	Pass	401
1765	3000	1	RMS	2948.959	-50.01	-13	Pass	1235
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.24	-13	Pass	8000




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	849.801	-65.04	-13	Pass	9699
1000	1700	1	RMS	1695.994	-47.9	-13	Pass	700
1700	1765	1	RMS	1711.05	22.83	60	Pass	401
1765	3000	1	RMS	2946.957	-50.04	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.6	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.24	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	Pass	2985
30	1000	0.1	RMS	980.975	-65.1	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.88	-13	Pass	700
1700	1765	1	RMS	1723.563	23.64	60	Pass	401
1765	3000	1	RMS	2949.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11992.991	-43.64	-13	Pass	9000
12000	20000	1	RMS	19673.959	-35.27	-13	Pass	8000




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	Pass	2985
30	1000	0.1	RMS	837.399	-65.15	-13	Pass	9699
1000	1700	1	RMS	1700	-53.52	-13	Pass	700
1700	1765	1	RMS	1723.563	22.7	60	Pass	401
1765	3000	1	RMS	2947.958	-49.98	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.61	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.24	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	849	-65.05	-13	Pass	9699
1000	1700	1	RMS	1700	-51.59	-13	Pass	700
1700	1765	1	RMS	1736.075	23.58	60	Pass	401
1765	3000	1	RMS	1772.006	-37.21	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.44	-13	Pass	9000
12000	20000	1	RMS	19692.962	-35.26	-13	Pass	8000



9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2985
30	1000	0.1	RMS	839.999	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-51.59	-13	Pass	700
1700	1765	1	RMS	1736.075	22.67	60	Pass	401
1765	3000	1	RMS	1772.006	-38.92	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.56	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.33	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.85	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.06	-13	Pass	7840
814	860	0.1	RMS	824.222	21.55	60	Pass	460
860	1000	0.1	RMS	989.993	-63.96	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.28	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.29	-13	Pass	7000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.19	-13	Pass	7840
814	860	0.1	RMS	824.222	20.45	60	Pass	460
860	1000	0.1	RMS	900.029	-63.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.18	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.24	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	Pass	2985
30	814	0.1	RMS	735.79	-64.43	-13	Pass	7840
814	860	0.1	RMS	836.048	21.88	60	Pass	460
860	1000	0.1	RMS	900.029	-63.81	-13	Pass	1400
1000	3000	1	RMS	1671.336	-45.74	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.35	-13	Pass	7000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	Pass	2985
30	814	0.1	RMS	738.99	-64.34	-13	Pass	7840
814	860	0.1	RMS	836.048	20.81	60	Pass	460
860	1000	0.1	RMS	900.029	-63.65	-13	Pass	1400
1000	3000	1	RMS	1671.336	-46.88	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.29	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2985
30	814	0.1	RMS	725.189	-64.41	-13	Pass	7840
814	860	0.1	RMS	847.874	21.6	60	Pass	460
860	1000	0.1	RMS	900.029	-63.74	-13	Pass	1400
1000	3000	1	RMS	1695.348	-45.17	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44.28	-13	Pass	7000




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.91	-13	Pass	2985
30	814	0.1	RMS	729.189	-64.4	-13	Pass	7840
814	860	0.1	RMS	847.874	20.79	60	Pass	460
860	1000	0.1	RMS	900.029	-63.62	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.06	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.32	-13	Pass	7000




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.66	-13	Pass	2985
30	814	0.1	RMS	814	-63.49	-13	Pass	7840
814	860	0.1	RMS	824.222	21.7	60	Pass	460
860	1000	0.1	RMS	900.029	-63.56	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.14	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.32	-13	Pass	7000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.04	-13	Pass	2985
30	814	0.1	RMS	814	-63.91	-13	Pass	7840
814	860	0.1	RMS	824.222	20.79	60	Pass	460
860	1000	0.1	RMS	900.029	-63.47	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.02	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.39	-13	Pass	7000




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-13	Pass	2985
30	814	0.1	RMS	738.09	-64.54	-13	Pass	7840
814	860	0.1	RMS	835.246	21.88	60	Pass	460
860	1000	0.1	RMS	998.999	-63.72	-13	Pass	1400
1000	3000	1	RMS	1670.335	-46.03	-13	Pass	2000
3000	10000	1	RMS	7114.588	-44.3	-13	Pass	7000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	Pass	2985
30	814	0.1	RMS	739.29	-64.41	-13	Pass	7840
814	860	0.1	RMS	835.246	20.85	60	Pass	460
860	1000	0.1	RMS	900.029	-63.72	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.07	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.34	-13	Pass	7000




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.35	-13	Pass	7840
814	860	0.1	RMS	846.27	21.62	60	Pass	460
860	1000	0.1	RMS	900.029	-63.73	-13	Pass	1400
1000	3000	1	RMS	1692.346	-45.83	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.23	-13	Pass	7000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2985
30	814	0.1	RMS	739.19	-64.37	-13	Pass	7840
814	860	0.1	RMS	846.27	20.76	60	Pass	460
860	1000	0.1	RMS	900.029	-63.94	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.8	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.35	-13	Pass	7000




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.47	-13	Pass	2985
30	814	0.1	RMS	813	-63.84	-13	Pass	7840
814	860	0.1	RMS	824.322	21.73	60	Pass	460
860	1000	0.1	RMS	900.029	-63.78	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.42	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.31	-13	Pass	7000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.43	-13	Pass	2985
30	814	0.1	RMS	813.7	-63.75	-13	Pass	7840
814	860	0.1	RMS	824.322	20.72	60	Pass	460
860	1000	0.1	RMS	900.029	-63.78	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.73	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.25	-13	Pass	7000




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.89	-13	Pass	2985
30	814	0.1	RMS	735.89	-64.44	-13	Pass	7840
814	860	0.1	RMS	834.344	21.84	60	Pass	460
860	1000	0.1	RMS	999.5	-63.92	-13	Pass	1400
1000	3000	1	RMS	1668.334	-45.31	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.41	-13	Pass	7000




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.99	-13	Pass	2985
30	814	0.1	RMS	737.39	-64.45	-13	Pass	7840
814	860	0.1	RMS	834.344	20.96	60	Pass	460
860	1000	0.1	RMS	900.029	-63.52	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.31	-13	Pass	2000
3000	10000	1	RMS	7091.585	-44.29	-13	Pass	7000




10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	Pass	2985
30	814	0.1	RMS	803.899	-64.43	-13	Pass	7840
814	860	0.1	RMS	844.366	21.43	60	Pass	460
860	1000	0.1	RMS	989.993	-63.88	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.18	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.31	-13	Pass	7000




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.19	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.19	-13	Pass	2985
30	814	0.1	RMS	738.79	-64.36	-13	Pass	7840
814	860	0.1	RMS	844.366	20.84	60	Pass	460
860	1000	0.1	RMS	900.029	-63.76	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.24	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.33	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.22	-13	Pass	2985
30	814	0.1	RMS	814	-61.49	-13	Pass	7840
814	860	0.1	RMS	824.623	21.46	60	Pass	460
860	1000	0.1	RMS	900.029	-63.73	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.09	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.31	-13	Pass	7000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.33	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.28	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.6	-13	Pass	7840
814	860	0.1	RMS	824.623	20.68	60	Pass	460
860	1000	0.1	RMS	870.708	-63.97	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.06	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.26	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.3	-13	Pass	7840
814	860	0.1	RMS	832.139	21.15	60	Pass	460
860	1000	0.1	RMS	900.029	-64.01	-13	Pass	1400
1000	3000	1	RMS	1663.332	-46.12	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.32	-13	Pass	7000




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-13	Pass	2985
30	814	0.1	RMS	811.4	-64.2	-13	Pass	7840
814	860	0.1	RMS	832.139	20.19	60	Pass	460
860	1000	0.1	RMS	882.416	-64.12	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.24	-13	Pass	2000
3000	10000	1	RMS	7085.584	-44.27	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.81	-13	Pass	2985
30	814	0.1	RMS	734.59	-64.41	-13	Pass	7840
814	860	0.1	RMS	839.556	21.42	60	Pass	460
860	1000	0.1	RMS	900.029	-64.04	-13	Pass	1400
1000	3000	1	RMS	1678.339	-45.99	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.43	-13	Pass	7000



10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-13	Pass	2985
30	814	0.1	RMS	734.79	-64.41	-13	Pass	7840
814	860	0.1	RMS	839.556	20.53	60	Pass	460
860	1000	0.1	RMS	997.298	-64.1	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.85	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.33	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.19	-25	Pass	2985
30	1000	0.1	RMS	855.909	-65.04	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.39	-25	Pass	1480
2480	2590	1	RMS	2500.075	23.4	60	Pass	401
2590	3000	1	RMS	2949.878	-50.03	-25	Pass	410
3000	12000	1	RMS	11813.77	-54.07	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.6	-25	Pass	14000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-25	Pass	2985
30	1000	0.1	RMS	837.399	-64.91	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.02	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.34	60	Pass	401
2590	3000	1	RMS	2947.873	-50.06	-25	Pass	410
3000	12000	1	RMS	11810.766	-54	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.48	-25	Pass	14000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.64	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.93	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.36	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.5	60	Pass	401
2590	3000	1	RMS	2951.883	-50.05	-25	Pass	410
3000	12000	1	RMS	7598.561	-53.64	-25	Pass	9000
12000	26000	1	RMS	25999	-39.55	-25	Pass	14000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.94	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.79	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.26	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.64	60	Pass	401
2590	3000	1	RMS	2947.873	-50.06	-25	Pass	410
3000	12000	1	RMS	7598.561	-53.84	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.41	-25	Pass	14000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.22	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.35	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.57	60	Pass	401
2590	3000	1	RMS	2946.87	-50.03	-25	Pass	410
3000	12000	1	RMS	7695.573	-53.59	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.55	-25	Pass	14000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.68	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.76	60	Pass	401
2590	3000	1	RMS	2951.883	-50.04	-25	Pass	410
3000	12000	1	RMS	7695.573	-53.96	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.53	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-25	Pass	2985
30	1000	0.1	RMS	854.207	-64.97	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.46	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.34	60	Pass	401
2590	3000	1	RMS	2949.878	-50.05	-25	Pass	410
3000	12000	1	RMS	11802.756	-54.08	-25	Pass	9000
12000	26000	1	RMS	26000	-39.55	-25	Pass	14000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.45	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-25	Pass	2985
30	1000	0.1	RMS	846.1	-64.99	-25	Pass	9699
1000	2480	1	RMS	2459.986	-51.86	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.46	60	Pass	401
2590	3000	1	RMS	2949.878	-50.02	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.9	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.53	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.47	-25	Pass	9699
1000	2480	1	RMS	2461.988	-51.61	-25	Pass	1480
2480	2590	1	RMS	2530.325	23.33	60	Pass	401
2590	3000	1	RMS	2951.883	-50.05	-25	Pass	410
3000	12000	1	RMS	7591.56	-53.77	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.54	-25	Pass	14000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.27	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.14	-25	Pass	9699
1000	2480	1	RMS	2455.984	-51.76	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.36	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11806.761	-54.08	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.52	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.21	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.37	-25	Pass	1480
2480	2590	1	RMS	2560.575	23.37	60	Pass	401
2590	3000	1	RMS	2948.875	-50.04	-25	Pass	410
3000	12000	1	RMS	7681.571	-53.57	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.52	-25	Pass	14000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.89	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.63	-25	Pass	9699
1000	2480	1	RMS	2458.986	-51.64	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.52	60	Pass	401
2590	3000	1	RMS	2948.875	-50.02	-25	Pass	410
3000	12000	1	RMS	7681.571	-53.8	-25	Pass	9000
12000	26000	1	RMS	25998	-39.55	-25	Pass	14000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-25	Pass	2985
30	1000	0.1	RMS	837.099	-64.98	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.31	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.32	60	Pass	401
2590	3000	1	RMS	2950.88	-50.03	-25	Pass	410
3000	12000	1	RMS	7502.55	-53.98	-25	Pass	9000
12000	26000	1	RMS	25999	-39.51	-25	Pass	14000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	Pass	2985
30	1000	0.1	RMS	850.402	-65.1	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.48	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.44	60	Pass	401
2590	3000	1	RMS	2947.873	-50.08	-25	Pass	410
3000	12000	1	RMS	11809.765	-54	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.57	-25	Pass	14000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.27	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.51	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.39	60	Pass	401
2590	3000	1	RMS	2948.875	-50.06	-25	Pass	410
3000	12000	1	RMS	11812.768	-54.04	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.5	-25	Pass	14000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-25	Pass	2985
30	1000	0.1	RMS	837.299	-64.97	-25	Pass	9699
1000	2480	1	RMS	2455.984	-51.74	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.42	60	Pass	401
2590	3000	1	RMS	2949.878	-50.05	-25	Pass	410
3000	12000	1	RMS	11799.752	-54.03	-25	Pass	9000
12000	26000	1	RMS	25998	-39.48	-25	Pass	14000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.95	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.87	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.55	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.39	60	Pass	401
2590	3000	1	RMS	2945.868	-50.06	-25	Pass	410
3000	12000	1	RMS	7667.57	-53.85	-25	Pass	9000
12000	26000	1	RMS	25979.997	-39.58	-25	Pass	14000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.3	-25	Pass	9699
1000	2480	1	RMS	2459.986	-51.54	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.57	60	Pass	401
2590	3000	1	RMS	2944.866	-50.06	-25	Pass	410
3000	12000	1	RMS	8249.641	-54.06	-25	Pass	9000
12000	26000	1	RMS	26000	-39.51	-25	Pass	14000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-25	Pass	2985
30	1000	0.1	RMS	854.307	-65.07	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.34	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.29	60	Pass	401
2590	3000	1	RMS	2949.878	-50.04	-25	Pass	410
3000	12000	1	RMS	11988.986	-54.07	-25	Pass	9000
12000	26000	1	RMS	26000	-39.43	-25	Pass	14000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.34	-25	Pass	2985
30	1000	0.1	RMS	842.699	-65.11	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.47	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.42	60	Pass	401
2590	3000	1	RMS	2949.878	-50.1	-25	Pass	410
3000	12000	1	RMS	11804.758	-54.01	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.53	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-25	Pass	2985
30	1000	0.1	RMS	565.365	-64.91	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.57	-25	Pass	1480
2480	2590	1	RMS	2525.925	23.38	60	Pass	401
2590	3000	1	RMS	2951.883	-50.06	-25	Pass	410
3000	12000	1	RMS	7578.559	-53.96	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.55	-25	Pass	14000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-25	Pass	2985
30	1000	0.1	RMS	842.299	-65.1	-25	Pass	9699
1000	2480	1	RMS	2456.984	-51.33	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.42	60	Pass	401
2590	3000	1	RMS	2949.878	-50.06	-25	Pass	410
3000	12000	1	RMS	11798.751	-54.07	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.46	-25	Pass	14000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.12	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.89	-25	Pass	9699
1000	2480	1	RMS	2462.989	-51.34	-25	Pass	1480
2480	2590	1	RMS	2550.95	23.42	60	Pass	401
2590	3000	1	RMS	2944.866	-50.08	-25	Pass	410
3000	12000	1	RMS	7653.568	-53.67	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.54	-25	Pass	14000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-25	Pass	2985
30	1000	0.1	RMS	590.368	-61.97	-25	Pass	9699
1000	2480	1	RMS	2463.989	-51.92	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.49	60	Pass	401
2590	3000	1	RMS	2949.878	-50.08	-25	Pass	410
3000	12000	1	RMS	11818.776	-54.07	-25	Pass	9000
12000	26000	1	RMS	26000	-39.48	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.18	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.73	-13	Pass	6590
689	726	0.1	RMS	699.268	21.37	60	Pass	401
726	1000	0.1	RMS	898.263	-63.84	-13	Pass	2740
1000	3000	1	RMS	1398.199	-47.82	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.37	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.89	-13	Pass	6590
689	726	0.1	RMS	699.268	20.42	60	Pass	401
726	1000	0.1	RMS	885.458	-63.75	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.66	-13	Pass	2000
3000	10000	1	RMS	7092.585	-44.39	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.67	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.61	-13	Pass	6590
689	726	0.1	RMS	707.038	21.53	60	Pass	401
726	1000	0.1	RMS	865.151	-63.73	-13	Pass	2740
1000	3000	1	RMS	1413.207	-48.6	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.42	-13	Pass	7000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.55	-13	Pass	6590
689	726	0.1	RMS	707.038	20.51	60	Pass	401
726	1000	0.1	RMS	995.198	-63.81	-13	Pass	2740
1000	3000	1	RMS	2859.93	-49.43	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.32	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.15	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.85	-13	Pass	6590
689	726	0.1	RMS	714.808	21.08	60	Pass	401
726	1000	0.1	RMS	991.097	-63.88	-13	Pass	2740
1000	3000	1	RMS	1429.215	-47.72	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.32	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.72	-13	Pass	6590
689	726	0.1	RMS	714.808	20.13	60	Pass	401
726	1000	0.1	RMS	990.997	-63.93	-13	Pass	2740
1000	3000	1	RMS	1429.215	-48.51	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.34	-13	Pass	7000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.3	-13	Pass	6590
689	726	0.1	RMS	699.268	21.33	60	Pass	401
726	1000	0.1	RMS	899.963	-63.54	-13	Pass	2740
1000	3000	1	RMS	1398.199	-47.72	-13	Pass	2000
3000	10000	1	RMS	7086.584	-44.29	-13	Pass	7000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-62.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.39	-13	Pass	6590
689	726	0.1	RMS	699.268	20.48	60	Pass	401
726	1000	0.1	RMS	895.062	-63.77	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.52	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.3	-13	Pass	7000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.16	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.71	-13	Pass	6590
689	726	0.1	RMS	706.205	21.19	60	Pass	401
726	1000	0.1	RMS	991.597	-63.83	-13	Pass	2740
1000	3000	1	RMS	1412.206	-47.85	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.25	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.15	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.63	-13	Pass	6590
689	726	0.1	RMS	706.205	20.23	60	Pass	401
726	1000	0.1	RMS	862.55	-63.87	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.87	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.28	-13	Pass	7000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.8	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.51	-13	Pass	6590
689	726	0.1	RMS	713.235	21.66	60	Pass	401
726	1000	0.1	RMS	991.497	-63.73	-13	Pass	2740
1000	3000	1	RMS	1426.213	-47.99	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.35	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.77	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.68	-13	Pass	6590
689	726	0.1	RMS	713.235	20.8	60	Pass	401
726	1000	0.1	RMS	877.755	-63.97	-13	Pass	2740
1000	3000	1	RMS	1426.213	-48.8	-13	Pass	2000
3000	10000	1	RMS	7112.588	-44.35	-13	Pass	7000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.61	-13	Pass	6590
689	726	0.1	RMS	699.36	21.39	60	Pass	401
726	1000	0.1	RMS	899.963	-63.51	-13	Pass	2740
1000	3000	1	RMS	1398.199	-47.36	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.31	-13	Pass	7000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.64	-13	Pass	6590
689	726	0.1	RMS	699.36	20.48	60	Pass	401
726	1000	0.1	RMS	999	-63.88	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.37	-13	Pass	2000
3000	10000	1	RMS	7092.585	-44.32	-13	Pass	7000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.69	-13	Pass	6590
689	726	0.1	RMS	705.373	21.24	60	Pass	401
726	1000	0.1	RMS	999.1	-63.92	-13	Pass	2740
1000	3000	1	RMS	1410.205	-47.39	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.32	-13	Pass	7000




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.55	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.64	-13	Pass	6590
689	726	0.1	RMS	705.373	20.37	60	Pass	401
726	1000	0.1	RMS	899.963	-63.72	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.26	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.34	-13	Pass	7000




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.6	-13	Pass	6590
689	726	0.1	RMS	711.293	21.05	60	Pass	401
726	1000	0.1	RMS	989.996	-63.07	-13	Pass	2740
1000	3000	1	RMS	1422.211	-47.8	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.27	-13	Pass	7000




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.77	-13	Pass	6590
689	726	0.1	RMS	711.293	20.15	60	Pass	401
726	1000	0.1	RMS	998.8	-64.01	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.69	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.42	-13	Pass	7000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.48	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.49	-13	Pass	6590
689	726	0.1	RMS	699.545	20.98	60	Pass	401
726	1000	0.1	RMS	989.996	-63.77	-13	Pass	2740
1000	3000	1	RMS	1398.199	-48.7	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.31	-13	Pass	7000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.96	-13	Pass	2985
30	689	0.1	RMS	689	-64.1	-13	Pass	6590
689	726	0.1	RMS	699.545	20.12	60	Pass	401
726	1000	0.1	RMS	997.499	-63.91	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.42	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.34	-13	Pass	7000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.87	-13	Pass	6590
689	726	0.1	RMS	703.06	21.11	60	Pass	401
726	1000	0.1	RMS	994.398	-63.81	-13	Pass	2740
1000	3000	1	RMS	1405.203	-48.49	-13	Pass	2000
3000	10000	1	RMS	7102.586	-44.34	-13	Pass	7000




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.61	-13	Pass	6590
689	726	0.1	RMS	703.06	20.04	60	Pass	401
726	1000	0.1	RMS	899.963	-63.62	-13	Pass	2740
1000	3000	1	RMS	1405.203	-49.3	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.2	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.71	-13	Pass	2985
30	689	0.1	RMS	449.964	-64.44	-13	Pass	6590
689	726	0.1	RMS	706.575	21.21	60	Pass	401
726	1000	0.1	RMS	977.792	-63.91	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.95	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.26	-13	Pass	7000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.42	-13	Pass	6590
689	726	0.1	RMS	706.575	20.18	60	Pass	401
726	1000	0.1	RMS	899.963	-63.67	-13	Pass	2740
1000	3000	1	RMS	2850.925	-49.43	-13	Pass	2000
3000	10000	1	RMS	7095.585	-44.27	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-13	Pass	2985
30	694	0.1	RMS	693.7	-64.18	-13	Pass	6640
694	726	0.1	RMS	704.32	21.27	60	Pass	401
726	1000	0.1	RMS	899.963	-63.6	-13	Pass	2740
1000	3000	1	RMS	1408.204	-47.15	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.29	-13	Pass	7000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-13	Pass	2985
30	694	0.1	RMS	694	-64.21	-13	Pass	6640
694	726	0.1	RMS	704.32	20.31	60	Pass	401
726	1000	0.1	RMS	859.649	-63.87	-13	Pass	2740
1000	3000	1	RMS	1408.204	-48.19	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.24	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-13	Pass	2985
30	694	0.1	RMS	479.968	-64.35	-13	Pass	6640
694	726	0.1	RMS	707.84	21.42	60	Pass	401
726	1000	0.1	RMS	899.963	-63.73	-13	Pass	2740
1000	3000	1	RMS	1415.208	-47.85	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.24	-13	Pass	7000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.04	-13	Pass	2985
30	694	0.1	RMS	479.968	-64.31	-13	Pass	6640
694	726	0.1	RMS	707.84	20.59	60	Pass	401
726	1000	0.1	RMS	900.064	-63.7	-13	Pass	2740
1000	3000	1	RMS	1415.208	-48.79	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.34	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-62.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	Pass	2985
30	694	0.1	RMS	694	-64.43	-13	Pass	6640
694	726	0.1	RMS	711.36	21.19	60	Pass	401
726	1000	0.1	RMS	899.963	-63.45	-13	Pass	2740
1000	3000	1	RMS	1422.211	-47.86	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.2	-13	Pass	7000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.02	-13	Pass	2985
30	694	0.1	RMS	693.9	-64.76	-13	Pass	6640
694	726	0.1	RMS	711.36	20.64	60	Pass	401
726	1000	0.1	RMS	875.555	-63.86	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.64	-13	Pass	2000
3000	10000	1	RMS	7086.584	-44.23	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-63.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.81	-13	Pass	2985
30	694	0.1	RMS	694	-60.94	-13	Pass	6640
694	726	0.1	RMS	704.56	21.17	60	Pass	401
726	1000	0.1	RMS	899.963	-63.47	-13	Pass	2740
1000	3000	1	RMS	1408.204	-48.44	-13	Pass	2000
3000	10000	1	RMS	7112.588	-44.24	-13	Pass	7000




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-13	Pass	2985
30	694	0.1	RMS	694	-60.99	-13	Pass	6640
694	726	0.1	RMS	704.56	20.27	60	Pass	401
726	1000	0.1	RMS	899.963	-63.49	-13	Pass	2740
1000	3000	1	RMS	1408.204	-49.25	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.29	-13	Pass	7000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-13	Pass	2985
30	694	0.1	RMS	693.9	-63.84	-13	Pass	6640
694	726	0.1	RMS	705.6	21.36	60	Pass	401
726	1000	0.1	RMS	899.963	-63.73	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.79	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.25	-13	Pass	7000




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.76	-13	Pass	2985
30	694	0.1	RMS	693.9	-64.07	-13	Pass	6640
694	726	0.1	RMS	705.6	20.36	60	Pass	401
726	1000	0.1	RMS	993.097	-63.82	-13	Pass	2740
1000	3000	1	RMS	2854.927	-49.45	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.27	-13	Pass	7000




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-13	Pass	2985
30	694	0.1	RMS	479.968	-64.19	-13	Pass	6640
694	726	0.1	RMS	706.56	21.04	60	Pass	401
726	1000	0.1	RMS	899.963	-63.65	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.03	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.23	-13	Pass	7000



13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-13	Pass	2985
30	694	0.1	RMS	449.963	-64.41	-13	Pass	6640
694	726	0.1	RMS	706.56	20.08	60	Pass	401
726	1000	0.1	RMS	894.061	-63.72	-13	Pass	2740
1000	3000	1	RMS	2854.927	-49.43	-13	Pass	2000
3000	10000	1	RMS	7093.585	-44.26	-13	Pass	7000



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.5	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.11	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.95	-13	Pass	7840
814	860	0.1	RMS	824.222	21.4	60	Pass	460
860	1000	0.1	RMS	900.029	-63.75	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.48	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.19	-13	Pass	7000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.24	-13	Pass	7840
814	860	0.1	RMS	824.222	20.36	60	Pass	460
860	1000	0.1	RMS	900.029	-63.84	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.4	-13	Pass	2000
3000	10000	1	RMS	7099.586	-44.24	-13	Pass	7000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.59	-13	Pass	2985
30	814	0.1	RMS	737.89	-64.37	-13	Pass	7840
814	860	0.1	RMS	836.048	21.62	60	Pass	460
860	1000	0.1	RMS	900.029	-63.77	-13	Pass	1400
1000	3000	1	RMS	1671.336	-45.99	-13	Pass	2000
3000	10000	1	RMS	7089.584	-44.2	-13	Pass	7000




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.02	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.48	-13	Pass	2985
30	814	0.1	RMS	733.79	-64.32	-13	Pass	7840
814	860	0.1	RMS	836.048	20.65	60	Pass	460
860	1000	0.1	RMS	900.029	-63.59	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.06	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.22	-13	Pass	7000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.14	-13	Pass	7840
814	860	0.1	RMS	847.874	21.45	60	Pass	460
860	1000	0.1	RMS	900.029	-64.01	-13	Pass	1400
1000	3000	1	RMS	1695.348	-45.52	-13	Pass	2000
3000	10000	1	RMS	7095.585	-44.21	-13	Pass	7000




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.1	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.21	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.13	-13	Pass	7840
814	860	0.1	RMS	847.874	20.52	60	Pass	460
860	1000	0.1	RMS	990.493	-63.79	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.45	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.24	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.97	-13	Pass	7840
814	860	0.1	RMS	824.222	21.48	60	Pass	460
860	1000	0.1	RMS	870.007	-63.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.4	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.21	-13	Pass	7000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-13	Pass	2985
30	814	0.1	RMS	812.5	-64.17	-13	Pass	7840
814	860	0.1	RMS	824.222	20.6	60	Pass	460
860	1000	0.1	RMS	900.029	-63.68	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.27	-13	Pass	2000
3000	10000	1	RMS	7097.585	-44.3	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	Pass	2985
30	814	0.1	RMS	733.59	-64.25	-13	Pass	7840
814	860	0.1	RMS	835.246	21.62	60	Pass	460
860	1000	0.1	RMS	900.029	-63.5	-13	Pass	1400
1000	3000	1	RMS	1670.335	-46.27	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.18	-13	Pass	7000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.89	-13	Pass	2985
30	814	0.1	RMS	812.1	-64.36	-13	Pass	7840
814	860	0.1	RMS	835.246	20.58	60	Pass	460
860	1000	0.1	RMS	900.029	-63.94	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.42	-13	Pass	2000
3000	10000	1	RMS	7090.584	-44.24	-13	Pass	7000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	Pass	2985
30	814	0.1	RMS	735.39	-64.26	-13	Pass	7840
814	860	0.1	RMS	846.27	21.23	60	Pass	460
860	1000	0.1	RMS	989.993	-63.62	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.28	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.3	-13	Pass	7000




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-13	Pass	2985
30	814	0.1	RMS	812.6	-64.36	-13	Pass	7840
814	860	0.1	RMS	846.27	20.43	60	Pass	460
860	1000	0.1	RMS	900.029	-64.03	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.21	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.36	-13	Pass	7000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.63	-13	Pass	7840
814	860	0.1	RMS	824.322	21.57	60	Pass	460
860	1000	0.1	RMS	903.431	-63.96	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.68	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.32	-13	Pass	7000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.61	-13	Pass	2985
30	814	0.1	RMS	814	-63.81	-13	Pass	7840
814	860	0.1	RMS	824.322	20.47	60	Pass	460
860	1000	0.1	RMS	993.996	-63.98	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.85	-13	Pass	2000
3000	10000	1	RMS	7113.588	-44.33	-13	Pass	7000




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.55	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.09	-13	Pass	7840
814	860	0.1	RMS	834.344	21.64	60	Pass	460
860	1000	0.1	RMS	900.029	-63.73	-13	Pass	1400
1000	3000	1	RMS	1668.334	-45.77	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.37	-13	Pass	7000




14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2985
30	814	0.1	RMS	730.089	-64.37	-13	Pass	7840
814	860	0.1	RMS	834.344	20.71	60	Pass	460
860	1000	0.1	RMS	900.029	-63.58	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.65	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.33	-13	Pass	7000




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.44	-13	Pass	2985
30	814	0.1	RMS	730.489	-64.37	-13	Pass	7840
814	860	0.1	RMS	844.366	21.17	60	Pass	460
860	1000	0.1	RMS	996.097	-63.87	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.58	-13	Pass	2000
3000	10000	1	RMS	7098.586	-44.31	-13	Pass	7000




14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	Pass	2985
30	814	0.1	RMS	738.49	-64.45	-13	Pass	7840
814	860	0.1	RMS	844.366	20.53	60	Pass	460
860	1000	0.1	RMS	989.993	-64.08	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.65	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.35	-13	Pass	7000




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.61	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.08	-13	Pass	7840
814	860	0.1	RMS	824.623	21.28	60	Pass	460
860	1000	0.1	RMS	900.029	-63.77	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.46	-13	Pass	2000
3000	10000	1	RMS	7094.585	-44.33	-13	Pass	7000




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2985
30	814	0.1	RMS	814	-61.04	-13	Pass	7840
814	860	0.1	RMS	824.623	20.52	60	Pass	460
860	1000	0.1	RMS	900.029	-64.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.44	-13	Pass	2000
3000	10000	1	RMS	7096.585	-44.33	-13	Pass	7000



14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	Pass	2985
30	814	0.1	RMS	813.1	-59.12	-13	Pass	7840
814	860	0.1	RMS	832.139	20.86	60	Pass	460
860	1000	0.1	RMS	900.029	-63.99	-13	Pass	1400
1000	3000	1	RMS	1663.332	-46.51	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.33	-13	Pass	7000




14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2985
30	814	0.1	RMS	735.09	-64.34	-13	Pass	7840
814	860	0.1	RMS	832.139	19.88	60	Pass	460
860	1000	0.1	RMS	900.029	-63.65	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.62	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.24	-13	Pass	7000




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.81	-13	Pass	2985
30	814	0.1	RMS	737.69	-64.37	-13	Pass	7840
814	860	0.1	RMS	839.556	21.22	60	Pass	460
860	1000	0.1	RMS	900.029	-63.71	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.19	-13	Pass	2000
3000	10000	1	RMS	7097.585	-44.29	-13	Pass	7000




14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.62	-13	Pass	2985
30	814	0.1	RMS	723.388	-64.29	-13	Pass	7840
814	860	0.1	RMS	839.556	20.24	60	Pass	460
860	1000	0.1	RMS	900.029	-63.84	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.17	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.29	-13	Pass	7000




14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	Pass	2985
30	814	0.1	RMS	811.5	-55.82	-13	Pass	7840
814	860	0.1	RMS	824.824	21.46	60	Pass	460
860	1000	0.1	RMS	900.029	-63.79	-13	Pass	1400
1000	3000	1	RMS	1649.325	-45.99	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.29	-13	Pass	7000




14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.77	-13	Pass	2985
30	814	0.1	RMS	811.6	-56.17	-13	Pass	7840
814	860	0.1	RMS	824.824	20.46	60	Pass	460
860	1000	0.1	RMS	900.029	-63.62	-13	Pass	1400
1000	3000	1	RMS	1649.325	-46.89	-13	Pass	2000
3000	10000	1	RMS	7100.586	-44.33	-13	Pass	7000




14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	Pass	2985
30	814	0.1	RMS	814	-61.54	-13	Pass	7840
814	860	0.1	RMS	829.834	21.4	60	Pass	460
860	1000	0.1	RMS	989.993	-63.79	-13	Pass	1400
1000	3000	1	RMS	1659.33	-46.08	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.26	-13	Pass	7000




14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-62.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-13	Pass	2985
30	814	0.1	RMS	814	-61.57	-13	Pass	7840
814	860	0.1	RMS	829.834	20.37	60	Pass	460
860	1000	0.1	RMS	900.029	-63.71	-13	Pass	1400
1000	3000	1	RMS	1659.33	-47.16	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44.24	-13	Pass	7000




14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.27	-13	Pass	2985
30	814	0.1	RMS	810.7	-63.22	-13	Pass	7840
814	860	0.1	RMS	834.845	21.37	60	Pass	460
860	1000	0.1	RMS	899.929	-63.76	-13	Pass	1400
1000	3000	1	RMS	1669.335	-45.97	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.32	-13	Pass	7000



14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.07	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.33	-13	Pass	2985
30	814	0.1	RMS	810.8	-63.27	-13	Pass	7840
814	860	0.1	RMS	834.845	20.62	60	Pass	460
860	1000	0.1	RMS	989.993	-63.73	-13	Pass	1400
1000	3000	1	RMS	1669.335	-46.84	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.31	-13	Pass	7000



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.28	-13	Pass	2985
30	809	0.1	Peak	803.599	-53.47	-13	Pass	7790
809	829	0.1	Peak	814.25	25.86	60	Pass	401
829	1000	0.1	Peak	855.916	-54.39	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.6	-13	Pass	2000
3000	10000	1	Peak	7203.601	-32.52	-13	Pass	7000




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.92	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.59	-13	Pass	2985
30	809	0.1	Peak	807.9	-53.9	-13	Pass	7790
809	829	0.1	Peak	814.2	26.08	60	Pass	401
829	1000	0.1	Peak	899.341	-54.02	-13	Pass	1710
1000	3000	1	Peak	2960.98	-38.24	-13	Pass	2000
3000	10000	1	Peak	7421.632	-32.61	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.9	-13	Pass	2985
30	809	0.1	Peak	497.56	-54.14	-13	Pass	7790
809	829	0.1	Peak	818.55	26.4	60	Pass	401
829	1000	0.1	Peak	836.705	-53.75	-13	Pass	1710
1000	3000	1	Peak	1637.319	-37.9	-13	Pass	2000
3000	10000	1	Peak	6960.566	-32.43	-13	Pass	7000




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.25	-13	Pass	2985
30	809	0.1	Peak	502.061	-54.13	-13	Pass	7790
809	829	0.1	Peak	818.6	26	60	Pass	401
829	1000	0.1	Peak	889.135	-54.4	-13	Pass	1710
1000	3000	1	Peak	1637.319	-37.37	-13	Pass	2000
3000	10000	1	Peak	7052.579	-32.21	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.48	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.54	-13	Pass	2985
30	809	0.1	Peak	772.795	-54.34	-13	Pass	7790
809	829	0.1	Peak	822.9	25.93	60	Pass	401
829	1000	0.1	Peak	859.418	-53.76	-13	Pass	1710
1000	3000	1	Peak	1645.323	-36.97	-13	Pass	2000
3000	10000	1	Peak	6963.566	-32.65	-13	Pass	7000




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.66	-13	Pass	2985
30	809	0.1	Peak	437.152	-53.95	-13	Pass	7790
809	829	0.1	Peak	822.85	26.23	60	Pass	401
829	1000	0.1	Peak	829	-53.82	-13	Pass	1710
1000	3000	1	Peak	1645.323	-37.55	-13	Pass	2000
3000	10000	1	Peak	6959.566	-32.97	-13	Pass	7000




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.18	-13	Pass	401
0.15	30	0.01	Peak	0.47	-64.67	-13	Pass	2985
30	809	0.1	Peak	807.6	-31.01	-13	Pass	7790
809	829	0.1	Peak	814.2	25.87	60	Pass	401
829	1000	0.1	Peak	829.4	-36.52	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.32	-13	Pass	2000
3000	10000	1	Peak	7217.603	-32.91	-13	Pass	7000




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.12	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.85	-13	Pass	2985
30	809	0.1	Peak	808.2	-30.96	-13	Pass	7790
809	829	0.1	Peak	814.2	26.12	60	Pass	401
829	1000	0.1	Peak	838.305	-37.55	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.53	-13	Pass	2000
3000	10000	1	Peak	8958.851	-32.83	-13	Pass	7000




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.9	-13	Pass	401
0.15	30	0.01	Peak	0.35	-65.12	-13	Pass	2985
30	809	0.1	Peak	808.8	-36.53	-13	Pass	7790
809	829	0.1	Peak	817.75	26.52	60	Pass	401
829	1000	0.1	Peak	831.201	-32.76	-13	Pass	1710
1000	3000	1	Peak	2993.997	-38	-13	Pass	2000
3000	10000	1	Peak	7451.636	-32.59	-13	Pass	7000




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.21	-13	Pass	2985
30	809	0.1	Peak	808.9	-35.72	-13	Pass	7790
809	829	0.1	Peak	817.75	26.27	60	Pass	401
829	1000	0.1	Peak	840.907	-42.01	-13	Pass	1710
1000	3000	1	Peak	1635.318	-38.15	-13	Pass	2000
3000	10000	1	Peak	7222.603	-32.57	-13	Pass	7000




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.5	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.26	-13	Pass	2985
30	809	0.1	Peak	412.749	-54.39	-13	Pass	7790
809	829	0.1	Peak	821.25	26.48	60	Pass	401
829	1000	0.1	Peak	831.301	-47.69	-13	Pass	1710
1000	3000	1	Peak	1642.321	-37.22	-13	Pass	2000
3000	10000	1	Peak	7200.6	-33.48	-13	Pass	7000




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.94	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.48	-13	Pass	2985
30	809	0.1	Peak	788.997	-54.02	-13	Pass	7790
809	829	0.1	Peak	821.25	26.8	60	Pass	401
829	1000	0.1	Peak	831.301	-49.45	-13	Pass	1710
1000	3000	1	Peak	1642.321	-37.03	-13	Pass	2000
3000	10000	1	Peak	7630.662	-32.82	-13	Pass	7000




15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.42	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.45	-13	Pass	2985
30	809	0.1	Peak	809	-49.77	-13	Pass	7790
809	829	0.1	Peak	814.35	26.32	60	Pass	401
829	1000	0.1	Peak	831.702	-49.63	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.15	-13	Pass	2000
3000	10000	1	Peak	7191.599	-32.72	-13	Pass	7000




15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-69.36	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.06	-13	Pass	2985
30	809	0.1	Peak	808.5	-27.91	-13	Pass	7790
809	829	0.1	Peak	814.3	26.54	60	Pass	401
829	1000	0.1	Peak	829.5	-34	-13	Pass	1710
1000	3000	1	Peak	2909.955	-37.76	-13	Pass	2000
3000	10000	1	Peak	6982.569	-32.84	-13	Pass	7000




15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.64	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.43	-13	Pass	2985
30	809	0.1	Peak	807.6	-54.25	-13	Pass	7790
809	829	0.1	Peak	816.85	26.26	60	Pass	401
829	1000	0.1	Peak	834.403	-50.77	-13	Pass	1710
1000	3000	1	Peak	1633.317	-38.48	-13	Pass	2000
3000	10000	1	Peak	7438.634	-32.83	-13	Pass	7000




15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.52	-65.13	-13	Pass	2985
30	809	0.1	Peak	806.1	-53.71	-13	Pass	7790
809	829	0.1	Peak	816.8	26.44	60	Pass	401
829	1000	0.1	Peak	834.003	-51.53	-13	Pass	1710
1000	3000	1	Peak	1633.317	-38.24	-13	Pass	2000
3000	10000	1	Peak	7218.603	-32.55	-13	Pass	7000




15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.4	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.16	-13	Pass	2985
30	809	0.1	Peak	808.6	-52.79	-13	Pass	7790
809	829	0.1	Peak	819.35	26.39	60	Pass	401
829	1000	0.1	Peak	836.504	-45.47	-13	Pass	1710
1000	3000	1	Peak	1638.319	-37.04	-13	Pass	2000
3000	10000	1	Peak	6981.569	-32.52	-13	Pass	7000




15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.77	-13	Pass	401
0.15	30	0.01	Peak	0.35	-64.53	-13	Pass	2985
30	809	0.1	Peak	784.897	-54.18	-13	Pass	7790
809	829	0.1	Peak	819.3	26.4	60	Pass	401
829	1000	0.1	Peak	836.604	-46.44	-13	Pass	1710
1000	3000	1	Peak	1638.319	-37.33	-13	Pass	2000
3000	10000	1	Peak	6970.567	-32.04	-13	Pass	7000




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.11	-13	Pass	2985
30	809	0.1	Peak	806.9	-42.37	-13	Pass	7790
809	829	0.1	Peak	814.6	26.44	60	Pass	401
829	1000	0.1	Peak	831.401	-45.19	-13	Pass	1710
1000	3000	1	Peak	2975.988	-38.19	-13	Pass	2000
3000	10000	1	Peak	6977.568	-32.78	-13	Pass	7000



15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.96	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.96	-13	Pass	2985
30	809	0.1	Peak	806.9	-44.89	-13	Pass	7790
809	829	0.1	Peak	814.55	26.15	60	Pass	401
829	1000	0.1	Peak	832.402	-45.6	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.79	-13	Pass	2000
3000	10000	1	Peak	7020.574	-31.72	-13	Pass	7000



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-25	Pass	2985
30	1000	0.1	RMS	609.571	-61.2	-25	Pass	9699
1000	2550	1	RMS	2550	-49.74	-25	Pass	1550
2550	2640	1	RMS	2570.25	22.54	60	Pass	401
2640	3000	1	RMS	2947.8	-48.06	-25	Pass	401
3000	12000	1	RMS	11791.742	-52.04	-25	Pass	9000
12000	26500	1	RMS	25998.921	-37.46	-25	Pass	14500




16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-25	Pass	2985
30	1000	0.1	RMS	609.571	-62.32	-25	Pass	9699
1000	2550	1	RMS	2550	-49.67	-25	Pass	1550
2550	2640	1	RMS	2570.025	21.06	60	Pass	401
2640	3000	1	RMS	2950.5	-48.04	-25	Pass	401
3000	12000	1	RMS	11798.751	-52	-25	Pass	9000
12000	26500	1	RMS	26007.922	-37.5	-25	Pass	14500




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.29	-25	Pass	2985
30	1000	0.1	RMS	841.999	-62.92	-25	Pass	9699
1000	2550	1	RMS	2492.963	-49.8	-25	Pass	1550
2550	2640	1	RMS	2592.525	22.27	60	Pass	401
2640	3000	1	RMS	2946	-48.02	-25	Pass	401
3000	12000	1	RMS	11789.74	-51.99	-25	Pass	9000
12000	26500	1	RMS	26003.921	-37.48	-25	Pass	14500




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.18	-25	Pass	2985
30	1000	0.1	RMS	842.599	-62.9	-25	Pass	9699
1000	2550	1	RMS	2491.963	-49.78	-25	Pass	1550
2550	2640	1	RMS	2592.525	21.29	60	Pass	401
2640	3000	1	RMS	2947.8	-48.05	-25	Pass	401
3000	12000	1	RMS	11792.743	-51.96	-25	Pass	9000
12000	26500	1	RMS	26006.922	-37.35	-25	Pass	14500




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.43	-25	Pass	2985
30	1000	0.1	RMS	854.507	-62.88	-25	Pass	9699
1000	2550	1	RMS	2492.963	-49.79	-25	Pass	1550
2550	2640	1	RMS	2615.25	22.28	60	Pass	401
2640	3000	1	RMS	2943.3	-48.04	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.99	-25	Pass	9000
12000	26500	1	RMS	26010.922	-37.44	-25	Pass	14500




16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.5	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.88	-25	Pass	2985
30	1000	0.1	RMS	854.707	-62.93	-25	Pass	9699
1000	2550	1	RMS	2492.963	-49.81	-25	Pass	1550
2550	2640	1	RMS	2615.25	21.17	60	Pass	401
2640	3000	1	RMS	2948.7	-47.99	-25	Pass	401
3000	12000	1	RMS	11803.757	-51.95	-25	Pass	9000
12000	26500	1	RMS	25993.92	-37.43	-25	Pass	14500




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.67	-25	Pass	2985
30	1000	0.1	RMS	609.971	-61.83	-25	Pass	9699
1000	2550	1	RMS	2548.999	-47.17	-25	Pass	1550
2550	2640	1	RMS	2570.7	21.89	60	Pass	401
2640	3000	1	RMS	2947.8	-48.03	-25	Pass	401
3000	12000	1	RMS	11795.747	-52.02	-25	Pass	9000
12000	26500	1	RMS	26011.923	-37.35	-25	Pass	14500




16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-25	Pass	2985
30	1000	0.1	RMS	609.971	-62.05	-25	Pass	9699
1000	2550	1	RMS	2550	-46.5	-25	Pass	1550
2550	2640	1	RMS	2570.475	21.25	60	Pass	401
2640	3000	1	RMS	2943.3	-48.01	-25	Pass	401
3000	12000	1	RMS	11815.772	-51.87	-25	Pass	9000
12000	26500	1	RMS	26016.923	-37.43	-25	Pass	14500




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.77	-25	Pass	2985
30	1000	0.1	RMS	856.309	-62.78	-25	Pass	9699
1000	2550	1	RMS	2550	-48.88	-25	Pass	1550
2550	2640	1	RMS	2590.275	21.72	60	Pass	401
2640	3000	1	RMS	2948.7	-48.01	-25	Pass	401
3000	12000	1	RMS	11796.748	-51.92	-25	Pass	9000
12000	26500	1	RMS	26016.923	-37.4	-25	Pass	14500




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-25	Pass	2985
30	1000	0.1	RMS	849.1	-62.75	-25	Pass	9699
1000	2550	1	RMS	2550	-49.38	-25	Pass	1550
2550	2640	1	RMS	2590.275	21.13	60	Pass	401
2640	3000	1	RMS	2948.7	-48.03	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.94	-25	Pass	9000
12000	26500	1	RMS	26003.921	-37.44	-25	Pass	14500




16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.19	-25	Pass	2985
30	1000	0.1	RMS	830.098	-62.86	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49.51	-25	Pass	1550
2550	2640	1	RMS	2610.525	22.23	60	Pass	401
2640	3000	1	RMS	2951.4	-48.01	-25	Pass	401
3000	12000	1	RMS	11818.776	-51.96	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.42	-25	Pass	14500




16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.33	-71.47	-25	Pass	2985
30	1000	0.1	RMS	843.899	-62.8	-25	Pass	9699
1000	2550	1	RMS	2546.998	-49.5	-25	Pass	1550
2550	2640	1	RMS	2610.525	21.07	60	Pass	401
2640	3000	1	RMS	2949.6	-48	-25	Pass	401
3000	12000	1	RMS	11790.741	-51.95	-25	Pass	9000
12000	26500	1	RMS	26007.922	-37.45	-25	Pass	14500




16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-25	Pass	2985
30	1000	0.1	RMS	610.171	-60.7	-25	Pass	9699
1000	2550	1	RMS	2550	-46.86	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.1	60	Pass	401
2640	3000	1	RMS	2946.9	-47.97	-25	Pass	401
3000	12000	1	RMS	6957.483	-52.01	-25	Pass	9000
12000	26500	1	RMS	26002.921	-37.35	-25	Pass	14500




16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-25	Pass	2985
30	1000	0.1	RMS	610.171	-61.19	-25	Pass	9699
1000	2550	1	RMS	2547.999	-47.15	-25	Pass	1550
2550	2640	1	RMS	2570.7	21.65	60	Pass	401
2640	3000	1	RMS	2955	-47.95	-25	Pass	401
3000	12000	1	RMS	11812.768	-51.94	-25	Pass	9000
12000	26500	1	RMS	26000.921	-37.47	-25	Pass	14500




16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.71	-25	Pass	2985
30	1000	0.1	RMS	860.515	-62.95	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.76	-25	Pass	1550
2550	2640	1	RMS	2588.25	22.57	60	Pass	401
2640	3000	1	RMS	2948.7	-47.96	-25	Pass	401
3000	12000	1	RMS	11814.771	-51.95	-25	Pass	9000
12000	26500	1	RMS	25999.921	-37.43	-25	Pass	14500




16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.98	-25	Pass	2985
30	1000	0.1	RMS	827.697	-62.8	-25	Pass	9699
1000	2550	1	RMS	2550	-49.12	-25	Pass	1550
2550	2640	1	RMS	2588.025	21.12	60	Pass	401
2640	3000	1	RMS	2951.4	-47.95	-25	Pass	401
3000	12000	1	RMS	8250.641	-51.95	-25	Pass	9000
12000	26500	1	RMS	26008.922	-37.36	-25	Pass	14500




16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-25	Pass	2985
30	1000	0.1	RMS	842.899	-62.86	-25	Pass	9699
1000	2550	1	RMS	2550	-49.39	-25	Pass	1550
2550	2640	1	RMS	2605.8	22.07	60	Pass	401
2640	3000	1	RMS	2951.4	-47.96	-25	Pass	401
3000	12000	1	RMS	11807.762	-51.93	-25	Pass	9000
12000	26500	1	RMS	25998.921	-37.48	-25	Pass	14500




16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.16	-25	Pass	2985
30	1000	0.1	RMS	860.315	-62.78	-25	Pass	9699
1000	2550	1	RMS	2550	-49.33	-25	Pass	1550
2550	2640	1	RMS	2605.8	21.72	60	Pass	401
2640	3000	1	RMS	2944.2	-47.95	-25	Pass	401
3000	12000	1	RMS	8249.641	-51.88	-25	Pass	9000
12000	26500	1	RMS	25994.92	-37.41	-25	Pass	14500




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-25	Pass	2985
30	1000	0.1	RMS	610.371	-60.49	-25	Pass	9699
1000	2550	1	RMS	2550	-47.18	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.56	60	Pass	401
2640	3000	1	RMS	2951.4	-47.98	-25	Pass	401
3000	12000	1	RMS	11813.77	-51.9	-25	Pass	9000
12000	26500	1	RMS	26000.921	-37.41	-25	Pass	14500




16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.15	-25	Pass	2985
30	1000	0.1	RMS	610.371	-61.63	-25	Pass	9699
1000	2550	1	RMS	2547.999	-47.02	-25	Pass	1550
2550	2640	1	RMS	2570.925	21.56	60	Pass	401
2640	3000	1	RMS	2952.3	-47.98	-25	Pass	401
3000	12000	1	RMS	11796.748	-51.87	-25	Pass	9000
12000	26500	1	RMS	26000.921	-37.33	-25	Pass	14500




16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.38	-25	Pass	2985
30	1000	0.1	RMS	836.098	-62.85	-25	Pass	9699
1000	2550	1	RMS	2550	-48.84	-25	Pass	1550
2550	2640	1	RMS	2586	22.61	60	Pass	401
2640	3000	1	RMS	2951.4	-47.96	-25	Pass	401
3000	12000	1	RMS	11804.758	-51.89	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.4	-25	Pass	14500




16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.17	-25	Pass	2985
30	1000	0.1	RMS	877.137	-62.73	-25	Pass	9699
1000	2550	1	RMS	2550	-48.63	-25	Pass	1550
2550	2640	1	RMS	2585.775	21	60	Pass	401
2640	3000	1	RMS	2952.3	-47.95	-25	Pass	401
3000	12000	1	RMS	11821.779	-51.93	-25	Pass	9000
12000	26500	1	RMS	25988.919	-37.35	-25	Pass	14500




16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-25	Pass	2985
30	1000	0.1	RMS	835.498	-62.83	-25	Pass	9699
1000	2550	1	RMS	2547.999	-49.26	-25	Pass	1550
2550	2640	1	RMS	2600.85	21.88	60	Pass	401
2640	3000	1	RMS	2948.7	-47.97	-25	Pass	401
3000	12000	1	RMS	11805.76	-51.86	-25	Pass	9000
12000	26500	1	RMS	26026.925	-37.38	-25	Pass	14500



16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-25	Pass	2985
30	1000	0.1	RMS	840.499	-62.89	-25	Pass	9699
1000	2550	1	RMS	2546.998	-49.27	-25	Pass	1550
2550	2640	1	RMS	2600.85	21.55	60	Pass	401
2640	3000	1	RMS	2947.8	-47.98	-25	Pass	401
3000	12000	1	RMS	11820.778	-51.9	-25	Pass	9000
12000	26500	1	RMS	26002.921	-37.37	-25	Pass	14500



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-25	Pass	401
0.15	30	0.01	RMS	0.3	-71.41	-25	Pass	2985
30	1000	0.1	RMS	849.801	-62.86	-25	Pass	9699
1000	2476	1	RMS	2476	-49.91	-25	Pass	1476
2476	2710	1	RMS	2495.89	21.29	60	Pass	401
2710	3000	1	RMS	2946.35	-47.96	-25	Pass	401
3000	12000	1	RMS	11821.779	-51.94	-25	Pass	9000
12000	27000	1	RMS	25985.851	-37.36	-25	Pass	15000




17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.37	-25	Pass	2985
30	1000	0.1	RMS	823.497	-62.67	-25	Pass	9699
1000	2476	1	RMS	2476	-49.88	-25	Pass	1476
2476	2710	1	RMS	2495.89	19.7	60	Pass	401
2710	3000	1	RMS	2949.25	-47.97	-25	Pass	401
3000	12000	1	RMS	6956.483	-51.89	-25	Pass	9000
12000	27000	1	RMS	25992.852	-37.38	-25	Pass	15000




17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.68	-25	Pass	2985
30	1000	0.1	RMS	630.173	-62.76	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.95	-25	Pass	1476
2476	2710	1	RMS	2590.66	20.89	60	Pass	401
2710	3000	1	RMS	2948.525	-47.96	-25	Pass	401
3000	12000	1	RMS	11816.773	-51.86	-25	Pass	9000
12000	27000	1	RMS	25999.853	-37.39	-25	Pass	15000




17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.3	-71.27	-25	Pass	2985
30	1000	0.1	RMS	844.799	-62.83	-25	Pass	9699
1000	2476	1	RMS	2476	-49.89	-25	Pass	1476
2476	2710	1	RMS	2590.66	19.62	60	Pass	401
2710	3000	1	RMS	2947.075	-47.94	-25	Pass	401
3000	12000	1	RMS	11800.753	-51.93	-25	Pass	9000
12000	27000	1	RMS	26017.856	-37.41	-25	Pass	15000




17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2985
30	1000	0.1	RMS	724.585	-62.04	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.94	-25	Pass	1476
2476	2710	1	RMS	2684.845	21.5	60	Pass	401
2710	3000	1	RMS	2944.175	-47.99	-25	Pass	401
3000	12000	1	RMS	11815.772	-51.88	-25	Pass	9000
12000	27000	1	RMS	26002.854	-37.36	-25	Pass	15000




17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-25	Pass	2985
30	1000	0.1	RMS	724.685	-61.87	-25	Pass	9699
1000	2476	1	RMS	2470.997	-49.93	-25	Pass	1476
2476	2710	1	RMS	2684.845	20.39	60	Pass	401
2710	3000	1	RMS	2946.35	-47.95	-25	Pass	401
3000	12000	1	RMS	11824.783	-51.96	-25	Pass	9000
12000	27000	1	RMS	26007.854	-37.41	-25	Pass	15000




17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.24	-25	Pass	2985
30	1000	0.1	RMS	857.411	-62.88	-25	Pass	9699
1000	2476	1	RMS	2476	-49.66	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.91	60	Pass	401
2710	3000	1	RMS	2947.8	-47.91	-25	Pass	401
3000	12000	1	RMS	11808.763	-51.89	-25	Pass	9000
12000	27000	1	RMS	25993.852	-37.38	-25	Pass	15000




17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-25	Pass	2985
30	1000	0.1	RMS	855.909	-62.82	-25	Pass	9699
1000	2476	1	RMS	2476	-49.64	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.6	60	Pass	401
2710	3000	1	RMS	2949.25	-47.98	-25	Pass	401
3000	12000	1	RMS	11811.767	-51.86	-25	Pass	9000
12000	27000	1	RMS	26016.856	-37.32	-25	Pass	15000




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.09	-25	Pass	2985
30	1000	0.1	RMS	627.873	-62.73	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.87	-25	Pass	1476
2476	2710	1	RMS	2588.32	21.15	60	Pass	401
2710	3000	1	RMS	2950.7	-47.98	-25	Pass	401
3000	12000	1	RMS	11813.77	-51.82	-25	Pass	9000
12000	27000	1	RMS	25990.852	-37.36	-25	Pass	15000




17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	Pass	2985
30	1000	0.1	RMS	837.299	-62.84	-25	Pass	9699
1000	2476	1	RMS	2476	-49.92	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.02	60	Pass	401
2710	3000	1	RMS	2948.525	-47.96	-25	Pass	401
3000	12000	1	RMS	11801.755	-51.88	-25	Pass	9000
12000	27000	1	RMS	26011.855	-37.4	-25	Pass	15000




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.78	-25	Pass	2985
30	1000	0.1	RMS	719.984	-62.08	-25	Pass	9699
1000	2476	1	RMS	2476	-49.94	-25	Pass	1476
2476	2710	1	RMS	2680.165	20.66	60	Pass	401
2710	3000	1	RMS	2949.25	-47.97	-25	Pass	401
3000	12000	1	RMS	6957.483	-51.83	-25	Pass	9000
12000	27000	1	RMS	25998.853	-37.27	-25	Pass	15000




17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.98	-25	Pass	2985
30	1000	0.1	RMS	837.299	-62.87	-25	Pass	9699
1000	2476	1	RMS	2463.992	-49.95	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.16	60	Pass	401
2710	3000	1	RMS	2949.975	-47.98	-25	Pass	401
3000	12000	1	RMS	11795.747	-51.93	-25	Pass	9000
12000	27000	1	RMS	26011.855	-37.29	-25	Pass	15000




17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-25	Pass	2985
30	1000	0.1	RMS	838.199	-62.79	-25	Pass	9699
1000	2476	1	RMS	2476	-49.65	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.6	60	Pass	401
2710	3000	1	RMS	2945.625	-47.97	-25	Pass	401
3000	12000	1	RMS	11790.741	-51.91	-25	Pass	9000
12000	27000	1	RMS	26033.858	-37.31	-25	Pass	15000




17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.62	-25	Pass	2985
30	1000	0.1	RMS	856.309	-62.76	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.6	-25	Pass	1476
2476	2710	1	RMS	2496.475	19.79	60	Pass	401
2710	3000	1	RMS	2948.525	-47.94	-25	Pass	401
3000	12000	1	RMS	11793.745	-51.86	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.37	-25	Pass	15000




17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-25	Pass	2985
30	1000	0.1	RMS	853.305	-62.78	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.93	-25	Pass	1476
2476	2710	1	RMS	2585.98	21.61	60	Pass	401
2710	3000	1	RMS	2948.525	-47.96	-25	Pass	401
3000	12000	1	RMS	11802.756	-51.92	-25	Pass	9000
12000	27000	1	RMS	26039.859	-37.42	-25	Pass	15000




17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.03	-25	Pass	2985
30	1000	0.1	RMS	844.099	-62.79	-25	Pass	9699
1000	2476	1	RMS	2465.993	-49.76	-25	Pass	1476
2476	2710	1	RMS	2585.98	20.59	60	Pass	401
2710	3000	1	RMS	2949.975	-47.96	-25	Pass	401
3000	12000	1	RMS	11802.756	-51.87	-25	Pass	9000
12000	27000	1	RMS	26009.855	-37.38	-25	Pass	15000




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.34	-25	Pass	2985
30	1000	0.1	RMS	715.084	-62.43	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.91	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.93	60	Pass	401
2710	3000	1	RMS	2949.975	-47.95	-25	Pass	401
3000	12000	1	RMS	11811.767	-51.91	-25	Pass	9000
12000	27000	1	RMS	26019.856	-37.37	-25	Pass	15000




17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.46	-25	Pass	2985
30	1000	0.1	RMS	843.899	-62.81	-25	Pass	9699
1000	2476	1	RMS	2471.997	-49.9	-25	Pass	1476
2476	2710	1	RMS	2675.485	20.22	60	Pass	401
2710	3000	1	RMS	2946.35	-47.96	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.9	-25	Pass	9000
12000	27000	1	RMS	26005.854	-37.42	-25	Pass	15000




17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-25	Pass	2985
30	1000	0.1	RMS	877.337	-62.58	-25	Pass	9699
1000	2476	1	RMS	2476	-49.35	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.62	60	Pass	401
2710	3000	1	RMS	2949.25	-47.96	-25	Pass	401
3000	12000	1	RMS	8248.641	-51.93	-25	Pass	9000
12000	27000	1	RMS	25990.852	-37.28	-25	Pass	15000




17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-25	Pass	2985
30	1000	0.1	RMS	846.1	-62.92	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.6	-25	Pass	1476
2476	2710	1	RMS	2497.06	20.29	60	Pass	401
2710	3000	1	RMS	2945.625	-48.01	-25	Pass	401
3000	12000	1	RMS	11796.748	-51.93	-25	Pass	9000
12000	27000	1	RMS	25996.853	-37.34	-25	Pass	15000




17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.52	-25	Pass	2985
30	1000	0.1	RMS	623.372	-62.71	-25	Pass	9699
1000	2476	1	RMS	2466.994	-49.89	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.08	60	Pass	401
2710	3000	1	RMS	2949.975	-48.01	-25	Pass	401
3000	12000	1	RMS	11805.76	-51.97	-25	Pass	9000
12000	27000	1	RMS	26015.855	-37.33	-25	Pass	15000




17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-25	Pass	2985
30	1000	0.1	RMS	623.372	-62.76	-25	Pass	9699
1000	2476	1	RMS	2465.993	-49.93	-25	Pass	1476
2476	2710	1	RMS	2584.225	19.46	60	Pass	401
2710	3000	1	RMS	2943.45	-47.99	-25	Pass	401
3000	12000	1	RMS	11815.772	-51.93	-25	Pass	9000
12000	27000	1	RMS	26006.854	-37.37	-25	Pass	15000




17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.13	-25	Pass	2985
30	1000	0.1	RMS	834.398	-62.86	-25	Pass	9699
1000	2476	1	RMS	2476	-49.93	-25	Pass	1476
2476	2710	1	RMS	2670.805	21.66	60	Pass	401
2710	3000	1	RMS	2952.875	-47.98	-25	Pass	401
3000	12000	1	RMS	11800.753	-51.9	-25	Pass	9000
12000	27000	1	RMS	26019.856	-37.36	-25	Pass	15000



17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-25	Pass	2985
30	1000	0.1	RMS	854.908	-62.8	-25	Pass	9699
1000	2476	1	RMS	2468.995	-49.76	-25	Pass	1476
2476	2710	1	RMS	2670.805	20.05	60	Pass	401
2710	3000	1	RMS	2949.975	-47.95	-25	Pass	401
3000	12000	1	RMS	11796.748	-51.91	-25	Pass	9000
12000	27000	1	RMS	26989.999	-37.42	-25	Pass	15000



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	1000	0.1	RMS	848.9	-65.12	-13	Pass	9699
1000	1700	1	RMS	1700	-52.58	-13	Pass	700
1700	1790	1	RMS	1710.125	23.34	60	Pass	401
1790	3000	1	RMS	2948.958	-50.07	-13	Pass	1210
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.22	-13	Pass	8000




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.96	-13	Pass	2985
30	1000	0.1	RMS	829.898	-65.01	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1790	1	RMS	1710.125	22.48	60	Pass	401
1790	3000	1	RMS	2949.959	-50.03	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.55	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.28	-13	Pass	8000




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	872.03	-65	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.86	-13	Pass	700
1700	1790	1	RMS	1744.55	23.31	60	Pass	401
1790	3000	1	RMS	2948.958	-49.99	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.56	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.26	-13	Pass	8000




18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	836.999	-64.99	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.93	-13	Pass	700
1700	1790	1	RMS	1744.325	22.3	60	Pass	401
1790	3000	1	RMS	2944.955	-50	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.64	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.24	-13	Pass	8000




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2985
30	1000	0.1	RMS	846.3	-65.19	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.92	-13	Pass	700
1700	1790	1	RMS	1778.75	23.41	60	Pass	401
1790	3000	1	RMS	2945.955	-49.94	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.22	-13	Pass	8000




18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2985
30	1000	0.1	RMS	858.512	-65.09	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.92	-13	Pass	700
1700	1790	1	RMS	1778.75	22.56	60	Pass	401
1790	3000	1	RMS	2949.959	-50.01	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.58	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.29	-13	Pass	8000




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	816.996	-65.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.37	-13	Pass	700
1700	1790	1	RMS	1710.125	23.57	60	Pass	401
1790	3000	1	RMS	2945.955	-50.04	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.56	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.27	-13	Pass	8000




18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	Pass	2985
30	1000	0.1	RMS	841.099	-65.02	-13	Pass	9699
1000	1700	1	RMS	1700	-52.7	-13	Pass	700
1700	1790	1	RMS	1710.125	22.7	60	Pass	401
1790	3000	1	RMS	2947.957	-50.03	-13	Pass	1210
3000	12000	1	RMS	12000	-43.54	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.27	-13	Pass	8000




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	843.599	-65.08	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.89	-13	Pass	700
1700	1790	1	RMS	1743.65	23.44	60	Pass	401
1790	3000	1	RMS	2950.959	-50.01	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.55	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.18	-13	Pass	8000




18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2985
30	1000	0.1	RMS	850.802	-65.14	-13	Pass	9699
1000	1700	1	RMS	1700	-53.91	-13	Pass	700
1700	1790	1	RMS	1743.65	22.45	60	Pass	401
1790	3000	1	RMS	2947.957	-50.04	-13	Pass	1210
3000	12000	1	RMS	11992.991	-43.63	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.24	-13	Pass	8000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.65	-13	Pass	2985
30	1000	0.1	RMS	849.2	-65.11	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.92	-13	Pass	700
1700	1790	1	RMS	1777.175	23.41	60	Pass	401
1790	3000	1	RMS	2943.954	-50.04	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.6	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.29	-13	Pass	8000




18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	842.499	-65.11	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.92	-13	Pass	700
1700	1790	1	RMS	1777.175	22.58	60	Pass	401
1790	3000	1	RMS	2946.956	-50.02	-13	Pass	1210
3000	12000	1	RMS	12000	-43.57	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.26	-13	Pass	8000




18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	1000	0.1	RMS	841.899	-65.17	-13	Pass	9699
1000	1700	1	RMS	1700	-51.88	-13	Pass	700
1700	1790	1	RMS	1710.125	23.56	60	Pass	401
1790	3000	1	RMS	2946.956	-50.04	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.61	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.25	-13	Pass	8000




18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	849.801	-64.98	-13	Pass	9699
1000	1700	1	RMS	1700	-52.3	-13	Pass	700
1700	1790	1	RMS	1710.35	22.43	60	Pass	401
1790	3000	1	RMS	2948.958	-49.99	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.68	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.21	-13	Pass	8000




18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	849.701	-65.1	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.87	-13	Pass	700
1700	1790	1	RMS	1742.75	23.49	60	Pass	401
1790	3000	1	RMS	2944.955	-50.02	-13	Pass	1210
3000	12000	1	RMS	12000	-43.64	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.27	-13	Pass	8000




18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	1000	0.1	RMS	840.899	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-53.89	-13	Pass	700
1700	1790	1	RMS	1742.75	22.58	60	Pass	401
1790	3000	1	RMS	2947.957	-50.05	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19677.96	-35.27	-13	Pass	8000




18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	Pass	2985
30	1000	0.1	RMS	840.999	-65.14	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.92	-13	Pass	700
1700	1790	1	RMS	1775.15	23.44	60	Pass	401
1790	3000	1	RMS	2949.959	-50.02	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.49	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.29	-13	Pass	8000




18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	1000	0.1	RMS	855.408	-65.06	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.93	-13	Pass	700
1700	1790	1	RMS	1775.15	22.57	60	Pass	401
1790	3000	1	RMS	2948.958	-49.94	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.49	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.28	-13	Pass	8000




18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	833.898	-65.03	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.62	-13	Pass	700
1700	1790	1	RMS	1710.575	23.49	60	Pass	401
1790	3000	1	RMS	2946.956	-50.01	-13	Pass	1210
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.34	-13	Pass	8000




18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.91	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.18	-13	Pass	700
1700	1790	1	RMS	1710.575	22.55	60	Pass	401
1790	3000	1	RMS	2947.957	-50.01	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.54	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.26	-13	Pass	8000




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.95	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.87	-13	Pass	700
1700	1790	1	RMS	1740.5	23.41	60	Pass	401
1790	3000	1	RMS	2948.958	-49.98	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.58	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.25	-13	Pass	8000




18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.39	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.94	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.86	-13	Pass	700
1700	1790	1	RMS	1740.5	22.38	60	Pass	401
1790	3000	1	RMS	2951.96	-50	-13	Pass	1210
3000	12000	1	RMS	12000	-43.6	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.21	-13	Pass	8000




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	843.699	-65.01	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.87	-13	Pass	700
1700	1790	1	RMS	1770.425	23.41	60	Pass	401
1790	3000	1	RMS	2949.959	-50.05	-13	Pass	1210
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.25	-13	Pass	8000




18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	Pass	2985
30	1000	0.1	RMS	854.507	-65.02	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.85	-13	Pass	700
1700	1790	1	RMS	1770.425	22.55	60	Pass	401
1790	3000	1	RMS	2953.962	-50.05	-13	Pass	1210
3000	12000	1	RMS	12000	-43.54	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.22	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	851.703	-64.83	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.09	-13	Pass	700
1700	1790	1	RMS	1710.8	23.38	60	Pass	401
1790	3000	1	RMS	2942.953	-50.01	-13	Pass	1210
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19684.961	-35.22	-13	Pass	8000




18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2985
30	1000	0.1	RMS	853.005	-65.07	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.86	-13	Pass	700
1700	1790	1	RMS	1710.8	22.47	60	Pass	401
1790	3000	1	RMS	2949.959	-49.98	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.62	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.23	-13	Pass	8000




18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	856.81	-65.06	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.82	-13	Pass	700
1700	1790	1	RMS	1738.25	23.44	60	Pass	401
1790	3000	1	RMS	2949.959	-50	-13	Pass	1210
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.31	-13	Pass	8000




18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.29	-13	Pass	2985
30	1000	0.1	RMS	856.109	-64.99	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.81	-13	Pass	700
1700	1790	1	RMS	1738.25	22.57	60	Pass	401
1790	3000	1	RMS	2949.959	-49.98	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.53	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	1000	0.1	RMS	853.806	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-53.86	-13	Pass	700
1700	1790	1	RMS	1765.7	23.41	60	Pass	401
1790	3000	1	RMS	1792.002	-42.02	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.49	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.22	-13	Pass	8000




18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	1000	0.1	RMS	841.099	-65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.84	-13	Pass	700
1700	1790	1	RMS	1765.7	22.42	60	Pass	401
1790	3000	1	RMS	1792.002	-43.75	-13	Pass	1210
3000	12000	1	RMS	12000	-43.49	-13	Pass	9000
12000	20000	1	RMS	19689.961	-35.35	-13	Pass	8000




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2985
30	1000	0.1	RMS	839.299	-65.05	-13	Pass	9699
1000	1700	1	RMS	1692.99	-46.69	-13	Pass	700
1700	1790	1	RMS	1711.025	23.39	60	Pass	401
1790	3000	1	RMS	2947.957	-49.95	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.26	-13	Pass	8000




18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.07	-13	Pass	2985
30	1000	0.1	RMS	833.298	-65.05	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.82	-13	Pass	700
1700	1790	1	RMS	1711.025	22.5	60	Pass	401
1790	3000	1	RMS	2945.955	-49.96	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.49	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.16	-13	Pass	8000




18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	1000	0.1	RMS	858.612	-65.03	-13	Pass	9699
1000	1700	1	RMS	1700	-52.05	-13	Pass	700
1700	1790	1	RMS	1736	23.31	60	Pass	401
1790	3000	1	RMS	2948.958	-49.98	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.55	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.23	-13	Pass	8000




18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.57	-13	Pass	2985
30	1000	0.1	RMS	859.614	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-52.92	-13	Pass	700
1700	1790	1	RMS	1736	22.36	60	Pass	401
1790	3000	1	RMS	2946.956	-49.97	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.62	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.27	-13	Pass	8000




18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	Pass	2985
30	1000	0.1	RMS	842.699	-65	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.79	-13	Pass	700
1700	1790	1	RMS	1760.975	23.33	60	Pass	401
1790	3000	1	RMS	1797.006	-48.91	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.49	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.27	-13	Pass	8000



18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.03	-13	Pass	2985
30	1000	0.1	RMS	833.898	-65.05	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.83	-13	Pass	700
1700	1790	1	RMS	1760.975	22.45	60	Pass	401
1790	3000	1	RMS	2948.958	-49.97	-13	Pass	1210
3000	12000	1	RMS	12000	-43.55	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.22	-13	Pass	8000




CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.06	-25	Pass	2985
30	1000	0.1	RMS	841.399	-64.93	-25	Pass	9699
1000	2490	1	RMS	2490	-50.51	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.11	60	Pass	401
2580	3000	1	RMS	2949.881	-50.05	-25	Pass	420
3000	12000	1	RMS	11812.768	-54.05	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.55	-25	Pass	14000




19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.95	-25	Pass	2985
30	1000	0.1	RMS	844.999	-64.98	-25	Pass	9699
1000	2490	1	RMS	2490	-50.46	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.17	60	Pass	401
2580	3000	1	RMS	2956.897	-50.08	-25	Pass	420
3000	12000	1	RMS	11809.765	-54.06	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.55	-25	Pass	14000




19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-25	Pass	401
0.15	30	0.01	RMS	1.08	-73.12	-25	Pass	2985
30	1000	0.1	RMS	578.867	-63.08	-25	Pass	9699
1000	2490	1	RMS	2490	-51.16	-25	Pass	1490
2490	2580	1	RMS	2539.05	20.27	60	Pass	401
2580	3000	1	RMS	2948.878	-50.07	-25	Pass	420
3000	12000	1	RMS	7618.564	-53.78	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.53	-25	Pass	14000




19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-25	Pass	2985
30	1000	0.1	RMS	578.867	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-51.13	-25	Pass	1490
2490	2580	1	RMS	2539.95	19.24	60	Pass	401
2580	3000	1	RMS	2948.878	-50.03	-25	Pass	420
3000	12000	1	RMS	7618.564	-53.94	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.6	-25	Pass	14000




19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.66	-25	Pass	401
0.15	30	0.01	RMS	1.08	-73.21	-25	Pass	2985
30	1000	0.1	RMS	598.869	-61.57	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.84	-25	Pass	1490
2490	2580	1	RMS	2558.85	20.32	60	Pass	401
2580	3000	1	RMS	2580	-48.51	-25	Pass	420
3000	12000	1	RMS	11792.743	-54.07	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.53	-25	Pass	14000




19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.14	-25	Pass	2985
30	1000	0.1	RMS	598.869	-63.54	-25	Pass	9699
1000	2490	1	RMS	2490	-51.75	-25	Pass	1490
2490	2580	1	RMS	2559.075	19.31	60	Pass	401
2580	3000	1	RMS	2580	-48.75	-25	Pass	420
3000	12000	1	RMS	11814.771	-54.07	-25	Pass	9000
12000	26000	1	RMS	25999	-39.51	-25	Pass	14000




19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-25	Pass	2985
30	1000	0.1	RMS	840.899	-65.03	-25	Pass	9699
1000	2490	1	RMS	2490	-50.57	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.11	60	Pass	401
2580	3000	1	RMS	2949.881	-50.03	-25	Pass	420
3000	12000	1	RMS	11786.736	-54.04	-25	Pass	9000
12000	26000	1	RMS	25999	-39.57	-25	Pass	14000




19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.2	-25	Pass	2985
30	1000	0.1	RMS	838.899	-65.09	-25	Pass	9699
1000	2490	1	RMS	2490	-50.75	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.13	60	Pass	401
2580	3000	1	RMS	2948.878	-50.09	-25	Pass	420
3000	12000	1	RMS	11816.773	-54.06	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.51	-25	Pass	14000




19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-25	Pass	2985
30	1000	0.1	RMS	574.266	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-51.26	-25	Pass	1490
2490	2580	1	RMS	2533.875	20.19	60	Pass	401
2580	3000	1	RMS	2948.878	-50.08	-25	Pass	420
3000	12000	1	RMS	11796.748	-54.05	-25	Pass	9000
12000	26000	1	RMS	25999	-39.52	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.38	-25	Pass	2985
30	1000	0.1	RMS	574.266	-64.85	-25	Pass	9699
1000	2490	1	RMS	2490	-51.24	-25	Pass	1490
2490	2580	1	RMS	2535.9	19.15	60	Pass	401
2580	3000	1	RMS	2949.881	-50.08	-25	Pass	420
3000	12000	1	RMS	11809.765	-54.07	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.5	-25	Pass	14000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.9	-25	Pass	2985
30	1000	0.1	RMS	589.368	-61.81	-25	Pass	9699
1000	2490	1	RMS	2490	-51.73	-25	Pass	1490
2490	2580	1	RMS	2548.95	20.2	60	Pass	401
2580	3000	1	RMS	2945.871	-50.05	-25	Pass	420
3000	12000	1	RMS	8251.641	-54.09	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.54	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.96	-25	Pass	2985
30	1000	0.1	RMS	589.368	-63.41	-25	Pass	9699
1000	2490	1	RMS	2490	-51.79	-25	Pass	1490
2490	2580	1	RMS	2548.95	19.17	60	Pass	401
2580	3000	1	RMS	2949.881	-50.07	-25	Pass	420
3000	12000	1	RMS	11803.757	-54.04	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.57	-25	Pass	14000



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.87	-25	Pass	2985
30	1000	0.1	RMS	839.299	-60.87	-25	Pass	9699
1000	2560	1	RMS	2555.997	-42.69	-25	Pass	1560
2560	2630	1	RMS	2583.975	20.45	60	Pass	401
2630	3000	1	RMS	2956.525	-46.15	-25	Pass	401
3000	12000	1	RMS	11815.772	-54.05	-25	Pass	9000
12000	26500	1	RMS	26008.922	-39.47	-25	Pass	14500




20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.67	-25	Pass	2985
30	1000	0.1	RMS	834.898	-61.03	-25	Pass	9699
1000	2560	1	RMS	2555.997	-43.07	-25	Pass	1560
2560	2630	1	RMS	2585.725	19.4	60	Pass	401
2630	3000	1	RMS	2949.125	-46.12	-25	Pass	401
3000	12000	1	RMS	11785.735	-54.03	-25	Pass	9000
12000	26500	1	RMS	26011.923	-39.44	-25	Pass	14500




20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.78	-25	Pass	2985
30	1000	0.1	RMS	858.212	-60.9	-25	Pass	9699
1000	2560	1	RMS	2560	-45.17	-25	Pass	1560
2560	2630	1	RMS	2594.125	20.35	60	Pass	401
2630	3000	1	RMS	2630	-45.65	-25	Pass	401
3000	12000	1	RMS	11819.777	-54.03	-25	Pass	9000
12000	26500	1	RMS	26008.922	-39.42	-25	Pass	14500




20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.84	-25	Pass	2985
30	1000	0.1	RMS	836.999	-61.01	-25	Pass	9699
1000	2560	1	RMS	2555.997	-45.69	-25	Pass	1560
2560	2630	1	RMS	2594.125	19.77	60	Pass	401
2630	3000	1	RMS	2946.35	-46.14	-25	Pass	401
3000	12000	1	RMS	11812.768	-54.09	-25	Pass	9000
12000	26500	1	RMS	26013.923	-39.45	-25	Pass	14500




20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.33	-25	Pass	2985
30	1000	0.1	RMS	835.598	-61	-25	Pass	9699
1000	2560	1	RMS	2560	-45.29	-25	Pass	1560
2560	2630	1	RMS	2604.1	20.33	60	Pass	401
2630	3000	1	RMS	2633.7	-42.63	-25	Pass	401
3000	12000	1	RMS	11799.752	-54.04	-25	Pass	9000
12000	26500	1	RMS	26018.924	-39.39	-25	Pass	14500




20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-25	Pass	2985
30	1000	0.1	RMS	836.698	-60.87	-25	Pass	9699
1000	2560	1	RMS	2560	-45.48	-25	Pass	1560
2560	2630	1	RMS	2604.1	19.77	60	Pass	401
2630	3000	1	RMS	2633.7	-43.89	-25	Pass	401
3000	12000	1	RMS	8250.641	-54.09	-25	Pass	9000
12000	26500	1	RMS	25985.919	-39.44	-25	Pass	14500




20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.97	-25	Pass	2985
30	1000	0.1	RMS	851.303	-60.98	-25	Pass	9699
1000	2560	1	RMS	2550.994	-43.96	-25	Pass	1560
2560	2630	1	RMS	2590.8	20.25	60	Pass	401
2630	3000	1	RMS	2630	-45.8	-25	Pass	401
3000	12000	1	RMS	11795.747	-54.05	-25	Pass	9000
12000	26500	1	RMS	26007.922	-39.51	-25	Pass	14500




20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.07	-25	Pass	2985
30	1000	0.1	RMS	830.698	-60.99	-25	Pass	9699
1000	2560	1	RMS	2560	-45.5	-25	Pass	1560
2560	2630	1	RMS	2588.7	19.18	60	Pass	401
2630	3000	1	RMS	2950.975	-46.14	-25	Pass	401
3000	12000	1	RMS	11814.771	-54.05	-25	Pass	9000
12000	26500	1	RMS	26008.922	-39.39	-25	Pass	14500




20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.32	-25	Pass	2985
30	1000	0.1	RMS	850.402	-61.01	-25	Pass	9699
1000	2560	1	RMS	2555.997	-44.03	-25	Pass	1560
2560	2630	1	RMS	2593.95	20.54	60	Pass	401
2630	3000	1	RMS	2632.775	-44.76	-25	Pass	401
3000	12000	1	RMS	11808.763	-54.08	-25	Pass	9000
12000	26500	1	RMS	26003.921	-39.39	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.02	-25	Pass	2985
30	1000	0.1	RMS	863.819	-61.12	-25	Pass	9699
1000	2560	1	RMS	2556.998	-45.18	-25	Pass	1560
2560	2630	1	RMS	2595.875	19.78	60	Pass	401
2630	3000	1	RMS	2632.775	-44.93	-25	Pass	401
3000	12000	1	RMS	11822.781	-54.02	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.42	-25	Pass	14500




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69	-25	Pass	2985
30	1000	0.1	RMS	850.301	-60.81	-25	Pass	9699
1000	2560	1	RMS	2555.997	-45.52	-25	Pass	1560
2560	2630	1	RMS	2599.025	20.03	60	Pass	401
2630	3000	1	RMS	2638.325	-44	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.98	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.45	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	Pass	2985
30	1000	0.1	RMS	849.5	-60.76	-25	Pass	9699
1000	2560	1	RMS	2557.999	-46.6	-25	Pass	1560
2560	2630	1	RMS	2599.025	19.85	60	Pass	401
2630	3000	1	RMS	2638.325	-44.48	-25	Pass	401
3000	12000	1	RMS	11794.746	-54.05	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.36	-25	Pass	14500



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.35	-25	Pass	2985
30	1000	0.1	RMS	837.899	-60.9	-25	Pass	9699
1000	2486	1	RMS	2486	-45.46	-25	Pass	1486
2486	2700	1	RMS	2514.89	20.84	60	Pass	401
2700	3000	1	RMS	2956.5	-46.15	-25	Pass	401
3000	12000	1	RMS	11817.774	-54.04	-25	Pass	9000
12000	27000	1	RMS	25980.85	-39.46	-25	Pass	15000




21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.85	-25	Pass	2985
30	1000	0.1	RMS	831.498	-61.04	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.38	-25	Pass	1486
2486	2700	1	RMS	2514.89	20.52	60	Pass	401
2700	3000	1	RMS	2950.5	-46.13	-25	Pass	401
3000	12000	1	RMS	6965.484	-54.01	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.35	-25	Pass	15000




21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.16	-25	Pass	2985
30	1000	0.1	RMS	828.397	-61.07	-25	Pass	9699
1000	2486	1	RMS	2486	-47.89	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.77	60	Pass	401
2700	3000	1	RMS	2949.75	-46.14	-25	Pass	401
3000	12000	1	RMS	6965.484	-54.05	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.4	-25	Pass	15000




21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.67	-25	Pass	2985
30	1000	0.1	RMS	847.8	-61.09	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.89	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.17	60	Pass	401
2700	3000	1	RMS	2945.25	-46.14	-25	Pass	401
3000	12000	1	RMS	11791.742	-54.03	-25	Pass	9000
12000	27000	1	RMS	25994.852	-39.44	-25	Pass	15000




21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-25	Pass	2985
30	1000	0.1	RMS	850.902	-61.04	-25	Pass	9699
1000	2486	1	RMS	2477.995	-47.92	-25	Pass	1486
2486	2700	1	RMS	2684.485	20.61	60	Pass	401
2700	3000	1	RMS	2700.75	-42.73	-25	Pass	401
3000	12000	1	RMS	11814.771	-54	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.44	-25	Pass	15000




21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.9	-25	Pass	2985
30	1000	0.1	RMS	852.905	-60.79	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.93	-25	Pass	1486
2486	2700	1	RMS	2683.95	19.79	60	Pass	401
2700	3000	1	RMS	2700	-44.01	-25	Pass	401
3000	12000	1	RMS	11790.741	-54.04	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.37	-25	Pass	15000




21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.24	-25	Pass	2985
30	1000	0.1	RMS	842.599	-61.03	-25	Pass	9699
1000	2486	1	RMS	2486	-46.75	-25	Pass	1486
2486	2700	1	RMS	2516.495	19.93	60	Pass	401
2700	3000	1	RMS	2949	-46.11	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.97	-25	Pass	9000
12000	27000	1	RMS	26027.857	-39.41	-25	Pass	15000




21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	Pass	2985
30	1000	0.1	RMS	843.399	-60.98	-25	Pass	9699
1000	2486	1	RMS	2486	-46.85	-25	Pass	1486
2486	2700	1	RMS	2514.89	18.84	60	Pass	401
2700	3000	1	RMS	2947.5	-46.09	-25	Pass	401
3000	12000	1	RMS	6954.483	-54.02	-25	Pass	9000
12000	27000	1	RMS	25981.85	-39.44	-25	Pass	15000




21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.96	-25	Pass	2985
30	1000	0.1	RMS	838.799	-60.95	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47.84	-25	Pass	1486
2486	2700	1	RMS	2593.535	19.91	60	Pass	401
2700	3000	1	RMS	2948.25	-46.09	-25	Pass	401
3000	12000	1	RMS	6960.483	-53.93	-25	Pass	9000
12000	27000	1	RMS	26003.854	-39.35	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.79	-25	Pass	2985
30	1000	0.1	RMS	845.9	-61	-25	Pass	9699
1000	2486	1	RMS	2486	-47.91	-25	Pass	1486
2486	2700	1	RMS	2591.93	18.87	60	Pass	401
2700	3000	1	RMS	2949	-46.09	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.94	-25	Pass	9000
12000	27000	1	RMS	26008.854	-39.42	-25	Pass	15000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-25	Pass	2985
30	1000	0.1	RMS	838.299	-60.94	-25	Pass	9699
1000	2486	1	RMS	2480.997	-47.87	-25	Pass	1486
2486	2700	1	RMS	2670.575	19.23	60	Pass	401
2700	3000	1	RMS	2708.25	-45.19	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.99	-25	Pass	9000
12000	27000	1	RMS	26011.855	-39.37	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.51	-25	Pass	2985
30	1000	0.1	RMS	960.147	-61.01	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.84	-25	Pass	1486
2486	2700	1	RMS	2668.97	18.12	60	Pass	401
2700	3000	1	RMS	2708.25	-45.6	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.91	-25	Pass	9000
12000	27000	1	RMS	26010.855	-39.33	-25	Pass	15000




NR

22. n5 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.34	-13	Pass	7840
814	859	0.1	RMS	826.027	11.09	60	Pass	450
859	1000	0.1	RMS	998.999	-64.27	-13	Pass	1410
1000	3000	1	RMS	2869.935	-49.16	-13	Pass	2000
3000	10000	1	RMS	8420.774	-60.71	-13	Pass	7000




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	814	0.1	RMS	814	-63.05	-13	Pass	7840
814	859	0.1	RMS	826.327	11.14	60	Pass	450
859	1000	0.1	RMS	887.72	-64.06	-13	Pass	1410
1000	3000	1	RMS	2874.937	-49.12	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.68	-13	Pass	7000



22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	Pass	2985
30	814	0.1	RMS	808.599	-64.48	-13	Pass	7840
814	859	0.1	RMS	837.352	11.03	60	Pass	450
859	1000	0.1	RMS	889.422	-64.17	-13	Pass	1410
1000	3000	1	RMS	2878.939	-49.13	-13	Pass	2000
3000	10000	1	RMS	8391.77	-60.64	-13	Pass	7000



22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2985
30	814	0.1	RMS	745.291	-64.52	-13	Pass	7840
814	859	0.1	RMS	836.35	11.32	60	Pass	450
859	1000	0.1	RMS	895.626	-64.19	-13	Pass	1410
1000	3000	1	RMS	2879.94	-49.13	-13	Pass	2000
3000	10000	1	RMS	8431.776	-60.61	-13	Pass	7000

