



22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.31	-13	Pass	2985
30	814	0.1	RMS	746.191	-64.35	-13	Pass	7840
814	859	0.1	RMS	845.971	11.05	60	Pass	450
859	1000	0.1	RMS	905.633	-64.02	-13	Pass	1410
1000	3000	1	RMS	2869.935	-49.16	-13	Pass	2000
3000	10000	1	RMS	8418.774	-60.67	-13	Pass	7000




22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-13	Pass	2985
30	814	0.1	RMS	730.789	-64.51	-13	Pass	7840
814	859	0.1	RMS	846.372	11.16	60	Pass	450
859	1000	0.1	RMS	903.632	-64.18	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.16	-13	Pass	2000
3000	10000	1	RMS	8397.771	-60.66	-13	Pass	7000




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2985
30	814	0.1	RMS	813.3	-49.07	-13	Pass	7840
814	859	0.1	RMS	828.733	6.46	60	Pass	450
859	1000	0.1	RMS	887.12	-64.12	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.17	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.6	-13	Pass	7000




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.02	-13	Pass	2985
30	814	0.1	RMS	813.2	-45.87	-13	Pass	7840
814	859	0.1	RMS	827.731	6.62	60	Pass	450
859	1000	0.1	RMS	876.312	-64.22	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.16	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.65	-13	Pass	7000




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-13	Pass	2985
30	814	0.1	RMS	814	-59.28	-13	Pass	7840
814	859	0.1	RMS	837.452	6.3	60	Pass	450
859	1000	0.1	RMS	903.632	-64.16	-13	Pass	1410
1000	3000	1	RMS	2874.937	-49.15	-13	Pass	2000
3000	10000	1	RMS	8412.773	-60.69	-13	Pass	7000




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.45	-13	Pass	2985
30	814	0.1	RMS	814	-57.08	-13	Pass	7840
814	859	0.1	RMS	838.454	6.51	60	Pass	450
859	1000	0.1	RMS	899.529	-64.11	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.11	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.67	-13	Pass	7000




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.11	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.94	-13	Pass	2985
30	814	0.1	RMS	813.3	-63.06	-13	Pass	7840
814	859	0.1	RMS	842.463	6.24	60	Pass	450
859	1000	0.1	RMS	890.722	-64.28	-13	Pass	1410
1000	3000	1	RMS	2874.937	-49.15	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.64	-13	Pass	7000




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.6	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	Pass	2985
30	814	0.1	RMS	814	-60.62	-13	Pass	7840
814	859	0.1	RMS	842.263	6.33	60	Pass	450
859	1000	0.1	RMS	883.517	-64.16	-13	Pass	1410
1000	3000	1	RMS	2879.94	-49.13	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.68	-13	Pass	7000




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2985
30	814	0.1	RMS	814	-54.2	-13	Pass	7840
814	859	0.1	RMS	829.935	4.77	60	Pass	450
859	1000	0.1	RMS	894.725	-64.11	-13	Pass	1410
1000	3000	1	RMS	2873.937	-49.16	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.68	-13	Pass	7000




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.29	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.63	-13	Pass	2985
30	814	0.1	RMS	813.9	-51.92	-13	Pass	7840
814	859	0.1	RMS	831.84	4.79	60	Pass	450
859	1000	0.1	RMS	899.028	-64.13	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.16	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.64	-13	Pass	7000




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	Pass	2985
30	814	0.1	RMS	812.9	-55.2	-13	Pass	7840
814	859	0.1	RMS	840.158	5.13	60	Pass	450
859	1000	0.1	RMS	904.432	-64.06	-13	Pass	1410
1000	3000	1	RMS	2873.937	-49.15	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.67	-13	Pass	7000




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.74	-13	Pass	2985
30	814	0.1	RMS	813.8	-53.36	-13	Pass	7840
814	859	0.1	RMS	840.158	4.98	60	Pass	450
859	1000	0.1	RMS	900.229	-64.06	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.13	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.66	-13	Pass	7000




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2985
30	814	0.1	RMS	813.5	-55.06	-13	Pass	7840
814	859	0.1	RMS	840.459	4.83	60	Pass	450
859	1000	0.1	RMS	883.718	-64.01	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.12	-13	Pass	2000
3000	10000	1	RMS	8404.772	-60.7	-13	Pass	7000



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.71	-13	Pass	7840
814	859	0.1	RMS	841.561	4.98	60	Pass	450
859	1000	0.1	RMS	905.333	-64.21	-13	Pass	1410
1000	3000	1	RMS	2879.94	-49.13	-13	Pass	2000
3000	10000	1	RMS	8434.776	-60.71	-13	Pass	7000



23. n7 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2985
30	1000	0.1	RMS	903.772	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-50.72	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.68	60	Pass	401
2580	3000	1	RMS	2878.711	-49.14	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.51	-25	Pass	3500
6500	26000	1	RMS	25497.839	-45.05	-25	Pass	19500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.43	-25	Pass	2985
30	1000	0.1	RMS	903.372	-64.05	-25	Pass	9699
1000	2490	1	RMS	2490	-50.66	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.81	60	Pass	401
2580	3000	1	RMS	2868.687	-49.15	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.56	-25	Pass	3500
6500	26000	1	RMS	25835.947	-45.06	-25	Pass	19500




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-25	Pass	2985
30	1000	0.1	RMS	880.742	-64.22	-25	Pass	9699
1000	2490	1	RMS	2490	-51	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.47	60	Pass	401
2580	3000	1	RMS	2879.714	-49.15	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.46	-25	Pass	3500
6500	26000	1	RMS	25497.839	-45	-25	Pass	19500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.01	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.95	-25	Pass	2985
30	1000	0.1	RMS	900.969	-64.2	-25	Pass	9699
1000	2490	1	RMS	2464.983	-50.83	-25	Pass	1490
2490	2580	1	RMS	2534.55	20.55	60	Pass	401
2580	3000	1	RMS	2873.699	-49.16	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.52	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.01	-25	Pass	19500




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-25	Pass	2985
30	1000	0.1	RMS	999.7	-64.18	-25	Pass	9699
1000	2490	1	RMS	2463.983	-50.84	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.39	60	Pass	401
2580	3000	1	RMS	2875.704	-49.13	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.55	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.03	-25	Pass	19500




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	Pass	2985
30	1000	0.1	RMS	869.727	-64.08	-25	Pass	9699
1000	2490	1	RMS	2490	-50.95	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.54	60	Pass	401
2580	3000	1	RMS	2878.711	-49.15	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.46	-25	Pass	3500
6500	26000	1	RMS	25509.843	-45.04	-25	Pass	19500




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.38	-25	Pass	2985
30	1000	0.1	RMS	884.547	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-41.85	-25	Pass	1490
2490	2580	1	RMS	2508	15.98	60	Pass	401
2580	3000	1	RMS	2880.716	-49.16	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.47	-25	Pass	3500
6500	26000	1	RMS	25493.838	-45.05	-25	Pass	19500




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-25	Pass	2985
30	1000	0.1	RMS	888.252	-64.15	-25	Pass	9699
1000	2490	1	RMS	2490	-42.63	-25	Pass	1490
2490	2580	1	RMS	2508.9	16.08	60	Pass	401
2580	3000	1	RMS	2877.709	-49.14	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.49	-25	Pass	3500
6500	26000	1	RMS	25502.84	-45.01	-25	Pass	19500




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-25	Pass	2985
30	1000	0.1	RMS	890.154	-64.08	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.01	-25	Pass	1490
2490	2580	1	RMS	2532.3	15.74	60	Pass	401
2580	3000	1	RMS	2873.699	-49.13	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.43	-25	Pass	3500
6500	26000	1	RMS	25502.84	-45.02	-25	Pass	19500




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-25	Pass	2985
30	1000	0.1	RMS	913.986	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-51.03	-25	Pass	1490
2490	2580	1	RMS	2536.35	15.84	60	Pass	401
2580	3000	1	RMS	2868.687	-49.1	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.51	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45.05	-25	Pass	19500




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.37	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.46	-25	Pass	2985
30	1000	0.1	RMS	919.393	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-50.97	-25	Pass	1490
2490	2580	1	RMS	2559.975	15.85	60	Pass	401
2580	3000	1	RMS	2580	-44.53	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.52	-25	Pass	3500
6500	26000	1	RMS	25504.841	-45.06	-25	Pass	19500




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-25	Pass	2985
30	1000	0.1	RMS	887.751	-64.23	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.08	-25	Pass	1490
2490	2580	1	RMS	2563.8	15.88	60	Pass	401
2580	3000	1	RMS	2580	-40.59	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.52	-25	Pass	3500
6500	26000	1	RMS	25492.837	-45.08	-25	Pass	19500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-73.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-25	Pass	2985
30	1000	0.1	RMS	866.122	-64.15	-25	Pass	9699
1000	2490	1	RMS	2490	-40.08	-25	Pass	1490
2490	2580	1	RMS	2508.225	14.44	60	Pass	401
2580	3000	1	RMS	2881.718	-49.16	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.47	-25	Pass	3500
6500	26000	1	RMS	25503.841	-45.04	-25	Pass	19500




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.45	-25	Pass	2985
30	1000	0.1	RMS	892.558	-64.06	-25	Pass	9699
1000	2490	1	RMS	2490	-40	-25	Pass	1490
2490	2580	1	RMS	2512.5	14.61	60	Pass	401
2580	3000	1	RMS	2871.695	-49.15	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.43	-25	Pass	3500
6500	26000	1	RMS	25886.964	-45.06	-25	Pass	19500




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-25	Pass	2985
30	1000	0.1	RMS	899.967	-64.04	-25	Pass	9699
1000	2490	1	RMS	2490	-50.94	-25	Pass	1490
2490	2580	1	RMS	2530.95	14.48	60	Pass	401
2580	3000	1	RMS	2868.687	-49.14	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.49	-25	Pass	3500
6500	26000	1	RMS	25868.958	-45.05	-25	Pass	19500




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.48	-25	Pass	2985
30	1000	0.1	RMS	880.742	-64.01	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.02	-25	Pass	1490
2490	2580	1	RMS	2532.525	14.41	60	Pass	401
2580	3000	1	RMS	2870.692	-49.1	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.49	-25	Pass	3500
6500	26000	1	RMS	25900.968	-45.03	-25	Pass	19500




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-25	Pass	2985
30	1000	0.1	RMS	897.865	-64.13	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.07	-25	Pass	1490
2490	2580	1	RMS	2556.15	14.43	60	Pass	401
2580	3000	1	RMS	2580	-43.02	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.52	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.97	-25	Pass	19500



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.69	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.2	-25	Pass	2985
30	1000	0.1	RMS	887.351	-64.15	-25	Pass	9699
1000	2490	1	RMS	2490	-50.92	-25	Pass	1490
2490	2580	1	RMS	2557.5	14.37	60	Pass	401
2580	3000	1	RMS	2580	-40.56	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.48	-25	Pass	3500
6500	26000	1	RMS	25500.84	-45	-25	Pass	19500



24. n38 30kHz_PC3


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.26	-25	Pass	2985
30	1000	0.1	RMS	961.749	-61.4	-25	Pass	9699
1000	2560	1	RMS	2560	-37.26	-25	Pass	1560
2560	2630	1	RMS	2577.325	14.95	60	Pass	401
2630	3000	1	RMS	2877.9	-49.07	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.26	-25	Pass	3500
6500	27000	1	RMS	25186.559	-43.86	-25	Pass	20500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.04	-25	Pass	2985
30	1000	0.1	RMS	893.459	-61.84	-25	Pass	9699
1000	2560	1	RMS	2558.999	-32.93	-25	Pass	1560
2560	2630	1	RMS	2576.8	14.83	60	Pass	401
2630	3000	1	RMS	2868.65	-49.1	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.35	-25	Pass	3500
6500	27000	1	RMS	25492.634	-44.11	-25	Pass	20500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.11	-25	Pass	2985
30	1000	0.1	RMS	884.146	-61.67	-25	Pass	9699
1000	2560	1	RMS	2499.962	-50.52	-25	Pass	1560
2560	2630	1	RMS	2592.375	14.95	60	Pass	401
2630	3000	1	RMS	2874.2	-49.05	-25	Pass	401
3000	6500	1	RMS	6102.887	-64.28	-25	Pass	3500
6500	27000	1	RMS	25828.715	-43.68	-25	Pass	20500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.94	-25	Pass	2985
30	1000	0.1	RMS	948.131	-61.69	-25	Pass	9699
1000	2560	1	RMS	2560	-47.89	-25	Pass	1560
2560	2630	1	RMS	2598.325	14.94	60	Pass	401
2630	3000	1	RMS	2630	-47.15	-25	Pass	401
3000	6500	1	RMS	6210.917	-64.32	-25	Pass	3500
6500	27000	1	RMS	25508.638	-44.17	-25	Pass	20500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-25	Pass	2985
30	1000	0.1	RMS	876.236	-61.91	-25	Pass	9699
1000	2560	1	RMS	2516.972	-50.63	-25	Pass	1560
2560	2630	1	RMS	2607.25	14.98	60	Pass	401
2630	3000	1	RMS	2630.925	-37.12	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.27	-25	Pass	3500
6500	27000	1	RMS	25863.724	-43.62	-25	Pass	20500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.4	-25	Pass	2985
30	1000	0.1	RMS	889.153	-61.63	-25	Pass	9699
1000	2560	1	RMS	2502.963	-50.57	-25	Pass	1560
2560	2630	1	RMS	2613.025	15.1	60	Pass	401
2630	3000	1	RMS	2630	-35.6	-25	Pass	401
3000	6500	1	RMS	6074.879	-64.13	-25	Pass	3500
6500	27000	1	RMS	25820.713	-43.8	-25	Pass	20500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.46	-25	Pass	2985
30	1000	0.1	RMS	892.858	-61.51	-25	Pass	9699
1000	2560	1	RMS	2557.999	-35.98	-25	Pass	1560
2560	2630	1	RMS	2580.65	13.36	60	Pass	401
2630	3000	1	RMS	2630.925	-43.48	-25	Pass	401
3000	6500	1	RMS	6208.917	-64.3	-25	Pass	3500
6500	27000	1	RMS	25487.633	-43.97	-25	Pass	20500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.73	-25	Pass	2985
30	1000	0.1	RMS	929.406	-61.81	-25	Pass	9699
1000	2560	1	RMS	2560	-33.41	-25	Pass	1560
2560	2630	1	RMS	2582.05	13.41	60	Pass	401
2630	3000	1	RMS	2631.85	-42.7	-25	Pass	401
3000	6500	1	RMS	6202.915	-64.26	-25	Pass	3500
6500	27000	1	RMS	25495.635	-43.82	-25	Pass	20500




24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-25	Pass	401
0.15	30	0.01	RMS	0.36	-70.87	-25	Pass	2985
30	1000	0.1	RMS	977.971	-61.77	-25	Pass	9699
1000	2560	1	RMS	2557.999	-42.16	-25	Pass	1560
2560	2630	1	RMS	2595	13.36	60	Pass	401
2630	3000	1	RMS	2630	-42.5	-25	Pass	401
3000	6500	1	RMS	6072.878	-64.15	-25	Pass	3500
6500	27000	1	RMS	25879.728	-43.92	-25	Pass	20500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-25	Pass	2985
30	1000	0.1	RMS	946.529	-61.21	-25	Pass	9699
1000	2560	1	RMS	2558.999	-38.78	-25	Pass	1560
2560	2630	1	RMS	2591.85	13.36	60	Pass	401
2630	3000	1	RMS	2630.925	-39.24	-25	Pass	401
3000	6500	1	RMS	6079.88	-64.14	-25	Pass	3500
6500	27000	1	RMS	26169.798	-43.94	-25	Pass	20500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.32	-68.88	-25	Pass	2985
30	1000	0.1	RMS	505.758	-61.77	-25	Pass	9699
1000	2560	1	RMS	2560	-40.49	-25	Pass	1560
2560	2630	1	RMS	2604.975	13.44	60	Pass	401
2630	3000	1	RMS	2630	-36.94	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.13	-25	Pass	3500
6500	27000	1	RMS	25873.726	-43.69	-25	Pass	20500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.45	-25	Pass	2985
30	1000	0.1	RMS	932.21	-60.48	-25	Pass	9699
1000	2560	1	RMS	2560	-42.05	-25	Pass	1560
2560	2630	1	RMS	2607.95	13.4	60	Pass	401
2630	3000	1	RMS	2630.925	-34.51	-25	Pass	401
3000	6500	1	RMS	6081.881	-64.2	-25	Pass	3500
6500	27000	1	RMS	25910.735	-43.98	-25	Pass	20500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.62	-25	Pass	2985
30	1000	0.1	RMS	854.207	-61.08	-25	Pass	9699
1000	2560	1	RMS	2560	-36.54	-25	Pass	1560
2560	2630	1	RMS	2585.725	12.02	60	Pass	401
2630	3000	1	RMS	2630	-41.17	-25	Pass	401
3000	6500	1	RMS	6080.88	-64.15	-25	Pass	3500
6500	27000	1	RMS	26888.973	-44.01	-25	Pass	20500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.73	-25	Pass	2985
30	1000	0.1	RMS	889.053	-61.6	-25	Pass	9699
1000	2560	1	RMS	2560	-32.44	-25	Pass	1560
2560	2630	1	RMS	2591.675	12	60	Pass	401
2630	3000	1	RMS	2630	-37.4	-25	Pass	401
3000	6500	1	RMS	6079.88	-64.13	-25	Pass	3500
6500	27000	1	RMS	25944.744	-44.17	-25	Pass	20500




24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.88	-25	Pass	2985
30	1000	0.1	RMS	826.397	-61.85	-25	Pass	9699
1000	2560	1	RMS	2558.999	-38.96	-25	Pass	1560
2560	2630	1	RMS	2598.325	12.05	60	Pass	401
2630	3000	1	RMS	2630	-38.67	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.22	-25	Pass	3500
6500	27000	1	RMS	25572.653	-43.82	-25	Pass	20500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.16	-25	Pass	2985
30	1000	0.1	RMS	929.106	-61.32	-25	Pass	9699
1000	2560	1	RMS	2558.999	-34.57	-25	Pass	1560
2560	2630	1	RMS	2596.575	11.99	60	Pass	401
2630	3000	1	RMS	2632.775	-36.09	-25	Pass	401
3000	6500	1	RMS	6203.915	-64.29	-25	Pass	3500
6500	27000	1	RMS	25480.631	-43.87	-25	Pass	20500




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.89	-25	Pass	2985
30	1000	0.1	RMS	884.347	-61.32	-25	Pass	9699
1000	2560	1	RMS	2560	-37.77	-25	Pass	1560
2560	2630	1	RMS	2595.35	12.02	60	Pass	401
2630	3000	1	RMS	2630	-37.99	-25	Pass	401
3000	6500	1	RMS	6079.88	-64.31	-25	Pass	3500
6500	27000	1	RMS	25904.734	-44.07	-25	Pass	20500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.15	-25	Pass	2985
30	1000	0.1	RMS	902.17	-61.54	-25	Pass	9699
1000	2560	1	RMS	2560	-35.98	-25	Pass	1560
2560	2630	1	RMS	2601.475	11.98	60	Pass	401
2630	3000	1	RMS	2630	-34.25	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.2	-25	Pass	3500
6500	27000	1	RMS	26918.98	-43.9	-25	Pass	20500



25. n41 30kHz


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.01	-25	Pass	2985
30	1000	0.1	RMS	747.888	-61.8	-25	Pass	9699
1000	2486	1	RMS	2486	-43.43	-25	Pass	1486
2486	2700	1	RMS	2508.47	15.18	60	Pass	401
2700	3000	1	RMS	2875.5	-49.08	-25	Pass	401
3000	6500	1	RMS	6210.917	-64.14	-25	Pass	3500
6500	27000	1	RMS	25835.717	-43.87	-25	Pass	20500




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.46	-25	Pass	2985
30	1000	0.1	RMS	899.767	-61.17	-25	Pass	9699
1000	2486	1	RMS	2486	-40.91	-25	Pass	1486
2486	2700	1	RMS	2509.005	15.06	60	Pass	401
2700	3000	1	RMS	2874.75	-49.05	-25	Pass	401
3000	6500	1	RMS	6199.914	-64.38	-25	Pass	3500
6500	27000	1	RMS	25221.568	-43.96	-25	Pass	20500




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-25	Pass	2985
30	1000	0.1	RMS	925.802	-61.77	-25	Pass	9699
1000	2486	1	RMS	2471.991	-50.97	-25	Pass	1486
2486	2700	1	RMS	2590.325	15.17	60	Pass	401
2700	3000	1	RMS	2877	-49.05	-25	Pass	401
3000	6500	1	RMS	6201.915	-64.26	-25	Pass	3500
6500	27000	1	RMS	25841.719	-43.86	-25	Pass	20500




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.02	-25	Pass	2985
30	1000	0.1	RMS	755.389	-61.65	-25	Pass	9699
1000	2486	1	RMS	2463.985	-50.89	-25	Pass	1486
2486	2700	1	RMS	2596.21	15.24	60	Pass	401
2700	3000	1	RMS	2870.25	-49.09	-25	Pass	401
3000	6500	1	RMS	6075.879	-64.31	-25	Pass	3500
6500	27000	1	RMS	26857.965	-43.91	-25	Pass	20500




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.56	-25	Pass	2985
30	1000	0.1	RMS	861.116	-61.59	-25	Pass	9699
1000	2486	1	RMS	2486	-50.79	-25	Pass	1486
2486	2700	1	RMS	2682.345	14.71	60	Pass	401
2700	3000	1	RMS	2700	-37.25	-25	Pass	401
3000	6500	1	RMS	6200.915	-64.34	-25	Pass	3500
6500	27000	1	RMS	25518.64	-43.59	-25	Pass	20500




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.41	-25	Pass	2985
30	1000	0.1	RMS	929.306	-61.72	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51	-25	Pass	1486
2486	2700	1	RMS	2682.88	14.8	60	Pass	401
2700	3000	1	RMS	2700	-34.74	-25	Pass	401
3000	6500	1	RMS	6077.879	-64.21	-25	Pass	3500
6500	27000	1	RMS	26877.97	-44.1	-25	Pass	20500




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.66	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.73	-25	Pass	2985
30	1000	0.1	RMS	728.385	-61.53	-25	Pass	9699
1000	2486	1	RMS	2482.998	-38.23	-25	Pass	1486
2486	2700	1	RMS	2518.635	9.98	60	Pass	401
2700	3000	1	RMS	2878.5	-49.09	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.33	-25	Pass	3500
6500	27000	1	RMS	25865.724	-43.92	-25	Pass	20500




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.62	-25	Pass	2985
30	1000	0.1	RMS	926.903	-61.1	-25	Pass	9699
1000	2486	1	RMS	2486	-33.17	-25	Pass	1486
2486	2700	1	RMS	2534.15	10.09	60	Pass	401
2700	3000	1	RMS	2874	-49.06	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.26	-25	Pass	3500
6500	27000	1	RMS	26825.958	-44.01	-25	Pass	20500




25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.78	-25	Pass	2985
30	1000	0.1	RMS	759.389	-61.9	-25	Pass	9699
1000	2486	1	RMS	2486	-50.81	-25	Pass	1486
2486	2700	1	RMS	2585.51	10.07	60	Pass	401
2700	3000	1	RMS	2863.5	-49.07	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.3	-25	Pass	3500
6500	27000	1	RMS	25480.631	-44.08	-25	Pass	20500




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.35	-70.14	-25	Pass	2985
30	1000	0.1	RMS	954.74	-61.56	-25	Pass	9699
1000	2486	1	RMS	2486	-50.41	-25	Pass	1486
2486	2700	1	RMS	2581.23	10.1	60	Pass	401
2700	3000	1	RMS	2868	-49.04	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.33	-25	Pass	3500
6500	27000	1	RMS	25196.562	-44	-25	Pass	20500




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.93	-25	Pass	2985
30	1000	0.1	RMS	910.181	-61.19	-25	Pass	9699
1000	2486	1	RMS	2486	-50.78	-25	Pass	1486
2486	2700	1	RMS	2653.455	3.97	60	Pass	401
2700	3000	1	RMS	2700.75	-36.97	-25	Pass	401
3000	6500	1	RMS	6081.881	-64.11	-25	Pass	3500
6500	27000	1	RMS	25830.716	-44.04	-25	Pass	20500




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-25	Pass	2985
30	1000	0.1	RMS	898.565	-61.24	-25	Pass	9699
1000	2486	1	RMS	2486	-50.67	-25	Pass	1486
2486	2700	1	RMS	2647.035	10.57	60	Pass	401
2700	3000	1	RMS	2700	-31.85	-25	Pass	401
3000	6500	1	RMS	6201.915	-64.21	-25	Pass	3500
6500	27000	1	RMS	25925.739	-43.57	-25	Pass	20500




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.16	-25	Pass	2985
30	1000	0.1	RMS	874.534	-61.48	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.2	-25	Pass	1486
2486	2700	1	RMS	2563.575	7.77	60	Pass	401
2700	3000	1	RMS	2877	-48.96	-25	Pass	401
3000	6500	1	RMS	5865.819	-64.33	-25	Pass	3500
6500	27000	1	RMS	26798.951	-43.73	-25	Pass	20500




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.94	-25	Pass	2985
30	1000	0.1	RMS	908.278	-61.7	-25	Pass	9699
1000	2486	1	RMS	2484.999	-34.15	-25	Pass	1486
2486	2700	1	RMS	2560.365	7.91	60	Pass	401
2700	3000	1	RMS	2868	-49.02	-25	Pass	401
3000	6500	1	RMS	6209.917	-64.23	-25	Pass	3500
6500	27000	1	RMS	25887.73	-43.96	-25	Pass	20500




25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.05	-25	Pass	2985
30	1000	0.1	RMS	932.31	-61.76	-25	Pass	9699
1000	2486	1	RMS	2486	-49.51	-25	Pass	1486
2486	2700	1	RMS	2572.67	7.96	60	Pass	401
2700	3000	1	RMS	2700.75	-48.83	-25	Pass	401
3000	6500	1	RMS	6075.879	-64.27	-25	Pass	3500
6500	27000	1	RMS	25534.644	-43.46	-25	Pass	20500




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.51	-25	Pass	2985
30	1000	0.1	RMS	904.774	-61.86	-25	Pass	9699
1000	2486	1	RMS	2486	-47.96	-25	Pass	1486
2486	2700	1	RMS	2571.065	7.86	60	Pass	401
2700	3000	1	RMS	2700.75	-47.09	-25	Pass	401
3000	6500	1	RMS	6204.916	-64.21	-25	Pass	3500
6500	27000	1	RMS	25208.565	-43.93	-25	Pass	20500




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.3	-25	Pass	2985
30	1000	0.1	RMS	915.288	-61.64	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.95	-25	Pass	1486
2486	2700	1	RMS	2639.01	7.95	60	Pass	401
2700	3000	1	RMS	2700	-34.12	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.84	-25	Pass	3500
6500	27000	1	RMS	25450.624	-43.82	-25	Pass	20500



25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.68	-25	Pass	2985
30	1000	0.1	RMS	913.185	-62.01	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.58	-25	Pass	1486
2486	2700	1	RMS	2642.22	8	60	Pass	401
2700	3000	1	RMS	2700	-31.45	-25	Pass	401
3000	6500	1	RMS	6209.917	-64.32	-25	Pass	3500
6500	27000	1	RMS	25499.635	-43.51	-25	Pass	20500



26. DC_5A_n7A_SCS15


26.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.11	-25	Pass	2985
30	1000	0.1	RMS	999.499	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-50.47	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.26	60	Pass	401
2580	3000	1	RMS	2873.699	-48.74	-25	Pass	420
3000	6500	1	RMS	5003.572	-62.8	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.41	-25	Pass	19500




26.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-25	Pass	2985
30	1000	0.1	RMS	898.565	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-50.26	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.43	60	Pass	401
2580	3000	1	RMS	2869.69	-48.75	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.59	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.38	-25	Pass	19500




26.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2985
30	1000	0.1	RMS	899.867	-63.78	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.63	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.32	60	Pass	401
2580	3000	1	RMS	2877.709	-48.75	-25	Pass	420
3000	6500	1	RMS	5068.591	-63.57	-25	Pass	3500
6500	26000	1	RMS	25508.842	-44.45	-25	Pass	19500




26.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-25	Pass	2985
30	1000	0.1	RMS	885.348	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-50.72	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.47	60	Pass	401
2580	3000	1	RMS	2868.687	-48.75	-25	Pass	420
3000	6500	1	RMS	5069.591	-63.5	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.43	-25	Pass	19500




26.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.35	-25	Pass	2985
30	1000	0.1	RMS	898.265	-63.94	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.63	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.5	60	Pass	401
2580	3000	1	RMS	2867.685	-48.76	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.5	-25	Pass	19500




26.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-25	Pass	2985
30	1000	0.1	RMS	896.763	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-50.63	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.6	60	Pass	401
2580	3000	1	RMS	2876.706	-48.79	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.96	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.33	-25	Pass	19500




26.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-59.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-25	Pass	2985
30	1000	0.1	RMS	891.356	-63.93	-25	Pass	9699
1000	2490	1	RMS	2490	-40.97	-25	Pass	1490
2490	2580	1	RMS	2508.45	15.93	60	Pass	401
2580	3000	1	RMS	2869.69	-48.76	-25	Pass	420
3000	6500	1	RMS	5010.574	-63.62	-25	Pass	3500
6500	26000	1	RMS	25869.958	-44.51	-25	Pass	19500




26.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.12	-25	Pass	2985
30	1000	0.1	RMS	914.787	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-39.53	-25	Pass	1490
2490	2580	1	RMS	2508.675	16.08	60	Pass	401
2580	3000	1	RMS	2877.709	-48.77	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.93	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.45	-25	Pass	19500




26.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-25	Pass	2985
30	1000	0.1	RMS	890.555	-63.98	-25	Pass	9699
1000	2490	1	RMS	2482.995	-50.71	-25	Pass	1490
2490	2580	1	RMS	2532.525	15.8	60	Pass	401
2580	3000	1	RMS	2875.704	-48.75	-25	Pass	420
3000	6500	1	RMS	5065.59	-63.84	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.44	-25	Pass	19500




26.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-25	Pass	2985
30	1000	0.1	RMS	886.049	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-50.68	-25	Pass	1490
2490	2580	1	RMS	2536.575	15.91	60	Pass	401
2580	3000	1	RMS	2872.697	-48.77	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.96	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.48	-25	Pass	19500




26.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.57	-25	Pass	2985
30	1000	0.1	RMS	998.598	-63.86	-25	Pass	9699
1000	2490	1	RMS	2490	-50.68	-25	Pass	1490
2490	2580	1	RMS	2559.975	16.06	60	Pass	401
2580	3000	1	RMS	2580	-42.64	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.47	-25	Pass	19500




26.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-25	Pass	2985
30	1000	0.1	RMS	906.476	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.63	-25	Pass	1490
2490	2580	1	RMS	2564.025	16.03	60	Pass	401
2580	3000	1	RMS	2580	-40.06	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.49	-25	Pass	19500




26.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.68	-25	Pass	2985
30	1000	0.1	RMS	888.953	-63.93	-25	Pass	9699
1000	2490	1	RMS	2490	-38.93	-25	Pass	1490
2490	2580	1	RMS	2506.2	14.57	60	Pass	401
2580	3000	1	RMS	2871.695	-48.8	-25	Pass	420
3000	6500	1	RMS	6214.919	-63.96	-25	Pass	3500
6500	26000	1	RMS	25491.837	-44.42	-25	Pass	19500




26.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.46	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-25	Pass	2985
30	1000	0.1	RMS	898.966	-63.89	-25	Pass	9699
1000	2490	1	RMS	2488.999	-38.42	-25	Pass	1490
2490	2580	1	RMS	2512.5	14.61	60	Pass	401
2580	3000	1	RMS	2870.692	-48.73	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.43	-25	Pass	19500




26.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.14	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-50.6	-25	Pass	1490
2490	2580	1	RMS	2530.95	14.57	60	Pass	401
2580	3000	1	RMS	2878.711	-48.76	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.41	-25	Pass	19500




26.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-25	Pass	2985
30	1000	0.1	RMS	901.87	-63.94	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2532.75	14.52	60	Pass	401
2580	3000	1	RMS	2877.709	-48.75	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.45	-25	Pass	19500




26.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.58	-25	Pass	2985
30	1000	0.1	RMS	991.889	-64	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.71	-25	Pass	1490
2490	2580	1	RMS	2555.925	14.72	60	Pass	401
2580	3000	1	RMS	2581.002	-41.92	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.98	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.47	-25	Pass	19500



26.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.31	-71.75	-25	Pass	2985
30	1000	0.1	RMS	905.575	-63.88	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.68	-25	Pass	1490
2490	2580	1	RMS	2556.15	14.65	60	Pass	401
2580	3000	1	RMS	2581.002	-39.92	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.94	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.42	-25	Pass	19500



27. DC_7A_n5A_SCS15


27.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within
 FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR
 RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.3	-13	Pass	7840
814	859	0.1	RMS	826.227	10.92	60	Pass	450
859	1000	0.1	RMS	899.429	-64.09	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.99	-13	Pass	2000
3000	10000	1	RMS	8408.773	-60.47	-13	Pass	7000




27.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.19	-13	Pass	7840
814	859	0.1	RMS	826.227	11.11	60	Pass	450
859	1000	0.1	RMS	999.8	-63.94	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49	-13	Pass	2000
3000	10000	1	RMS	8408.773	-60.54	-13	Pass	7000




27.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.92	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-13	Pass	2985
30	814	0.1	RMS	741.591	-64.44	-13	Pass	7840
814	859	0.1	RMS	837.352	11.28	60	Pass	450
859	1000	0.1	RMS	898.728	-63.99	-13	Pass	1410
1000	3000	1	RMS	2878.939	-48.97	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.49	-13	Pass	7000




27.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2985
30	814	0.1	RMS	745.091	-64.18	-13	Pass	7840
814	859	0.1	RMS	837.352	11.05	60	Pass	450
859	1000	0.1	RMS	993.696	-63.88	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.98	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.49	-13	Pass	7000




27.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.52	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.99	-13	Pass	2985
30	814	0.1	RMS	752.392	-64.4	-13	Pass	7840
814	859	0.1	RMS	846.272	10.88	60	Pass	450
859	1000	0.1	RMS	985.99	-64.02	-13	Pass	1410
1000	3000	1	RMS	2878.939	-49.03	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.58	-13	Pass	7000




27.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	814	0.1	RMS	751.592	-64.38	-13	Pass	7840
814	859	0.1	RMS	846.272	11.18	60	Pass	450
859	1000	0.1	RMS	882.817	-64.05	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.99	-13	Pass	2000
3000	10000	1	RMS	8391.77	-60.56	-13	Pass	7000




27.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2985
30	814	0.1	RMS	814	-48.17	-13	Pass	7840
814	859	0.1	RMS	828.432	6.49	60	Pass	450
859	1000	0.1	RMS	916.04	-63.72	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.99	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.51	-13	Pass	7000




27.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	814	0.1	RMS	812.3	-46.85	-13	Pass	7840
814	859	0.1	RMS	829.334	6.55	60	Pass	450
859	1000	0.1	RMS	891.023	-64.01	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.02	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.55	-13	Pass	7000




27.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	Pass	2985
30	814	0.1	RMS	813.7	-58.79	-13	Pass	7840
814	859	0.1	RMS	838.053	6.54	60	Pass	450
859	1000	0.1	RMS	875.712	-64.02	-13	Pass	1410
1000	3000	1	RMS	2867.934	-49	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.52	-13	Pass	7000




27.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.39	-13	Pass	7840
814	859	0.1	RMS	838.955	6.44	60	Pass	450
859	1000	0.1	RMS	893.124	-63.97	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.97	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.56	-13	Pass	7000




27.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.32	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.51	-13	Pass	2985
30	814	0.1	RMS	813.4	-62.75	-13	Pass	7840
814	859	0.1	RMS	842.463	6.57	60	Pass	450
859	1000	0.1	RMS	908.635	-63.98	-13	Pass	1410
1000	3000	1	RMS	2875.938	-49.03	-13	Pass	2000
3000	10000	1	RMS	8397.771	-60.55	-13	Pass	7000




27.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-66.85	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.17	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.63	-13	Pass	7840
814	859	0.1	RMS	840.058	6.33	60	Pass	450
859	1000	0.1	RMS	882.817	-64.06	-13	Pass	1410
1000	3000	1	RMS	2875.938	-48.99	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.5	-13	Pass	7000




27.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-13	Pass	2985
30	814	0.1	RMS	813.4	-53.88	-13	Pass	7840
814	859	0.1	RMS	837.653	5.02	60	Pass	450
859	1000	0.1	RMS	893.224	-63.97	-13	Pass	1410
1000	3000	1	RMS	2871.936	-49.02	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.49	-13	Pass	7000




27.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.81	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.11	-13	Pass	2985
30	814	0.1	RMS	813.2	-51.89	-13	Pass	7840
814	859	0.1	RMS	837.753	5.05	60	Pass	450
859	1000	0.1	RMS	907.134	-63.91	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.01	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.44	-13	Pass	7000




27.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.41	-13	Pass	2985
30	814	0.1	RMS	812.9	-54.93	-13	Pass	7840
814	859	0.1	RMS	838.154	5.11	60	Pass	450
859	1000	0.1	RMS	904.833	-63.95	-13	Pass	1410
1000	3000	1	RMS	2879.94	-48.94	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.46	-13	Pass	7000




27.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-13	Pass	2985
30	814	0.1	RMS	812.9	-52.72	-13	Pass	7840
814	859	0.1	RMS	840.058	5.27	60	Pass	450
859	1000	0.1	RMS	894.625	-64.07	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.99	-13	Pass	2000
3000	10000	1	RMS	8396.771	-60.56	-13	Pass	7000




27.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.89	-13	Pass	7840
814	859	0.1	RMS	840.759	5.22	60	Pass	450
859	1000	0.1	RMS	892.824	-63.91	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.97	-13	Pass	2000
3000	10000	1	RMS	8396.771	-60.55	-13	Pass	7000



27.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2985
30	814	0.1	RMS	813.5	-53	-13	Pass	7840
814	859	0.1	RMS	842.563	5.01	60	Pass	450
859	1000	0.1	RMS	899.028	-64.07	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.99	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.46	-13	Pass	7000



28. DC_7A_n7A_SCS15


28.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within
 FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR
 RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.98	-25	Pass	2985
30	1000	0.1	RMS	892.057	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-50.37	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.4	60	Pass	401
2580	3000	1	RMS	2868.687	-48.64	-25	Pass	420
3000	6500	1	RMS	5003.572	-62.66	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.42	-25	Pass	19500




28.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-25	Pass	2985
30	1000	0.1	RMS	905.475	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-50.16	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.6	60	Pass	401
2580	3000	1	RMS	2868.687	-48.65	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.56	-25	Pass	3500
6500	26000	1	RMS	25507.842	-44.42	-25	Pass	19500




28.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.19	-25	Pass	2985
30	1000	0.1	RMS	997.096	-63.8	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.63	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.54	60	Pass	401
2580	3000	1	RMS	2871.695	-48.68	-25	Pass	420
3000	6500	1	RMS	5068.591	-63.43	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.41	-25	Pass	19500




28.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-25	Pass	2985
30	1000	0.1	RMS	737.586	-63.84	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.58	-25	Pass	1490
2490	2580	1	RMS	2535	20.55	60	Pass	401
2580	3000	1	RMS	2871.695	-48.67	-25	Pass	420
3000	6500	1	RMS	5069.591	-63.46	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.4	-25	Pass	19500




28.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.5	-25	Pass	2985
30	1000	0.1	RMS	896.162	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.64	60	Pass	401
2580	3000	1	RMS	2878.711	-48.64	-25	Pass	420
3000	6500	1	RMS	5133.61	-63.84	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.48	-25	Pass	19500




28.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71	-25	Pass	2985
30	1000	0.1	RMS	911.282	-63.85	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.56	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.68	60	Pass	401
2580	3000	1	RMS	2879.714	-48.68	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.82	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.43	-25	Pass	19500




28.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-25	Pass	2985
30	1000	0.1	RMS	899.166	-63.67	-25	Pass	9699
1000	2490	1	RMS	2490	-42.48	-25	Pass	1490
2490	2580	1	RMS	2504.85	15.98	60	Pass	401
2580	3000	1	RMS	2875.704	-48.7	-25	Pass	420
3000	6500	1	RMS	5010.574	-63.66	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.4	-25	Pass	19500




28.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.57	-25	Pass	2985
30	1000	0.1	RMS	876.336	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-40.05	-25	Pass	1490
2490	2580	1	RMS	2508.225	15.96	60	Pass	401
2580	3000	1	RMS	2878.711	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.37	-25	Pass	19500




28.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-25	Pass	2985
30	1000	0.1	RMS	997.196	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-50.58	-25	Pass	1490
2490	2580	1	RMS	2532.3	15.95	60	Pass	401
2580	3000	1	RMS	2869.69	-48.67	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.85	-25	Pass	3500
6500	26000	1	RMS	25487.836	-44.42	-25	Pass	19500




28.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.11	-25	Pass	2985
30	1000	0.1	RMS	892.357	-63.78	-25	Pass	9699
1000	2490	1	RMS	2490	-50.59	-25	Pass	1490
2490	2580	1	RMS	2533.425	15.89	60	Pass	401
2580	3000	1	RMS	2870.692	-48.68	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.86	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.4	-25	Pass	19500




28.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-25	Pass	2985
30	1000	0.1	RMS	895.561	-63.78	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.66	-25	Pass	1490
2490	2580	1	RMS	2559.75	16.19	60	Pass	401
2580	3000	1	RMS	2582.005	-44.25	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.89	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.31	-25	Pass	19500




28.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.7	-25	Pass	2985
30	1000	0.1	RMS	897.664	-63.76	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.64	-25	Pass	1490
2490	2580	1	RMS	2560.875	16.09	60	Pass	401
2580	3000	1	RMS	2580	-40.26	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.45	-25	Pass	19500




28.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-25	Pass	2985
30	1000	0.1	RMS	899.967	-63.71	-25	Pass	9699
1000	2490	1	RMS	2490	-40.27	-25	Pass	1490
2490	2580	1	RMS	2508.225	14.57	60	Pass	401
2580	3000	1	RMS	2870.692	-48.63	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.43	-25	Pass	19500




28.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-25	Pass	2985
30	1000	0.1	RMS	906.676	-63.8	-25	Pass	9699
1000	2490	1	RMS	2490	-36.06	-25	Pass	1490
2490	2580	1	RMS	2508.9	14.59	60	Pass	401
2580	3000	1	RMS	2877.709	-48.67	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.9	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.44	-25	Pass	19500




28.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-25	Pass	2985
30	1000	0.1	RMS	886.65	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2530.95	14.54	60	Pass	401
2580	3000	1	RMS	2877.709	-48.68	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.86	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.43	-25	Pass	19500




28.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.87	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2532.975	14.52	60	Pass	401
2580	3000	1	RMS	2879.714	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.44	-25	Pass	19500




28.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-25	Pass	2985
30	1000	0.1	RMS	875.134	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2556.15	14.76	60	Pass	401
2580	3000	1	RMS	2581.002	-41.78	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.87	-25	Pass	3500
6500	26000	1	RMS	25810.939	-44.44	-25	Pass	19500



28.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.81	-25	Pass	2985
30	1000	0.1	RMS	893.158	-63.83	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.54	-25	Pass	1490
2490	2580	1	RMS	2558.4	14.72	60	Pass	401
2580	3000	1	RMS	2580	-39.86	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.38	-25	Pass	19500



29. DC_7A_n66A_SCS15


29.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within
 FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR
 RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.23	-13	Pass	2985
30	1000	0.1	RMS	997.497	-63.76	-13	Pass	9699
1000	1700	1	RMS	1700	-52.37	-13	Pass	700
1700	1790	1	RMS	1712.15	21.4	60	Pass	401
1790	3000	1	RMS	2871.894	-48.61	-13	Pass	1210
3000	6500	1	RMS	3424.121	-58.02	-13	Pass	3500
6500	20000	1	RMS	19903.982	-49.98	-13	Pass	13500




29.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2985
30	1000	0.1	RMS	997.397	-63.79	-13	Pass	9699
1000	1700	1	RMS	1700	-51.53	-13	Pass	700
1700	1790	1	RMS	1712.375	21.45	60	Pass	401
1790	3000	1	RMS	2875.897	-48.6	-13	Pass	1210
3000	6500	1	RMS	3425.121	-57.85	-13	Pass	3500
6500	20000	1	RMS	19940.989	-49.94	-13	Pass	13500




29.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.45	-13	Pass	2985
30	1000	0.1	RMS	896.062	-63.84	-13	Pass	9699
1000	1700	1	RMS	1688.984	-52.75	-13	Pass	700
1700	1790	1	RMS	1744.55	21.66	60	Pass	401
1790	3000	1	RMS	2874.897	-48.6	-13	Pass	1210
3000	6500	1	RMS	3489.14	-61.59	-13	Pass	3500
6500	20000	1	RMS	19899.981	-50.01	-13	Pass	13500




29.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.81	-13	Pass	2985
30	1000	0.1	RMS	893.659	-63.75	-13	Pass	9699
1000	1700	1	RMS	1670.959	-52.73	-13	Pass	700
1700	1790	1	RMS	1744.775	21.75	60	Pass	401
1790	3000	1	RMS	2868.892	-48.61	-13	Pass	1210
3000	6500	1	RMS	3490.14	-61.14	-13	Pass	3500
6500	20000	1	RMS	19970.995	-50.02	-13	Pass	13500




29.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2985
30	1000	0.1	RMS	894.76	-63.87	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.73	-13	Pass	700
1700	1790	1	RMS	1777.4	21.22	60	Pass	401
1790	3000	1	RMS	2864.888	-48.63	-13	Pass	1210
3000	6500	1	RMS	3554.158	-62.96	-13	Pass	3500
6500	20000	1	RMS	19903.982	-49.98	-13	Pass	13500




29.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.21	-13	Pass	2985
30	1000	0.1	RMS	902.671	-63.9	-13	Pass	9699
1000	1700	1	RMS	1700	-52.72	-13	Pass	700
1700	1790	1	RMS	1777.4	21.39	60	Pass	401
1790	3000	1	RMS	2878.9	-48.55	-13	Pass	1210
3000	6500	1	RMS	3555.159	-62.56	-13	Pass	3500
6500	20000	1	RMS	19908.983	-49.97	-13	Pass	13500




29.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.41	-13	Pass	2985
30	1000	0.1	RMS	886.85	-63.76	-13	Pass	9699
1000	1700	1	RMS	1700	-41.12	-13	Pass	700
1700	1790	1	RMS	1715.975	16.8	60	Pass	401
1790	3000	1	RMS	2874.897	-48.64	-13	Pass	1210
3000	6500	1	RMS	3430.123	-60.91	-13	Pass	3500
6500	20000	1	RMS	19908.983	-50.02	-13	Pass	13500




29.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.63	-13	Pass	2985
30	1000	0.1	RMS	900.067	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-39.54	-13	Pass	700
1700	1790	1	RMS	1718.45	16.87	60	Pass	401
1790	3000	1	RMS	2867.891	-48.63	-13	Pass	1210
3000	6500	1	RMS	3433.124	-62.81	-13	Pass	3500
6500	20000	1	RMS	19966.994	-50.06	-13	Pass	13500




29.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.4	-71.66	-13	Pass	2985
30	1000	0.1	RMS	892.257	-63.88	-13	Pass	9699
1000	1700	1	RMS	1665.951	-52.75	-13	Pass	700
1700	1790	1	RMS	1746.575	16.95	60	Pass	401
1790	3000	1	RMS	2878.9	-48.61	-13	Pass	1210
3000	6500	1	RMS	3485.139	-62.77	-13	Pass	3500
6500	20000	1	RMS	19909.983	-50.03	-13	Pass	13500




29.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	Pass	2985
30	1000	0.1	RMS	893.559	-63.71	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.69	-13	Pass	700
1700	1790	1	RMS	1745.675	17.13	60	Pass	401
1790	3000	1	RMS	2876.898	-48.58	-13	Pass	1210
3000	6500	1	RMS	3488.139	-63.85	-13	Pass	3500
6500	20000	1	RMS	19936.988	-50.05	-13	Pass	13500




29.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.22	-13	Pass	2985
30	1000	0.1	RMS	887.451	-63.95	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.74	-13	Pass	700
1700	1790	1	RMS	1774.025	16.71	60	Pass	401
1790	3000	1	RMS	1790	-41.4	-13	Pass	1210
3000	6500	1	RMS	3540.154	-63.04	-13	Pass	3500
6500	20000	1	RMS	19989.998	-50.04	-13	Pass	13500




29.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.93	-13	Pass	2985
30	1000	0.1	RMS	895.561	-63.75	-13	Pass	9699
1000	1700	1	RMS	1665.951	-52.7	-13	Pass	700
1700	1790	1	RMS	1772.9	16.7	60	Pass	401
1790	3000	1	RMS	1790	-40.59	-13	Pass	1210
3000	6500	1	RMS	6216.919	-63.89	-13	Pass	3500
6500	20000	1	RMS	19950.991	-50.01	-13	Pass	13500




29.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	995.494	-63.74	-13	Pass	9699
1000	1700	1	RMS	1700	-44.76	-13	Pass	700
1700	1790	1	RMS	1718	15.37	60	Pass	401
1790	3000	1	RMS	2876.898	-48.64	-13	Pass	1210
3000	6500	1	RMS	3434.124	-61.64	-13	Pass	3500
6500	20000	1	RMS	19901.982	-50.01	-13	Pass	13500




29.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.75	-13	Pass	2985
30	1000	0.1	RMS	884.347	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-40.91	-13	Pass	700
1700	1790	1	RMS	1718.45	15.34	60	Pass	401
1790	3000	1	RMS	2868.892	-48.64	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.87	-13	Pass	3500
6500	20000	1	RMS	19925.986	-50.01	-13	Pass	13500




29.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2985
30	1000	0.1	RMS	913.686	-63.77	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.6	-13	Pass	700
1700	1790	1	RMS	1747.475	15.8	60	Pass	401
1790	3000	1	RMS	2874.897	-48.62	-13	Pass	1210
3000	6500	1	RMS	3484.138	-62.8	-13	Pass	3500
6500	20000	1	RMS	19891.98	-50.08	-13	Pass	13500




29.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2985
30	1000	0.1	RMS	898.365	-63.73	-13	Pass	9699
1000	1700	1	RMS	1700	-52	-13	Pass	700
1700	1790	1	RMS	1747.475	15.78	60	Pass	401
1790	3000	1	RMS	2875.897	-48.66	-13	Pass	1210
3000	6500	1	RMS	6216.919	-63.87	-13	Pass	3500
6500	20000	1	RMS	19907.983	-50.05	-13	Pass	13500




29.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	Pass	2985
30	1000	0.1	RMS	902.471	-63.83	-13	Pass	9699
1000	1700	1	RMS	1670.959	-52.71	-13	Pass	700
1700	1790	1	RMS	1766.15	15.25	60	Pass	401
1790	3000	1	RMS	1790	-44.15	-13	Pass	1210
3000	6500	1	RMS	3534.153	-62.94	-13	Pass	3500
6500	20000	1	RMS	19928.987	-50	-13	Pass	13500



29.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	Pass	2985
30	1000	0.1	RMS	892.357	-63.79	-13	Pass	9699
1000	1700	1	RMS	1667.954	-52.75	-13	Pass	700
1700	1790	1	RMS	1772.45	15.13	60	Pass	401
1790	3000	1	RMS	1790	-39.99	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.84	-13	Pass	3500
6500	20000	1	RMS	19892.98	-50.06	-13	Pass	13500



30. DC_66A_n7A_SCS15


30.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-50.34	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.5	60	Pass	401
2580	3000	1	RMS	2880.716	-48.66	-25	Pass	420
3000	6500	1	RMS	5003.572	-62.65	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.42	-25	Pass	19500




30.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-25	Pass	2985
30	1000	0.1	RMS	891.156	-63.88	-25	Pass	9699
1000	2490	1	RMS	2490	-50.16	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.58	60	Pass	401
2580	3000	1	RMS	2877.709	-48.69	-25	Pass	420
3000	6500	1	RMS	5004.573	-62.74	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.37	-25	Pass	19500




30.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.15	-25	Pass	2985
30	1000	0.1	RMS	884.947	-63.82	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.61	-25	Pass	1490
2490	2580	1	RMS	2534.55	20.51	60	Pass	401
2580	3000	1	RMS	2874.702	-48.69	-25	Pass	420
3000	6500	1	RMS	5068.591	-63.55	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.38	-25	Pass	19500




30.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.24	-25	Pass	2985
30	1000	0.1	RMS	895.461	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-50.6	-25	Pass	1490
2490	2580	1	RMS	2534.55	20.48	60	Pass	401
2580	3000	1	RMS	2871.695	-48.68	-25	Pass	420
3000	6500	1	RMS	5069.591	-63.33	-25	Pass	3500
6500	26000	1	RMS	25503.841	-44.38	-25	Pass	19500




30.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-65.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-25	Pass	2985
30	1000	0.1	RMS	994.893	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-50.52	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.56	60	Pass	401
2580	3000	1	RMS	2868.687	-48.7	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.8	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.4	-25	Pass	19500




30.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.13	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.56	-25	Pass	2985
30	1000	0.1	RMS	909.981	-63.84	-25	Pass	9699
1000	2490	1	RMS	2464.983	-50.56	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.7	60	Pass	401
2580	3000	1	RMS	2880.716	-48.69	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.87	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.35	-25	Pass	19500




30.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-65.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2985
30	1000	0.1	RMS	895.061	-63.88	-25	Pass	9699
1000	2490	1	RMS	2490	-41.6	-25	Pass	1490
2490	2580	1	RMS	2508.675	16.11	60	Pass	401
2580	3000	1	RMS	2876.706	-48.66	-25	Pass	420
3000	6500	1	RMS	5010.574	-63.66	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.41	-25	Pass	19500




30.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-25	Pass	2985
30	1000	0.1	RMS	903.272	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-39.88	-25	Pass	1490
2490	2580	1	RMS	2505.075	16.05	60	Pass	401
2580	3000	1	RMS	2877.709	-48.67	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25511.843	-44.44	-25	Pass	19500




30.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-25	Pass	2985
30	1000	0.1	RMS	903.172	-63.72	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.68	-25	Pass	1490
2490	2580	1	RMS	2535.9	15.94	60	Pass	401
2580	3000	1	RMS	2874.702	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.37	-25	Pass	19500




30.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-25	Pass	2985
30	1000	0.1	RMS	891.857	-63.65	-25	Pass	9699
1000	2490	1	RMS	2490	-50.47	-25	Pass	1490
2490	2580	1	RMS	2532.3	16	60	Pass	401
2580	3000	1	RMS	2869.69	-48.68	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.86	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.38	-25	Pass	19500




30.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-64.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-25	Pass	2985
30	1000	0.1	RMS	897.664	-63.49	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2563.125	16	60	Pass	401
2580	3000	1	RMS	2581.002	-42.68	-25	Pass	420
3000	6500	1	RMS	6215.919	-63.89	-25	Pass	3500
6500	26000	1	RMS	25495.838	-44.4	-25	Pass	19500




30.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.56	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.01	-25	Pass	2985
30	1000	0.1	RMS	992.891	-63.87	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.64	-25	Pass	1490
2490	2580	1	RMS	2559.975	16.17	60	Pass	401
2580	3000	1	RMS	2580	-40.71	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.82	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.35	-25	Pass	19500




30.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-64.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-25	Pass	2985
30	1000	0.1	RMS	902.771	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-41.52	-25	Pass	1490
2490	2580	1	RMS	2511.825	14.57	60	Pass	401
2580	3000	1	RMS	2874.702	-48.67	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.89	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.43	-25	Pass	19500




30.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.35	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.6	-25	Pass	2985
30	1000	0.1	RMS	918.592	-63.86	-25	Pass	9699
1000	2490	1	RMS	2490	-39.48	-25	Pass	1490
2490	2580	1	RMS	2512.5	14.61	60	Pass	401
2580	3000	1	RMS	2870.692	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.45	-25	Pass	19500




30.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-65.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-25	Pass	2985
30	1000	0.1	RMS	887.15	-63.54	-25	Pass	9699
1000	2490	1	RMS	2490	-50.56	-25	Pass	1490
2490	2580	1	RMS	2531.4	14.42	60	Pass	401
2580	3000	1	RMS	2877.709	-48.68	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.34	-25	Pass	19500




30.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-25	Pass	2985
30	1000	0.1	RMS	883.345	-63.72	-25	Pass	9699
1000	2490	1	RMS	2490	-50.55	-25	Pass	1490
2490	2580	1	RMS	2537.475	14.46	60	Pass	401
2580	3000	1	RMS	2866.683	-48.69	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.87	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.34	-25	Pass	19500




30.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.21	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.55	-25	Pass	2985
30	1000	0.1	RMS	901.269	-63.86	-25	Pass	9699
1000	2490	1	RMS	2490	-50.6	-25	Pass	1490
2490	2580	1	RMS	2555.925	14.63	60	Pass	401
2580	3000	1	RMS	2581.002	-40.53	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.85	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.38	-25	Pass	19500



30.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-66.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.01	-25	Pass	2985
30	1000	0.1	RMS	900.869	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.6	-25	Pass	1490
2490	2580	1	RMS	2557.725	14.66	60	Pass	401
2580	3000	1	RMS	2580	-38.05	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.93	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.35	-25	Pass	19500



31. DC_66A_n66A_SCS15


31.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.47	-13	Pass	2985
30	1000	0.1	RMS	996.5	-62.69	-13	Pass	9700
1000	1700	1	RMS	1699.062	-52.05	-13	Pass	9700
1700	1790	1	RMS	1712.375	21.13	60	Pass	401
1790	3000	1	RMS	2390.496	-50.34	-13	Pass	1210
3000	6500	1	RMS	3426.122	-58.04	-13	Pass	3500
6500	20000	1	RMS	18928.921	-54.22	-13	Pass	13500




31.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.48	-13	Pass	2985
30	1000	0.1	RMS	996.5	-62.91	-13	Pass	9700
1000	1700	1	RMS	1699.928	-51.49	-13	Pass	9700
1700	1790	1	RMS	1712.15	21.24	60	Pass	401
1790	3000	1	RMS	2964.971	-50.26	-13	Pass	1210
3000	6500	1	RMS	3425.121	-57.57	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.17	-13	Pass	13500




31.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.84	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.67	-13	Pass	9700
1000	1700	1	RMS	1671.708	-52.19	-13	Pass	9700
1700	1790	1	RMS	1745	22.02	60	Pass	401
1790	3000	1	RMS	2993.995	-50.31	-13	Pass	1210
3000	6500	1	RMS	5933.838	-59.2	-13	Pass	3500
6500	20000	1	RMS	19650.974	-54.2	-13	Pass	13500




31.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.81	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.67	-13	Pass	9700
1000	1700	1	RMS	1678.781	-52.08	-13	Pass	9700
1700	1790	1	RMS	1744.775	21.78	60	Pass	401
1790	3000	1	RMS	2962.969	-50.28	-13	Pass	1210
3000	6500	1	RMS	3490.14	-59.12	-13	Pass	3500
6500	20000	1	RMS	18933.921	-54.2	-13	Pass	13500




31.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.32	-13	Pass	2985
30	1000	0.1	RMS	996.4	-62.77	-13	Pass	9700
1000	1700	1	RMS	1663.842	-52.06	-13	Pass	9700
1700	1790	1	RMS	1777.4	21.67	60	Pass	401
1790	3000	1	RMS	2960.968	-50.27	-13	Pass	1210
3000	6500	1	RMS	5931.838	-59.15	-13	Pass	3500
6500	20000	1	RMS	18931.921	-54.17	-13	Pass	13500




31.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.5	-13	Pass	2985
30	1000	0.1	RMS	996.4	-63.08	-13	Pass	9700
1000	1700	1	RMS	1697.835	-51.6	-13	Pass	9700
1700	1790	1	RMS	1777.175	21.47	60	Pass	401
1790	3000	1	RMS	2970.976	-50.32	-13	Pass	1210
3000	6500	1	RMS	5936.839	-59.21	-13	Pass	3500
6500	20000	1	RMS	18934.921	-54.13	-13	Pass	13500




31.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2985
30	1000	0.1	RMS	996.4	-62.71	-13	Pass	9700
1000	1700	1	RMS	1700	-40.68	-13	Pass	9700
1700	1790	1	RMS	1718.675	16.92	60	Pass	401
1790	3000	1	RMS	2967.974	-50.33	-13	Pass	1210
3000	6500	1	RMS	5926.836	-59.19	-13	Pass	3500
6500	20000	1	RMS	19648.974	-54.24	-13	Pass	13500




31.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.5	-13	Pass	9700
1000	1700	1	RMS	1700	-40.69	-13	Pass	9700
1700	1790	1	RMS	1718.675	16.8	60	Pass	401
1790	3000	1	RMS	2993.995	-50.32	-13	Pass	1210
3000	6500	1	RMS	5927.837	-59.12	-13	Pass	3500
6500	20000	1	RMS	17699.83	-54.25	-13	Pass	13500




31.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	Pass	2985
30	1000	0.1	RMS	996.4	-62.92	-13	Pass	9700
1000	1700	1	RMS	1649.552	-52.1	-13	Pass	9700
1700	1790	1	RMS	1745.9	17.34	60	Pass	401
1790	3000	1	RMS	2988.991	-50.31	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.13	-13	Pass	3500
6500	20000	1	RMS	18928.921	-54.16	-13	Pass	13500




31.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.81	-13	Pass	2985
30	1000	0.1	RMS	996.4	-62.93	-13	Pass	9700
1000	1700	1	RMS	1661.532	-52.08	-13	Pass	9700
1700	1790	1	RMS	1746.35	17.21	60	Pass	401
1790	3000	1	RMS	2389.495	-50.29	-13	Pass	1210
3000	6500	1	RMS	5931.838	-59.14	-13	Pass	3500
6500	20000	1	RMS	18929.921	-54.11	-13	Pass	13500




31.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.15	-13	Pass	9700
1000	1700	1	RMS	1689.463	-52.18	-13	Pass	9700
1700	1790	1	RMS	1773.35	17.27	60	Pass	401
1790	3000	1	RMS	1790	-42.47	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.2	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.24	-13	Pass	13500




31.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.62	-13	Pass	9700
1000	1700	1	RMS	1673.729	-52.09	-13	Pass	9700
1700	1790	1	RMS	1773.8	17.1	60	Pass	401
1790	3000	1	RMS	1790	-38.43	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.2	-13	Pass	3500
6500	20000	1	RMS	18926.921	-54.19	-13	Pass	13500




31.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.97	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.3	-13	Pass	9700
1000	1700	1	RMS	1700	-44.27	-13	Pass	9700
1700	1790	1	RMS	1722.725	15.3	60	Pass	401
1790	3000	1	RMS	2955.964	-50.3	-13	Pass	1210
3000	6500	1	RMS	5932.838	-59.15	-13	Pass	3500
6500	20000	1	RMS	18928.921	-54.17	-13	Pass	13500




31.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.69	-13	Pass	9700
1000	1700	1	RMS	1700	-40.58	-13	Pass	9700
1700	1790	1	RMS	1722.725	15.38	60	Pass	401
1790	3000	1	RMS	2967.974	-50.3	-13	Pass	1210
3000	6500	1	RMS	5927.837	-59.15	-13	Pass	3500
6500	20000	1	RMS	18931.921	-54.22	-13	Pass	13500




31.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.51	-13	Pass	9700
1000	1700	1	RMS	1685.926	-52.16	-13	Pass	9700
1700	1790	1	RMS	1747.925	16	60	Pass	401
1790	3000	1	RMS	2960.968	-50.31	-13	Pass	1210
3000	6500	1	RMS	5929.837	-59.19	-13	Pass	3500
6500	20000	1	RMS	18930.921	-54.21	-13	Pass	13500




31.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.77	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.48	-13	Pass	9700
1000	1700	1	RMS	1699.783	-51.68	-13	Pass	9700
1700	1790	1	RMS	1747.7	16.12	60	Pass	401
1790	3000	1	RMS	2977.982	-50.34	-13	Pass	1210
3000	6500	1	RMS	5928.837	-59.17	-13	Pass	3500
6500	20000	1	RMS	18926.921	-54.25	-13	Pass	13500




31.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2985
30	1000	0.1	RMS	996.4	-63	-13	Pass	9700
1000	1700	1	RMS	1676.472	-52.15	-13	Pass	9700
1700	1790	1	RMS	1772.9	15.7	60	Pass	401
1790	3000	1	RMS	1790	-44.46	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.18	-13	Pass	3500
6500	20000	1	RMS	18928.921	-54.2	-13	Pass	13500



31.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-13	Pass	2985
30	1000	0.1	RMS	527.951	-62.79	-13	Pass	9700
1000	1700	1	RMS	1664.563	-52.18	-13	Pass	9700
1700	1790	1	RMS	1772.9	15.7	60	Pass	401
1790	3000	1	RMS	1790	-40.36	-13	Pass	1210
3000	6500	1	RMS	5930.837	-59.17	-13	Pass	3500
6500	20000	1	RMS	18927.921	-54.26	-13	Pass	13500



END