



23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.15	7.45	30	Pass	401
849	850	0.051	RMS	849.003	-30.34	-13	Pass	401
850	874	0.1	RMS	850.96	-35.52	-13	Pass	401




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.1	30	Pass	401
849	850	0.051	RMS	849	-20.8	-13	Pass	401
850	874	0.1	RMS	850.06	-47.93	-13	Pass	401




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.3	7.14	30	Pass	401
849	850	0.051	RMS	849	-30.16	-13	Pass	401
850	874	0.1	RMS	850.36	-36.33	-13	Pass	401




23.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.02	-13	Pass	401
823	824	0.15	RMS	824	-17.3	-13	Pass	401
824	844	0.1	RMS	824.45	20.5	30	Pass	401




23.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-37.24	-13	Pass	401
823	824	0.15	RMS	824	-29.53	-13	Pass	401
824	844	0.1	RMS	825.3	3.61	30	Pass	401




23.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-48.83	-13	Pass	401
823	824	0.15	RMS	824	-17.73	-13	Pass	401
824	844	0.1	RMS	824.5	19.93	30	Pass	401




23.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-36.73	-13	Pass	401
823	824	0.15	RMS	823.998	-29.83	-13	Pass	401
824	844	0.1	RMS	826	2.9	30	Pass	401




23.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.54	30	Pass	401
849	850	0.15	RMS	849	-18.94	-13	Pass	401
850	874	0.1	RMS	850	-47.71	-13	Pass	401




23.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.95	3.03	30	Pass	401
849	850	0.15	RMS	849.08	-34.4	-13	Pass	401
850	874	0.1	RMS	850.18	-39.31	-13	Pass	401




23.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.83	30	Pass	401
849	850	0.15	RMS	849	-20.74	-13	Pass	401
850	874	0.1	RMS	850	-49.09	-13	Pass	401




23.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.7	2.77	30	Pass	401
849	850	0.15	RMS	849.058	-32.82	-13	Pass	401
850	874	0.1	RMS	850	-35.28	-13	Pass	401




23.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.11	-13	Pass	401
823	824	0.02	RMS	824	-24.99	-13	Pass	51
824	844	0.1	RMS	824.55	20.46	30	Pass	401




23.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-32.29	-13	Pass	401
823	824	0.2	RMS	823.995	-25.55	-13	Pass	401
824	844	0.1	RMS	841.4	1.86	30	Pass	401




23.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.81	-13	Pass	401
823	824	0.02	RMS	824	-25.09	-13	Pass	51
824	844	0.1	RMS	824.55	19.79	30	Pass	401




23.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-31.09	-13	Pass	401
823	824	0.2	RMS	824	-26.74	-13	Pass	401
824	844	0.1	RMS	826.25	2.06	30	Pass	401




23.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.51	30	Pass	401
849	850	0.02	RMS	849	-25.36	-13	Pass	51
850	874	0.1	RMS	850	-46.74	-13	Pass	401




23.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.65	1.92	30	Pass	401
849	850	0.2	RMS	849.493	-33.33	-13	Pass	401
850	874	0.1	RMS	850.18	-36.75	-13	Pass	401




23.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.85	30	Pass	401
849	850	0.2	RMS	849	-16.99	-13	Pass	401
850	874	0.1	RMS	850	-49	-13	Pass	401



23.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.7	1.23	30	Pass	401
849	850	0.2	RMS	849.28	-31.93	-13	Pass	401
850	874	0.1	RMS	850.36	-35.77	-13	Pass	401



24. n7 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.15	-25	Pass	401
2494	2496	1	RMS	2495.985	-42.15	-13	Pass	401
2496	2499	1	RMS	2499	-36.27	-10	Pass	4
2499	2500	0.051	RMS	2500	-17.97	-10	Pass	401
2500	2520	1	RMS	2500.3	23.44	30	Pass	401




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.81	-36.19	-25	Pass	401
2494	2496	1	RMS	2495.73	-29.64	-13	Pass	401
2496	2499	1	RMS	2499	-28.84	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-26.28	-10	Pass	401
2500	2520	1	RMS	2503.45	17.21	30	Pass	401




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.94	-25	Pass	401
2494	2496	1	RMS	2495.955	-41.97	-13	Pass	401
2496	2499	1	RMS	2499	-36.33	-10	Pass	4
2499	2500	0.051	RMS	2500	-20.13	-10	Pass	401
2500	2520	1	RMS	2500.35	22.78	30	Pass	401




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-32.45	-25	Pass	401
2494	2496	1	RMS	2495.985	-27.61	-13	Pass	401
2496	2499	1	RMS	2499	-24.56	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-27.27	-10	Pass	401
2500	2520	1	RMS	2503.2	16.74	30	Pass	401




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	23.16	30	Pass	401
2570	2571	0.051	RMS	2570	-19.44	-10	Pass	401
2571	2575	1	RMS	2571	-36.13	-10	Pass	5
2575	2576	1	RMS	2575.008	-44.53	-13	Pass	401
2576	2595	1	RMS	2576.143	-47.87	-25	Pass	401




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.35	17.06	30	Pass	401
2570	2571	0.1	RMS	2570.005	-26.83	-10	Pass	401
2571	2575	1	RMS	2572	-22.67	-10	Pass	5
2575	2576	1	RMS	2575.015	-31.36	-13	Pass	401
2576	2595	1	RMS	2576.19	-33.17	-25	Pass	401




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.58	30	Pass	401
2570	2571	0.051	RMS	2570	-19.14	-10	Pass	401
2571	2575	1	RMS	2571	-36.47	-10	Pass	5
2575	2576	1	RMS	2575.005	-44.35	-13	Pass	401
2576	2595	1	RMS	2576	-47.49	-25	Pass	401




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.1	16.56	30	Pass	401
2570	2571	0.1	RMS	2570.003	-26.09	-10	Pass	401
2571	2575	1	RMS	2571	-20.05	-10	Pass	5
2575	2576	1	RMS	2575.005	-28.09	-13	Pass	401
2576	2595	1	RMS	2576	-30.97	-25	Pass	401




24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.95	-50.42	-25	Pass	401
2485	2496	1	RMS	2493.608	-41.14	-13	Pass	401
2496	2499	1	RMS	2499	-34.54	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.14	-10	Pass	401
2500	2520	1	RMS	2500.45	23.5	30	Pass	401




24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-43.94	-25	Pass	401
2485	2496	1	RMS	2495.588	-32.08	-13	Pass	401
2496	2499	1	RMS	2499	-32.73	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.36	-10	Pass	401
2500	2520	1	RMS	2503.15	12.67	30	Pass	401




24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-50.35	-25	Pass	401
2485	2496	1	RMS	2493.608	-41.41	-13	Pass	401
2496	2499	1	RMS	2499	-35.6	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.82	-10	Pass	401
2500	2520	1	RMS	2500.45	22.86	30	Pass	401




24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.75	-42.18	-25	Pass	401
2485	2496	1	RMS	2495.203	-30.98	-13	Pass	401
2496	2499	1	RMS	2499	-30.28	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.22	-10	Pass	401
2500	2520	1	RMS	2506.55	12.08	30	Pass	401




24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	23.19	30	Pass	401
2570	2571	0.051	RMS	2570	-24.5	-10	Pass	401
2571	2575	1	RMS	2571	-34.78	-10	Pass	5
2575	2585	1	RMS	2576.4	-40.92	-13	Pass	401
2585	2595	1	RMS	2585	-50.63	-25	Pass	401




24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558	12.52	30	Pass	401
2570	2571	0.3	RMS	2570.078	-32.68	-10	Pass	401
2571	2575	1	RMS	2571	-31.1	-10	Pass	5
2575	2585	1	RMS	2575.025	-28.7	-13	Pass	401
2585	2595	1	RMS	2585.05	-45.54	-25	Pass	401




24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22.57	30	Pass	401
2570	2571	0.051	RMS	2570.003	-23.98	-10	Pass	401
2571	2575	1	RMS	2571	-33.82	-10	Pass	5
2575	2585	1	RMS	2576.15	-41.44	-13	Pass	401
2585	2595	1	RMS	2585.05	-50.52	-25	Pass	401




24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2561.7	11.99	30	Pass	401
2570	2571	0.3	RMS	2570.09	-31.38	-10	Pass	401
2571	2575	1	RMS	2571	-28.8	-10	Pass	5
2575	2585	1	RMS	2575.45	-29.27	-13	Pass	401
2585	2595	1	RMS	2585	-43.17	-25	Pass	401




24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.963	-51.2	-25	Pass	401
2480	2496	1	RMS	2491.2	-43.66	-13	Pass	401
2496	2499	1	RMS	2499	-30.68	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-20.59	-10	Pass	401
2500	2520	1	RMS	2500.45	23.46	30	Pass	401




24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.825	-49.39	-25	Pass	401
2480	2496	1	RMS	2494.72	-32.61	-13	Pass	401
2496	2499	1	RMS	2499	-33.37	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.29	-10	Pass	401
2500	2520	1	RMS	2505.05	11.55	30	Pass	401




24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-51.21	-25	Pass	401
2480	2496	1	RMS	2496	-43.81	-13	Pass	401
2496	2499	1	RMS	2499	-32.1	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.48	-10	Pass	401
2500	2520	1	RMS	2500.5	22.75	30	Pass	401




24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.875	-48.51	-25	Pass	401
2480	2496	1	RMS	2495.76	-31.16	-13	Pass	401
2496	2499	1	RMS	2499	-31.47	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.62	-10	Pass	401
2500	2520	1	RMS	2505.65	10.96	30	Pass	401




24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	23.21	30	Pass	401
2570	2571	0.051	RMS	2570	-21.89	-10	Pass	401
2571	2575	1	RMS	2571	-31.27	-10	Pass	5
2575	2590	1	RMS	2578.75	-42.51	-13	Pass	401
2590	2595	1	RMS	2590.063	-50.93	-25	Pass	401




24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.9	11.36	30	Pass	401
2570	2571	0.39	RMS	2570.368	-32.71	-10	Pass	401
2571	2575	1	RMS	2571	-33.05	-10	Pass	5
2575	2590	1	RMS	2578.975	-31.95	-13	Pass	401
2590	2595	1	RMS	2590.025	-50.6	-25	Pass	401




24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.42	30	Pass	401
2570	2571	0.051	RMS	2570	-21.4	-10	Pass	401
2571	2575	1	RMS	2571	-31.45	-10	Pass	5
2575	2590	1	RMS	2578.825	-43.85	-13	Pass	401
2590	2595	1	RMS	2590.175	-50.96	-25	Pass	401



24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.05	10.76	30	Pass	401
2570	2571	0.39	RMS	2570.22	-31.99	-10	Pass	401
2571	2575	1	RMS	2571	-30.84	-10	Pass	5
2575	2590	1	RMS	2575	-32.32	-13	Pass	401
2590	2595	1	RMS	2590.063	-49.94	-25	Pass	401



25. n38 30kHz_PC3


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.938	-49.58	-25	Pass	401
2550	2565	1	RMS	2565	-41.17	-13	Pass	401
2565	2569	1	RMS	2569	-24.82	-10	Pass	401
2569	2570	0.39	RMS	2569.998	-14.76	-10	Pass	401
2570	2610	1	RMS	2571	23.22	30	Pass	401




25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.875	-36.26	-25	Pass	401
2550	2565	1	RMS	2562.713	-27.97	-13	Pass	401
2565	2569	1	RMS	2568.97	-29.04	-10	Pass	401
2569	2570	0.39	RMS	2569.993	-28.68	-10	Pass	401
2570	2610	1	RMS	2574.4	11.57	30	Pass	401




25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2550	-49.42	-25	Pass	401
2550	2565	1	RMS	2564.85	-40.18	-13	Pass	401
2565	2569	1	RMS	2569	-24.88	-10	Pass	401
2569	2570	0.39	RMS	2570	-14.98	-10	Pass	401
2570	2610	1	RMS	2571	22.74	30	Pass	401




25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.688	-32.6	-25	Pass	401
2550	2565	1	RMS	2564.925	-26.55	-13	Pass	401
2565	2569	1	RMS	2567.8	-24.62	-10	Pass	401
2569	2570	0.39	RMS	2569.955	-26.72	-10	Pass	401
2570	2610	1	RMS	2576	11.01	30	Pass	401




25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	23.37	30	Pass	401
2620	2621	0.4	RMS	2620	-18.41	-10	Pass	4
2621	2625	1	RMS	2621	-26.42	-10	Pass	401
2625	2640	1	RMS	2627.925	-39.39	-13	Pass	401
2640	2665	1	RMS	2640	-49.35	-25	Pass	401




25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2614.2	11.73	30	Pass	401
2620	2621	0.4	RMS	2620	-35.06	-10	Pass	4
2621	2625	1	RMS	2622.74	-31.03	-10	Pass	401
2625	2640	1	RMS	2628.075	-31.68	-13	Pass	401
2640	2665	1	RMS	2640.125	-41.26	-25	Pass	401



25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	22.96	30	Pass	401
2620	2621	0.4	RMS	2620	-18.09	-10	Pass	4
2621	2625	1	RMS	2621	-26.17	-10	Pass	401
2625	2640	1	RMS	2627.888	-39.92	-13	Pass	401
2640	2665	1	RMS	2640.063	-49.42	-25	Pass	401




25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2606	11.14	30	Pass	401
2620	2621	0.4	RMS	2620	-35.12	-10	Pass	4
2621	2625	1	RMS	2621.19	-29.73	-10	Pass	401
2625	2640	1	RMS	2626.5	-32.1	-13	Pass	401
2640	2665	1	RMS	2640.563	-37.02	-25	Pass	401




25.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.813	-49.09	-25	Pass	401
2540	2565	1	RMS	2557.375	-42.5	-13	Pass	401
2565	2569	1	RMS	2568.99	-25.04	-10	Pass	401
2569	2570	0.51	RMS	2570	-13.84	-10	Pass	401
2570	2610	1	RMS	2571.1	23.04	30	Pass	401




25.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.4	-39.33	-25	Pass	401
2540	2565	1	RMS	2558.625	-28.85	-13	Pass	401
2565	2569	1	RMS	2568.86	-28.37	-10	Pass	401
2569	2570	0.62	RMS	2569.995	-25.53	-10	Pass	401
2570	2610	1	RMS	2585.8	9.93	30	Pass	401




25.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.738	-48.5	-25	Pass	401
2540	2565	1	RMS	2564.938	-41.21	-13	Pass	401
2565	2569	1	RMS	2569	-25.22	-10	Pass	401
2569	2570	0.51	RMS	2569.998	-14.82	-10	Pass	401
2570	2610	1	RMS	2571.1	22.58	30	Pass	401




25.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.913	-37.83	-25	Pass	401
2540	2565	1	RMS	2564.188	-27.99	-13	Pass	401
2565	2569	1	RMS	2568.94	-26.39	-10	Pass	401
2569	2570	0.62	RMS	2569.995	-25.2	-10	Pass	401
2570	2610	1	RMS	2587.9	9.35	30	Pass	401




25.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	23.19	30	Pass	401
2620	2621	0.5	RMS	2620	-17.34	-10	Pass	3
2621	2625	1	RMS	2621	-26.14	-10	Pass	401
2625	2650	1	RMS	2632.563	-39.8	-13	Pass	401
2650	2665	1	RMS	2650.263	-48.8	-25	Pass	401




25.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2606.1	9.86	30	Pass	401
2620	2621	0.6	RMS	2620	-36.9	-10	Pass	3
2621	2625	1	RMS	2621.87	-33.93	-10	Pass	401
2625	2650	1	RMS	2634.375	-33.42	-13	Pass	401
2650	2665	1	RMS	2655.4	-38.5	-25	Pass	401




25.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.69	30	Pass	401
2620	2621	0.6	RMS	2620	-16.31	-10	Pass	3
2621	2625	1	RMS	2621	-26.11	-10	Pass	401
2625	2650	1	RMS	2632.688	-39.98	-13	Pass	401
2650	2665	1	RMS	2650.263	-48.18	-25	Pass	401




25.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2607.9	9.39	30	Pass	401
2620	2621	0.6	RMS	2620	-35.34	-10	Pass	3
2621	2625	1	RMS	2621.34	-31.45	-10	Pass	401
2625	2650	1	RMS	2625.938	-32.73	-13	Pass	401
2650	2665	1	RMS	2650.188	-38.41	-25	Pass	401




25.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.775	-49.99	-25	Pass	401
2530	2565	1	RMS	2565	-42.63	-13	Pass	401
2565	2569	1	RMS	2569	-26.38	-10	Pass	401
2569	2570	0.51	RMS	2569.988	-14.43	-10	Pass	401
2570	2610	1	RMS	2571.1	22.83	30	Pass	401




25.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.013	-40.92	-25	Pass	401
2530	2565	1	RMS	2552.925	-31.38	-13	Pass	401
2565	2569	1	RMS	2568.91	-26.98	-10	Pass	401
2569	2570	0.82	RMS	2570	-17.25	-10	Pass	401
2570	2610	1	RMS	2593	8.55	30	Pass	401




25.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.688	-50.03	-25	Pass	401
2530	2565	1	RMS	2565	-42.06	-13	Pass	401
2565	2569	1	RMS	2568.99	-25.51	-10	Pass	401
2569	2570	0.51	RMS	2569.975	-13.93	-10	Pass	401
2570	2610	1	RMS	2571.1	22.36	30	Pass	401




25.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.863	-37.24	-25	Pass	401
2530	2565	1	RMS	2564.475	-29.73	-13	Pass	401
2565	2569	1	RMS	2567.43	-27.81	-10	Pass	401
2569	2570	0.82	RMS	2569.995	-17.71	-10	Pass	401
2570	2610	1	RMS	2594.2	8.02	30	Pass	401




25.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	23.1	30	Pass	401
2620	2621	0.5	RMS	2620	-16.37	-10	Pass	3
2621	2625	1	RMS	2621	-26.27	-10	Pass	401
2625	2660	1	RMS	2637.6	-41.11	-13	Pass	401
2660	2665	1	RMS	2660.438	-50.15	-25	Pass	401




25.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2605	8.64	30	Pass	401
2620	2621	0.8	RMS	2620	-33.78	-10	Pass	3
2621	2625	1	RMS	2621.02	-32.56	-10	Pass	401
2625	2660	1	RMS	2638.825	-33.92	-13	Pass	401
2660	2665	1	RMS	2660.413	-42.9	-25	Pass	401




25.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.52	30	Pass	401
2620	2621	0.8	RMS	2620	-13.74	-10	Pass	3
2621	2625	1	RMS	2621.01	-27.58	-10	Pass	401
2625	2660	1	RMS	2637.688	-41.63	-13	Pass	401
2660	2665	1	RMS	2660.225	-50.21	-25	Pass	401



25.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2597.6	8.13	30	Pass	401
2620	2621	0.8	RMS	2620	-32.42	-10	Pass	3
2621	2625	1	RMS	2621.34	-30.73	-10	Pass	401
2625	2660	1	RMS	2625.7	-31.52	-13	Pass	401
2660	2665	1	RMS	2660.763	-40.02	-25	Pass	401



26. n41 30kHz


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-42.1	-25	Pass	401
2490	2495	1	RMS	2495	-25.85	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.66	-13	Pass	401
2496	2596	1	RMS	2497	23.54	30	Pass	401




26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-32.02	-25	Pass	401
2490	2495	1	RMS	2495	-29.8	-13	Pass	401
2495	2496	0.4	RMS	2496	-31.75	-13	Pass	4
2496	2596	1	RMS	2511	11.69	30	Pass	401




26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-43.18	-25	Pass	401
2490	2495	1	RMS	2494.988	-26.66	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26	-13	Pass	401
2496	2596	1	RMS	2497	23.19	30	Pass	401




26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-31.16	-25	Pass	401
2490	2495	1	RMS	2495	-27.8	-13	Pass	401
2495	2496	0.4	RMS	2496	-31.5	-13	Pass	4
2496	2596	1	RMS	2512.75	11.43	30	Pass	401




26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.08	30	Pass	401
2690	2691	0.1	RMS	2690.003	-23.77	-13	Pass	401
2691	2695	1	RMS	2691	-26.93	-13	Pass	401
2695	2710	1	RMS	2697.85	-40.58	-13	Pass	401
2710	2795	1	RMS	2775.238	-50.01	-25	Pass	401




26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2674.25	11.47	30	Pass	401
2690	2691	0.4	RMS	2690	-34.76	-13	Pass	4
2691	2695	1	RMS	2691.33	-29.82	-13	Pass	401
2695	2710	1	RMS	2695.863	-32.03	-13	Pass	401
2710	2715	1	RMS	2710.475	-43.17	-25	Pass	401
2715	2795	1	RMS	2715.6	-45.26	-25	Pass	401




26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.68	30	Pass	401
2690	2691	0.1	RMS	2690.01	-23.49	-13	Pass	401
2691	2695	1	RMS	2691.01	-26.33	-13	Pass	401
2695	2710	1	RMS	2697.925	-39.91	-13	Pass	401
2710	2795	1	RMS	2779.063	-50.02	-25	Pass	401




26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2679	10.85	30	Pass	401
2690	2691	0.4	RMS	2690	-34.63	-13	Pass	4
2691	2695	1	RMS	2691.88	-29.64	-13	Pass	401
2695	2710	1	RMS	2695.638	-32.43	-13	Pass	401
2710	2715	1	RMS	2710.475	-40.37	-25	Pass	401
2715	2795	1	RMS	2715	-44.57	-25	Pass	401




26.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.99	-25	Pass	401
2490	2495	1	RMS	2495	-24.38	-13	Pass	401
2495	2496	0.051	RMS	2496	-24.41	-13	Pass	401
2496	2596	1	RMS	2497	23.22	30	Pass	401




26.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.59	-25	Pass	401
2490	2495	1	RMS	2494.938	-33.79	-13	Pass	401
2495	2496	1.2	RMS	2496	-26.52	-13	Pass	2
2496	2596	1	RMS	2552.5	6.94	30	Pass	401




26.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.72	-25	Pass	401
2490	2495	1	RMS	2495	-25.84	-13	Pass	401
2495	2496	0.051	RMS	2495.993	-26.06	-13	Pass	401
2496	2596	1	RMS	2497	22.6	30	Pass	401




26.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.54	-25	Pass	401
2490	2495	1	RMS	2494.55	-33.69	-13	Pass	401
2495	2496	1.2	RMS	2496	-28.1	-13	Pass	2
2496	2596	1	RMS	2543.5	6.24	30	Pass	401




26.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.86	30	Pass	401
2690	2691	0.1	RMS	2690.008	-23.14	-13	Pass	401
2691	2695	1	RMS	2691.01	-26.44	-13	Pass	401
2695	2750	1	RMS	2695	-41.89	-13	Pass	401
2750	2795	1	RMS	2769.913	-49.97	-25	Pass	401




26.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2645.75	6.78	30	Pass	401
2690	2691	1.2	RMS	2690	-24.69	-13	Pass	2
2691	2695	1	RMS	2691.1	-30.94	-13	Pass	401
2695	2750	1	RMS	2719.613	-35.24	-13	Pass	401
2750	2755	1	RMS	2754.738	-50.22	-25	Pass	401
2755	2795	1	RMS	2776.4	-50	-25	Pass	401



26.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.58	30	Pass	401
2690	2691	0.1	RMS	2690.01	-23.11	-13	Pass	401
2691	2695	1	RMS	2691	-26.17	-13	Pass	401
2695	2750	1	RMS	2695	-41.17	-13	Pass	401
2750	2795	1	RMS	2785.325	-50.03	-25	Pass	401




26.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2653.5	6.3	30	Pass	401
2690	2691	1.2	RMS	2690	-23.72	-13	Pass	2
2691	2695	1	RMS	2691.05	-29.09	-13	Pass	401
2695	2750	1	RMS	2695.413	-29.55	-13	Pass	401
2750	2755	1	RMS	2754.913	-50.21	-25	Pass	401
2755	2795	1	RMS	2775	-50.02	-25	Pass	401




26.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-43.84	-25	Pass	401
2490	2495	1	RMS	2495	-24.75	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.66	-13	Pass	401
2496	2596	1	RMS	2497	22.68	30	Pass	401




26.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-37.95	-25	Pass	401
2490	2495	1	RMS	2494.875	-37.3	-13	Pass	401
2495	2496	1	RMS	2496	-32.93	-13	Pass	2
2496	2596	1	RMS	2554.5	4.3	30	Pass	401




26.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-44.65	-25	Pass	401
2490	2495	1	RMS	2494.975	-25.32	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-25.96	-13	Pass	401
2496	2596	1	RMS	2497	22.24	30	Pass	401



26.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-38.19	-25	Pass	401
2490	2495	1	RMS	2494.713	-37.45	-13	Pass	401
2495	2496	1	RMS	2496	-34.05	-13	Pass	2
2496	2596	1	RMS	2549.75	3.82	30	Pass	401



END


26.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.24	30	Pass	401
2690	2691	0.1	RMS	2690.018	-24.21	-13	Pass	401
2691	2695	1	RMS	2691	-26.66	-13	Pass	401
2695	2790	1	RMS	2695.238	-42.39	-13	Pass	401
2790	2795	1	RMS	2794.738	-49.98	-25	Pass	401




26.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2646.75	4.87	30	Pass	401
2690	2691	2	RMS	2690	-31.15	-13	Pass	2
2691	2695	1	RMS	2694.53	-32.95	-13	Pass	401
2695	2790	1	RMS	2695	-33.31	-13	Pass	401
2790	2795	1	RMS	2791.038	-50.06	-25	Pass	401




26.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.79	30	Pass	401
2690	2691	0.1	RMS	2690.01	-24.02	-13	Pass	401
2691	2695	1	RMS	2691	-26.51	-13	Pass	401
2695	2790	1	RMS	2695	-41.94	-13	Pass	401
2790	2795	1	RMS	2791.113	-50.05	-25	Pass	401



26.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2643.25	4.46	30	Pass	401
2690	2691	2	RMS	2690	-30.89	-13	Pass	2
2691	2695	1	RMS	2694.99	-32.99	-13	Pass	401
2695	2790	1	RMS	2695.238	-33.03	-13	Pass	401
2790	2795	1	RMS	2794.75	-49.97	-25	Pass	401



27. DC_5A_n7A_SCS15


27.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.94	-25	Pass	401
2494	2496	1	RMS	2495.97	-41.99	-13	Pass	401
2496	2499	1	RMS	2499	-36.32	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.77	-10	Pass	401
2500	2520	1	RMS	2500.3	22.97	30	Pass	401




27.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.715	-38.33	-25	Pass	401
2494	2496	1	RMS	2495.71	-29.15	-13	Pass	401
2496	2499	1	RMS	2499	-29.78	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-26.44	-10	Pass	401
2500	2520	1	RMS	2503	16.86	30	Pass	401




27.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.82	-25	Pass	401
2494	2496	1	RMS	2496	-41.68	-13	Pass	401
2496	2499	1	RMS	2499	-36.32	-10	Pass	4
2499	2500	0.051	RMS	2500	-20.69	-10	Pass	401
2500	2520	1	RMS	2500.3	22.42	30	Pass	401




27.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-34.83	-25	Pass	401
2494	2496	1	RMS	2495.97	-27.59	-13	Pass	401
2496	2499	1	RMS	2499	-28.28	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-28.66	-10	Pass	401
2500	2520	1	RMS	2502.85	16.39	30	Pass	401




27.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	23.04	30	Pass	401
2570	2571	0.051	RMS	2570	-19.81	-10	Pass	401
2571	2575	1	RMS	2571	-36.04	-10	Pass	5
2575	2576	1	RMS	2575	-45.14	-13	Pass	401
2576	2595	1	RMS	2576	-48.01	-25	Pass	401




27.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.05	16.93	30	Pass	401
2570	2571	0.1	RMS	2570.003	-28.45	-10	Pass	401
2571	2575	1	RMS	2572	-28.84	-10	Pass	5
2575	2576	1	RMS	2575.188	-34.24	-13	Pass	401
2576	2595	1	RMS	2576	-38.6	-25	Pass	401




27.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.44	30	Pass	401
2570	2571	0.051	RMS	2570	-19.34	-10	Pass	401
2571	2575	1	RMS	2571	-36.38	-10	Pass	5
2575	2576	1	RMS	2575.01	-44.99	-13	Pass	401
2576	2595	1	RMS	2576	-47.8	-25	Pass	401




27.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568	16.42	30	Pass	401
2570	2571	0.1	RMS	2570.003	-28.25	-10	Pass	401
2571	2575	1	RMS	2571	-27.14	-10	Pass	5
2575	2576	1	RMS	2575.148	-31.94	-13	Pass	401
2576	2595	1	RMS	2576	-35.56	-25	Pass	401




27.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-49.84	-25	Pass	401
2485	2496	1	RMS	2493.498	-41.71	-13	Pass	401
2496	2499	1	RMS	2499	-34.36	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.74	-10	Pass	401
2500	2520	1	RMS	2500.45	22.95	30	Pass	401




27.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.825	-45.42	-25	Pass	401
2485	2496	1	RMS	2493.773	-33.99	-13	Pass	401
2496	2499	1	RMS	2499	-34	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.46	-10	Pass	401
2500	2520	1	RMS	2504.3	12.39	30	Pass	401




27.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.77	-25	Pass	401
2485	2496	1	RMS	2493.745	-41.96	-13	Pass	401
2496	2499	1	RMS	2499	-35.72	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.27	-10	Pass	401
2500	2520	1	RMS	2500.45	22.35	30	Pass	401




27.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-43.24	-25	Pass	401
2485	2496	1	RMS	2495.478	-31.95	-13	Pass	401
2496	2499	1	RMS	2499	-33.56	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.84	-10	Pass	401
2500	2520	1	RMS	2506.55	11.84	30	Pass	401




27.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	23.05	30	Pass	401
2570	2571	0.051	RMS	2570	-24.51	-10	Pass	401
2571	2575	1	RMS	2571	-34.92	-10	Pass	5
2575	2585	1	RMS	2576.175	-42.05	-13	Pass	401
2585	2595	1	RMS	2585.475	-48.79	-25	Pass	401




27.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2559.45	12.4	30	Pass	401
2570	2571	0.3	RMS	2570.05	-34.91	-10	Pass	401
2571	2575	1	RMS	2571	-35.28	-10	Pass	5
2575	2585	1	RMS	2581.475	-30.46	-13	Pass	401
2585	2595	1	RMS	2585.05	-40.3	-25	Pass	401




27.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22.36	30	Pass	401
2570	2571	0.051	RMS	2570	-24.7	-10	Pass	401
2571	2575	1	RMS	2571	-34.74	-10	Pass	5
2575	2585	1	RMS	2575.55	-43.08	-13	Pass	401
2585	2595	1	RMS	2585.075	-48.95	-25	Pass	401




27.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2561.8	11.87	30	Pass	401
2570	2571	0.3	RMS	2570.098	-34.63	-10	Pass	401
2571	2575	1	RMS	2571	-33.48	-10	Pass	5
2575	2585	1	RMS	2575.225	-34.94	-13	Pass	401
2585	2595	1	RMS	2585.75	-40.72	-25	Pass	401




27.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.875	-50.64	-25	Pass	401
2480	2496	1	RMS	2496	-44.24	-13	Pass	401
2496	2499	1	RMS	2499	-31.27	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.14	-10	Pass	401
2500	2520	1	RMS	2500.5	22.91	30	Pass	401




27.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.738	-50.56	-25	Pass	401
2480	2496	1	RMS	2495.24	-33.49	-13	Pass	401
2496	2499	1	RMS	2499	-34.96	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.69	-10	Pass	401
2500	2520	1	RMS	2505.05	11.29	30	Pass	401




27.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2477.688	-50.67	-25	Pass	401
2480	2496	1	RMS	2496	-44.19	-13	Pass	401
2496	2499	1	RMS	2499	-32.68	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.96	-10	Pass	401
2500	2520	1	RMS	2500.55	22.26	30	Pass	401




27.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.788	-50.46	-25	Pass	401
2480	2496	1	RMS	2496	-33.23	-13	Pass	401
2496	2499	1	RMS	2499	-33.71	-10	Pass	4
2499	2500	0.39	RMS	2500	-19.2	-10	Pass	401
2500	2520	1	RMS	2506.3	10.69	30	Pass	401




27.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.96	30	Pass	401
2570	2571	0.051	RMS	2570	-22.34	-10	Pass	401
2571	2575	1	RMS	2571	-31.99	-10	Pass	5
2575	2590	1	RMS	2578.75	-44.59	-13	Pass	401
2590	2595	1	RMS	2590.4	-50.33	-25	Pass	401




27.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.95	11.25	30	Pass	401
2570	2571	0.39	RMS	2570.59	-36.06	-10	Pass	401
2571	2575	1	RMS	2571	-35.99	-10	Pass	5
2575	2590	1	RMS	2575.45	-33.89	-13	Pass	401
2590	2595	1	RMS	2590.013	-48.91	-25	Pass	401




27.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.36	30	Pass	401
2570	2571	0.051	RMS	2570	-21.65	-10	Pass	401
2571	2575	1	RMS	2571	-31.82	-10	Pass	5
2575	2590	1	RMS	2578.638	-44.85	-13	Pass	401
2590	2595	1	RMS	2590.2	-50.31	-25	Pass	401



27.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.95	10.68	30	Pass	401
2570	2571	0.39	RMS	2570.345	-34.5	-10	Pass	401
2571	2575	1	RMS	2571	-34.05	-10	Pass	5
2575	2590	1	RMS	2575.075	-35.56	-13	Pass	401
2590	2595	1	RMS	2590.013	-48.14	-25	Pass	401



28. DC_7A_n5A_SCS15


28.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-47.56	-13	Pass	401
823	824	0.051	RMS	824	-18.73	-13	Pass	401
824	844	0.1	RMS	824.35	20.64	30	Pass	401




28.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-35.49	-13	Pass	401
823	824	0.051	RMS	823.99	-30.19	-13	Pass	401
824	844	0.1	RMS	827.15	7.31	30	Pass	401




28.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-48.06	-13	Pass	401
823	824	0.051	RMS	824	-20.34	-13	Pass	401
824	844	0.1	RMS	824.35	19.24	30	Pass	401




28.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-36.78	-13	Pass	401
823	824	0.051	RMS	823.995	-32.03	-13	Pass	401
824	844	0.1	RMS	825.9	6.2	30	Pass	401




28.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.68	30	Pass	401
849	850	0.051	RMS	849	-19.09	-13	Pass	401
850	874	0.1	RMS	850	-48.14	-13	Pass	401




28.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.1	7.44	30	Pass	401
849	850	0.051	RMS	849	-30.13	-13	Pass	401
850	874	0.1	RMS	850.78	-34.35	-13	Pass	401




28.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.17	30	Pass	401
849	850	0.051	RMS	849	-20.4	-13	Pass	401
850	874	0.1	RMS	850	-48.24	-13	Pass	401




28.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.25	6.37	30	Pass	401
849	850	0.051	RMS	849	-30.8	-13	Pass	401
850	874	0.1	RMS	850.96	-39.24	-13	Pass	401




28.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.07	-13	Pass	401
823	824	0.15	RMS	824	-17.33	-13	Pass	401
824	844	0.1	RMS	824.45	20.46	30	Pass	401




28.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38	-13	Pass	401
823	824	0.15	RMS	824	-28.89	-13	Pass	401
824	844	0.1	RMS	825.3	3.61	30	Pass	401




28.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-49.27	-13	Pass	401
823	824	0.15	RMS	824	-19.15	-13	Pass	401
824	844	0.1	RMS	824.5	19.21	30	Pass	401




28.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-37.91	-13	Pass	401
823	824	0.15	RMS	824	-31.27	-13	Pass	401
824	844	0.1	RMS	826.2	1.89	30	Pass	401




28.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.52	30	Pass	401
849	850	0.15	RMS	849	-18.93	-13	Pass	401
850	874	0.1	RMS	850	-47.66	-13	Pass	401




28.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.95	2.91	30	Pass	401
849	850	0.15	RMS	849.075	-34.38	-13	Pass	401
850	874	0.1	RMS	850.24	-39.27	-13	Pass	401




28.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.74	30	Pass	401
849	850	0.15	RMS	849.003	-20.76	-13	Pass	401
850	874	0.1	RMS	850	-49.31	-13	Pass	401




28.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.7	2.71	30	Pass	401
849	850	0.15	RMS	849.03	-32.59	-13	Pass	401
850	874	0.1	RMS	850	-35.04	-13	Pass	401




28.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.26	-13	Pass	401
823	824	0.1	RMS	823.998	-18.02	-13	Pass	401
824	844	0.1	RMS	824.55	20.46	30	Pass	401




28.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-32.28	-13	Pass	401
823	824	0.2	RMS	824	-25.58	-13	Pass	401
824	844	0.1	RMS	841.35	1.91	30	Pass	401




28.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.98	-13	Pass	401
823	824	0.1	RMS	824	-18.25	-13	Pass	401
824	844	0.1	RMS	824.55	19.78	30	Pass	401




28.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-31.15	-13	Pass	401
823	824	0.2	RMS	823.993	-26.52	-13	Pass	401
824	844	0.1	RMS	826.25	1.97	30	Pass	401




28.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.47	30	Pass	401
849	850	0.1	RMS	849	-18.52	-13	Pass	401
850	874	0.1	RMS	850	-46.46	-13	Pass	401




28.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.65	1.87	30	Pass	401
849	850	0.2	RMS	849.528	-33.25	-13	Pass	401
850	874	0.1	RMS	850.12	-36.6	-13	Pass	401




28.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.82	30	Pass	401
849	850	0.2	RMS	849	-17.06	-13	Pass	401
850	874	0.1	RMS	850	-48.88	-13	Pass	401



28.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.7	1.22	30	Pass	401
849	850	0.2	RMS	849.255	-31.78	-13	Pass	401
850	874	0.1	RMS	850.3	-35.63	-13	Pass	401



29. DC_7A_n7A_SCS15


29.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.96	-25	Pass	401
2494	2496	1	RMS	2496	-42.06	-13	Pass	401
2496	2499	1	RMS	2499	-36.24	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.72	-10	Pass	401
2500	2520	1	RMS	2500.3	23.05	30	Pass	401




29.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.763	-37.47	-25	Pass	401
2494	2496	1	RMS	2495.815	-29.15	-13	Pass	401
2496	2499	1	RMS	2499	-29.59	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-26.42	-10	Pass	401
2500	2520	1	RMS	2503.6	16.96	30	Pass	401




29.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.78	-25	Pass	401
2494	2496	1	RMS	2495.995	-41.81	-13	Pass	401
2496	2499	1	RMS	2499	-36.25	-10	Pass	4
2499	2500	0.051	RMS	2500	-20.54	-10	Pass	401
2500	2520	1	RMS	2500.3	22.42	30	Pass	401




29.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.715	-34.76	-25	Pass	401
2494	2496	1	RMS	2495.885	-28.69	-13	Pass	401
2496	2499	1	RMS	2499	-27.99	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.31	-10	Pass	401
2500	2520	1	RMS	2502.3	16.38	30	Pass	401




29.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	23.16	30	Pass	401
2570	2571	0.051	RMS	2570	-19.47	-10	Pass	401
2571	2575	1	RMS	2571	-36.08	-10	Pass	5
2575	2576	1	RMS	2575.01	-45.15	-13	Pass	401
2576	2595	1	RMS	2576	-47.93	-25	Pass	401




29.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.4	16.94	30	Pass	401
2570	2571	0.1	RMS	2570.01	-28.26	-10	Pass	401
2571	2575	1	RMS	2572	-28.33	-10	Pass	5
2575	2576	1	RMS	2575.373	-32.03	-13	Pass	401
2576	2595	1	RMS	2576.143	-37.5	-25	Pass	401




29.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.49	30	Pass	401
2570	2571	0.051	RMS	2570	-19.29	-10	Pass	401
2571	2575	1	RMS	2571	-36.42	-10	Pass	5
2575	2576	1	RMS	2575.003	-45.07	-13	Pass	401
2576	2595	1	RMS	2576	-47.86	-25	Pass	401




29.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.1	16.5	30	Pass	401
2570	2571	0.1	RMS	2570.003	-27.69	-10	Pass	401
2571	2575	1	RMS	2571	-26.47	-10	Pass	5
2575	2576	1	RMS	2575.155	-31.6	-13	Pass	401
2576	2595	1	RMS	2576	-35	-25	Pass	401




29.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-49.77	-25	Pass	401
2485	2496	1	RMS	2493.498	-41.63	-13	Pass	401
2496	2499	1	RMS	2499	-34.24	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.75	-10	Pass	401
2500	2520	1	RMS	2500.45	23.07	30	Pass	401




29.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.775	-44.54	-25	Pass	401
2485	2496	1	RMS	2493.003	-30.02	-13	Pass	401
2496	2499	1	RMS	2499	-34.26	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.79	-10	Pass	401
2500	2520	1	RMS	2504.3	12.42	30	Pass	401




29.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.76	-25	Pass	401
2485	2496	1	RMS	2493.47	-42.01	-13	Pass	401
2496	2499	1	RMS	2499	-35.78	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.38	-10	Pass	401
2500	2520	1	RMS	2500.45	22.34	30	Pass	401




29.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-42.87	-25	Pass	401
2485	2496	1	RMS	2494.955	-32.46	-13	Pass	401
2496	2499	1	RMS	2499	-33.29	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.82	-10	Pass	401
2500	2520	1	RMS	2506.8	11.89	30	Pass	401




29.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	23.07	30	Pass	401
2570	2571	0.051	RMS	2570	-24.71	-10	Pass	401
2571	2575	1	RMS	2571	-35.07	-10	Pass	5
2575	2585	1	RMS	2576.225	-42.92	-13	Pass	401
2585	2595	1	RMS	2585.05	-49.1	-25	Pass	401




29.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.85	12.45	30	Pass	401
2570	2571	0.3	RMS	2570.245	-35.09	-10	Pass	401
2571	2575	1	RMS	2571	-34.85	-10	Pass	5
2575	2585	1	RMS	2578.175	-32.17	-13	Pass	401
2585	2595	1	RMS	2585.35	-41.82	-25	Pass	401




29.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.39	30	Pass	401
2570	2571	0.051	RMS	2570	-24.49	-10	Pass	401
2571	2575	1	RMS	2571	-34.68	-10	Pass	5
2575	2585	1	RMS	2575.45	-43.02	-13	Pass	401
2585	2595	1	RMS	2585.025	-48.97	-25	Pass	401




29.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2561.75	11.91	30	Pass	401
2570	2571	0.3	RMS	2570.048	-34.27	-10	Pass	401
2571	2575	1	RMS	2571	-33.21	-10	Pass	5
2575	2585	1	RMS	2576.175	-33.82	-13	Pass	401
2585	2595	1	RMS	2585	-40.87	-25	Pass	401




29.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.688	-50.66	-25	Pass	401
2480	2496	1	RMS	2496	-44.18	-13	Pass	401
2496	2499	1	RMS	2499	-31.19	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.05	-10	Pass	401
2500	2520	1	RMS	2500.55	22.98	30	Pass	401




29.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.6	-50.52	-25	Pass	401
2480	2496	1	RMS	2490.8	-33.39	-13	Pass	401
2496	2499	1	RMS	2499	-35.38	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.64	-10	Pass	401
2500	2520	1	RMS	2504.9	11.36	30	Pass	401




29.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.9	-50.67	-25	Pass	401
2480	2496	1	RMS	2496	-44.02	-13	Pass	401
2496	2499	1	RMS	2499	-32.48	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-22.96	-10	Pass	401
2500	2520	1	RMS	2500.5	22.35	30	Pass	401




29.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.763	-50.41	-25	Pass	401
2480	2496	1	RMS	2495.96	-32.2	-13	Pass	401
2496	2499	1	RMS	2499	-33.51	-10	Pass	4
2499	2500	0.39	RMS	2500	-19.02	-10	Pass	401
2500	2520	1	RMS	2506.1	10.8	30	Pass	401




29.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.94	30	Pass	401
2570	2571	0.051	RMS	2570	-22.31	-10	Pass	401
2571	2575	1	RMS	2571	-31.97	-10	Pass	5
2575	2590	1	RMS	2578.713	-44.58	-13	Pass	401
2590	2595	1	RMS	2591.825	-50.35	-25	Pass	401




29.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.15	11.26	30	Pass	401
2570	2571	0.39	RMS	2570.273	-34.44	-10	Pass	401
2571	2575	1	RMS	2571	-35.7	-10	Pass	5
2575	2590	1	RMS	2576.913	-33.56	-13	Pass	401
2590	2595	1	RMS	2590.063	-48.87	-25	Pass	401




29.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.33	30	Pass	401
2570	2571	0.051	RMS	2570.003	-21.67	-10	Pass	401
2571	2575	1	RMS	2571	-31.72	-10	Pass	5
2575	2590	1	RMS	2578.6	-44.75	-13	Pass	401
2590	2595	1	RMS	2590.25	-50.32	-25	Pass	401



29.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556	10.69	30	Pass	401
2570	2571	0.39	RMS	2570.505	-34.48	-10	Pass	401
2571	2575	1	RMS	2571	-34.07	-10	Pass	5
2575	2590	1	RMS	2578.413	-35.28	-13	Pass	401
2590	2595	1	RMS	2590.15	-48.04	-25	Pass	401



30. DC_7A_n66A_SCS15


30.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-39.3	-13	Pass	401
1708	1709	1	RMS	1709	-36.66	-13	Pass	2
1709	1710	0.05	RMS	1710	-17.83	-13	Pass	21
1710	1750	1	RMS	1710.3	23.91	30	Pass	401




30.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.57	-29	-13	Pass	401
1708	1709	1	RMS	1709	-27.99	-13	Pass	2
1709	1710	0.051	RMS	1710	-27.76	-13	Pass	401
1710	1750	1	RMS	1713.3	17.78	30	Pass	401




30.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-38.97	-13	Pass	401
1708	1709	1	RMS	1709	-36.22	-13	Pass	2
1709	1710	0.05	RMS	1710	-18.72	-13	Pass	21
1710	1750	1	RMS	1710.3	23.43	30	Pass	401




30.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.785	-26.22	-13	Pass	401
1708	1709	1	RMS	1709	-25.79	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.09	-13	Pass	401
1710	1750	1	RMS	1713.1	17.34	30	Pass	401




30.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	23.75	30	Pass	401
1780	1781	0.051	RMS	1780	-19.19	-13	Pass	401
1781	1782	1	RMS	1781	-36.74	-13	Pass	2
1782	1805	1	RMS	1788.21	-36.73	-13	Pass	401




30.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778.45	17.7	30	Pass	401
1780	1781	0.051	RMS	1780	-28.85	-13	Pass	401
1781	1782	1	RMS	1781	-26.42	-13	Pass	2
1782	1805	1	RMS	1782.345	-26.65	-13	Pass	401




30.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	23.15	30	Pass	401
1780	1781	0.051	RMS	1780	-17.95	-13	Pass	401
1781	1782	1	RMS	1781	-36.18	-13	Pass	2
1782	1805	1	RMS	1788.268	-37.68	-13	Pass	401




30.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.4	17.24	30	Pass	401
1780	1781	0.051	RMS	1780.008	-28.58	-13	Pass	401
1781	1782	1	RMS	1781	-24.11	-13	Pass	2
1782	1805	1	RMS	1782	-24.89	-13	Pass	401




30.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-40.52	-13	Pass	401
1708	1709	1	RMS	1709	-34.04	-13	Pass	2
1709	1710	0.1	RMS	1710	-18.37	-13	Pass	401
1710	1750	1	RMS	1710.4	23.89	30	Pass	401




30.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1705.313	-31.4	-13	Pass	401
1708	1709	1	RMS	1709	-32.64	-13	Pass	2
1709	1710	0.15	RMS	1710	-30.35	-13	Pass	401
1710	1750	1	RMS	1713	13.29	30	Pass	401




30.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-40.2	-13	Pass	401
1708	1709	1	RMS	1709	-34.56	-13	Pass	2
1709	1710	0.15	RMS	1710	-16.6	-13	Pass	401
1710	1750	1	RMS	1710.4	23.31	30	Pass	401




30.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1706.173	-30.42	-13	Pass	401
1708	1709	1	RMS	1709	-30.96	-13	Pass	2
1709	1710	0.15	RMS	1710	-31.49	-13	Pass	401
1710	1750	1	RMS	1716.6	12.72	30	Pass	401




30.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	23.66	30	Pass	401
1780	1781	0.15	RMS	1780	-18.87	-13	Pass	401
1781	1782	1	RMS	1781	-34.42	-13	Pass	2
1782	1805	1	RMS	1782	-41.2	-13	Pass	401




30.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.95	13.27	30	Pass	401
1780	1781	0.15	RMS	1780.165	-33.5	-13	Pass	401
1781	1782	1	RMS	1781	-30.35	-13	Pass	2
1782	1805	1	RMS	1784.185	-28.41	-13	Pass	401




30.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	22.98	30	Pass	401
1780	1781	0.15	RMS	1780	-18.08	-13	Pass	401
1781	1782	1	RMS	1781	-35.02	-13	Pass	2
1782	1805	1	RMS	1782	-40.76	-13	Pass	401




30.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.4	12.61	30	Pass	401
1780	1781	0.15	RMS	1780.258	-32.67	-13	Pass	401
1781	1782	1	RMS	1781	-29.31	-13	Pass	2
1782	1805	1	RMS	1782.69	-29.27	-13	Pass	401




30.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-41.19	-13	Pass	401
1708	1709	1	RMS	1709	-30.46	-13	Pass	2
1709	1710	0.1	RMS	1710	-16.78	-13	Pass	401
1710	1750	1	RMS	1710.5	23.63	30	Pass	401




30.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-34.97	-13	Pass	401
1708	1709	1	RMS	1709	-33.08	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.47	-13	Pass	401
1710	1750	1	RMS	1722.4	11.94	30	Pass	401




30.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-40.96	-13	Pass	401
1708	1709	1	RMS	1709	-31.11	-13	Pass	2
1709	1710	0.1	RMS	1710	-17.43	-13	Pass	401
1710	1750	1	RMS	1710.5	23.08	30	Pass	401




30.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.248	-32.74	-13	Pass	401
1708	1709	1	RMS	1709	-31.66	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-30.9	-13	Pass	401
1710	1750	1	RMS	1722.1	11.41	30	Pass	401




30.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	23.58	30	Pass	401
1780	1781	0.1	RMS	1780	-18.64	-13	Pass	401
1781	1782	1	RMS	1781	-32.04	-13	Pass	2
1782	1805	1	RMS	1782	-41.96	-13	Pass	401




30.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.35	12.27	30	Pass	401
1780	1781	0.2	RMS	1780.34	-38.71	-13	Pass	401
1781	1782	1	RMS	1781	-33.04	-13	Pass	2
1782	1805	1	RMS	1782.173	-33.57	-13	Pass	401




30.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	22.78	30	Pass	401
1780	1781	0.1	RMS	1780.01	-18.47	-13	Pass	401
1781	1782	1	RMS	1781	-31.7	-13	Pass	2
1782	1805	1	RMS	1782	-40.78	-13	Pass	401



30.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.4	11.49	30	Pass	401
1780	1781	0.2	RMS	1780.335	-37.46	-13	Pass	401
1781	1782	1	RMS	1781	-31.85	-13	Pass	2
1782	1805	1	RMS	1782	-32.18	-13	Pass	401



31. DC_66A_n7A_SCS15


31.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100 @0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.97	-25	Pass	401
2494	2496	1	RMS	2496	-42.03	-13	Pass	401
2496	2499	1	RMS	2499	-36.28	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.6	-10	Pass	401
2500	2520	1	RMS	2500.3	23.05	30	Pass	401




31.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.763	-37.99	-25	Pass	401
2494	2496	1	RMS	2495.68	-29.51	-13	Pass	401
2496	2499	1	RMS	2499	-29.69	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.68	-10	Pass	401
2500	2520	1	RMS	2503.4	16.96	30	Pass	401




31.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.75	-25	Pass	401
2494	2496	1	RMS	2495.975	-41.8	-13	Pass	401
2496	2499	1	RMS	2499	-36.08	-10	Pass	4
2499	2500	0.051	RMS	2500	-20.6	-10	Pass	401
2500	2520	1	RMS	2500.3	22.42	30	Pass	401




31.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-34.12	-25	Pass	401
2494	2496	1	RMS	2495.805	-28.5	-13	Pass	401
2496	2499	1	RMS	2499	-27.79	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.47	-10	Pass	401
2500	2520	1	RMS	2502.75	16.41	30	Pass	401




31.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	23.14	30	Pass	401
2570	2571	0.051	RMS	2570	-19.61	-10	Pass	401
2571	2575	1	RMS	2571	-36.04	-10	Pass	5
2575	2576	1	RMS	2575.01	-45.27	-13	Pass	401
2576	2595	1	RMS	2576	-48.05	-25	Pass	401




31.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.15	16.97	30	Pass	401
2570	2571	0.1	RMS	2570.003	-28.15	-10	Pass	401
2571	2575	1	RMS	2572	-28.32	-10	Pass	5
2575	2576	1	RMS	2575.218	-33.72	-13	Pass	401
2576	2595	1	RMS	2576	-38.3	-25	Pass	401




31.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.51	30	Pass	401
2570	2571	0.051	RMS	2570	-19.3	-10	Pass	401
2571	2575	1	RMS	2571	-36.32	-10	Pass	5
2575	2576	1	RMS	2575	-45.21	-13	Pass	401
2576	2595	1	RMS	2576	-47.94	-25	Pass	401




31.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568	16.49	30	Pass	401
2570	2571	0.1	RMS	2570	-28.21	-10	Pass	401
2571	2575	1	RMS	2571	-26.8	-10	Pass	5
2575	2576	1	RMS	2575.06	-31.37	-13	Pass	401
2576	2595	1	RMS	2576.143	-35.43	-25	Pass	401




31.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.79	-25	Pass	401
2485	2496	1	RMS	2493.635	-41.81	-13	Pass	401
2496	2499	1	RMS	2499	-34.28	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.64	-10	Pass	401
2500	2520	1	RMS	2500.45	23.05	30	Pass	401




31.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.85	-45.2	-25	Pass	401
2485	2496	1	RMS	2495.918	-32.65	-13	Pass	401
2496	2499	1	RMS	2499	-33.93	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.79	-10	Pass	401
2500	2520	1	RMS	2502.9	12.37	30	Pass	401




31.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.84	-25	Pass	401
2485	2496	1	RMS	2493.718	-42.1	-13	Pass	401
2496	2499	1	RMS	2499	-35.86	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.46	-10	Pass	401
2500	2520	1	RMS	2500.45	22.36	30	Pass	401




31.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.875	-42.97	-25	Pass	401
2485	2496	1	RMS	2493.718	-32.99	-13	Pass	401
2496	2499	1	RMS	2499	-33.29	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.84	-10	Pass	401
2500	2520	1	RMS	2506.65	11.88	30	Pass	401




31.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	23.09	30	Pass	401
2570	2571	0.051	RMS	2570	-24.89	-10	Pass	401
2571	2575	1	RMS	2571	-34.81	-10	Pass	5
2575	2585	1	RMS	2575.675	-42.68	-13	Pass	401
2585	2595	1	RMS	2585.025	-49.04	-25	Pass	401




31.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.9	12.43	30	Pass	401
2570	2571	0.3	RMS	2570.038	-35.63	-10	Pass	401
2571	2575	1	RMS	2571	-34.84	-10	Pass	5
2575	2585	1	RMS	2575.475	-32.98	-13	Pass	401
2585	2595	1	RMS	2585	-42.04	-25	Pass	401




31.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22.42	30	Pass	401
2570	2571	0.051	RMS	2570	-24.61	-10	Pass	401
2571	2575	1	RMS	2571	-34.71	-10	Pass	5
2575	2585	1	RMS	2575.675	-43.12	-13	Pass	401
2585	2595	1	RMS	2585.025	-48.99	-25	Pass	401




31.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2561.75	11.89	30	Pass	401
2570	2571	0.3	RMS	2570.043	-34.53	-10	Pass	401
2571	2575	1	RMS	2571	-33.26	-10	Pass	5
2575	2585	1	RMS	2575.15	-34.14	-13	Pass	401
2585	2595	1	RMS	2585.1	-40.54	-25	Pass	401




31.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2476	-50.67	-25	Pass	401
2480	2496	1	RMS	2495.92	-44.2	-13	Pass	401
2496	2499	1	RMS	2499	-31.23	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-21.11	-10	Pass	401
2500	2520	1	RMS	2500.5	22.96	30	Pass	401




31.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.85	-50.55	-25	Pass	401
2480	2496	1	RMS	2493.12	-33.05	-13	Pass	401
2496	2499	1	RMS	2499	-35.51	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.68	-10	Pass	401
2500	2520	1	RMS	2505.1	11.28	30	Pass	401




31.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.925	-50.64	-25	Pass	401
2480	2496	1	RMS	2496	-44.1	-13	Pass	401
2496	2499	1	RMS	2499	-32.65	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.03	-10	Pass	401
2500	2520	1	RMS	2500.5	22.28	30	Pass	401




31.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.9	-50.42	-25	Pass	401
2480	2496	1	RMS	2495.52	-33.58	-13	Pass	401
2496	2499	1	RMS	2499	-33.45	-10	Pass	4
2499	2500	0.39	RMS	2500	-19	-10	Pass	401
2500	2520	1	RMS	2506.2	10.7	30	Pass	401




31.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.99	30	Pass	401
2570	2571	0.051	RMS	2570	-22.31	-10	Pass	401
2571	2575	1	RMS	2571	-31.92	-10	Pass	5
2575	2590	1	RMS	2578.563	-44.76	-13	Pass	401
2590	2595	1	RMS	2590.275	-50.31	-25	Pass	401




31.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.85	11.26	30	Pass	401
2570	2571	0.39	RMS	2570.918	-35.45	-10	Pass	401
2571	2575	1	RMS	2571	-35.81	-10	Pass	5
2575	2590	1	RMS	2576.125	-34.28	-13	Pass	401
2590	2595	1	RMS	2590.013	-48.8	-25	Pass	401




31.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.32	30	Pass	401
2570	2571	0.051	RMS	2570.003	-21.71	-10	Pass	401
2571	2575	1	RMS	2571	-31.81	-10	Pass	5
2575	2590	1	RMS	2578.638	-44.82	-13	Pass	401
2590	2595	1	RMS	2590.538	-50.31	-25	Pass	401



31.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.1	10.7	30	Pass	401
2570	2571	0.39	RMS	2570.098	-33.84	-10	Pass	401
2571	2575	1	RMS	2571	-34.28	-10	Pass	5
2575	2590	1	RMS	2578.038	-35.09	-13	Pass	401
2590	2595	1	RMS	2590.025	-47.71	-25	Pass	401



32. DC_66A_n66A_SCS15


32.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-39.66	-13	Pass	401
1708	1709	1	RMS	1709	-37.12	-13	Pass	2
1709	1710	0.05	RMS	1710	-22.07	-13	Pass	21
1710	1750	1	RMS	1710.3	23.62	30	Pass	401




32.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.355	-27.61	-13	Pass	401
1708	1709	1	RMS	1709	-28.87	-13	Pass	2
1709	1710	0.051	RMS	1709.75	-33.48	-13	Pass	401
1710	1750	1	RMS	1713.6	17.67	30	Pass	401




32.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-39.05	-13	Pass	401
1708	1709	1	RMS	1709	-36.75	-13	Pass	2
1709	1710	0.05	RMS	1710	-22.2	-13	Pass	21
1710	1750	1	RMS	1710.4	23.31	30	Pass	401




32.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.785	-28.18	-13	Pass	401
1708	1709	1	RMS	1709	-28.36	-13	Pass	2
1709	1710	0.051	RMS	1710	-34.18	-13	Pass	401
1710	1750	1	RMS	1712.3	17.14	30	Pass	401




32.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.7	23.63	30	Pass	401
1780	1781	0.05	RMS	1780	-17.46	-13	Pass	21
1781	1782	1	RMS	1781	-36.29	-13	Pass	2
1782	1805	1	RMS	1788.268	-37.05	-13	Pass	401




32.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778.55	17.72	30	Pass	401
1780	1781	0.051	RMS	1780	-24.69	-13	Pass	401
1781	1782	1	RMS	1781	-28.22	-13	Pass	2
1782	1805	1	RMS	1782.115	-26.25	-13	Pass	401




32.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	23.46	30	Pass	401
1780	1781	0.05	RMS	1780	-16.18	-13	Pass	21
1781	1782	1	RMS	1781	-36.01	-13	Pass	2
1782	1805	1	RMS	1788.325	-37.56	-13	Pass	401




32.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.7	17.2	30	Pass	401
1780	1781	0.051	RMS	1780	-25.38	-13	Pass	401
1781	1782	1	RMS	1781	-25.98	-13	Pass	2
1782	1805	1	RMS	1782.173	-27.39	-13	Pass	401




32.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-40.97	-13	Pass	401
1708	1709	1	RMS	1709	-34.97	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.56	-13	Pass	401
1710	1750	1	RMS	1710.5	23.82	30	Pass	401




32.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1706.818	-33.44	-13	Pass	401
1708	1709	1	RMS	1709	-32.83	-13	Pass	2
1709	1710	0.15	RMS	1709.92	-33.23	-13	Pass	401
1710	1750	1	RMS	1714.9	13.09	30	Pass	401




32.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-40.55	-13	Pass	401
1708	1709	1	RMS	1709	-34.85	-13	Pass	2
1709	1710	0.15	RMS	1710	-19.51	-13	Pass	401
1710	1750	1	RMS	1710.5	23.37	30	Pass	401




32.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:343500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.355	-32.17	-13	Pass	401
1708	1709	1	RMS	1709	-32.58	-13	Pass	2
1709	1710	0.15	RMS	1709.97	-34.16	-13	Pass	401
1710	1750	1	RMS	1713.9	12.59	30	Pass	401




32.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.55	23.78	30	Pass	401
1780	1781	0.15	RMS	1780	-17.48	-13	Pass	8
1781	1782	1	RMS	1781	-33.85	-13	Pass	2
1782	1805	1	RMS	1782	-40.95	-13	Pass	401




32.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.75	13.12	30	Pass	401
1780	1781	0.15	RMS	1780.818	-33.3	-13	Pass	401
1781	1782	1	RMS	1781	-29.81	-13	Pass	2
1782	1805	1	RMS	1784.013	-28.14	-13	Pass	401



32.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1 @78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.55	23.36	30	Pass	401
1780	1781	0.15	RMS	1780	-16.83	-13	Pass	8
1781	1782	1	RMS	1781	-35.07	-13	Pass	2
1782	1805	1	RMS	1782	-40.61	-13	Pass	401




32.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.55	12.71	30	Pass	401
1780	1781	0.15	RMS	1780.885	-33	-13	Pass	401
1781	1782	1	RMS	1781	-29.9	-13	Pass	2
1782	1805	1	RMS	1783.093	-29.34	-13	Pass	401




32.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1 @0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-41.61	-13	Pass	401
1708	1709	1	RMS	1709	-32.03	-13	Pass	2
1709	1710	0.1	RMS	1710	-18.08	-13	Pass	401
1710	1750	1	RMS	1710.5	23.74	30	Pass	401




32.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-35.34	-13	Pass	401
1708	1709	1	RMS	1709	-33.33	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.1	-13	Pass	401
1710	1750	1	RMS	1723	11.86	30	Pass	401




32.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-41.19	-13	Pass	401
1708	1709	1	RMS	1709	-32.27	-13	Pass	2
1709	1710	0.1	RMS	1710	-18.67	-13	Pass	401
1710	1750	1	RMS	1710.5	23.25	30	Pass	401




32.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-32.74	-13	Pass	401
1708	1709	1	RMS	1709	-31.62	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.77	-13	Pass	401
1710	1750	1	RMS	1722.5	11.4	30	Pass	401




32.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	23.56	30	Pass	401
1780	1781	0.1	RMS	1780.003	-16.71	-13	Pass	401
1781	1782	1	RMS	1781	-30.26	-13	Pass	2
1782	1805	1	RMS	1782	-41.66	-13	Pass	401




32.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1761.7	12.24	30	Pass	401
1780	1781	0.2	RMS	1780.008	-38.74	-13	Pass	401
1781	1782	1	RMS	1781	-33.92	-13	Pass	2
1782	1805	1	RMS	1782.058	-34.26	-13	Pass	401




32.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	23.26	30	Pass	401
1780	1781	0.1	RMS	1780	-16.91	-13	Pass	401
1781	1782	1	RMS	1781	-30.22	-13	Pass	2
1782	1805	1	RMS	1782	-40	-13	Pass	401



32.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1762.65	11.74	30	Pass	401
1780	1781	0.2	RMS	1780.015	-37.2	-13	Pass	401
1781	1782	1	RMS	1781	-31.24	-13	Pass	2
1782	1805	1	RMS	1782	-31.41	-13	Pass	401



END