



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A-n66A	15	15	1717.5	CP	QPSK	Outer_Full	20.67
DC_5A-n66A	15	15	1717.5	CP	16QAM	Inner_Full	21.72
DC_5A-n66A	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.61
DC_5A-n66A	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.70
DC_5A-n66A	15	15	1717.5	CP	16QAM	Outer_Full	20.67
DC_5A-n66A	15	15	1717.5	CP	64QAM	Inner_Full	20.19
DC_5A-n66A	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.33
DC_5A-n66A	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.43
DC_5A-n66A	15	15	1717.5	CP	64QAM	Outer_Full	20.15
DC_5A-n66A	15	15	1717.5	CP	256QAM	Inner_Full	17.18
DC_5A-n66A	15	15	1717.5	CP	256QAM	Edge_1RB_Left	17.20
DC_5A-n66A	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.29
DC_5A-n66A	15	15	1717.5	CP	256QAM	Outer_Full	17.17
DC_5A-n66A	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.81
DC_5A-n66A	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.21
DC_5A-n66A	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.22
DC_5A-n66A	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.25
DC_5A-n66A	15	15	1745	DFT	QPSK	Inner_Full	23.74
DC_5A-n66A	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.83
DC_5A-n66A	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.77
DC_5A-n66A	15	15	1745	DFT	QPSK	Outer_Full	22.82
DC_5A-n66A	15	15	1745	DFT	16QAM	Inner_Full	22.77
DC_5A-n66A	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.79
DC_5A-n66A	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.81
DC_5A-n66A	15	15	1745	DFT	16QAM	Outer_Full	21.73
DC_5A-n66A	15	15	1745	DFT	64QAM	Inner_Full	21.35
DC_5A-n66A	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.13
DC_5A-n66A	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.26
DC_5A-n66A	15	15	1745	DFT	64QAM	Outer_Full	21.31
DC_5A-n66A	15	15	1745	DFT	256QAM	Inner_Full	19.36
DC_5A-n66A	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.29
DC_5A-n66A	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.32
DC_5A-n66A	15	15	1745	DFT	256QAM	Outer_Full	19.28
DC_5A-n66A	15	15	1745	CP	QPSK	Inner_Full	22.31
DC_5A-n66A	15	15	1745	CP	QPSK	Edge_1RB_Left	20.83
DC_5A-n66A	15	15	1745	CP	QPSK	Edge_1RB_Right	20.78
DC_5A-n66A	15	15	1745	CP	QPSK	Outer_Full	20.78
DC_5A-n66A	15	15	1745	CP	16QAM	Inner_Full	21.79
DC_5A-n66A	15	15	1745	CP	16QAM	Edge_1RB_Left	20.67
DC_5A-n66A	15	15	1745	CP	16QAM	Edge_1RB_Right	20.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A-n66A	15	15	1745	CP	16QAM	Outer_Full	20.79
DC_5A-n66A	15	15	1745	CP	64QAM	Inner_Full	20.27
DC_5A-n66A	15	15	1745	CP	64QAM	Edge_1RB_Left	20.48
DC_5A-n66A	15	15	1745	CP	64QAM	Edge_1RB_Right	20.40
DC_5A-n66A	15	15	1745	CP	64QAM	Outer_Full	20.27
DC_5A-n66A	15	15	1745	CP	256QAM	Inner_Full	17.26
DC_5A-n66A	15	15	1745	CP	256QAM	Edge_1RB_Left	17.35
DC_5A-n66A	15	15	1745	CP	256QAM	Edge_1RB_Right	17.35
DC_5A-n66A	15	15	1745	CP	256QAM	Outer_Full	17.27
DC_5A-n66A	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.75
DC_5A-n66A	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.11
DC_5A-n66A	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.14
DC_5A-n66A	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.21
DC_5A-n66A	15	15	1772.5	DFT	QPSK	Inner_Full	23.74
DC_5A-n66A	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.76
DC_5A-n66A	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.75
DC_5A-n66A	15	15	1772.5	DFT	QPSK	Outer_Full	22.74
DC_5A-n66A	15	15	1772.5	DFT	16QAM	Inner_Full	22.75
DC_5A-n66A	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.71
DC_5A-n66A	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.78
DC_5A-n66A	15	15	1772.5	DFT	16QAM	Outer_Full	21.77
DC_5A-n66A	15	15	1772.5	DFT	64QAM	Inner_Full	21.30
DC_5A-n66A	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.03
DC_5A-n66A	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.03
DC_5A-n66A	15	15	1772.5	DFT	64QAM	Outer_Full	21.26
DC_5A-n66A	15	15	1772.5	DFT	256QAM	Inner_Full	19.33
DC_5A-n66A	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.14
DC_5A-n66A	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	19.24
DC_5A-n66A	15	15	1772.5	DFT	256QAM	Outer_Full	19.25
DC_5A-n66A	15	15	1772.5	CP	QPSK	Inner_Full	22.25
DC_5A-n66A	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.69
DC_5A-n66A	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.74
DC_5A-n66A	15	15	1772.5	CP	QPSK	Outer_Full	20.76
DC_5A-n66A	15	15	1772.5	CP	16QAM	Inner_Full	21.77
DC_5A-n66A	15	15	1772.5	CP	16QAM	Edge_1RB_Left	20.67
DC_5A-n66A	15	15	1772.5	CP	16QAM	Edge_1RB_Right	20.67
DC_5A-n66A	15	15	1772.5	CP	16QAM	Outer_Full	20.74
DC_5A-n66A	15	15	1772.5	CP	64QAM	Inner_Full	20.25
DC_5A-n66A	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.36
DC_5A-n66A	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.35



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A-n66A	15	15	1772.5	CP	64QAM	Outer_Full	20.19
DC_5A-n66A	15	15	1772.5	CP	256QAM	Inner_Full	17.25
DC_5A-n66A	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.29
DC_5A-n66A	15	15	1772.5	CP	256QAM	Edge_1RB_Right	17.33
DC_5A-n66A	15	15	1772.5	CP	256QAM	Outer_Full	17.21
DC_5A-n66A	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.66
DC_5A-n66A	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.07
DC_5A-n66A	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.22
DC_5A-n66A	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.17
DC_5A-n66A	20	15	1720	DFT	QPSK	Inner_Full	23.65
DC_5A-n66A	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.66
DC_5A-n66A	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.76
DC_5A-n66A	20	15	1720	DFT	QPSK	Outer_Full	22.75
DC_5A-n66A	20	15	1720	DFT	16QAM	Inner_Full	22.74
DC_5A-n66A	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.68
DC_5A-n66A	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.84
DC_5A-n66A	20	15	1720	DFT	16QAM	Outer_Full	21.74
DC_5A-n66A	20	15	1720	DFT	64QAM	Inner_Full	21.18
DC_5A-n66A	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.97
DC_5A-n66A	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.09
DC_5A-n66A	20	15	1720	DFT	64QAM	Outer_Full	21.20
DC_5A-n66A	20	15	1720	DFT	256QAM	Inner_Full	19.17
DC_5A-n66A	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.15
DC_5A-n66A	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.32
DC_5A-n66A	20	15	1720	DFT	256QAM	Outer_Full	19.18
DC_5A-n66A	20	15	1720	CP	QPSK	Inner_Full	22.16
DC_5A-n66A	20	15	1720	CP	QPSK	Edge_1RB_Left	20.71
DC_5A-n66A	20	15	1720	CP	QPSK	Edge_1RB_Right	20.81
DC_5A-n66A	20	15	1720	CP	QPSK	Outer_Full	20.69
DC_5A-n66A	20	15	1720	CP	16QAM	Inner_Full	21.63
DC_5A-n66A	20	15	1720	CP	16QAM	Edge_1RB_Left	20.51
DC_5A-n66A	20	15	1720	CP	16QAM	Edge_1RB_Right	20.69
DC_5A-n66A	20	15	1720	CP	16QAM	Outer_Full	20.74
DC_5A-n66A	20	15	1720	CP	64QAM	Inner_Full	20.14
DC_5A-n66A	20	15	1720	CP	64QAM	Edge_1RB_Left	20.29
DC_5A-n66A	20	15	1720	CP	64QAM	Edge_1RB_Right	20.47
DC_5A-n66A	20	15	1720	CP	64QAM	Outer_Full	20.17
DC_5A-n66A	20	15	1720	CP	256QAM	Inner_Full	17.18
DC_5A-n66A	20	15	1720	CP	256QAM	Edge_1RB_Left	17.22
DC_5A-n66A	20	15	1720	CP	256QAM	Edge_1RB_Right	17.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A-n66A	20	15	1720	CP	256QAM	Outer_Full	17.09
DC_5A-n66A	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.72
DC_5A-n66A	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.14
DC_5A-n66A	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.23
DC_5A-n66A	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.28
DC_5A-n66A	20	15	1745	DFT	QPSK	Inner_Full	23.74
DC_5A-n66A	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.71
DC_5A-n66A	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.78
DC_5A-n66A	20	15	1745	DFT	QPSK	Outer_Full	22.81
DC_5A-n66A	20	15	1745	DFT	16QAM	Inner_Full	22.89
DC_5A-n66A	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.69
DC_5A-n66A	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.83
DC_5A-n66A	20	15	1745	DFT	16QAM	Outer_Full	21.84
DC_5A-n66A	20	15	1745	DFT	64QAM	Inner_Full	21.25
DC_5A-n66A	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.01
DC_5A-n66A	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.10
DC_5A-n66A	20	15	1745	DFT	64QAM	Outer_Full	21.34
DC_5A-n66A	20	15	1745	DFT	256QAM	Inner_Full	19.25
DC_5A-n66A	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.27
DC_5A-n66A	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.29
DC_5A-n66A	20	15	1745	DFT	256QAM	Outer_Full	19.30
DC_5A-n66A	20	15	1745	CP	QPSK	Inner_Full	22.28
DC_5A-n66A	20	15	1745	CP	QPSK	Edge_1RB_Left	20.77
DC_5A-n66A	20	15	1745	CP	QPSK	Edge_1RB_Right	20.87
DC_5A-n66A	20	15	1745	CP	QPSK	Outer_Full	20.83
DC_5A-n66A	20	15	1745	CP	16QAM	Inner_Full	21.75
DC_5A-n66A	20	15	1745	CP	16QAM	Edge_1RB_Left	20.68
DC_5A-n66A	20	15	1745	CP	16QAM	Edge_1RB_Right	20.79
DC_5A-n66A	20	15	1745	CP	16QAM	Outer_Full	20.78
DC_5A-n66A	20	15	1745	CP	64QAM	Inner_Full	20.21
DC_5A-n66A	20	15	1745	CP	64QAM	Edge_1RB_Left	20.37
DC_5A-n66A	20	15	1745	CP	64QAM	Edge_1RB_Right	20.51
DC_5A-n66A	20	15	1745	CP	64QAM	Outer_Full	20.23
DC_5A-n66A	20	15	1745	CP	256QAM	Inner_Full	17.24
DC_5A-n66A	20	15	1745	CP	256QAM	Edge_1RB_Left	17.35
DC_5A-n66A	20	15	1745	CP	256QAM	Edge_1RB_Right	17.38
DC_5A-n66A	20	15	1745	CP	256QAM	Outer_Full	17.29
DC_5A-n66A	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.77
DC_5A-n66A	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
DC_5A-n66A	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	23.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
DC_5A-n66A	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.22
DC_5A-n66A	20	15	1770	DFT	QPSK	Inner_Full	23.74
DC_5A-n66A	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.70
DC_5A-n66A	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.76
DC_5A-n66A	20	15	1770	DFT	QPSK	Outer_Full	22.79
DC_5A-n66A	20	15	1770	DFT	16QAM	Inner_Full	22.86
DC_5A-n66A	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.70
DC_5A-n66A	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.76
DC_5A-n66A	20	15	1770	DFT	16QAM	Outer_Full	21.77
DC_5A-n66A	20	15	1770	DFT	64QAM	Inner_Full	21.27
DC_5A-n66A	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.01
DC_5A-n66A	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.26
DC_5A-n66A	20	15	1770	DFT	64QAM	Outer_Full	21.27
DC_5A-n66A	20	15	1770	DFT	256QAM	Inner_Full	19.29
DC_5A-n66A	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.17
DC_5A-n66A	20	15	1770	DFT	256QAM	Edge_1RB_Right	19.27
DC_5A-n66A	20	15	1770	DFT	256QAM	Outer_Full	19.26
DC_5A-n66A	20	15	1770	CP	QPSK	Inner_Full	22.23
DC_5A-n66A	20	15	1770	CP	QPSK	Edge_1RB_Left	20.71
DC_5A-n66A	20	15	1770	CP	QPSK	Edge_1RB_Right	20.78
DC_5A-n66A	20	15	1770	CP	QPSK	Outer_Full	20.79
DC_5A-n66A	20	15	1770	CP	16QAM	Inner_Full	21.80
DC_5A-n66A	20	15	1770	CP	16QAM	Edge_1RB_Left	20.63
DC_5A-n66A	20	15	1770	CP	16QAM	Edge_1RB_Right	20.68
DC_5A-n66A	20	15	1770	CP	16QAM	Outer_Full	20.79
DC_5A-n66A	20	15	1770	CP	64QAM	Inner_Full	20.22
DC_5A-n66A	20	15	1770	CP	64QAM	Edge_1RB_Left	20.35
DC_5A-n66A	20	15	1770	CP	64QAM	Edge_1RB_Right	20.46
DC_5A-n66A	20	15	1770	CP	64QAM	Outer_Full	20.20
DC_5A-n66A	20	15	1770	CP	256QAM	Inner_Full	17.21
DC_5A-n66A	20	15	1770	CP	256QAM	Edge_1RB_Left	17.25
DC_5A-n66A	20	15	1770	CP	256QAM	Edge_1RB_Right	17.32
DC_5A-n66A	20	15	1770	CP	256QAM	Outer_Full	17.18

Note: Expanded measurement uncertainty is U = 0.90dB, k = 1.96



A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage."

Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".

Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP".

Rule Part 27.50(a)(3) specifies "For mobile and portable stations transmitting in the 2305–2315 MHz band or the 2350–2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth." Rule Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (20 dBw)."

Rule Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts."

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea , e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)



A.1.3.3 Measurement result

n2

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.30	20.90	22.52
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	20.43	22.05
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	20.38	22.00
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.87	20.47	22.09
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.34	20.94	22.56
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.38	19.98	21.60
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.43	20.03	21.65
n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.41	20.01	21.63
n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.40	20.00	21.62
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.41	19.01	20.63
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.30	18.90	20.52
n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.39	18.99	20.61
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.92	18.52	20.14
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.81	18.41	20.03
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.63	18.23	19.85
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.90	18.50	20.12
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.97	16.57	18.19
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.85	16.45	18.07
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.88	16.48	18.10
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.94	16.54	18.16
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.96	19.56	21.18
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.38	17.98	19.60
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.40	18.00	19.62
n2	5	15	1852.5	CP	QPSK	Outer_Full	20.38	17.98	19.60
n2	5	15	1852.5	CP	16QAM	Inner_Full	21.53	19.13	20.75
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.40	18.00	19.62
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.35	17.95	19.57
n2	5	15	1852.5	CP	16QAM	Outer_Full	20.35	17.95	19.57
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.89	17.49	19.11
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.03	17.63	19.25
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.00	17.60	19.22
n2	5	15	1852.5	CP	64QAM	Outer_Full	19.81	17.41	19.03
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.79	14.39	16.01
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.89	14.49	16.11
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.89	14.49	16.11
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.86	14.46	16.08
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	23.49	21.09	22.71



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	20.54	22.16
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	20.53	22.15
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.93	20.53	22.15
n2	5	15	1880	DFT	QPSK	Inner_Full	23.50	21.10	22.72
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.50	20.10	21.72
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.45	20.05	21.67
n2	5	15	1880	DFT	QPSK	Outer_Full	22.56	20.16	21.78
n2	5	15	1880	DFT	16QAM	Inner_Full	22.58	20.18	21.80
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.54	19.14	20.76
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.47	19.07	20.69
n2	5	15	1880	DFT	16QAM	Outer_Full	21.53	19.13	20.75
n2	5	15	1880	DFT	64QAM	Inner_Full	21.10	18.70	20.32
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.83	18.43	20.05
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.77	18.37	19.99
n2	5	15	1880	DFT	64QAM	Outer_Full	21.09	18.69	20.31
n2	5	15	1880	DFT	256QAM	Inner_Full	19.14	16.74	18.36
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	19.03	16.63	18.25
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.97	16.57	18.19
n2	5	15	1880	DFT	256QAM	Outer_Full	19.08	16.68	18.30
n2	5	15	1880	CP	QPSK	Inner_Full	22.03	19.63	21.25
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.54	18.14	19.76
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.49	18.09	19.71
n2	5	15	1880	CP	QPSK	Outer_Full	20.46	18.06	19.68
n2	5	15	1880	CP	16QAM	Inner_Full	21.62	19.22	20.84
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.55	18.15	19.77
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.49	18.09	19.71
n2	5	15	1880	CP	16QAM	Outer_Full	20.52	18.12	19.74
n2	5	15	1880	CP	64QAM	Inner_Full	20.07	17.67	19.29
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	20.16	17.76	19.38
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	20.14	17.74	19.36
n2	5	15	1880	CP	64QAM	Outer_Full	19.95	17.55	19.17
n2	5	15	1880	CP	256QAM	Inner_Full	16.92	14.52	16.14
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	17.06	14.66	16.28
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	17.06	14.66	16.28
n2	5	15	1880	CP	256QAM	Outer_Full	16.95	14.55	16.17
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.50	21.10	22.72
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.97	20.57	22.19
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	20.58	22.20
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.05	20.65	22.27



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	5	15	1907.5	DFT	QPSK	Inner_Full	23.51	21.11	22.73
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.55	20.15	21.77
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.58	20.18	21.80
n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.56	20.16	21.78
n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.56	20.16	21.78
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.59	19.19	20.81
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.63	19.23	20.85
n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.64	19.24	20.86
n2	5	15	1907.5	DFT	64QAM	Inner_Full	21.07	18.67	20.29
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.87	18.47	20.09
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.92	18.52	20.14
n2	5	15	1907.5	DFT	64QAM	Outer_Full	21.11	18.71	20.33
n2	5	15	1907.5	DFT	256QAM	Inner_Full	19.13	16.73	18.35
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.10	16.70	18.32
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.03	16.63	18.25
n2	5	15	1907.5	DFT	256QAM	Outer_Full	19.16	16.76	18.38
n2	5	15	1907.5	CP	QPSK	Inner_Full	22.10	19.70	21.32
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.62	18.22	19.84
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.69	18.29	19.91
n2	5	15	1907.5	CP	QPSK	Outer_Full	20.49	18.09	19.71
n2	5	15	1907.5	CP	16QAM	Inner_Full	21.71	19.31	20.93
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.43	18.03	19.65
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.49	18.09	19.71
n2	5	15	1907.5	CP	16QAM	Outer_Full	20.57	18.17	19.79
n2	5	15	1907.5	CP	64QAM	Inner_Full	20.08	17.68	19.30
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	20.12	17.72	19.34
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	20.22	17.82	19.44
n2	5	15	1907.5	CP	64QAM	Outer_Full	20.03	17.63	19.25
n2	5	15	1907.5	CP	256QAM	Inner_Full	17.00	14.60	16.22
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	17.13	14.73	16.35
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	17.15	14.75	16.37
n2	5	15	1907.5	CP	256QAM	Outer_Full	16.98	14.58	16.20
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.39	20.99	22.61
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.81	20.41	22.03
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.91	20.51	22.13
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.86	20.46	22.08
n2	10	15	1855	DFT	QPSK	Inner_Full	23.38	20.98	22.60
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.41	20.01	21.63
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.49	20.09	21.71



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	10	15	1855	DFT	QPSK	Outer_Full	22.44	20.04	21.66
n2	10	15	1855	DFT	16QAM	Inner_Full	22.49	20.09	21.71
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.36	18.96	20.58
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.51	19.11	20.73
n2	10	15	1855	DFT	16QAM	Outer_Full	21.43	19.03	20.65
n2	10	15	1855	DFT	64QAM	Inner_Full	21.00	18.60	20.22
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.70	18.30	19.92
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.79	18.39	20.01
n2	10	15	1855	DFT	64QAM	Outer_Full	20.93	18.53	20.15
n2	10	15	1855	DFT	256QAM	Inner_Full	19.02	16.62	18.24
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.84	16.44	18.06
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.95	16.55	18.17
n2	10	15	1855	DFT	256QAM	Outer_Full	18.95	16.55	18.17
n2	10	15	1855	CP	QPSK	Inner_Full	21.87	19.47	21.09
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.38	17.98	19.60
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.51	18.11	19.73
n2	10	15	1855	CP	QPSK	Outer_Full	20.42	18.02	19.64
n2	10	15	1855	CP	16QAM	Inner_Full	21.46	19.06	20.68
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.42	18.02	19.64
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.41	18.01	19.63
n2	10	15	1855	CP	16QAM	Outer_Full	20.40	18.00	19.62
n2	10	15	1855	CP	64QAM	Inner_Full	19.90	17.50	19.12
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	20.06	17.66	19.28
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	20.12	17.72	19.34
n2	10	15	1855	CP	64QAM	Outer_Full	19.96	17.56	19.18
n2	10	15	1855	CP	256QAM	Inner_Full	16.82	14.42	16.04
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.92	14.52	16.14
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	17.02	14.62	16.24
n2	10	15	1855	CP	256QAM	Outer_Full	16.85	14.45	16.07
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.52	21.12	22.74
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	20.51	22.13
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.97	20.57	22.19
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.97	20.57	22.19
n2	10	15	1880	DFT	QPSK	Inner_Full	23.53	21.13	22.75
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.53	20.13	21.75
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.51	20.11	21.73
n2	10	15	1880	DFT	QPSK	Outer_Full	22.55	20.15	21.77
n2	10	15	1880	DFT	16QAM	Inner_Full	22.57	20.17	21.79
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.53	19.13	20.75



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.56	19.16	20.78
n2	10	15	1880	DFT	16QAM	Outer_Full	21.53	19.13	20.75
n2	10	15	1880	DFT	64QAM	Inner_Full	21.11	18.71	20.33
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	21.01	18.61	20.23
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.80	18.40	20.02
n2	10	15	1880	DFT	64QAM	Outer_Full	20.92	18.52	20.14
n2	10	15	1880	DFT	256QAM	Inner_Full	19.10	16.70	18.32
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	19.00	16.60	18.22
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	19.01	16.61	18.23
n2	10	15	1880	DFT	256QAM	Outer_Full	19.02	16.62	18.24
n2	10	15	1880	CP	QPSK	Inner_Full	21.96	19.56	21.18
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.51	18.11	19.73
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.52	18.12	19.74
n2	10	15	1880	CP	QPSK	Outer_Full	20.47	18.07	19.69
n2	10	15	1880	CP	16QAM	Inner_Full	21.57	19.17	20.79
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.51	18.11	19.73
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.39	17.99	19.61
n2	10	15	1880	CP	16QAM	Outer_Full	20.49	18.09	19.71
n2	10	15	1880	CP	64QAM	Inner_Full	19.99	17.59	19.21
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	20.21	17.81	19.43
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	20.22	17.82	19.44
n2	10	15	1880	CP	64QAM	Outer_Full	20.00	17.60	19.22
n2	10	15	1880	CP	256QAM	Inner_Full	16.86	14.46	16.08
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	17.02	14.62	16.24
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	17.15	14.75	16.37
n2	10	15	1880	CP	256QAM	Outer_Full	16.98	14.58	16.20
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	23.51	21.11	22.73
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.97	20.57	22.19
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	20.63	22.25
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.99	20.59	22.21
n2	10	15	1905	DFT	QPSK	Inner_Full	23.55	21.15	22.77
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.54	20.14	21.76
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.61	20.21	21.83
n2	10	15	1905	DFT	QPSK	Outer_Full	22.53	20.13	21.75
n2	10	15	1905	DFT	16QAM	Inner_Full	22.63	20.23	21.85
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.57	19.17	20.79
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.65	19.25	20.87
n2	10	15	1905	DFT	16QAM	Outer_Full	21.59	19.19	20.81
n2	10	15	1905	DFT	64QAM	Inner_Full	21.12	18.72	20.34



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.87	18.47	20.09
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.86	18.46	20.08
n2	10	15	1905	DFT	64QAM	Outer_Full	20.99	18.59	20.21
n2	10	15	1905	DFT	256QAM	Inner_Full	19.12	16.72	18.34
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.98	16.58	18.20
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	19.03	16.63	18.25
n2	10	15	1905	DFT	256QAM	Outer_Full	19.03	16.63	18.25
n2	10	15	1905	CP	QPSK	Inner_Full	22.03	19.63	21.25
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.56	18.16	19.78
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.66	18.26	19.88
n2	10	15	1905	CP	QPSK	Outer_Full	20.50	18.10	19.72
n2	10	15	1905	CP	16QAM	Inner_Full	21.65	19.25	20.87
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.50	18.10	19.72
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.45	18.05	19.67
n2	10	15	1905	CP	16QAM	Outer_Full	20.53	18.13	19.75
n2	10	15	1905	CP	64QAM	Inner_Full	20.02	17.62	19.24
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	20.19	17.79	19.41
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	20.23	17.83	19.45
n2	10	15	1905	CP	64QAM	Outer_Full	20.01	17.61	19.23
n2	10	15	1905	CP	256QAM	Inner_Full	17.04	14.64	16.26
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	17.13	14.73	16.35
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	17.20	14.80	16.42
n2	10	15	1905	CP	256QAM	Outer_Full	17.03	14.63	16.25
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.45	21.05	22.67
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	20.45	22.07
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.86	20.46	22.08
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.87	20.47	22.09
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.42	21.02	22.64
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.43	20.03	21.65
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.47	20.07	21.69
n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.45	20.05	21.67
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.45	20.05	21.67
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.42	19.02	20.64
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.48	19.08	20.70
n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.37	18.97	20.59
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.96	18.56	20.18
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.85	18.45	20.07
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.75	18.35	19.97
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.89	18.49	20.11



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.93	16.53	18.15
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.82	16.42	18.04
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.92	16.52	18.14
n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.95	16.55	18.17
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.93	19.53	21.15
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.40	18.00	19.62
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.42	18.02	19.64
n2	15	15	1857.5	CP	QPSK	Outer_Full	20.44	18.04	19.66
n2	15	15	1857.5	CP	16QAM	Inner_Full	21.48	19.08	20.70
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.44	18.04	19.66
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.32	17.92	19.54
n2	15	15	1857.5	CP	16QAM	Outer_Full	20.41	18.01	19.63
n2	15	15	1857.5	CP	64QAM	Inner_Full	19.94	17.54	19.16
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.08	17.68	19.30
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.08	17.68	19.30
n2	15	15	1857.5	CP	64QAM	Outer_Full	20.02	17.62	19.24
n2	15	15	1857.5	CP	256QAM	Inner_Full	16.95	14.55	16.17
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.94	14.54	16.16
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.96	14.56	16.18
n2	15	15	1857.5	CP	256QAM	Outer_Full	16.88	14.48	16.10
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.53	21.13	22.75
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.97	20.57	22.19
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	20.63	22.25
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.97	20.57	22.19
n2	15	15	1880	DFT	QPSK	Inner_Full	23.51	21.11	22.73
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.53	20.13	21.75
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.66	20.26	21.88
n2	15	15	1880	DFT	QPSK	Outer_Full	22.60	20.20	21.82
n2	15	15	1880	DFT	16QAM	Inner_Full	22.52	20.12	21.74
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.58	19.18	20.80
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.64	19.24	20.86
n2	15	15	1880	DFT	16QAM	Outer_Full	21.54	19.14	20.76
n2	15	15	1880	DFT	64QAM	Inner_Full	21.05	18.65	20.27
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	21.03	18.63	20.25
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.95	18.55	20.17
n2	15	15	1880	DFT	64QAM	Outer_Full	21.05	18.65	20.27
n2	15	15	1880	DFT	256QAM	Inner_Full	19.05	16.65	18.27
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	19.04	16.64	18.26
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	19.14	16.74	18.36



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	15	15	1880	DFT	256QAM	Outer_Full	19.03	16.63	18.25
n2	15	15	1880	CP	QPSK	Inner_Full	22.08	19.68	21.30
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.54	18.14	19.76
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.61	18.21	19.83
n2	15	15	1880	CP	QPSK	Outer_Full	20.46	18.06	19.68
n2	15	15	1880	CP	16QAM	Inner_Full	21.57	19.17	20.79
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.41	18.01	19.63
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.53	18.13	19.75
n2	15	15	1880	CP	16QAM	Outer_Full	20.54	18.14	19.76
n2	15	15	1880	CP	64QAM	Inner_Full	20.05	17.65	19.27
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	20.20	17.80	19.42
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	20.27	17.87	19.49
n2	15	15	1880	CP	64QAM	Outer_Full	19.94	17.54	19.16
n2	15	15	1880	CP	256QAM	Inner_Full	17.06	14.66	16.28
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	17.05	14.65	16.27
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	17.18	14.78	16.40
n2	15	15	1880	CP	256QAM	Outer_Full	16.95	14.55	16.17
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.57	21.17	22.79
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	20.61	22.23
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.00	20.60	22.22
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	23.11	20.71	22.33
n2	15	15	1902.5	DFT	QPSK	Inner_Full	23.57	21.17	22.79
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.59	20.19	21.81
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.62	20.22	21.84
n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.60	20.20	21.82
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.56	20.16	21.78
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.58	19.18	20.80
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.61	19.21	20.83
n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.60	19.20	20.82
n2	15	15	1902.5	DFT	64QAM	Inner_Full	21.11	18.71	20.33
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.85	18.45	20.07
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.90	18.50	20.12
n2	15	15	1902.5	DFT	64QAM	Outer_Full	21.04	18.64	20.26
n2	15	15	1902.5	DFT	256QAM	Inner_Full	19.11	16.71	18.33
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	19.07	16.67	18.29
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	19.10	16.70	18.32
n2	15	15	1902.5	DFT	256QAM	Outer_Full	19.02	16.62	18.24
n2	15	15	1902.5	CP	QPSK	Inner_Full	22.08	19.68	21.30
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.59	18.19	19.81



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.65	18.25	19.87
n2	15	15	1902.5	CP	QPSK	Outer_Full	20.55	18.15	19.77
n2	15	15	1902.5	CP	16QAM	Inner_Full	21.64	19.24	20.86
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.50	18.10	19.72
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.39	17.99	19.61
n2	15	15	1902.5	CP	16QAM	Outer_Full	20.53	18.13	19.75
n2	15	15	1902.5	CP	64QAM	Inner_Full	20.08	17.68	19.30
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	20.21	17.81	19.43
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	20.23	17.83	19.45
n2	15	15	1902.5	CP	64QAM	Outer_Full	20.04	17.64	19.26
n2	15	15	1902.5	CP	256QAM	Inner_Full	17.06	14.66	16.28
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	17.07	14.67	16.29
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	17.17	14.77	16.39
n2	15	15	1902.5	CP	256QAM	Outer_Full	17.07	14.67	16.29
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.40	21.00	22.62
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.80	20.40	22.02
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	20.58	22.20
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.91	20.51	22.13
n2	20	15	1860	DFT	QPSK	Inner_Full	23.45	21.05	22.67
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.42	20.02	21.64
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.53	20.13	21.75
n2	20	15	1860	DFT	QPSK	Outer_Full	22.46	20.06	21.68
n2	20	15	1860	DFT	16QAM	Inner_Full	22.49	20.09	21.71
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.44	19.04	20.66
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.50	19.10	20.72
n2	20	15	1860	DFT	16QAM	Outer_Full	21.43	19.03	20.65
n2	20	15	1860	DFT	64QAM	Inner_Full	20.92	18.52	20.14
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.69	18.29	19.91
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.85	18.45	20.07
n2	20	15	1860	DFT	64QAM	Outer_Full	20.95	18.55	20.17
n2	20	15	1860	DFT	256QAM	Inner_Full	18.90	16.50	18.12
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.91	16.51	18.13
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.02	16.62	18.24
n2	20	15	1860	DFT	256QAM	Outer_Full	18.94	16.54	18.16
n2	20	15	1860	CP	QPSK	Inner_Full	21.93	19.53	21.15
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.39	17.99	19.61
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.56	18.16	19.78
n2	20	15	1860	CP	QPSK	Outer_Full	20.43	18.03	19.65
n2	20	15	1860	CP	16QAM	Inner_Full	21.46	19.06	20.68



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.40	18.00	19.62
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.41	18.01	19.63
n2	20	15	1860	CP	16QAM	Outer_Full	20.46	18.06	19.68
n2	20	15	1860	CP	64QAM	Inner_Full	19.87	17.47	19.09
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	20.06	17.66	19.28
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	20.22	17.82	19.44
n2	20	15	1860	CP	64QAM	Outer_Full	19.90	17.50	19.12
n2	20	15	1860	CP	256QAM	Inner_Full	16.87	14.47	16.09
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	16.90	14.50	16.12
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	17.10	14.70	16.32
n2	20	15	1860	CP	256QAM	Outer_Full	16.91	14.51	16.13
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.48	21.08	22.70
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.96	20.56	22.18
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	20.67	22.29
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	23.03	20.63	22.25
n2	20	15	1880	DFT	QPSK	Inner_Full	23.51	21.11	22.73
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.52	20.12	21.74
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.66	20.26	21.88
n2	20	15	1880	DFT	QPSK	Outer_Full	22.53	20.13	21.75
n2	20	15	1880	DFT	16QAM	Inner_Full	22.64	20.24	21.86
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.52	19.12	20.74
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.67	19.27	20.89
n2	20	15	1880	DFT	16QAM	Outer_Full	21.58	19.18	20.80
n2	20	15	1880	DFT	64QAM	Inner_Full	21.00	18.60	20.22
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	21.01	18.61	20.23
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.96	18.56	20.18
n2	20	15	1880	DFT	64QAM	Outer_Full	21.11	18.71	20.33
n2	20	15	1880	DFT	256QAM	Inner_Full	19.02	16.62	18.24
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	19.04	16.64	18.26
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	19.16	16.76	18.38
n2	20	15	1880	DFT	256QAM	Outer_Full	19.00	16.60	18.22
n2	20	15	1880	CP	QPSK	Inner_Full	22.06	19.66	21.28
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.53	18.13	19.75
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.66	18.26	19.88
n2	20	15	1880	CP	QPSK	Outer_Full	20.56	18.16	19.78
n2	20	15	1880	CP	16QAM	Inner_Full	21.52	19.12	20.74
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.40	18.00	19.62
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.57	18.17	19.79
n2	20	15	1880	CP	16QAM	Outer_Full	20.51	18.11	19.73



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	20	15	1880	CP	64QAM	Inner_Full	20.01	17.61	19.23
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	20.17	17.77	19.39
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	20.34	17.94	19.56
n2	20	15	1880	CP	64QAM	Outer_Full	20.03	17.63	19.25
n2	20	15	1880	CP	256QAM	Inner_Full	17.03	14.63	16.25
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	17.07	14.67	16.29
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	17.26	14.86	16.48
n2	20	15	1880	CP	256QAM	Outer_Full	17.01	14.61	16.23
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.55	21.15	22.77
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	23.00	20.60	22.22
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	20.63	22.25
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	23.07	20.67	22.29
n2	20	15	1900	DFT	QPSK	Inner_Full	23.60	21.20	22.82
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.63	20.23	21.85
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.66	20.26	21.88
n2	20	15	1900	DFT	QPSK	Outer_Full	22.63	20.23	21.85
n2	20	15	1900	DFT	16QAM	Inner_Full	22.69	20.29	21.91
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.60	19.20	20.82
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.64	19.24	20.86
n2	20	15	1900	DFT	16QAM	Outer_Full	21.64	19.24	20.86
n2	20	15	1900	DFT	64QAM	Inner_Full	21.10	18.70	20.32
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.85	18.45	20.07
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.97	18.57	20.19
n2	20	15	1900	DFT	64QAM	Outer_Full	21.18	18.78	20.40
n2	20	15	1900	DFT	256QAM	Inner_Full	19.09	16.69	18.31
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	19.07	16.67	18.29
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	19.13	16.73	18.35
n2	20	15	1900	DFT	256QAM	Outer_Full	19.07	16.67	18.29
n2	20	15	1900	CP	QPSK	Inner_Full	22.08	19.68	21.30
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.62	18.22	19.84
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.70	18.30	19.92
n2	20	15	1900	CP	QPSK	Outer_Full	20.59	18.19	19.81
n2	20	15	1900	CP	16QAM	Inner_Full	21.60	19.20	20.82
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.56	18.16	19.78
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.52	18.12	19.74
n2	20	15	1900	CP	16QAM	Outer_Full	20.58	18.18	19.80
n2	20	15	1900	CP	64QAM	Inner_Full	20.08	17.68	19.30
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	20.24	17.84	19.46
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	20.30	17.90	19.52



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n2	20	15	1900	CP	64QAM	Outer_Full	20.10	17.70	19.32
n2	20	15	1900	CP	256QAM	Inner_Full	17.08	14.68	16.30
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	17.12	14.72	16.34
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	17.27	14.87	16.49
n2	20	15	1900	CP	256QAM	Outer_Full	17.04	14.64	16.26