

**LTE Band 7, 5MHz, 64QAM, Channel 20775**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16981.88	-48.00	2.90	16.50	-34.40	-25.00	H
17184.38	-45.59	2.90	14.50	-33.99	-25.00	H
17295.62	-45.86	3.20	14.50	-34.56	-25.00	H
17514.38	-44.68	2.90	12.80	-34.78	-25.00	H
17598.12	-43.93	3.30	12.80	-34.43	-25.00	H
17830.00	-43.29	3.60	12.80	-34.09	-25.00	H

LTE Band 7, 5MHz, 64QAM, Channel 21100

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16938.12	-48.06	2.90	16.50	-34.46	-25.00	H
17191.25	-46.28	2.90	14.50	-34.68	-25.00	H
17365.00	-45.19	3.20	14.50	-33.89	-25.00	H
17458.12	-45.52	2.90	14.50	-33.92	-25.00	H
17528.12	-44.15	2.90	12.80	-34.25	-25.00	H
17836.88	-43.68	3.60	12.80	-34.48	-25.00	H

LTE Band 7, 5MHz, 64QAM, Channel 21425

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16936.25	-48.32	2.90	16.50	-34.72	-25.00	H
17131.88	-46.32	2.90	14.50	-34.72	-25.00	H
17365.62	-45.76	3.20	14.50	-34.46	-25.00	H
17504.38	-44.57	2.90	12.80	-34.67	-25.00	H
17623.75	-43.63	3.30	12.80	-34.13	-25.00	H
17832.50	-43.69	3.60	12.80	-34.49	-25.00	H

**LTE Band 12, 1.4MHz, QPSK, Channel 23017**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8511.00	-52.71	2.10	12.00	-42.81	-13.00	H
9099.38	-50.85	2.20	11.60	-41.45	-13.00	H
9224.50	-50.34	2.10	11.60	-40.84	-13.00	H
9476.38	-51.28	2.10	11.60	-41.78	-13.00	V
9743.00	-51.08	2.20	11.20	-42.08	-13.00	H
9782.62	-51.56	2.30	11.20	-42.66	-13.00	H

LTE Band 12, 1.4MHz, QPSK, Channel 23095

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7248.00	-52.97	1.90	12.00	-42.87	-13.00	V
9102.62	-51.72	2.20	11.60	-42.32	-13.00	H
9306.25	-50.95	2.00	11.60	-41.35	-13.00	H
9475.50	-51.45	2.10	11.60	-41.95	-13.00	V
9733.38	-50.97	2.20	11.20	-41.97	-13.00	H
9798.00	-51.32	2.30	11.20	-42.42	-13.00	H

LTE Band 12, 1.4MHz, QPSK, Channel 23173

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8416.50	-52.57	1.80	11.30	-43.07	-13.00	H
9102.12	-51.44	2.20	11.60	-42.04	-13.00	H
9301.38	-50.84	2.00	11.60	-41.24	-13.00	H
9475.00	-51.23	2.10	11.60	-41.73	-13.00	V
9734.75	-50.43	2.20	11.20	-41.43	-13.00	H
9790.12	-51.68	2.30	11.20	-42.78	-13.00	H

**LTE Band 12, 1.4MHz, 16QAM, Channel 23017**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8458.50	-51.95	1.80	11.30	-42.45	-13.00	H
9098.75	-52.01	2.20	11.60	-42.61	-13.00	H
9224.38	-50.84	2.10	11.60	-41.34	-13.00	H
9474.75	-51.69	2.10	11.60	-42.19	-13.00	V
9732.62	-51.16	2.20	11.20	-42.16	-13.00	H
9805.88	-51.56	2.30	11.20	-42.66	-13.00	H

LTE Band 12, 1.4MHz, 16QAM, Channel 23095

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7329.00	-53.50	1.70	12.00	-43.20	-13.00	H
9098.12	-52.03	2.20	11.60	-42.63	-13.00	H
9296.62	-50.71	2.00	11.60	-41.11	-13.00	H
9354.00	-51.09	2.00	11.60	-41.49	-13.00	V
9731.25	-50.97	2.20	11.20	-41.97	-13.00	H
9799.88	-50.31	2.30	11.20	-41.41	-13.00	H

LTE Band 12, 1.4MHz, 16QAM, Channel 23173

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8748.38	-52.90	2.00	12.00	-42.90	-13.00	H
9100.00	-51.11	2.20	11.60	-41.71	-13.00	H
9225.88	-51.12	2.10	11.60	-41.62	-13.00	H
9466.62	-51.40	2.10	11.60	-41.90	-13.00	V
9743.50	-51.79	2.20	11.20	-42.79	-13.00	H
9781.00	-51.16	2.30	11.20	-42.26	-13.00	H

**LTE Band 12, 1.4MHz, 64QAM, Channel 23017**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8488.50	-52.06	1.80	11.30	-42.56	-13.00	H
9101.50	-51.13	2.20	11.60	-41.73	-13.00	H
9225.00	-51.21	2.10	11.60	-41.71	-13.00	H
9475.50	-51.27	2.10	11.60	-41.77	-13.00	V
9744.88	-51.27	2.20	11.20	-42.27	-13.00	H
9776.38	-51.87	2.30	11.20	-42.97	-13.00	H

LTE Band 12, 1.4MHz, 64QAM, Channel 23095

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8432.25	-52.54	1.80	11.30	-43.04	-13.00	H
9108.12	-51.77	2.10	11.60	-42.27	-13.00	H
9223.38	-50.94	2.10	11.60	-41.44	-13.00	H
9475.00	-50.81	2.10	11.60	-41.31	-13.00	V
9738.88	-51.35	2.20	11.20	-42.35	-13.00	H
9800.50	-50.67	2.30	11.20	-41.77	-13.00	H

LTE Band 12, 1.4MHz, 64QAM, Channel 23173

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7212.38	-53.23	1.80	12.00	-43.03	-13.00	H
8366.25	-51.85	1.80	11.30	-42.35	-13.00	H
9104.12	-52.12	2.20	11.60	-42.72	-13.00	H
9297.88	-50.38	2.00	11.60	-40.78	-13.00	H
9478.50	-51.44	2.10	11.60	-41.94	-13.00	V
9740.12	-50.87	2.20	11.20	-41.87	-13.00	H

**LTE Band 13, 5MHz, QPSK, Channel 23205**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1560.50	-59.74	0.70	8.10	-52.34	-40.00	V
8521.88	-52.46	2.10	12.00	-42.56	-13.00	H
9222.00	-51.07	2.10	11.60	-41.57	-13.00	H
9421.25	-50.92	2.10	11.60	-41.42	-13.00	H
9732.75	-51.13	2.20	11.20	-42.13	-13.00	H
9801.50	-50.96	2.30	11.20	-42.06	-13.00	H

LTE Band 13, 5MHz, QPSK, Channel 23230

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1577.00	-59.14	0.70	8.10	-51.74	-40.00	V
8408.62	-51.97	1.80	11.30	-42.47	-13.00	H
9101.38	-52.08	2.20	11.60	-42.68	-13.00	H
9225.88	-50.66	2.10	11.60	-41.16	-13.00	H
9475.62	-51.43	2.10	11.60	-41.93	-13.00	V
9736.00	-51.04	2.20	11.20	-42.04	-13.00	H

LTE Band 13, 5MHz, QPSK, Channel 23255

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1564.00	-59.05	0.70	8.10	-51.65	-40.00	V
8748.75	-52.65	2.00	12.00	-42.65	-13.00	H
9104.25	-52.11	2.20	11.60	-42.71	-13.00	H
9298.25	-50.57	2.00	11.60	-40.97	-13.00	H
9474.50	-51.31	2.10	11.60	-41.81	-13.00	V
9738.00	-50.85	2.20	11.20	-41.85	-13.00	H

**LTE Band 13, 5MHz, 16QAM, Channel 23205**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1565.00	-59.69	0.70	8.10	-52.29	-40.00	V
7178.62	-53.04	1.80	12.00	-42.84	-13.00	V
9299.88	-50.80	2.00	11.60	-41.20	-13.00	H
9470.12	-51.38	2.10	11.60	-41.88	-13.00	V
9746.62	-50.97	2.20	11.20	-41.97	-13.00	H
9795.88	-51.36	2.30	11.20	-42.46	-13.00	H

LTE Band 13, 5MHz, 16QAM, Channel 23230

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1563.50	-59.46	0.70	8.10	-52.06	-40.00	V
8653.12	-52.73	2.00	12.00	-42.73	-13.00	H
9300.12	-51.34	2.00	11.60	-41.74	-13.00	H
9362.88	-51.20	2.00	11.60	-41.60	-13.00	V
9727.75	-51.55	2.20	11.20	-42.55	-13.00	H
9782.38	-50.95	2.30	11.20	-42.05	-13.00	H

LTE Band 13, 5MHz, 16QAM, Channel 23255

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1559.50	-60.03	0.70	8.10	-52.63	-40.00	V
9098.12	-51.87	2.20	11.60	-42.47	-13.00	H
9298.88	-50.89	2.00	11.60	-41.29	-13.00	H
9474.75	-51.24	2.10	11.60	-41.74	-13.00	V
9744.50	-51.67	2.20	11.20	-42.67	-13.00	H
9796.00	-51.55	2.30	11.20	-42.65	-13.00	H

**LTE Band 13, 5MHz, 64QAM, Channel 23205**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1589.00	-60.13	0.70	8.10	-52.73	-40.00	V
9099.62	-51.81	2.20	11.60	-42.41	-13.00	H
9226.38	-50.36	2.10	11.60	-40.86	-13.00	H
9470.25	-51.24	2.10	11.60	-41.74	-13.00	V
9766.12	-50.85	2.30	11.20	-41.95	-13.00	H
9800.38	-51.56	2.30	11.20	-42.66	-13.00	H

LTE Band 13, 5MHz, 64QAM, Channel 23230

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1566.00	-59.03	0.70	8.10	-51.63	-40.00	V
9099.00	-51.15	2.20	11.60	-41.75	-13.00	H
9301.12	-50.84	2.00	11.60	-41.24	-13.00	H
9473.75	-51.29	2.10	11.60	-41.79	-13.00	V
9738.00	-51.58	2.20	11.20	-42.58	-13.00	H
9798.50	-51.79	2.30	11.20	-42.89	-13.00	H

LTE Band 13, 5MHz, 64QAM, Channel 23255

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
1566.00	-59.97	0.70	8.10	-52.57	-40.00	V
9101.62	-51.96	2.20	11.60	-42.56	-13.00	H
9306.00	-50.81	2.00	11.60	-41.21	-13.00	H
9473.38	-51.34	2.10	11.60	-41.84	-13.00	V
9726.25	-50.95	2.20	11.20	-41.95	-13.00	H
9791.50	-51.34	2.30	11.20	-42.44	-13.00	H



LTE Band 17, 1.4MHz, QPSK, Channel 23755

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7323.38	-53.12	1.70	12.00	-42.82	-13.00	V
9104.75	-51.83	2.20	11.60	-42.43	-13.00	H
9225.50	-50.68	2.10	11.60	-41.18	-13.00	H
9474.75	-51.38	2.10	11.60	-41.88	-13.00	V
9747.12	-51.41	2.20	11.20	-42.41	-13.00	H
9786.12	-51.44	2.30	11.20	-42.54	-13.00	H

LTE Band 17, 1.4MHz, QPSK, Channel 23790

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
2538.50	-52.48	0.90	10.70	-42.68	-13.00	H
9103.62	-51.53	2.20	11.60	-42.13	-13.00	H
9226.00	-50.59	2.10	11.60	-41.09	-13.00	H
9480.62	-51.43	2.10	11.60	-41.93	-13.00	V
9736.50	-51.48	2.20	11.20	-42.48	-13.00	H
9802.00	-51.40	2.30	11.20	-42.50	-13.00	H

LTE Band 17, 1.4MHz, QPSK, Channel 23825

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8438.62	-52.81	1.80	11.30	-43.31	-13.00	H
9098.62	-52.67	2.20	11.60	-43.27	-13.00	H
9224.12	-51.13	2.10	11.60	-41.63	-13.00	H
9476.88	-50.90	2.10	11.60	-41.40	-13.00	V
9725.25	-50.85	2.20	11.20	-41.85	-13.00	H
9789.50	-51.72	2.30	11.20	-42.82	-13.00	H



LTE Band 17, 1.4MHz, 16QAM, Channel 23755

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8472.75	-51.90	1.80	11.30	-42.40	-13.00	H
9106.88	-52.12	2.10	11.60	-42.62	-13.00	H
9306.12	-50.47	2.00	11.60	-40.87	-13.00	H
9464.25	-50.97	2.10	11.60	-41.47	-13.00	V
9738.75	-50.71	2.20	11.20	-41.71	-13.00	H
9800.25	-51.34	2.30	11.20	-42.44	-13.00	H

LTE Band 17, 1.4MHz, 16QAM, Channel 23790

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8430.38	-52.41	1.80	11.30	-42.91	-13.00	H
9098.38	-51.61	2.20	11.60	-42.21	-13.00	H
9298.25	-50.65	2.00	11.60	-41.05	-13.00	H
9474.75	-51.02	2.10	11.60	-41.52	-13.00	V
9730.75	-51.21	2.20	11.20	-42.21	-13.00	H
9785.50	-50.98	2.30	11.20	-42.08	-13.00	H

LTE Band 17, 1.4MHz, 16QAM, Channel 23825

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8410.88	-52.01	1.80	11.30	-42.51	-13.00	H
9106.88	-52.04	2.10	11.60	-42.54	-13.00	H
9305.50	-51.00	2.00	11.60	-41.40	-13.00	H
9476.50	-51.32	2.10	11.60	-41.82	-13.00	V
9743.75	-51.16	2.20	11.20	-42.16	-13.00	H
9798.25	-51.27	2.30	11.20	-42.37	-13.00	H

**LTE Band 17, 1.4MHz, 64QAM, Channel 23755**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7188.38	-51.71	1.80	12.00	-41.51	-13.00	H
9100.88	-51.51	2.20	11.60	-42.11	-13.00	H
9301.75	-50.72	2.00	11.60	-41.12	-13.00	H
9468.38	-51.25	2.10	11.60	-41.75	-13.00	V
9731.00	-50.70	2.20	11.20	-41.70	-13.00	H
9807.00	-51.52	2.30	11.20	-42.62	-13.00	H

LTE Band 17, 1.4MHz, 64QAM, Channel 23790

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8477.25	-52.48	1.80	11.30	-42.98	-13.00	H
9101.25	-51.73	2.20	11.60	-42.33	-13.00	H
9300.88	-50.28	2.00	11.60	-40.68	-13.00	H
9475.00	-50.75	2.10	11.60	-41.25	-13.00	V
9748.62	-50.77	2.20	11.20	-41.77	-13.00	H
9799.25	-51.44	2.30	11.20	-42.54	-13.00	H

LTE Band 17, 1.4MHz, 64QAM, Channel 23825

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8470.50	-51.17	1.80	11.30	-41.67	-13.00	H
9101.25	-52.27	2.20	11.60	-42.87	-13.00	H
9228.62	-50.35	2.10	11.60	-40.85	-13.00	H
9351.50	-51.80	2.00	11.60	-42.20	-13.00	V
9677.50	-51.39	2.20	11.20	-42.39	-13.00	H
9880.38	-51.15	2.20	11.20	-42.15	-13.00	H

**LTE Band 26(824MHz-849MHz), 1.4MHz, QPSK, Channel 26797**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8379.00	-52.14	1.80	11.30	-42.64	-13.00	H
9097.00	-51.51	2.20	11.60	-42.11	-13.00	H
9296.00	-50.45	2.00	11.60	-40.85	-13.00	H
9368.50	-51.40	2.00	11.60	-41.80	-13.00	V
9733.75	-50.29	2.20	11.20	-41.29	-13.00	H
9788.25	-51.46	2.30	11.20	-42.56	-13.00	H

LTE Band 26(824MHz-849MHz), 1.4MHz, QPSK, Channel 26915

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7218.75	-52.62	1.80	12.00	-42.42	-13.00	V
9098.88	-51.04	2.20	11.60	-41.64	-13.00	H
9299.25	-50.81	2.00	11.60	-41.21	-13.00	H
9476.50	-50.95	2.10	11.60	-41.45	-13.00	V
9747.25	-50.82	2.20	11.20	-41.82	-13.00	H
9786.12	-50.73	2.30	11.20	-41.83	-13.00	H

LTE Band 26(824MHz-849MHz), 1.4MHz, QPSK, Channel 27033

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8427.00	-51.86	1.80	11.30	-42.36	-13.00	H
8772.38	-52.80	1.90	12.00	-42.70	-13.00	H
9103.38	-51.62	2.20	11.60	-42.22	-13.00	H
9299.12	-50.29	2.00	11.60	-40.69	-13.00	H
9476.38	-50.33	2.10	11.60	-40.83	-13.00	V
9787.25	-51.22	2.30	11.20	-42.32	-13.00	H

**LTE Band 26(824MHz-849MHz), 1.4MHz, 16QAM, Channel 26797**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8510.25	-52.79	2.10	12.00	-42.89	-13.00	V
9098.75	-50.68	2.20	11.60	-41.28	-13.00	H
9299.12	-50.59	2.00	11.60	-40.99	-13.00	H
9476.88	-51.20	2.10	11.60	-41.70	-13.00	V
9741.62	-50.89	2.20	11.20	-41.89	-13.00	H
9798.25	-51.54	2.30	11.20	-42.64	-13.00	H

LTE Band 26(824MHz-849MHz), 1.4MHz, 16QAM, Channel 26915

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7234.12	-53.26	1.80	12.00	-43.06	-13.00	H
8848.50	-53.13	1.90	12.00	-43.03	-13.00	H
9098.00	-51.81	2.20	11.60	-42.41	-13.00	H
9224.25	-50.26	2.10	11.60	-40.76	-13.00	H
9476.75	-51.34	2.10	11.60	-41.84	-13.00	V
9735.62	-50.47	2.20	11.20	-41.47	-13.00	H

LTE Band 26(824MHz-849MHz), 1.4MHz, 16QAM, Channel 27033

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8722.88	-52.87	2.00	12.00	-42.87	-13.00	H
9085.62	-51.75	2.20	11.60	-42.35	-13.00	H
9301.00	-50.65	2.00	11.60	-41.05	-13.00	H
9477.12	-50.92	2.10	11.60	-41.42	-13.00	V
9734.12	-51.32	2.20	11.20	-42.32	-13.00	H
9778.38	-51.26	2.30	11.20	-42.36	-13.00	H

**LTE Band 26(824MHz-849MHz), 1.4MHz, 64QAM, Channel 26797**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7092.75	-52.80	1.80	12.00	-42.60	-13.00	V
9099.62	-51.13	2.20	11.60	-41.73	-13.00	H
9299.12	-49.99	2.00	11.60	-40.39	-13.00	H
9471.12	-51.07	2.10	11.60	-41.57	-13.00	V
9740.50	-51.15	2.20	11.20	-42.15	-13.00	H
9795.38	-51.36	2.30	11.20	-42.46	-13.00	H

LTE Band 26(824MHz-849MHz), 1.4MHz, 64QAM, Channel 26915

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8436.38	-52.05	1.80	11.30	-42.55	-13.00	H
9102.62	-50.68	2.20	11.60	-41.28	-13.00	H
9307.12	-50.67	2.00	11.60	-41.07	-13.00	H
9335.75	-51.55	2.00	11.60	-41.95	-13.00	V
9738.62	-51.15	2.20	11.20	-42.15	-13.00	H
9797.12	-50.95	2.30	11.20	-42.05	-13.00	H

LTE Band 26(824MHz-849MHz), 1.4MHz, 64QAM, Channel 27033

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8364.75	-52.42	1.80	11.30	-42.92	-13.00	H
9097.88	-51.40	2.20	11.60	-42.00	-13.00	H
9304.50	-50.63	2.00	11.60	-41.03	-13.00	H
9474.12	-50.75	2.10	11.60	-41.25	-13.00	V
9735.25	-51.14	2.20	11.20	-42.14	-13.00	H
9790.38	-50.79	2.30	11.20	-41.89	-13.00	H

**LTE Band 26(814MHz-824MHz), 1.4MHz, QPSK, Channel 26697**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3256.88	-52.99	1.10	11.50	-42.59	-13.00	V
9098.25	-51.08	2.20	11.60	-41.68	-13.00	H
9304.12	-50.40	2.00	11.60	-40.80	-13.00	H
9472.62	-50.74	2.10	11.60	-41.24	-13.00	V
9771.38	-50.06	2.30	11.20	-41.16	-13.00	H
9800.88	-51.53	2.30	11.20	-42.63	-13.00	H

LTE Band 26(814MHz-824MHz), 1.4MHz, QPSK, Channel 26740

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7251.38	-52.74	1.90	12.00	-42.64	-13.00	H
8633.25	-52.73	2.00	12.00	-42.73	-13.00	H
9102.12	-51.59	2.20	11.60	-42.19	-13.00	H
9224.25	-50.48	2.10	11.60	-40.98	-13.00	H
9475.12	-51.46	2.10	11.60	-41.96	-13.00	V
9751.00	-51.57	2.20	11.20	-42.57	-13.00	H

LTE Band 26(814MHz-824MHz), 1.4MHz, QPSK, Channel 26783

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3291.00	-52.72	1.10	11.50	-42.32	-13.00	V
8443.12	-52.16	1.80	11.30	-42.66	-13.00	H
9092.88	-51.80	2.20	11.60	-42.40	-13.00	H
9301.00	-51.20	2.00	11.60	-41.60	-13.00	H
9474.12	-50.81	2.10	11.60	-41.31	-13.00	V
9856.62	-51.53	2.30	11.20	-42.63	-13.00	H

**LTE Band 26(814MHz-824MHz), 1.4MHz, 16QAM, Channel 26697**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3256.50	-53.23	1.10	11.50	-42.83	-13.00	V
8475.38	-52.51	1.80	11.30	-43.01	-13.00	H
9099.00	-52.26	2.20	11.60	-42.86	-13.00	H
9296.00	-50.36	2.00	11.60	-40.76	-13.00	H
9474.38	-50.76	2.10	11.60	-41.26	-13.00	V
9676.62	-51.08	2.20	11.20	-42.08	-13.00	H

LTE Band 26(814MHz-824MHz), 1.4MHz, 16QAM, Channel 26740

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3274.50	-53.58	1.10	11.50	-43.18	-13.00	V
8379.75	-52.79	1.80	11.30	-43.29	-13.00	V
9119.00	-52.26	2.10	11.60	-42.76	-13.00	V
9300.75	-50.52	2.00	11.60	-40.92	-13.00	H
9422.62	-51.51	2.10	11.60	-42.01	-13.00	H
9742.12	-50.73	2.20	11.20	-41.73	-13.00	H

LTE Band 26(814MHz-824MHz), 1.4MHz, 16QAM, Channel 26783

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
7206.38	-52.69	1.80	12.00	-42.49	-13.00	V
8449.12	-51.86	1.80	11.30	-42.36	-13.00	H
9298.88	-51.16	2.00	11.60	-41.56	-13.00	H
9427.50	-51.43	2.10	11.60	-41.93	-13.00	H
9737.00	-50.89	2.20	11.20	-41.89	-13.00	H
9809.50	-51.51	2.30	11.20	-42.61	-13.00	H

**LTE Band 26(814MHz-824MHz), 1.4MHz, 64QAM, Channel 26697**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8750.62	-52.69	2.00	12.00	-42.69	-13.00	H
9098.38	-51.17	2.20	11.60	-41.77	-13.00	H
9293.75	-50.87	2.00	11.60	-41.27	-13.00	H
9474.62	-51.07	2.10	11.60	-41.57	-13.00	V
9771.00	-50.31	2.30	11.20	-41.41	-13.00	H
9782.62	-51.48	2.30	11.20	-42.58	-13.00	H

LTE Band 26(814MHz-824MHz), 1.4MHz, 64QAM, Channel 26740

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
3274.12	-52.59	1.10	11.50	-42.19	-13.00	V
9105.75	-51.94	2.20	11.60	-42.54	-13.00	H
9301.12	-50.81	2.00	11.60	-41.21	-13.00	H
9474.88	-51.64	2.10	11.60	-42.14	-13.00	V
9732.75	-51.23	2.20	11.20	-42.23	-13.00	H
9805.62	-51.42	2.30	11.20	-42.52	-13.00	H

LTE Band 26(814MHz-824MHz), 1.4MHz, 64QAM, Channel 26783

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8476.12	-52.39	1.80	11.30	-42.89	-13.00	H
9098.88	-51.21	2.20	11.60	-41.81	-13.00	H
9300.25	-50.85	2.00	11.60	-41.25	-13.00	H
9475.00	-50.60	2.10	11.60	-41.10	-13.00	V
9730.00	-50.88	2.20	11.20	-41.88	-13.00	H
9791.25	-50.99	2.30	11.20	-42.09	-13.00	H

**LTE Band 38, 5MHz, QPSK, Channel 37775**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16995.62	-46.09	2.90	16.50	-32.49	-25.00	H
17121.25	-44.27	2.90	14.50	-32.67	-25.00	H
17362.50	-43.80	3.20	14.50	-32.50	-25.00	H
17519.38	-40.67	2.90	12.80	-30.77	-25.00	H
17618.75	-40.39	3.30	12.80	-30.89	-25.00	H
17820.00	-39.80	3.60	12.80	-30.60	-25.00	H

LTE Band 38, 5MHz, QPSK, Channel 38000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16948.75	-49.14	2.90	16.50	-35.54	-25.00	H
17155.62	-46.35	2.90	14.50	-34.75	-25.00	H
17298.12	-45.32	3.20	14.50	-34.02	-25.00	H
17451.25	-46.22	2.90	14.50	-34.62	-25.00	H
17595.00	-43.36	3.30	12.80	-33.86	-25.00	H
17773.12	-43.14	3.60	12.80	-33.94	-25.00	H

LTE Band 38, 5MHz, QPSK, Channel 38225

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17045.62	-46.57	2.90	14.50	-34.97	-25.00	H
17118.75	-46.44	2.90	14.50	-34.84	-25.00	H
17328.75	-45.45	3.20	14.50	-34.15	-25.00	H
17481.88	-46.34	2.90	14.50	-34.74	-25.00	H
17571.25	-44.29	3.30	12.80	-34.79	-25.00	H
17823.12	-43.16	3.60	12.80	-33.96	-25.00	H

**LTE Band 38, 5MHz, 16QAM, Channel 37775**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16954.38	-48.15	2.90	16.50	-34.55	-25.00	H
17115.00	-46.13	2.90	14.50	-34.53	-25.00	H
17360.62	-45.41	3.20	14.50	-34.11	-25.00	H
17521.88	-44.69	2.90	12.80	-34.79	-25.00	H
17546.25	-44.33	2.90	12.80	-34.43	-25.00	H
17801.88	-44.03	3.60	12.80	-34.83	-25.00	H

LTE Band 38, 5MHz, 16QAM, Channel 38000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16982.50	-48.37	2.90	16.50	-34.77	-25.00	H
17207.50	-45.71	2.90	14.50	-34.11	-25.00	H
17236.88	-45.87	3.20	14.50	-34.57	-25.00	H
17427.50	-46.11	2.90	14.50	-34.51	-25.00	H
17593.12	-43.40	3.30	12.80	-33.90	-25.00	H
17781.88	-43.75	3.60	12.80	-34.55	-25.00	H

LTE Band 38, 5MHz, 16QAM, Channel 38225

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16996.88	-48.07	2.90	16.50	-34.47	-25.00	H
17120.62	-46.44	2.90	14.50	-34.84	-25.00	H
17303.12	-46.10	3.20	14.50	-34.80	-25.00	H
17457.50	-45.99	2.90	14.50	-34.39	-25.00	H
17601.25	-43.45	3.30	12.80	-33.95	-25.00	H
17816.88	-43.68	3.60	12.80	-34.48	-25.00	H

**LTE Band 38, 5MHz, 64QAM, Channel 37775**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16967.50	-48.26	2.90	16.50	-34.66	-25.00	H
17140.00	-46.03	2.90	14.50	-34.43	-25.00	H
17224.38	-45.65	3.20	14.50	-34.35	-25.00	H
17472.50	-45.49	2.90	14.50	-33.89	-25.00	H
17575.00	-44.09	3.30	12.80	-34.59	-25.00	H
17826.25	-43.49	3.60	12.80	-34.29	-25.00	H

LTE Band 38, 5MHz, 64QAM, Channel 38000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16996.25	-48.72	2.90	16.50	-35.12	-25.00	H
17161.25	-45.65	2.90	14.50	-34.05	-25.00	H
17345.00	-45.62	3.20	14.50	-34.32	-25.00	H
17521.25	-44.53	2.90	12.80	-34.63	-25.00	H
17607.50	-43.46	3.30	12.80	-33.96	-25.00	H
17838.12	-43.81	3.60	12.80	-34.61	-25.00	H

LTE Band 38, 5MHz, 64QAM, Channel 38225

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16928.75	-48.03	2.90	16.50	-34.43	-25.00	H
17149.38	-46.23	2.90	14.50	-34.63	-25.00	H
17348.75	-45.20	3.20	14.50	-33.90	-25.00	H
17520.62	-44.68	2.90	12.80	-34.78	-25.00	H
17585.62	-44.31	3.30	12.80	-34.81	-25.00	H
17831.25	-43.85	3.60	12.80	-34.65	-25.00	H



LTE Band 41, 5MHz, QPSK, Channel 23017

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16933.75	-48.19	2.90	16.50	-34.59	-25.00	H
17153.75	-46.14	2.90	14.50	-34.54	-25.00	H
17305.00	-45.65	3.20	14.50	-34.35	-25.00	H
17480.00	-45.65	2.90	14.50	-34.05	-25.00	H
17606.88	-43.40	3.30	12.80	-33.90	-25.00	H
17798.75	-43.56	3.60	12.80	-34.36	-25.00	H

LTE Band 41, 5MHz, QPSK, Channel 23095

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16955.62	-47.86	2.90	16.50	-34.26	-25.00	H
17162.50	-45.94	2.90	14.50	-34.34	-25.00	H
17278.12	-45.45	3.20	14.50	-34.15	-25.00	H
17523.75	-44.27	2.90	12.80	-34.37	-25.00	H
17576.88	-44.16	3.30	12.80	-34.66	-25.00	H
17788.12	-43.42	3.60	12.80	-34.22	-25.00	H

LTE Band 41, 5MHz, QPSK, Channel 23173

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16937.50	-48.51	2.90	16.50	-34.91	-25.00	H
17197.50	-45.71	2.90	14.50	-34.11	-25.00	H
17271.88	-46.01	3.20	14.50	-34.71	-25.00	H
17508.12	-44.53	2.90	12.80	-34.63	-25.00	H
17615.62	-43.90	3.30	12.80	-34.40	-25.00	H
17833.75	-43.62	3.60	12.80	-34.42	-25.00	H

**LTE Band 41, 5MHz, 16QAM, Channel 23017**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16881.25	-48.10	2.90	16.50	-34.50	-25.00	H
16948.12	-48.40	2.90	16.50	-34.80	-25.00	H
17233.75	-46.10	3.20	14.50	-34.80	-25.00	H
17456.25	-46.15	2.90	14.50	-34.55	-25.00	H
17571.25	-43.42	3.30	12.80	-33.92	-25.00	H
17776.88	-43.33	3.60	12.80	-34.13	-25.00	H

LTE Band 41, 5MHz, 16QAM, Channel 23095

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16928.12	-48.62	2.90	16.50	-35.02	-25.00	H
17192.50	-45.74	2.90	14.50	-34.14	-25.00	H
17298.12	-45.16	3.20	14.50	-33.86	-25.00	H
17509.38	-44.06	2.90	12.80	-34.16	-25.00	H
17619.38	-44.28	3.30	12.80	-34.78	-25.00	H
17766.88	-43.35	3.60	12.80	-34.15	-25.00	H

LTE Band 41, 5MHz, 16QAM, Channel 23173

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16960.62	-48.55	2.90	16.50	-34.95	-25.00	H
17215.00	-46.28	2.90	14.50	-34.68	-25.00	H
17318.12	-45.39	3.20	14.50	-34.09	-25.00	H
17461.88	-45.71	2.90	14.50	-34.11	-25.00	H
17578.75	-44.23	3.30	12.80	-34.73	-25.00	H
17835.62	-43.25	3.60	12.80	-34.05	-25.00	H

**LTE Band 41, 5MHz, 64QAM, Channel 23017**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16981.88	-48.30	2.90	16.50	-34.70	-25.00	H
17125.62	-45.78	2.90	14.50	-34.18	-25.00	H
17338.12	-45.88	3.20	14.50	-34.58	-25.00	H
17454.38	-45.68	2.90	14.50	-34.08	-25.00	H
17626.25	-44.11	3.30	12.80	-34.61	-25.00	H
17771.88	-43.46	3.60	12.80	-34.26	-25.00	H

LTE Band 41, 5MHz, 64QAM, Channel 23095

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16985.00	-47.83	2.90	16.50	-34.23	-25.00	H
17095.00	-46.02	2.90	14.50	-34.42	-25.00	H
17281.25	-45.77	3.20	14.50	-34.47	-25.00	H
17498.75	-45.46	2.90	14.50	-33.86	-25.00	H
17616.88	-44.03	3.30	12.80	-34.53	-25.00	H
17838.75	-43.50	3.60	12.80	-34.30	-25.00	H

LTE Band 41, 5MHz, 64QAM, Channel 23173

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16917.50	-47.82	2.90	16.50	-34.22	-25.00	H
17170.62	-45.97	2.90	14.50	-34.37	-25.00	H
17295.62	-46.13	3.20	14.50	-34.83	-25.00	H
17450.62	-45.84	2.90	14.50	-34.24	-25.00	H
17602.50	-43.70	3.30	12.80	-34.20	-25.00	H
17834.38	-43.58	3.60	12.80	-34.38	-25.00	H

**LTE Band 66, 1.4MHz, QPSK, Channel 131979**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16992.50	-45.75	2.90	16.50	-32.15	-13.00	H
17263.12	-43.76	3.20	14.50	-32.46	-13.00	H
17431.88	-42.12	2.90	14.50	-30.52	-13.00	H
17564.38	-40.01	3.30	12.80	-30.51	-13.00	H
17833.75	-40.47	3.60	12.80	-31.27	-13.00	H
17930.62	-38.85	3.20	12.80	-29.25	-13.00	H

LTE Band 66, 1.4MHz, QPSK, Channel 132322

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16945.62	-45.82	2.90	16.50	-32.22	-13.00	H
17186.25	-44.20	2.90	14.50	-32.60	-13.00	H
17270.62	-43.94	3.20	14.50	-32.64	-13.00	H
17520.00	-41.12	2.90	12.80	-31.22	-13.00	H
17591.88	-38.90	3.30	12.80	-29.40	-13.00	H
17756.25	-40.68	3.60	12.80	-31.48	-13.00	H

LTE Band 66, 1.4MHz, QPSK, Channel 132665

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16981.25	-45.24	2.90	16.50	-31.64	-13.00	H
17179.38	-44.64	2.90	14.50	-33.04	-13.00	H
17363.12	-43.28	3.20	14.50	-31.98	-13.00	H
17448.75	-41.88	2.90	14.50	-30.28	-13.00	H
17613.12	-40.41	3.30	12.80	-30.91	-13.00	H
17775.62	-40.84	3.60	12.80	-31.64	-13.00	H

**LTE Band 66, 1.4MHz, 16QAM, Channel 131979**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16947.50	-45.48	2.90	16.50	-31.88	-13.00	H
17080.00	-43.71	2.90	14.50	-32.11	-13.00	H
17305.00	-43.20	3.20	14.50	-31.90	-13.00	H
17455.00	-42.82	2.90	14.50	-31.22	-13.00	H
17615.00	-39.53	3.30	12.80	-30.03	-13.00	H
17832.50	-38.91	3.60	12.80	-29.71	-13.00	H

LTE Band 66, 1.4MHz, 16QAM, Channel 132322

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16953.75	-45.00	2.90	16.50	-31.40	-13.00	H
17126.88	-44.65	2.90	14.50	-33.05	-13.00	H
17363.12	-43.43	3.20	14.50	-32.13	-13.00	H
17474.38	-42.35	2.90	14.50	-30.75	-13.00	H
17595.00	-40.46	3.30	12.80	-30.96	-13.00	H
17826.25	-40.55	3.60	12.80	-31.35	-13.00	H

LTE Band 66, 1.4MHz, 16QAM, Channel 132665

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16920.62	-45.76	2.90	16.50	-32.16	-13.00	H
17128.75	-44.74	2.90	14.50	-33.14	-13.00	H
17295.00	-43.98	3.20	14.50	-32.68	-13.00	H
17506.25	-39.76	2.90	12.80	-29.86	-13.00	H
17620.00	-40.25	3.30	12.80	-30.75	-13.00	H
17771.25	-40.84	3.60	12.80	-31.64	-13.00	H

**LTE Band 66, 1.4MHz, 64QAM, Channel 131979**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16937.50	-45.86	2.90	16.50	-32.26	-13.00	H
17208.75	-44.98	2.90	14.50	-33.38	-13.00	H
17368.75	-43.77	3.20	14.50	-32.47	-13.00	H
17444.38	-41.86	2.90	14.50	-30.26	-13.00	H
17526.25	-40.81	2.90	12.80	-30.91	-13.00	H
17781.88	-39.37	3.60	12.80	-30.17	-13.00	H

LTE Band 66, 1.4MHz, 64QAM, Channel 132322

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17005.62	-43.59	2.90	14.50	-31.99	-13.00	H
17091.25	-44.57	2.90	14.50	-32.97	-13.00	H
17280.62	-43.87	3.20	14.50	-32.57	-13.00	H
17501.25	-40.75	2.90	12.80	-30.85	-13.00	H
17544.38	-41.02	2.90	12.80	-31.12	-13.00	H
17829.38	-40.19	3.60	12.80	-30.99	-13.00	H

LTE Band 66, 1.4MHz, 64QAM, Channel 132665

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16960.62	-45.66	2.90	16.50	-32.06	-13.00	H
17186.88	-44.48	2.90	14.50	-32.88	-13.00	H
17300.00	-44.05	3.20	14.50	-32.75	-13.00	H
17447.50	-42.36	2.90	14.50	-30.76	-13.00	H
17530.00	-39.58	2.90	12.80	-29.68	-13.00	H
17822.50	-41.02	3.60	12.80	-31.82	-13.00	H

**LTE Band CA_7C, 20MHz+20MHz, QPSK, Channel 20850+21048**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16981.25	-48.16	2.90	16.50	-34.56	-25.00	H
17159.38	-46.85	2.90	14.50	-35.25	-25.00	H
17349.38	-46.07	3.20	14.50	-34.77	-25.00	H
17420.62	-45.91	2.90	14.50	-34.31	-25.00	H
17590.62	-43.62	3.30	12.80	-34.12	-25.00	H
17760.00	-43.47	3.60	12.80	-34.27	-25.00	H

LTE Band CA_7C, 20MHz+20MHz, QPSK, Channel 21001+21199

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16996.25	-48.92	2.90	16.50	-35.32	-25.00	H
17168.75	-45.91	2.90	14.50	-34.31	-25.00	H
17295.00	-46.16	3.20	14.50	-34.86	-25.00	H
17460.00	-45.79	2.90	14.50	-34.19	-25.00	H
17530.00	-43.98	2.90	12.80	-34.08	-25.00	H
17821.25	-43.92	3.60	12.80	-34.72	-25.00	H

LTE Band CA_7C, 20MHz+20MHz, QPSK, Channel 21152+21350

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17006.88	-47.05	2.90	14.50	-35.45	-25.00	H
17099.38	-46.21	2.90	14.50	-34.61	-25.00	H
17251.25	-45.95	3.20	14.50	-34.65	-25.00	H
17496.88	-46.30	2.90	14.50	-34.70	-25.00	H
17580.62	-43.49	3.30	12.80	-33.99	-25.00	H
17836.88	-43.33	3.60	12.80	-34.13	-25.00	H

**LTE Band CA_7C, 20MHz+20MHz, 16QAM, Channel 20850+21048**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16957.50	-48.90	2.90	16.50	-35.30	-25.00	H
17183.12	-46.44	2.90	14.50	-34.84	-25.00	H
17282.50	-45.62	3.20	14.50	-34.32	-25.00	H
17445.62	-45.93	2.90	14.50	-34.33	-25.00	H
17611.88	-44.32	3.30	12.80	-34.82	-25.00	H
17830.00	-43.90	3.60	12.80	-34.70	-25.00	H

LTE Band CA_7C, 20MHz+20MHz, 16QAM, Channel 21001+21199

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17045.62	-46.77	2.90	14.50	-35.17	-25.00	H
17168.12	-46.64	2.90	14.50	-35.04	-25.00	H
17326.25	-45.98	3.20	14.50	-34.68	-25.00	H
17415.00	-45.85	2.90	14.50	-34.25	-25.00	H
17602.50	-44.32	3.30	12.80	-34.82	-25.00	H
17821.25	-43.98	3.60	12.80	-34.78	-25.00	H

LTE Band CA_7C, 20MHz+20MHz, 16QAM, Channel 21152+21350

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16962.50	-48.19	2.90	16.50	-34.59	-25.00	H
17110.62	-46.46	2.90	14.50	-34.86	-25.00	H
17312.50	-45.61	3.20	14.50	-34.31	-25.00	H
17461.25	-46.43	2.90	14.50	-34.83	-25.00	H
17626.25	-44.32	3.30	12.80	-34.82	-25.00	H
17839.38	-43.77	3.60	12.80	-34.57	-25.00	H

**LTE Band CA_7C, 20MHz+20MHz, 64QAM, Channel 20850+21048**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16956.88	-48.81	2.90	16.50	-35.21	-25.00	H
17161.25	-46.38	2.90	14.50	-34.78	-25.00	H
17345.00	-45.98	3.20	14.50	-34.68	-25.00	H
17484.38	-46.45	2.90	14.50	-34.85	-25.00	H
17606.25	-43.63	3.30	12.80	-34.13	-25.00	H
17771.88	-43.32	3.60	12.80	-34.12	-25.00	H

LTE Band CA_7C, 20MHz+20MHz, 64QAM, Channel 21001+21199

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17011.88	-46.38	2.90	14.50	-34.78	-25.00	H
17170.00	-46.37	2.90	14.50	-34.77	-25.00	H
17282.50	-46.13	3.20	14.50	-34.83	-25.00	H
17441.25	-46.10	2.90	14.50	-34.50	-25.00	H
17538.12	-44.55	2.90	12.80	-34.65	-25.00	H
17835.62	-43.82	3.60	12.80	-34.62	-25.00	H

LTE Band CA_7C, 20MHz+20MHz, 64QAM, Channel 21152+21350

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16956.25	-48.08	2.90	16.50	-34.48	-25.00	H
17108.75	-45.71	2.90	14.50	-34.11	-25.00	H
17285.00	-46.01	3.20	14.50	-34.71	-25.00	H
17458.12	-45.69	2.90	14.50	-34.09	-25.00	H
17616.88	-44.09	3.30	12.80	-34.59	-25.00	H
17833.75	-43.08	3.60	12.80	-33.88	-25.00	H

**LTE Band CA_38C, 20MHz+20MHz, QPSK, Channel 37850+38048**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16991.25	-48.07	2.90	16.50	-34.47	-25.00	H
17177.50	-46.41	2.90	14.50	-34.81	-25.00	H
17285.62	-45.70	3.20	14.50	-34.40	-25.00	H
17390.62	-46.33	2.90	14.50	-34.73	-25.00	H
17585.62	-44.32	3.30	12.80	-34.82	-25.00	H
17819.38	-43.24	3.60	12.80	-34.04	-25.00	H

LTE Band CA_38C, 20MHz+20MHz, QPSK, Channel 37901+38099

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16951.88	-48.02	2.90	16.50	-34.42	-25.00	H
17140.62	-46.71	2.90	14.50	-35.11	-25.00	H
17281.88	-45.67	3.20	14.50	-34.37	-25.00	H
17458.75	-46.32	2.90	14.50	-34.72	-25.00	H
17592.50	-44.10	3.30	12.80	-34.60	-25.00	H
17840.00	-43.56	3.60	12.80	-34.36	-25.00	H

LTE Band CA_38C, 20MHz+20MHz, QPSK, Channel 37952+38150

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16983.12	-49.06	2.90	16.50	-35.46	-25.00	H
17215.00	-46.43	2.90	14.50	-34.83	-25.00	H
17223.75	-46.03	3.20	14.50	-34.73	-25.00	H
17433.75	-46.15	2.90	14.50	-34.55	-25.00	H
17586.25	-43.38	3.30	12.80	-33.88	-25.00	H
17834.38	-43.59	3.60	12.80	-34.39	-25.00	H

**LTE Band CA_38C, 20MHz+20MHz, 16QAM, Channel 37850+38048**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16981.88	-47.84	2.90	16.50	-34.24	-25.00	H
17177.50	-45.90	2.90	14.50	-34.30	-25.00	H
17311.25	-45.38	3.20	14.50	-34.08	-25.00	H
17461.88	-45.91	2.90	14.50	-34.31	-25.00	H
17586.88	-43.87	3.30	12.80	-34.37	-25.00	H
17818.12	-43.62	3.60	12.80	-34.42	-25.00	H

LTE Band CA_38C, 20MHz+20MHz, 16QAM, Channel 37901+38099

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17001.25	-45.86	2.90	14.50	-34.26	-25.00	H
17170.62	-45.88	2.90	14.50	-34.28	-25.00	H
17292.50	-46.05	3.20	14.50	-34.75	-25.00	H
17448.12	-45.58	2.90	14.50	-33.98	-25.00	H
17566.25	-43.67	3.30	12.80	-34.17	-25.00	H
17833.12	-44.01	3.60	12.80	-34.81	-25.00	H

LTE Band CA_38C, 20MHz+20MHz, 16QAM, Channel 37952+38150

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16979.38	-48.10	2.90	16.50	-34.50	-25.00	H
17136.25	-46.66	2.90	14.50	-35.06	-25.00	H
17363.75	-45.72	3.20	14.50	-34.42	-25.00	H
17396.88	-46.29	2.90	14.50	-34.69	-25.00	H
17626.88	-44.33	3.30	12.80	-34.83	-25.00	H
17821.88	-43.33	3.60	12.80	-34.13	-25.00	H

**LTE Band CA_38C, 20MHz+20MHz, 64QAM, Channel 37850+38048**

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16456.88	-49.77	2.70	17.40	-35.07	-25.00	H
16937.50	-47.76	2.90	16.50	-34.16	-25.00	H
17346.88	-45.51	3.20	14.50	-34.21	-25.00	H
17405.00	-45.76	2.90	14.50	-34.16	-25.00	H
17616.88	-43.85	3.30	12.80	-34.35	-25.00	H
17837.50	-43.43	3.60	12.80	-34.23	-25.00	H

LTE Band CA_38C, 20MHz+20MHz, 64QAM, Channel 37901+38099

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
16959.38	-48.23	2.90	16.50	-34.63	-25.00	H
17202.50	-45.69	2.90	14.50	-34.09	-25.00	H
17368.75	-45.15	3.20	14.50	-33.85	-25.00	H
17510.00	-44.18	2.90	12.80	-34.28	-25.00	H
17545.00	-44.75	2.90	12.80	-34.85	-25.00	H
17815.00	-43.97	3.60	12.80	-34.77	-25.00	H

LTE Band CA_38C, 20MHz+20MHz, 64QAM, Channel 37952+38150

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
17000.00	-46.66	2.90	14.50	-35.06	-25.00	H
17148.12	-46.10	2.90	14.50	-34.50	-25.00	H
17345.00	-46.11	3.20	14.50	-34.81	-25.00	H
17451.88	-45.46	2.90	14.50	-33.86	-25.00	H
17580.00	-44.20	3.30	12.80	-34.70	-25.00	H
17839.38	-43.68	3.60	12.80	-34.48	-25.00	H