VHT-20 MHz CHANNEL 9, CARRIER LEVEL



VHT-20 MHz CHANNEL 9, BAND EDGE

VHT-20 MHz CHANNEL 10, CARRIER LEVEL

VHT-20 MHz CHANNEL 10, BAND EDGE



VHT-20 MHz CHANNEL 11, CARRIER LEVEL

VHT-20 MHz CHANNEL 11, BAND EDGE



VHT-40 MHz CHANNEL 3, CARRIER LEVEL

VHT-40 MHz CHANNEL 3, BAND EDGE

VHT-40 MHz CHANNEL 4, CARRIER LEVEL



VHT-40 MHz CHANNEL 4, BAND EDGE



VHT-40 MHz CHANNEL 5, CARRIER LEVEL



VHT-40 MHz CHANNEL 5, BAND EDGE



VHT-40 MHz CHANNEL 7, CARRIER LEVEL



VHT-40 MHz CHANNEL 7, BAND EDGE



VHT-40 MHz CHANNEL 8, CARRIER LEVEL



VHT-40 MHz CHANNEL 8, BAND EDGE



VHT-40 MHz CHANNEL 9, CARRIER LEVEL



VHT-40 MHz CHANNEL 9, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 2, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 2, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 3, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 3, BAND EDGE

802.11ax-20 MHz(SU) CHANNEL 4, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 4, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 8, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 8, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 9, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 9, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 10, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 10, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL

802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 3, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 3, BAND EDGE

802.11ax-40 MHz(SU) CHANNEL 4, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 4, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 5, CARRIER LEVEL

802.11ax-40 MHz(SU) CHANNEL 5, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 7, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 7, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 8, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 8, BAND EDGE



802.11ax-40 MHz(SU) CHANNEL 9, CARRIER LEVEL



802.11ax-40 MHz(SU) CHANNEL 9, BAND EDGE



A.5 Conducted Emissions

Note [1]: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note [2]: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.160	40.98	9.83	65.46	24.48	Peak	L	Pass
1**	0.160	26.93	9.83	55.46	28.53	AV	L	Pass
2	0.300	38.20	9.80	60.24	22.04	Peak	L	Pass
2**	0.300	26.39	9.80	50.24	23.85	AV	L	Pass
3	0.440	38.26	10.32	57.06	18.80	Peak	L	Pass
3**	0.440	25.86	10.32	47.06	21.20	AV	L	Pass
4	1.414	33.32	10.46	56.00	22.68	Peak	L	Pass
4**	1.414	21.67	10.46	46.00	24.33	AV	L	Pass
5	2.320	33.89	10.25	56.00	22.11	Peak	L	Pass
5**	2.320	19.85	10.25	46.00	26.15	AV	L	Pass
6	13.660	41.03	10.44	60.00	18.97	Peak	L	Pass
6**	13.660	31.36	10.44	50.00	18.64	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.166	40.15	9.82	65.16	25.01	Peak	N	Pass
1**	0.166	27.93	9.82	55.16	27.23	AV	N	Pass
2	0.264	38.84	9.79	61.30	22.46	Peak	N	Pass
2**	0.264	27.96	9.79	51.30	23.34	AV	N	Pass
3	0.366	38.44	9.92	58.59	20.15	Peak	N	Pass
3**	0.366	26.11	9.92	48.59	22.48	AV	N	Pass
4	1.004	34.88	10.02	56.00	21.12	Peak	N	Pass
4**	1.004	24.49	10.02	46.00	21.51	AV	N	Pass
5	1.412	34.02	10.47	56.00	21.98	Peak	N	Pass
5**	1.412	20.94	10.47	46.00	25.06	AV	N	Pass
6	8.874	39.42	10.57	60.00	20.58	Peak	N	Pass
6**	8.874	30.01	10.57	50.00	19.99	AV	N	Pass

A.6 Radiated Emission

Note [1]: The symbol of "--" in the table which means not application.

Note [2]: For the test data above 1 GHz， According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note [3]: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note [4]: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note [5]: Both model of the charger were tested in this report. The C-P35 (Huntkey) is the main test model, and the C-P35 (Acbel) only retest the below 1GHz in this report.

Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	41.931	13.04	-25.81	40.0	26.96	Peak	336.00	100	Horizontal	Pass
2	93.826	20.30	-27.61	43.5	23.20	Peak	131.00	200	Horizontal	Pass
3	181.514	14.43	-28.09	43.5	29.07	Peak	206.00	200	Horizontal	Pass
4	278.757	19.25	-23.86	46.0	26.75	Peak	255.00	100	Horizontal	Pass
5	350.488	23.19	-21.52	46.0	22.81	Peak	267.00	100	Horizontal	Pass
6	999.224	29.53	-7.63	54.0	24.47	Peak	206.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	41.592	24.15	-25.92	40.0	15.85	Peak	307.00	100	Vertical	Pass
2	57.936	25.20	-26.42	40.0	14.80	Peak	99.00	100	Vertical	Pass
3	87.812	27.74	-28.99	40.0	12.26	Peak	125.00	100	Vertical	Pass
4	165.994	24.60	-29.01	43.5	18.90	Peak	256.00	100	Vertical	Pass
5	456.897	21.58	-19.35	46.0	24.42	Peak	41.00	100	Vertical	Pass
6	972.791	30.05	-8.16	54.0	23.95	Peak	155.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.700	38.57	-17.51	74.0	35.43	Peak	39.00	300	Horizontal	Pass
1**	1584.700	28.98	-17.51	54.0	25.02	AV	39.00	300	Horizontal	Pass
2	2413.200	104.57	-12.52	74.0	-30.57	Peak	191.00	100	Horizontal	N/A
2**	2413.200	101.24	-12.52	54.0	-47.24	AV	191.00	100	Horizontal	N/A
3	4864.400	51.56	-3.24	74.0	22.44	Peak	6.00	100	Horizontal	Pass
3**	4864.400	41.38	-3.24	54.0	12.62	AV	6.00	100	Horizontal	Pass
4	6269.400	55.18	0.39	74.0	18.82	Peak	82.00	200	Horizontal	Pass
4**	6269.400	46.36	0.39	54.0	7.64	AV	82.00	200	Horizontal	Pass
5	12398.675	53.49	1.58	74.0	20.51	Peak	68.00	300	Horizontal	Pass
5**	12398.675	43.11	1.58	54.0	10.89	AV	68.00	300	Horizontal	Pass
6	17351.363	56.75	1.95	74.0	17.25	Peak	91.00	100	Horizontal	Pass
6**	17351.363	47.25	1.95	54.0	6.75	AV	91.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.600	39.12	-17.57	74.0	34.88	Peak	0.00	200	Vertical	Pass
1**	1518.600	29.44	-17.57	54.0	24.56	AV	0.00	200	Vertical	Pass
2	2410.900	94.53	-12.59	74.0	-20.53	Peak	316.00	150	Vertical	N/A
2**	2410.900	91.68	-12.59	54.0	-37.68	AV	316.00	150	Vertical	N/A
3	4898.000	52.02	-2.67	74.0	21.98	Peak	360.00	100	Vertical	Pass
3**	4898.000	42.16	-2.67	54.0	11.84	AV	360.00	100	Vertical	Pass
4	5972.600	54.77	-1.09	74.0	19.23	Peak	226.00	400	Vertical	Pass
4**	5972.600	43.23	-1.09	54.0	10.77	AV	226.00	400	Vertical	Pass
5	12885.188	53.76	1.56	74.0	20.24	Peak	43.00	400	Vertical	Pass
5**	12885.188	44.39	1.56	54.0	9.61	AV	43.00	400	Vertical	Pass
6	15850.125	56.42	1.33	74.0	17.58	Peak	208.00	300	Vertical	Pass
6**	15850.125	46.88	1.33	54.0	7.12	AV	208.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.200	38.98	-17.49	74.0	35.02	Peak	316.00	200	Horizontal	Pass
1**	1576.200	29.57	-17.49	54.0	24.43	AV	316.00	200	Horizontal	Pass
2	2438.200	104.52	-12.45	74.0	-30.52	Peak	325.00	200	Horizontal	N/A
2**	2438.200	101.29	-12.45	54.0	-47.29	AV	325.00	200	Horizontal	N/A
3	4900.000	51.43	-2.62	74.0	22.57	Peak	22.00	200	Horizontal	Pass
3**	4900.000	42.87	-2.62	54.0	11.13	AV	22.00	200	Horizontal	Pass
4	6266.400	54.81	-0.05	74.0	19.19	Peak	201.00	200	Horizontal	Pass
4**	6266.400	45.89	-0.05	54.0	8.11	AV	201.00	200	Horizontal	Pass
5	12293.450	54.24	1.60	74.0	19.76	Peak	225.00	200	Horizontal	Pass
5**	12293.450	43.35	1.60	54.0	10.65	AV	225.00	200	Horizontal	Pass
6	17423.286	55.82	3.67	74.0	18.18	Peak	43.00	400	Horizontal	Pass
6**	17423.286	47.70	3.67	54.0	6.30	AV	43.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.900	38.90	-17.56	74.0	35.10	Peak	312.00	200	Vertical	Pass
1**	1477.900	29.12	-17.56	54.0	24.88	AV	312.00	200	Vertical	Pass
2	2438.100	96.42	-12.45	74.0	-22.42	Peak	291.00	150	Vertical	N/A
2**	2438.100	93.49	-12.45	54.0	-39.49	AV	291.00	150	Vertical	N/A
3	4987.400	51.05	-2.78	74.0	22.95	Peak	274.00	200	Vertical	Pass
3**	4987.400	41.99	-2.78	54.0	12.01	AV	274.00	200	Vertical	Pass
4	6609.400	54.86	1.57	74.0	19.14	Peak	78.00	400	Vertical	Pass
4**	6609.400	45.50	1.57	54.0	8.50	AV	78.00	400	Vertical	Pass
5	12852.638	53.96	1.39	74.0	20.04	Peak	358.00	300	Vertical	Pass
5**	12852.638	44.28	1.39	54.0	9.72	AV	358.00	300	Vertical	Pass
6	17430.114	56.46	3.45	74.0	17.54	Peak	132.00	300	Vertical	Pass
6**	17430.114	47.24	3.45	54.0	6.76	AV	132.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.300	39.20	-17.33	74.0	34.80	Peak	42.00	400	Horizontal	Pass
1**	1553.300	29.73	-17.33	54.0	24.27	AV	42.00	400	Horizontal	Pass
2	2463.200	104.46	-12.50	74.0	-30.46	Peak	186.00	100	Horizontal	N/A
2**	2463.200	101.36	-12.50	54.0	-47.36	AV	186.00	100	Horizontal	N/A
3	5090.000	51.23	-2.52	74.0	22.77	Peak	9.00	150	Horizontal	Pass
3**	5090.000	41.40	-2.52	54.0	12.60	AV	9.00	150	Horizontal	Pass
4	6613.800	55.67	1.20	74.0	18.33	Peak	133.00	300	Horizontal	Pass
4**	6613.800	46.16	1.20	54.0	7.84	AV	133.00	300	Horizontal	Pass
5	12802.237	53.43	1.02	74.0	20.57	Peak	360.00	100	Horizontal	Pass
5**	12802.237	44.68	1.02	54.0	9.32	AV	360.00	100	Horizontal	Pass
6	17424.337	56.08	3.64	74.0	17.92	Peak	0.00	200	Horizontal	Pass
6**	17424.337	47.42	3.64	54.0	6.58	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.400	39.33	-17.62	74.0	34.67	Peak	59.00	200	Vertical	Pass
1**	1514.400	29.41	-17.62	54.0	24.59	AV	59.00	200	Vertical	Pass
2	2460.900	96.25	-12.54	74.0	-22.25	Peak	297.00	100	Vertical	N/A
2**	2460.900	93.41	-12.54	54.0	-39.41	AV	297.00	100	Vertical	N/A
3	4892.000	51.10	-3.02	74.0	22.90	Peak	360.00	150	Vertical	Pass
3**	4892.000	42.26	-3.02	54.0	11.74	AV	360.00	150	Vertical	Pass
4	6609.000	54.32	1.59	74.0	19.68	Peak	97.00	300	Vertical	Pass
4**	6609.000	46.61	1.59	54.0	7.39	AV	97.00	300	Vertical	Pass
5	12873.900	53.39	1.49	74.0	20.61	Peak	161.00	100	Vertical	Pass
5**	12873.900	43.61	1.49	54.0	10.39	AV	161.00	100	Vertical	Pass
6	16058.025	56.22	0.88	74.0	17.78	Peak	45.00	200	Vertical	Pass
6**	16058.025	46.30	0.88	54.0	7.70	AV	45.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.900	40.02	-17.58	74.0	33.98	Peak	248.00	400	Horizontal	Pass
1**	1585.900	30.14	-17.58	54.0	23.86	AV	248.00	400	Horizontal	Pass
2	2407.600	106.74	-12.47	74.0	-32.74	Peak	200.00	100	Horizontal	N/A
2**	2407.600	98.94	-12.47	54.0	-44.94	AV	200.00	100	Horizontal	N/A
3	4893.200	51.05	-3.00	74.0	22.95	Peak	352.00	150	Horizontal	Pass
3**	4893.200	41.86	-3.00	54.0	12.14	AV	352.00	150	Horizontal	Pass
4	6613.200	54.03	1.32	74.0	19.97	Peak	273.00	100	Horizontal	Pass
4**	6613.200	46.51	1.32	54.0	7.49	AV	273.00	100	Horizontal	Pass
5	12818.513	53.24	0.89	74.0	20.76	Peak	23.00	100	Horizontal	Pass
5**	12818.513	44.95	0.89	54.0	9.05	AV	23.00	100	Horizontal	Pass
6	17445.337	56.47	2.86	74.0	17.53	Peak	246.00	400	Horizontal	Pass
6**	17445.337	46.76	2.86	54.0	7.24	AV	246.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.500	39.55	-17.55	74.0	34.45	Peak	19.00	200	Vertical	Pass
1**	1509.500	30.45	-17.55	54.0	23.55	AV	19.00	200	Vertical	Pass
2	2409.100	93.11	-12.58	74.0	-19.11	Peak	313.00	100	Vertical	N/A
2**	2409.100	85.49	-12.58	54.0	-31.49	AV	313.00	100	Vertical	N/A
3	4980.000	51.03	-2.81	74.0	22.97	Peak	22.00	150	Vertical	Pass
3**	4980.000	40.87	-2.81	54.0	13.13	AV	22.00	150	Vertical	Pass
4	6596.400	54.69	-0.42	74.0	19.31	Peak	135.00	300	Vertical	Pass
4**	6596.400	45.03	-0.42	54.0	8.97	AV	135.00	300	Vertical	Pass
5	12858.412	53.15	1.44	74.0	20.85	Peak	20.00	300	Vertical	Pass
5**	12858.412	43.74	1.44	54.0	10.26	AV	20.00	300	Vertical	Pass
6	15829.387	56.41	1.51	74.0	17.59	Peak	113.00	300	Vertical	Pass
6**	15829.387	46.34	1.51	54.0	7.66	AV	113.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.800	39.19	-17.59	74.0	34.81	Peak	123.00	300	Horizontal	Pass
1**	1573.800	28.94	-17.59	54.0	25.06	AV	123.00	300	Horizontal	Pass
2	2415.100	107.85	-12.42	74.0	-33.85	Peak	335.00	200	Horizontal	N/A
2**	2415.100	99.76	-12.42	54.0	-45.76	AV	335.00	200	Horizontal	N/A
3	4914.200	51.03	-2.69	74.0	22.97	Peak	248.00	150	Horizontal	Pass
3**	4914.200	41.63	-2.69	54.0	12.37	AV	248.00	150	Horizontal	Pass
4	6740.200	54.53	0.72	74.0	19.47	Peak	261.00	100	Horizontal	Pass
4**	6740.200	45.42	0.72	54.0	8.58	AV	261.00	100	Horizontal	Pass
5	12791.737	53.40	1.17	74.0	20.60	Peak	343.00	100	Horizontal	Pass
5**	12791.737	44.49	1.17	54.0	9.51	AV	343.00	100	Horizontal	Pass
6	17408.063	56.43	3.40	74.0	17.57	Peak	211.00	200	Horizontal	Pass
6**	17408.063	47.29	3.40	54.0	6.71	AV	211.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.800	39.07	-17.50	74.0	34.93	Peak	360.00	400	Vertical	Pass
1**	1399.800	29.53	-17.50	54.0	24.47	AV	360.00	400	Vertical	Pass
2	2419.200	95.27	-12.40	74.0	-21.27	Peak	160.00	100	Vertical	N/A
2**	2419.200	87.45	-12.40	54.0	-33.45	AV	160.00	100	Vertical	N/A
3	4786.800	51.01	-2.67	74.0	22.99	Peak	48.00	200	Vertical	Pass
3**	4786.800	41.69	-2.67	54.0	12.31	AV	48.00	200	Vertical	Pass
4	6607.000	54.83	1.48	74.0	19.17	Peak	281.00	200	Vertical	Pass
4**	6607.000	46.24	1.48	54.0	7.76	AV	281.00	200	Vertical	Pass
5	11940.400	53.38	1.68	74.0	20.62	Peak	242.00	400	Vertical	Pass
5**	11940.400	43.19	1.68	54.0	10.81	AV	242.00	400	Vertical	Pass
6	16115.512	56.28	0.68	74.0	17.72	Peak	20.00	100	Vertical	Pass
6**	16115.512	46.56	0.68	54.0	7.44	AV	20.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.600	39.91	-17.64	74.0	34.09	Peak	0.00	200	Horizontal	Pass
1**	1506.600	29.20	-17.64	54.0	24.80	AV	0.00	200	Horizontal	Pass
2	2418.100	108.45	-12.38	74.0	-34.45	Peak	182.00	200	Horizontal	N/A
2**	2418.100	100.61	-12.38	54.0	-46.61	AV	182.00	200	Horizontal	N/A
3	4906.400	51.19	-2.27	74.0	22.81	Peak	320.00	100	Horizontal	Pass
3**	4906.400	42.50	-2.27	54.0	11.50	AV	320.00	100	Horizontal	Pass
4	6268.800	54.90	0.33	74.0	19.10	Peak	307.00	100	Horizontal	Pass
4**	6268.800	45.23	0.33	54.0	8.77	AV	307.00	100	Horizontal	Pass
5	12601.938	53.56	1.91	74.0	20.44	Peak	199.00	400	Horizontal	Pass
5**	12601.938	43.76	1.91	54.0	10.24	AV	199.00	400	Horizontal	Pass
6	17409.114	57.00	3.42	74.0	17.00	Peak	113.00	300	Horizontal	Pass
6**	17409.114	47.45	3.42	54.0	6.55	AV	113.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1375.200	39.25	-17.41	74.0	34.75	Peak	63.00	200	Vertical	Pass
1**	1375.200	29.25	-17.41	54.0	24.75	AV	63.00	200	Vertical	Pass
2	2424.400	97.34	-12.61	74.0	-23.34	Peak	152.00	100	Vertical	N/A
2**	2424.400	90.50	-12.61	54.0	-36.50	AV	152.00	100	Vertical	N/A
3	4919.400	51.90	-2.50	74.0	22.10	Peak	104.00	150	Vertical	Pass
3**	4919.400	41.31	-2.50	54.0	12.69	AV	104.00	150	Vertical	Pass
4	6612.600	55.36	1.38	74.0	18.64	Peak	186.00	150	Vertical	Pass
4**	6612.600	46.09	1.38	54.0	7.91	AV	186.00	150	Vertical	Pass
5	12866.288	53.61	1.43	74.0	20.39	Peak	337.00	200	Vertical	Pass
5**	12866.288	43.53	1.43	54.0	10.47	AV	337.00	200	Vertical	Pass
6	17407.011	56.18	3.37	74.0	17.82	Peak	298.00	100	Vertical	Pass
6**	17407.011	47.56	3.37	54.0	6.44	AV	298.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.800	38.82	-17.87	74.0	35.18	Peak	69.00	400	Horizontal	Pass
1**	1598.800	28.92	-17.87	54.0	25.08	AV	69.00	400	Horizontal	Pass
2	2439.300	108.40	-12.41	74.0	-34.40	Peak	192.00	100	Horizontal	N/A
2**	2439.300	101.25	-12.41	54.0	-47.25	AV	192.00	100	Horizontal	N/A
3	4210.200	47.99	-5.00	74.0	26.01	Peak	0.00	150	Horizontal	Pass
3**	4210.200	38.97	-5.00	54.0	15.03	AV	0.00	150	Horizontal	Pass
4	6679.400	54.74	0.18	74.0	19.26	Peak	360.00	400	Horizontal	Pass
4**	6679.400	46.05	0.18	54.0	7.95	AV	360.00	400	Horizontal	Pass
5	12815.362	55.26	0.85	74.0	18.74	Peak	239.00	400	Horizontal	Pass
5**	12815.362	44.21	0.85	54.0	9.79	AV	239.00	400	Horizontal	Pass
6	17411.475	56.90	3.50	74.0	17.10	Peak	215.00	200	Horizontal	Pass
6**	17411.475	47.36	3.50	54.0	6.64	AV	215.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1294.800	39.29	-17.50	74.0	34.71	Peak	107.00	400	Vertical	Pass
1**	1294.800	30.09	-17.50	54.0	23.91	AV	107.00	400	Vertical	Pass
2	2438.900	98.41	-12.42	74.0	-24.41	Peak	308.00	100	Vertical	N/A
2**	2438.900	91.54	-12.42	54.0	-37.54	AV	308.00	100	Vertical	N/A
3	4776.200	51.21	-2.93	74.0	22.79	Peak	35.00	200	Vertical	Pass
3**	4776.200	41.54	-2.93	54.0	12.46	AV	35.00	200	Vertical	Pass
4	6271.200	54.77	0.53	74.0	19.23	Peak	0.00	150	Vertical	Pass
4**	6271.200	45.85	0.53	54.0	8.15	AV	0.00	150	Vertical	Pass
5	12910.125	54.11	1.38	74.0	19.89	Peak	203.00	100	Vertical	Pass
5**	12910.125	44.75	1.38	54.0	9.25	AV	203.00	100	Vertical	Pass
6	16116.825	56.30	0.66	74.0	17.70	Peak	203.00	200	Vertical	Pass
6**	16116.825	46.13	0.66	54.0	7.87	AV	203.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.200	38.95	-17.38	74.0	35.05	Peak	50.00	300	Horizontal	Pass
1**	1556.200	28.95	-17.38	54.0	25.05	AV	50.00	300	Horizontal	Pass
2	2449.400	108.07	-12.38	74.0	-34.07	Peak	235.00	100	Horizontal	N/A
2**	2449.400	101.18	-12.38	54.0	-47.18	AV	235.00	100	Horizontal	N/A
3	4788.400	50.84	-2.55	74.0	23.16	Peak	341.00	150	Horizontal	Pass
3**	4788.400	41.67	-2.55	54.0	12.33	AV	341.00	150	Horizontal	Pass
4	6675.600	54.53	0.26	74.0	19.47	Peak	329.00	300	Horizontal	Pass
4**	6675.600	44.81	0.26	54.0	9.19	AV	329.00	300	Horizontal	Pass
5	12861.038	53.65	1.45	74.0	20.35	Peak	164.00	300	Horizontal	Pass
5**	12861.038	44.41	1.45	54.0	9.59	AV	164.00	300	Horizontal	Pass
6	17434.051	57.01	3.30	74.0	16.99	Peak	208.00	300	Horizontal	Pass
6**	17434.051	47.44	3.30	54.0	6.56	AV	208.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1429.000	39.15	-17.50	74.0	34.85	Peak	360.00	100	Vertical	Pass
1**	1429.000	28.81	-17.50	54.0	25.19	AV	360.00	100	Vertical	Pass
2	2447.900	98.81	-12.47	74.0	-24.81	Peak	129.00	100	Vertical	N/A
2**	2447.900	90.78	-12.47	54.0	-36.78	AV	129.00	100	Vertical	N/A
3	4904.600	50.78	-2.32	74.0	23.22	Peak	342.00	100	Vertical	Pass
3**	4904.600	42.28	-2.32	54.0	11.72	AV	342.00	100	Vertical	Pass
4	6606.600	54.72	1.45	74.0	19.28	Peak	329.00	200	Vertical	Pass
4**	6606.600	46.61	1.45	54.0	7.39	AV	329.00	200	Vertical	Pass
5	12802.237	53.53	1.02	74.0	20.47	Peak	223.00	200	Vertical	Pass
5**	12802.237	44.08	1.02	54.0	9.92	AV	223.00	200	Vertical	Pass
6	17411.475	56.44	3.50	74.0	17.56	Peak	288.00	300	Vertical	Pass
6**	17411.475	47.74	3.50	54.0	6.26	AV	288.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1366.600	38.90	-17.40	74.0	35.10	Peak	63.00	100	Horizontal	Pass
1**	1366.600	29.63	-17.40	54.0	24.37	AV	63.00	100	Horizontal	Pass
2	2450.900	108.06	-12.37	74.0	-34.06	Peak	337.00	100	Horizontal	N/A
2**	2450.900	100.83	-12.37	54.0	-46.83	AV	337.00	100	Horizontal	N/A
3	4515.200	49.31	-3.47	74.0	24.69	Peak	0.00	150	Horizontal	Pass
3**	4515.200	40.30	-3.47	54.0	13.70	AV	0.00	150	Horizontal	Pass
4	6610.400	55.65	1.50	74.0	18.35	Peak	360.00	100	Horizontal	Pass
4**	6610.400	45.85	1.50	54.0	8.15	AV	360.00	100	Horizontal	Pass
5	12836.888	53.67	1.29	74.0	20.33	Peak	289.00	400	Horizontal	Pass
5**	12836.888	44.27	1.29	54.0	9.73	AV	289.00	400	Horizontal	Pass
6	17426.698	56.77	3.56	74.0	17.23	Peak	268.00	200	Horizontal	Pass
6**	17426.698	46.77	3.56	54.0	7.23	AV	268.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1376.200	39.46	-17.44	74.0	34.54	Peak	85.00	400	Vertical	Pass
1**	1376.200	29.29	-17.44	54.0	24.71	AV	85.00	400	Vertical	Pass
2	2450.400	97.79	-12.33	74.0	-23.79	Peak	127.00	200	Vertical	N/A
2**	2450.400	90.79	-12.33	54.0	-36.79	AV	127.00	200	Vertical	N/A
3	4880.000	51.54	-3.37	74.0	22.46	Peak	190.00	150	Vertical	Pass
3**	4880.000	41.07	-3.37	54.0	12.93	AV	190.00	150	Vertical	Pass
4	6678.400	54.90	0.23	74.0	19.10	Peak	190.00	400	Vertical	Pass
4**	6678.400	45.65	0.23	54.0	8.35	AV	190.00	400	Vertical	Pass
5	12826.912	54.24	1.07	74.0	19.76	Peak	288.00	200	Vertical	Pass
5**	12826.912	44.19	1.07	54.0	9.81	AV	288.00	200	Vertical	Pass
6	17397.037	57.28	3.07	74.0	16.72	Peak	20.00	100	Vertical	Pass
6**	17397.037	47.94	3.07	54.0	6.06	AV	20.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.700	38.96	-17.68	74.0	35.04	Peak	0.00	100	Horizontal	Pass
1**	1482.700	29.01	-17.68	54.0	24.99	AV	0.00	100	Horizontal	Pass
2	2459.400	107.08	-12.57	74.0	-33.08	Peak	208.00	200	Horizontal	N/A
2**	2459.400	99.07	-12.57	54.0	-45.07	AV	208.00	200	Horizontal	N/A
3	4899.400	51.17	-2.62	74.0	22.83	Peak	283.00	150	Horizontal	Pass
3**	4899.400	42.06	-2.62	54.0	11.94	AV	283.00	150	Horizontal	Pass
4	6406.400	54.88	0.30	74.0	19.12	Peak	97.00	100	Horizontal	Pass
4**	6406.400	45.24	0.30	54.0	8.76	AV	97.00	100	Horizontal	Pass
5	12882.037	53.48	1.56	74.0	20.52	Peak	179.00	100	Horizontal	Pass
5**	12882.037	44.50	1.56	54.0	9.50	AV	179.00	100	Horizontal	Pass
6	15521.738	56.34	1.38	74.0	17.66	Peak	0.00	400	Horizontal	Pass
6**	15521.738	46.46	1.38	54.0	7.54	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1417.700	39.89	-17.51	74.0	34.11	Peak	308.00	200	Vertical	Pass
1**	1417.700	28.82	-17.51	54.0	25.18	AV	308.00	200	Vertical	Pass
2	2454.400	96.56	-12.63	74.0	-22.56	Peak	112.00	150	Vertical	N/A
2**	2454.400	88.23	-12.63	54.0	-34.23	AV	112.00	150	Vertical	N/A
3	4907.000	51.15	-2.29	74.0	22.85	Peak	12.00	100	Vertical	Pass
3**	4907.000	41.99	-2.29	54.0	12.01	AV	12.00	100	Vertical	Pass
4	6769.600	54.89	-0.51	74.0	19.11	Peak	97.00	300	Vertical	Pass
4**	6769.600	45.98	-0.51	54.0	8.02	AV	97.00	300	Vertical	Pass
5	12830.850	54.29	1.15	74.0	19.71	Peak	69.00	200	Vertical	Pass
5**	12830.850	44.32	1.15	54.0	9.68	AV	69.00	200	Vertical	Pass
6	17407.537	56.83	3.38	74.0	17.17	Peak	360.00	300	Vertical	Pass
6**	17407.537	47.55	3.38	54.0	6.45	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.900	39.20	-17.51	74.0	34.80	Peak	34.00	400	Horizontal	Pass
1**	1566.900	29.69	-17.51	54.0	24.31	AV	34.00	400	Horizontal	Pass
2	2456.400	106.14	-12.46	74.0	-32.14	Peak	206.00	100	Horizontal	N/A
2**	2456.400	98.00	-12.46	54.0	-44.00	AV	206.00	100	Horizontal	N/A
3	4366.400	49.22	-4.23	74.0	24.78	Peak	201.00	150	Horizontal	Pass
3**	4366.400	40.02	-4.23	54.0	13.98	AV	201.00	150	Horizontal	Pass
4	6604.000	54.55	1.01	74.0	19.45	Peak	239.00	200	Horizontal	Pass
4**	6604.000	45.98	1.01	54.0	8.02	AV	239.00	200	Horizontal	Pass
5	12823.763	53.78	1.01	74.0	20.22	Peak	22.00	400	Horizontal	Pass
5**	12823.763	44.71	1.01	54.0	9.29	AV	22.00	400	Horizontal	Pass
6	17397.563	56.03	3.09	74.0	17.97	Peak	46.00	400	Horizontal	Pass
6**	17397.563	47.01	3.09	54.0	6.99	AV	46.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1386.100	38.74	-17.38	74.0	35.26	Peak	197.00	400	Vertical	Pass
1**	1386.100	29.19	-17.38	54.0	24.81	AV	197.00	400	Vertical	Pass
2	2464.200	94.28	-12.47	74.0	-20.28	Peak	295.00	200	Vertical	N/A
2**	2464.200	86.91	-12.47	54.0	-32.91	AV	295.00	200	Vertical	N/A
3	4900.200	51.41	-2.62	74.0	22.59	Peak	298.00	100	Vertical	Pass
3**	4900.200	42.56	-2.62	54.0	11.44	AV	298.00	100	Vertical	Pass
4	6611.200	55.04	1.46	74.0	18.96	Peak	171.00	200	Vertical	Pass
4**	6611.200	45.96	1.46	54.0	8.04	AV	171.00	200	Vertical	Pass
5	12872.325	53.87	1.47	74.0	20.13	Peak	0.00	200	Vertical	Pass
5**	12872.325	43.89	1.47	54.0	10.11	AV	0.00	200	Vertical	Pass
6	17404.387	56.48	3.30	74.0	17.52	Peak	113.00	300	Vertical	Pass
6**	17404.387	47.70	3.30	54.0	6.30	AV	113.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1373.800	39.17	-17.34	74.0	34.83	Peak	294.00	200	Horizontal	Pass
1**	1373.800	29.67	-17.34	54.0	24.33	AV	294.00	200	Horizontal	Pass
2	2416.800	106.54	-12.31	74.0	-32.54	Peak	192.00	100	Horizontal	N/A
2**	2416.800	99.21	-12.31	54.0	-45.21	AV	192.00	100	Horizontal	N/A
3	4794.000	51.16	-2.30	74.0	22.84	Peak	303.00	100	Horizontal	Pass
3**	4794.000	42.15	-2.30	54.0	11.85	AV	303.00	100	Horizontal	Pass
4	6272.000	55.36	0.55	74.0	18.64	Peak	24.00	400	Horizontal	Pass
4**	6272.000	46.10	0.55	54.0	7.90	AV	24.00	400	Horizontal	Pass
5	11517.776	53.15	-0.38	74.0	20.85	Peak	88.00	400	Horizontal	Pass
5**	11517.776	43.17	-0.38	54.0	10.83	AV	88.00	400	Horizontal	Pass
6	17421.713	56.61	3.71	74.0	17.39	Peak	165.00	200	Horizontal	Pass
6**	17421.713	47.82	3.71	54.0	6.18	AV	165.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1347.800	39.27	-17.45	74.0	34.73	Peak	54.00	100	Vertical	Pass
1**	1347.800	28.83	-17.45	54.0	25.17	AV	54.00	100	Vertical	Pass
2	2409.900	92.28	-12.64	74.0	-18.28	Peak	313.00	100	Vertical	N/A
2**	2409.900	84.41	-12.64	54.0	-30.41	AV	313.00	100	Vertical	N/A
3	4801.400	51.84	-2.92	74.0	22.16	Peak	107.00	150	Vertical	Pass
3**	4801.400	41.32	-2.92	54.0	12.68	AV	107.00	150	Vertical	Pass
4	6615.600	54.65	0.88	74.0	19.35	Peak	196.00	200	Vertical	Pass
4**	6615.600	45.93	0.88	54.0	8.07	AV	196.00	200	Vertical	Pass
5	12790.425	53.48	1.18	74.0	20.52	Peak	288.00	100	Vertical	Pass
5**	12790.425	43.69	1.18	54.0	10.31	AV	288.00	100	Vertical	Pass
6	17419.874	56.57	3.75	74.0	17.43	Peak	0.00	300	Vertical	Pass
6**	17419.874	47.41	3.75	54.0	6.59	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.400	39.55	-17.41	74.0	34.45	Peak	100.00	200	Horizontal	Pass
1**	1525.400	29.87	-17.41	54.0	24.13	AV	100.00	200	Horizontal	Pass
2	2418.500	107.64	-12.40	74.0	-33.64	Peak	204.00	150	Horizontal	N/A
2**	2418.500	100.10	-12.40	54.0	-46.10	AV	204.00	150	Horizontal	N/A
3	4904.600	51.40	-2.32	74.0	22.60	Peak	360.00	100	Horizontal	Pass
3**	4904.600	41.86	-2.32	54.0	12.14	AV	360.00	100	Horizontal	Pass
4	6271.800	55.20	0.55	74.0	18.80	Peak	96.00	100	Horizontal	Pass
4**	6271.800	45.82	0.55	54.0	8.18	AV	96.00	100	Horizontal	Pass
5	12880.463	53.83	1.57	74.0	20.17	Peak	88.00	100	Horizontal	Pass
5**	12880.463	44.61	1.57	54.0	9.39	AV	88.00	100	Horizontal	Pass
6	15663.225	56.34	1.32	74.0	17.66	Peak	88.00	300	Horizontal	Pass
6**	15663.225	46.79	1.32	54.0	7.21	AV	88.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	38.91	-17.28	74.0	35.09	Peak	130.00	400	Vertical	Pass
1**	1537.200	29.60	-17.28	54.0	24.40	AV	130.00	400	Vertical	Pass
2	2419.200	94.56	-12.40	74.0	-20.56	Peak	158.00	200	Vertical	N/A
2**	2419.200	87.87	-12.40	54.0	-33.87	AV	158.00	200	Vertical	N/A
3	4900.400	50.98	-2.61	74.0	23.02	Peak	76.00	200	Vertical	Pass
3**	4900.400	41.83	-2.61	54.0	12.17	AV	76.00	200	Vertical	Pass
4	6608.600	54.99	1.59	74.0	19.01	Peak	356.00	300	Vertical	Pass
4**	6608.600	46.84	1.59	54.0	7.16	AV	356.00	300	Vertical	Pass
5	12884.662	53.48	1.56	74.0	20.52	Peak	116.00	400	Vertical	Pass
5**	12884.662	45.26	1.56	54.0	8.74	AV	116.00	400	Vertical	Pass
6	17461.875	56.94	2.86	74.0	17.06	Peak	360.00	200	Vertical	Pass
6**	17461.875	47.09	2.86	54.0	6.91	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.800	39.01	-17.36	74.0	34.99	Peak	17.00	300	Horizontal	Pass
1**	1316.800	29.16	-17.36	54.0	24.84	AV	17.00	300	Horizontal	Pass
2	2426.100	108.29	-12.70	74.0	-34.29	Peak	190.00	100	Horizontal	N/A
2**	2426.100	99.97	-12.70	54.0	-45.97	AV	190.00	100	Horizontal	N/A
3	4775.000	51.27	-2.77	74.0	22.73	Peak	18.00	150	Horizontal	Pass
3**	4775.000	41.75	-2.77	54.0	12.25	AV	18.00	150	Horizontal	Pass
4	6272.400	54.95	0.56	74.0	19.05	Peak	7.00	200	Horizontal	Pass
4**	6272.400	45.61	0.56	54.0	8.39	AV	7.00	200	Horizontal	Pass
5	12793.050	53.98	1.17	74.0	20.02	Peak	215.00	400	Horizontal	Pass
5**	12793.050	43.86	1.17	54.0	10.14	AV	215.00	400	Horizontal	Pass
6	13422.262	56.25	0.40	74.0	17.75	Peak	0.00	100	Horizontal	Pass
6**	13422.262	46.73	0.40	54.0	7.27	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.800	38.78	-17.61	74.0	35.22	Peak	129.00	100	Vertical	Pass
1**	1475.800	29.17	-17.61	54.0	24.83	AV	129.00	100	Vertical	Pass
2	2423.200	96.80	-12.57	74.0	-22.80	Peak	156.00	200	Vertical	N/A
2**	2423.200	89.69	-12.57	54.0	-35.69	AV	156.00	200	Vertical	N/A
3	4893.600	50.93	-2.99	74.0	23.07	Peak	34.00	200	Vertical	Pass
3**	4893.600	42.07	-2.99	54.0	11.93	AV	34.00	200	Vertical	Pass
4	6602.800	54.96	0.81	74.0	19.04	Peak	117.00	100	Vertical	Pass
4**	6602.800	45.92	0.81	54.0	8.08	AV	117.00	100	Vertical	Pass
5	12861.038	53.46	1.45	74.0	20.54	Peak	360.00	100	Vertical	Pass
5**	12861.038	43.75	1.45	54.0	10.25	AV	360.00	100	Vertical	Pass
6	17420.136	56.84	3.75	74.0	17.16	Peak	153.00	400	Vertical	Pass
6**	17420.136	47.90	3.75	54.0	6.10	AV	153.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1300.100	40.30	-17.44	74.0	33.70	Peak	315.00	300	Horizontal	Pass
1**	1300.100	32.45	-17.44	54.0	21.55	AV	315.00	300	Horizontal	Pass
2	2432.900	107.83	-12.69	74.0	-33.83	Peak	201.00	200	Horizontal	N/A
2**	2432.900	99.44	-12.69	54.0	-45.44	AV	201.00	200	Horizontal	N/A
3	4903.200	51.56	-2.42	74.0	22.44	Peak	10.00	150	Horizontal	Pass
3**	4903.200	41.87	-2.42	54.0	12.13	AV	10.00	150	Horizontal	Pass
4	6603.600	55.31	0.95	74.0	18.69	Peak	256.00	400	Horizontal	Pass
4**	6603.600	46.12	0.95	54.0	7.88	AV	256.00	400	Horizontal	Pass
5	12412.188	53.47	1.43	74.0	20.53	Peak	6.00	200	Horizontal	Pass
5**	12412.188	43.26	1.43	54.0	10.74	AV	6.00	200	Horizontal	Pass
6	15491.812	56.11	0.98	74.0	17.89	Peak	174.00	150	Horizontal	Pass
6**	15491.812	45.92	0.98	54.0	8.08	AV	174.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1320.000	38.80	-17.37	74.0	35.20	Peak	146.00	300	Vertical	Pass
1**	1320.000	28.88	-17.37	54.0	25.12	AV	146.00	300	Vertical	Pass
2	2440.100	97.87	-12.41	74.0	-23.87	Peak	299.00	100	Vertical	N/A
2**	2440.100	90.97	-12.41	54.0	-36.97	AV	299.00	100	Vertical	N/A
3	4808.200	50.92	-3.20	74.0	23.08	Peak	284.00	200	Vertical	Pass
3**	4808.200	40.95	-3.20	54.0	13.05	AV	284.00	200	Vertical	Pass
4	6613.400	54.19	1.28	74.0	19.81	Peak	195.00	100	Vertical	Pass
4**	6613.400	45.20	1.28	54.0	8.80	AV	195.00	100	Vertical	Pass
5	12855.525	54.10	1.42	74.0	19.90	Peak	334.00	400	Vertical	Pass
5**	12855.525	44.40	1.42	54.0	9.60	AV	334.00	400	Vertical	Pass
6	17361.338	56.72	2.25	74.0	17.28	Peak	236.00	100	Vertical	Pass
6**	17361.338	46.83	2.25	54.0	7.17	AV	236.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1299.000	38.85	-17.42	74.0	35.15	Peak	85.00	200	Horizontal	Pass
1**	1299.000	30.73	-17.42	54.0	23.27	AV	85.00	200	Horizontal	Pass
2	2440.900	107.84	-12.43	74.0	-33.84	Peak	204.00	200	Horizontal	N/A
2**	2440.900	99.56	-12.43	54.0	-45.56	AV	204.00	200	Horizontal	N/A
3	5248.800	52.52	-2.40	74.0	21.48	Peak	73.00	150	Horizontal	Pass
3**	5248.800	43.16	-2.40	54.0	10.84	AV	73.00	150	Horizontal	Pass
4	6739.200	54.57	0.62	74.0	19.43	Peak	0.00	200	Horizontal	Pass
4**	6739.200	45.26	0.62	54.0	8.74	AV	0.00	200	Horizontal	Pass
5	12844.500	53.66	1.34	74.0	20.34	Peak	57.00	400	Horizontal	Pass
5**	12844.500	43.84	1.34	54.0	10.16	AV	57.00	400	Horizontal	Pass
6	17423.026	56.09	3.67	74.0	17.91	Peak	17.00	300	Horizontal	Pass
6**	17423.026	47.80	3.67	54.0	6.20	AV	17.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.200	39.81	-17.33	74.0	34.19	Peak	246.00	200	Vertical	Pass
1**	1553.200	29.12	-17.33	54.0	24.88	AV	246.00	200	Vertical	Pass
2	2449.800	97.77	-12.36	74.0	-23.77	Peak	132.00	150	Vertical	N/A
2**	2449.800	90.76	-12.36	54.0	-36.76	AV	132.00	150	Vertical	N/A
3	4831.000	50.67	-3.41	74.0	23.33	Peak	7.00	200	Vertical	Pass
3**	4831.000	41.81	-3.41	54.0	12.19	AV	7.00	200	Vertical	Pass
4	6268.600	54.84	0.30	74.0	19.16	Peak	307.00	400	Vertical	Pass
4**	6268.600	45.28	0.30	54.0	8.72	AV	307.00	400	Vertical	Pass
5	12240.550	53.35	1.06	74.0	20.65	Peak	313.00	100	Vertical	Pass
5**	12240.550	43.55	1.06	54.0	10.45	AV	313.00	100	Vertical	Pass
6	17423.813	56.34	3.65	74.0	17.66	Peak	293.00	300	Vertical	Pass
6**	17423.813	46.49	3.65	54.0	7.51	AV	293.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.100	39.53	-17.32	74.0	34.47	Peak	200.00	200	Horizontal	Pass
1**	1543.100	29.79	-17.32	54.0	24.21	AV	200.00	200	Horizontal	Pass
2	2450.800	108.16	-12.36	74.0	-34.16	Peak	218.00	100	Horizontal	N/A
2**	2450.800	100.41	-12.36	54.0	-46.41	AV	218.00	100	Horizontal	N/A
3	4799.600	51.02	-2.71	74.0	22.98	Peak	126.00	150	Horizontal	Pass
3**	4799.600	41.34	-2.71	54.0	12.66	AV	126.00	150	Horizontal	Pass
4	6271.600	54.76	0.54	74.0	19.24	Peak	104.00	200	Horizontal	Pass
4**	6271.600	46.28	0.54	54.0	7.72	AV	104.00	200	Horizontal	Pass
5	12799.875	53.62	1.10	74.0	20.38	Peak	106.00	300	Horizontal	Pass
5**	12799.875	44.23	1.10	54.0	9.77	AV	106.00	300	Horizontal	Pass
6	17429.324	56.72	3.48	74.0	17.28	Peak	62.00	300	Horizontal	Pass
6**	17429.324	46.55	3.48	54.0	7.45	AV	62.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.700	39.16	-17.48	74.0	34.84	Peak	197.00	300	Vertical	Pass
1**	1567.700	28.78	-17.48	54.0	25.22	AV	197.00	300	Vertical	Pass
2	2450.100	97.36	-12.34	74.0	-23.36	Peak	133.00	150	Vertical	N/A
2**	2450.100	89.78	-12.34	54.0	-35.78	AV	133.00	150	Vertical	N/A
3	5145.800	51.77	-2.37	74.0	22.23	Peak	203.00	150	Vertical	Pass
3**	5145.800	42.00	-2.37	54.0	12.00	AV	203.00	150	Vertical	Pass
4	6737.800	54.82	0.39	74.0	19.18	Peak	311.00	200	Vertical	Pass
4**	6737.800	44.72	0.39	54.0	9.28	AV	311.00	200	Vertical	Pass
5	12857.362	53.78	1.44	74.0	20.22	Peak	213.00	200	Vertical	Pass
5**	12857.362	44.05	1.44	54.0	9.95	AV	213.00	200	Vertical	Pass
6	17408.588	56.27	3.41	74.0	17.73	Peak	60.00	200	Vertical	Pass
6**	17408.588	47.59	3.41	54.0	6.41	AV	60.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.900	39.47	-17.50	74.0	34.53	Peak	116.00	400	Horizontal	Pass
1**	1397.900	29.65	-17.50	54.0	24.35	AV	116.00	400	Horizontal	Pass
2	2453.800	106.82	-12.58	74.0	-32.82	Peak	213.00	100	Horizontal	N/A
2**	2453.800	99.88	-12.58	54.0	-45.88	AV	213.00	100	Horizontal	N/A
3	5112.800	51.05	-2.23	74.0	22.95	Peak	197.00	150	Horizontal	Pass
3**	5112.800	41.43	-2.23	54.0	12.57	AV	197.00	150	Horizontal	Pass
4	6728.000	54.59	-0.84	74.0	19.41	Peak	221.00	300	Horizontal	Pass
4**	6728.000	44.12	-0.84	54.0	9.88	AV	221.00	300	Horizontal	Pass
5	12337.150	53.11	1.32	74.0	20.89	Peak	4.00	200	Horizontal	Pass
5**	12337.150	43.85	1.32	54.0	10.15	AV	4.00	200	Horizontal	Pass
6	17437.725	56.54	3.13	74.0	17.46	Peak	84.00	300	Horizontal	Pass
6**	17437.725	46.76	3.13	54.0	7.24	AV	84.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1354.300	38.95	-17.60	74.0	35.05	Peak	228.00	300	Vertical	Pass
1**	1354.300	29.17	-17.60	54.0	24.83	AV	228.00	300	Vertical	Pass
2	2454.100	95.93	-12.61	74.0	-21.93	Peak	131.00	100	Vertical	N/A
2**	2454.100	87.85	-12.61	54.0	-33.85	AV	131.00	100	Vertical	N/A
3	4814.400	51.00	-3.19	74.0	23.00	Peak	127.00	200	Vertical	Pass
3**	4814.400	41.22	-3.19	54.0	12.78	AV	127.00	200	Vertical	Pass
4	6613.400	55.66	1.28	74.0	18.34	Peak	321.00	400	Vertical	Pass
4**	6613.400	46.08	1.28	54.0	7.92	AV	321.00	400	Vertical	Pass
5	12781.237	53.81	1.23	74.0	20.19	Peak	298.00	100	Vertical	Pass
5**	12781.237	43.42	1.23	54.0	10.58	AV	298.00	100	Vertical	Pass
6	17423.026	56.07	3.67	74.0	17.93	Peak	0.00	400	Vertical	Pass
6**	17423.026	46.67	3.67	54.0	7.33	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1271.300	39.16	-17.49	74.0	34.84	Peak	332.00	300	Horizontal	Pass
1**	1271.300	28.84	-17.49	54.0	25.16	AV	332.00	300	Horizontal	Pass
2	2459.600	105.57	-12.57	74.0	-31.57	Peak	201.00	150	Horizontal	N/A
2**	2459.600	98.29	-12.57	54.0	-44.29	AV	201.00	150	Horizontal	N/A
3	5034.800	51.39	-2.78	74.0	22.61	Peak	358.00	150	Horizontal	Pass
3**	5034.800	41.72	-2.78	54.0	12.28	AV	358.00	150	Horizontal	Pass
4	6674.200	55.13	0.20	74.0	18.87	Peak	54.00	300	Horizontal	Pass
4**	6674.200	45.31	0.20	54.0	8.69	AV	54.00	300	Horizontal	Pass
5	12914.062	53.64	1.30	74.0	20.36	Peak	327.00	300	Horizontal	Pass
5**	12914.062	43.57	1.30	54.0	10.43	AV	327.00	300	Horizontal	Pass
6	17438.251	56.64	3.10	74.0	17.36	Peak	215.00	100	Horizontal	Pass
6**	17438.251	46.68	3.10	54.0	7.32	AV	215.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.300	38.67	-17.44	74.0	35.33	Peak	83.00	300	Vertical	Pass
1**	1583.300	30.33	-17.44	54.0	23.67	AV	83.00	300	Vertical	Pass
2	2460.700	92.97	-12.55	74.0	-18.97	Peak	123.00	100	Vertical	N/A
2**	2460.700	86.07	-12.55	54.0	-32.07	AV	123.00	100	Vertical	N/A
3	5034.000	52.35	-2.75	74.0	21.65	Peak	56.00	150	Vertical	Pass
3**	5034.000	41.27	-2.75	54.0	12.73	AV	56.00	150	Vertical	Pass
4	6275.600	54.23	0.22	74.0	19.77	Peak	294.00	100	Vertical	Pass
4**	6275.600	45.82	0.22	54.0	8.18	AV	294.00	100	Vertical	Pass
5	12287.126	53.82	1.73	74.0	20.18	Peak	306.00	100	Vertical	Pass
5**	12287.126	45.11	1.73	54.0	8.89	AV	306.00	100	Vertical	Pass
6	17430.637	56.75	3.43	74.0	17.25	Peak	84.00	400	Vertical	Pass
6**	17430.637	47.56	3.43	54.0	6.44	AV	84.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.000	39.11	-17.39	74.0	34.89	Peak	144.00	200	Horizontal	Pass
1**	1365.000	29.24	-17.39	54.0	24.76	AV	144.00	200	Horizontal	Pass
2	2419.500	103.01	-12.40	74.0	-29.01	Peak	202.00	200	Horizontal	N/A
2**	2419.500	95.50	-12.40	54.0	-41.50	AV	202.00	200	Horizontal	N/A
3	5023.600	51.22	-3.03	74.0	22.78	Peak	312.00	150	Horizontal	Pass
3**	5023.600	41.31	-3.03	54.0	12.69	AV	312.00	150	Horizontal	Pass
4	6689.400	54.52	-0.20	74.0	19.48	Peak	360.00	100	Horizontal	Pass
4**	6689.400	44.19	-0.20	54.0	9.81	AV	360.00	100	Horizontal	Pass
5	12810.637	53.39	0.85	74.0	20.61	Peak	168.00	100	Horizontal	Pass
5**	12810.637	43.82	0.85	54.0	10.18	AV	168.00	100	Horizontal	Pass
6	17414.887	56.78	3.63	74.0	17.22	Peak	168.00	200	Horizontal	Pass
6**	17414.887	47.59	3.63	54.0	6.41	AV	168.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.600	38.81	-17.39	74.0	35.19	Peak	144.00	100	Vertical	Pass
1**	1440.600	28.93	-17.39	54.0	25.07	AV	144.00	100	Vertical	Pass
2	2419.200	89.73	-12.40	74.0	-15.73	Peak	293.00	200	Vertical	N/A
2**	2419.200	81.09	-12.40	54.0	-27.09	AV	293.00	200	Vertical	N/A
3	4909.000	51.46	-2.53	74.0	22.54	Peak	360.00	150	Vertical	Pass
3**	4909.000	42.02	-2.53	54.0	11.98	AV	360.00	150	Vertical	Pass
4	6623.400	56.11	0.48	74.0	17.89	Peak	97.00	100	Vertical	Pass
4**	6623.400	44.22	0.48	54.0	9.78	AV	97.00	100	Vertical	Pass
5	12816.412	54.14	0.87	74.0	19.86	Peak	178.00	200	Vertical	Pass
5**	12816.412	44.29	0.87	54.0	9.71	AV	178.00	200	Vertical	Pass
6	17422.762	56.40	3.68	74.0	17.60	Peak	226.00	200	Vertical	Pass
6**	17422.762	47.65	3.68	54.0	6.35	AV	226.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.700	39.49	-17.41	74.0	34.51	Peak	153.00	300	Horizontal	Pass
1**	1503.700	30.51	-17.41	54.0	23.49	AV	153.00	300	Horizontal	Pass
2	2425.000	103.04	-12.64	74.0	-29.04	Peak	201.00	150	Horizontal	N/A
2**	2425.000	95.02	-12.64	54.0	-41.02	AV	201.00	150	Horizontal	N/A
3	4793.200	50.84	-2.38	74.0	23.16	Peak	220.00	150	Horizontal	Pass
3**	4793.200	42.38	-2.38	54.0	11.62	AV	220.00	150	Horizontal	Pass
4	6265.400	54.92	-0.25	74.0	19.08	Peak	257.00	300	Horizontal	Pass
4**	6265.400	45.59	-0.25	54.0	8.41	AV	257.00	300	Horizontal	Pass
5	12809.850	53.25	0.86	74.0	20.75	Peak	195.00	100	Horizontal	Pass
5**	12809.850	44.05	0.86	54.0	9.95	AV	195.00	100	Horizontal	Pass
6	17418.824	57.06	3.73	74.0	16.94	Peak	241.00	100	Horizontal	Pass
6**	17418.824	47.80	3.73	54.0	6.20	AV	241.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.900	39.08	-17.54	74.0	34.92	Peak	360.00	100	Vertical	Pass
1**	1505.900	30.11	-17.54	54.0	23.89	AV	360.00	100	Vertical	Pass
2	2432.000	90.24	-12.71	74.0	-16.24	Peak	297.00	150	Vertical	N/A
2**	2432.000	82.98	-12.71	54.0	-28.98	AV	297.00	150	Vertical	N/A
3	4771.800	50.65	-3.01	74.0	23.35	Peak	207.00	150	Vertical	Pass
3**	4771.800	41.76	-3.01	54.0	12.24	AV	207.00	150	Vertical	Pass
4	6677.600	55.49	0.28	74.0	18.51	Peak	114.00	100	Vertical	Pass
4**	6677.600	45.65	0.28	54.0	8.35	AV	114.00	100	Vertical	Pass
5	12825.338	53.08	1.05	74.0	20.92	Peak	86.00	400	Vertical	Pass
5**	12825.338	44.02	1.05	54.0	9.98	AV	86.00	400	Vertical	Pass
6	17403.599	56.65	3.28	74.0	17.35	Peak	0.00	300	Vertical	Pass
6**	17403.599	46.92	3.28	54.0	7.08	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1314.700	39.39	-17.40	74.0	34.61	Peak	29.00	100	Horizontal	Pass
1**	1314.700	29.34	-17.40	54.0	24.66	AV	29.00	100	Horizontal	Pass
2	2436.600	103.90	-12.49	74.0	-29.90	Peak	192.00	200	Horizontal	N/A
2**	2436.600	95.92	-12.49	54.0	-41.92	AV	192.00	200	Horizontal	N/A
3	5114.000	51.00	-2.16	74.0	23.00	Peak	326.00	150	Horizontal	Pass
3**	5114.000	42.18	-2.16	54.0	11.82	AV	326.00	150	Horizontal	Pass
4	6673.800	54.53	0.20	74.0	19.47	Peak	141.00	300	Horizontal	Pass
4**	6673.800	45.89	0.20	54.0	8.11	AV	141.00	300	Horizontal	Pass
5	12268.151	53.99	1.39	74.0	20.01	Peak	137.00	300	Horizontal	Pass
5**	12268.151	43.13	1.39	54.0	10.87	AV	137.00	300	Horizontal	Pass
6	15845.925	56.30	1.36	74.0	17.70	Peak	60.00	400	Horizontal	Pass
6**	15845.925	47.09	1.36	54.0	6.91	AV	60.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.900	39.28	-17.25	74.0	34.72	Peak	0.00	300	Vertical	Pass
1**	1446.900	29.27	-17.25	54.0	24.73	AV	0.00	300	Vertical	Pass
2	2428.500	91.50	-12.74	74.0	-17.50	Peak	299.00	100	Vertical	N/A
2**	2428.500	83.75	-12.74	54.0	-29.75	AV	299.00	100	Vertical	N/A
3	4798.400	50.77	-2.53	74.0	23.23	Peak	360.00	200	Vertical	Pass
3**	4798.400	42.01	-2.53	54.0	11.99	AV	360.00	200	Vertical	Pass
4	6605.400	54.45	1.25	74.0	19.55	Peak	64.00	400	Vertical	Pass
4**	6605.400	46.63	1.25	54.0	7.37	AV	64.00	400	Vertical	Pass
5	12285.688	53.38	1.76	74.0	20.62	Peak	54.00	400	Vertical	Pass
5**	12285.688	44.43	1.76	54.0	9.57	AV	54.00	400	Vertical	Pass
6	17397.823	56.05	3.10	74.0	17.95	Peak	313.00	100	Vertical	Pass
6**	17397.823	47.88	3.10	54.0	6.12	AV	313.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.200	38.91	-17.25	74.0	35.09	Peak	19.00	300	Horizontal	Pass
1**	1340.200	29.29	-17.25	54.0	24.71	AV	19.00	300	Horizontal	Pass
2	2439.600	104.91	-12.40	74.0	-30.91	Peak	196.00	150	Horizontal	N/A
2**	2439.600	96.23	-12.40	54.0	-42.23	AV	196.00	150	Horizontal	N/A
3	5122.400	51.57	-1.91	74.0	22.43	Peak	82.00	150	Horizontal	Pass
3**	5122.400	42.51	-1.91	54.0	11.49	AV	82.00	150	Horizontal	Pass
4	6611.800	54.59	1.42	74.0	19.41	Peak	294.00	300	Horizontal	Pass
4**	6611.800	45.52	1.42	54.0	8.48	AV	294.00	300	Horizontal	Pass
5	12887.550	53.22	1.57	74.0	20.78	Peak	133.00	300	Horizontal	Pass
5**	12887.550	45.08	1.57	54.0	8.92	AV	133.00	300	Horizontal	Pass
6	17395.462	56.41	3.02	74.0	17.59	Peak	244.00	200	Horizontal	Pass
6**	17395.462	46.01	3.02	54.0	7.99	AV	244.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.600	39.00	-17.35	74.0	35.00	Peak	126.00	300	Vertical	Pass
1**	1557.600	29.48	-17.35	54.0	24.52	AV	126.00	300	Vertical	Pass
2	2433.100	94.86	-12.68	74.0	-20.86	Peak	299.00	100	Vertical	N/A
2**	2433.100	86.84	-12.68	54.0	-32.84	AV	299.00	100	Vertical	N/A
3	4879.600	51.50	-3.37	74.0	22.50	Peak	237.00	200	Vertical	Pass
3**	4879.600	42.28	-3.37	54.0	11.72	AV	237.00	200	Vertical	Pass
4	6270.000	54.79	0.44	74.0	19.21	Peak	9.00	300	Vertical	Pass
4**	6270.000	45.46	0.44	54.0	8.54	AV	9.00	300	Vertical	Pass
5	12890.438	53.42	1.59	74.0	20.58	Peak	40.00	100	Vertical	Pass
5**	12890.438	45.33	1.59	54.0	8.67	AV	40.00	100	Vertical	Pass
6	16041.750	56.30	0.78	74.0	17.70	Peak	147.00	300	Vertical	Pass
6**	16041.750	46.18	0.78	54.0	7.82	AV	147.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.300	39.16	-17.34	74.0	34.84	Peak	81.00	200	Horizontal	Pass
1**	1305.300	30.37	-17.34	54.0	23.63	AV	81.00	200	Horizontal	Pass
2	2440.200	104.39	-12.41	74.0	-30.39	Peak	202.00	100	Horizontal	N/A
2**	2440.200	97.11	-12.41	54.0	-43.11	AV	202.00	100	Horizontal	N/A
3	4893.800	51.41	-2.99	74.0	22.59	Peak	186.00	150	Horizontal	Pass
3**	4893.800	41.99	-2.99	54.0	12.01	AV	186.00	150	Horizontal	Pass
4	6608.600	55.18	1.59	74.0	18.82	Peak	115.00	200	Horizontal	Pass
4**	6608.600	46.33	1.59	54.0	7.67	AV	115.00	200	Horizontal	Pass
5	12597.625	53.08	1.84	74.0	20.92	Peak	73.00	200	Horizontal	Pass
5**	12597.625	43.27	1.84	54.0	10.73	AV	73.00	200	Horizontal	Pass
6	17412.526	56.29	3.54	74.0	17.71	Peak	51.00	300	Horizontal	Pass
6**	17412.526	46.71	3.54	54.0	7.29	AV	51.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.500	38.52	-17.47	74.0	35.48	Peak	360.00	400	Vertical	Pass
1**	1469.500	30.34	-17.47	54.0	23.66	AV	360.00	400	Vertical	Pass
2	2439.800	92.57	-12.40	74.0	-18.57	Peak	296.00	100	Vertical	N/A
2**	2439.800	85.05	-12.40	54.0	-31.05	AV	296.00	100	Vertical	N/A
3	4914.200	50.92	-2.69	74.0	23.08	Peak	123.00	150	Vertical	Pass
3**	4914.200	41.91	-2.69	54.0	12.09	AV	123.00	150	Vertical	Pass
4	6608.000	54.86	1.55	74.0	19.14	Peak	123.00	400	Vertical	Pass
4**	6608.000	46.49	1.55	54.0	7.51	AV	123.00	400	Vertical	Pass
5	12878.099	53.52	1.54	74.0	20.48	Peak	208.00	100	Vertical	Pass
5**	12878.099	43.80	1.54	54.0	10.20	AV	208.00	100	Vertical	Pass
6	17467.126	56.89	2.90	74.0	17.11	Peak	65.00	400	Vertical	Pass
6**	17467.126	47.27	2.90	54.0	6.73	AV	65.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.600	39.23	-17.37	74.0	34.77	Peak	105.00	300	Horizontal	Pass
1**	1316.600	29.59	-17.37	54.0	24.41	AV	105.00	300	Horizontal	Pass
2	2440.200	104.28	-12.41	74.0	-30.28	Peak	205.00	100	Horizontal	N/A
2**	2440.200	96.50	-12.41	54.0	-42.50	AV	205.00	100	Horizontal	N/A
3	5093.600	52.34	-2.48	74.0	21.66	Peak	17.00	150	Horizontal	Pass
3**	5093.600	41.94	-2.48	54.0	12.06	AV	17.00	150	Horizontal	Pass
4	6609.800	55.16	1.54	74.0	18.84	Peak	69.00	100	Horizontal	Pass
4**	6609.800	46.48	1.54	54.0	7.52	AV	69.00	100	Horizontal	Pass
5	12826.387	53.99	1.06	74.0	20.01	Peak	360.00	300	Horizontal	Pass
5**	12826.387	44.00	1.06	54.0	10.00	AV	360.00	300	Horizontal	Pass
6	16077.712	55.90	1.59	74.0	18.10	Peak	200.00	400	Horizontal	Pass
6**	16077.712	47.78	1.59	54.0	6.22	AV	200.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	38.97	-17.42	74.0	35.03	Peak	299.00	300	Vertical	Pass
1**	1495.800	29.47	-17.42	54.0	24.53	AV	299.00	300	Vertical	Pass
2	2439.100	92.85	-12.42	74.0	-18.85	Peak	293.00	200	Vertical	N/A
2**	2439.100	84.17	-12.42	54.0	-30.17	AV	293.00	200	Vertical	N/A
3	4979.600	51.54	-2.81	74.0	22.46	Peak	180.00	150	Vertical	Pass
3**	4979.600	41.62	-2.81	54.0	12.38	AV	180.00	150	Vertical	Pass
4	6401.800	54.77	-0.02	74.0	19.23	Peak	139.00	200	Vertical	Pass
4**	6401.800	45.48	-0.02	54.0	8.52	AV	139.00	200	Vertical	Pass
5	12860.250	53.57	1.45	74.0	20.43	Peak	88.00	200	Vertical	Pass
5**	12860.250	44.02	1.45	54.0	9.98	AV	88.00	200	Vertical	Pass
6	17352.937	56.95	2.01	74.0	17.05	Peak	33.00	200	Vertical	Pass
6**	17352.937	46.52	2.01	54.0	7.48	AV	33.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.800	38.59	-17.78	74.0	35.41	Peak	18.00	300	Horizontal	Pass
1**	1596.800	29.78	-17.78	54.0	24.22	AV	18.00	300	Horizontal	Pass
2	2449.200	103.21	-12.39	74.0	-29.21	Peak	205.00	150	Horizontal	N/A
2**	2449.200	95.27	-12.39	54.0	-41.27	AV	205.00	150	Horizontal	N/A
3	5539.000	52.48	-1.57	74.0	21.52	Peak	6.00	150	Horizontal	Pass
3**	5539.000	42.97	-1.57	54.0	11.03	AV	6.00	150	Horizontal	Pass
4	6677.000	54.37	0.32	74.0	19.63	Peak	139.00	100	Horizontal	Pass
4**	6677.000	45.07	0.32	54.0	8.93	AV	139.00	100	Horizontal	Pass
5	12825.600	53.61	1.05	74.0	20.39	Peak	162.00	400	Horizontal	Pass
5**	12825.600	43.86	1.05	54.0	10.14	AV	162.00	400	Horizontal	Pass
6	17403.599	56.82	3.28	74.0	17.18	Peak	106.00	200	Horizontal	Pass
6**	17403.599	47.05	3.28	54.0	6.95	AV	106.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.200	38.99	-17.33	74.0	35.01	Peak	13.00	200	Vertical	Pass
1**	1524.200	29.86	-17.33	54.0	24.14	AV	13.00	200	Vertical	Pass
2	2441.000	89.86	-12.44	74.0	-15.86	Peak	296.00	150	Vertical	N/A
2**	2441.000	81.99	-12.44	54.0	-27.99	AV	296.00	150	Vertical	N/A
3	4791.200	50.97	-2.44	74.0	23.03	Peak	130.00	100	Vertical	Pass
3**	4791.200	41.56	-2.44	54.0	12.44	AV	130.00	100	Vertical	Pass
4	6602.000	54.85	0.66	74.0	19.15	Peak	213.00	200	Vertical	Pass
4**	6602.000	45.86	0.66	54.0	8.14	AV	213.00	200	Vertical	Pass
5	12787.276	53.48	1.22	74.0	20.52	Peak	34.00	400	Vertical	Pass
5**	12787.276	43.40	1.22	54.0	10.60	AV	34.00	400	Vertical	Pass
6	17418.824	56.00	3.73	74.0	18.00	Peak	238.00	200	Vertical	Pass
6**	17418.824	47.92	3.73	54.0	6.08	AV	238.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.700	39.00	-17.61	74.0	35.00	Peak	360.00	300	Horizontal	Pass
1**	1475.700	29.51	-17.61	54.0	24.49	AV	360.00	300	Horizontal	Pass
2	2414.300	106.17	-12.51	74.0	-32.17	Peak	201.00	100	Horizontal	N/A
2**	2414.300	98.81	-12.51	54.0	-44.81	AV	201.00	100	Horizontal	N/A
3	4976.000	51.21	-2.79	74.0	22.79	Peak	333.00	200	Horizontal	Pass
3**	4976.000	41.23	-2.79	54.0	12.77	AV	333.00	200	Horizontal	Pass
4	6267.600	54.55	0.15	74.0	19.45	Peak	99.00	300	Horizontal	Pass
4**	6267.600	45.04	0.15	54.0	8.96	AV	99.00	300	Horizontal	Pass
5	11952.763	53.56	1.27	74.0	20.44	Peak	221.00	100	Horizontal	Pass
5**	11952.763	43.80	1.27	54.0	10.20	AV	221.00	100	Horizontal	Pass
6	17404.649	55.93	3.31	74.0	18.07	Peak	253.00	300	Horizontal	Pass
6**	17404.649	47.70	3.31	54.0	6.30	AV	253.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.000	39.51	-17.58	74.0	34.49	Peak	192.00	400	Vertical	Pass
1**	1493.000	29.32	-17.58	54.0	24.68	AV	192.00	400	Vertical	Pass
2	2416.300	95.07	-12.29	74.0	-21.07	Peak	291.00	150	Vertical	N/A
2**	2416.300	86.84	-12.29	54.0	-32.84	AV	291.00	150	Vertical	N/A
3	4772.200	51.04	-2.98	74.0	22.96	Peak	28.00	150	Vertical	Pass
3**	4772.200	40.78	-2.98	54.0	13.22	AV	28.00	150	Vertical	Pass
4	6607.200	55.14	1.50	74.0	18.86	Peak	278.00	300	Vertical	Pass
4**	6607.200	46.37	1.50	54.0	7.63	AV	278.00	300	Vertical	Pass
5	12728.438	53.33	1.28	74.0	20.67	Peak	228.00	200	Vertical	Pass
5**	12728.438	44.23	1.28	54.0	9.77	AV	228.00	200	Vertical	Pass
6	17420.401	56.36	3.75	74.0	17.64	Peak	332.00	100	Vertical	Pass
6**	17420.401	48.00	3.75	54.0	6.00	AV	332.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.100	38.89	-17.44	74.0	35.11	Peak	65.00	400	Horizontal	Pass
1**	1527.100	29.01	-17.44	54.0	24.99	AV	65.00	400	Horizontal	Pass
2	2415.600	107.16	-12.37	74.0	-33.16	Peak	206.00	150	Horizontal	N/A
2**	2415.600	99.93	-12.37	54.0	-45.93	AV	206.00	150	Horizontal	N/A
3	4798.000	51.16	-2.54	74.0	22.84	Peak	95.00	200	Horizontal	Pass
3**	4798.000	41.18	-2.54	54.0	12.82	AV	95.00	200	Horizontal	Pass
4	6601.600	54.73	0.59	74.0	19.27	Peak	177.00	200	Horizontal	Pass
4**	6601.600	45.87	0.59	54.0	8.13	AV	177.00	200	Horizontal	Pass
5	12705.438	53.70	0.90	74.0	20.30	Peak	279.00	200	Horizontal	Pass
5**	12705.438	43.42	0.90	54.0	10.58	AV	279.00	200	Horizontal	Pass
6	17419.614	57.01	3.75	74.0	16.99	Peak	173.00	300	Horizontal	Pass
6**	17419.614	47.29	3.75	54.0	6.71	AV	173.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.600	39.49	-17.53	74.0	34.51	Peak	223.00	300	Vertical	Pass
1**	1562.600	29.51	-17.53	54.0	24.49	AV	223.00	300	Vertical	Pass
2	2418.200	97.16	-12.39	74.0	-23.16	Peak	295.00	200	Vertical	N/A
2**	2418.200	90.41	-12.39	54.0	-36.41	AV	295.00	200	Vertical	N/A
3	4837.000	50.68	-3.48	74.0	23.32	Peak	175.00	200	Vertical	Pass
3**	4837.000	40.38	-3.48	54.0	13.62	AV	175.00	200	Vertical	Pass
4	6614.400	55.13	1.08	74.0	18.87	Peak	327.00	100	Vertical	Pass
4**	6614.400	46.73	1.08	54.0	7.27	AV	327.00	100	Vertical	Pass
5	12319.901	53.14	1.42	74.0	20.86	Peak	221.00	300	Vertical	Pass
5**	12319.901	43.97	1.42	54.0	10.03	AV	221.00	300	Vertical	Pass
6	17414.363	56.09	3.61	74.0	17.91	Peak	18.00	400	Vertical	Pass
6**	17414.363	47.77	3.61	54.0	6.23	AV	18.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.500	39.49	-17.55	74.0	34.51	Peak	97.00	300	Horizontal	Pass
1**	1358.500	28.11	-17.55	54.0	25.89	AV	97.00	300	Horizontal	Pass
2	2419.100	108.33	-12.40	74.0	-34.33	Peak	205.00	100	Horizontal	N/A
2**	2419.100	100.77	-12.40	54.0	-46.77	AV	205.00	100	Horizontal	N/A
3	4897.600	51.05	-2.74	74.0	22.95	Peak	58.00	150	Horizontal	Pass
3**	4897.600	42.04	-2.74	54.0	11.96	AV	58.00	150	Horizontal	Pass
4	6398.800	54.90	-0.38	74.0	19.10	Peak	252.00	400	Horizontal	Pass
4**	6398.800	45.65	-0.38	54.0	8.35	AV	252.00	400	Horizontal	Pass
5	12790.162	53.25	1.18	74.0	20.75	Peak	22.00	200	Horizontal	Pass
5**	12790.162	45.13	1.18	54.0	8.87	AV	22.00	200	Horizontal	Pass
6	16393.762	56.54	1.52	74.0	17.46	Peak	360.00	100	Horizontal	Pass
6**	16393.762	45.71	1.52	54.0	8.29	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.200	38.97	-17.18	74.0	35.03	Peak	317.00	300	Vertical	Pass
1**	1445.200	30.95	-17.18	54.0	23.05	AV	317.00	300	Vertical	Pass
2	2424.200	99.83	-12.61	74.0	-25.83	Peak	291.00	150	Vertical	N/A
2**	2424.200	92.20	-12.61	54.0	-38.20	AV	291.00	150	Vertical	N/A
3	4929.400	50.93	-2.60	74.0	23.07	Peak	226.00	150	Vertical	Pass
3**	4929.400	41.39	-2.60	54.0	12.61	AV	226.00	150	Vertical	Pass
4	6677.600	55.06	0.28	74.0	18.94	Peak	154.00	100	Vertical	Pass
4**	6677.600	45.95	0.28	54.0	8.05	AV	154.00	100	Vertical	Pass
5	12421.387	53.28	1.40	74.0	20.72	Peak	140.00	400	Vertical	Pass
5**	12421.387	43.15	1.40	54.0	10.85	AV	140.00	400	Vertical	Pass
6	16966.800	56.41	1.96	74.0	17.59	Peak	171.00	100	Vertical	Pass
6**	16966.800	45.14	1.96	54.0	8.86	AV	171.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.300	38.81	-17.45	74.0	35.19	Peak	15.00	300	Horizontal	Pass
1**	1450.300	29.08	-17.45	54.0	24.92	AV	15.00	300	Horizontal	Pass
2	2439.300	107.82	-12.41	74.0	-33.82	Peak	208.00	200	Horizontal	N/A
2**	2439.300	100.50	-12.41	54.0	-46.50	AV	208.00	200	Horizontal	N/A
3	5044.200	52.00	-2.96	74.0	22.00	Peak	0.00	150	Horizontal	Pass
3**	5044.200	42.09	-2.96	54.0	11.91	AV	0.00	150	Horizontal	Pass
4	6610.600	55.09	1.49	74.0	18.91	Peak	360.00	100	Horizontal	Pass
4**	6610.600	45.90	1.49	54.0	8.10	AV	360.00	100	Horizontal	Pass
5	12824.025	53.75	1.02	74.0	20.25	Peak	0.00	200	Horizontal	Pass
5**	12824.025	43.97	1.02	54.0	10.03	AV	0.00	200	Horizontal	Pass
6	17408.850	56.76	3.42	74.0	17.24	Peak	202.00	400	Horizontal	Pass
6**	17408.850	47.91	3.42	54.0	6.09	AV	202.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.800	39.36	-17.72	74.0	34.64	Peak	186.00	200	Vertical	Pass
1**	1595.800	29.28	-17.72	54.0	24.72	AV	186.00	200	Vertical	Pass
2	2434.200	100.66	-12.62	74.0	-26.66	Peak	293.00	100	Vertical	N/A
2**	2434.200	92.68	-12.62	54.0	-38.68	AV	293.00	100	Vertical	N/A
3	4797.600	51.24	-2.55	74.0	22.76	Peak	0.00	150	Vertical	Pass
3**	4797.600	41.56	-2.55	54.0	12.44	AV	0.00	150	Vertical	Pass
4	6604.400	55.66	1.08	74.0	18.34	Peak	36.00	100	Vertical	Pass
4**	6604.400	46.36	1.08	54.0	7.64	AV	36.00	100	Vertical	Pass
5	12283.099	53.44	1.79	74.0	20.56	Peak	147.00	200	Vertical	Pass
5**	12283.099	44.32	1.79	54.0	9.68	AV	147.00	200	Vertical	Pass
6	17448.489	56.42	2.84	74.0	17.58	Peak	134.00	200	Vertical	Pass
6**	17448.489	47.08	2.84	54.0	6.92	AV	134.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.300	38.70	-17.47	74.0	35.30	Peak	25.00	200	Horizontal	Pass
1**	1265.300	28.74	-17.47	54.0	25.26	AV	25.00	200	Horizontal	Pass
2	2439.900	107.21	-12.40	74.0	-33.21	Peak	192.00	200	Horizontal	N/A
2**	2439.900	99.00	-12.40	54.0	-45.00	AV	192.00	200	Horizontal	N/A
3	5413.200	53.04	-2.40	74.0	20.96	Peak	222.00	150	Horizontal	Pass
3**	5413.200	42.16	-2.40	54.0	11.84	AV	222.00	150	Horizontal	Pass
4	6741.000	54.93	0.77	74.0	19.07	Peak	310.00	300	Horizontal	Pass
4**	6741.000	45.52	0.77	54.0	8.48	AV	310.00	300	Horizontal	Pass
5	12839.775	53.59	1.32	74.0	20.41	Peak	314.00	100	Horizontal	Pass
5**	12839.775	44.23	1.32	54.0	9.77	AV	314.00	100	Horizontal	Pass
6	16075.612	56.93	1.55	74.0	17.07	Peak	20.00	100	Horizontal	Pass
6**	16075.612	46.10	1.55	54.0	7.90	AV	20.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1391.700	39.19	-17.65	74.0	34.81	Peak	228.00	300	Vertical	Pass
1**	1391.700	29.30	-17.65	54.0	24.70	AV	228.00	300	Vertical	Pass
2	2445.300	99.72	-12.61	74.0	-25.72	Peak	291.00	150	Vertical	N/A
2**	2445.300	91.98	-12.61	54.0	-37.98	AV	291.00	150	Vertical	N/A
3	4997.600	51.38	-2.71	74.0	22.62	Peak	0.00	200	Vertical	Pass
3**	4997.600	42.14	-2.71	54.0	11.86	AV	0.00	200	Vertical	Pass
4	6268.600	54.75	0.30	74.0	19.25	Peak	293.00	400	Vertical	Pass
4**	6268.600	45.82	0.30	54.0	8.18	AV	293.00	400	Vertical	Pass
5	12888.337	53.90	1.58	74.0	20.10	Peak	213.00	100	Vertical	Pass
5**	12888.337	44.07	1.58	54.0	9.93	AV	213.00	100	Vertical	Pass
6	15800.513	55.79	2.33	74.0	18.21	Peak	141.00	400	Vertical	Pass
6**	15800.513	46.84	2.33	54.0	7.16	AV	141.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.000	38.70	-17.45	74.0	35.30	Peak	115.00	400	Horizontal	Pass
1**	1282.000	28.68	-17.45	54.0	25.32	AV	115.00	400	Horizontal	Pass
2	2449.300	107.96	-12.38	74.0	-33.96	Peak	208.00	100	Horizontal	N/A
2**	2449.300	100.78	-12.38	54.0	-46.78	AV	208.00	100	Horizontal	N/A
3	5548.200	52.70	-1.50	74.0	21.30	Peak	219.00	150	Horizontal	Pass
3**	5548.200	43.24	-1.50	54.0	10.76	AV	219.00	150	Horizontal	Pass
4	6409.800	54.73	0.16	74.0	19.27	Peak	42.00	400	Horizontal	Pass
4**	6409.800	44.87	0.16	54.0	9.13	AV	42.00	400	Horizontal	Pass
5	12287.700	53.44	1.72	74.0	20.56	Peak	210.00	100	Horizontal	Pass
5**	12287.700	44.39	1.72	54.0	9.61	AV	210.00	100	Horizontal	Pass
6	15837.263	56.00	1.45	74.0	18.00	Peak	274.00	200	Horizontal	Pass
6**	15837.263	46.79	1.45	54.0	7.21	AV	274.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.100	38.54	-17.66	74.0	35.46	Peak	0.00	200	Vertical	Pass
1**	1474.100	29.41	-17.66	54.0	24.59	AV	0.00	200	Vertical	Pass
2	2450.200	98.49	-12.33	74.0	-24.49	Peak	299.00	100	Vertical	N/A
2**	2450.200	91.11	-12.33	54.0	-37.11	AV	299.00	100	Vertical	N/A
3	4871.600	51.58	-3.26	74.0	22.42	Peak	102.00	200	Vertical	Pass
3**	4871.600	40.91	-3.26	54.0	13.09	AV	102.00	200	Vertical	Pass
4	6742.000	54.70	0.82	74.0	19.30	Peak	0.00	400	Vertical	Pass
4**	6742.000	45.18	0.82	54.0	8.82	AV	0.00	400	Vertical	Pass
5	12863.662	53.64	1.43	74.0	20.36	Peak	315.00	100	Vertical	Pass
5**	12863.662	44.60	1.43	54.0	9.40	AV	315.00	100	Vertical	Pass
6	17394.938	56.13	3.00	74.0	17.87	Peak	76.00	100	Vertical	Pass
6**	17394.938	46.66	3.00	54.0	7.34	AV	76.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.800	39.20	-17.64	74.0	34.80	Peak	302.00	300	Horizontal	Pass
1**	1480.800	29.15	-17.64	54.0	24.85	AV	302.00	300	Horizontal	Pass
2	2453.100	107.24	-12.52	74.0	-33.24	Peak	211.00	100	Horizontal	N/A
2**	2453.100	98.95	-12.52	54.0	-44.95	AV	211.00	100	Horizontal	N/A
3	5106.000	52.02	-2.01	74.0	21.98	Peak	106.00	150	Horizontal	Pass
3**	5106.000	42.57	-2.01	54.0	11.43	AV	106.00	150	Horizontal	Pass
4	6610.000	55.29	1.53	74.0	18.71	Peak	229.00	400	Horizontal	Pass
4**	6610.000	46.41	1.53	54.0	7.59	AV	229.00	400	Horizontal	Pass
5	12867.599	53.79	1.43	74.0	20.21	Peak	204.00	400	Horizontal	Pass
5**	12867.599	44.27	1.43	54.0	9.73	AV	204.00	400	Horizontal	Pass
6	16079.549	56.19	1.63	74.0	17.81	Peak	182.00	300	Horizontal	Pass
6**	16079.549	47.38	1.63	54.0	6.62	AV	182.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.700	39.12	-17.52	74.0	34.88	Peak	224.00	200	Vertical	Pass
1**	1566.700	29.15	-17.52	54.0	24.85	AV	224.00	200	Vertical	Pass
2	2458.200	97.23	-12.54	74.0	-23.23	Peak	297.00	100	Vertical	N/A
2**	2458.200	89.74	-12.54	54.0	-35.74	AV	297.00	100	Vertical	N/A
3	4893.200	50.61	-3.00	74.0	23.39	Peak	360.00	200	Vertical	Pass
3**	4893.200	42.06	-3.00	54.0	11.94	AV	360.00	200	Vertical	Pass
4	6289.600	55.15	0.07	74.0	18.85	Peak	171.00	200	Vertical	Pass
4**	6289.600	44.53	0.07	54.0	9.47	AV	171.00	200	Vertical	Pass
5	12861.825	53.71	1.44	74.0	20.29	Peak	96.00	200	Vertical	Pass
5**	12861.825	43.90	1.44	54.0	10.10	AV	96.00	200	Vertical	Pass
6	17414.887	56.33	3.63	74.0	17.67	Peak	77.00	100	Vertical	Pass
6**	17414.887	47.34	3.63	54.0	6.66	AV	77.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.100	38.95	-17.41	74.0	35.05	Peak	154.00	400	Horizontal	Pass
1**	1408.100	29.28	-17.41	54.0	24.72	AV	154.00	400	Horizontal	Pass
2	2457.900	105.83	-12.52	74.0	-31.83	Peak	215.00	150	Horizontal	N/A
2**	2457.900	97.32	-12.52	54.0	-43.32	AV	215.00	150	Horizontal	N/A
3	5379.800	52.11	-2.41	74.0	21.89	Peak	322.00	150	Horizontal	Pass
3**	5379.800	42.28	-2.41	54.0	11.72	AV	322.00	150	Horizontal	Pass
4	6613.800	55.29	1.20	74.0	18.71	Peak	113.00	100	Horizontal	Pass
4**	6613.800	45.73	1.20	54.0	8.27	AV	113.00	100	Horizontal	Pass
5	12887.812	53.87	1.57	74.0	20.13	Peak	360.00	100	Horizontal	Pass
5**	12887.812	44.98	1.57	54.0	9.02	AV	360.00	100	Horizontal	Pass
6	17489.699	56.59	2.26	74.0	17.41	Peak	269.00	400	Horizontal	Pass
6**	17489.699	46.28	2.26	54.0	7.72	AV	269.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.400	39.47	-17.51	74.0	34.53	Peak	0.00	300	Vertical	Pass
1**	1286.400	28.91	-17.51	54.0	25.09	AV	0.00	300	Vertical	Pass
2	2463.700	95.34	-12.48	74.0	-21.34	Peak	295.00	100	Vertical	N/A
2**	2463.700	87.87	-12.48	54.0	-33.87	AV	295.00	100	Vertical	N/A
3	4974.000	51.07	-2.91	74.0	22.93	Peak	132.00	200	Vertical	Pass
3**	4974.000	41.73	-2.91	54.0	12.27	AV	132.00	200	Vertical	Pass
4	6738.800	54.53	0.59	74.0	19.47	Peak	95.00	400	Vertical	Pass
4**	6738.800	45.50	0.59	54.0	8.50	AV	95.00	400	Vertical	Pass
5	12837.412	53.42	1.29	74.0	20.58	Peak	360.00	300	Vertical	Pass
5**	12837.412	44.80	1.29	54.0	9.20	AV	360.00	300	Vertical	Pass
6	17393.099	56.22	2.95	74.0	17.78	Peak	143.00	100	Vertical	Pass
6**	17393.099	46.99	2.95	54.0	7.01	AV	143.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.200	39.10	-17.62	74.0	34.90	Peak	304.00	100	Horizontal	Pass
1**	1455.200	29.07	-17.62	54.0	24.93	AV	304.00	100	Horizontal	Pass
2	2424.900	103.01	-12.63	74.0	-29.01	Peak	213.00	150	Horizontal	N/A
2**	2424.900	95.05	-12.63	54.0	-41.05	AV	213.00	150	Horizontal	N/A
3	4781.600	51.43	-2.81	74.0	22.57	Peak	322.00	150	Horizontal	Pass
3**	4781.600	42.43	-2.81	54.0	11.57	AV	322.00	150	Horizontal	Pass
4	6271.200	54.61	0.53	74.0	19.39	Peak	132.00	200	Horizontal	Pass
4**	6271.200	46.20	0.53	54.0	7.80	AV	132.00	200	Horizontal	Pass
5	12301.213	53.80	1.45	74.0	20.20	Peak	206.00	400	Horizontal	Pass
5**	12301.213	43.14	1.45	54.0	10.86	AV	206.00	400	Horizontal	Pass
6	17408.588	56.83	3.41	74.0	17.17	Peak	161.00	200	Horizontal	Pass
6**	17408.588	46.96	3.41	54.0	7.04	AV	161.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1300.500	39.03	-17.44	74.0	34.97	Peak	58.00	400	Vertical	Pass
1**	1300.500	30.71	-17.44	54.0	23.29	AV	58.00	400	Vertical	Pass
2	2426.500	92.06	-12.72	74.0	-18.06	Peak	298.00	150	Vertical	N/A
2**	2426.500	85.10	-12.72	54.0	-31.10	AV	298.00	150	Vertical	N/A
3	4794.600	50.83	-2.36	74.0	23.17	Peak	236.00	150	Vertical	Pass
3**	4794.600	41.68	-2.36	54.0	12.32	AV	236.00	150	Vertical	Pass
4	6399.000	54.58	-0.35	74.0	19.42	Peak	184.00	400	Vertical	Pass
4**	6399.000	44.88	-0.35	54.0	9.12	AV	184.00	400	Vertical	Pass
5	12884.924	53.74	1.56	74.0	20.26	Peak	138.00	200	Vertical	Pass
5**	12884.924	45.00	1.56	54.0	9.00	AV	138.00	200	Vertical	Pass
6	17454.262	56.28	2.84	74.0	17.72	Peak	325.00	100	Vertical	Pass
6**	17454.262	47.43	2.84	54.0	6.57	AV	325.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1362.700	39.97	-17.40	74.0	34.03	Peak	50.00	100	Horizontal	Pass
1**	1362.700	29.08	-17.40	54.0	24.92	AV	50.00	100	Horizontal	Pass
2	2419.800	102.65	-12.40	74.0	-28.65	Peak	209.00	100	Horizontal	N/A
2**	2419.800	94.76	-12.40	54.0	-40.76	AV	209.00	100	Horizontal	N/A
3	5023.000	51.45	-3.08	74.0	22.55	Peak	83.00	150	Horizontal	Pass
3**	5023.000	42.24	-3.08	54.0	11.76	AV	83.00	150	Horizontal	Pass
4	6606.200	54.61	1.38	74.0	19.39	Peak	0.00	300	Horizontal	Pass
4**	6606.200	45.93	1.38	54.0	8.07	AV	0.00	300	Horizontal	Pass
5	12709.463	53.18	0.97	74.0	20.82	Peak	322.00	300	Horizontal	Pass
5**	12709.463	44.05	0.97	54.0	9.95	AV	322.00	300	Horizontal	Pass
6	16418.699	55.26	1.24	74.0	18.74	Peak	159.00	150	Horizontal	Pass
6**	16418.699	46.02	1.24	54.0	7.98	AV	159.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.300	38.88	-17.90	74.0	35.12	Peak	351.00	200	Vertical	Pass
1**	1598.300	29.32	-17.90	54.0	24.68	AV	351.00	200	Vertical	Pass
2	2431.200	92.10	-12.74	74.0	-18.10	Peak	304.00	150	Vertical	N/A
2**	2431.200	84.85	-12.74	54.0	-30.85	AV	304.00	150	Vertical	N/A
3	4878.400	51.09	-3.42	74.0	22.91	Peak	145.00	100	Vertical	Pass
3**	4878.400	40.95	-3.42	54.0	13.05	AV	145.00	100	Vertical	Pass
4	6609.000	55.13	1.59	74.0	18.87	Peak	312.00	400	Vertical	Pass
4**	6609.000	45.74	1.59	54.0	8.26	AV	312.00	400	Vertical	Pass
5	12425.987	54.32	1.46	74.0	19.68	Peak	144.00	400	Vertical	Pass
5**	12425.987	43.63	1.46	54.0	10.37	AV	144.00	400	Vertical	Pass
6	17449.011	56.05	2.83	74.0	17.95	Peak	360.00	200	Vertical	Pass
6**	17449.011	46.48	2.83	54.0	7.52	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.000	39.02	-17.49	74.0	34.98	Peak	357.00	300	Horizontal	Pass
1**	1469.000	29.57	-17.49	54.0	24.43	AV	357.00	300	Horizontal	Pass
2	2435.400	103.77	-12.53	74.0	-29.77	Peak	206.00	150	Horizontal	N/A
2**	2435.400	95.68	-12.53	54.0	-41.68	AV	206.00	150	Horizontal	N/A
3	5108.200	51.52	-1.99	74.0	22.48	Peak	4.00	150	Horizontal	Pass
3**	5108.200	42.51	-1.99	54.0	11.49	AV	4.00	150	Horizontal	Pass
4	6609.600	55.02	1.55	74.0	18.98	Peak	216.00	300	Horizontal	Pass
4**	6609.600	45.61	1.55	54.0	8.39	AV	216.00	300	Horizontal	Pass
5	12384.588	53.65	1.52	74.0	20.35	Peak	174.00	100	Horizontal	Pass
5**	12384.588	42.91	1.52	54.0	11.09	AV	174.00	100	Horizontal	Pass
6	17420.663	56.10	3.74	74.0	17.90	Peak	45.00	200	Horizontal	Pass
6**	17420.663	47.37	3.74	54.0	6.63	AV	45.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	38.82	-17.47	74.0	35.18	Peak	63.00	400	Vertical	Pass
1**	1437.400	29.68	-17.47	54.0	24.32	AV	63.00	400	Vertical	Pass
2	2426.600	93.60	-12.72	74.0	-19.60	Peak	300.00	100	Vertical	N/A
2**	2426.600	85.51	-12.72	54.0	-31.51	AV	300.00	100	Vertical	N/A
3	4992.000	51.05	-2.80	74.0	22.95	Peak	129.00	150	Vertical	Pass
3**	4992.000	41.74	-2.80	54.0	12.26	AV	129.00	150	Vertical	Pass
4	6269.800	54.90	0.43	74.0	19.10	Peak	11.00	200	Vertical	Pass
4**	6269.800	45.60	0.43	54.0	8.40	AV	11.00	200	Vertical	Pass
5	12990.188	53.60	1.12	74.0	20.40	Peak	26.00	200	Vertical	Pass
5**	12990.188	44.27	1.12	54.0	9.73	AV	26.00	200	Vertical	Pass
6	15791.062	56.16	2.04	74.0	17.84	Peak	213.00	400	Vertical	Pass
6**	15791.062	46.14	2.04	54.0	7.86	AV	213.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1391.400	39.14	-17.62	74.0	34.86	Peak	14.00	300	Horizontal	Pass
1**	1391.400	29.31	-17.62	54.0	24.69	AV	14.00	300	Horizontal	Pass
2	2441.600	104.71	-12.45	74.0	-30.71	Peak	211.00	200	Horizontal	N/A
2**	2441.600	97.18	-12.45	54.0	-43.18	AV	211.00	200	Horizontal	N/A
3	5438.000	52.40	-1.54	74.0	21.60	Peak	155.00	150	Horizontal	Pass
3**	5438.000	43.34	-1.54	54.0	10.66	AV	155.00	150	Horizontal	Pass
4	6742.800	54.99	0.86	74.0	19.01	Peak	239.00	200	Horizontal	Pass
4**	6742.800	45.26	0.86	54.0	8.74	AV	239.00	200	Horizontal	Pass
5	12997.800	53.66	1.31	74.0	20.34	Peak	290.00	400	Horizontal	Pass
5**	12997.800	44.52	1.31	54.0	9.48	AV	290.00	400	Horizontal	Pass
6	16074.299	56.42	1.51	74.0	17.58	Peak	0.00	400	Horizontal	Pass
6**	16074.299	46.43	1.51	54.0	7.57	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.100	39.39	-17.32	74.0	34.61	Peak	278.00	300	Vertical	Pass
1**	1543.100	29.90	-17.32	54.0	24.10	AV	278.00	300	Vertical	Pass
2	2434.600	94.89	-12.59	74.0	-20.89	Peak	302.00	100	Vertical	N/A
2**	2434.600	87.07	-12.59	54.0	-33.07	AV	302.00	100	Vertical	N/A
3	4790.200	51.21	-2.37	74.0	22.79	Peak	102.00	200	Vertical	Pass
3**	4790.200	42.73	-2.37	54.0	11.27	AV	102.00	200	Vertical	Pass
4	6609.400	55.73	1.57	74.0	18.27	Peak	143.00	100	Vertical	Pass
4**	6609.400	46.55	1.57	54.0	7.45	AV	143.00	100	Vertical	Pass
5	12868.125	53.85	1.43	74.0	20.15	Peak	234.00	400	Vertical	Pass
5**	12868.125	43.72	1.43	54.0	10.28	AV	234.00	400	Vertical	Pass
6	15856.687	55.71	1.10	74.0	18.29	Peak	177.00	150	Vertical	Pass
6**	15856.687	46.38	1.10	54.0	7.62	AV	177.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1432.800	39.59	-17.37	74.0	34.41	Peak	69.00	200	Horizontal	Pass
1**	1432.800	31.23	-17.37	54.0	22.77	AV	69.00	200	Horizontal	Pass
2	2436.500	104.02	-12.50	74.0	-30.02	Peak	199.00	200	Horizontal	N/A
2**	2436.500	96.27	-12.50	54.0	-42.27	AV	199.00	200	Horizontal	N/A
3	5470.800	52.54	-1.96	74.0	21.46	Peak	124.00	150	Horizontal	Pass
3**	5470.800	43.99	-1.96	54.0	10.01	AV	124.00	150	Horizontal	Pass
4	6605.200	55.53	1.22	74.0	18.47	Peak	135.00	400	Horizontal	Pass
4**	6605.200	46.56	1.22	54.0	7.44	AV	135.00	400	Horizontal	Pass
5	12894.113	53.53	1.57	74.0	20.47	Peak	345.00	400	Horizontal	Pass
5**	12894.113	43.78	1.57	54.0	10.22	AV	345.00	400	Horizontal	Pass
6	17405.962	56.69	3.34	74.0	17.31	Peak	345.00	100	Horizontal	Pass
6**	17405.962	46.88	3.34	54.0	7.12	AV	345.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	39.15	-17.55	74.0	34.85	Peak	342.00	400	Vertical	Pass
1**	1498.200	28.89	-17.55	54.0	25.11	AV	342.00	400	Vertical	Pass
2	2437.600	94.42	-12.46	74.0	-20.42	Peak	300.00	100	Vertical	N/A
2**	2437.600	86.82	-12.46	54.0	-32.82	AV	300.00	100	Vertical	N/A
3	4928.400	50.91	-2.53	74.0	23.09	Peak	142.00	200	Vertical	Pass
3**	4928.400	41.23	-2.53	54.0	12.77	AV	142.00	200	Vertical	Pass
4	6747.200	55.02	0.78	74.0	18.98	Peak	152.00	200	Vertical	Pass
4**	6747.200	45.39	0.78	54.0	8.61	AV	152.00	200	Vertical	Pass
5	12736.775	54.08	1.30	74.0	19.92	Peak	289.00	400	Vertical	Pass
5**	12736.775	43.85	1.30	54.0	10.15	AV	289.00	400	Vertical	Pass
6	17418.824	56.20	3.73	74.0	17.80	Peak	326.00	400	Vertical	Pass
6**	17418.824	47.30	3.73	54.0	6.70	AV	326.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1318.900	39.20	-17.35	74.0	34.80	Peak	271.00	300	Horizontal	Pass
1**	1318.900	29.69	-17.35	54.0	24.31	AV	271.00	300	Horizontal	Pass
2	2442.700	104.00	-12.51	74.0	-30.00	Peak	206.00	200	Horizontal	N/A
2**	2442.700	96.33	-12.51	54.0	-42.33	AV	206.00	200	Horizontal	N/A
3	5430.400	52.32	-1.87	74.0	21.68	Peak	0.00	150	Horizontal	Pass
3**	5430.400	43.71	-1.87	54.0	10.29	AV	0.00	150	Horizontal	Pass
4	6945.400	54.99	1.05	74.0	19.01	Peak	188.00	400	Horizontal	Pass
4**	6945.400	44.00	1.05	54.0	10.00	AV	188.00	400	Horizontal	Pass
5	12691.350	53.52	0.84	74.0	20.48	Peak	126.00	200	Horizontal	Pass
5**	12691.350	43.69	0.84	54.0	10.31	AV	126.00	200	Horizontal	Pass
6	16075.612	56.49	1.55	74.0	17.51	Peak	62.00	200	Horizontal	Pass
6**	16075.612	47.41	1.55	54.0	6.59	AV	62.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1295.000	39.24	-17.50	74.0	34.76	Peak	309.00	400	Vertical	Pass
1**	1295.000	29.13	-17.50	54.0	24.87	AV	309.00	400	Vertical	Pass
2	2440.600	93.86	-12.42	74.0	-19.86	Peak	302.00	200	Vertical	N/A
2**	2440.600	86.44	-12.42	54.0	-32.44	AV	302.00	200	Vertical	N/A
3	4797.800	50.96	-2.55	74.0	23.04	Peak	102.00	200	Vertical	Pass
3**	4797.800	41.38	-2.55	54.0	12.62	AV	102.00	200	Vertical	Pass
4	6608.000	54.40	1.55	74.0	19.60	Peak	59.00	300	Vertical	Pass
4**	6608.000	46.01	1.55	54.0	7.99	AV	59.00	300	Vertical	Pass
5	12846.075	53.57	1.35	74.0	20.43	Peak	360.00	100	Vertical	Pass
5**	12846.075	44.47	1.35	54.0	9.53	AV	360.00	100	Vertical	Pass
6	17424.075	56.67	3.65	74.0	17.33	Peak	234.00	300	Vertical	Pass
6**	17424.075	47.69	3.65	54.0	6.31	AV	234.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	38.81	-17.50	74.0	35.19	Peak	141.00	200	Horizontal	Pass
1**	1499.700	29.45	-17.50	54.0	24.55	AV	141.00	200	Horizontal	Pass
2	2450.300	103.60	-12.33	74.0	-29.60	Peak	212.00	100	Horizontal	N/A
2**	2450.300	96.18	-12.33	54.0	-42.18	AV	212.00	100	Horizontal	N/A
3	5227.400	51.99	-2.49	74.0	22.01	Peak	225.00	150	Horizontal	Pass
3**	5227.400	42.06	-2.49	54.0	11.94	AV	225.00	150	Horizontal	Pass
4	6267.200	54.56	0.09	74.0	19.44	Peak	67.00	300	Horizontal	Pass
4**	6267.200	45.34	0.09	54.0	8.66	AV	67.00	300	Horizontal	Pass
5	12879.412	53.79	1.56	74.0	20.21	Peak	120.00	200	Horizontal	Pass
5**	12879.412	43.87	1.56	54.0	10.13	AV	120.00	200	Horizontal	Pass
6	17418.301	56.65	3.72	74.0	17.35	Peak	269.00	200	Horizontal	Pass
6**	17418.301	47.54	3.72	54.0	6.46	AV	269.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.100	39.03	-17.36	74.0	34.97	Peak	78.00	400	Vertical	Pass
1**	1555.100	30.24	-17.36	54.0	23.76	AV	78.00	400	Vertical	Pass
2	2439.700	92.03	-12.40	74.0	-18.03	Peak	306.00	100	Vertical	N/A
2**	2439.700	85.26	-12.40	54.0	-31.26	AV	306.00	100	Vertical	N/A
3	4985.800	51.27	-2.85	74.0	22.73	Peak	236.00	150	Vertical	Pass
3**	4985.800	41.32	-2.85	54.0	12.68	AV	236.00	150	Vertical	Pass
4	6740.600	54.77	0.75	74.0	19.23	Peak	110.00	300	Vertical	Pass
4**	6740.600	46.25	0.75	54.0	7.75	AV	110.00	300	Vertical	Pass
5	12824.287	54.23	1.02	74.0	19.77	Peak	177.00	100	Vertical	Pass
5**	12824.287	43.72	1.02	54.0	10.28	AV	177.00	100	Vertical	Pass
6	17436.412	56.71	3.20	74.0	17.29	Peak	0.00	400	Vertical	Pass
6**	17436.412	47.22	3.20	54.0	6.78	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.700	38.57	-17.46	74.0	35.43	Peak	317.00	300	Horizontal	Pass
1**	1502.700	29.29	-17.46	54.0	24.71	AV	317.00	300	Horizontal	Pass
2	2414.900	107.23	-12.45	74.0	-33.23	Peak	209.00	200	Horizontal	N/A
2**	2414.900	98.62	-12.45	54.0	-44.62	AV	209.00	200	Horizontal	N/A
3	5126.600	53.14	-1.88	74.0	20.86	Peak	310.00	150	Horizontal	Pass
3**	5126.600	42.75	-1.88	54.0	11.25	AV	310.00	150	Horizontal	Pass
4	6271.200	54.38	0.53	74.0	19.62	Peak	270.00	300	Horizontal	Pass
4**	6271.200	45.76	0.53	54.0	8.24	AV	270.00	300	Horizontal	Pass
5	12287.126	53.56	1.73	74.0	20.44	Peak	255.00	100	Horizontal	Pass
5**	12287.126	44.29	1.73	54.0	9.71	AV	255.00	100	Horizontal	Pass
6	17418.824	56.15	3.73	74.0	17.85	Peak	65.00	200	Horizontal	Pass
6**	17418.824	47.62	3.73	54.0	6.38	AV	65.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1376.800	38.97	-17.45	74.0	35.03	Peak	10.00	200	Vertical	Pass
1**	1376.800	29.44	-17.45	54.0	24.56	AV	10.00	200	Vertical	Pass
2	2411.400	95.64	-12.56	74.0	-21.64	Peak	304.00	200	Vertical	N/A
2**	2411.400	85.86	-12.56	54.0	-31.86	AV	304.00	200	Vertical	N/A
3	4898.600	51.42	-2.63	74.0	22.58	Peak	343.00	200	Vertical	Pass
3**	4898.600	42.11	-2.63	54.0	11.89	AV	343.00	200	Vertical	Pass
4	6771.200	55.34	-0.35	74.0	18.66	Peak	353.00	200	Vertical	Pass
4**	6771.200	45.25	-0.35	54.0	8.75	AV	353.00	200	Vertical	Pass
5	12888.600	54.06	1.58	74.0	19.94	Peak	346.00	300	Vertical	Pass
5**	12888.600	44.86	1.58	54.0	9.14	AV	346.00	300	Vertical	Pass
6	15840.675	56.30	1.44	74.0	17.70	Peak	327.00	400	Vertical	Pass
6**	15840.675	46.88	1.44	54.0	7.12	AV	327.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1300.000	38.78	-17.43	74.0	35.22	Peak	265.00	100	Horizontal	Pass
1**	1300.000	30.49	-17.43	54.0	23.51	AV	265.00	100	Horizontal	Pass
2	2418.000	108.90	-12.38	74.0	-34.90	Peak	217.00	150	Horizontal	N/A
2**	2418.000	100.71	-12.38	54.0	-46.71	AV	217.00	150	Horizontal	N/A
3	4957.200	51.27	-2.89	74.0	22.73	Peak	333.00	150	Horizontal	Pass
3**	4957.200	41.34	-2.89	54.0	12.66	AV	333.00	150	Horizontal	Pass
4	6606.400	55.32	1.42	74.0	18.68	Peak	143.00	400	Horizontal	Pass
4**	6606.400	46.18	1.42	54.0	7.82	AV	143.00	400	Horizontal	Pass
5	12904.088	53.69	1.45	74.0	20.31	Peak	345.00	300	Horizontal	Pass
5**	12904.088	44.49	1.45	54.0	9.51	AV	345.00	300	Horizontal	Pass
6	17403.075	56.97	3.26	74.0	17.03	Peak	272.00	300	Horizontal	Pass
6**	17403.075	46.95	3.26	54.0	7.05	AV	272.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1425.200	39.10	-17.44	74.0	34.90	Peak	12.00	300	Vertical	Pass
1**	1425.200	29.84	-17.44	54.0	24.16	AV	12.00	300	Vertical	Pass
2	2418.700	98.01	-12.40	74.0	-24.01	Peak	305.00	100	Vertical	N/A
2**	2418.700	89.64	-12.40	54.0	-35.64	AV	305.00	100	Vertical	N/A
3	4793.000	51.70	-2.40	74.0	22.30	Peak	100.00	200	Vertical	Pass
3**	4793.000	41.27	-2.40	54.0	12.73	AV	100.00	200	Vertical	Pass
4	6607.200	55.43	1.50	74.0	18.57	Peak	38.00	400	Vertical	Pass
4**	6607.200	46.37	1.50	54.0	7.63	AV	38.00	400	Vertical	Pass
5	12608.263	54.07	1.90	74.0	19.93	Peak	241.00	100	Vertical	Pass
5**	12608.263	43.44	1.90	54.0	10.56	AV	241.00	100	Vertical	Pass
6	17411.475	56.08	3.50	74.0	17.92	Peak	326.00	100	Vertical	Pass
6**	17411.475	47.64	3.50	54.0	6.36	AV	326.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.500	39.36	-17.48	74.0	34.64	Peak	26.00	400	Horizontal	Pass
1**	1464.500	28.92	-17.48	54.0	25.08	AV	26.00	400	Horizontal	Pass
2	2416.400	109.16	-12.29	74.0	-35.16	Peak	331.00	150	Horizontal	N/A
2**	2416.400	98.79	-12.29	54.0	-44.79	AV	331.00	150	Horizontal	N/A
3	5550.000	52.79	-1.60	74.0	21.21	Peak	0.00	150	Horizontal	Pass
3**	5550.000	42.93	-1.60	54.0	11.07	AV	0.00	150	Horizontal	Pass
4	6969.400	55.16	1.73	74.0	18.84	Peak	26.00	300	Horizontal	Pass
4**	6969.400	44.57	1.73	54.0	9.43	AV	26.00	300	Horizontal	Pass
5	12779.138	53.90	1.21	74.0	20.10	Peak	195.00	200	Horizontal	Pass
5**	12779.138	44.00	1.21	54.0	10.00	AV	195.00	200	Horizontal	Pass
6	17419.614	56.44	3.75	74.0	17.56	Peak	327.00	300	Horizontal	Pass
6**	17419.614	46.98	3.75	54.0	7.02	AV	327.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1272.500	39.02	-17.37	74.0	34.98	Peak	155.00	200	Vertical	Pass
1**	1272.500	29.27	-17.37	54.0	24.73	AV	155.00	200	Vertical	Pass
2	2423.200	100.25	-12.57	74.0	-26.25	Peak	302.00	100	Vertical	N/A
2**	2423.200	91.18	-12.57	54.0	-37.18	AV	302.00	100	Vertical	N/A
3	4907.200	51.12	-2.32	74.0	22.88	Peak	183.00	200	Vertical	Pass
3**	4907.200	41.61	-2.32	54.0	12.39	AV	183.00	200	Vertical	Pass
4	6607.000	54.71	1.48	74.0	19.29	Peak	310.00	400	Vertical	Pass
4**	6607.000	46.55	1.48	54.0	7.45	AV	310.00	400	Vertical	Pass
5	12362.738	54.39	1.19	74.0	19.61	Peak	61.00	100	Vertical	Pass
5**	12362.738	44.21	1.19	54.0	9.79	AV	61.00	100	Vertical	Pass
6	17411.213	56.15	3.49	74.0	17.85	Peak	327.00	200	Vertical	Pass
6**	17411.213	47.35	3.49	54.0	6.65	AV	327.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1378.100	39.05	-17.45	74.0	34.95	Peak	168.00	100	Horizontal	Pass
1**	1378.100	30.21	-17.45	54.0	23.79	AV	168.00	100	Horizontal	Pass
2	2421.500	108.09	-12.47	74.0	-34.09	Peak	162.00	200	Horizontal	N/A
2**	2421.500	99.16	-12.47	54.0	-45.16	AV	162.00	200	Horizontal	N/A
3	5432.600	52.41	-1.69	74.0	21.59	Peak	196.00	150	Horizontal	Pass
3**	5432.600	43.31	-1.69	54.0	10.69	AV	196.00	150	Horizontal	Pass
4	6730.800	54.43	-0.64	74.0	19.57	Peak	310.00	100	Horizontal	Pass
4**	6730.800	44.07	-0.64	54.0	9.93	AV	310.00	100	Horizontal	Pass
5	12831.112	54.02	1.16	74.0	19.98	Peak	254.00	300	Horizontal	Pass
5**	12831.112	45.09	1.16	54.0	8.91	AV	254.00	300	Horizontal	Pass
6	17423.813	56.52	3.65	74.0	17.48	Peak	199.00	300	Horizontal	Pass
6**	17423.813	47.81	3.65	54.0	6.19	AV	199.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.000	39.19	-17.53	74.0	34.81	Peak	21.00	200	Vertical	Pass
1**	1562.000	29.69	-17.53	54.0	24.31	AV	21.00	200	Vertical	Pass
2	2423.500	101.30	-12.58	74.0	-27.30	Peak	306.00	100	Vertical	N/A
2**	2423.500	91.17	-12.58	54.0	-37.17	AV	306.00	100	Vertical	N/A
3	4974.600	50.87	-2.88	74.0	23.13	Peak	248.00	100	Vertical	Pass
3**	4974.600	42.14	-2.88	54.0	11.86	AV	248.00	100	Vertical	Pass
4	6607.400	54.54	1.51	74.0	19.46	Peak	129.00	100	Vertical	Pass
4**	6607.400	45.71	1.51	54.0	8.29	AV	129.00	100	Vertical	Pass
5	12888.863	53.86	1.58	74.0	20.14	Peak	345.00	300	Vertical	Pass
5**	12888.863	44.39	1.58	54.0	9.61	AV	345.00	300	Vertical	Pass
6	15840.151	55.84	1.44	74.0	18.16	Peak	192.00	150	Vertical	Pass
6**	15840.151	46.44	1.44	54.0	7.56	AV	192.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.300	38.60	-17.48	74.0	35.40	Peak	280.00	300	Horizontal	Pass
1**	1404.300	28.81	-17.48	54.0	25.19	AV	280.00	300	Horizontal	Pass
2	2438.000	108.61	-12.45	74.0	-34.61	Peak	187.00	150	Horizontal	N/A
2**	2438.000	100.58	-12.45	54.0	-46.58	AV	187.00	150	Horizontal	N/A
3	5233.400	52.08	-2.30	74.0	21.92	Peak	6.00	150	Horizontal	Pass
3**	5233.400	42.04	-2.30	54.0	11.96	AV	6.00	150	Horizontal	Pass
4	6687.000	54.54	-0.09	74.0	19.46	Peak	91.00	400	Horizontal	Pass
4**	6687.000	44.85	-0.09	54.0	9.15	AV	91.00	400	Horizontal	Pass
5	12785.438	53.81	1.25	74.0	20.19	Peak	233.00	200	Horizontal	Pass
5**	12785.438	43.90	1.25	54.0	10.10	AV	233.00	200	Horizontal	Pass
6	17429.062	55.96	3.48	74.0	18.04	Peak	345.00	150	Horizontal	Pass
6**	17429.062	47.16	3.48	54.0	6.84	AV	345.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.900	38.91	-17.43	74.0	35.09	Peak	55.00	400	Vertical	Pass
1**	1558.900	29.33	-17.43	54.0	24.67	AV	55.00	400	Vertical	Pass
2	2436.500	103.27	-12.50	74.0	-29.27	Peak	308.00	200	Vertical	N/A
2**	2436.500	93.84	-12.50	54.0	-39.84	AV	308.00	200	Vertical	N/A
3	4878.800	51.48	-3.40	74.0	22.52	Peak	130.00	100	Vertical	Pass
3**	4878.800	40.90	-3.40	54.0	13.10	AV	130.00	100	Vertical	Pass
4	6604.600	55.42	1.12	74.0	18.58	Peak	119.00	200	Vertical	Pass
4**	6604.600	45.53	1.12	54.0	8.47	AV	119.00	200	Vertical	Pass
5	12807.750	54.17	0.89	74.0	19.83	Peak	198.00	400	Vertical	Pass
5**	12807.750	43.70	0.89	54.0	10.30	AV	198.00	400	Vertical	Pass
6	17419.350	56.53	3.74	74.0	17.47	Peak	291.00	200	Vertical	Pass
6**	17419.350	47.02	3.74	54.0	6.98	AV	291.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1301.200	38.81	-17.43	74.0	35.19	Peak	63.00	400	Horizontal	Pass
1**	1301.200	29.71	-17.43	54.0	24.29	AV	63.00	400	Horizontal	Pass
2	2451.600	109.38	-12.41	74.0	-35.38	Peak	216.00	150	Horizontal	N/A
2**	2451.600	99.73	-12.41	54.0	-45.73	AV	216.00	150	Horizontal	N/A
3	5540.200	52.35	-1.46	74.0	21.65	Peak	132.00	150	Horizontal	Pass
3**	5540.200	43.61	-1.46	54.0	10.39	AV	132.00	150	Horizontal	Pass
4	6670.600	54.83	0.24	74.0	19.17	Peak	360.00	400	Horizontal	Pass
4**	6670.600	46.18	0.24	54.0	7.82	AV	360.00	400	Horizontal	Pass
5	12837.151	53.56	1.29	74.0	20.44	Peak	197.00	200	Horizontal	Pass
5**	12837.151	44.13	1.29	54.0	9.87	AV	197.00	200	Horizontal	Pass
6	17418.824	56.15	3.73	74.0	17.85	Peak	308.00	200	Horizontal	Pass
6**	17418.824	47.63	3.73	54.0	6.37	AV	308.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.800	38.85	-17.44	74.0	35.15	Peak	80.00	400	Vertical	Pass
1**	1422.800	30.04	-17.44	54.0	23.96	AV	80.00	400	Vertical	Pass
2	2444.700	101.84	-12.59	74.0	-27.84	Peak	306.00	100	Vertical	N/A
2**	2444.700	92.01	-12.59	54.0	-38.01	AV	306.00	100	Vertical	N/A
3	4983.600	51.07	-2.84	74.0	22.93	Peak	226.00	150	Vertical	Pass
3**	4983.600	42.06	-2.84	54.0	11.94	AV	226.00	150	Vertical	Pass
4	6608.000	55.63	1.55	74.0	18.37	Peak	164.00	300	Vertical	Pass
4**	6608.000	45.94	1.55	54.0	8.06	AV	164.00	300	Vertical	Pass
5	12283.388	53.62	1.78	74.0	20.38	Peak	360.00	100	Vertical	Pass
5**	12283.388	44.90	1.78	54.0	9.10	AV	360.00	100	Vertical	Pass
6	17404.387	56.41	3.30	74.0	17.59	Peak	173.00	100	Vertical	Pass
6**	17404.387	47.73	3.30	54.0	6.27	AV	173.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.100	38.63	-17.45	74.0	35.37	Peak	49.00	300	Horizontal	Pass
1**	1282.100	28.94	-17.45	54.0	25.06	AV	49.00	300	Horizontal	Pass
2	2448.900	108.55	-12.40	74.0	-34.55	Peak	235.00	200	Horizontal	N/A
2**	2448.900	99.27	-12.40	54.0	-45.27	AV	235.00	200	Horizontal	N/A
3	5111.000	52.07	-2.16	74.0	21.93	Peak	332.00	150	Horizontal	Pass
3**	5111.000	42.03	-2.16	54.0	11.97	AV	332.00	150	Horizontal	Pass
4	6409.800	55.05	0.16	74.0	18.95	Peak	342.00	300	Horizontal	Pass
4**	6409.800	44.85	0.16	54.0	9.15	AV	342.00	300	Horizontal	Pass
5	12810.900	53.63	0.85	74.0	20.37	Peak	9.00	400	Horizontal	Pass
5**	12810.900	44.14	0.85	54.0	9.86	AV	9.00	400	Horizontal	Pass
6	17400.975	56.84	3.20	74.0	17.16	Peak	65.00	200	Horizontal	Pass
6**	17400.975	47.43	3.20	54.0	6.57	AV	65.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1298.600	39.04	-17.42	74.0	34.96	Peak	202.00	100	Vertical	Pass
1**	1298.600	28.86	-17.42	54.0	25.14	AV	202.00	100	Vertical	Pass
2	2451.200	100.19	-12.39	74.0	-26.19	Peak	307.00	100	Vertical	N/A
2**	2451.200	91.90	-12.39	54.0	-37.90	AV	307.00	100	Vertical	N/A
3	4977.800	51.06	-2.77	74.0	22.94	Peak	164.00	150	Vertical	Pass
3**	4977.800	41.56	-2.77	54.0	12.44	AV	164.00	150	Vertical	Pass
4	6683.200	55.14	0.12	74.0	18.86	Peak	15.00	100	Vertical	Pass
4**	6683.200	45.70	0.12	54.0	8.30	AV	15.00	100	Vertical	Pass
5	12620.049	53.57	1.79	74.0	20.43	Peak	177.00	300	Vertical	Pass
5**	12620.049	43.21	1.79	54.0	10.79	AV	177.00	300	Vertical	Pass
6	17428.011	56.21	3.52	74.0	17.79	Peak	102.00	300	Vertical	Pass
6**	17428.011	47.14	3.52	54.0	6.86	AV	102.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1389.000	38.93	-17.46	74.0	35.07	Peak	227.00	300	Horizontal	Pass
1**	1389.000	28.71	-17.46	54.0	25.29	AV	227.00	300	Horizontal	Pass
2	2452.700	107.21	-12.49	74.0	-33.21	Peak	343.00	100	Horizontal	N/A
2**	2452.700	98.16	-12.49	54.0	-44.16	AV	343.00	100	Horizontal	N/A
3	5100.600	52.68	-2.20	74.0	21.32	Peak	29.00	150	Horizontal	Pass
3**	5100.600	43.20	-2.20	54.0	10.80	AV	29.00	150	Horizontal	Pass
4	6613.800	54.78	1.20	74.0	19.22	Peak	61.00	200	Horizontal	Pass
4**	6613.800	45.64	1.20	54.0	8.36	AV	61.00	200	Horizontal	Pass
5	12889.650	53.31	1.58	74.0	20.69	Peak	25.00	100	Horizontal	Pass
5**	12889.650	44.05	1.58	54.0	9.95	AV	25.00	100	Horizontal	Pass
6	17434.575	56.19	3.28	74.0	17.81	Peak	101.00	100	Horizontal	Pass
6**	17434.575	46.63	3.28	54.0	7.37	AV	101.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.300	38.99	-17.29	74.0	35.01	Peak	318.00	100	Vertical	Pass
1**	1535.300	30.02	-17.29	54.0	23.98	AV	318.00	100	Vertical	Pass
2	2458.300	97.57	-12.55	74.0	-23.57	Peak	301.00	100	Vertical	N/A
2**	2458.300	89.98	-12.55	54.0	-35.98	AV	301.00	100	Vertical	N/A
3	4898.600	51.70	-2.63	74.0	22.30	Peak	159.00	150	Vertical	Pass
3**	4898.600	41.29	-2.63	54.0	12.71	AV	159.00	150	Vertical	Pass
4	6603.400	54.76	0.91	74.0	19.24	Peak	266.00	400	Vertical	Pass
4**	6603.400	46.42	0.91	54.0	7.58	AV	266.00	400	Vertical	Pass
5	12794.362	53.27	1.16	74.0	20.73	Peak	65.00	100	Vertical	Pass
5**	12794.362	44.47	1.16	54.0	9.53	AV	65.00	100	Vertical	Pass
6	17406.489	55.86	3.36	74.0	18.14	Peak	195.00	150	Vertical	Pass
6**	17406.489	47.40	3.36	54.0	6.60	AV	195.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.900	38.84	-17.39	74.0	35.16	Peak	189.00	400	Horizontal	Pass
1**	1504.900	30.61	-17.39	54.0	23.39	AV	189.00	400	Horizontal	Pass
2	2463.800	106.84	-12.48	74.0	-32.84	Peak	189.00	100	Horizontal	N/A
2**	2463.800	98.10	-12.48	54.0	-44.10	AV	189.00	100	Horizontal	N/A
3	5878.800	53.68	-1.31	74.0	20.32	Peak	342.00	150	Horizontal	Pass
3**	5878.800	43.38	-1.31	54.0	10.62	AV	342.00	150	Horizontal	Pass
4	6609.200	55.14	1.58	74.0	18.86	Peak	360.00	400	Horizontal	Pass
4**	6609.200	46.85	1.58	54.0	7.15	AV	360.00	400	Horizontal	Pass
5	12432.600	53.69	1.63	74.0	20.31	Peak	302.00	300	Horizontal	Pass
5**	12432.600	44.20	1.63	54.0	9.80	AV	302.00	300	Horizontal	Pass
6	15818.888	56.12	1.92	74.0	17.88	Peak	83.00	100	Horizontal	Pass
6**	15818.888	47.19	1.92	54.0	6.81	AV	83.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.600	39.25	-17.32	74.0	34.75	Peak	115.00	200	Vertical	Pass
1**	1545.600	30.60	-17.32	54.0	23.40	AV	115.00	200	Vertical	Pass
2	2461.400	97.09	-12.53	74.0	-23.09	Peak	309.00	100	Vertical	N/A
2**	2461.400	86.10	-12.53	54.0	-32.10	AV	309.00	100	Vertical	N/A
3	4918.000	51.16	-2.51	74.0	22.84	Peak	178.00	200	Vertical	Pass
3**	4918.000	41.61	-2.51	54.0	12.39	AV	178.00	200	Vertical	Pass
4	6607.400	55.23	1.51	74.0	18.77	Peak	31.00	200	Vertical	Pass
4**	6607.400	46.99	1.51	54.0	7.01	AV	31.00	200	Vertical	Pass
5	12327.375	54.18	1.42	74.0	19.82	Peak	172.00	100	Vertical	Pass
5**	12327.375	45.24	1.42	54.0	8.76	AV	172.00	100	Vertical	Pass
6	16200.037	56.40	1.58	74.0	17.60	Peak	126.00	200	Vertical	Pass
6**	16200.037	46.11	1.58	54.0	7.89	AV	126.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1409.500	38.63	-17.41	74.0	35.37	Peak	58.00	400	Horizontal	Pass
1**	1409.500	29.55	-17.41	54.0	24.45	AV	58.00	400	Horizontal	Pass
2	2422.900	105.10	-12.56	74.0	-31.10	Peak	214.00	200	Horizontal	N/A
2**	2422.900	96.14	-12.56	54.0	-42.14	AV	214.00	200	Horizontal	N/A
3	5583.200	53.50	-1.93	74.0	20.50	Peak	26.00	150	Horizontal	Pass
3**	5583.200	42.35	-1.93	54.0	11.65	AV	26.00	150	Horizontal	Pass
4	6606.800	54.90	1.47	74.0	19.10	Peak	269.00	400	Horizontal	Pass
4**	6606.800	45.94	1.47	54.0	8.06	AV	269.00	400	Horizontal	Pass
5	12343.474	53.61	1.28	74.0	20.39	Peak	12.00	100	Horizontal	Pass
5**	12343.474	42.94	1.28	54.0	11.06	AV	12.00	100	Horizontal	Pass
6	15675.037	55.69	1.54	74.0	18.31	Peak	178.00	150	Horizontal	Pass
6**	15675.037	46.18	1.54	54.0	7.82	AV	178.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.000	39.86	-17.69	74.0	34.14	Peak	259.00	200	Vertical	Pass
1**	1473.000	29.11	-17.69	54.0	24.89	AV	259.00	200	Vertical	Pass
2	2419.500	93.89	-12.40	74.0	-19.89	Peak	300.00	100	Vertical	N/A
2**	2419.500	83.78	-12.40	54.0	-29.78	AV	300.00	100	Vertical	N/A
3	4970.200	51.33	-3.16	74.0	22.67	Peak	0.00	100	Vertical	Pass
3**	4970.200	41.51	-3.16	54.0	12.49	AV	0.00	100	Vertical	Pass
4	6609.000	54.64	1.59	74.0	19.36	Peak	186.00	100	Vertical	Pass
4**	6609.000	46.70	1.59	54.0	7.30	AV	186.00	100	Vertical	Pass
5	12844.237	53.57	1.34	74.0	20.43	Peak	26.00	400	Vertical	Pass
5**	12844.237	44.45	1.34	54.0	9.55	AV	26.00	400	Vertical	Pass
6	17424.337	56.52	3.64	74.0	17.48	Peak	82.00	300	Vertical	Pass
6**	17424.337	47.58	3.64	54.0	6.42	AV	82.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.800	39.39	-17.41	74.0	34.61	Peak	210.00	300	Horizontal	Pass
1**	1496.800	29.34	-17.41	54.0	24.66	AV	210.00	300	Horizontal	Pass
2	2428.400	104.28	-12.74	74.0	-30.28	Peak	227.00	100	Horizontal	N/A
2**	2428.400	95.80	-12.74	54.0	-41.80	AV	227.00	100	Horizontal	N/A
3	5210.600	52.28	-2.44	74.0	21.72	Peak	214.00	150	Horizontal	Pass
3**	5210.600	41.93	-2.44	54.0	12.07	AV	214.00	150	Horizontal	Pass
4	6601.400	54.90	0.56	74.0	19.10	Peak	0.00	300	Horizontal	Pass
4**	6601.400	46.05	0.56	54.0	7.95	AV	0.00	300	Horizontal	Pass
5	12285.112	53.88	1.77	74.0	20.12	Peak	293.00	300	Horizontal	Pass
5**	12285.112	44.13	1.77	54.0	9.87	AV	293.00	300	Horizontal	Pass
6	17423.026	57.62	3.67	74.0	16.38	Peak	103.00	300	Horizontal	Pass
6**	17423.026	47.77	3.67	54.0	6.23	AV	103.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1225.600	38.82	-17.87	74.0	35.18	Peak	197.00	100	Vertical	Pass
1**	1225.600	28.83	-17.87	54.0	25.17	AV	197.00	100	Vertical	Pass
2	2439.400	94.43	-12.41	74.0	-20.43	Peak	314.00	150	Vertical	N/A
2**	2439.400	82.90	-12.41	54.0	-28.90	AV	314.00	150	Vertical	N/A
3	4788.200	50.64	-2.58	74.0	23.36	Peak	96.00	100	Vertical	Pass
3**	4788.200	41.63	-2.58	54.0	12.37	AV	96.00	100	Vertical	Pass
4	6609.400	55.99	1.57	74.0	18.01	Peak	292.00	300	Vertical	Pass
4**	6609.400	45.78	1.57	54.0	8.22	AV	292.00	300	Vertical	Pass
5	12800.663	53.64	1.07	74.0	20.36	Peak	9.00	100	Vertical	Pass
5**	12800.663	44.33	1.07	54.0	9.67	AV	9.00	100	Vertical	Pass
6	17410.949	56.47	3.48	74.0	17.53	Peak	326.00	200	Vertical	Pass
6**	17410.949	47.80	3.48	54.0	6.20	AV	326.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.800	38.93	-17.37	74.0	35.07	Peak	208.00	200	Horizontal	Pass
1**	1524.800	28.79	-17.37	54.0	25.21	AV	208.00	200	Horizontal	Pass
2	2433.200	105.17	-12.68	74.0	-31.17	Peak	202.00	100	Horizontal	N/A
2**	2433.200	95.93	-12.68	54.0	-41.93	AV	202.00	100	Horizontal	N/A
3	5177.600	52.17	-2.66	74.0	21.83	Peak	68.00	150	Horizontal	Pass
3**	5177.600	42.16	-2.66	54.0	11.84	AV	68.00	150	Horizontal	Pass
4	6609.200	54.35	1.58	74.0	19.65	Peak	142.00	300	Horizontal	Pass
4**	6609.200	45.40	1.58	54.0	8.60	AV	142.00	300	Horizontal	Pass
5	12878.363	54.16	1.54	74.0	19.84	Peak	133.00	400	Horizontal	Pass
5**	12878.363	43.96	1.54	54.0	10.04	AV	133.00	400	Horizontal	Pass
6	17409.114	56.22	3.42	74.0	17.78	Peak	76.00	100	Horizontal	Pass
6**	17409.114	47.05	3.42	54.0	6.95	AV	76.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.100	39.32	-17.35	74.0	34.68	Peak	104.00	100	Vertical	Pass
1**	1542.100	29.40	-17.35	54.0	24.60	AV	104.00	100	Vertical	Pass
2	2433.600	95.64	-12.66	74.0	-21.64	Peak	305.00	150	Vertical	N/A
2**	2433.600	86.53	-12.66	54.0	-32.53	AV	305.00	150	Vertical	N/A
3	4903.200	50.96	-2.42	74.0	23.04	Peak	226.00	100	Vertical	Pass
3**	4903.200	41.53	-2.42	54.0	12.47	AV	226.00	100	Vertical	Pass
4	6607.600	54.88	1.52	74.0	19.12	Peak	205.00	200	Vertical	Pass
4**	6607.600	46.19	1.52	54.0	7.81	AV	205.00	200	Vertical	Pass
5	12735.337	53.90	1.31	74.0	20.10	Peak	93.00	200	Vertical	Pass
5**	12735.337	44.21	1.31	54.0	9.79	AV	93.00	200	Vertical	Pass
6	17417.251	56.53	3.69	74.0	17.47	Peak	0.00	300	Vertical	Pass
6**	17417.251	46.84	3.69	54.0	7.16	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.600	39.13	-17.34	74.0	34.87	Peak	302.00	200	Horizontal	Pass
1**	1554.600	29.18	-17.34	54.0	24.82	AV	302.00	200	Horizontal	Pass
2	2438.600	106.18	-12.43	74.0	-32.18	Peak	211.00	200	Horizontal	N/A
2**	2438.600	97.23	-12.43	54.0	-43.23	AV	211.00	200	Horizontal	N/A
3	5440.000	53.43	-1.62	74.0	20.57	Peak	360.00	150	Horizontal	Pass
3**	5440.000	43.42	-1.62	54.0	10.58	AV	360.00	150	Horizontal	Pass
4	6272.600	54.41	0.57	74.0	19.59	Peak	338.00	300	Horizontal	Pass
4**	6272.600	45.19	0.57	54.0	8.81	AV	338.00	300	Horizontal	Pass
5	12859.201	53.42	1.45	74.0	20.58	Peak	298.00	400	Horizontal	Pass
5**	12859.201	44.29	1.45	54.0	9.71	AV	298.00	400	Horizontal	Pass
6	17419.088	56.38	3.74	74.0	17.62	Peak	34.00	300	Horizontal	Pass
6**	17419.088	47.65	3.74	54.0	6.35	AV	34.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1398.500	39.19	-17.47	74.0	34.81	Peak	296.00	300	Vertical	Pass
1**	1398.500	30.14	-17.47	54.0	23.86	AV	296.00	300	Vertical	Pass
2	2435.600	96.97	-12.53	74.0	-22.97	Peak	296.00	100	Vertical	N/A
2**	2435.600	89.06	-12.53	54.0	-35.06	AV	296.00	100	Vertical	N/A
3	5439.400	52.64	-1.60	74.0	21.36	Peak	321.00	150	Vertical	Pass
3**	5439.400	42.74	-1.60	54.0	11.26	AV	321.00	150	Vertical	Pass
4	6608.000	55.28	1.55	74.0	18.72	Peak	343.00	100	Vertical	Pass
4**	6608.000	46.51	1.55	54.0	7.49	AV	343.00	100	Vertical	Pass
5	12294.600	53.86	1.58	74.0	20.14	Peak	262.00	300	Vertical	Pass
5**	12294.600	43.79	1.58	54.0	10.21	AV	262.00	300	Vertical	Pass
6	16093.200	56.56	1.36	74.0	17.44	Peak	332.00	400	Vertical	Pass
6**	16093.200	46.35	1.36	54.0	7.65	AV	332.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.400	38.52	-17.72	74.0	35.48	Peak	60.00	400	Horizontal	Pass
1**	1594.400	28.81	-17.72	54.0	25.19	AV	60.00	400	Horizontal	Pass
2	2440.500	106.21	-12.42	74.0	-32.21	Peak	194.00	100	Horizontal	N/A
2**	2440.500	98.59	-12.42	54.0	-44.59	AV	194.00	100	Horizontal	N/A
3	5438.600	52.50	-1.57	74.0	21.50	Peak	293.00	150	Horizontal	Pass
3**	5438.600	42.71	-1.57	54.0	11.29	AV	293.00	150	Horizontal	Pass
4	6609.800	55.51	1.54	74.0	18.49	Peak	91.00	200	Horizontal	Pass
4**	6609.800	45.65	1.54	54.0	8.35	AV	91.00	200	Horizontal	Pass
5	12330.537	53.60	1.41	74.0	20.40	Peak	220.00	100	Horizontal	Pass
5**	12330.537	44.79	1.41	54.0	9.21	AV	220.00	100	Horizontal	Pass
6	17415.412	56.35	3.65	74.0	17.65	Peak	259.00	200	Horizontal	Pass
6**	17415.412	47.43	3.65	54.0	6.57	AV	259.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.400	39.63	-17.51	74.0	34.37	Peak	91.00	400	Vertical	Pass
1**	1400.400	29.64	-17.51	54.0	24.36	AV	91.00	400	Vertical	Pass
2	2440.300	99.29	-12.42	74.0	-25.29	Peak	299.00	200	Vertical	N/A
2**	2440.300	88.48	-12.42	54.0	-34.48	AV	299.00	200	Vertical	N/A
3	5414.800	52.40	-2.40	74.0	21.60	Peak	165.00	150	Vertical	Pass
3**	5414.800	43.30	-2.40	54.0	10.70	AV	165.00	150	Vertical	Pass
4	6609.600	54.26	1.55	74.0	19.74	Peak	176.00	200	Vertical	Pass
4**	6609.600	46.41	1.55	54.0	7.59	AV	176.00	200	Vertical	Pass
5	12741.662	53.71	1.28	74.0	20.29	Peak	39.00	100	Vertical	Pass
5**	12741.662	43.93	1.28	54.0	10.07	AV	39.00	100	Vertical	Pass
6	17361.601	56.62	2.25	74.0	17.38	Peak	360.00	150	Vertical	Pass
6**	17361.601	46.78	2.25	54.0	7.22	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.900	38.62	-17.40	74.0	35.38	Peak	25.00	150	Horizontal	Pass
1**	1337.900	29.05	-17.40	54.0	24.95	AV	25.00	150	Horizontal	Pass
2	2441.300	105.99	-12.45	74.0	-31.99	Peak	202.00	200	Horizontal	N/A
2**	2441.300	96.62	-12.45	54.0	-42.62	AV	202.00	200	Horizontal	N/A
3	5402.000	51.93	-2.09	74.0	22.07	Peak	123.00	150	Horizontal	Pass
3**	5402.000	42.50	-2.09	54.0	11.50	AV	123.00	150	Horizontal	Pass
4	6606.800	54.72	1.47	74.0	19.28	Peak	0.00	100	Horizontal	Pass
4**	6606.800	45.92	1.47	54.0	8.08	AV	0.00	100	Horizontal	Pass
5	12800.925	53.72	1.06	74.0	20.28	Peak	279.00	200	Horizontal	Pass
5**	12800.925	44.66	1.06	54.0	9.34	AV	279.00	200	Horizontal	Pass
6	17410.687	56.56	3.47	74.0	17.44	Peak	260.00	200	Horizontal	Pass
6**	17410.687	47.59	3.47	54.0	6.41	AV	260.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.900	38.96	-17.35	74.0	35.04	Peak	200.00	200	Vertical	Pass
1**	1557.900	30.19	-17.35	54.0	23.81	AV	200.00	200	Vertical	Pass
2	2443.500	96.53	-12.55	74.0	-22.53	Peak	298.00	100	Vertical	N/A
2**	2443.500	86.77	-12.55	54.0	-32.77	AV	298.00	100	Vertical	N/A
3	4989.200	51.28	-2.71	74.0	22.72	Peak	292.00	150	Vertical	Pass
3**	4989.200	41.72	-2.71	54.0	12.28	AV	292.00	150	Vertical	Pass
4	6739.200	54.38	0.62	74.0	19.62	Peak	250.00	300	Vertical	Pass
4**	6739.200	45.56	0.62	54.0	8.44	AV	250.00	300	Vertical	Pass
5	12737.925	53.90	1.30	74.0	20.10	Peak	0.00	400	Vertical	Pass
5**	12737.925	43.74	1.30	54.0	10.26	AV	0.00	400	Vertical	Pass
6	17435.363	55.94	3.25	74.0	18.06	Peak	15.00	400	Vertical	Pass
6**	17435.363	46.84	3.25	54.0	7.16	AV	15.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.600	38.70	-17.48	74.0	35.30	Peak	254.00	300	Horizontal	Pass
1**	1548.600	29.06	-17.48	54.0	24.94	AV	254.00	300	Horizontal	Pass
2	2448.900	104.63	-12.40	74.0	-30.63	Peak	335.00	200	Horizontal	N/A
2**	2448.900	95.61	-12.40	54.0	-41.61	AV	335.00	200	Horizontal	N/A
3	5532.600	52.43	-1.74	74.0	21.57	Peak	285.00	150	Horizontal	Pass
3**	5532.600	41.96	-1.74	54.0	12.04	AV	285.00	150	Horizontal	Pass
4	6687.200	54.57	-0.09	74.0	19.43	Peak	161.00	100	Horizontal	Pass
4**	6687.200	45.03	-0.09	54.0	8.97	AV	161.00	100	Horizontal	Pass
5	12855.262	53.74	1.42	74.0	20.26	Peak	329.00	300	Horizontal	Pass
5**	12855.262	44.43	1.42	54.0	9.57	AV	329.00	300	Horizontal	Pass
6	15851.700	55.84	1.28	74.0	18.16	Peak	71.00	150	Horizontal	Pass
6**	15851.700	46.54	1.28	54.0	7.46	AV	71.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.100	39.01	-17.38	74.0	34.99	Peak	133.00	200	Vertical	Pass
1**	1338.100	28.98	-17.38	54.0	25.02	AV	133.00	200	Vertical	Pass
2	2443.600	94.97	-12.55	74.0	-20.97	Peak	292.00	150	Vertical	N/A
2**	2443.600	86.08	-12.55	54.0	-32.08	AV	292.00	150	Vertical	N/A
3	4783.400	50.82	-2.69	74.0	23.18	Peak	19.00	200	Vertical	Pass
3**	4783.400	41.93	-2.69	54.0	12.07	AV	19.00	200	Vertical	Pass
4	6275.000	54.64	0.24	74.0	19.36	Peak	360.00	100	Vertical	Pass
4**	6275.000	44.72	0.24	54.0	9.28	AV	360.00	100	Vertical	Pass
5	12885.450	53.18	1.56	74.0	20.82	Peak	320.00	300	Vertical	Pass
5**	12885.450	44.79	1.56	54.0	9.21	AV	320.00	300	Vertical	Pass
6	16073.513	55.96	1.48	74.0	18.04	Peak	245.00	150	Vertical	Pass
6**	16073.513	46.42	1.48	54.0	7.58	AV	245.00	150	Vertical	Pass

Aux. Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1255.200	38.99	-17.45	74.0	35.01	Peak	56.00	100	Horizontal	Pass
1**	1255.200	28.85	-17.45	54.0	25.15	AV	56.00	100	Horizontal	Pass
2	2413.300	104.52	-12.52	74.0	-30.52	Peak	205.00	200	Horizontal	N/A
2**	2413.300	101.23	-12.52	54.0	-47.23	AV	205.00	200	Horizontal	N/A
3	4993.400	50.76	-2.88	74.0	23.24	Peak	0.00	150	Horizontal	Pass
3**	4993.400	41.54	-2.88	54.0	12.46	AV	0.00	150	Horizontal	Pass
4	6272.600	54.80	0.57	74.0	19.20	Peak	83.00	300	Horizontal	Pass
4**	6272.600	45.43	0.57	54.0	8.57	AV	83.00	300	Horizontal	Pass
5	12995.438	54.32	1.23	74.0	19.68	Peak	329.00	300	Horizontal	Pass
5**	12995.438	43.71	1.23	54.0	10.29	AV	329.00	300	Horizontal	Pass
6	17444.813	56.25	2.87	74.0	17.75	Peak	192.00	100	Horizontal	Pass
6**	17444.813	47.40	2.87	54.0	6.60	AV	192.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.000	39.44	-17.48	74.0	34.56	Peak	143.00	200	Vertical	Pass
1**	1464.000	29.33	-17.48	54.0	24.67	AV	143.00	200	Vertical	Pass
2	2413.200	95.05	-12.52	74.0	-21.05	Peak	143.00	100	Vertical	N/A
2**	2413.200	92.26	-12.52	54.0	-38.26	AV	143.00	100	Vertical	N/A
3	4892.000	51.17	-3.02	74.0	22.83	Peak	275.00	100	Vertical	Pass
3**	4892.000	42.48	-3.02	54.0	11.52	AV	275.00	100	Vertical	Pass
4	6608.800	54.70	1.60	74.0	19.30	Peak	115.00	200	Vertical	Pass
4**	6608.800	45.86	1.60	54.0	8.14	AV	115.00	200	Vertical	Pass
5	12828.225	52.99	1.10	74.0	21.01	Peak	269.00	300	Vertical	Pass
5**	12828.225	44.02	1.10	54.0	9.98	AV	269.00	300	Vertical	Pass
6	17398.614	56.13	3.13	74.0	17.87	Peak	230.00	100	Vertical	Pass
6**	17398.614	47.14	3.13	54.0	6.86	AV	230.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.800	39.47	-17.20	74.0	34.53	Peak	31.00	300	Horizontal	Pass
1**	1445.800	29.39	-17.20	54.0	24.61	AV	31.00	300	Horizontal	Pass
2	2438.200	104.24	-12.45	74.0	-30.24	Peak	148.00	200	Horizontal	N/A
2**	2438.200	101.12	-12.45	54.0	-47.12	AV	148.00	200	Horizontal	N/A
3	4924.000	51.06	-2.34	74.0	22.94	Peak	320.00	200	Horizontal	Pass
3**	4924.000	42.43	-2.34	54.0	11.57	AV	320.00	200	Horizontal	Pass
4	6406.800	55.73	0.31	74.0	18.27	Peak	0.00	400	Horizontal	Pass
4**	6406.800	45.71	0.31	54.0	8.29	AV	0.00	400	Horizontal	Pass
5	12822.450	53.62	0.98	74.0	20.38	Peak	348.00	300	Horizontal	Pass
5**	12822.450	44.07	0.98	54.0	9.93	AV	348.00	300	Horizontal	Pass
6	15256.350	56.05	0.44	74.0	17.95	Peak	309.00	200	Horizontal	Pass
6**	15256.350	46.03	0.44	54.0	7.97	AV	309.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.500	38.79	-17.35	74.0	35.21	Peak	269.00	300	Vertical	Pass
1**	1338.500	29.09	-17.35	54.0	24.91	AV	269.00	300	Vertical	Pass
2	2438.100	96.77	-12.45	74.0	-22.77	Peak	293.00	100	Vertical	N/A
2**	2438.100	93.84	-12.45	54.0	-39.84	AV	293.00	100	Vertical	N/A
3	4919.800	51.26	-2.47	74.0	22.74	Peak	136.00	100	Vertical	Pass
3**	4919.800	41.93	-2.47	54.0	12.07	AV	136.00	100	Vertical	Pass
4	6610.200	54.37	1.52	74.0	19.63	Peak	338.00	400	Vertical	Pass
4**	6610.200	46.54	1.52	54.0	7.46	AV	338.00	400	Vertical	Pass
5	12316.738	53.21	1.41	74.0	20.79	Peak	28.00	200	Vertical	Pass
5**	12316.738	44.14	1.41	54.0	9.86	AV	28.00	200	Vertical	Pass
6	17415.150	56.73	3.64	74.0	17.27	Peak	230.00	200	Vertical	Pass
6**	17415.150	47.31	3.64	54.0	6.69	AV	230.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.700	39.00	-17.54	74.0	35.00	Peak	360.00	100	Horizontal	Pass
1**	1471.700	29.43	-17.54	54.0	24.57	AV	360.00	100	Horizontal	Pass
2	2463.100	104.27	-12.50	74.0	-30.27	Peak	218.00	150	Horizontal	N/A
2**	2463.100	101.03	-12.50	54.0	-47.03	AV	218.00	150	Horizontal	N/A
3	5122.400	51.37	-1.91	74.0	22.63	Peak	286.00	150	Horizontal	Pass
3**	5122.400	41.92	-1.91	54.0	12.08	AV	286.00	150	Horizontal	Pass
4	6606.200	55.01	1.38	74.0	18.99	Peak	137.00	100	Horizontal	Pass
4**	6606.200	47.68	1.38	54.0	6.32	AV	137.00	100	Horizontal	Pass
5	12873.900	53.85	1.49	74.0	20.15	Peak	16.00	300	Horizontal	Pass
5**	12873.900	43.93	1.49	54.0	10.07	AV	16.00	300	Horizontal	Pass
6	16425.787	56.04	1.14	74.0	17.96	Peak	360.00	150	Horizontal	Pass
6**	16425.787	46.70	1.14	54.0	7.30	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1423.000	38.89	-17.44	74.0	35.11	Peak	334.00	400	Vertical	Pass
1**	1423.000	29.93	-17.44	54.0	24.07	AV	334.00	400	Vertical	Pass
2	2460.900	96.30	-12.54	74.0	-22.30	Peak	130.00	100	Vertical	N/A
2**	2460.900	93.51	-12.54	54.0	-39.51	AV	130.00	100	Vertical	N/A
3	4924.600	50.90	-2.35	74.0	23.10	Peak	253.00	150	Vertical	Pass
3**	4924.600	41.84	-2.35	54.0	12.16	AV	253.00	150	Vertical	Pass
4	6601.000	54.45	0.49	74.0	19.55	Peak	114.00	100	Vertical	Pass
4**	6601.000	45.84	0.49	54.0	8.16	AV	114.00	100	Vertical	Pass
5	12878.888	53.41	1.55	74.0	20.59	Peak	268.00	300	Vertical	Pass
5**	12878.888	45.01	1.55	54.0	8.99	AV	268.00	300	Vertical	Pass
6	16076.662	56.21	1.57	74.0	17.79	Peak	36.00	150	Vertical	Pass
6**	16076.662	46.17	1.57	54.0	7.83	AV	36.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1382.500	39.09	-17.46	74.0	34.91	Peak	135.00	300	Horizontal	Pass
1**	1382.500	28.72	-17.46	54.0	25.28	AV	135.00	300	Horizontal	Pass
2	2415.000	107.46	-12.43	74.0	-33.46	Peak	199.00	100	Horizontal	N/A
2**	2415.000	100.17	-12.43	54.0	-46.17	AV	199.00	100	Horizontal	N/A
3	4956.400	50.55	-2.99	74.0	23.45	Peak	145.00	100	Horizontal	Pass
3**	4956.400	41.56	-2.99	54.0	12.44	AV	145.00	100	Horizontal	Pass
4	6271.600	54.92	0.54	74.0	19.08	Peak	200.00	300	Horizontal	Pass
4**	6271.600	45.37	0.54	54.0	8.63	AV	200.00	300	Horizontal	Pass
5	12821.401	53.59	0.95	74.0	20.41	Peak	37.00	300	Horizontal	Pass
5**	12821.401	43.60	0.95	54.0	10.40	AV	37.00	300	Horizontal	Pass
6	17457.412	55.97	2.84	74.0	18.03	Peak	360.00	100	Horizontal	Pass
6**	17457.412	47.34	2.84	54.0	6.66	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.700	38.99	-17.52	74.0	35.01	Peak	75.00	200	Vertical	Pass
1**	1563.700	29.38	-17.52	54.0	24.62	AV	75.00	200	Vertical	Pass
2	2414.900	95.68	-12.45	74.0	-21.68	Peak	139.00	100	Vertical	N/A
2**	2414.900	87.71	-12.45	54.0	-33.71	AV	139.00	100	Vertical	N/A
3	4978.000	50.81	-2.78	74.0	23.19	Peak	103.00	100	Vertical	Pass
3**	4978.000	41.68	-2.78	54.0	12.32	AV	103.00	100	Vertical	Pass
4	6677.200	55.18	0.31	74.0	18.82	Peak	51.00	300	Vertical	Pass
4**	6677.200	45.79	0.31	54.0	8.21	AV	51.00	300	Vertical	Pass
5	12622.925	53.02	1.68	74.0	20.98	Peak	110.00	400	Vertical	Pass
5**	12622.925	43.83	1.68	54.0	10.17	AV	110.00	400	Vertical	Pass
6	16035.188	55.94	0.76	74.0	18.06	Peak	270.00	150	Vertical	Pass
6**	16035.188	46.20	0.76	54.0	7.80	AV	270.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1424.800	38.58	-17.45	74.0	35.42	Peak	75.00	400	Horizontal	Pass
1**	1424.800	29.94	-17.45	54.0	24.06	AV	75.00	400	Horizontal	Pass
2	2420.600	108.52	-12.40	74.0	-34.52	Peak	215.00	150	Horizontal	N/A
2**	2420.600	99.87	-12.40	54.0	-45.87	AV	215.00	150	Horizontal	N/A
3	4905.800	50.47	-2.29	74.0	23.53	Peak	103.00	150	Horizontal	Pass
3**	4905.800	42.10	-2.29	54.0	11.90	AV	103.00	150	Horizontal	Pass
4	6602.200	54.95	0.70	74.0	19.05	Peak	19.00	100	Horizontal	Pass
4**	6602.200	46.09	0.70	54.0	7.91	AV	19.00	100	Horizontal	Pass
5	12822.450	53.20	0.98	74.0	20.80	Peak	345.00	400	Horizontal	Pass
5**	12822.450	44.05	0.98	54.0	9.95	AV	345.00	400	Horizontal	Pass
6	15829.125	56.46	1.52	74.0	17.54	Peak	360.00	400	Horizontal	Pass
6**	15829.125	46.83	1.52	54.0	7.17	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.600	38.94	-17.51	74.0	35.06	Peak	360.00	400	Vertical	Pass
1**	1461.600	29.85	-17.51	54.0	24.15	AV	360.00	400	Vertical	Pass
2	2419.900	96.86	-12.40	74.0	-22.86	Peak	143.00	150	Vertical	N/A
2**	2419.900	89.61	-12.40	54.0	-35.61	AV	143.00	150	Vertical	N/A
3	4961.400	52.23	-2.88	74.0	21.77	Peak	351.00	150	Vertical	Pass
3**	4961.400	41.54	-2.88	54.0	12.46	AV	351.00	150	Vertical	Pass
4	6610.800	54.89	1.48	74.0	19.11	Peak	287.00	400	Vertical	Pass
4**	6610.800	46.05	1.48	54.0	7.95	AV	287.00	400	Vertical	Pass
5	12821.925	53.66	0.96	74.0	20.34	Peak	250.00	200	Vertical	Pass
5**	12821.925	43.84	0.96	54.0	10.16	AV	250.00	200	Vertical	Pass
6	17419.088	56.22	3.74	74.0	17.78	Peak	360.00	100	Vertical	Pass
6**	17419.088	47.92	3.74	54.0	6.08	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.900	38.51	-17.36	74.0	35.49	Peak	345.00	200	Horizontal	Pass
1**	1368.900	29.02	-17.36	54.0	24.98	AV	345.00	200	Horizontal	Pass
2	2435.800	107.42	-12.52	74.0	-33.42	Peak	201.00	150	Horizontal	N/A
2**	2435.800	99.74	-12.52	54.0	-45.74	AV	201.00	150	Horizontal	N/A
3	5138.200	51.49	-2.28	74.0	22.51	Peak	326.00	150	Horizontal	Pass
3**	5138.200	43.53	-2.28	54.0	10.47	AV	326.00	150	Horizontal	Pass
4	6607.000	54.42	1.48	74.0	19.58	Peak	158.00	200	Horizontal	Pass
4**	6607.000	46.43	1.48	54.0	7.57	AV	158.00	200	Horizontal	Pass
5	12866.025	53.43	1.43	74.0	20.57	Peak	153.00	300	Horizontal	Pass
5**	12866.025	44.67	1.43	54.0	9.33	AV	153.00	300	Horizontal	Pass
6	17407.011	56.91	3.37	74.0	17.09	Peak	203.00	400	Horizontal	Pass
6**	17407.011	48.00	3.37	54.0	6.00	AV	203.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1250.500	38.82	-17.51	74.0	35.18	Peak	146.00	100	Vertical	Pass
1**	1250.500	29.95	-17.51	54.0	24.05	AV	146.00	100	Vertical	Pass
2	2431.900	96.39	-12.72	74.0	-22.39	Peak	176.00	200	Vertical	N/A
2**	2431.900	88.43	-12.72	54.0	-34.43	AV	176.00	200	Vertical	N/A
3	4880.800	50.95	-3.35	74.0	23.05	Peak	269.00	200	Vertical	Pass
3**	4880.800	41.96	-3.35	54.0	12.04	AV	269.00	200	Vertical	Pass
4	6688.600	54.62	-0.15	74.0	19.38	Peak	360.00	300	Vertical	Pass
4**	6688.600	44.73	-0.15	54.0	9.27	AV	360.00	300	Vertical	Pass
5	12324.213	53.08	1.42	74.0	20.92	Peak	196.00	400	Vertical	Pass
5**	12324.213	44.03	1.42	54.0	9.97	AV	196.00	400	Vertical	Pass
6	17402.812	56.77	3.26	74.0	17.23	Peak	292.00	200	Vertical	Pass
6**	17402.812	47.60	3.26	54.0	6.40	AV	292.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.300	38.94	-17.82	74.0	35.06	Peak	73.00	100	Horizontal	Pass
1**	1597.300	28.74	-17.82	54.0	25.26	AV	73.00	100	Horizontal	Pass
2	2453.800	107.38	-12.58	74.0	-33.38	Peak	224.00	150	Horizontal	N/A
2**	2453.800	100.19	-12.58	54.0	-46.19	AV	224.00	150	Horizontal	N/A
3	4815.400	51.69	-3.13	74.0	22.31	Peak	248.00	150	Horizontal	Pass
3**	4815.400	41.21	-3.13	54.0	12.79	AV	248.00	150	Horizontal	Pass
4	6608.000	54.97	1.55	74.0	19.03	Peak	61.00	100	Horizontal	Pass
4**	6608.000	46.28	1.55	54.0	7.72	AV	61.00	100	Horizontal	Pass
5	12885.713	53.74	1.56	74.0	20.26	Peak	183.00	200	Horizontal	Pass
5**	12885.713	44.09	1.56	54.0	9.91	AV	183.00	200	Horizontal	Pass
6	17363.438	56.35	2.30	74.0	17.65	Peak	222.00	200	Horizontal	Pass
6**	17363.438	46.73	2.30	54.0	7.27	AV	222.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.800	39.77	-17.49	74.0	34.23	Peak	135.00	300	Vertical	Pass
1**	1530.800	28.89	-17.49	54.0	25.11	AV	135.00	300	Vertical	Pass
2	2460.700	96.92	-12.55	74.0	-22.92	Peak	124.00	200	Vertical	N/A
2**	2460.700	88.83	-12.55	54.0	-34.83	AV	124.00	200	Vertical	N/A
3	4797.200	51.90	-2.57	74.0	22.10	Peak	76.00	100	Vertical	Pass
3**	4797.200	41.35	-2.57	54.0	12.65	AV	76.00	100	Vertical	Pass
4	6608.200	54.63	1.56	74.0	19.37	Peak	64.00	400	Vertical	Pass
4**	6608.200	46.38	1.56	54.0	7.62	AV	64.00	400	Vertical	Pass
5	12735.337	53.66	1.31	74.0	20.34	Peak	125.00	400	Vertical	Pass
5**	12735.337	44.14	1.31	54.0	9.86	AV	125.00	400	Vertical	Pass
6	17404.125	56.22	3.29	74.0	17.78	Peak	360.00	200	Vertical	Pass
6**	17404.125	47.72	3.29	54.0	6.28	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1300.100	39.09	-17.44	74.0	34.91	Peak	21.00	200	Horizontal	Pass
1**	1300.100	30.49	-17.44	54.0	23.51	AV	21.00	200	Horizontal	Pass
2	2465.200	107.18	-12.44	74.0	-33.18	Peak	222.00	100	Horizontal	N/A
2**	2465.200	99.49	-12.44	54.0	-45.49	AV	222.00	100	Horizontal	N/A
3	5143.000	51.93	-2.41	74.0	22.07	Peak	297.00	150	Horizontal	Pass
3**	5143.000	43.27	-2.41	54.0	10.73	AV	297.00	150	Horizontal	Pass
4	6676.400	55.22	0.31	74.0	18.78	Peak	56.00	400	Horizontal	Pass
4**	6676.400	45.40	0.31	54.0	8.60	AV	56.00	400	Horizontal	Pass
5	12294.025	53.84	1.59	74.0	20.16	Peak	314.00	300	Horizontal	Pass
5**	12294.025	43.55	1.59	54.0	10.45	AV	314.00	300	Horizontal	Pass
6	17430.901	55.97	3.42	74.0	18.03	Peak	360.00	400	Horizontal	Pass
6**	17430.901	47.39	3.42	54.0	6.61	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.500	39.37	-17.40	74.0	34.63	Peak	319.00	400	Vertical	Pass
1**	1558.500	28.72	-17.40	54.0	25.28	AV	319.00	400	Vertical	Pass
2	2463.500	96.17	-12.49	74.0	-22.17	Peak	123.00	200	Vertical	N/A
2**	2463.500	89.24	-12.49	54.0	-35.24	AV	123.00	200	Vertical	N/A
3	4993.600	50.96	-2.89	74.0	23.04	Peak	185.00	200	Vertical	Pass
3**	4993.600	41.44	-2.89	54.0	12.56	AV	185.00	200	Vertical	Pass
4	6606.400	55.28	1.42	74.0	18.72	Peak	352.00	100	Vertical	Pass
4**	6606.400	46.46	1.42	54.0	7.54	AV	352.00	100	Vertical	Pass
5	12880.725	53.99	1.57	74.0	20.01	Peak	348.00	300	Vertical	Pass
5**	12880.725	45.04	1.57	54.0	8.96	AV	348.00	300	Vertical	Pass
6	17410.949	56.54	3.48	74.0	17.46	Peak	211.00	300	Vertical	Pass
6**	17410.949	47.61	3.48	54.0	6.39	AV	211.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.500	38.62	-17.25	74.0	35.38	Peak	0.00	100	Horizontal	Pass
1**	1536.500	29.10	-17.25	54.0	24.90	AV	0.00	100	Horizontal	Pass
2	2408.200	106.92	-12.51	74.0	-32.92	Peak	220.00	100	Horizontal	N/A
2**	2408.200	99.51	-12.51	54.0	-45.51	AV	220.00	100	Horizontal	N/A
3	4983.800	51.19	-2.85	74.0	22.81	Peak	62.00	150	Horizontal	Pass
3**	4983.800	41.83	-2.85	54.0	12.17	AV	62.00	150	Horizontal	Pass
4	6609.000	55.25	1.59	74.0	18.75	Peak	360.00	200	Horizontal	Pass
4**	6609.000	46.27	1.59	54.0	7.73	AV	360.00	200	Horizontal	Pass
5	12858.150	53.39	1.44	74.0	20.61	Peak	35.00	100	Horizontal	Pass
5**	12858.150	44.51	1.44	54.0	9.49	AV	35.00	100	Horizontal	Pass
6	15791.062	56.58	2.04	74.0	17.42	Peak	54.00	100	Horizontal	Pass
6**	15791.062	46.11	2.04	54.0	7.89	AV	54.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1415.500	39.29	-17.56	74.0	34.71	Peak	281.00	400	Vertical	Pass
1**	1415.500	29.81	-17.56	54.0	24.19	AV	281.00	400	Vertical	Pass
2	2408.400	94.98	-12.53	74.0	-20.98	Peak	144.00	150	Vertical	N/A
2**	2408.400	86.89	-12.53	54.0	-32.89	AV	144.00	150	Vertical	N/A
3	4926.000	51.03	-2.39	74.0	22.97	Peak	354.00	200	Vertical	Pass
3**	4926.000	41.83	-2.39	54.0	12.17	AV	354.00	200	Vertical	Pass
4	6680.400	54.89	0.16	74.0	19.11	Peak	266.00	200	Vertical	Pass
4**	6680.400	45.73	0.16	54.0	8.27	AV	266.00	200	Vertical	Pass
5	12313.287	53.36	1.39	74.0	20.64	Peak	264.00	400	Vertical	Pass
5**	12313.287	43.57	1.39	54.0	10.43	AV	264.00	400	Vertical	Pass
6	17445.599	56.47	2.86	74.0	17.53	Peak	131.00	100	Vertical	Pass
6**	17445.599	47.35	2.86	54.0	6.65	AV	131.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1430.200	38.84	-17.50	74.0	35.16	Peak	81.00	100	Horizontal	Pass
1**	1430.200	29.23	-17.50	54.0	24.77	AV	81.00	100	Horizontal	Pass
2	2416.100	107.97	-12.31	74.0	-33.97	Peak	202.00	100	Horizontal	N/A
2**	2416.100	100.13	-12.31	54.0	-46.13	AV	202.00	100	Horizontal	N/A
3	4901.000	50.76	-2.57	74.0	23.24	Peak	59.00	100	Horizontal	Pass
3**	4901.000	41.89	-2.57	54.0	12.11	AV	59.00	100	Horizontal	Pass
4	6272.600	54.49	0.57	74.0	19.51	Peak	301.00	300	Horizontal	Pass
4**	6272.600	45.49	0.57	54.0	8.51	AV	301.00	300	Horizontal	Pass
5	12805.913	54.23	0.91	74.0	19.77	Peak	302.00	400	Horizontal	Pass
5**	12805.913	44.97	0.91	54.0	9.03	AV	302.00	400	Horizontal	Pass
6	17393.363	56.23	2.96	74.0	17.77	Peak	244.00	200	Horizontal	Pass
6**	17393.363	47.33	2.96	54.0	6.67	AV	244.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1304.600	39.42	-17.33	74.0	34.58	Peak	159.00	100	Vertical	Pass
1**	1304.600	29.34	-17.33	54.0	24.66	AV	159.00	100	Vertical	Pass
2	2415.000	96.30	-12.43	74.0	-22.30	Peak	137.00	150	Vertical	N/A
2**	2415.000	88.75	-12.43	54.0	-34.75	AV	137.00	150	Vertical	N/A
3	4905.400	51.13	-2.30	74.0	22.87	Peak	132.00	100	Vertical	Pass
3**	4905.400	41.99	-2.30	54.0	12.01	AV	132.00	100	Vertical	Pass
4	6742.200	55.07	0.84	74.0	18.93	Peak	227.00	400	Vertical	Pass
4**	6742.200	45.72	0.84	54.0	8.28	AV	227.00	400	Vertical	Pass
5	12423.687	53.42	1.42	74.0	20.58	Peak	152.00	200	Vertical	Pass
5**	12423.687	43.74	1.42	54.0	10.26	AV	152.00	200	Vertical	Pass
6	15840.151	56.11	1.44	74.0	17.89	Peak	111.00	400	Vertical	Pass
6**	15840.151	46.16	1.44	54.0	7.84	AV	111.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1421.500	40.14	-17.42	74.0	33.86	Peak	306.00	400	Horizontal	Pass
1**	1421.500	29.68	-17.42	54.0	24.32	AV	306.00	400	Horizontal	Pass
2	2441.300	107.75	-12.45	74.0	-33.75	Peak	219.00	200	Horizontal	N/A
2**	2441.300	99.04	-12.45	54.0	-45.04	AV	219.00	200	Horizontal	N/A
3	4982.000	51.49	-2.82	74.0	22.51	Peak	218.00	150	Horizontal	Pass
3**	4982.000	41.71	-2.82	54.0	12.29	AV	218.00	150	Horizontal	Pass
4	6609.800	55.16	1.54	74.0	18.84	Peak	360.00	100	Horizontal	Pass
4**	6609.800	45.87	1.54	54.0	8.13	AV	360.00	100	Horizontal	Pass
5	12799.350	53.35	1.10	74.0	20.65	Peak	337.00	100	Horizontal	Pass
5**	12799.350	43.78	1.10	54.0	10.22	AV	337.00	100	Horizontal	Pass
6	17408.324	56.93	3.40	74.0	17.07	Peak	280.00	100	Horizontal	Pass
6**	17408.324	47.80	3.40	54.0	6.20	AV	280.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.200	39.09	-17.46	74.0	34.91	Peak	50.00	100	Vertical	Pass
1**	1578.200	29.67	-17.46	54.0	24.33	AV	50.00	100	Vertical	Pass
2	2433.400	97.01	-12.67	74.0	-23.01	Peak	180.00	100	Vertical	N/A
2**	2433.400	90.04	-12.67	54.0	-36.04	AV	180.00	100	Vertical	N/A
3	4899.400	51.19	-2.62	74.0	22.81	Peak	220.00	150	Vertical	Pass
3**	4899.400	42.62	-2.62	54.0	11.38	AV	220.00	150	Vertical	Pass
4	6632.400	54.81	0.78	74.0	19.19	Peak	0.00	400	Vertical	Pass
4**	6632.400	45.77	0.78	54.0	8.23	AV	0.00	400	Vertical	Pass
5	12888.337	53.41	1.58	74.0	20.59	Peak	74.00	400	Vertical	Pass
5**	12888.337	44.10	1.58	54.0	9.90	AV	74.00	400	Vertical	Pass
6	17419.874	56.50	3.75	74.0	17.50	Peak	360.00	200	Vertical	Pass
6**	17419.874	47.87	3.75	54.0	6.13	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.600	39.08	-17.58	74.0	34.92	Peak	110.00	300	Horizontal	Pass
1**	1476.600	29.99	-17.58	54.0	24.01	AV	110.00	300	Horizontal	Pass
2	2455.900	107.34	-12.51	74.0	-33.34	Peak	210.00	150	Horizontal	N/A
2**	2455.900	100.04	-12.51	54.0	-46.04	AV	210.00	150	Horizontal	N/A
3	4899.200	51.31	-2.63	74.0	22.69	Peak	247.00	150	Horizontal	Pass
3**	4899.200	41.81	-2.63	54.0	12.19	AV	247.00	150	Horizontal	Pass
4	6610.200	55.41	1.52	74.0	18.59	Peak	269.00	100	Horizontal	Pass
4**	6610.200	46.23	1.52	54.0	7.77	AV	269.00	100	Horizontal	Pass
5	12280.513	53.73	1.80	74.0	20.27	Peak	264.00	300	Horizontal	Pass
5**	12280.513	43.93	1.80	54.0	10.07	AV	264.00	300	Horizontal	Pass
6	17403.075	56.75	3.26	74.0	17.25	Peak	299.00	100	Horizontal	Pass
6**	17403.075	47.61	3.26	54.0	6.39	AV	299.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.900	38.86	-17.37	74.0	35.14	Peak	82.00	100	Vertical	Pass
1**	1538.900	29.64	-17.37	54.0	24.36	AV	82.00	100	Vertical	Pass
2	2455.500	97.30	-12.55	74.0	-23.30	Peak	129.00	150	Vertical	N/A
2**	2455.500	89.80	-12.55	54.0	-35.80	AV	129.00	150	Vertical	N/A
3	4814.600	50.39	-3.17	74.0	23.61	Peak	360.00	200	Vertical	Pass
3**	4814.600	41.24	-3.17	54.0	12.76	AV	360.00	200	Vertical	Pass
4	6606.400	54.80	1.42	74.0	19.20	Peak	70.00	100	Vertical	Pass
4**	6606.400	46.81	1.42	54.0	7.19	AV	70.00	100	Vertical	Pass
5	12289.138	53.42	1.68	74.0	20.58	Peak	298.00	200	Vertical	Pass
5**	12289.138	43.88	1.68	54.0	10.12	AV	298.00	200	Vertical	Pass
6	17401.238	56.52	3.21	74.0	17.48	Peak	54.00	200	Vertical	Pass
6**	17401.238	46.96	3.21	54.0	7.04	AV	54.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.100	39.59	-17.28	74.0	34.41	Peak	54.00	400	Horizontal	Pass
1**	1537.100	29.00	-17.28	54.0	25.00	AV	54.00	400	Horizontal	Pass
2	2462.200	106.71	-12.52	74.0	-32.71	Peak	219.00	150	Horizontal	N/A
2**	2462.200	98.29	-12.52	54.0	-44.29	AV	219.00	150	Horizontal	N/A
3	4904.000	51.16	-2.36	74.0	22.84	Peak	282.00	150	Horizontal	Pass
3**	4904.000	41.85	-2.36	54.0	12.15	AV	282.00	150	Horizontal	Pass
4	6613.200	55.32	1.32	74.0	18.68	Peak	208.00	300	Horizontal	Pass
4**	6613.200	45.79	1.32	54.0	8.21	AV	208.00	300	Horizontal	Pass
5	11223.950	54.28	-0.22	74.0	19.72	Peak	281.00	300	Horizontal	Pass
5**	11223.950	42.91	-0.22	54.0	11.09	AV	281.00	300	Horizontal	Pass
6	17406.751	56.38	3.36	74.0	17.62	Peak	128.00	400	Horizontal	Pass
6**	17406.751	47.45	3.36	54.0	6.55	AV	128.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.300	39.31	-17.82	74.0	34.69	Peak	204.00	400	Vertical	Pass
1**	1597.300	29.25	-17.82	54.0	24.75	AV	204.00	400	Vertical	Pass
2	2460.700	96.15	-12.55	74.0	-22.15	Peak	137.00	200	Vertical	N/A
2**	2460.700	89.73	-12.55	54.0	-35.73	AV	137.00	200	Vertical	N/A
3	4778.400	50.82	-2.98	74.0	23.18	Peak	324.00	200	Vertical	Pass
3**	4778.400	40.98	-2.98	54.0	13.02	AV	324.00	200	Vertical	Pass
4	6606.800	54.61	1.47	74.0	19.39	Peak	155.00	100	Vertical	Pass
4**	6606.800	46.12	1.47	54.0	7.88	AV	155.00	100	Vertical	Pass
5	12830.325	53.93	1.13	74.0	20.07	Peak	323.00	300	Vertical	Pass
5**	12830.325	44.35	1.13	54.0	9.65	AV	323.00	300	Vertical	Pass
6	15235.875	56.89	1.01	74.0	17.11	Peak	131.00	100	Vertical	Pass
6**	15235.875	46.03	1.01	54.0	7.97	AV	131.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1293.400	39.33	-17.51	74.0	34.67	Peak	104.00	200	Horizontal	Pass
1**	1293.400	28.91	-17.51	54.0	25.09	AV	104.00	200	Horizontal	Pass
2	2419.400	104.06	-12.40	74.0	-30.06	Peak	212.00	100	Horizontal	N/A
2**	2419.400	96.90	-12.40	54.0	-42.90	AV	212.00	100	Horizontal	N/A
3	5547.000	52.70	-1.51	74.0	21.30	Peak	122.00	150	Horizontal	Pass
3**	5547.000	42.96	-1.51	54.0	11.04	AV	122.00	150	Horizontal	Pass
4	6911.600	54.79	-0.13	74.0	19.21	Peak	345.00	300	Horizontal	Pass
4**	6911.600	43.81	-0.13	54.0	10.19	AV	345.00	300	Horizontal	Pass
5	12278.787	53.08	1.76	74.0	20.92	Peak	197.00	400	Horizontal	Pass
5**	12278.787	44.37	1.76	54.0	9.63	AV	197.00	400	Horizontal	Pass
6	15869.550	55.69	0.63	74.0	18.31	Peak	340.00	150	Horizontal	Pass
6**	15869.550	45.64	0.63	54.0	8.36	AV	340.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.100	39.26	-17.56	74.0	34.74	Peak	206.00	100	Vertical	Pass
1**	1509.100	29.29	-17.56	54.0	24.71	AV	206.00	100	Vertical	Pass
2	2429.100	91.47	-12.74	74.0	-17.47	Peak	185.00	200	Vertical	N/A
2**	2429.100	83.66	-12.74	54.0	-29.66	AV	185.00	200	Vertical	N/A
3	4892.000	51.26	-3.02	74.0	22.74	Peak	104.00	100	Vertical	Pass
3**	4892.000	41.98	-3.02	54.0	12.02	AV	104.00	100	Vertical	Pass
4	6606.200	54.59	1.38	74.0	19.41	Peak	168.00	400	Vertical	Pass
4**	6606.200	46.65	1.38	54.0	7.35	AV	168.00	400	Vertical	Pass
5	12831.375	53.35	1.16	74.0	20.65	Peak	241.00	200	Vertical	Pass
5**	12831.375	44.17	1.16	54.0	9.83	AV	241.00	200	Vertical	Pass
6	15763.500	56.33	0.96	74.0	17.67	Peak	166.00	200	Vertical	Pass
6**	15763.500	45.36	0.96	54.0	8.64	AV	166.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.700	38.76	-17.33	74.0	35.24	Peak	34.00	300	Horizontal	Pass
1**	1338.700	29.34	-17.33	54.0	24.66	AV	34.00	300	Horizontal	Pass
2	2419.800	104.09	-12.40	74.0	-30.09	Peak	223.00	100	Horizontal	N/A
2**	2419.800	96.13	-12.40	54.0	-42.13	AV	223.00	100	Horizontal	N/A
3	5028.800	51.61	-3.03	74.0	22.39	Peak	305.00	150	Horizontal	Pass
3**	5028.800	41.55	-3.03	54.0	12.45	AV	305.00	150	Horizontal	Pass
4	6616.600	55.63	0.78	74.0	18.37	Peak	198.00	100	Horizontal	Pass
4**	6616.600	44.94	0.78	54.0	9.06	AV	198.00	100	Horizontal	Pass
5	12899.625	53.36	1.48	74.0	20.64	Peak	96.00	100	Horizontal	Pass
5**	12899.625	43.22	1.48	54.0	10.78	AV	96.00	100	Horizontal	Pass
6	16008.150	55.57	0.40	74.0	18.43	Peak	177.00	150	Horizontal	Pass
6**	16008.150	45.71	0.40	54.0	8.29	AV	177.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.500	39.28	-17.59	74.0	34.72	Peak	135.00	100	Vertical	Pass
1**	1508.500	28.78	-17.59	54.0	25.22	AV	135.00	100	Vertical	Pass
2	2429.100	91.94	-12.74	74.0	-17.94	Peak	182.00	150	Vertical	N/A
2**	2429.100	84.15	-12.74	54.0	-30.15	AV	182.00	150	Vertical	N/A
3	4781.000	51.00	-2.84	74.0	23.00	Peak	351.00	200	Vertical	Pass
3**	4781.000	41.31	-2.84	54.0	12.69	AV	351.00	200	Vertical	Pass
4	6272.800	54.10	0.57	74.0	19.90	Peak	48.00	300	Vertical	Pass
4**	6272.800	45.67	0.57	54.0	8.33	AV	48.00	300	Vertical	Pass
5	12894.113	53.55	1.57	74.0	20.45	Peak	246.00	400	Vertical	Pass
5**	12894.113	44.04	1.57	54.0	9.96	AV	246.00	400	Vertical	Pass
6	17406.224	56.09	3.35	74.0	17.91	Peak	320.00	100	Vertical	Pass
6**	17406.224	47.95	3.35	54.0	6.05	AV	320.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.200	39.32	-17.18	74.0	34.68	Peak	343.00	100	Horizontal	Pass
1**	1445.200	29.85	-17.18	54.0	24.15	AV	343.00	100	Horizontal	Pass
2	2424.800	104.30	-12.63	74.0	-30.30	Peak	219.00	150	Horizontal	N/A
2**	2424.800	97.02	-12.63	54.0	-43.02	AV	219.00	150	Horizontal	N/A
3	4889.400	51.66	-3.34	74.0	22.34	Peak	1.00	150	Horizontal	Pass
3**	4889.400	41.43	-3.34	54.0	12.57	AV	1.00	150	Horizontal	Pass
4	6609.400	55.51	1.57	74.0	18.49	Peak	272.00	200	Horizontal	Pass
4**	6609.400	46.77	1.57	54.0	7.23	AV	272.00	200	Horizontal	Pass
5	12798.562	53.19	1.11	74.0	20.81	Peak	324.00	300	Horizontal	Pass
5**	12798.562	43.88	1.11	54.0	10.12	AV	324.00	300	Horizontal	Pass
6	15784.237	56.41	1.76	74.0	17.59	Peak	0.00	100	Horizontal	Pass
6**	15784.237	46.29	1.76	54.0	7.71	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.100	39.89	-17.54	74.0	34.11	Peak	158.00	400	Vertical	Pass
1**	1461.100	29.58	-17.54	54.0	24.42	AV	158.00	400	Vertical	Pass
2	2426.600	94.15	-12.72	74.0	-20.15	Peak	187.00	150	Vertical	N/A
2**	2426.600	85.62	-12.72	54.0	-31.62	AV	187.00	150	Vertical	N/A
3	4894.800	50.86	-2.98	74.0	23.14	Peak	86.00	100	Vertical	Pass
3**	4894.800	41.56	-2.98	54.0	12.44	AV	86.00	100	Vertical	Pass
4	6625.200	54.57	0.53	74.0	19.43	Peak	247.00	400	Vertical	Pass
4**	6625.200	44.61	0.53	54.0	9.39	AV	247.00	400	Vertical	Pass
5	12876.787	53.19	1.52	74.0	20.81	Peak	268.00	400	Vertical	Pass
5**	12876.787	44.41	1.52	54.0	9.59	AV	268.00	400	Vertical	Pass
6	17436.676	56.67	3.18	74.0	17.33	Peak	134.00	400	Vertical	Pass
6**	17436.676	46.77	3.18	54.0	7.23	AV	134.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.300	39.23	-17.36	74.0	34.77	Peak	360.00	100	Horizontal	Pass
1**	1368.300	29.40	-17.36	54.0	24.60	AV	360.00	100	Horizontal	Pass
2	2441.900	104.53	-12.46	74.0	-30.53	Peak	228.00	150	Horizontal	N/A
2**	2441.900	96.34	-12.46	54.0	-42.34	AV	228.00	150	Horizontal	N/A
3	4922.000	51.28	-2.32	74.0	22.72	Peak	73.00	150	Horizontal	Pass
3**	4922.000	41.40	-2.32	54.0	12.60	AV	73.00	150	Horizontal	Pass
4	6606.200	55.36	1.38	74.0	18.64	Peak	353.00	200	Horizontal	Pass
4**	6606.200	45.87	1.38	54.0	8.13	AV	353.00	200	Horizontal	Pass
5	11919.412	53.49	1.50	74.0	20.51	Peak	350.00	300	Horizontal	Pass
5**	11919.412	43.31	1.50	54.0	10.69	AV	350.00	300	Horizontal	Pass
6	17400.449	56.91	3.19	74.0	17.09	Peak	101.00	100	Horizontal	Pass
6**	17400.449	47.24	3.19	54.0	6.76	AV	101.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1230.400	39.17	-17.81	74.0	34.83	Peak	344.00	100	Vertical	Pass
1**	1230.400	28.69	-17.81	54.0	25.31	AV	344.00	100	Vertical	Pass
2	2430.800	93.50	-12.74	74.0	-19.50	Peak	187.00	100	Vertical	N/A
2**	2430.800	85.53	-12.74	54.0	-31.53	AV	187.00	100	Vertical	N/A
3	4789.000	51.09	-2.47	74.0	22.91	Peak	332.00	150	Vertical	Pass
3**	4789.000	41.93	-2.47	54.0	12.07	AV	332.00	150	Vertical	Pass
4	6608.000	54.87	1.55	74.0	19.13	Peak	309.00	200	Vertical	Pass
4**	6608.000	46.47	1.55	54.0	7.53	AV	309.00	200	Vertical	Pass
5	12973.125	53.70	0.92	74.0	20.30	Peak	18.00	200	Vertical	Pass
5**	12973.125	43.64	0.92	54.0	10.36	AV	18.00	200	Vertical	Pass
6	17399.663	56.26	3.17	74.0	17.74	Peak	0.00	400	Vertical	Pass
6**	17399.663	47.35	3.17	54.0	6.65	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.100	38.77	-17.50	74.0	35.23	Peak	135.00	300	Horizontal	Pass
1**	1549.100	29.60	-17.50	54.0	24.40	AV	135.00	300	Horizontal	Pass
2	2449.800	104.27	-12.36	74.0	-30.27	Peak	232.00	150	Horizontal	N/A
2**	2449.800	96.17	-12.36	54.0	-42.17	AV	232.00	150	Horizontal	N/A
3	4360.600	49.12	-4.16	74.0	24.88	Peak	300.00	150	Horizontal	Pass
3**	4360.600	39.52	-4.16	54.0	14.48	AV	300.00	150	Horizontal	Pass
4	6613.200	54.80	1.32	74.0	19.20	Peak	360.00	200	Horizontal	Pass
4**	6613.200	45.92	1.32	54.0	8.08	AV	360.00	200	Horizontal	Pass
5	12876.526	54.48	1.52	74.0	19.52	Peak	326.00	300	Horizontal	Pass
5**	12876.526	43.75	1.52	54.0	10.25	AV	326.00	300	Horizontal	Pass
6	17423.286	55.91	3.67	74.0	18.09	Peak	115.00	300	Horizontal	Pass
6**	17423.286	46.94	3.67	54.0	7.06	AV	115.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1370.600	39.20	-17.41	74.0	34.80	Peak	306.00	300	Vertical	Pass
1**	1370.600	28.79	-17.41	54.0	25.21	AV	306.00	300	Vertical	Pass
2	2455.500	91.59	-12.55	74.0	-17.59	Peak	135.00	200	Vertical	N/A
2**	2455.500	84.21	-12.55	54.0	-30.21	AV	135.00	200	Vertical	N/A
3	4977.200	50.94	-2.75	74.0	23.06	Peak	233.00	200	Vertical	Pass
3**	4977.200	42.14	-2.75	54.0	11.86	AV	233.00	200	Vertical	Pass
4	6606.200	54.91	1.38	74.0	19.09	Peak	28.00	200	Vertical	Pass
4**	6606.200	46.19	1.38	54.0	7.81	AV	28.00	200	Vertical	Pass
5	12891.750	53.77	1.58	74.0	20.23	Peak	305.00	100	Vertical	Pass
5**	12891.750	43.96	1.58	54.0	10.04	AV	305.00	100	Vertical	Pass
6	17415.412	56.05	3.65	74.0	17.95	Peak	325.00	200	Vertical	Pass
6**	17415.412	47.52	3.65	54.0	6.48	AV	325.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.900	39.26	-17.52	74.0	34.74	Peak	20.00	100	Horizontal	Pass
1**	1491.900	29.47	-17.52	54.0	24.53	AV	20.00	100	Horizontal	Pass
2	2450.800	104.24	-12.36	74.0	-30.24	Peak	229.00	200	Horizontal	N/A
2**	2450.800	96.89	-12.36	54.0	-42.89	AV	229.00	200	Horizontal	N/A
3	4511.000	50.38	-3.57	74.0	23.62	Peak	321.00	150	Horizontal	Pass
3**	4511.000	40.22	-3.57	54.0	13.78	AV	321.00	150	Horizontal	Pass
4	6624.400	54.25	0.51	74.0	19.75	Peak	342.00	400	Horizontal	Pass
4**	6624.400	44.88	0.51	54.0	9.12	AV	342.00	400	Horizontal	Pass
5	12822.187	53.80	0.97	74.0	20.20	Peak	0.00	400	Horizontal	Pass
5**	12822.187	43.89	0.97	54.0	10.11	AV	0.00	400	Horizontal	Pass
6	17400.713	56.70	3.20	74.0	17.30	Peak	76.00	400	Horizontal	Pass
6**	17400.713	46.89	3.20	54.0	7.11	AV	76.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.300	38.97	-17.57	74.0	35.03	Peak	191.00	300	Vertical	Pass
1**	1358.300	29.08	-17.57	54.0	24.92	AV	191.00	300	Vertical	Pass
2	2451.400	90.93	-12.40	74.0	-16.93	Peak	136.00	150	Vertical	N/A
2**	2451.400	83.78	-12.40	54.0	-29.78	AV	136.00	150	Vertical	N/A
3	4978.000	51.53	-2.78	74.0	22.47	Peak	195.00	200	Vertical	Pass
3**	4978.000	42.29	-2.78	54.0	11.71	AV	195.00	200	Vertical	Pass
4	6606.200	54.54	1.38	74.0	19.46	Peak	259.00	400	Vertical	Pass
4**	6606.200	47.57	1.38	54.0	6.43	AV	259.00	400	Vertical	Pass
5	12812.474	53.58	0.85	74.0	20.42	Peak	24.00	100	Vertical	Pass
5**	12812.474	45.01	0.85	54.0	8.99	AV	24.00	100	Vertical	Pass
6	17473.425	56.69	2.85	74.0	17.31	Peak	213.00	300	Vertical	Pass
6**	17473.425	47.35	2.85	54.0	6.65	AV	213.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.400	39.31	-17.50	74.0	34.69	Peak	359.00	200	Horizontal	Pass
1**	1471.400	29.52	-17.50	54.0	24.48	AV	359.00	200	Horizontal	Pass
2	2448.300	104.35	-12.43	74.0	-30.35	Peak	225.00	150	Horizontal	N/A
2**	2448.300	96.48	-12.43	54.0	-42.48	AV	225.00	150	Horizontal	N/A
3	5132.800	50.52	-2.04	74.0	23.48	Peak	243.00	150	Horizontal	Pass
3**	5132.800	41.81	-2.04	54.0	12.19	AV	243.00	150	Horizontal	Pass
4	6609.600	55.16	1.55	74.0	18.84	Peak	342.00	200	Horizontal	Pass
4**	6609.600	46.11	1.55	54.0	7.89	AV	342.00	200	Horizontal	Pass
5	12995.438	53.28	1.23	74.0	20.72	Peak	209.00	100	Horizontal	Pass
5**	12995.438	44.15	1.23	54.0	9.85	AV	209.00	100	Horizontal	Pass
6	17424.075	56.55	3.65	74.0	17.45	Peak	91.00	400	Horizontal	Pass
6**	17424.075	47.44	3.65	54.0	6.56	AV	91.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.100	39.88	-17.42	74.0	34.12	Peak	74.00	300	Vertical	Pass
1**	1422.100	29.70	-17.42	54.0	24.30	AV	74.00	300	Vertical	Pass
2	2455.700	91.20	-12.53	74.0	-17.20	Peak	135.00	100	Vertical	N/A
2**	2455.700	84.53	-12.53	54.0	-30.53	AV	135.00	100	Vertical	N/A
3	4904.600	50.91	-2.32	74.0	23.09	Peak	213.00	100	Vertical	Pass
3**	4904.600	42.58	-2.32	54.0	11.42	AV	213.00	100	Vertical	Pass
4	6605.000	54.88	1.18	74.0	19.12	Peak	42.00	300	Vertical	Pass
4**	6605.000	45.80	1.18	54.0	8.20	AV	42.00	300	Vertical	Pass
5	12799.612	53.52	1.10	74.0	20.48	Peak	192.00	300	Vertical	Pass
5**	12799.612	44.10	1.10	54.0	9.90	AV	192.00	300	Vertical	Pass
6	13373.438	56.33	0.69	74.0	17.67	Peak	154.00	300	Vertical	Pass
6**	13373.438	46.56	0.69	54.0	7.44	AV	154.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1273.200	38.93	-17.31	74.0	35.07	Peak	78.00	200	Horizontal	Pass
1**	1273.200	29.71	-17.31	54.0	24.29	AV	78.00	200	Horizontal	Pass
2	2415.700	107.18	-12.36	74.0	-33.18	Peak	220.00	200	Horizontal	N/A
2**	2415.700	99.60	-12.36	54.0	-45.60	AV	220.00	200	Horizontal	N/A
3	4800.000	51.74	-2.77	74.0	22.26	Peak	149.00	200	Horizontal	Pass
3**	4800.000	41.91	-2.77	54.0	12.09	AV	149.00	200	Horizontal	Pass
4	6604.000	54.99	1.01	74.0	19.01	Peak	126.00	200	Horizontal	Pass
4**	6604.000	45.46	1.01	54.0	8.54	AV	126.00	200	Horizontal	Pass
5	12783.075	53.56	1.24	74.0	20.44	Peak	260.00	200	Horizontal	Pass
5**	12783.075	43.78	1.24	54.0	10.22	AV	260.00	200	Horizontal	Pass
6	17418.301	56.37	3.72	74.0	17.63	Peak	260.00	200	Horizontal	Pass
6**	17418.301	47.41	3.72	54.0	6.59	AV	260.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1284.700	39.27	-17.49	74.0	34.73	Peak	360.00	100	Vertical	Pass
1**	1284.700	29.02	-17.49	54.0	24.98	AV	360.00	100	Vertical	Pass
2	2416.000	92.56	-12.32	74.0	-18.56	Peak	134.00	150	Vertical	N/A
2**	2416.000	84.39	-12.32	54.0	-30.39	AV	134.00	150	Vertical	N/A
3	4996.800	51.09	-2.76	74.0	22.91	Peak	226.00	150	Vertical	Pass
3**	4996.800	41.61	-2.76	54.0	12.39	AV	226.00	150	Vertical	Pass
4	6611.000	54.76	1.47	74.0	19.24	Peak	260.00	100	Vertical	Pass
4**	6611.000	46.09	1.47	54.0	7.91	AV	260.00	100	Vertical	Pass
5	12817.200	53.54	0.88	74.0	20.46	Peak	28.00	300	Vertical	Pass
5**	12817.200	44.35	0.88	54.0	9.65	AV	28.00	300	Vertical	Pass
6	17422.500	56.18	3.69	74.0	17.82	Peak	236.00	200	Vertical	Pass
6**	17422.500	47.53	3.69	54.0	6.47	AV	236.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1353.200	39.52	-17.55	74.0	34.48	Peak	34.00	300	Horizontal	Pass
1**	1353.200	28.65	-17.55	54.0	25.35	AV	34.00	300	Horizontal	Pass
2	2414.600	107.88	-12.48	74.0	-33.88	Peak	211.00	200	Horizontal	N/A
2**	2414.600	99.66	-12.48	54.0	-45.66	AV	211.00	200	Horizontal	N/A
3	4904.000	51.19	-2.36	74.0	22.81	Peak	167.00	100	Horizontal	Pass
3**	4904.000	42.19	-2.36	54.0	11.81	AV	167.00	100	Horizontal	Pass
4	6609.800	54.97	1.54	74.0	19.03	Peak	0.00	200	Horizontal	Pass
4**	6609.800	46.72	1.54	54.0	7.28	AV	0.00	200	Horizontal	Pass
5	12605.674	53.38	1.91	74.0	20.62	Peak	212.00	300	Horizontal	Pass
5**	12605.674	44.05	1.91	54.0	9.95	AV	212.00	300	Horizontal	Pass
6	17369.475	56.24	2.41	74.0	17.76	Peak	201.00	100	Horizontal	Pass
6**	17369.475	46.76	2.41	54.0	7.24	AV	201.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1391.200	39.25	-17.59	74.0	34.75	Peak	360.00	300	Vertical	Pass
1**	1391.200	29.34	-17.59	54.0	24.66	AV	360.00	300	Vertical	Pass
2	2419.600	95.46	-12.40	74.0	-21.46	Peak	136.00	100	Vertical	N/A
2**	2419.600	88.55	-12.40	54.0	-34.55	AV	136.00	100	Vertical	N/A
3	4908.800	51.17	-2.52	74.0	22.83	Peak	27.00	200	Vertical	Pass
3**	4908.800	42.31	-2.52	54.0	11.69	AV	27.00	200	Vertical	Pass
4	6405.600	54.69	0.28	74.0	19.31	Peak	360.00	100	Vertical	Pass
4**	6405.600	46.17	0.28	54.0	7.83	AV	360.00	100	Vertical	Pass
5	12829.275	53.72	1.11	74.0	20.28	Peak	321.00	200	Vertical	Pass
5**	12829.275	44.85	1.11	54.0	9.15	AV	321.00	200	Vertical	Pass
6	17415.938	56.63	3.66	74.0	17.37	Peak	321.00	200	Vertical	Pass
6**	17415.938	47.38	3.66	54.0	6.62	AV	321.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.300	38.69	-17.66	74.0	35.31	Peak	145.00	300	Horizontal	Pass
1**	1507.300	29.01	-17.66	54.0	24.99	AV	145.00	300	Horizontal	Pass
2	2439.200	107.62	-12.41	74.0	-33.62	Peak	218.00	100	Horizontal	N/A
2**	2439.200	99.86	-12.41	54.0	-45.86	AV	218.00	100	Horizontal	N/A
3	4862.400	51.23	-3.37	74.0	22.77	Peak	294.00	150	Horizontal	Pass
3**	4862.400	42.14	-3.37	54.0	11.86	AV	294.00	150	Horizontal	Pass
4	6607.800	55.44	1.53	74.0	18.56	Peak	179.00	200	Horizontal	Pass
4**	6607.800	47.08	1.53	54.0	6.92	AV	179.00	200	Horizontal	Pass
5	12880.725	53.88	1.57	74.0	20.12	Peak	198.00	200	Horizontal	Pass
5**	12880.725	44.01	1.57	54.0	9.99	AV	198.00	200	Horizontal	Pass
6	17444.286	56.21	2.89	74.0	17.79	Peak	260.00	200	Horizontal	Pass
6**	17444.286	46.96	2.89	54.0	7.04	AV	260.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1318.300	39.63	-17.35	74.0	34.37	Peak	142.00	200	Vertical	Pass
1**	1318.300	29.61	-17.35	54.0	24.39	AV	142.00	200	Vertical	Pass
2	2436.200	96.36	-12.51	74.0	-22.36	Peak	186.00	100	Vertical	N/A
2**	2436.200	88.13	-12.51	54.0	-34.13	AV	186.00	100	Vertical	N/A
3	4790.400	50.73	-2.38	74.0	23.27	Peak	58.00	150	Vertical	Pass
3**	4790.400	41.40	-2.38	54.0	12.60	AV	58.00	150	Vertical	Pass
4	6270.600	56.15	0.50	74.0	17.85	Peak	58.00	200	Vertical	Pass
4**	6270.600	45.22	0.50	54.0	8.78	AV	58.00	200	Vertical	Pass
5	12739.363	53.32	1.30	74.0	20.68	Peak	336.00	300	Vertical	Pass
5**	12739.363	43.78	1.30	54.0	10.22	AV	336.00	300	Vertical	Pass
6	17420.401	55.96	3.75	74.0	18.04	Peak	279.00	300	Vertical	Pass
6**	17420.401	47.72	3.75	54.0	6.28	AV	279.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.900	39.10	-17.51	74.0	34.90	Peak	32.00	300	Horizontal	Pass
1**	1575.900	29.38	-17.51	54.0	24.62	AV	32.00	300	Horizontal	Pass
2	2453.100	107.16	-12.52	74.0	-33.16	Peak	214.00	100	Horizontal	N/A
2**	2453.100	100.41	-12.52	54.0	-46.41	AV	214.00	100	Horizontal	N/A
3	4819.000	51.03	-3.38	74.0	22.97	Peak	186.00	150	Horizontal	Pass
3**	4819.000	41.54	-3.38	54.0	12.46	AV	186.00	150	Horizontal	Pass
4	6274.200	54.56	0.38	74.0	19.44	Peak	0.00	200	Horizontal	Pass
4**	6274.200	45.27	0.38	54.0	8.73	AV	0.00	200	Horizontal	Pass
5	12831.901	53.43	1.18	74.0	20.57	Peak	301.00	100	Horizontal	Pass
5**	12831.901	43.82	1.18	54.0	10.18	AV	301.00	100	Horizontal	Pass
6	17355.037	56.72	2.08	74.0	17.28	Peak	301.00	400	Horizontal	Pass
6**	17355.037	47.21	2.08	54.0	6.79	AV	301.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1378.700	39.58	-17.43	74.0	34.42	Peak	220.00	300	Vertical	Pass
1**	1378.700	29.45	-17.43	54.0	24.55	AV	220.00	300	Vertical	Pass
2	2455.900	96.99	-12.51	74.0	-22.99	Peak	133.00	150	Vertical	N/A
2**	2455.900	89.61	-12.51	54.0	-35.61	AV	133.00	150	Vertical	N/A
3	4895.000	51.45	-2.98	74.0	22.55	Peak	25.00	200	Vertical	Pass
3**	4895.000	42.14	-2.98	54.0	11.86	AV	25.00	200	Vertical	Pass
4	6611.000	54.55	1.47	74.0	19.45	Peak	342.00	100	Vertical	Pass
4**	6611.000	46.46	1.47	54.0	7.54	AV	342.00	100	Vertical	Pass
5	12842.401	53.39	1.34	74.0	20.61	Peak	32.00	300	Vertical	Pass
5**	12842.401	44.62	1.34	54.0	9.38	AV	32.00	300	Vertical	Pass
6	17442.187	56.20	2.95	74.0	17.80	Peak	323.00	300	Vertical	Pass
6**	17442.187	46.60	2.95	54.0	7.40	AV	323.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.500	39.32	-17.31	74.0	34.68	Peak	306.00	400	Horizontal	Pass
1**	1553.500	29.48	-17.31	54.0	24.52	AV	306.00	400	Horizontal	Pass
2	2464.100	106.37	-12.47	74.0	-32.37	Peak	232.00	200	Horizontal	N/A
2**	2464.100	99.19	-12.47	54.0	-45.19	AV	232.00	200	Horizontal	N/A
3	4491.200	49.77	-4.25	74.0	24.23	Peak	0.00	150	Horizontal	Pass
3**	4491.200	40.03	-4.25	54.0	13.97	AV	0.00	150	Horizontal	Pass
4	6608.800	55.49	1.60	74.0	18.51	Peak	0.00	300	Horizontal	Pass
4**	6608.800	46.21	1.60	54.0	7.79	AV	0.00	300	Horizontal	Pass
5	12339.450	53.47	1.29	74.0	20.53	Peak	30.00	400	Horizontal	Pass
5**	12339.450	44.35	1.29	54.0	9.65	AV	30.00	400	Horizontal	Pass
6	17398.350	56.60	3.12	74.0	17.40	Peak	344.00	200	Horizontal	Pass
6**	17398.350	46.71	3.12	54.0	7.29	AV	344.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.800	39.25	-17.53	74.0	34.75	Peak	95.00	200	Vertical	Pass
1**	1531.800	29.96	-17.53	54.0	24.04	AV	95.00	200	Vertical	Pass
2	2464.400	96.12	-12.46	74.0	-22.12	Peak	132.00	150	Vertical	N/A
2**	2464.400	88.13	-12.46	54.0	-34.13	AV	132.00	150	Vertical	N/A
3	4877.800	50.88	-3.45	74.0	23.12	Peak	223.00	200	Vertical	Pass
3**	4877.800	41.51	-3.45	54.0	12.49	AV	223.00	200	Vertical	Pass
4	6679.000	55.27	0.19	74.0	18.73	Peak	288.00	100	Vertical	Pass
4**	6679.000	46.24	0.19	54.0	7.76	AV	288.00	100	Vertical	Pass
5	12822.974	53.90	0.99	74.0	20.10	Peak	360.00	100	Vertical	Pass
5**	12822.974	43.93	0.99	54.0	10.07	AV	360.00	100	Vertical	Pass
6	17421.713	56.48	3.71	74.0	17.52	Peak	156.00	300	Vertical	Pass
6**	17421.713	47.33	3.71	54.0	6.67	AV	156.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.500	38.85	-17.67	74.0	35.15	Peak	178.00	300	Horizontal	Pass
1**	1571.500	29.69	-17.67	54.0	24.31	AV	178.00	300	Horizontal	Pass
2	2418.800	104.05	-12.40	74.0	-30.05	Peak	222.00	150	Horizontal	N/A
2**	2418.800	96.85	-12.40	54.0	-42.85	AV	222.00	150	Horizontal	N/A
3	4792.800	51.38	-2.42	74.0	22.62	Peak	172.00	150	Horizontal	Pass
3**	4792.800	42.65	-2.42	54.0	11.35	AV	172.00	150	Horizontal	Pass
4	6684.200	54.73	0.04	74.0	19.27	Peak	105.00	200	Horizontal	Pass
4**	6684.200	44.99	0.04	54.0	9.01	AV	105.00	200	Horizontal	Pass
5	12887.287	53.31	1.57	74.0	20.69	Peak	262.00	300	Horizontal	Pass
5**	12887.287	44.00	1.57	54.0	10.00	AV	262.00	300	Horizontal	Pass
6	17450.062	56.28	2.82	74.0	17.72	Peak	119.00	200	Horizontal	Pass
6**	17450.062	46.76	2.82	54.0	7.24	AV	119.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.300	38.77	-17.53	74.0	35.23	Peak	0.00	300	Vertical	Pass
1**	1566.300	29.85	-17.53	54.0	24.15	AV	0.00	300	Vertical	Pass
2	2425.400	90.02	-12.66	74.0	-16.02	Peak	187.00	150	Vertical	N/A
2**	2425.400	82.11	-12.66	54.0	-28.11	AV	187.00	150	Vertical	N/A
3	4801.400	51.15	-2.92	74.0	22.85	Peak	360.00	100	Vertical	Pass
3**	4801.400	41.73	-2.92	54.0	12.27	AV	360.00	100	Vertical	Pass
4	6404.000	54.73	0.17	74.0	19.27	Peak	105.00	400	Vertical	Pass
4**	6404.000	45.79	0.17	54.0	8.21	AV	105.00	400	Vertical	Pass
5	12833.738	53.55	1.23	74.0	20.45	Peak	0.00	100	Vertical	Pass
5**	12833.738	43.89	1.23	54.0	10.11	AV	0.00	100	Vertical	Pass
6	17455.575	55.94	2.84	74.0	18.06	Peak	218.00	100	Vertical	Pass
6**	17455.575	47.12	2.84	54.0	6.88	AV	218.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.700	39.19	-17.24	74.0	34.81	Peak	360.00	400	Horizontal	Pass
1**	1446.700	30.00	-17.24	54.0	24.00	AV	360.00	400	Horizontal	Pass
2	2420.300	104.08	-12.40	74.0	-30.08	Peak	218.00	100	Horizontal	N/A
2**	2420.300	96.98	-12.40	54.0	-42.98	AV	218.00	100	Horizontal	N/A
3	4469.000	49.30	-3.89	74.0	24.70	Peak	218.00	150	Horizontal	Pass
3**	4469.000	40.00	-3.89	54.0	14.00	AV	218.00	150	Horizontal	Pass
4	6268.800	55.04	0.33	74.0	18.96	Peak	330.00	200	Horizontal	Pass
4**	6268.800	45.13	0.33	54.0	8.87	AV	330.00	200	Horizontal	Pass
5	12305.526	53.58	1.39	74.0	20.42	Peak	67.00	100	Horizontal	Pass
5**	12305.526	43.27	1.39	54.0	10.73	AV	67.00	100	Horizontal	Pass
6	17425.650	56.73	3.60	74.0	17.27	Peak	88.00	400	Horizontal	Pass
6**	17425.650	47.60	3.60	54.0	6.40	AV	88.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.900	39.32	-17.40	74.0	34.68	Peak	116.00	100	Vertical	Pass
1**	1337.900	28.94	-17.40	54.0	25.06	AV	116.00	100	Vertical	Pass
2	2430.900	89.98	-12.74	74.0	-15.98	Peak	186.00	150	Vertical	N/A
2**	2430.900	82.66	-12.74	54.0	-28.66	AV	186.00	150	Vertical	N/A
3	4904.200	52.26	-2.35	74.0	21.74	Peak	299.00	200	Vertical	Pass
3**	4904.200	42.18	-2.35	54.0	11.82	AV	299.00	200	Vertical	Pass
4	6610.000	54.90	1.53	74.0	19.10	Peak	342.00	300	Vertical	Pass
4**	6610.000	46.39	1.53	54.0	7.61	AV	342.00	300	Vertical	Pass
5	12851.588	53.82	1.38	74.0	20.18	Peak	343.00	100	Vertical	Pass
5**	12851.588	44.38	1.38	54.0	9.62	AV	343.00	100	Vertical	Pass
6	17415.412	56.50	3.65	74.0	17.50	Peak	0.00	200	Vertical	Pass
6**	17415.412	47.43	3.65	54.0	6.57	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.200	38.99	-17.37	74.0	35.01	Peak	41.00	400	Horizontal	Pass
1**	1555.200	30.47	-17.37	54.0	23.53	AV	41.00	400	Horizontal	Pass
2	2427.500	104.11	-12.74	74.0	-30.11	Peak	208.00	100	Horizontal	N/A
2**	2427.500	96.25	-12.74	54.0	-42.25	AV	208.00	100	Horizontal	N/A
3	5138.000	52.40	-2.27	74.0	21.60	Peak	327.00	150	Horizontal	Pass
3**	5138.000	41.71	-2.27	54.0	12.29	AV	327.00	150	Horizontal	Pass
4	6611.600	54.98	1.43	74.0	19.02	Peak	106.00	400	Horizontal	Pass
4**	6611.600	45.54	1.43	54.0	8.46	AV	106.00	400	Horizontal	Pass
5	12810.637	53.25	0.85	74.0	20.75	Peak	69.00	300	Horizontal	Pass
5**	12810.637	44.22	0.85	54.0	9.78	AV	69.00	300	Horizontal	Pass
6	17441.137	56.54	2.98	74.0	17.46	Peak	343.00	400	Horizontal	Pass
6**	17441.137	47.27	2.98	54.0	6.73	AV	343.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.300	39.23	-17.49	74.0	34.77	Peak	309.00	300	Vertical	Pass
1**	1495.300	30.10	-17.49	54.0	23.90	AV	309.00	300	Vertical	Pass
2	2427.500	92.06	-12.74	74.0	-18.06	Peak	183.00	100	Vertical	N/A
2**	2427.500	84.69	-12.74	54.0	-30.69	AV	183.00	100	Vertical	N/A
3	4911.400	50.82	-2.59	74.0	23.18	Peak	260.00	100	Vertical	Pass
3**	4911.400	41.39	-2.59	54.0	12.61	AV	260.00	100	Vertical	Pass
4	6611.400	54.48	1.45	74.0	19.52	Peak	155.00	400	Vertical	Pass
4**	6611.400	46.18	1.45	54.0	7.82	AV	155.00	400	Vertical	Pass
5	12816.151	53.43	0.86	74.0	20.57	Peak	102.00	100	Vertical	Pass
5**	12816.151	43.67	0.86	54.0	10.33	AV	102.00	100	Vertical	Pass
6	17413.313	56.33	3.57	74.0	17.67	Peak	0.00	200	Vertical	Pass
6**	17413.313	47.43	3.57	54.0	6.57	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.200	39.08	-17.36	74.0	34.92	Peak	94.00	300	Horizontal	Pass
1**	1557.200	29.23	-17.36	54.0	24.77	AV	94.00	300	Horizontal	Pass
2	2432.800	104.85	-12.69	74.0	-30.85	Peak	214.00	150	Horizontal	N/A
2**	2432.800	96.64	-12.69	54.0	-42.64	AV	214.00	150	Horizontal	N/A
3	4984.800	52.24	-2.86	74.0	21.76	Peak	102.00	150	Horizontal	Pass
3**	4984.800	41.98	-2.86	54.0	12.02	AV	102.00	150	Horizontal	Pass
4	6605.600	54.78	1.28	74.0	19.22	Peak	56.00	200	Horizontal	Pass
4**	6605.600	46.76	1.28	54.0	7.24	AV	56.00	200	Horizontal	Pass
5	12613.151	53.76	1.88	74.0	20.24	Peak	120.00	100	Horizontal	Pass
5**	12613.151	43.89	1.88	54.0	10.11	AV	120.00	100	Horizontal	Pass
6	17404.649	56.28	3.31	74.0	17.72	Peak	117.00	100	Horizontal	Pass
6**	17404.649	47.02	3.31	54.0	6.98	AV	117.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1388.800	39.11	-17.47	74.0	34.89	Peak	271.00	100	Vertical	Pass
1**	1388.800	30.04	-17.47	54.0	23.96	AV	271.00	100	Vertical	Pass
2	2431.200	93.17	-12.74	74.0	-19.17	Peak	181.00	150	Vertical	N/A
2**	2431.200	85.46	-12.74	54.0	-31.46	AV	181.00	150	Vertical	N/A
3	4906.800	51.36	-2.27	74.0	22.64	Peak	75.00	150	Vertical	Pass
3**	4906.800	41.66	-2.27	54.0	12.34	AV	75.00	150	Vertical	Pass
4	6608.600	54.63	1.59	74.0	19.37	Peak	214.00	200	Vertical	Pass
4**	6608.600	45.91	1.59	54.0	8.09	AV	214.00	200	Vertical	Pass
5	12832.950	53.99	1.21	74.0	20.01	Peak	114.00	100	Vertical	Pass
5**	12832.950	44.45	1.21	54.0	9.55	AV	114.00	100	Vertical	Pass
6	17413.575	56.37	3.58	74.0	17.63	Peak	0.00	300	Vertical	Pass
6**	17413.575	47.20	3.58	54.0	6.80	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.600	39.01	-17.41	74.0	34.99	Peak	36.00	200	Horizontal	Pass
1**	1379.600	29.28	-17.41	54.0	24.72	AV	36.00	200	Horizontal	Pass
2	2446.100	103.87	-12.63	74.0	-29.87	Peak	230.00	100	Horizontal	N/A
2**	2446.100	97.12	-12.63	54.0	-43.12	AV	230.00	100	Horizontal	N/A
3	4670.600	50.18	-3.55	74.0	23.82	Peak	99.00	150	Horizontal	Pass
3**	4670.600	40.47	-3.55	54.0	13.53	AV	99.00	150	Horizontal	Pass
4	6613.200	54.94	1.32	74.0	19.06	Peak	279.00	200	Horizontal	Pass
4**	6613.200	45.82	1.32	54.0	8.18	AV	279.00	200	Horizontal	Pass
5	12741.950	53.48	1.27	74.0	20.52	Peak	231.00	300	Horizontal	Pass
5**	12741.950	43.63	1.27	54.0	10.37	AV	231.00	300	Horizontal	Pass
6	17463.450	56.51	2.87	74.0	17.49	Peak	259.00	300	Horizontal	Pass
6**	17463.450	47.19	2.87	54.0	6.81	AV	259.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.500	38.83	-17.31	74.0	35.17	Peak	354.00	400	Vertical	Pass
1**	1534.500	29.99	-17.31	54.0	24.01	AV	354.00	400	Vertical	Pass
2	2426.500	91.61	-12.72	74.0	-17.61	Peak	185.00	150	Vertical	N/A
2**	2426.500	84.29	-12.72	54.0	-30.29	AV	185.00	150	Vertical	N/A
3	4995.200	51.32	-2.85	74.0	22.68	Peak	171.00	200	Vertical	Pass
3**	4995.200	42.23	-2.85	54.0	11.77	AV	171.00	200	Vertical	Pass
4	6669.800	55.00	0.11	74.0	19.00	Peak	255.00	100	Vertical	Pass
4**	6669.800	46.03	0.11	54.0	7.97	AV	255.00	100	Vertical	Pass
5	12857.099	53.56	1.43	74.0	20.44	Peak	67.00	200	Vertical	Pass
5**	12857.099	44.54	1.43	54.0	9.46	AV	67.00	200	Vertical	Pass
6	13352.175	56.48	0.99	74.0	17.52	Peak	258.00	200	Vertical	Pass
6**	13352.175	46.14	0.99	54.0	7.86	AV	258.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1434.500	39.22	-17.50	74.0	34.78	Peak	302.00	300	Horizontal	Pass
1**	1434.500	29.60	-17.50	54.0	24.40	AV	302.00	300	Horizontal	Pass
2	2450.600	104.42	-12.35	74.0	-30.42	Peak	226.00	100	Horizontal	N/A
2**	2450.600	97.00	-12.35	54.0	-43.00	AV	226.00	100	Horizontal	N/A
3	4919.800	51.71	-2.47	74.0	22.29	Peak	216.00	150	Horizontal	Pass
3**	4919.800	41.94	-2.47	54.0	12.06	AV	216.00	150	Horizontal	Pass
4	6609.800	55.35	1.54	74.0	18.65	Peak	192.00	400	Horizontal	Pass
4**	6609.800	46.18	1.54	54.0	7.82	AV	192.00	400	Horizontal	Pass
5	12845.287	53.68	1.35	74.0	20.32	Peak	274.00	400	Horizontal	Pass
5**	12845.287	44.43	1.35	54.0	9.57	AV	274.00	400	Horizontal	Pass
6	17439.562	57.41	3.04	74.0	16.59	Peak	254.00	200	Horizontal	Pass
6**	17439.562	47.33	3.04	54.0	6.67	AV	254.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1276.300	38.89	-17.47	74.0	35.11	Peak	236.00	300	Vertical	Pass
1**	1276.300	29.26	-17.47	54.0	24.74	AV	236.00	300	Vertical	Pass
2	2453.100	90.97	-12.52	74.0	-16.97	Peak	135.00	100	Vertical	N/A
2**	2453.100	82.45	-12.52	54.0	-28.45	AV	135.00	100	Vertical	N/A
3	4945.200	50.92	-2.94	74.0	23.08	Peak	248.00	100	Vertical	Pass
3**	4945.200	41.19	-2.94	54.0	12.81	AV	248.00	100	Vertical	Pass
4	6630.000	56.46	0.85	74.0	17.54	Peak	306.00	400	Vertical	Pass
4**	6630.000	46.28	0.85	54.0	7.72	AV	306.00	400	Vertical	Pass
5	12874.687	53.74	1.50	74.0	20.26	Peak	54.00	200	Vertical	Pass
5**	12874.687	44.69	1.50	54.0	9.31	AV	54.00	200	Vertical	Pass
6	15400.463	56.89	0.77	74.0	17.11	Peak	54.00	400	Vertical	Pass
6**	15400.463	45.53	0.77	54.0	8.47	AV	54.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.900	38.98	-17.21	74.0	35.02	Peak	296.00	200	Horizontal	Pass
1**	1340.900	30.40	-17.21	54.0	23.60	AV	296.00	200	Horizontal	Pass
2	2454.300	104.25	-12.62	74.0	-30.25	Peak	227.00	100	Horizontal	N/A
2**	2454.300	96.49	-12.62	54.0	-42.49	AV	227.00	100	Horizontal	N/A
3	4965.800	51.56	-3.10	74.0	22.44	Peak	317.00	150	Horizontal	Pass
3**	4965.800	41.22	-3.10	54.0	12.78	AV	317.00	150	Horizontal	Pass
4	6606.400	54.93	1.42	74.0	19.07	Peak	329.00	200	Horizontal	Pass
4**	6606.400	45.86	1.42	54.0	8.14	AV	329.00	200	Horizontal	Pass
5	12736.775	53.78	1.30	74.0	20.22	Peak	299.00	200	Horizontal	Pass
5**	12736.775	44.22	1.30	54.0	9.78	AV	299.00	200	Horizontal	Pass
6	17441.663	56.58	2.97	74.0	17.42	Peak	321.00	400	Horizontal	Pass
6**	17441.663	47.01	2.97	54.0	6.99	AV	321.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.900	39.09	-17.58	74.0	34.91	Peak	75.00	300	Vertical	Pass
1**	1585.900	29.68	-17.58	54.0	24.32	AV	75.00	300	Vertical	Pass
2	2454.800	90.56	-12.62	74.0	-16.56	Peak	134.00	100	Vertical	N/A
2**	2454.800	82.70	-12.62	54.0	-28.70	AV	134.00	100	Vertical	N/A
3	4786.800	51.19	-2.67	74.0	22.81	Peak	155.00	150	Vertical	Pass
3**	4786.800	41.39	-2.67	54.0	12.61	AV	155.00	150	Vertical	Pass
4	6677.600	54.21	0.28	74.0	19.79	Peak	190.00	100	Vertical	Pass
4**	6677.600	45.74	0.28	54.0	8.26	AV	190.00	100	Vertical	Pass
5	12733.901	53.39	1.30	74.0	20.61	Peak	228.00	300	Vertical	Pass
5**	12733.901	44.08	1.30	54.0	9.92	AV	228.00	300	Vertical	Pass
6	17410.425	56.16	3.46	74.0	17.84	Peak	154.00	300	Vertical	Pass
6**	17410.425	47.06	3.46	54.0	6.94	AV	154.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.200	38.91	-17.44	74.0	35.09	Peak	20.00	400	Horizontal	Pass
1**	1387.200	29.04	-17.44	54.0	24.96	AV	20.00	400	Horizontal	Pass
2	2410.900	108.39	-12.59	74.0	-34.39	Peak	207.00	150	Horizontal	N/A
2**	2410.900	99.45	-12.59	54.0	-45.45	AV	207.00	150	Horizontal	N/A
3	4785.600	51.11	-2.71	74.0	22.89	Peak	350.00	200	Horizontal	Pass
3**	4785.600	41.30	-2.71	54.0	12.70	AV	350.00	200	Horizontal	Pass
4	6612.000	54.43	1.41	74.0	19.57	Peak	65.00	200	Horizontal	Pass
4**	6612.000	46.37	1.41	54.0	7.63	AV	65.00	200	Horizontal	Pass
5	12882.037	53.45	1.56	74.0	20.55	Peak	46.00	100	Horizontal	Pass
5**	12882.037	44.39	1.56	54.0	9.61	AV	46.00	100	Horizontal	Pass
6	17413.050	56.30	3.56	74.0	17.70	Peak	151.00	300	Horizontal	Pass
6**	17413.050	47.64	3.56	54.0	6.36	AV	151.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1407.300	39.26	-17.41	74.0	34.74	Peak	66.00	100	Vertical	Pass
1**	1407.300	29.66	-17.41	54.0	24.34	AV	66.00	100	Vertical	Pass
2	2419.300	94.03	-12.40	74.0	-20.03	Peak	189.00	150	Vertical	N/A
2**	2419.300	84.53	-12.40	54.0	-30.53	AV	189.00	150	Vertical	N/A
3	4900.400	51.30	-2.61	74.0	22.70	Peak	201.00	150	Vertical	Pass
3**	4900.400	41.78	-2.61	54.0	12.22	AV	201.00	150	Vertical	Pass
4	6603.000	55.20	0.84	74.0	18.80	Peak	51.00	100	Vertical	Pass
4**	6603.000	45.77	0.84	54.0	8.23	AV	51.00	100	Vertical	Pass
5	12882.825	53.47	1.56	74.0	20.53	Peak	52.00	400	Vertical	Pass
5**	12882.825	44.45	1.56	54.0	9.55	AV	52.00	400	Vertical	Pass
6	15506.513	56.61	1.33	74.0	17.39	Peak	0.00	100	Vertical	Pass
6**	15506.513	45.97	1.33	54.0	8.03	AV	0.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.900	40.16	-17.51	74.0	33.84	Peak	120.00	400	Horizontal	Pass
1**	1412.900	29.65	-17.51	54.0	24.35	AV	120.00	400	Horizontal	Pass
2	2418.300	109.39	-12.39	74.0	-35.39	Peak	237.00	200	Horizontal	N/A
2**	2418.300	100.51	-12.39	54.0	-46.51	AV	237.00	200	Horizontal	N/A
3	4736.600	50.42	-3.70	74.0	23.58	Peak	26.00	150	Horizontal	Pass
3**	4736.600	41.37	-3.70	54.0	12.63	AV	26.00	150	Horizontal	Pass
4	6607.600	54.67	1.52	74.0	19.33	Peak	77.00	100	Horizontal	Pass
4**	6607.600	46.71	1.52	54.0	7.29	AV	77.00	100	Horizontal	Pass
5	12994.125	53.43	1.20	74.0	20.57	Peak	321.00	400	Horizontal	Pass
5**	12994.125	44.14	1.20	54.0	9.86	AV	321.00	400	Horizontal	Pass
6	17401.500	56.06	3.22	74.0	17.94	Peak	260.00	200	Horizontal	Pass
6**	17401.500	47.42	3.22	54.0	6.58	AV	260.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.200	38.99	-17.40	74.0	35.01	Peak	120.00	300	Vertical	Pass
1**	1552.200	29.97	-17.40	54.0	24.03	AV	120.00	300	Vertical	Pass
2	2421.800	96.80	-12.49	74.0	-22.80	Peak	190.00	200	Vertical	N/A
2**	2421.800	87.56	-12.49	54.0	-33.56	AV	190.00	200	Vertical	N/A
3	4976.000	51.72	-2.79	74.0	22.28	Peak	162.00	150	Vertical	Pass
3**	4976.000	41.20	-2.79	54.0	12.80	AV	162.00	150	Vertical	Pass
4	6608.200	55.01	1.56	74.0	18.99	Peak	209.00	200	Vertical	Pass
4**	6608.200	47.23	1.56	54.0	6.77	AV	209.00	200	Vertical	Pass
5	12287.126	53.25	1.73	74.0	20.75	Peak	165.00	100	Vertical	Pass
5**	12287.126	44.42	1.73	54.0	9.58	AV	165.00	100	Vertical	Pass
6	15856.687	56.28	1.10	74.0	17.72	Peak	170.00	300	Vertical	Pass
6**	15856.687	46.62	1.10	54.0	7.38	AV	170.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1386.700	38.80	-17.41	74.0	35.20	Peak	289.00	100	Horizontal	Pass
1**	1386.700	30.22	-17.41	54.0	23.78	AV	289.00	100	Horizontal	Pass
2	2436.400	108.67	-12.50	74.0	-34.67	Peak	320.00	200	Horizontal	N/A
2**	2436.400	99.79	-12.50	54.0	-45.79	AV	320.00	200	Horizontal	N/A
3	4898.200	51.17	-2.64	74.0	22.83	Peak	57.00	150	Horizontal	Pass
3**	4898.200	42.28	-2.64	54.0	11.72	AV	57.00	150	Horizontal	Pass
4	6607.000	54.85	1.48	74.0	19.15	Peak	125.00	100	Horizontal	Pass
4**	6607.000	45.98	1.48	54.0	8.02	AV	125.00	100	Horizontal	Pass
5	12877.312	53.99	1.53	74.0	20.01	Peak	93.00	200	Horizontal	Pass
5**	12877.312	44.70	1.53	54.0	9.30	AV	93.00	200	Horizontal	Pass
6	17406.751	56.52	3.36	74.0	17.48	Peak	321.00	300	Horizontal	Pass
6**	17406.751	47.11	3.36	54.0	6.89	AV	321.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.500	39.81	-17.51	74.0	34.19	Peak	314.00	400	Vertical	Pass
1**	1468.500	29.48	-17.51	54.0	24.52	AV	314.00	400	Vertical	Pass
2	2434.600	97.78	-12.59	74.0	-23.78	Peak	183.00	200	Vertical	N/A
2**	2434.600	88.53	-12.59	54.0	-34.53	AV	183.00	200	Vertical	N/A
3	4977.000	51.52	-2.74	74.0	22.48	Peak	65.00	100	Vertical	Pass
3**	4977.000	42.14	-2.74	54.0	11.86	AV	65.00	100	Vertical	Pass
4	6605.800	55.09	1.32	74.0	18.91	Peak	341.00	100	Vertical	Pass
4**	6605.800	46.70	1.32	54.0	7.30	AV	341.00	100	Vertical	Pass
5	12820.875	53.42	0.94	74.0	20.58	Peak	131.00	300	Vertical	Pass
5**	12820.875	44.45	0.94	54.0	9.55	AV	131.00	300	Vertical	Pass
6	17392.312	56.06	2.93	74.0	17.94	Peak	0.00	300	Vertical	Pass
6**	17392.312	46.49	2.93	54.0	7.51	AV	0.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.600	39.30	-17.49	74.0	34.70	Peak	131.00	300	Horizontal	Pass
1**	1505.600	29.34	-17.49	54.0	24.66	AV	131.00	300	Horizontal	Pass
2	2453.900	107.93	-12.59	74.0	-33.93	Peak	226.00	150	Horizontal	N/A
2**	2453.900	99.76	-12.59	54.0	-45.76	AV	226.00	150	Horizontal	N/A
3	4584.800	49.89	-3.81	74.0	24.11	Peak	8.00	150	Horizontal	Pass
3**	4584.800	40.36	-3.81	54.0	13.64	AV	8.00	150	Horizontal	Pass
4	6602.600	54.81	0.77	74.0	19.19	Peak	133.00	300	Horizontal	Pass
4**	6602.600	46.05	0.77	54.0	7.95	AV	133.00	300	Horizontal	Pass
5	12846.338	53.77	1.35	74.0	20.23	Peak	65.00	400	Horizontal	Pass
5**	12846.338	44.49	1.35	54.0	9.51	AV	65.00	400	Horizontal	Pass
6	17410.163	55.87	3.45	74.0	18.13	Peak	110.00	400	Horizontal	Pass
6**	17410.163	47.62	3.45	54.0	6.38	AV	110.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.800	39.28	-17.47	74.0	34.72	Peak	0.00	400	Vertical	Pass
1**	1578.800	29.82	-17.47	54.0	24.18	AV	0.00	400	Vertical	Pass
2	2454.700	98.95	-12.63	74.0	-24.95	Peak	146.00	200	Vertical	N/A
2**	2454.700	89.60	-12.63	54.0	-35.60	AV	146.00	200	Vertical	N/A
3	4748.200	51.27	-3.49	74.0	22.73	Peak	281.00	150	Vertical	Pass
3**	4748.200	40.78	-3.49	54.0	13.22	AV	281.00	150	Vertical	Pass
4	6678.400	54.93	0.23	74.0	19.07	Peak	68.00	100	Vertical	Pass
4**	6678.400	46.17	0.23	54.0	7.83	AV	68.00	100	Vertical	Pass
5	12825.600	53.66	1.05	74.0	20.34	Peak	114.00	400	Vertical	Pass
5**	12825.600	44.87	1.05	54.0	9.13	AV	114.00	400	Vertical	Pass
6	17454.524	56.33	2.84	74.0	17.67	Peak	261.00	100	Vertical	Pass
6**	17454.524	47.42	2.84	54.0	6.58	AV	261.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.500	39.06	-17.46	74.0	34.94	Peak	91.00	300	Horizontal	Pass
1**	1583.500	29.27	-17.46	54.0	24.73	AV	91.00	300	Horizontal	Pass
2	2462.600	108.28	-12.51	74.0	-34.28	Peak	220.00	100	Horizontal	N/A
2**	2462.600	98.72	-12.51	54.0	-44.72	AV	220.00	100	Horizontal	N/A
3	4793.800	51.21	-2.32	74.0	22.79	Peak	113.00	150	Horizontal	Pass
3**	4793.800	42.09	-2.32	54.0	11.91	AV	113.00	150	Horizontal	Pass
4	6589.200	54.99	-1.02	74.0	19.01	Peak	198.00	200	Horizontal	Pass
4**	6589.200	44.61	-1.02	54.0	9.39	AV	198.00	200	Horizontal	Pass
5	12960.263	53.35	0.90	74.0	20.65	Peak	278.00	400	Horizontal	Pass
5**	12960.263	42.85	0.90	54.0	11.15	AV	278.00	400	Horizontal	Pass
6	17411.738	56.89	3.51	74.0	17.11	Peak	299.00	400	Horizontal	Pass
6**	17411.738	47.28	3.51	54.0	6.72	AV	299.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.600	39.17	-17.47	74.0	34.83	Peak	231.00	300	Vertical	Pass
1**	1387.600	29.84	-17.47	54.0	24.16	AV	231.00	300	Vertical	Pass
2	2462.500	96.03	-12.51	74.0	-22.03	Peak	130.00	100	Vertical	N/A
2**	2462.500	87.38	-12.51	54.0	-33.38	AV	130.00	100	Vertical	N/A
3	4797.000	51.33	-2.57	74.0	22.67	Peak	18.00	150	Vertical	Pass
3**	4797.000	42.21	-2.57	54.0	11.79	AV	18.00	150	Vertical	Pass
4	6269.800	54.76	0.43	74.0	19.24	Peak	50.00	400	Vertical	Pass
4**	6269.800	45.52	0.43	54.0	8.48	AV	50.00	400	Vertical	Pass
5	12793.575	53.96	1.16	74.0	20.04	Peak	238.00	400	Vertical	Pass
5**	12793.575	43.82	1.16	54.0	10.18	AV	238.00	400	Vertical	Pass
6	15857.212	56.65	1.08	74.0	17.35	Peak	280.00	200	Vertical	Pass
6**	15857.212	46.13	1.08	54.0	7.87	AV	280.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1284.700	39.41	-17.49	74.0	34.59	Peak	286.00	100	Horizontal	Pass
1**	1284.700	29.31	-17.49	54.0	24.69	AV	286.00	100	Horizontal	Pass
2	2420.500	105.26	-12.40	74.0	-31.26	Peak	212.00	100	Horizontal	N/A
2**	2420.500	96.45	-12.40	54.0	-42.45	AV	212.00	100	Horizontal	N/A
3	4660.600	50.09	-3.44	74.0	23.91	Peak	318.00	150	Horizontal	Pass
3**	4660.600	41.05	-3.44	54.0	12.95	AV	318.00	150	Horizontal	Pass
4	6297.000	54.66	0.21	74.0	19.34	Peak	114.00	300	Horizontal	Pass
4**	6297.000	45.21	0.21	54.0	8.79	AV	114.00	300	Horizontal	Pass
5	12836.362	53.37	1.28	74.0	20.63	Peak	0.00	400	Horizontal	Pass
5**	12836.362	45.07	1.28	54.0	8.93	AV	0.00	400	Horizontal	Pass
6	17447.698	56.17	2.84	74.0	17.83	Peak	125.00	100	Horizontal	Pass
6**	17447.698	47.03	2.84	54.0	6.97	AV	125.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1364.300	39.10	-17.39	74.0	34.90	Peak	265.00	400	Vertical	Pass
1**	1364.300	29.63	-17.39	54.0	24.37	AV	265.00	400	Vertical	Pass
2	2425.300	89.88	-12.65	74.0	-15.88	Peak	190.00	200	Vertical	N/A
2**	2425.300	81.26	-12.65	54.0	-27.26	AV	190.00	200	Vertical	N/A
3	4882.000	51.16	-3.40	74.0	22.84	Peak	227.00	200	Vertical	Pass
3**	4882.000	41.86	-3.40	54.0	12.14	AV	227.00	200	Vertical	Pass
4	6805.000	53.55	-0.51	74.0	20.45	Peak	328.00	150	Vertical	Pass
4**	6805.000	43.44	-0.51	54.0	10.56	AV	328.00	150	Vertical	Pass
5	12850.800	53.43	1.37	74.0	20.57	Peak	33.00	300	Vertical	Pass
5**	12850.800	43.88	1.37	54.0	10.12	AV	33.00	300	Vertical	Pass
6	17355.825	56.57	2.11	74.0	17.43	Peak	110.00	300	Vertical	Pass
6**	17355.825	46.72	2.11	54.0	7.28	AV	110.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	39.30	-17.43	74.0	34.70	Peak	183.00	300	Horizontal	Pass
1**	1495.700	29.47	-17.43	54.0	24.53	AV	183.00	300	Horizontal	Pass
2	2429.300	105.96	-12.74	74.0	-31.96	Peak	221.00	100	Horizontal	N/A
2**	2429.300	95.45	-12.74	54.0	-41.45	AV	221.00	100	Horizontal	N/A
3	4489.600	49.80	-4.28	74.0	24.20	Peak	0.00	150	Horizontal	Pass
3**	4489.600	40.17	-4.28	54.0	13.83	AV	0.00	150	Horizontal	Pass
4	6676.400	54.50	0.31	74.0	19.50	Peak	246.00	400	Horizontal	Pass
4**	6676.400	45.94	0.31	54.0	8.06	AV	246.00	400	Horizontal	Pass
5	12846.075	53.30	1.35	74.0	20.70	Peak	70.00	300	Horizontal	Pass
5**	12846.075	44.54	1.35	54.0	9.46	AV	70.00	300	Horizontal	Pass
6	16029.412	56.57	0.71	74.0	17.43	Peak	216.00	100	Horizontal	Pass
6**	16029.412	47.01	0.71	54.0	6.99	AV	216.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.700	39.44	-17.36	74.0	34.56	Peak	120.00	400	Vertical	Pass
1**	1305.700	29.38	-17.36	54.0	24.62	AV	120.00	400	Vertical	Pass
2	2428.300	93.15	-12.74	74.0	-19.15	Peak	186.00	200	Vertical	N/A
2**	2428.300	82.95	-12.74	54.0	-28.95	AV	186.00	200	Vertical	N/A
3	4928.400	51.20	-2.53	74.0	22.80	Peak	317.00	200	Vertical	Pass
3**	4928.400	42.53	-2.53	54.0	11.47	AV	317.00	200	Vertical	Pass
4	6604.200	55.50	1.05	74.0	18.50	Peak	351.00	400	Vertical	Pass
4**	6604.200	45.67	1.05	54.0	8.33	AV	351.00	400	Vertical	Pass
5	12614.013	53.87	1.88	74.0	20.13	Peak	350.00	100	Vertical	Pass
5**	12614.013	43.97	1.88	54.0	10.03	AV	350.00	100	Vertical	Pass
6	17423.813	56.19	3.65	74.0	17.81	Peak	235.00	100	Vertical	Pass
6**	17423.813	46.94	3.65	54.0	7.06	AV	235.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	39.21	-17.52	74.0	34.79	Peak	289.00	300	Horizontal	Pass
1**	1499.200	30.67	-17.52	54.0	23.33	AV	289.00	300	Horizontal	Pass
2	2426.500	106.31	-12.72	74.0	-32.31	Peak	230.00	200	Horizontal	N/A
2**	2426.500	95.76	-12.72	54.0	-41.76	AV	230.00	200	Horizontal	N/A
3	4804.800	51.92	-3.21	74.0	22.08	Peak	259.00	150	Horizontal	Pass
3**	4804.800	40.97	-3.21	54.0	13.03	AV	259.00	150	Horizontal	Pass
4	6608.200	54.89	1.56	74.0	19.11	Peak	0.00	200	Horizontal	Pass
4**	6608.200	45.86	1.56	54.0	8.14	AV	0.00	200	Horizontal	Pass
5	12241.412	53.28	1.05	74.0	20.72	Peak	337.00	200	Horizontal	Pass
5**	12241.412	43.87	1.05	54.0	10.13	AV	337.00	200	Horizontal	Pass
6	17415.150	57.20	3.64	74.0	16.80	Peak	239.00	400	Horizontal	Pass
6**	17415.150	47.93	3.64	54.0	6.07	AV	239.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.100	38.83	-17.55	74.0	35.17	Peak	9.00	200	Vertical	Pass
1**	1453.100	29.32	-17.55	54.0	24.68	AV	9.00	200	Vertical	Pass
2	2426.600	91.91	-12.72	74.0	-17.91	Peak	181.00	200	Vertical	N/A
2**	2426.600	82.28	-12.72	54.0	-28.28	AV	181.00	200	Vertical	N/A
3	4644.000	51.73	-3.85	74.0	22.27	Peak	59.00	150	Vertical	Pass
3**	4644.000	40.20	-3.85	54.0	13.80	AV	59.00	150	Vertical	Pass
4	6681.800	54.95	0.14	74.0	19.05	Peak	0.00	200	Vertical	Pass
4**	6681.800	45.68	0.14	54.0	8.32	AV	0.00	200	Vertical	Pass
5	12887.026	53.15	1.57	74.0	20.85	Peak	156.00	200	Vertical	Pass
5**	12887.026	43.89	1.57	54.0	10.11	AV	156.00	200	Vertical	Pass
6	17412.526	56.88	3.54	74.0	17.12	Peak	260.00	400	Vertical	Pass
6**	17412.526	47.63	3.54	54.0	6.37	AV	260.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1373.500	38.72	-17.32	74.0	35.28	Peak	96.00	100	Horizontal	Pass
1**	1373.500	28.83	-17.32	54.0	25.17	AV	96.00	100	Horizontal	Pass
2	2421.000	105.32	-12.43	74.0	-31.32	Peak	148.00	150	Horizontal	N/A
2**	2421.000	95.52	-12.43	54.0	-41.52	AV	148.00	150	Horizontal	N/A
3	4774.800	51.03	-2.79	74.0	22.97	Peak	110.00	150	Horizontal	Pass
3**	4774.800	42.58	-2.79	54.0	11.42	AV	110.00	150	Horizontal	Pass
4	6608.200	54.68	1.56	74.0	19.32	Peak	192.00	100	Horizontal	Pass
4**	6608.200	46.86	1.56	54.0	7.14	AV	192.00	100	Horizontal	Pass
5	12870.225	54.29	1.44	74.0	19.71	Peak	241.00	300	Horizontal	Pass
5**	12870.225	43.84	1.44	54.0	10.16	AV	241.00	300	Horizontal	Pass
6	17403.599	56.10	3.28	74.0	17.90	Peak	116.00	200	Horizontal	Pass
6**	17403.599	47.36	3.28	54.0	6.64	AV	116.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1392.000	39.00	-17.69	74.0	35.00	Peak	186.00	400	Vertical	Pass
1**	1392.000	28.89	-17.69	54.0	25.11	AV	186.00	400	Vertical	Pass
2	2433.400	93.50	-12.67	74.0	-19.50	Peak	192.00	100	Vertical	N/A
2**	2433.400	84.42	-12.67	54.0	-30.42	AV	192.00	100	Vertical	N/A
3	4946.000	50.90	-3.06	74.0	23.10	Peak	283.00	100	Vertical	Pass
3**	4946.000	41.11	-3.06	54.0	12.89	AV	283.00	100	Vertical	Pass
4	6630.000	55.09	0.85	74.0	18.91	Peak	360.00	300	Vertical	Pass
4**	6630.000	45.76	0.85	54.0	8.24	AV	360.00	300	Vertical	Pass
5	12797.513	53.53	1.13	74.0	20.47	Peak	285.00	100	Vertical	Pass
5**	12797.513	44.05	1.13	54.0	9.95	AV	285.00	100	Vertical	Pass
6	17484.188	56.58	2.55	74.0	17.42	Peak	6.00	200	Vertical	Pass
6**	17484.188	46.40	2.55	54.0	7.60	AV	6.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.100	39.35	-17.32	74.0	34.65	Peak	40.00	300	Horizontal	Pass
1**	1448.100	29.23	-17.32	54.0	24.77	AV	40.00	300	Horizontal	Pass
2	2448.500	105.42	-12.42	74.0	-31.42	Peak	150.00	150	Horizontal	N/A
2**	2448.500	96.51	-12.42	54.0	-42.51	AV	150.00	150	Horizontal	N/A
3	5181.600	51.66	-2.58	74.0	22.34	Peak	160.00	150	Horizontal	Pass
3**	5181.600	42.59	-2.58	54.0	11.41	AV	160.00	150	Horizontal	Pass
4	6605.000	54.88	1.18	74.0	19.12	Peak	78.00	400	Horizontal	Pass
4**	6605.000	45.90	1.18	54.0	8.10	AV	78.00	400	Horizontal	Pass
5	12847.651	53.46	1.36	74.0	20.54	Peak	53.00	400	Horizontal	Pass
5**	12847.651	44.17	1.36	54.0	9.83	AV	53.00	400	Horizontal	Pass
6	17404.125	56.05	3.29	74.0	17.95	Peak	30.00	200	Horizontal	Pass
6**	17404.125	47.27	3.29	54.0	6.73	AV	30.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.200	39.07	-17.48	74.0	34.93	Peak	148.00	200	Vertical	Pass
1**	1550.200	29.18	-17.48	54.0	24.82	AV	148.00	200	Vertical	Pass
2	2433.600	92.48	-12.66	74.0	-18.48	Peak	179.00	100	Vertical	N/A
2**	2433.600	81.91	-12.66	54.0	-27.91	AV	179.00	100	Vertical	N/A
3	4984.400	50.84	-2.85	74.0	23.16	Peak	280.00	200	Vertical	Pass
3**	4984.400	41.82	-2.85	54.0	12.18	AV	280.00	200	Vertical	Pass
4	6676.600	54.86	0.32	74.0	19.14	Peak	140.00	300	Vertical	Pass
4**	6676.600	45.80	0.32	54.0	8.20	AV	140.00	300	Vertical	Pass
5	12851.849	53.60	1.38	74.0	20.40	Peak	173.00	200	Vertical	Pass
5**	12851.849	44.29	1.38	54.0	9.71	AV	173.00	200	Vertical	Pass
6	17399.400	56.32	3.16	74.0	17.68	Peak	0.00	200	Vertical	Pass
6**	17399.400	47.24	3.16	54.0	6.76	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1364.200	38.88	-17.39	74.0	35.12	Peak	30.00	100	Horizontal	Pass
1**	1364.200	29.72	-17.39	54.0	24.28	AV	30.00	100	Horizontal	Pass
2	2449.700	105.05	-12.36	74.0	-31.05	Peak	217.00	100	Horizontal	N/A
2**	2449.700	96.43	-12.36	54.0	-42.43	AV	217.00	100	Horizontal	N/A
3	4437.600	48.90	-4.09	74.0	25.10	Peak	212.00	150	Horizontal	Pass
3**	4437.600	39.94	-4.09	54.0	14.06	AV	212.00	150	Horizontal	Pass
4	6675.000	55.16	0.23	74.0	18.84	Peak	274.00	100	Horizontal	Pass
4**	6675.000	45.16	0.23	54.0	8.84	AV	274.00	100	Horizontal	Pass
5	12804.600	53.38	0.94	74.0	20.62	Peak	68.00	100	Horizontal	Pass
5**	12804.600	44.23	0.94	54.0	9.77	AV	68.00	100	Horizontal	Pass
6	17405.176	56.85	3.32	74.0	17.15	Peak	248.00	200	Horizontal	Pass
6**	17405.176	47.14	3.32	54.0	6.86	AV	248.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.300	39.50	-17.39	74.0	34.50	Peak	333.00	200	Vertical	Pass
1**	1365.300	29.26	-17.39	54.0	24.74	AV	333.00	200	Vertical	Pass
2	2447.900	91.29	-12.47	74.0	-17.29	Peak	187.00	200	Vertical	N/A
2**	2447.900	82.12	-12.47	54.0	-28.12	AV	187.00	200	Vertical	N/A
3	4899.200	51.93	-2.63	74.0	22.07	Peak	7.00	100	Vertical	Pass
3**	4899.200	42.69	-2.63	54.0	11.31	AV	7.00	100	Vertical	Pass
4	6276.800	54.77	0.27	74.0	19.23	Peak	41.00	300	Vertical	Pass
4**	6276.800	44.94	0.27	54.0	9.06	AV	41.00	300	Vertical	Pass
5	12810.637	53.26	0.85	74.0	20.74	Peak	192.00	400	Vertical	Pass
5**	12810.637	44.16	0.85	54.0	9.84	AV	192.00	400	Vertical	Pass
6	13309.650	56.73	0.86	74.0	17.27	Peak	146.00	300	Vertical	Pass
6**	13309.650	46.16	0.86	54.0	7.84	AV	146.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1415.900	39.46	-17.55	74.0	34.54	Peak	39.00	400	Horizontal	Pass
1**	1415.900	29.55	-17.55	54.0	24.45	AV	39.00	400	Horizontal	Pass
2	2455.000	104.82	-12.60	74.0	-30.82	Peak	206.00	200	Horizontal	N/A
2**	2455.000	95.49	-12.60	54.0	-41.49	AV	206.00	200	Horizontal	N/A
3	4901.400	51.10	-2.54	74.0	22.90	Peak	134.00	150	Horizontal	Pass
3**	4901.400	42.34	-2.54	54.0	11.66	AV	134.00	150	Horizontal	Pass
4	6607.600	54.83	1.52	74.0	19.17	Peak	201.00	100	Horizontal	Pass
4**	6607.600	46.44	1.52	54.0	7.56	AV	201.00	100	Horizontal	Pass
5	12606.250	53.65	1.91	74.0	20.35	Peak	193.00	400	Horizontal	Pass
5**	12606.250	43.15	1.91	54.0	10.85	AV	193.00	400	Horizontal	Pass
6	15798.150	56.56	2.27	74.0	17.44	Peak	259.00	300	Horizontal	Pass
6**	15798.150	46.89	2.27	54.0	7.11	AV	259.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.400	39.52	-17.39	74.0	34.48	Peak	237.00	300	Vertical	Pass
1**	1385.400	29.61	-17.39	54.0	24.39	AV	237.00	300	Vertical	Pass
2	2454.400	92.30	-12.63	74.0	-18.30	Peak	134.00	150	Vertical	N/A
2**	2454.400	83.27	-12.63	54.0	-29.27	AV	134.00	150	Vertical	N/A
3	4901.600	51.42	-2.53	74.0	22.58	Peak	44.00	100	Vertical	Pass
3**	4901.600	41.98	-2.53	54.0	12.02	AV	44.00	100	Vertical	Pass
4	6268.600	54.74	0.30	74.0	19.26	Peak	75.00	200	Vertical	Pass
4**	6268.600	45.87	0.30	54.0	8.13	AV	75.00	200	Vertical	Pass
5	12855.000	53.95	1.42	74.0	20.05	Peak	45.00	100	Vertical	Pass
5**	12855.000	45.10	1.42	54.0	8.90	AV	45.00	100	Vertical	Pass
6	17434.837	56.51	3.27	74.0	17.49	Peak	272.00	200	Vertical	Pass
6**	17434.837	46.60	3.27	54.0	7.40	AV	272.00	200	Vertical	Pass

MIMO

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.900	38.48	-17.56	74.0	35.52	Peak	42.00	300	Horizontal	Pass
1**	1515.900	29.26	-17.56	54.0	24.74	AV	42.00	300	Horizontal	Pass
2	2414.400	107.26	-12.50	74.0	-33.26	Peak	239.00	150	Horizontal	N/A
2**	2414.400	104.50	-12.50	54.0	-50.50	AV	239.00	150	Horizontal	N/A
3	4918.400	51.10	-2.51	74.0	22.90	Peak	177.00	200	Horizontal	Pass
3**	4918.400	42.15	-2.51	54.0	11.85	AV	177.00	200	Horizontal	Pass
4	6612.800	54.93	1.36	74.0	19.07	Peak	106.00	300	Horizontal	Pass
4**	6612.800	45.98	1.36	54.0	8.02	AV	106.00	300	Horizontal	Pass
5	12963.412	54.00	0.92	74.0	20.00	Peak	320.00	200	Horizontal	Pass
5**	12963.412	43.66	0.92	54.0	10.34	AV	320.00	200	Horizontal	Pass
6	17420.925	56.14	3.73	74.0	17.86	Peak	320.00	200	Horizontal	Pass
6**	17420.925	47.59	3.73	54.0	6.41	AV	320.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.300	39.01	-17.45	74.0	34.99	Peak	356.00	100	Vertical	Pass
1**	1529.300	29.69	-17.45	54.0	24.31	AV	356.00	100	Vertical	Pass
2	2410.400	96.61	-12.62	74.0	-22.61	Peak	191.00	100	Vertical	N/A
2**	2410.400	93.76	-12.62	54.0	-39.76	AV	191.00	100	Vertical	N/A
3	4761.400	50.69	-3.39	74.0	23.31	Peak	28.00	150	Vertical	Pass
3**	4761.400	41.00	-3.39	54.0	13.00	AV	28.00	150	Vertical	Pass
4	6599.000	54.99	0.05	74.0	19.01	Peak	114.00	200	Vertical	Pass
4**	6599.000	45.27	0.05	54.0	8.73	AV	114.00	200	Vertical	Pass
5	12901.463	53.79	1.47	74.0	20.21	Peak	235.00	100	Vertical	Pass
5**	12901.463	44.06	1.47	54.0	9.94	AV	235.00	100	Vertical	Pass
6	15235.875	56.54	1.01	74.0	17.46	Peak	256.00	300	Vertical	Pass
6**	15235.875	46.12	1.01	54.0	7.88	AV	256.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1430.900	38.85	-17.47	74.0	35.15	Peak	94.00	300	Horizontal	Pass
1**	1430.900	28.85	-17.47	54.0	25.15	AV	94.00	300	Horizontal	Pass
2	2438.800	106.98	-12.43	74.0	-32.98	Peak	248.00	150	Horizontal	N/A
2**	2438.800	104.06	-12.43	54.0	-50.06	AV	248.00	150	Horizontal	N/A
3	4924.000	51.24	-2.34	74.0	22.76	Peak	87.00	100	Horizontal	Pass
3**	4924.000	42.80	-2.34	54.0	11.20	AV	87.00	100	Horizontal	Pass
4	6616.800	54.86	0.77	74.0	19.14	Peak	0.00	200	Horizontal	Pass
4**	6616.800	45.62	0.77	54.0	8.38	AV	0.00	200	Horizontal	Pass
5	12736.201	53.67	1.30	74.0	20.33	Peak	269.00	100	Horizontal	Pass
5**	12736.201	43.95	1.30	54.0	10.05	AV	269.00	100	Horizontal	Pass
6	17444.286	56.05	2.89	74.0	17.95	Peak	52.00	300	Horizontal	Pass
6**	17444.286	46.79	2.89	54.0	7.21	AV	52.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.900	39.30	-17.36	74.0	34.70	Peak	0.00	400	Vertical	Pass
1**	1522.900	29.06	-17.36	54.0	24.94	AV	0.00	400	Vertical	Pass
2	2438.700	98.75	-12.43	74.0	-24.75	Peak	149.00	100	Vertical	N/A
2**	2438.700	95.89	-12.43	54.0	-41.89	AV	149.00	100	Vertical	N/A
3	4892.400	51.05	-3.01	74.0	22.95	Peak	19.00	100	Vertical	Pass
3**	4892.400	41.95	-3.01	54.0	12.05	AV	19.00	100	Vertical	Pass
4	6605.400	54.78	1.25	74.0	19.22	Peak	238.00	100	Vertical	Pass
4**	6605.400	45.66	1.25	54.0	8.34	AV	238.00	100	Vertical	Pass
5	12242.275	53.13	1.04	74.0	20.87	Peak	110.00	400	Vertical	Pass
5**	12242.275	44.87	1.04	54.0	9.13	AV	110.00	400	Vertical	Pass
6	17419.614	56.56	3.75	74.0	17.44	Peak	147.00	100	Vertical	Pass
6**	17419.614	47.10	3.75	54.0	6.90	AV	147.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.600	39.15	-17.43	74.0	34.85	Peak	79.00	100	Horizontal	Pass
1**	1470.600	30.19	-17.43	54.0	23.81	AV	79.00	100	Horizontal	Pass
2	2464.300	106.99	-12.47	74.0	-32.99	Peak	245.00	100	Horizontal	N/A
2**	2464.300	104.26	-12.47	54.0	-50.26	AV	245.00	100	Horizontal	N/A
3	4849.400	51.22	-3.32	74.0	22.78	Peak	245.00	150	Horizontal	Pass
3**	4849.400	41.40	-3.32	54.0	12.60	AV	245.00	150	Horizontal	Pass
4	6608.600	55.16	1.59	74.0	18.84	Peak	82.00	400	Horizontal	Pass
4**	6608.600	46.47	1.59	54.0	7.53	AV	82.00	400	Horizontal	Pass
5	12872.063	53.45	1.47	74.0	20.55	Peak	0.00	200	Horizontal	Pass
5**	12872.063	44.41	1.47	54.0	9.59	AV	0.00	200	Horizontal	Pass
6	17431.687	56.11	3.39	74.0	17.89	Peak	239.00	100	Horizontal	Pass
6**	17431.687	46.88	3.39	54.0	7.12	AV	239.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.200	38.87	-17.46	74.0	35.13	Peak	296.00	300	Vertical	Pass
1**	1412.200	29.02	-17.46	54.0	24.98	AV	296.00	300	Vertical	Pass
2	2463.700	99.36	-12.48	74.0	-25.36	Peak	130.00	150	Vertical	N/A
2**	2463.700	96.50	-12.48	54.0	-42.50	AV	130.00	150	Vertical	N/A
3	4917.000	50.78	-2.54	74.0	23.22	Peak	17.00	200	Vertical	Pass
3**	4917.000	41.79	-2.54	54.0	12.21	AV	17.00	200	Vertical	Pass
4	6610.600	54.53	1.49	74.0	19.47	Peak	120.00	300	Vertical	Pass
4**	6610.600	45.60	1.49	54.0	8.40	AV	120.00	300	Vertical	Pass
5	12839.775	53.94	1.32	74.0	20.06	Peak	229.00	300	Vertical	Pass
5**	12839.775	44.28	1.32	54.0	9.72	AV	229.00	300	Vertical	Pass
6	13323.037	56.59	0.92	74.0	17.41	Peak	0.00	400	Vertical	Pass
6**	13323.037	46.99	0.92	54.0	7.01	AV	0.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.900	38.82	-17.66	74.0	35.18	Peak	41.00	300	Horizontal	Pass
1**	1483.900	29.41	-17.66	54.0	24.59	AV	41.00	300	Horizontal	Pass
2	2416.000	109.25	-12.32	74.0	-35.25	Peak	224.00	200	Horizontal	N/A
2**	2416.000	102.30	-12.32	54.0	-48.30	AV	224.00	200	Horizontal	N/A
3	4950.800	51.41	-3.05	74.0	22.59	Peak	177.00	200	Horizontal	Pass
3**	4950.800	41.68	-3.05	54.0	12.32	AV	177.00	200	Horizontal	Pass
4	6607.600	54.96	1.52	74.0	19.04	Peak	79.00	300	Horizontal	Pass
4**	6607.600	45.70	1.52	54.0	8.30	AV	79.00	300	Horizontal	Pass
5	12850.013	53.44	1.37	74.0	20.56	Peak	17.00	100	Horizontal	Pass
5**	12850.013	45.13	1.37	54.0	8.87	AV	17.00	100	Horizontal	Pass
6	13324.088	56.49	0.92	74.0	17.51	Peak	17.00	100	Horizontal	Pass
6**	13324.088	46.51	0.92	54.0	7.49	AV	17.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.200	39.44	-17.53	74.0	34.56	Peak	118.00	400	Vertical	Pass
1**	1467.200	29.52	-17.53	54.0	24.48	AV	118.00	400	Vertical	Pass
2	2415.500	98.67	-12.38	74.0	-24.67	Peak	131.00	150	Vertical	N/A
2**	2415.500	90.48	-12.38	54.0	-36.48	AV	131.00	150	Vertical	N/A
3	4913.200	51.08	-2.78	74.0	22.92	Peak	97.00	100	Vertical	Pass
3**	4913.200	41.67	-2.78	54.0	12.33	AV	97.00	100	Vertical	Pass
4	6275.000	54.66	0.24	74.0	19.34	Peak	0.00	300	Vertical	Pass
4**	6275.000	46.17	0.24	54.0	7.83	AV	0.00	300	Vertical	Pass
5	12860.775	53.57	1.45	74.0	20.43	Peak	242.00	100	Vertical	Pass
5**	12860.775	43.89	1.45	54.0	10.11	AV	242.00	100	Vertical	Pass
6	17421.713	56.64	3.71	74.0	17.36	Peak	98.00	100	Vertical	Pass
6**	17421.713	47.10	3.71	54.0	6.90	AV	98.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1258.800	39.12	-17.48	74.0	34.88	Peak	150.00	300	Horizontal	Pass
1**	1258.800	28.42	-17.48	54.0	25.58	AV	150.00	300	Horizontal	Pass
2	2416.200	109.61	-12.30	74.0	-35.61	Peak	228.00	100	Horizontal	N/A
2**	2416.200	102.38	-12.30	54.0	-48.38	AV	228.00	100	Horizontal	N/A
3	4832.200	51.25	-3.56	74.0	22.75	Peak	235.00	150	Horizontal	Pass
3**	4832.200	41.79	-3.56	54.0	12.21	AV	235.00	150	Horizontal	Pass
4	6609.400	54.73	1.57	74.0	19.27	Peak	104.00	100	Horizontal	Pass
4**	6609.400	46.04	1.57	54.0	7.96	AV	104.00	100	Horizontal	Pass
5	12965.250	53.42	0.92	74.0	20.58	Peak	276.00	300	Horizontal	Pass
5**	12965.250	43.28	0.92	54.0	10.72	AV	276.00	300	Horizontal	Pass
6	17476.575	56.65	2.80	74.0	17.35	Peak	254.00	200	Horizontal	Pass
6**	17476.575	46.60	2.80	54.0	7.40	AV	254.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.000	39.36	-17.87	74.0	34.64	Peak	208.00	200	Vertical	Pass
1**	1157.000	28.69	-17.87	54.0	25.31	AV	208.00	200	Vertical	Pass
2	2419.800	101.40	-12.40	74.0	-27.40	Peak	150.00	100	Vertical	N/A
2**	2419.800	93.82	-12.40	54.0	-39.82	AV	150.00	100	Vertical	N/A
3	4789.800	51.25	-2.36	74.0	22.75	Peak	229.00	100	Vertical	Pass
3**	4789.800	41.55	-2.36	54.0	12.45	AV	229.00	100	Vertical	Pass
4	6604.400	54.38	1.08	74.0	19.62	Peak	74.00	300	Vertical	Pass
4**	6604.400	46.11	1.08	54.0	7.89	AV	74.00	300	Vertical	Pass
5	12739.363	53.44	1.30	74.0	20.56	Peak	70.00	300	Vertical	Pass
5**	12739.363	44.17	1.30	54.0	9.83	AV	70.00	300	Vertical	Pass
6	17392.839	56.60	2.94	74.0	17.40	Peak	281.00	400	Vertical	Pass
6**	17392.839	47.26	2.94	54.0	6.74	AV	281.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.400	38.55	-17.29	74.0	35.45	Peak	103.00	300	Horizontal	Pass
1**	1535.400	30.60	-17.29	54.0	23.40	AV	103.00	300	Horizontal	Pass
2	2417.000	109.84	-12.32	74.0	-35.84	Peak	334.00	150	Horizontal	N/A
2**	2417.000	102.32	-12.32	54.0	-48.32	AV	334.00	150	Horizontal	N/A
3	4781.200	50.69	-2.84	74.0	23.31	Peak	268.00	150	Horizontal	Pass
3**	4781.200	42.00	-2.84	54.0	12.00	AV	268.00	150	Horizontal	Pass
4	6610.800	54.71	1.48	74.0	19.29	Peak	0.00	200	Horizontal	Pass
4**	6610.800	46.20	1.48	54.0	7.80	AV	0.00	200	Horizontal	Pass
5	12862.612	53.99	1.44	74.0	20.01	Peak	281.00	100	Horizontal	Pass
5**	12862.612	45.18	1.44	54.0	8.82	AV	281.00	100	Horizontal	Pass
6	17411.475	56.32	3.50	74.0	17.68	Peak	112.00	400	Horizontal	Pass
6**	17411.475	47.47	3.50	54.0	6.53	AV	112.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.800	39.72	-17.53	74.0	34.28	Peak	79.00	300	Vertical	Pass
1**	1562.800	29.20	-17.53	54.0	24.80	AV	79.00	300	Vertical	Pass
2	2419.500	103.40	-12.40	74.0	-29.40	Peak	134.00	200	Vertical	N/A
2**	2419.500	95.74	-12.40	54.0	-41.74	AV	134.00	200	Vertical	N/A
3	4919.000	51.04	-2.50	74.0	22.96	Peak	169.00	150	Vertical	Pass
3**	4919.000	41.82	-2.50	54.0	12.18	AV	169.00	150	Vertical	Pass
4	6606.600	54.93	1.45	74.0	19.07	Peak	0.00	200	Vertical	Pass
4**	6606.600	46.01	1.45	54.0	7.99	AV	0.00	200	Vertical	Pass
5	12730.738	53.68	1.30	74.0	20.32	Peak	315.00	200	Vertical	Pass
5**	12730.738	44.38	1.30	54.0	9.62	AV	315.00	200	Vertical	Pass
6	17466.337	56.68	2.89	74.0	17.32	Peak	121.00	400	Vertical	Pass
6**	17466.337	46.80	2.89	54.0	7.20	AV	121.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.800	39.23	-17.37	74.0	34.77	Peak	77.00	200	Horizontal	Pass
1**	1504.800	29.16	-17.37	54.0	24.84	AV	77.00	200	Horizontal	Pass
2	2434.500	109.39	-12.59	74.0	-35.39	Peak	284.00	200	Horizontal	N/A
2**	2434.500	101.95	-12.59	54.0	-47.95	AV	284.00	200	Horizontal	N/A
3	4641.000	51.10	-3.73	74.0	22.90	Peak	303.00	150	Horizontal	Pass
3**	4641.000	40.69	-3.73	54.0	13.31	AV	303.00	150	Horizontal	Pass
4	6608.400	54.91	1.57	74.0	19.09	Peak	268.00	400	Horizontal	Pass
4**	6608.400	46.28	1.57	54.0	7.72	AV	268.00	400	Horizontal	Pass
5	12767.849	53.23	1.04	74.0	20.77	Peak	188.00	400	Horizontal	Pass
5**	12767.849	43.63	1.04	54.0	10.37	AV	188.00	400	Horizontal	Pass
6	17395.200	56.75	3.01	74.0	17.25	Peak	144.00	400	Horizontal	Pass
6**	17395.200	47.09	3.01	54.0	6.91	AV	144.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1430.000	39.15	-17.50	74.0	34.85	Peak	360.00	400	Vertical	Pass
1**	1430.000	29.18	-17.50	54.0	24.82	AV	360.00	400	Vertical	Pass
2	2434.700	103.62	-12.58	74.0	-29.62	Peak	170.00	150	Vertical	N/A
2**	2434.700	95.97	-12.58	54.0	-41.97	AV	170.00	150	Vertical	N/A
3	4999.000	51.05	-2.78	74.0	22.95	Peak	158.00	200	Vertical	Pass
3**	4999.000	41.49	-2.78	54.0	12.51	AV	158.00	200	Vertical	Pass
4	6409.000	55.03	0.28	74.0	18.97	Peak	286.00	200	Vertical	Pass
4**	6409.000	45.12	0.28	54.0	8.88	AV	286.00	200	Vertical	Pass
5	12794.100	53.62	1.16	74.0	20.38	Peak	123.00	200	Vertical	Pass
5**	12794.100	44.58	1.16	54.0	9.42	AV	123.00	200	Vertical	Pass
6	17421.976	56.55	3.70	74.0	17.45	Peak	343.00	300	Vertical	Pass
6**	17421.976	47.06	3.70	54.0	6.94	AV	343.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	38.81	-17.50	74.0	35.19	Peak	326.00	100	Horizontal	Pass
1**	1497.700	29.19	-17.50	54.0	24.81	AV	326.00	100	Horizontal	Pass
2	2448.700	109.77	-12.41	74.0	-35.77	Peak	293.00	150	Horizontal	N/A
2**	2448.700	102.38	-12.41	54.0	-48.38	AV	293.00	150	Horizontal	N/A
3	4879.400	51.23	-3.38	74.0	22.77	Peak	301.00	150	Horizontal	Pass
3**	4879.400	42.32	-3.38	54.0	11.68	AV	301.00	150	Horizontal	Pass
4	6968.600	55.11	1.74	74.0	18.89	Peak	34.00	100	Horizontal	Pass
4**	6968.600	44.63	1.74	54.0	9.37	AV	34.00	100	Horizontal	Pass
5	12820.612	53.33	0.93	74.0	20.67	Peak	0.00	100	Horizontal	Pass
5**	12820.612	44.17	0.93	54.0	9.83	AV	0.00	100	Horizontal	Pass
6	17459.775	55.97	2.84	74.0	18.03	Peak	7.00	200	Horizontal	Pass
6**	17459.775	46.98	2.84	54.0	7.02	AV	7.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.200	38.82	-17.67	74.0	35.18	Peak	286.00	300	Vertical	Pass
1**	1482.200	29.43	-17.67	54.0	24.57	AV	286.00	300	Vertical	Pass
2	2444.800	103.35	-12.59	74.0	-29.35	Peak	153.00	100	Vertical	N/A
2**	2444.800	96.03	-12.59	54.0	-42.03	AV	153.00	100	Vertical	N/A
3	4802.400	50.92	-2.99	74.0	23.08	Peak	201.00	100	Vertical	Pass
3**	4802.400	41.45	-2.99	54.0	12.55	AV	201.00	100	Vertical	Pass
4	6270.800	55.15	0.51	74.0	18.85	Peak	188.00	200	Vertical	Pass
4**	6270.800	46.07	0.51	54.0	7.93	AV	188.00	200	Vertical	Pass
5	12888.337	53.27	1.58	74.0	20.73	Peak	306.00	100	Vertical	Pass
5**	12888.337	43.97	1.58	54.0	10.03	AV	306.00	100	Vertical	Pass
6	17417.251	56.55	3.69	74.0	17.45	Peak	248.00	100	Vertical	Pass
6**	17417.251	47.17	3.69	54.0	6.83	AV	248.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	39.11	-17.74	74.0	34.89	Peak	44.00	400	Horizontal	Pass
1**	1596.400	29.19	-17.74	54.0	24.81	AV	44.00	400	Horizontal	Pass
2	2456.400	109.52	-12.46	74.0	-35.52	Peak	223.00	200	Horizontal	N/A
2**	2456.400	102.44	-12.46	54.0	-48.44	AV	223.00	200	Horizontal	N/A
3	4754.600	51.64	-3.52	74.0	22.36	Peak	83.00	150	Horizontal	Pass
3**	4754.600	41.03	-3.52	54.0	12.97	AV	83.00	150	Horizontal	Pass
4	6271.800	54.51	0.55	74.0	19.49	Peak	326.00	300	Horizontal	Pass
4**	6271.800	45.66	0.55	54.0	8.34	AV	326.00	300	Horizontal	Pass
5	12283.963	54.23	1.78	74.0	19.77	Peak	294.00	200	Horizontal	Pass
5**	12283.963	43.67	1.78	54.0	10.33	AV	294.00	200	Horizontal	Pass
6	17405.962	56.09	3.34	74.0	17.91	Peak	51.00	300	Horizontal	Pass
6**	17405.962	47.33	3.34	54.0	6.67	AV	51.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	39.39	-17.74	74.0	34.61	Peak	343.00	300	Vertical	Pass
1**	1596.400	29.68	-17.74	54.0	24.32	AV	343.00	300	Vertical	Pass
2	2450.200	103.13	-12.33	74.0	-29.13	Peak	144.00	200	Vertical	N/A
2**	2450.200	96.02	-12.33	54.0	-42.02	AV	144.00	200	Vertical	N/A
3	4897.800	51.53	-2.71	74.0	22.47	Peak	351.00	100	Vertical	Pass
3**	4897.800	42.03	-2.71	54.0	11.97	AV	351.00	100	Vertical	Pass
4	6681.400	55.53	0.14	74.0	18.47	Peak	326.00	300	Vertical	Pass
4**	6681.400	45.14	0.14	54.0	8.86	AV	326.00	300	Vertical	Pass
5	12771.526	53.51	1.08	74.0	20.49	Peak	108.00	100	Vertical	Pass
5**	12771.526	43.51	1.08	54.0	10.49	AV	108.00	100	Vertical	Pass
6	17429.324	56.49	3.48	74.0	17.51	Peak	199.00	400	Vertical	Pass
6**	17429.324	47.54	3.48	54.0	6.46	AV	199.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.200	39.30	-17.47	74.0	34.70	Peak	119.00	400	Horizontal	Pass
1**	1568.200	29.52	-17.47	54.0	24.48	AV	119.00	400	Horizontal	Pass
2	2453.200	109.62	-12.53	74.0	-35.62	Peak	200.00	150	Horizontal	N/A
2**	2453.200	102.92	-12.53	54.0	-48.92	AV	200.00	150	Horizontal	N/A
3	5004.200	52.19	-2.95	74.0	21.81	Peak	56.00	150	Horizontal	Pass
3**	5004.200	41.76	-2.95	54.0	12.24	AV	56.00	150	Horizontal	Pass
4	6743.000	55.36	0.86	74.0	18.64	Peak	204.00	300	Horizontal	Pass
4**	6743.000	45.37	0.86	54.0	8.63	AV	204.00	300	Horizontal	Pass
5	12727.287	53.45	1.27	74.0	20.55	Peak	250.00	200	Horizontal	Pass
5**	12727.287	44.00	1.27	54.0	10.00	AV	250.00	200	Horizontal	Pass
6	17417.251	57.13	3.69	74.0	16.87	Peak	360.00	300	Horizontal	Pass
6**	17417.251	47.85	3.69	54.0	6.15	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.900	39.40	-17.38	74.0	34.60	Peak	113.00	100	Vertical	Pass
1**	1555.900	29.59	-17.38	54.0	24.41	AV	113.00	100	Vertical	Pass
2	2455.100	101.47	-12.59	74.0	-27.47	Peak	157.00	200	Vertical	N/A
2**	2455.100	94.00	-12.59	54.0	-40.00	AV	157.00	200	Vertical	N/A
3	4453.000	49.11	-3.53	74.0	24.89	Peak	9.00	150	Vertical	Pass
3**	4453.000	40.79	-3.53	54.0	13.21	AV	9.00	150	Vertical	Pass
4	6269.200	54.99	0.37	74.0	19.01	Peak	360.00	100	Vertical	Pass
4**	6269.200	45.30	0.37	54.0	8.70	AV	360.00	100	Vertical	Pass
5	12795.412	53.72	1.15	74.0	20.28	Peak	93.00	400	Vertical	Pass
5**	12795.412	44.55	1.15	54.0	9.45	AV	93.00	400	Vertical	Pass
6	17410.949	56.11	3.48	74.0	17.89	Peak	268.00	100	Vertical	Pass
6**	17410.949	47.69	3.48	54.0	6.31	AV	268.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.400	38.57	-17.61	74.0	35.43	Peak	139.00	100	Horizontal	Pass
1**	1506.400	29.18	-17.61	54.0	24.82	AV	139.00	100	Horizontal	Pass
2	2457.600	108.92	-12.50	74.0	-34.92	Peak	223.00	150	Horizontal	N/A
2**	2457.600	101.24	-12.50	54.0	-47.24	AV	223.00	150	Horizontal	N/A
3	4665.200	50.12	-3.39	74.0	23.88	Peak	0.00	150	Horizontal	Pass
3**	4665.200	41.13	-3.39	54.0	12.87	AV	0.00	150	Horizontal	Pass
4	6401.000	55.20	-0.07	74.0	18.80	Peak	27.00	100	Horizontal	Pass
4**	6401.000	45.64	-0.07	54.0	8.36	AV	27.00	100	Horizontal	Pass
5	12864.975	53.39	1.42	74.0	20.61	Peak	321.00	200	Horizontal	Pass
5**	12864.975	43.99	1.42	54.0	10.01	AV	321.00	200	Horizontal	Pass
6	17404.649	56.57	3.31	74.0	17.43	Peak	0.00	300	Horizontal	Pass
6**	17404.649	47.71	3.31	54.0	6.29	AV	0.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.700	39.31	-17.57	74.0	34.69	Peak	308.00	400	Vertical	Pass
1**	1508.700	30.55	-17.57	54.0	23.45	AV	308.00	400	Vertical	Pass
2	2460.500	99.19	-12.55	74.0	-25.19	Peak	139.00	200	Vertical	N/A
2**	2460.500	91.82	-12.55	54.0	-37.82	AV	139.00	200	Vertical	N/A
3	4899.800	51.66	-2.62	74.0	22.34	Peak	89.00	100	Vertical	Pass
3**	4899.800	42.15	-2.62	54.0	11.85	AV	89.00	100	Vertical	Pass
4	6774.200	54.80	0.01	74.0	19.20	Peak	279.00	400	Vertical	Pass
4**	6774.200	45.36	0.01	54.0	8.64	AV	279.00	400	Vertical	Pass
5	12885.975	53.63	1.56	74.0	20.37	Peak	260.00	400	Vertical	Pass
5**	12885.975	44.50	1.56	54.0	9.50	AV	260.00	400	Vertical	Pass
6	15655.875	56.49	1.20	74.0	17.51	Peak	0.00	200	Vertical	Pass
6**	15655.875	46.16	1.20	54.0	7.84	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.300	39.54	-17.34	74.0	34.46	Peak	18.00	100	Horizontal	Pass
1**	1305.300	29.98	-17.34	54.0	24.02	AV	18.00	100	Horizontal	Pass
2	2414.600	107.83	-12.48	74.0	-33.83	Peak	208.00	150	Horizontal	N/A
2**	2414.600	101.72	-12.48	54.0	-47.72	AV	208.00	150	Horizontal	N/A
3	4902.600	52.59	-2.46	74.0	21.41	Peak	267.00	200	Horizontal	Pass
3**	4902.600	41.59	-2.46	54.0	12.41	AV	267.00	200	Horizontal	Pass
4	6610.000	55.35	1.53	74.0	18.65	Peak	288.00	200	Horizontal	Pass
4**	6610.000	45.92	1.53	54.0	8.08	AV	288.00	200	Horizontal	Pass
5	12877.312	53.47	1.53	74.0	20.53	Peak	0.00	300	Horizontal	Pass
5**	12877.312	44.25	1.53	54.0	9.75	AV	0.00	300	Horizontal	Pass
6	17368.687	57.34	2.40	74.0	16.66	Peak	0.00	100	Horizontal	Pass
6**	17368.687	46.71	2.40	54.0	7.29	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.800	38.98	-17.36	74.0	35.02	Peak	198.00	200	Vertical	Pass
1**	1538.800	30.28	-17.36	54.0	23.72	AV	198.00	200	Vertical	Pass
2	2415.900	96.40	-12.33	74.0	-22.40	Peak	309.00	150	Vertical	N/A
2**	2415.900	89.67	-12.33	54.0	-35.67	AV	309.00	150	Vertical	N/A
3	4774.200	50.42	-2.83	74.0	23.58	Peak	304.00	150	Vertical	Pass
3**	4774.200	41.04	-2.83	54.0	12.96	AV	304.00	150	Vertical	Pass
4	6608.800	54.67	1.60	74.0	19.33	Peak	304.00	300	Vertical	Pass
4**	6608.800	46.34	1.60	54.0	7.66	AV	304.00	300	Vertical	Pass
5	12974.963	53.66	0.93	74.0	20.34	Peak	194.00	200	Vertical	Pass
5**	12974.963	44.34	0.93	54.0	9.66	AV	194.00	200	Vertical	Pass
6	17418.037	56.10	3.71	74.0	17.90	Peak	67.00	200	Vertical	Pass
6**	17418.037	47.62	3.71	54.0	6.38	AV	67.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.000	39.58	-17.33	74.0	34.42	Peak	168.00	200	Horizontal	Pass
1**	1305.000	29.31	-17.33	54.0	24.69	AV	168.00	200	Horizontal	Pass
2	2415.500	108.67	-12.38	74.0	-34.67	Peak	220.00	150	Horizontal	N/A
2**	2415.500	101.91	-12.38	54.0	-47.91	AV	220.00	150	Horizontal	N/A
3	4483.200	49.88	-4.22	74.0	24.12	Peak	124.00	150	Horizontal	Pass
3**	4483.200	40.34	-4.22	54.0	13.66	AV	124.00	150	Horizontal	Pass
4	6602.200	54.91	0.70	74.0	19.09	Peak	259.00	400	Horizontal	Pass
4**	6602.200	45.54	0.70	54.0	8.46	AV	259.00	400	Horizontal	Pass
5	12877.050	53.66	1.53	74.0	20.34	Peak	298.00	200	Horizontal	Pass
5**	12877.050	44.06	1.53	54.0	9.94	AV	298.00	200	Horizontal	Pass
6	13363.724	57.02	0.76	74.0	16.98	Peak	27.00	100	Horizontal	Pass
6**	13363.724	46.58	0.76	54.0	7.42	AV	27.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1433.000	39.19	-17.38	74.0	34.81	Peak	282.00	100	Vertical	Pass
1**	1433.000	29.30	-17.38	54.0	24.70	AV	282.00	100	Vertical	Pass
2	2419.100	99.43	-12.40	74.0	-25.43	Peak	305.00	200	Vertical	N/A
2**	2419.100	90.79	-12.40	54.0	-36.79	AV	305.00	200	Vertical	N/A
3	4995.400	50.89	-2.84	74.0	23.11	Peak	229.00	200	Vertical	Pass
3**	4995.400	41.29	-2.84	54.0	12.71	AV	229.00	200	Vertical	Pass
4	6603.000	55.33	0.84	74.0	18.67	Peak	90.00	400	Vertical	Pass
4**	6603.000	46.49	0.84	54.0	7.51	AV	90.00	400	Vertical	Pass
5	12859.463	53.57	1.45	74.0	20.43	Peak	307.00	100	Vertical	Pass
5**	12859.463	44.33	1.45	54.0	9.67	AV	307.00	100	Vertical	Pass
6	17353.724	55.98	2.04	74.0	18.02	Peak	212.00	200	Vertical	Pass
6**	17353.724	46.72	2.04	54.0	7.28	AV	212.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.600	38.63	-17.47	74.0	35.37	Peak	107.00	100	Horizontal	Pass
1**	1336.600	28.37	-17.47	54.0	25.63	AV	107.00	100	Horizontal	Pass
2	2424.800	109.14	-12.63	74.0	-35.14	Peak	201.00	200	Horizontal	N/A
2**	2424.800	101.20	-12.63	54.0	-47.20	AV	201.00	200	Horizontal	N/A
3	4522.000	49.71	-3.39	74.0	24.29	Peak	36.00	150	Horizontal	Pass
3**	4522.000	40.55	-3.39	54.0	13.45	AV	36.00	150	Horizontal	Pass
4	6630.200	54.60	0.86	74.0	19.40	Peak	25.00	100	Horizontal	Pass
4**	6630.200	45.96	0.86	54.0	8.04	AV	25.00	100	Horizontal	Pass
5	11965.700	53.78	0.85	74.0	20.22	Peak	157.00	300	Horizontal	Pass
5**	11965.700	43.53	0.85	54.0	10.47	AV	157.00	300	Horizontal	Pass
6	17431.425	56.42	3.40	74.0	17.58	Peak	252.00	300	Horizontal	Pass
6**	17431.425	47.31	3.40	54.0	6.69	AV	252.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.000	39.28	-17.86	74.0	34.72	Peak	76.00	100	Vertical	Pass
1**	1599.000	29.03	-17.86	54.0	24.97	AV	76.00	100	Vertical	Pass
2	2426.300	100.78	-12.71	74.0	-26.78	Peak	305.00	100	Vertical	N/A
2**	2426.300	93.16	-12.71	54.0	-39.16	AV	305.00	100	Vertical	N/A
3	4925.000	51.66	-2.36	74.0	22.34	Peak	162.00	150	Vertical	Pass
3**	4925.000	42.25	-2.36	54.0	11.75	AV	162.00	150	Vertical	Pass
4	6604.800	55.09	1.15	74.0	18.91	Peak	227.00	100	Vertical	Pass
4**	6604.800	45.99	1.15	54.0	8.01	AV	227.00	100	Vertical	Pass
5	12414.488	53.56	1.42	74.0	20.44	Peak	259.00	300	Vertical	Pass
5**	12414.488	43.33	1.42	54.0	10.67	AV	259.00	300	Vertical	Pass
6	17405.962	57.43	3.34	74.0	16.57	Peak	47.00	300	Vertical	Pass
6**	17405.962	46.95	3.34	54.0	7.05	AV	47.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1307.000	38.77	-17.43	74.0	35.23	Peak	42.00	100	Horizontal	Pass
1**	1307.000	29.54	-17.43	54.0	24.46	AV	42.00	100	Horizontal	Pass
2	2424.600	108.68	-12.62	74.0	-34.68	Peak	216.00	200	Horizontal	N/A
2**	2424.600	101.31	-12.62	54.0	-47.31	AV	216.00	200	Horizontal	N/A
3	4766.200	50.67	-3.22	74.0	23.33	Peak	236.00	150	Horizontal	Pass
3**	4766.200	42.48	-3.22	54.0	11.52	AV	236.00	150	Horizontal	Pass
4	6614.400	54.91	1.08	74.0	19.09	Peak	0.00	100	Horizontal	Pass
4**	6614.400	45.11	1.08	54.0	8.89	AV	0.00	100	Horizontal	Pass
5	12276.200	53.58	1.66	74.0	20.42	Peak	360.00	100	Horizontal	Pass
5**	12276.200	43.70	1.66	54.0	10.30	AV	360.00	100	Horizontal	Pass
6	13421.213	56.49	0.40	74.0	17.51	Peak	184.00	400	Horizontal	Pass
6**	13421.213	46.99	0.40	54.0	7.01	AV	184.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1320.500	39.02	-17.40	74.0	34.98	Peak	240.00	400	Vertical	Pass
1**	1320.500	29.24	-17.40	54.0	24.76	AV	240.00	400	Vertical	Pass
2	2428.000	102.22	-12.74	74.0	-28.22	Peak	300.00	200	Vertical	N/A
2**	2428.000	95.14	-12.74	54.0	-41.14	AV	300.00	200	Vertical	N/A
3	4905.400	50.82	-2.30	74.0	23.18	Peak	108.00	100	Vertical	Pass
3**	4905.400	42.26	-2.30	54.0	11.74	AV	108.00	100	Vertical	Pass
4	6682.600	55.14	0.13	74.0	18.86	Peak	98.00	400	Vertical	Pass
4**	6682.600	45.78	0.13	54.0	8.22	AV	98.00	400	Vertical	Pass
5	12843.713	53.69	1.34	74.0	20.31	Peak	270.00	100	Vertical	Pass
5**	12843.713	43.77	1.34	54.0	10.23	AV	270.00	100	Vertical	Pass
6	17483.926	57.11	2.56	74.0	16.89	Peak	80.00	400	Vertical	Pass
6**	17483.926	46.92	2.56	54.0	7.08	AV	80.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	39.87	-17.47	74.0	34.13	Peak	358.00	300	Horizontal	Pass
1**	1437.400	28.53	-17.47	54.0	25.47	AV	358.00	300	Horizontal	Pass
2	2439.300	109.39	-12.41	74.0	-35.39	Peak	217.00	100	Horizontal	N/A
2**	2439.300	101.79	-12.41	54.0	-47.79	AV	217.00	100	Horizontal	N/A
3	4683.600	50.04	-3.16	74.0	23.96	Peak	308.00	150	Horizontal	Pass
3**	4683.600	40.94	-3.16	54.0	13.06	AV	308.00	150	Horizontal	Pass
4	6611.800	55.27	1.42	74.0	18.73	Peak	330.00	300	Horizontal	Pass
4**	6611.800	45.95	1.42	54.0	8.05	AV	330.00	300	Horizontal	Pass
5	12701.700	53.56	0.86	74.0	20.44	Peak	336.00	100	Horizontal	Pass
5**	12701.700	43.51	0.86	54.0	10.49	AV	336.00	100	Horizontal	Pass
6	13411.763	56.06	0.47	74.0	17.94	Peak	71.00	400	Horizontal	Pass
6**	13411.763	46.07	0.47	54.0	7.93	AV	71.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.000	39.47	-17.32	74.0	34.53	Peak	139.00	100	Vertical	Pass
1**	1524.000	30.97	-17.32	54.0	23.03	AV	139.00	100	Vertical	Pass
2	2439.400	103.01	-12.41	74.0	-29.01	Peak	302.00	200	Vertical	N/A
2**	2439.400	96.48	-12.41	54.0	-42.48	AV	302.00	200	Vertical	N/A
3	4860.200	50.96	-3.41	74.0	23.04	Peak	0.00	100	Vertical	Pass
3**	4860.200	41.45	-3.41	54.0	12.55	AV	0.00	100	Vertical	Pass
4	6265.200	54.65	-0.29	74.0	19.35	Peak	191.00	300	Vertical	Pass
4**	6265.200	44.88	-0.29	54.0	9.12	AV	191.00	300	Vertical	Pass
5	12734.474	53.48	1.31	74.0	20.52	Peak	259.00	400	Vertical	Pass
5**	12734.474	43.26	1.31	54.0	10.74	AV	259.00	400	Vertical	Pass
6	17414.625	56.40	3.62	74.0	17.60	Peak	268.00	200	Vertical	Pass
6**	17414.625	47.40	3.62	54.0	6.60	AV	268.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.500	38.57	-17.63	74.0	35.43	Peak	72.00	200	Horizontal	Pass
1**	1484.500	29.31	-17.63	54.0	24.69	AV	72.00	200	Horizontal	Pass
2	2449.200	108.85	-12.39	74.0	-34.85	Peak	348.00	200	Horizontal	N/A
2**	2449.200	101.43	-12.39	54.0	-47.43	AV	348.00	200	Horizontal	N/A
3	4816.000	50.46	-3.22	74.0	23.54	Peak	352.00	150	Horizontal	Pass
3**	4816.000	41.32	-3.22	54.0	12.68	AV	352.00	150	Horizontal	Pass
4	6612.800	55.76	1.36	74.0	18.24	Peak	106.00	200	Horizontal	Pass
4**	6612.800	45.42	1.36	54.0	8.58	AV	106.00	200	Horizontal	Pass
5	12785.963	53.69	1.24	74.0	20.31	Peak	0.00	300	Horizontal	Pass
5**	12785.963	44.58	1.24	54.0	9.42	AV	0.00	300	Horizontal	Pass
6	17409.114	56.18	3.42	74.0	17.82	Peak	22.00	400	Horizontal	Pass
6**	17409.114	47.36	3.42	54.0	6.64	AV	22.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.400	39.10	-17.38	74.0	34.90	Peak	326.00	100	Vertical	Pass
1**	1441.400	29.12	-17.38	54.0	24.88	AV	326.00	100	Vertical	Pass
2	2451.000	102.50	-12.37	74.0	-28.50	Peak	137.00	150	Vertical	N/A
2**	2451.000	95.43	-12.37	54.0	-41.43	AV	137.00	150	Vertical	N/A
3	4894.400	50.71	-2.98	74.0	23.29	Peak	320.00	150	Vertical	Pass
3**	4894.400	41.59	-2.98	54.0	12.41	AV	320.00	150	Vertical	Pass
4	6608.000	55.06	1.55	74.0	18.94	Peak	310.00	100	Vertical	Pass
4**	6608.000	46.38	1.55	54.0	7.62	AV	310.00	100	Vertical	Pass
5	12768.113	53.55	1.04	74.0	20.45	Peak	344.00	200	Vertical	Pass
5**	12768.113	43.68	1.04	54.0	10.32	AV	344.00	200	Vertical	Pass
6	17414.099	56.23	3.60	74.0	17.77	Peak	249.00	100	Vertical	Pass
6**	17414.099	47.33	3.60	54.0	6.67	AV	249.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1409.000	38.85	-17.41	74.0	35.15	Peak	357.00	300	Horizontal	Pass
1**	1409.000	29.30	-17.41	54.0	24.70	AV	357.00	300	Horizontal	Pass
2	2454.300	109.16	-12.62	74.0	-35.16	Peak	220.00	100	Horizontal	N/A
2**	2454.300	101.29	-12.62	54.0	-47.29	AV	220.00	100	Horizontal	N/A
3	3826.600	47.68	-4.93	74.0	26.32	Peak	351.00	150	Horizontal	Pass
3**	3826.600	38.05	-4.93	54.0	15.95	AV	351.00	150	Horizontal	Pass
4	6609.600	54.96	1.55	74.0	19.04	Peak	105.00	200	Horizontal	Pass
4**	6609.600	46.44	1.55	54.0	7.56	AV	105.00	200	Horizontal	Pass
5	11913.950	53.63	1.49	74.0	20.37	Peak	145.00	200	Horizontal	Pass
5**	11913.950	43.97	1.49	54.0	10.03	AV	145.00	200	Horizontal	Pass
6	17418.562	56.96	3.72	74.0	17.04	Peak	213.00	100	Horizontal	Pass
6**	17418.562	47.47	3.72	54.0	6.53	AV	213.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1398.300	38.86	-17.48	74.0	35.14	Peak	225.00	300	Vertical	Pass
1**	1398.300	29.65	-17.48	54.0	24.35	AV	225.00	300	Vertical	Pass
2	2448.600	101.28	-12.42	74.0	-27.28	Peak	151.00	150	Vertical	N/A
2**	2448.600	94.33	-12.42	54.0	-40.33	AV	151.00	150	Vertical	N/A
3	4905.000	50.79	-2.31	74.0	23.21	Peak	30.00	200	Vertical	Pass
3**	4905.000	41.45	-2.31	54.0	12.55	AV	30.00	200	Vertical	Pass
4	6676.600	54.91	0.32	74.0	19.09	Peak	62.00	400	Vertical	Pass
4**	6676.600	45.57	0.32	54.0	8.43	AV	62.00	400	Vertical	Pass
5	12887.812	53.50	1.57	74.0	20.50	Peak	306.00	200	Vertical	Pass
5**	12887.812	44.07	1.57	54.0	9.93	AV	306.00	200	Vertical	Pass
6	16043.062	56.61	0.77	74.0	17.39	Peak	36.00	200	Vertical	Pass
6**	16043.062	46.30	0.77	54.0	7.70	AV	36.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.700	39.13	-17.56	74.0	34.87	Peak	77.00	100	Horizontal	Pass
1**	1460.700	29.22	-17.56	54.0	24.78	AV	77.00	100	Horizontal	Pass
2	2454.600	108.34	-12.64	74.0	-34.34	Peak	215.00	200	Horizontal	N/A
2**	2454.600	101.34	-12.64	54.0	-47.34	AV	215.00	200	Horizontal	N/A
3	4749.000	51.66	-3.41	74.0	22.34	Peak	83.00	150	Horizontal	Pass
3**	4749.000	40.96	-3.41	54.0	13.04	AV	83.00	150	Horizontal	Pass
4	6744.600	54.80	0.88	74.0	19.20	Peak	0.00	200	Horizontal	Pass
4**	6744.600	45.55	0.88	54.0	8.45	AV	0.00	200	Horizontal	Pass
5	12806.963	53.31	0.90	74.0	20.69	Peak	78.00	300	Horizontal	Pass
5**	12806.963	44.82	0.90	54.0	9.18	AV	78.00	300	Horizontal	Pass
6	17423.286	56.82	3.67	74.0	17.18	Peak	115.00	400	Horizontal	Pass
6**	17423.286	47.21	3.67	54.0	6.79	AV	115.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	38.82	-17.50	74.0	35.18	Peak	332.00	300	Vertical	Pass
1**	1497.700	29.70	-17.50	54.0	24.30	AV	332.00	300	Vertical	Pass
2	2458.200	98.72	-12.54	74.0	-24.72	Peak	144.00	100	Vertical	N/A
2**	2458.200	91.06	-12.54	54.0	-37.06	AV	144.00	100	Vertical	N/A
3	4901.600	51.03	-2.53	74.0	22.97	Peak	159.00	100	Vertical	Pass
3**	4901.600	41.51	-2.53	54.0	12.49	AV	159.00	100	Vertical	Pass
4	6611.600	54.81	1.43	74.0	19.19	Peak	147.00	400	Vertical	Pass
4**	6611.600	46.35	1.43	54.0	7.65	AV	147.00	400	Vertical	Pass
5	12915.900	53.38	1.27	74.0	20.62	Peak	266.00	200	Vertical	Pass
5**	12915.900	42.97	1.27	54.0	11.03	AV	266.00	200	Vertical	Pass
6	17355.301	56.63	2.09	74.0	17.37	Peak	285.00	300	Vertical	Pass
6**	17355.301	47.12	2.09	54.0	6.88	AV	285.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.900	39.00	-17.55	74.0	35.00	Peak	0.00	400	Horizontal	Pass
1**	1510.900	29.15	-17.55	54.0	24.85	AV	0.00	400	Horizontal	Pass
2	2466.600	107.73	-12.48	74.0	-33.73	Peak	211.00	200	Horizontal	N/A
2**	2466.600	100.52	-12.48	54.0	-46.52	AV	211.00	200	Horizontal	N/A
3	4381.600	50.03	-4.60	74.0	23.97	Peak	0.00	150	Horizontal	Pass
3**	4381.600	39.66	-4.60	54.0	14.34	AV	0.00	150	Horizontal	Pass
4	6745.000	54.68	0.88	74.0	19.32	Peak	233.00	300	Horizontal	Pass
4**	6745.000	45.46	0.88	54.0	8.54	AV	233.00	300	Horizontal	Pass
5	12752.888	54.23	1.07	74.0	19.77	Peak	48.00	200	Horizontal	Pass
5**	12752.888	44.00	1.07	54.0	10.00	AV	48.00	200	Horizontal	Pass
6	17418.037	56.30	3.71	74.0	17.70	Peak	170.00	400	Horizontal	Pass
6**	17418.037	47.02	3.71	54.0	6.98	AV	170.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.500	38.77	-17.53	74.0	35.23	Peak	301.00	400	Vertical	Pass
1**	1566.500	29.85	-17.53	54.0	24.15	AV	301.00	400	Vertical	Pass
2	2460.900	96.91	-12.54	74.0	-22.91	Peak	130.00	200	Vertical	N/A
2**	2460.900	89.77	-12.54	54.0	-35.77	AV	130.00	200	Vertical	N/A
3	4922.600	51.85	-2.32	74.0	22.15	Peak	210.00	100	Vertical	Pass
3**	4922.600	41.74	-2.32	54.0	12.26	AV	210.00	100	Vertical	Pass
4	6277.600	55.36	0.27	74.0	18.64	Peak	188.00	100	Vertical	Pass
4**	6277.600	44.52	0.27	54.0	9.48	AV	188.00	100	Vertical	Pass
5	12810.637	53.78	0.85	74.0	20.22	Peak	6.00	200	Vertical	Pass
5**	12810.637	43.36	0.85	54.0	10.64	AV	6.00	200	Vertical	Pass
6	17413.313	56.45	3.57	74.0	17.55	Peak	360.00	400	Vertical	Pass
6**	17413.313	47.44	3.57	54.0	6.56	AV	360.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.300	39.56	-17.34	74.0	34.44	Peak	260.00	400	Horizontal	Pass
1**	1542.300	29.63	-17.34	54.0	24.37	AV	260.00	400	Horizontal	Pass
2	2417.000	104.23	-12.32	74.0	-30.23	Peak	205.00	200	Horizontal	N/A
2**	2417.000	97.62	-12.32	54.0	-43.62	AV	205.00	200	Horizontal	N/A
3	5129.600	52.26	-1.92	74.0	21.74	Peak	7.00	150	Horizontal	Pass
3**	5129.600	43.13	-1.92	54.0	10.87	AV	7.00	150	Horizontal	Pass
4	6676.800	55.64	0.33	74.0	18.36	Peak	191.00	400	Horizontal	Pass
4**	6676.800	46.31	0.33	54.0	7.69	AV	191.00	400	Horizontal	Pass
5	12288.562	53.40	1.70	74.0	20.60	Peak	112.00	400	Horizontal	Pass
5**	12288.562	44.13	1.70	54.0	9.87	AV	112.00	400	Horizontal	Pass
6	16111.313	56.87	0.74	74.0	17.13	Peak	0.00	200	Horizontal	Pass
6**	16111.313	45.91	0.74	54.0	8.09	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.400	39.27	-17.18	74.0	34.73	Peak	305.00	300	Vertical	Pass
1**	1445.400	29.52	-17.18	54.0	24.48	AV	305.00	300	Vertical	Pass
2	2425.800	92.31	-12.68	74.0	-18.31	Peak	300.00	150	Vertical	N/A
2**	2425.800	85.24	-12.68	54.0	-31.24	AV	300.00	150	Vertical	N/A
3	4965.800	51.43	-3.10	74.0	22.57	Peak	75.00	150	Vertical	Pass
3**	4965.800	41.70	-3.10	54.0	12.30	AV	75.00	150	Vertical	Pass
4	6263.800	54.54	-0.53	74.0	19.46	Peak	171.00	200	Vertical	Pass
4**	6263.800	45.44	-0.53	54.0	8.56	AV	171.00	200	Vertical	Pass
5	12837.151	53.89	1.29	74.0	20.11	Peak	24.00	300	Vertical	Pass
5**	12837.151	43.75	1.29	54.0	10.25	AV	24.00	300	Vertical	Pass
6	17358.713	56.77	2.18	74.0	17.23	Peak	0.00	100	Vertical	Pass
6**	17358.713	47.16	2.18	54.0	6.84	AV	0.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.200	39.26	-17.43	74.0	34.74	Peak	29.00	100	Horizontal	Pass
1**	1443.200	29.51	-17.43	54.0	24.49	AV	29.00	100	Horizontal	Pass
2	2423.300	104.24	-12.57	74.0	-30.24	Peak	199.00	100	Horizontal	N/A
2**	2423.300	96.62	-12.57	54.0	-42.62	AV	199.00	100	Horizontal	N/A
3	4796.200	51.08	-2.59	74.0	22.92	Peak	300.00	150	Horizontal	Pass
3**	4796.200	42.31	-2.59	54.0	11.69	AV	300.00	150	Horizontal	Pass
4	6273.200	55.40	0.56	74.0	18.60	Peak	88.00	400	Horizontal	Pass
4**	6273.200	45.58	0.56	54.0	8.42	AV	88.00	400	Horizontal	Pass
5	12279.363	53.22	1.78	74.0	20.78	Peak	126.00	100	Horizontal	Pass
5**	12279.363	43.96	1.78	54.0	10.04	AV	126.00	100	Horizontal	Pass
6	17418.824	56.15	3.73	74.0	17.85	Peak	213.00	200	Horizontal	Pass
6**	17418.824	47.58	3.73	54.0	6.42	AV	213.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.900	39.19	-17.66	74.0	34.81	Peak	297.00	100	Vertical	Pass
1**	1455.900	29.76	-17.66	54.0	24.24	AV	297.00	100	Vertical	Pass
2	2430.700	92.67	-12.74	74.0	-18.67	Peak	297.00	100	Vertical	N/A
2**	2430.700	85.83	-12.74	54.0	-31.83	AV	297.00	100	Vertical	N/A
3	4903.600	50.99	-2.39	74.0	23.01	Peak	26.00	200	Vertical	Pass
3**	4903.600	42.19	-2.39	54.0	11.81	AV	26.00	200	Vertical	Pass
4	6608.200	54.88	1.56	74.0	19.12	Peak	100.00	200	Vertical	Pass
4**	6608.200	45.86	1.56	54.0	8.14	AV	100.00	200	Vertical	Pass
5	12797.250	53.76	1.13	74.0	20.24	Peak	6.00	400	Vertical	Pass
5**	12797.250	44.23	1.13	54.0	9.77	AV	6.00	400	Vertical	Pass
6	17417.511	56.34	3.70	74.0	17.66	Peak	232.00	200	Vertical	Pass
6**	17417.511	47.30	3.70	54.0	6.70	AV	232.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.100	38.91	-17.65	74.0	35.09	Peak	237.00	300	Horizontal	Pass
1**	1481.100	29.31	-17.65	54.0	24.69	AV	237.00	300	Horizontal	Pass
2	2424.800	105.42	-12.63	74.0	-31.42	Peak	207.00	150	Horizontal	N/A
2**	2424.800	97.63	-12.63	54.0	-43.63	AV	207.00	150	Horizontal	N/A
3	5062.200	51.67	-2.77	74.0	22.33	Peak	131.00	150	Horizontal	Pass
3**	5062.200	42.07	-2.77	54.0	11.93	AV	131.00	150	Horizontal	Pass
4	6607.200	55.11	1.50	74.0	18.89	Peak	67.00	100	Horizontal	Pass
4**	6607.200	46.63	1.50	54.0	7.37	AV	67.00	100	Horizontal	Pass
5	12791.474	54.27	1.17	74.0	19.73	Peak	271.00	300	Horizontal	Pass
5**	12791.474	44.12	1.17	54.0	9.88	AV	271.00	300	Horizontal	Pass
6	17405.176	55.96	3.32	74.0	18.04	Peak	9.00	400	Horizontal	Pass
6**	17405.176	47.49	3.32	54.0	6.51	AV	9.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.200	38.99	-17.37	74.0	35.01	Peak	254.00	100	Vertical	Pass
1**	1555.200	30.56	-17.37	54.0	23.44	AV	254.00	100	Vertical	Pass
2	2424.300	95.41	-12.61	74.0	-21.41	Peak	297.00	100	Vertical	N/A
2**	2424.300	88.18	-12.61	54.0	-34.18	AV	297.00	100	Vertical	N/A
3	4894.600	50.94	-2.98	74.0	23.06	Peak	1.00	200	Vertical	Pass
3**	4894.600	41.67	-2.98	54.0	12.33	AV	1.00	200	Vertical	Pass
4	6611.600	54.87	1.43	74.0	19.13	Peak	22.00	400	Vertical	Pass
4**	6611.600	45.69	1.43	54.0	8.31	AV	22.00	400	Vertical	Pass
5	12884.924	53.30	1.56	74.0	20.70	Peak	271.00	200	Vertical	Pass
5**	12884.924	43.84	1.56	54.0	10.16	AV	271.00	200	Vertical	Pass
6	17425.125	56.54	3.62	74.0	17.46	Peak	253.00	100	Vertical	Pass
6**	17425.125	47.85	3.62	54.0	6.15	AV	253.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.200	39.54	-17.49	74.0	34.46	Peak	360.00	400	Horizontal	Pass
1**	1576.200	29.96	-17.49	54.0	24.04	AV	360.00	400	Horizontal	Pass
2	2439.700	106.16	-12.40	74.0	-32.16	Peak	204.00	200	Horizontal	N/A
2**	2439.700	98.68	-12.40	54.0	-44.68	AV	204.00	200	Horizontal	N/A
3	5164.600	52.87	-2.81	74.0	21.13	Peak	57.00	150	Horizontal	Pass
3**	5164.600	42.58	-2.81	54.0	11.42	AV	57.00	150	Horizontal	Pass
4	6611.000	55.07	1.47	74.0	18.93	Peak	243.00	400	Horizontal	Pass
4**	6611.000	45.94	1.47	54.0	8.06	AV	243.00	400	Horizontal	Pass
5	12805.387	53.85	0.92	74.0	20.15	Peak	0.00	400	Horizontal	Pass
5**	12805.387	44.09	0.92	54.0	9.91	AV	0.00	400	Horizontal	Pass
6	17400.975	56.62	3.20	74.0	17.38	Peak	26.00	400	Horizontal	Pass
6**	17400.975	47.18	3.20	54.0	6.82	AV	26.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.600	39.65	-17.46	74.0	34.35	Peak	125.00	400	Vertical	Pass
1**	1583.600	29.98	-17.46	54.0	24.02	AV	125.00	400	Vertical	Pass
2	2434.000	95.84	-12.63	74.0	-21.84	Peak	299.00	150	Vertical	N/A
2**	2434.000	87.90	-12.63	54.0	-33.90	AV	299.00	150	Vertical	N/A
3	4869.000	50.95	-3.20	74.0	23.05	Peak	3.00	150	Vertical	Pass
3**	4869.000	42.03	-3.20	54.0	11.97	AV	3.00	150	Vertical	Pass
4	6610.200	54.65	1.52	74.0	19.35	Peak	81.00	200	Vertical	Pass
4**	6610.200	45.71	1.52	54.0	8.29	AV	81.00	200	Vertical	Pass
5	12804.338	53.70	0.95	74.0	20.30	Peak	305.00	200	Vertical	Pass
5**	12804.338	44.70	0.95	54.0	9.30	AV	305.00	200	Vertical	Pass
6	17407.537	56.26	3.38	74.0	17.74	Peak	207.00	300	Vertical	Pass
6**	17407.537	47.59	3.38	54.0	6.41	AV	207.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.400	39.18	-17.83	74.0	34.82	Peak	291.00	400	Horizontal	Pass
1**	1597.400	28.87	-17.83	54.0	25.13	AV	291.00	400	Horizontal	Pass
2	2447.200	105.83	-12.53	74.0	-31.83	Peak	199.00	200	Horizontal	N/A
2**	2447.200	97.94	-12.53	54.0	-43.94	AV	199.00	200	Horizontal	N/A
3	4247.000	48.38	-4.92	74.0	25.62	Peak	217.00	150	Horizontal	Pass
3**	4247.000	39.75	-4.92	54.0	14.25	AV	217.00	150	Horizontal	Pass
4	6611.200	54.63	1.46	74.0	19.37	Peak	360.00	200	Horizontal	Pass
4**	6611.200	46.50	1.46	54.0	7.50	AV	360.00	200	Horizontal	Pass
5	12915.637	53.38	1.28	74.0	20.62	Peak	39.00	400	Horizontal	Pass
5**	12915.637	43.25	1.28	54.0	10.75	AV	39.00	400	Horizontal	Pass
6	17363.964	56.02	2.31	74.0	17.98	Peak	211.00	100	Horizontal	Pass
6**	17363.964	46.91	2.31	54.0	7.09	AV	211.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1386.100	39.57	-17.38	74.0	34.43	Peak	285.00	400	Vertical	Pass
1**	1386.100	29.24	-17.38	54.0	24.76	AV	285.00	400	Vertical	Pass
2	2434.600	94.98	-12.59	74.0	-20.98	Peak	168.00	150	Vertical	N/A
2**	2434.600	86.79	-12.59	54.0	-32.79	AV	168.00	150	Vertical	N/A
3	4989.200	51.06	-2.71	74.0	22.94	Peak	0.00	100	Vertical	Pass
3**	4989.200	42.38	-2.71	54.0	11.62	AV	0.00	100	Vertical	Pass
4	6603.400	54.44	0.91	74.0	19.56	Peak	234.00	100	Vertical	Pass
4**	6603.400	45.87	0.91	54.0	8.13	AV	234.00	100	Vertical	Pass
5	12794.888	54.08	1.16	74.0	19.92	Peak	342.00	100	Vertical	Pass
5**	12794.888	43.90	1.16	54.0	10.10	AV	342.00	100	Vertical	Pass
6	17409.114	57.16	3.42	74.0	16.84	Peak	279.00	300	Vertical	Pass
6**	17409.114	47.44	3.42	54.0	6.56	AV	279.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.800	39.24	-17.59	74.0	34.76	Peak	44.00	200	Horizontal	Pass
1**	1574.800	30.10	-17.59	54.0	23.90	AV	44.00	200	Horizontal	Pass
2	2451.900	105.09	-12.43	74.0	-31.09	Peak	208.00	200	Horizontal	N/A
2**	2451.900	99.43	-12.43	54.0	-45.43	AV	208.00	200	Horizontal	N/A
3	4585.800	50.02	-3.62	74.0	23.98	Peak	91.00	150	Horizontal	Pass
3**	4585.800	40.75	-3.62	54.0	13.25	AV	91.00	150	Horizontal	Pass
4	6604.000	55.21	1.01	74.0	18.79	Peak	174.00	200	Horizontal	Pass
4**	6604.000	46.18	1.01	54.0	7.82	AV	174.00	200	Horizontal	Pass
5	12895.162	54.12	1.56	74.0	19.88	Peak	126.00	200	Horizontal	Pass
5**	12895.162	44.01	1.56	54.0	9.99	AV	126.00	200	Horizontal	Pass
6	15834.375	56.99	1.46	74.0	17.01	Peak	126.00	200	Horizontal	Pass
6**	15834.375	46.20	1.46	54.0	7.80	AV	126.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.100	40.07	-17.46	74.0	33.93	Peak	167.00	200	Vertical	Pass
1**	1530.100	30.17	-17.46	54.0	23.83	AV	167.00	200	Vertical	Pass
2	2453.500	93.06	-12.56	74.0	-19.06	Peak	147.00	100	Vertical	N/A
2**	2453.500	86.09	-12.56	54.0	-32.09	AV	147.00	100	Vertical	N/A
3	4984.400	51.31	-2.85	74.0	22.69	Peak	258.00	200	Vertical	Pass
3**	4984.400	42.32	-2.85	54.0	11.68	AV	258.00	200	Vertical	Pass
4	6605.800	55.27	1.32	74.0	18.73	Peak	305.00	300	Vertical	Pass
4**	6605.800	46.44	1.32	54.0	7.56	AV	305.00	300	Vertical	Pass
5	12845.287	53.23	1.35	74.0	20.77	Peak	4.00	200	Vertical	Pass
5**	12845.287	44.60	1.35	54.0	9.40	AV	4.00	200	Vertical	Pass
6	15671.363	56.16	1.46	74.0	17.84	Peak	28.00	300	Vertical	Pass
6**	15671.363	45.64	1.46	54.0	8.36	AV	28.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1389.400	39.09	-17.45	74.0	34.91	Peak	298.00	200	Horizontal	Pass
1**	1389.400	29.15	-17.45	54.0	24.85	AV	298.00	200	Horizontal	Pass
2	2449.900	104.47	-12.35	74.0	-30.47	Peak	206.00	100	Horizontal	N/A
2**	2449.900	97.67	-12.35	54.0	-43.67	AV	206.00	100	Horizontal	N/A
3	4586.400	50.57	-3.61	74.0	23.43	Peak	177.00	150	Horizontal	Pass
3**	4586.400	40.54	-3.61	54.0	13.46	AV	177.00	150	Horizontal	Pass
4	6407.000	55.04	0.32	74.0	18.96	Peak	177.00	400	Horizontal	Pass
4**	6407.000	45.29	0.32	54.0	8.71	AV	177.00	400	Horizontal	Pass
5	12854.213	53.97	1.41	74.0	20.03	Peak	319.00	100	Horizontal	Pass
5**	12854.213	43.80	1.41	54.0	10.20	AV	319.00	100	Horizontal	Pass
6	17409.901	56.33	3.44	74.0	17.67	Peak	360.00	400	Horizontal	Pass
6**	17409.901	47.84	3.44	54.0	6.16	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1411.100	39.43	-17.39	74.0	34.57	Peak	214.00	200	Vertical	Pass
1**	1411.100	29.75	-17.39	54.0	24.25	AV	214.00	200	Vertical	Pass
2	2453.100	92.49	-12.52	74.0	-18.49	Peak	154.00	100	Vertical	N/A
2**	2453.100	84.12	-12.52	54.0	-30.12	AV	154.00	100	Vertical	N/A
3	4752.800	51.15	-3.59	74.0	22.85	Peak	121.00	150	Vertical	Pass
3**	4752.800	41.55	-3.59	54.0	12.45	AV	121.00	150	Vertical	Pass
4	6611.600	54.86	1.43	74.0	19.14	Peak	39.00	100	Vertical	Pass
4**	6611.600	45.91	1.43	54.0	8.09	AV	39.00	100	Vertical	Pass
5	12856.838	53.59	1.43	74.0	20.41	Peak	323.00	400	Vertical	Pass
5**	12856.838	44.91	1.43	54.0	9.09	AV	323.00	400	Vertical	Pass
6	17425.912	56.08	3.59	74.0	17.92	Peak	342.00	100	Vertical	Pass
6**	17425.912	47.76	3.59	54.0	6.24	AV	342.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.400	38.82	-17.30	74.0	35.18	Peak	91.00	400	Horizontal	Pass
1**	1581.400	29.95	-17.30	54.0	24.05	AV	91.00	400	Horizontal	Pass
2	2409.100	108.32	-12.58	74.0	-34.32	Peak	219.00	100	Horizontal	N/A
2**	2409.100	100.55	-12.58	54.0	-46.55	AV	219.00	100	Horizontal	N/A
3	4906.400	51.76	-2.27	74.0	22.24	Peak	150.00	200	Horizontal	Pass
3**	4906.400	42.41	-2.27	54.0	11.59	AV	150.00	200	Horizontal	Pass
4	6729.400	54.94	-0.74	74.0	19.06	Peak	138.00	400	Horizontal	Pass
4**	6729.400	43.84	-0.74	54.0	10.16	AV	138.00	400	Horizontal	Pass
5	12889.125	53.22	1.58	74.0	20.78	Peak	233.00	200	Horizontal	Pass
5**	12889.125	44.26	1.58	54.0	9.74	AV	233.00	200	Horizontal	Pass
6	17414.099	56.54	3.60	74.0	17.46	Peak	167.00	300	Horizontal	Pass
6**	17414.099	47.84	3.60	54.0	6.16	AV	167.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.100	39.11	-17.53	74.0	34.89	Peak	56.00	400	Vertical	Pass
1**	1397.100	30.96	-17.53	54.0	23.04	AV	56.00	400	Vertical	Pass
2	2413.300	97.80	-12.52	74.0	-23.80	Peak	153.00	150	Vertical	N/A
2**	2413.300	90.74	-12.52	54.0	-36.74	AV	153.00	150	Vertical	N/A
3	4904.200	51.14	-2.35	74.0	22.86	Peak	222.00	100	Vertical	Pass
3**	4904.200	42.65	-2.35	54.0	11.35	AV	222.00	100	Vertical	Pass
4	6603.200	54.63	0.88	74.0	19.37	Peak	199.00	400	Vertical	Pass
4**	6603.200	45.50	0.88	54.0	8.50	AV	199.00	400	Vertical	Pass
5	12888.863	53.32	1.58	74.0	20.68	Peak	184.00	100	Vertical	Pass
5**	12888.863	45.26	1.58	54.0	8.74	AV	184.00	100	Vertical	Pass
6	17411.475	56.34	3.50	74.0	17.66	Peak	98.00	100	Vertical	Pass
6**	17411.475	47.17	3.50	54.0	6.83	AV	98.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1419.500	39.02	-17.46	74.0	34.98	Peak	179.00	400	Horizontal	Pass
1**	1419.500	28.69	-17.46	54.0	25.31	AV	179.00	400	Horizontal	Pass
2	2419.500	108.86	-12.40	74.0	-34.86	Peak	206.00	200	Horizontal	N/A
2**	2419.500	101.92	-12.40	54.0	-47.92	AV	206.00	200	Horizontal	N/A
3	4785.200	51.03	-2.71	74.0	22.97	Peak	218.00	150	Horizontal	Pass
3**	4785.200	42.12	-2.71	54.0	11.88	AV	218.00	150	Horizontal	Pass
4	6608.200	55.72	1.56	74.0	18.28	Peak	327.00	200	Horizontal	Pass
4**	6608.200	46.73	1.56	54.0	7.27	AV	327.00	200	Horizontal	Pass
5	12905.400	53.59	1.44	74.0	20.41	Peak	341.00	400	Horizontal	Pass
5**	12905.400	44.98	1.44	54.0	9.02	AV	341.00	400	Horizontal	Pass
6	17408.588	57.36	3.41	74.0	16.64	Peak	4.00	400	Horizontal	Pass
6**	17408.588	47.15	3.41	54.0	6.85	AV	4.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1274.100	39.08	-17.36	74.0	34.92	Peak	143.00	200	Vertical	Pass
1**	1274.100	29.74	-17.36	54.0	24.26	AV	143.00	200	Vertical	Pass
2	2419.400	100.81	-12.40	74.0	-26.81	Peak	300.00	200	Vertical	N/A
2**	2419.400	89.87	-12.40	54.0	-35.87	AV	300.00	200	Vertical	N/A
3	4976.400	51.52	-2.76	74.0	22.48	Peak	140.00	100	Vertical	Pass
3**	4976.400	41.43	-2.76	54.0	12.57	AV	140.00	100	Vertical	Pass
4	6607.000	55.05	1.48	74.0	18.95	Peak	34.00	100	Vertical	Pass
4**	6607.000	46.38	1.48	54.0	7.62	AV	34.00	100	Vertical	Pass
5	12806.700	53.52	0.90	74.0	20.48	Peak	118.00	200	Vertical	Pass
5**	12806.700	43.78	0.90	54.0	10.22	AV	118.00	200	Vertical	Pass
6	17407.275	56.08	3.38	74.0	17.92	Peak	293.00	400	Vertical	Pass
6**	17407.275	47.08	3.38	54.0	6.92	AV	293.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.700	39.27	-17.22	74.0	34.73	Peak	170.00	300	Horizontal	Pass
1**	1340.700	30.22	-17.22	54.0	23.78	AV	170.00	300	Horizontal	Pass
2	2415.200	109.00	-12.41	74.0	-35.00	Peak	285.00	200	Horizontal	N/A
2**	2415.200	100.91	-12.41	54.0	-46.91	AV	285.00	200	Horizontal	N/A
3	4904.400	50.82	-2.33	74.0	23.18	Peak	1.00	150	Horizontal	Pass
3**	4904.400	41.59	-2.33	54.0	12.41	AV	1.00	150	Horizontal	Pass
4	6680.000	54.44	0.17	74.0	19.56	Peak	161.00	400	Horizontal	Pass
4**	6680.000	46.15	0.17	54.0	7.85	AV	161.00	400	Horizontal	Pass
5	12872.588	53.38	1.47	74.0	20.62	Peak	0.00	300	Horizontal	Pass
5**	12872.588	43.68	1.47	54.0	10.32	AV	0.00	300	Horizontal	Pass
6	17424.863	57.82	3.62	74.0	16.18	Peak	258.00	200	Horizontal	Pass
6**	17424.863	47.23	3.62	54.0	6.77	AV	258.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.600	39.72	-17.68	74.0	34.28	Peak	360.00	200	Vertical	Pass
1**	1482.600	29.47	-17.68	54.0	24.53	AV	360.00	200	Vertical	Pass
2	2425.600	101.94	-12.67	74.0	-27.94	Peak	302.00	150	Vertical	N/A
2**	2425.600	94.60	-12.67	54.0	-40.60	AV	302.00	150	Vertical	N/A
3	4982.400	51.39	-2.83	74.0	22.61	Peak	309.00	200	Vertical	Pass
3**	4982.400	41.04	-2.83	54.0	12.96	AV	309.00	200	Vertical	Pass
4	6270.800	54.61	0.51	74.0	19.39	Peak	213.00	200	Vertical	Pass
4**	6270.800	45.70	0.51	54.0	8.30	AV	213.00	200	Vertical	Pass
5	12779.662	53.73	1.22	74.0	20.27	Peak	20.00	300	Vertical	Pass
5**	12779.662	43.97	1.22	54.0	10.03	AV	20.00	300	Vertical	Pass
6	17465.025	56.52	2.89	74.0	17.48	Peak	0.00	200	Vertical	Pass
6**	17465.025	46.69	2.89	54.0	7.31	AV	0.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.000	38.70	-17.54	74.0	35.30	Peak	66.00	100	Horizontal	Pass
1**	1397.000	29.18	-17.54	54.0	24.82	AV	66.00	100	Horizontal	Pass
2	2439.700	108.79	-12.40	74.0	-34.79	Peak	199.00	200	Horizontal	N/A
2**	2439.700	101.88	-12.40	54.0	-47.88	AV	199.00	200	Horizontal	N/A
3	4797.800	50.61	-2.55	74.0	23.39	Peak	155.00	150	Horizontal	Pass
3**	4797.800	41.89	-2.55	54.0	12.11	AV	155.00	150	Horizontal	Pass
4	6608.400	54.77	1.57	74.0	19.23	Peak	304.00	400	Horizontal	Pass
4**	6608.400	46.50	1.57	54.0	7.50	AV	304.00	400	Horizontal	Pass
5	12724.700	54.21	1.25	74.0	19.79	Peak	245.00	200	Horizontal	Pass
5**	12724.700	44.42	1.25	54.0	9.58	AV	245.00	200	Horizontal	Pass
6	17433.262	56.22	3.33	74.0	17.78	Peak	297.00	300	Horizontal	Pass
6**	17433.262	47.07	3.33	54.0	6.93	AV	297.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.100	39.53	-17.71	74.0	34.47	Peak	225.00	400	Vertical	Pass
1**	1488.100	29.23	-17.71	54.0	24.77	AV	225.00	400	Vertical	Pass
2	2438.100	102.23	-12.45	74.0	-28.23	Peak	299.00	100	Vertical	N/A
2**	2438.100	95.42	-12.45	54.0	-41.42	AV	299.00	100	Vertical	N/A
3	4918.200	51.63	-2.51	74.0	22.37	Peak	308.00	100	Vertical	Pass
3**	4918.200	41.46	-2.51	54.0	12.54	AV	308.00	100	Vertical	Pass
4	6608.200	55.25	1.56	74.0	18.75	Peak	257.00	300	Vertical	Pass
4**	6608.200	46.26	1.56	54.0	7.74	AV	257.00	300	Vertical	Pass
5	12822.974	54.50	0.99	74.0	19.50	Peak	0.00	300	Vertical	Pass
5**	12822.974	44.52	0.99	54.0	9.48	AV	0.00	300	Vertical	Pass
6	17401.762	56.51	3.23	74.0	17.49	Peak	33.00	300	Vertical	Pass
6**	17401.762	47.42	3.23	54.0	6.58	AV	33.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.900	39.14	-17.52	74.0	34.86	Peak	105.00	200	Horizontal	Pass
1**	1285.900	29.33	-17.52	54.0	24.67	AV	105.00	200	Horizontal	Pass
2	2450.500	109.00	-12.34	74.0	-35.00	Peak	190.00	150	Horizontal	N/A
2**	2450.500	101.65	-12.34	54.0	-47.65	AV	190.00	150	Horizontal	N/A
3	4863.600	51.26	-3.29	74.0	22.74	Peak	229.00	150	Horizontal	Pass
3**	4863.600	42.01	-3.29	54.0	11.99	AV	229.00	150	Horizontal	Pass
4	6604.800	54.84	1.15	74.0	19.16	Peak	3.00	400	Horizontal	Pass
4**	6604.800	46.10	1.15	54.0	7.90	AV	3.00	400	Horizontal	Pass
5	12664.325	53.18	1.01	74.0	20.82	Peak	360.00	100	Horizontal	Pass
5**	12664.325	42.71	1.01	54.0	11.29	AV	360.00	100	Horizontal	Pass
6	16045.950	56.28	0.74	74.0	17.72	Peak	276.00	400	Horizontal	Pass
6**	16045.950	46.67	0.74	54.0	7.33	AV	276.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.100	39.84	-17.41	74.0	34.16	Peak	0.00	400	Vertical	Pass
1**	1442.100	29.54	-17.41	54.0	24.46	AV	0.00	400	Vertical	Pass
2	2448.400	101.83	-12.43	74.0	-27.83	Peak	147.00	100	Vertical	N/A
2**	2448.400	95.68	-12.43	54.0	-41.68	AV	147.00	100	Vertical	N/A
3	4901.200	51.05	-2.56	74.0	22.95	Peak	133.00	200	Vertical	Pass
3**	4901.200	41.88	-2.56	54.0	12.12	AV	133.00	200	Vertical	Pass
4	6742.600	54.76	0.86	74.0	19.24	Peak	22.00	100	Vertical	Pass
4**	6742.600	45.18	0.86	54.0	8.82	AV	22.00	100	Vertical	Pass
5	12835.838	53.40	1.27	74.0	20.60	Peak	336.00	200	Vertical	Pass
5**	12835.838	44.53	1.27	54.0	9.47	AV	336.00	200	Vertical	Pass
6	13416.225	56.26	0.41	74.0	17.74	Peak	31.00	100	Vertical	Pass
6**	13416.225	46.70	0.41	54.0	7.30	AV	31.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.300	38.98	-17.55	74.0	35.02	Peak	61.00	100	Horizontal	Pass
1**	1510.300	29.02	-17.55	54.0	24.98	AV	61.00	100	Horizontal	Pass
2	2449.600	108.72	-12.37	74.0	-34.72	Peak	337.00	200	Horizontal	N/A
2**	2449.600	102.27	-12.37	54.0	-48.27	AV	337.00	200	Horizontal	N/A
3	4662.400	50.36	-3.32	74.0	23.64	Peak	109.00	150	Horizontal	Pass
3**	4662.400	40.84	-3.32	54.0	13.16	AV	109.00	150	Horizontal	Pass
4	6602.600	54.58	0.77	74.0	19.42	Peak	51.00	100	Horizontal	Pass
4**	6602.600	45.55	0.77	54.0	8.45	AV	51.00	100	Horizontal	Pass
5	12733.901	53.77	1.30	74.0	20.23	Peak	360.00	300	Horizontal	Pass
5**	12733.901	43.35	1.30	54.0	10.65	AV	360.00	300	Horizontal	Pass
6	17439.824	56.87	3.03	74.0	17.13	Peak	0.00	200	Horizontal	Pass
6**	17439.824	46.97	3.03	54.0	7.03	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.400	38.94	-17.37	74.0	35.06	Peak	58.00	100	Vertical	Pass
1**	1541.400	29.55	-17.37	54.0	24.45	AV	58.00	100	Vertical	Pass
2	2453.400	101.29	-12.55	74.0	-27.29	Peak	146.00	150	Vertical	N/A
2**	2453.400	93.84	-12.55	54.0	-39.84	AV	146.00	150	Vertical	N/A
3	4977.400	52.14	-2.75	74.0	21.86	Peak	126.00	150	Vertical	Pass
3**	4977.400	42.31	-2.75	54.0	11.69	AV	126.00	150	Vertical	Pass
4	6681.200	55.10	0.15	74.0	18.90	Peak	334.00	100	Vertical	Pass
4**	6681.200	45.88	0.15	54.0	8.12	AV	334.00	100	Vertical	Pass
5	12852.112	53.54	1.39	74.0	20.46	Peak	293.00	300	Vertical	Pass
5**	12852.112	44.57	1.39	54.0	9.43	AV	293.00	300	Vertical	Pass
6	17428.537	56.75	3.50	74.0	17.25	Peak	293.00	100	Vertical	Pass
6**	17428.537	46.91	3.50	54.0	7.09	AV	293.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	39.17	-17.52	74.0	34.83	Peak	28.00	200	Horizontal	Pass
1**	1584.800	28.81	-17.52	54.0	25.19	AV	28.00	200	Horizontal	Pass
2	2454.700	108.55	-12.63	74.0	-34.55	Peak	214.00	100	Horizontal	N/A
2**	2454.700	102.03	-12.63	54.0	-48.03	AV	214.00	100	Horizontal	N/A
3	5087.200	51.27	-2.52	74.0	22.73	Peak	62.00	150	Horizontal	Pass
3**	5087.200	42.67	-2.52	54.0	11.33	AV	62.00	150	Horizontal	Pass
4	6269.600	54.20	0.41	74.0	19.80	Peak	284.00	200	Horizontal	Pass
4**	6269.600	45.92	0.41	54.0	8.08	AV	284.00	200	Horizontal	Pass
5	12794.625	53.80	1.16	74.0	20.20	Peak	12.00	200	Horizontal	Pass
5**	12794.625	45.10	1.16	54.0	8.90	AV	12.00	200	Horizontal	Pass
6	17424.599	57.47	3.63	74.0	16.53	Peak	195.00	100	Horizontal	Pass
6**	17424.599	47.59	3.63	54.0	6.41	AV	195.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.100	39.10	-17.42	74.0	34.90	Peak	66.00	300	Vertical	Pass
1**	1505.100	30.86	-17.42	54.0	23.14	AV	66.00	300	Vertical	Pass
2	2455.700	98.11	-12.53	74.0	-24.11	Peak	301.00	150	Vertical	N/A
2**	2455.700	92.35	-12.53	54.0	-38.35	AV	301.00	150	Vertical	N/A
3	4867.400	50.78	-3.17	74.0	23.22	Peak	24.00	100	Vertical	Pass
3**	4867.400	41.31	-3.17	54.0	12.69	AV	24.00	100	Vertical	Pass
4	6610.600	54.35	1.49	74.0	19.65	Peak	97.00	100	Vertical	Pass
4**	6610.600	46.68	1.49	54.0	7.32	AV	97.00	100	Vertical	Pass
5	12987.037	53.75	1.08	74.0	20.25	Peak	141.00	200	Vertical	Pass
5**	12987.037	44.13	1.08	54.0	9.87	AV	141.00	200	Vertical	Pass
6	15789.750	56.18	2.00	74.0	17.82	Peak	67.00	400	Vertical	Pass
6**	15789.750	46.02	2.00	54.0	7.98	AV	67.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.600	39.11	-17.45	74.0	34.89	Peak	125.00	100	Horizontal	Pass
1**	1282.600	29.05	-17.45	54.0	24.95	AV	125.00	100	Horizontal	Pass
2	2464.600	107.91	-12.46	74.0	-33.91	Peak	215.00	200	Horizontal	N/A
2**	2464.600	101.69	-12.46	54.0	-47.69	AV	215.00	200	Horizontal	N/A
3	5768.200	53.39	-1.85	74.0	20.61	Peak	139.00	150	Horizontal	Pass
3**	5768.200	42.91	-1.85	54.0	11.09	AV	139.00	150	Horizontal	Pass
4	6413.200	54.71	-0.29	74.0	19.29	Peak	148.00	400	Horizontal	Pass
4**	6413.200	44.51	-0.29	54.0	9.49	AV	148.00	400	Horizontal	Pass
5	12284.537	53.52	1.78	74.0	20.48	Peak	267.00	300	Horizontal	Pass
5**	12284.537	44.16	1.78	54.0	9.84	AV	267.00	300	Horizontal	Pass
6	17452.950	57.06	2.83	74.0	16.94	Peak	82.00	400	Horizontal	Pass
6**	17452.950	46.76	2.83	54.0	7.24	AV	82.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	40.60	-17.35	74.0	33.40	Peak	348.00	300	Vertical	Pass
1**	1542.000	30.16	-17.35	54.0	23.84	AV	348.00	300	Vertical	Pass
2	2463.900	96.60	-12.48	74.0	-22.60	Peak	120.00	100	Vertical	N/A
2**	2463.900	90.09	-12.48	54.0	-36.09	AV	120.00	100	Vertical	N/A
3	4873.800	51.28	-3.30	74.0	22.72	Peak	292.00	200	Vertical	Pass
3**	4873.800	41.77	-3.30	54.0	12.23	AV	292.00	200	Vertical	Pass
4	6629.000	55.13	0.72	74.0	18.87	Peak	159.00	100	Vertical	Pass
4**	6629.000	45.11	0.72	54.0	8.89	AV	159.00	100	Vertical	Pass
5	12910.913	53.74	1.36	74.0	20.26	Peak	159.00	400	Vertical	Pass
5**	12910.913	43.48	1.36	54.0	10.52	AV	159.00	400	Vertical	Pass
6	17424.075	56.08	3.65	74.0	17.92	Peak	360.00	300	Vertical	Pass
6**	17424.075	46.93	3.65	54.0	7.07	AV	360.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1410.000	39.06	-17.40	74.0	34.94	Peak	78.00	100	Horizontal	Pass
1**	1410.000	28.96	-17.40	54.0	25.04	AV	78.00	100	Horizontal	Pass
2	2416.800	104.30	-12.31	74.0	-30.30	Peak	210.00	150	Horizontal	N/A
2**	2416.800	97.68	-12.31	54.0	-43.68	AV	210.00	150	Horizontal	N/A
3	5544.400	52.96	-1.64	74.0	21.04	Peak	0.00	150	Horizontal	Pass
3**	5544.400	43.46	-1.64	54.0	10.54	AV	0.00	150	Horizontal	Pass
4	6606.800	54.53	1.47	74.0	19.47	Peak	169.00	100	Horizontal	Pass
4**	6606.800	45.88	1.47	54.0	8.12	AV	169.00	100	Horizontal	Pass
5	12819.037	53.56	0.90	74.0	20.44	Peak	272.00	100	Horizontal	Pass
5**	12819.037	43.95	0.90	54.0	10.05	AV	272.00	100	Horizontal	Pass
6	16093.987	56.32	1.35	74.0	17.68	Peak	0.00	200	Horizontal	Pass
6**	16093.987	46.60	1.35	54.0	7.40	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.500	39.08	-17.55	74.0	34.92	Peak	195.00	400	Vertical	Pass
1**	1492.500	30.61	-17.55	54.0	23.39	AV	195.00	400	Vertical	Pass
2	2426.000	92.15	-12.69	74.0	-18.15	Peak	131.00	150	Vertical	N/A
2**	2426.000	85.14	-12.69	54.0	-31.14	AV	131.00	150	Vertical	N/A
3	4657.400	50.98	-3.40	74.0	23.02	Peak	105.00	100	Vertical	Pass
3**	4657.400	40.86	-3.40	54.0	13.14	AV	105.00	100	Vertical	Pass
4	6606.200	55.55	1.38	74.0	18.45	Peak	270.00	300	Vertical	Pass
4**	6606.200	46.56	1.38	54.0	7.44	AV	270.00	300	Vertical	Pass
5	12795.412	53.12	1.15	74.0	20.88	Peak	200.00	300	Vertical	Pass
5**	12795.412	43.87	1.15	54.0	10.13	AV	200.00	300	Vertical	Pass
6	17393.625	56.70	2.96	74.0	17.30	Peak	219.00	300	Vertical	Pass
6**	17393.625	47.23	2.96	54.0	6.77	AV	219.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.700	39.13	-17.48	74.0	34.87	Peak	353.00	200	Horizontal	Pass
1**	1462.700	28.80	-17.48	54.0	25.20	AV	353.00	200	Horizontal	Pass
2	2422.100	104.70	-12.51	74.0	-30.70	Peak	210.00	200	Horizontal	N/A
2**	2422.100	98.44	-12.51	54.0	-44.44	AV	210.00	200	Horizontal	N/A
3	4902.000	51.39	-2.50	74.0	22.61	Peak	123.00	150	Horizontal	Pass
3**	4902.000	42.18	-2.50	54.0	11.82	AV	123.00	150	Horizontal	Pass
4	6612.200	55.54	1.40	74.0	18.46	Peak	229.00	200	Horizontal	Pass
4**	6612.200	46.34	1.40	54.0	7.66	AV	229.00	200	Horizontal	Pass
5	12887.812	53.96	1.57	74.0	20.04	Peak	143.00	300	Horizontal	Pass
5**	12887.812	43.96	1.57	54.0	10.04	AV	143.00	300	Horizontal	Pass
6	17419.088	56.19	3.74	74.0	17.81	Peak	125.00	300	Horizontal	Pass
6**	17419.088	47.44	3.74	54.0	6.56	AV	125.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.000	38.94	-17.46	74.0	35.06	Peak	167.00	100	Vertical	Pass
1**	1502.000	28.92	-17.46	54.0	25.08	AV	167.00	100	Vertical	Pass
2	2429.800	93.32	-12.74	74.0	-19.32	Peak	300.00	200	Vertical	N/A
2**	2429.800	86.75	-12.74	54.0	-32.75	AV	300.00	200	Vertical	N/A
3	4796.200	51.41	-2.59	74.0	22.59	Peak	111.00	200	Vertical	Pass
3**	4796.200	42.57	-2.59	54.0	11.43	AV	111.00	200	Vertical	Pass
4	6611.400	54.71	1.45	74.0	19.29	Peak	215.00	400	Vertical	Pass
4**	6611.400	46.34	1.45	54.0	7.66	AV	215.00	400	Vertical	Pass
5	12243.425	53.60	1.03	74.0	20.40	Peak	267.00	200	Vertical	Pass
5**	12243.425	43.66	1.03	54.0	10.34	AV	267.00	200	Vertical	Pass
6	17396.511	56.11	3.05	74.0	17.89	Peak	124.00	300	Vertical	Pass
6**	17396.511	46.88	3.05	54.0	7.12	AV	124.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1472.800	38.96	-17.68	74.0	35.04	Peak	205.00	100	Horizontal	Pass
1**	1472.800	28.91	-17.68	54.0	25.09	AV	205.00	100	Horizontal	Pass
2	2424.200	105.86	-12.61	74.0	-31.86	Peak	223.00	100	Horizontal	N/A
2**	2424.200	98.07	-12.61	54.0	-44.07	AV	223.00	100	Horizontal	N/A
3	5246.200	51.78	-2.40	74.0	22.22	Peak	218.00	150	Horizontal	Pass
3**	5246.200	41.92	-2.40	54.0	12.08	AV	218.00	150	Horizontal	Pass
4	6605.400	55.21	1.25	74.0	18.79	Peak	238.00	300	Horizontal	Pass
4**	6605.400	46.61	1.25	54.0	7.39	AV	238.00	300	Horizontal	Pass
5	12839.513	53.78	1.32	74.0	20.22	Peak	77.00	100	Horizontal	Pass
5**	12839.513	44.69	1.32	54.0	9.31	AV	77.00	100	Horizontal	Pass
6	17357.400	55.76	2.15	74.0	18.24	Peak	191.00	150	Horizontal	Pass
6**	17357.400	46.57	2.15	54.0	7.43	AV	191.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1319.900	39.32	-17.36	74.0	34.68	Peak	360.00	400	Vertical	Pass
1**	1319.900	28.92	-17.36	54.0	25.08	AV	360.00	400	Vertical	Pass
2	2440.100	95.59	-12.41	74.0	-21.59	Peak	301.00	200	Vertical	N/A
2**	2440.100	86.20	-12.41	54.0	-32.20	AV	301.00	200	Vertical	N/A
3	4906.400	50.78	-2.27	74.0	23.22	Peak	107.00	200	Vertical	Pass
3**	4906.400	42.04	-2.27	54.0	11.96	AV	107.00	200	Vertical	Pass
4	6677.000	54.52	0.32	74.0	19.48	Peak	268.00	300	Vertical	Pass
4**	6677.000	45.69	0.32	54.0	8.31	AV	268.00	300	Vertical	Pass
5	12317.887	53.35	1.42	74.0	20.65	Peak	201.00	300	Vertical	Pass
5**	12317.887	43.69	1.42	54.0	10.31	AV	201.00	300	Vertical	Pass
6	17439.037	56.38	3.07	74.0	17.62	Peak	186.00	200	Vertical	Pass
6**	17439.037	47.34	3.07	54.0	6.66	AV	186.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1300.300	39.12	-17.44	74.0	34.88	Peak	170.00	100	Horizontal	Pass
1**	1300.300	30.23	-17.44	54.0	23.77	AV	170.00	100	Horizontal	Pass
2	2439.700	105.65	-12.40	74.0	-31.65	Peak	345.00	150	Horizontal	N/A
2**	2439.700	98.41	-12.40	54.0	-44.41	AV	345.00	150	Horizontal	N/A
3	5528.000	52.50	-2.00	74.0	21.50	Peak	147.00	150	Horizontal	Pass
3**	5528.000	43.42	-2.00	54.0	10.58	AV	147.00	150	Horizontal	Pass
4	6608.400	54.17	1.57	74.0	19.83	Peak	55.00	100	Horizontal	Pass
4**	6608.400	46.58	1.57	54.0	7.42	AV	55.00	100	Horizontal	Pass
5	12835.575	53.81	1.27	74.0	20.19	Peak	143.00	400	Horizontal	Pass
5**	12835.575	44.06	1.27	54.0	9.94	AV	143.00	400	Horizontal	Pass
6	17405.700	56.29	3.34	74.0	17.71	Peak	88.00	400	Horizontal	Pass
6**	17405.700	46.95	3.34	54.0	7.05	AV	88.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1342.100	38.92	-17.21	74.0	35.08	Peak	360.00	400	Vertical	Pass
1**	1342.100	29.51	-17.21	54.0	24.49	AV	360.00	400	Vertical	Pass
2	2433.300	96.00	-12.68	74.0	-22.00	Peak	313.00	150	Vertical	N/A
2**	2433.300	88.84	-12.68	54.0	-34.84	AV	313.00	150	Vertical	N/A
3	4901.200	50.75	-2.56	74.0	23.25	Peak	353.00	200	Vertical	Pass
3**	4901.200	41.32	-2.56	54.0	12.68	AV	353.00	200	Vertical	Pass
4	6681.600	54.62	0.14	74.0	19.38	Peak	146.00	300	Vertical	Pass
4**	6681.600	45.57	0.14	54.0	8.43	AV	146.00	300	Vertical	Pass
5	12832.687	53.65	1.20	74.0	20.35	Peak	231.00	200	Vertical	Pass
5**	12832.687	44.06	1.20	54.0	9.94	AV	231.00	200	Vertical	Pass
6	17408.063	56.23	3.40	74.0	17.77	Peak	191.00	100	Vertical	Pass
6**	17408.063	47.09	3.40	54.0	6.91	AV	191.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1343.200	39.53	-17.23	74.0	34.47	Peak	207.00	100	Horizontal	Pass
1**	1343.200	30.05	-17.23	54.0	23.95	AV	207.00	100	Horizontal	Pass
2	2438.000	105.73	-12.45	74.0	-31.73	Peak	213.00	200	Horizontal	N/A
2**	2438.000	98.80	-12.45	54.0	-44.80	AV	213.00	200	Horizontal	N/A
3	5200.000	52.19	-2.26	74.0	21.81	Peak	278.00	150	Horizontal	Pass
3**	5200.000	41.95	-2.26	54.0	12.05	AV	278.00	150	Horizontal	Pass
4	6605.000	55.31	1.18	74.0	18.69	Peak	189.00	300	Horizontal	Pass
4**	6605.000	46.29	1.18	54.0	7.71	AV	189.00	300	Horizontal	Pass
5	12626.950	53.25	1.53	74.0	20.75	Peak	62.00	300	Horizontal	Pass
5**	12626.950	42.77	1.53	54.0	11.23	AV	62.00	300	Horizontal	Pass
6	17418.562	55.99	3.72	74.0	18.01	Peak	152.00	300	Horizontal	Pass
6**	17418.562	47.37	3.72	54.0	6.63	AV	152.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.500	39.46	-17.28	74.0	34.54	Peak	352.00	100	Vertical	Pass
1**	1447.500	29.60	-17.28	54.0	24.40	AV	352.00	100	Vertical	Pass
2	2434.600	94.49	-12.59	74.0	-20.49	Peak	298.00	100	Vertical	N/A
2**	2434.600	87.02	-12.59	54.0	-33.02	AV	298.00	100	Vertical	N/A
3	4911.400	50.92	-2.59	74.0	23.08	Peak	261.00	200	Vertical	Pass
3**	4911.400	41.21	-2.59	54.0	12.79	AV	261.00	200	Vertical	Pass
4	6609.400	54.75	1.57	74.0	19.25	Peak	2.00	300	Vertical	Pass
4**	6609.400	45.39	1.57	54.0	8.61	AV	2.00	300	Vertical	Pass
5	12871.800	53.63	1.46	74.0	20.37	Peak	145.00	400	Vertical	Pass
5**	12871.800	43.44	1.46	54.0	10.56	AV	145.00	400	Vertical	Pass
6	17424.075	56.16	3.65	74.0	17.84	Peak	327.00	200	Vertical	Pass
6**	17424.075	47.35	3.65	54.0	6.65	AV	327.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1433.400	38.67	-17.42	74.0	35.33	Peak	100.00	200	Horizontal	Pass
1**	1433.400	29.38	-17.42	54.0	24.62	AV	100.00	200	Horizontal	Pass
2	2441.900	104.93	-12.46	74.0	-30.93	Peak	216.00	100	Horizontal	N/A
2**	2441.900	97.37	-12.46	54.0	-43.37	AV	216.00	100	Horizontal	N/A
3	5237.400	52.40	-2.26	74.0	21.60	Peak	187.00	150	Horizontal	Pass
3**	5237.400	41.68	-2.26	54.0	12.32	AV	187.00	150	Horizontal	Pass
4	6591.200	55.18	-0.93	74.0	18.82	Peak	114.00	200	Horizontal	Pass
4**	6591.200	44.63	-0.93	54.0	9.37	AV	114.00	200	Horizontal	Pass
5	12331.400	53.84	1.40	74.0	20.16	Peak	235.00	200	Horizontal	Pass
5**	12331.400	43.82	1.40	54.0	10.18	AV	235.00	200	Horizontal	Pass
6	15656.662	56.34	1.22	74.0	17.66	Peak	308.00	100	Horizontal	Pass
6**	15656.662	47.35	1.22	54.0	6.65	AV	308.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.200	39.56	-17.47	74.0	34.44	Peak	53.00	300	Vertical	Pass
1**	1390.200	29.05	-17.47	54.0	24.95	AV	53.00	300	Vertical	Pass
2	2438.800	92.40	-12.43	74.0	-18.40	Peak	303.00	100	Vertical	N/A
2**	2438.800	86.12	-12.43	54.0	-32.12	AV	303.00	100	Vertical	N/A
3	4888.000	50.80	-3.46	74.0	23.20	Peak	158.00	200	Vertical	Pass
3**	4888.000	41.57	-3.46	54.0	12.43	AV	158.00	200	Vertical	Pass
4	6613.600	54.64	1.24	74.0	19.36	Peak	271.00	200	Vertical	Pass
4**	6613.600	45.72	1.24	54.0	8.28	AV	271.00	200	Vertical	Pass
5	12999.113	53.38	1.36	74.0	20.62	Peak	127.00	200	Vertical	Pass
5**	12999.113	44.55	1.36	54.0	9.45	AV	127.00	200	Vertical	Pass
6	17425.650	56.78	3.60	74.0	17.22	Peak	218.00	100	Vertical	Pass
6**	17425.650	46.91	3.60	54.0	7.09	AV	218.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.300	38.92	-17.29	74.0	35.08	Peak	43.00	300	Horizontal	Pass
1**	1444.300	29.39	-17.29	54.0	24.61	AV	43.00	300	Horizontal	Pass
2	2447.600	104.60	-12.49	74.0	-30.60	Peak	217.00	150	Horizontal	N/A
2**	2447.600	98.32	-12.49	54.0	-44.32	AV	217.00	150	Horizontal	N/A
3	5424.000	52.62	-2.19	74.0	21.38	Peak	55.00	150	Horizontal	Pass
3**	5424.000	43.03	-2.19	54.0	10.97	AV	55.00	150	Horizontal	Pass
4	6674.000	55.06	0.20	74.0	18.94	Peak	3.00	300	Horizontal	Pass
4**	6674.000	44.96	0.20	54.0	9.04	AV	3.00	300	Horizontal	Pass
5	12864.713	53.20	1.43	74.0	20.80	Peak	0.00	200	Horizontal	Pass
5**	12864.713	43.82	1.43	54.0	10.18	AV	0.00	200	Horizontal	Pass
6	15838.050	56.43	1.45	74.0	17.57	Peak	271.00	100	Horizontal	Pass
6**	15838.050	45.89	1.45	54.0	8.11	AV	271.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.400	39.56	-17.37	74.0	34.44	Peak	280.00	400	Vertical	Pass
1**	1316.400	29.32	-17.37	54.0	24.68	AV	280.00	400	Vertical	Pass
2	2456.100	91.06	-12.49	74.0	-17.06	Peak	140.00	200	Vertical	N/A
2**	2456.100	84.54	-12.49	54.0	-30.54	AV	140.00	200	Vertical	N/A
3	4917.200	50.82	-2.53	74.0	23.18	Peak	196.00	100	Vertical	Pass
3**	4917.200	41.13	-2.53	54.0	12.87	AV	196.00	100	Vertical	Pass
4	6677.200	54.92	0.31	74.0	19.08	Peak	155.00	200	Vertical	Pass
4**	6677.200	45.48	0.31	54.0	8.52	AV	155.00	200	Vertical	Pass
5	12870.750	53.70	1.45	74.0	20.30	Peak	122.00	300	Vertical	Pass
5**	12870.750	44.21	1.45	54.0	9.79	AV	122.00	300	Vertical	Pass
6	17405.438	56.22	3.33	74.0	17.78	Peak	10.00	300	Vertical	Pass
6**	17405.438	47.95	3.33	54.0	6.05	AV	10.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.200	39.17	-17.53	74.0	34.83	Peak	27.00	100	Horizontal	Pass
1**	1566.200	29.96	-17.53	54.0	24.04	AV	27.00	100	Horizontal	Pass
2	2413.300	108.73	-12.52	74.0	-34.73	Peak	172.00	200	Horizontal	N/A
2**	2413.300	100.22	-12.52	54.0	-46.22	AV	172.00	200	Horizontal	N/A
3	5136.400	51.98	-2.16	74.0	22.02	Peak	350.00	150	Horizontal	Pass
3**	5136.400	42.56	-2.16	54.0	11.44	AV	350.00	150	Horizontal	Pass
4	6604.000	55.04	1.01	74.0	18.96	Peak	265.00	400	Horizontal	Pass
4**	6604.000	45.89	1.01	54.0	8.11	AV	265.00	400	Horizontal	Pass
5	12938.474	53.37	0.91	74.0	20.63	Peak	186.00	100	Horizontal	Pass
5**	12938.474	43.06	0.91	54.0	10.94	AV	186.00	100	Horizontal	Pass
6	17414.625	55.94	3.62	74.0	18.06	Peak	262.00	400	Horizontal	Pass
6**	17414.625	47.10	3.62	54.0	6.90	AV	262.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.100	39.74	-17.61	74.0	34.26	Peak	177.00	200	Vertical	Pass
1**	1486.100	30.10	-17.61	54.0	23.90	AV	177.00	200	Vertical	Pass
2	2420.300	98.23	-12.40	74.0	-24.23	Peak	126.00	100	Vertical	N/A
2**	2420.300	87.84	-12.40	54.0	-33.84	AV	126.00	100	Vertical	N/A
3	4811.400	51.01	-3.22	74.0	22.99	Peak	74.00	200	Vertical	Pass
3**	4811.400	41.07	-3.22	54.0	12.93	AV	74.00	200	Vertical	Pass
4	6605.000	55.23	1.18	74.0	18.77	Peak	220.00	300	Vertical	Pass
4**	6605.000	46.83	1.18	54.0	7.17	AV	220.00	300	Vertical	Pass
5	12301.500	52.92	1.45	74.0	21.08	Peak	0.00	100	Vertical	Pass
5**	12301.500	43.44	1.45	54.0	10.56	AV	0.00	100	Vertical	Pass
6	17462.401	56.28	2.86	74.0	17.72	Peak	205.00	300	Vertical	Pass
6**	17462.401	47.01	2.86	54.0	6.99	AV	205.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.600	39.12	-17.47	74.0	34.88	Peak	163.00	400	Horizontal	Pass
1**	1335.600	29.01	-17.47	54.0	24.99	AV	163.00	400	Horizontal	Pass
2	2418.100	108.94	-12.38	74.0	-34.94	Peak	282.00	200	Horizontal	N/A
2**	2418.100	102.54	-12.38	54.0	-48.54	AV	282.00	200	Horizontal	N/A
3	5200.400	51.80	-2.26	74.0	22.20	Peak	207.00	150	Horizontal	Pass
3**	5200.400	42.34	-2.26	54.0	11.66	AV	207.00	150	Horizontal	Pass
4	6607.600	55.42	1.52	74.0	18.58	Peak	290.00	100	Horizontal	Pass
4**	6607.600	45.79	1.52	54.0	8.21	AV	290.00	100	Horizontal	Pass
5	12848.700	54.19	1.36	74.0	19.81	Peak	37.00	300	Horizontal	Pass
5**	12848.700	44.39	1.36	54.0	9.61	AV	37.00	300	Horizontal	Pass
6	15238.500	56.29	0.97	74.0	17.71	Peak	97.00	100	Horizontal	Pass
6**	15238.500	46.16	0.97	54.0	7.84	AV	97.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1434.500	38.91	-17.50	74.0	35.09	Peak	117.00	200	Vertical	Pass
1**	1434.500	29.38	-17.50	54.0	24.62	AV	117.00	200	Vertical	Pass
2	2425.200	99.45	-12.65	74.0	-25.45	Peak	184.00	200	Vertical	N/A
2**	2425.200	89.86	-12.65	54.0	-35.86	AV	184.00	200	Vertical	N/A
3	4871.800	50.80	-3.28	74.0	23.20	Peak	0.00	200	Vertical	Pass
3**	4871.800	41.23	-3.28	54.0	12.77	AV	0.00	200	Vertical	Pass
4	6612.000	54.71	1.41	74.0	19.29	Peak	332.00	300	Vertical	Pass
4**	6612.000	46.17	1.41	54.0	7.83	AV	332.00	300	Vertical	Pass
5	12298.050	53.20	1.51	74.0	20.80	Peak	157.00	400	Vertical	Pass
5**	12298.050	43.80	1.51	54.0	10.20	AV	157.00	400	Vertical	Pass
6	17402.288	56.65	3.24	74.0	17.35	Peak	317.00	100	Vertical	Pass
6**	17402.288	46.83	3.24	54.0	7.17	AV	317.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1389.600	38.66	-17.45	74.0	35.34	Peak	116.00	100	Horizontal	Pass
1**	1389.600	28.93	-17.45	54.0	25.07	AV	116.00	100	Horizontal	Pass
2	2416.900	108.94	-12.31	74.0	-34.94	Peak	329.00	100	Horizontal	N/A
2**	2416.900	100.83	-12.31	54.0	-46.83	AV	329.00	100	Horizontal	N/A
3	4901.800	51.03	-2.52	74.0	22.97	Peak	360.00	150	Horizontal	Pass
3**	4901.800	41.89	-2.52	54.0	12.11	AV	360.00	150	Horizontal	Pass
4	6741.400	54.60	0.79	74.0	19.40	Peak	237.00	400	Horizontal	Pass
4**	6741.400	45.58	0.79	54.0	8.42	AV	237.00	400	Horizontal	Pass
5	11945.575	54.09	1.52	74.0	19.91	Peak	251.00	400	Horizontal	Pass
5**	11945.575	43.85	1.52	54.0	10.15	AV	251.00	400	Horizontal	Pass
6	16038.338	55.92	0.78	74.0	18.08	Peak	109.00	150	Horizontal	Pass
6**	16038.338	45.27	0.78	54.0	8.73	AV	109.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.900	38.92	-17.36	74.0	35.08	Peak	32.00	300	Vertical	Pass
1**	1316.900	29.51	-17.36	54.0	24.49	AV	32.00	300	Vertical	Pass
2	2423.600	101.01	-12.59	74.0	-27.01	Peak	126.00	200	Vertical	N/A
2**	2423.600	93.48	-12.59	54.0	-39.48	AV	126.00	200	Vertical	N/A
3	4976.600	50.89	-2.75	74.0	23.11	Peak	141.00	200	Vertical	Pass
3**	4976.600	42.17	-2.75	54.0	11.83	AV	141.00	200	Vertical	Pass
4	6690.200	54.45	-0.27	74.0	19.55	Peak	354.00	400	Vertical	Pass
4**	6690.200	45.37	-0.27	54.0	8.63	AV	354.00	400	Vertical	Pass
5	12889.388	53.60	1.58	74.0	20.40	Peak	360.00	400	Vertical	Pass
5**	12889.388	43.88	1.58	54.0	10.12	AV	360.00	400	Vertical	Pass
6	16051.200	56.09	0.74	74.0	17.91	Peak	222.00	150	Vertical	Pass
6**	16051.200	46.67	0.74	54.0	7.33	AV	222.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.600	39.19	-17.53	74.0	34.81	Peak	127.00	300	Horizontal	Pass
1**	1575.600	29.22	-17.53	54.0	24.78	AV	127.00	300	Horizontal	Pass
2	2429.600	109.41	-12.74	74.0	-35.41	Peak	209.00	200	Horizontal	N/A
2**	2429.600	101.51	-12.74	54.0	-47.51	AV	209.00	200	Horizontal	N/A
3	5179.600	52.21	-2.61	74.0	21.79	Peak	28.00	150	Horizontal	Pass
3**	5179.600	42.45	-2.61	54.0	11.55	AV	28.00	150	Horizontal	Pass
4	6603.400	54.56	0.91	74.0	19.44	Peak	90.00	400	Horizontal	Pass
4**	6603.400	46.16	0.91	54.0	7.84	AV	90.00	400	Horizontal	Pass
5	12859.463	53.66	1.45	74.0	20.34	Peak	109.00	400	Horizontal	Pass
5**	12859.463	44.60	1.45	54.0	9.40	AV	109.00	400	Horizontal	Pass
6	15820.724	56.43	1.84	74.0	17.57	Peak	222.00	200	Horizontal	Pass
6**	15820.724	46.28	1.84	54.0	7.72	AV	222.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1274.500	39.35	-17.38	74.0	34.65	Peak	340.00	100	Vertical	Pass
1**	1274.500	29.30	-17.38	54.0	24.70	AV	340.00	100	Vertical	Pass
2	2428.500	103.23	-12.74	74.0	-29.23	Peak	295.00	200	Vertical	N/A
2**	2428.500	95.79	-12.74	54.0	-41.79	AV	295.00	200	Vertical	N/A
3	4926.600	50.61	-2.42	74.0	23.39	Peak	265.00	200	Vertical	Pass
3**	4926.600	41.55	-2.42	54.0	12.45	AV	265.00	200	Vertical	Pass
4	6608.400	54.34	1.57	74.0	19.66	Peak	308.00	400	Vertical	Pass
4**	6608.400	46.41	1.57	54.0	7.59	AV	308.00	400	Vertical	Pass
5	12794.625	53.20	1.16	74.0	20.80	Peak	109.00	200	Vertical	Pass
5**	12794.625	44.74	1.16	54.0	9.26	AV	109.00	200	Vertical	Pass
6	17433.526	55.67	3.32	74.0	18.33	Peak	53.00	100	Vertical	Pass
6**	17433.526	46.95	3.32	54.0	7.05	AV	53.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.100	39.36	-17.46	74.0	34.64	Peak	335.00	300	Horizontal	Pass
1**	1471.100	28.91	-17.46	54.0	25.09	AV	335.00	300	Horizontal	Pass
2	2440.900	109.55	-12.43	74.0	-35.55	Peak	230.00	100	Horizontal	N/A
2**	2440.900	100.97	-12.43	54.0	-46.97	AV	230.00	100	Horizontal	N/A
3	5450.200	52.59	-2.05	74.0	21.41	Peak	163.00	150	Horizontal	Pass
3**	5450.200	42.20	-2.05	54.0	11.80	AV	163.00	150	Horizontal	Pass
4	6405.000	55.45	0.26	74.0	18.55	Peak	205.00	200	Horizontal	Pass
4**	6405.000	45.00	0.26	54.0	9.00	AV	205.00	200	Horizontal	Pass
5	12417.937	53.70	1.40	74.0	20.30	Peak	295.00	400	Horizontal	Pass
5**	12417.937	43.35	1.40	54.0	10.65	AV	295.00	400	Horizontal	Pass
6	17418.301	56.18	3.72	74.0	17.82	Peak	53.00	100	Horizontal	Pass
6**	17418.301	46.60	3.72	54.0	7.40	AV	53.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.900	39.08	-17.73	74.0	34.92	Peak	335.00	200	Vertical	Pass
1**	1593.900	29.16	-17.73	54.0	24.84	AV	335.00	200	Vertical	Pass
2	2435.600	103.79	-12.53	74.0	-29.79	Peak	300.00	100	Vertical	N/A
2**	2435.600	96.26	-12.53	54.0	-42.26	AV	300.00	100	Vertical	N/A
3	4928.800	50.96	-2.56	74.0	23.04	Peak	27.00	150	Vertical	Pass
3**	4928.800	41.58	-2.56	54.0	12.42	AV	27.00	150	Vertical	Pass
4	6747.800	55.09	0.73	74.0	18.91	Peak	92.00	300	Vertical	Pass
4**	6747.800	45.46	0.73	54.0	8.54	AV	92.00	300	Vertical	Pass
5	12820.350	54.15	0.92	74.0	19.85	Peak	52.00	400	Vertical	Pass
5**	12820.350	43.86	0.92	54.0	10.14	AV	52.00	400	Vertical	Pass
6	17408.850	56.12	3.42	74.0	17.88	Peak	275.00	400	Vertical	Pass
6**	17408.850	47.22	3.42	54.0	6.78	AV	275.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1299.600	38.37	-17.43	74.0	35.63	Peak	83.00	200	Horizontal	Pass
1**	1299.600	29.49	-17.43	54.0	24.51	AV	83.00	200	Horizontal	Pass
2	2450.600	109.37	-12.35	74.0	-35.37	Peak	178.00	150	Horizontal	N/A
2**	2450.600	101.22	-12.35	54.0	-47.22	AV	178.00	150	Horizontal	N/A
3	4995.200	51.63	-2.85	74.0	22.37	Peak	294.00	150	Horizontal	Pass
3**	4995.200	43.15	-2.85	54.0	10.85	AV	294.00	150	Horizontal	Pass
4	6608.600	55.47	1.59	74.0	18.53	Peak	274.00	100	Horizontal	Pass
4**	6608.600	45.90	1.59	54.0	8.10	AV	274.00	100	Horizontal	Pass
5	12716.650	53.55	1.08	74.0	20.45	Peak	157.00	100	Horizontal	Pass
5**	12716.650	44.60	1.08	54.0	9.40	AV	157.00	100	Horizontal	Pass
6	17453.214	56.88	2.83	74.0	17.12	Peak	15.00	200	Horizontal	Pass
6**	17453.214	46.89	2.83	54.0	7.11	AV	15.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.600	38.79	-17.43	74.0	35.21	Peak	66.00	200	Vertical	Pass
1**	1579.600	29.77	-17.43	54.0	24.23	AV	66.00	200	Vertical	Pass
2	2445.300	102.27	-12.61	74.0	-28.27	Peak	297.00	200	Vertical	N/A
2**	2445.300	92.94	-12.61	54.0	-38.94	AV	297.00	200	Vertical	N/A
3	4979.600	50.93	-2.81	74.0	23.07	Peak	69.00	200	Vertical	Pass
3**	4979.600	41.04	-2.81	54.0	12.96	AV	69.00	200	Vertical	Pass
4	6612.600	55.18	1.38	74.0	18.82	Peak	17.00	200	Vertical	Pass
4**	6612.600	46.13	1.38	54.0	7.87	AV	17.00	200	Vertical	Pass
5	12747.700	53.49	1.18	74.0	20.51	Peak	122.00	100	Vertical	Pass
5**	12747.700	44.50	1.18	54.0	9.50	AV	122.00	100	Vertical	Pass
6	15621.488	56.59	1.66	74.0	17.41	Peak	299.00	150	Vertical	Pass
6**	15621.488	46.16	1.66	54.0	7.84	AV	299.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.700	39.24	-17.49	74.0	34.76	Peak	85.00	200	Horizontal	Pass
1**	1412.700	29.10	-17.49	54.0	24.90	AV	85.00	200	Horizontal	Pass
2	2451.500	109.82	-12.41	74.0	-35.82	Peak	210.00	200	Horizontal	N/A
2**	2451.500	103.14	-12.41	54.0	-49.14	AV	210.00	200	Horizontal	N/A
3	5434.000	52.59	-1.53	74.0	21.41	Peak	354.00	150	Horizontal	Pass
3**	5434.000	44.64	-1.53	54.0	9.36	AV	354.00	150	Horizontal	Pass
4	6599.200	54.98	0.10	74.0	19.02	Peak	318.00	400	Horizontal	Pass
4**	6599.200	45.25	0.10	54.0	8.75	AV	318.00	400	Horizontal	Pass
5	12857.625	53.30	1.44	74.0	20.70	Peak	360.00	300	Horizontal	Pass
5**	12857.625	43.68	1.44	54.0	10.32	AV	360.00	300	Horizontal	Pass
6	17432.214	56.68	3.37	74.0	17.32	Peak	19.00	200	Horizontal	Pass
6**	17432.214	46.89	3.37	54.0	7.11	AV	19.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.000	39.46	-17.32	74.0	34.54	Peak	253.00	400	Vertical	Pass
1**	1538.000	30.62	-17.32	54.0	23.38	AV	253.00	400	Vertical	Pass
2	2451.000	102.73	-12.37	74.0	-28.73	Peak	141.00	200	Vertical	N/A
2**	2451.000	92.43	-12.37	54.0	-38.43	AV	141.00	200	Vertical	N/A
3	5714.600	53.01	-1.57	74.0	20.99	Peak	292.00	150	Vertical	Pass
3**	5714.600	43.10	-1.57	54.0	10.90	AV	292.00	150	Vertical	Pass
4	6608.600	55.20	1.59	74.0	18.80	Peak	339.00	400	Vertical	Pass
4**	6608.600	46.02	1.59	54.0	7.98	AV	339.00	400	Vertical	Pass
5	12837.412	53.18	1.29	74.0	20.82	Peak	38.00	400	Vertical	Pass
5**	12837.412	44.16	1.29	54.0	9.84	AV	38.00	400	Vertical	Pass
6	17434.575	56.89	3.28	74.0	17.11	Peak	38.00	300	Vertical	Pass
6**	17434.575	46.69	3.28	54.0	7.31	AV	38.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.800	39.16	-17.36	74.0	34.84	Peak	0.00	300	Horizontal	Pass
1**	1552.800	29.23	-17.36	54.0	24.77	AV	0.00	300	Horizontal	Pass
2	2455.100	108.99	-12.59	74.0	-34.99	Peak	293.00	200	Horizontal	N/A
2**	2455.100	100.36	-12.59	54.0	-46.36	AV	293.00	200	Horizontal	N/A
3	4781.000	51.75	-2.84	74.0	22.25	Peak	94.00	150	Horizontal	Pass
3**	4781.000	42.23	-2.84	54.0	11.77	AV	94.00	150	Horizontal	Pass
4	6607.600	55.07	1.52	74.0	18.93	Peak	271.00	300	Horizontal	Pass
4**	6607.600	46.10	1.52	54.0	7.90	AV	271.00	300	Horizontal	Pass
5	12794.625	53.68	1.16	74.0	20.32	Peak	17.00	200	Horizontal	Pass
5**	12794.625	44.20	1.16	54.0	9.80	AV	17.00	200	Horizontal	Pass
6	17420.136	56.80	3.75	74.0	17.20	Peak	233.00	400	Horizontal	Pass
6**	17420.136	47.61	3.75	54.0	6.39	AV	233.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.500	39.39	-17.61	74.0	34.61	Peak	315.00	400	Vertical	Pass
1**	1493.500	29.68	-17.61	54.0	24.32	AV	315.00	400	Vertical	Pass
2	2456.100	99.02	-12.49	74.0	-25.02	Peak	134.00	100	Vertical	N/A
2**	2456.100	91.30	-12.49	54.0	-37.30	AV	134.00	100	Vertical	N/A
3	4926.400	51.22	-2.41	74.0	22.78	Peak	360.00	100	Vertical	Pass
3**	4926.400	41.89	-2.41	54.0	12.11	AV	360.00	100	Vertical	Pass
4	6610.600	54.60	1.49	74.0	19.40	Peak	32.00	400	Vertical	Pass
4**	6610.600	46.18	1.49	54.0	7.82	AV	32.00	400	Vertical	Pass
5	12738.213	54.19	1.30	74.0	19.81	Peak	201.00	200	Vertical	Pass
5**	12738.213	43.80	1.30	54.0	10.20	AV	201.00	200	Vertical	Pass
6	15611.513	56.25	1.33	74.0	17.75	Peak	166.00	200	Vertical	Pass
6**	15611.513	46.75	1.33	54.0	7.25	AV	166.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1308.400	38.97	-17.47	74.0	35.03	Peak	5.00	200	Horizontal	Pass
1**	1308.400	29.33	-17.47	54.0	24.67	AV	5.00	200	Horizontal	Pass
2	2460.100	108.60	-12.56	74.0	-34.60	Peak	203.00	200	Horizontal	N/A
2**	2460.100	100.62	-12.56	54.0	-46.62	AV	203.00	200	Horizontal	N/A
3	5511.800	53.18	-2.52	74.0	20.82	Peak	113.00	150	Horizontal	Pass
3**	5511.800	42.44	-2.52	54.0	11.56	AV	113.00	150	Horizontal	Pass
4	6610.200	55.23	1.52	74.0	18.77	Peak	206.00	100	Horizontal	Pass
4**	6610.200	46.17	1.52	54.0	7.83	AV	206.00	100	Horizontal	Pass
5	12491.825	53.88	1.67	74.0	20.12	Peak	141.00	200	Horizontal	Pass
5**	12491.825	44.58	1.67	54.0	9.42	AV	141.00	200	Horizontal	Pass
6	17449.802	56.79	2.82	74.0	17.21	Peak	360.00	200	Horizontal	Pass
6**	17449.802	47.91	2.82	54.0	6.09	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1374.200	39.07	-17.36	74.0	34.93	Peak	196.00	400	Vertical	Pass
1**	1374.200	30.57	-17.36	54.0	23.43	AV	196.00	400	Vertical	Pass
2	2461.500	97.82	-12.53	74.0	-23.82	Peak	130.00	150	Vertical	N/A
2**	2461.500	88.97	-12.53	54.0	-34.97	AV	130.00	150	Vertical	N/A
3	4924.400	51.47	-2.35	74.0	22.53	Peak	316.00	200	Vertical	Pass
3**	4924.400	41.96	-2.35	54.0	12.04	AV	316.00	200	Vertical	Pass
4	6607.000	54.73	1.48	74.0	19.27	Peak	128.00	200	Vertical	Pass
4**	6607.000	46.81	1.48	54.0	7.19	AV	128.00	200	Vertical	Pass
5	12842.401	53.81	1.34	74.0	20.19	Peak	60.00	400	Vertical	Pass
5**	12842.401	44.71	1.34	54.0	9.29	AV	60.00	400	Vertical	Pass
6	17424.337	56.18	3.64	74.0	17.82	Peak	60.00	400	Vertical	Pass
6**	17424.337	47.09	3.64	54.0	6.91	AV	60.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1219.700	38.98	-17.77	74.0	35.02	Peak	261.00	400	Horizontal	Pass
1**	1219.700	29.45	-17.77	54.0	24.55	AV	261.00	400	Horizontal	Pass
2	2424.700	106.67	-12.63	74.0	-32.67	Peak	194.00	200	Horizontal	N/A
2**	2424.700	98.01	-12.63	54.0	-44.01	AV	194.00	200	Horizontal	N/A
3	4686.000	50.25	-3.17	74.0	23.75	Peak	0.00	150	Horizontal	Pass
3**	4686.000	40.56	-3.17	54.0	13.44	AV	0.00	150	Horizontal	Pass
4	6603.600	54.72	0.95	74.0	19.28	Peak	159.00	300	Horizontal	Pass
4**	6603.600	45.78	0.95	54.0	8.22	AV	159.00	300	Horizontal	Pass
5	12906.713	54.24	1.42	74.0	19.76	Peak	41.00	100	Horizontal	Pass
5**	12906.713	44.01	1.42	54.0	9.99	AV	41.00	100	Horizontal	Pass
6	15813.900	56.39	2.08	74.0	17.61	Peak	193.00	300	Horizontal	Pass
6**	15813.900	46.72	2.08	54.0	7.28	AV	193.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.900	39.45	-17.44	74.0	34.55	Peak	50.00	200	Vertical	Pass
1**	1422.900	30.19	-17.44	54.0	23.81	AV	50.00	200	Vertical	Pass
2	2425.200	92.83	-12.65	74.0	-18.83	Peak	187.00	100	Vertical	N/A
2**	2425.200	83.01	-12.65	54.0	-29.01	AV	187.00	100	Vertical	N/A
3	4789.200	51.10	-2.44	74.0	22.90	Peak	360.00	150	Vertical	Pass
3**	4789.200	42.12	-2.44	54.0	11.88	AV	360.00	150	Vertical	Pass
4	6618.200	55.48	0.67	74.0	18.52	Peak	233.00	300	Vertical	Pass
4**	6618.200	45.50	0.67	54.0	8.50	AV	233.00	300	Vertical	Pass
5	12791.474	53.77	1.17	74.0	20.23	Peak	146.00	200	Vertical	Pass
5**	12791.474	43.89	1.17	54.0	10.11	AV	146.00	200	Vertical	Pass
6	17414.625	56.82	3.62	74.0	17.18	Peak	360.00	200	Vertical	Pass
6**	17414.625	47.55	3.62	54.0	6.45	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.000	39.73	-17.44	74.0	34.27	Peak	279.00	100	Horizontal	Pass
1**	1527.000	29.65	-17.44	54.0	24.35	AV	279.00	100	Horizontal	Pass
2	2429.300	106.09	-12.74	74.0	-32.09	Peak	212.00	150	Horizontal	N/A
2**	2429.300	97.62	-12.74	54.0	-43.62	AV	212.00	150	Horizontal	N/A
3	5206.400	51.86	-2.31	74.0	22.14	Peak	349.00	150	Horizontal	Pass
3**	5206.400	42.36	-2.31	54.0	11.64	AV	349.00	150	Horizontal	Pass
4	6776.400	54.71	0.29	74.0	19.29	Peak	0.00	200	Horizontal	Pass
4**	6776.400	45.07	0.29	54.0	8.93	AV	0.00	200	Horizontal	Pass
5	12289.424	53.39	1.68	74.0	20.61	Peak	270.00	200	Horizontal	Pass
5**	12289.424	44.66	1.68	54.0	9.34	AV	270.00	200	Horizontal	Pass
6	17422.238	56.29	3.70	74.0	17.71	Peak	145.00	200	Horizontal	Pass
6**	17422.238	47.58	3.70	54.0	6.42	AV	145.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.700	39.00	-17.63	74.0	35.00	Peak	247.00	400	Vertical	Pass
1**	1489.700	29.37	-17.63	54.0	24.63	AV	247.00	400	Vertical	Pass
2	2428.400	93.48	-12.74	74.0	-19.48	Peak	176.00	200	Vertical	N/A
2**	2428.400	83.73	-12.74	54.0	-29.73	AV	176.00	200	Vertical	N/A
3	4789.600	51.03	-2.39	74.0	22.97	Peak	202.00	150	Vertical	Pass
3**	4789.600	41.80	-2.39	54.0	12.20	AV	202.00	150	Vertical	Pass
4	6606.400	55.33	1.42	74.0	18.67	Peak	226.00	400	Vertical	Pass
4**	6606.400	46.58	1.42	54.0	7.42	AV	226.00	400	Vertical	Pass
5	12873.900	53.59	1.49	74.0	20.41	Peak	276.00	200	Vertical	Pass
5**	12873.900	43.90	1.49	54.0	10.10	AV	276.00	200	Vertical	Pass
6	17471.062	56.00	2.89	74.0	18.00	Peak	61.00	100	Vertical	Pass
6**	17471.062	46.60	2.89	54.0	7.40	AV	61.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1293.900	39.15	-17.51	74.0	34.85	Peak	76.00	200	Horizontal	Pass
1**	1293.900	29.46	-17.51	54.0	24.54	AV	76.00	200	Horizontal	Pass
2	2414.500	106.75	-12.49	74.0	-32.75	Peak	223.00	150	Horizontal	N/A
2**	2414.500	96.00	-12.49	54.0	-42.00	AV	223.00	150	Horizontal	N/A
3	4918.800	51.83	-2.50	74.0	22.17	Peak	305.00	150	Horizontal	Pass
3**	4918.800	42.52	-2.50	54.0	11.48	AV	305.00	150	Horizontal	Pass
4	6410.200	54.99	0.09	74.0	19.01	Peak	217.00	200	Horizontal	Pass
4**	6410.200	44.81	0.09	54.0	9.19	AV	217.00	200	Horizontal	Pass
5	12296.325	53.82	1.55	74.0	20.18	Peak	72.00	300	Horizontal	Pass
5**	12296.325	44.31	1.55	54.0	9.69	AV	72.00	300	Horizontal	Pass
6	17428.275	56.72	3.51	74.0	17.28	Peak	360.00	100	Horizontal	Pass
6**	17428.275	46.62	3.51	54.0	7.38	AV	360.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.900	38.94	-17.36	74.0	35.06	Peak	189.00	100	Vertical	Pass
1**	1316.900	29.84	-17.36	54.0	24.16	AV	189.00	100	Vertical	Pass
2	2433.100	97.52	-12.68	74.0	-23.52	Peak	294.00	100	Vertical	N/A
2**	2433.100	89.56	-12.68	54.0	-35.56	AV	294.00	100	Vertical	N/A
3	4898.600	51.10	-2.63	74.0	22.90	Peak	155.00	100	Vertical	Pass
3**	4898.600	42.22	-2.63	54.0	11.78	AV	155.00	100	Vertical	Pass
4	6612.000	54.36	1.41	74.0	19.64	Peak	129.00	100	Vertical	Pass
4**	6612.000	46.68	1.41	54.0	7.32	AV	129.00	100	Vertical	Pass
5	12885.188	53.39	1.56	74.0	20.61	Peak	0.00	100	Vertical	Pass
5**	12885.188	44.24	1.56	54.0	9.76	AV	0.00	100	Vertical	Pass
6	17408.850	57.52	3.42	74.0	16.48	Peak	360.00	100	Vertical	Pass
6**	17408.850	47.15	3.42	54.0	6.85	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1274.500	39.64	-17.38	74.0	34.36	Peak	300.00	200	Horizontal	Pass
1**	1274.500	29.13	-17.38	54.0	24.87	AV	300.00	200	Horizontal	Pass
2	2435.000	107.14	-12.56	74.0	-33.14	Peak	189.00	150	Horizontal	N/A
2**	2435.000	98.33	-12.56	54.0	-44.33	AV	189.00	150	Horizontal	N/A
3	5110.000	51.81	-2.10	74.0	22.19	Peak	122.00	150	Horizontal	Pass
3**	5110.000	42.76	-2.10	54.0	11.24	AV	122.00	150	Horizontal	Pass
4	6734.200	54.71	-0.20	74.0	19.29	Peak	353.00	200	Horizontal	Pass
4**	6734.200	45.14	-0.20	54.0	8.86	AV	353.00	200	Horizontal	Pass
5	12922.724	53.83	1.18	74.0	20.17	Peak	201.00	300	Horizontal	Pass
5**	12922.724	43.42	1.18	54.0	10.58	AV	201.00	300	Horizontal	Pass
6	16103.437	56.45	1.05	74.0	17.55	Peak	294.00	100	Horizontal	Pass
6**	16103.437	45.61	1.05	54.0	8.39	AV	294.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.100	39.34	-17.57	74.0	34.66	Peak	324.00	400	Vertical	Pass
1**	1575.100	30.68	-17.57	54.0	23.32	AV	324.00	400	Vertical	Pass
2	2431.000	96.41	-12.74	74.0	-22.41	Peak	161.00	150	Vertical	N/A
2**	2431.000	87.90	-12.74	54.0	-33.90	AV	161.00	150	Vertical	N/A
3	4843.800	51.20	-3.46	74.0	22.80	Peak	71.00	200	Vertical	Pass
3**	4843.800	40.99	-3.46	54.0	13.01	AV	71.00	200	Vertical	Pass
4	6747.200	55.08	0.78	74.0	18.92	Peak	266.00	300	Vertical	Pass
4**	6747.200	45.23	0.78	54.0	8.77	AV	266.00	300	Vertical	Pass
5	12864.975	53.05	1.42	74.0	20.95	Peak	357.00	200	Vertical	Pass
5**	12864.975	44.01	1.42	54.0	9.99	AV	357.00	200	Vertical	Pass
6	17408.324	56.56	3.40	74.0	17.44	Peak	242.00	100	Vertical	Pass
6**	17408.324	47.83	3.40	54.0	6.17	AV	242.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.200	39.37	-17.38	74.0	34.63	Peak	341.00	400	Horizontal	Pass
1**	1441.200	28.47	-17.38	54.0	25.53	AV	341.00	400	Horizontal	Pass
2	2438.700	107.27	-12.43	74.0	-33.27	Peak	239.00	100	Horizontal	N/A
2**	2438.700	97.52	-12.43	54.0	-43.52	AV	239.00	100	Horizontal	N/A
3	5708.000	52.90	-1.50	74.0	21.10	Peak	17.00	150	Horizontal	Pass
3**	5708.000	43.16	-1.50	54.0	10.84	AV	17.00	150	Horizontal	Pass
4	6606.200	54.42	1.38	74.0	19.58	Peak	352.00	200	Horizontal	Pass
4**	6606.200	46.11	1.38	54.0	7.89	AV	352.00	200	Horizontal	Pass
5	12824.025	53.44	1.02	74.0	20.56	Peak	109.00	400	Horizontal	Pass
5**	12824.025	43.37	1.02	54.0	10.63	AV	109.00	400	Horizontal	Pass
6	17414.099	56.20	3.60	74.0	17.80	Peak	258.00	300	Horizontal	Pass
6**	17414.099	47.98	3.60	54.0	6.02	AV	258.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.500	39.17	-17.65	74.0	34.83	Peak	341.00	100	Vertical	Pass
1**	1474.500	29.42	-17.65	54.0	24.58	AV	341.00	100	Vertical	Pass
2	2443.400	94.55	-12.54	74.0	-20.55	Peak	140.00	150	Vertical	N/A
2**	2443.400	85.52	-12.54	54.0	-31.52	AV	140.00	150	Vertical	N/A
3	4793.600	51.49	-2.34	74.0	22.51	Peak	0.00	200	Vertical	Pass
3**	4793.600	41.88	-2.34	54.0	12.12	AV	0.00	200	Vertical	Pass
4	6606.600	55.11	1.45	74.0	18.89	Peak	128.00	300	Vertical	Pass
4**	6606.600	46.79	1.45	54.0	7.21	AV	128.00	300	Vertical	Pass
5	12278.213	53.83	1.74	74.0	20.17	Peak	360.00	300	Vertical	Pass
5**	12278.213	43.51	1.74	54.0	10.49	AV	360.00	300	Vertical	Pass
6	16123.912	56.35	0.76	74.0	17.65	Peak	205.00	400	Vertical	Pass
6**	16123.912	46.54	0.76	54.0	7.46	AV	205.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.300	39.14	-17.62	74.0	34.86	Peak	324.00	300	Horizontal	Pass
1**	1514.300	29.79	-17.62	54.0	24.21	AV	324.00	300	Horizontal	Pass
2	2442.500	106.73	-12.50	74.0	-32.73	Peak	197.00	200	Horizontal	N/A
2**	2442.500	98.23	-12.50	54.0	-44.23	AV	197.00	200	Horizontal	N/A
3	5096.400	52.11	-2.32	74.0	21.89	Peak	108.00	150	Horizontal	Pass
3**	5096.400	42.23	-2.32	54.0	11.77	AV	108.00	150	Horizontal	Pass
4	6054.400	55.50	-1.23	74.0	18.50	Peak	30.00	200	Horizontal	Pass
4**	6054.400	44.03	-1.23	54.0	9.97	AV	30.00	200	Horizontal	Pass
5	12990.188	53.53	1.12	74.0	20.47	Peak	316.00	400	Horizontal	Pass
5**	12990.188	43.51	1.12	54.0	10.49	AV	316.00	400	Horizontal	Pass
6	17418.562	56.65	3.72	74.0	17.35	Peak	84.00	300	Horizontal	Pass
6**	17418.562	47.41	3.72	54.0	6.59	AV	84.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.800	38.99	-17.57	74.0	35.01	Peak	0.00	100	Vertical	Pass
1**	1585.800	29.28	-17.57	54.0	24.72	AV	0.00	100	Vertical	Pass
2	2449.000	94.31	-12.40	74.0	-20.31	Peak	135.00	200	Vertical	N/A
2**	2449.000	84.83	-12.40	54.0	-30.83	AV	135.00	200	Vertical	N/A
3	4949.800	50.90	-3.11	74.0	23.10	Peak	115.00	100	Vertical	Pass
3**	4949.800	41.30	-3.11	54.0	12.70	AV	115.00	100	Vertical	Pass
4	6613.200	54.83	1.32	74.0	19.17	Peak	186.00	200	Vertical	Pass
4**	6613.200	45.36	1.32	54.0	8.64	AV	186.00	200	Vertical	Pass
5	12875.737	53.24	1.51	74.0	20.76	Peak	254.00	200	Vertical	Pass
5**	12875.737	43.87	1.51	54.0	10.13	AV	254.00	200	Vertical	Pass
6	17435.363	55.71	3.25	74.0	18.29	Peak	360.00	150	Vertical	Pass
6**	17435.363	47.26	3.25	54.0	6.74	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1299.800	40.29	-17.43	74.0	33.71	Peak	66.00	100	Horizontal	Pass
1**	1299.800	31.63	-17.43	54.0	22.37	AV	66.00	100	Horizontal	Pass
2	2437.400	105.10	-12.47	74.0	-31.10	Peak	204.00	200	Horizontal	N/A
2**	2437.400	95.93	-12.47	54.0	-41.93	AV	204.00	200	Horizontal	N/A
3	5211.200	52.14	-2.46	74.0	21.86	Peak	163.00	150	Horizontal	Pass
3**	5211.200	42.35	-2.46	54.0	11.65	AV	163.00	150	Horizontal	Pass
4	6606.800	54.47	1.47	74.0	19.53	Peak	258.00	200	Horizontal	Pass
4**	6606.800	47.30	1.47	54.0	6.70	AV	258.00	200	Horizontal	Pass
5	12801.188	53.87	1.05	74.0	20.13	Peak	347.00	400	Horizontal	Pass
5**	12801.188	44.30	1.05	54.0	9.70	AV	347.00	400	Horizontal	Pass
6	17471.324	55.98	2.88	74.0	18.02	Peak	232.00	300	Horizontal	Pass
6**	17471.324	46.53	2.88	54.0	7.47	AV	232.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.900	39.20	-17.73	74.0	34.80	Peak	311.00	100	Vertical	Pass
1**	1593.900	29.00	-17.73	54.0	25.00	AV	311.00	100	Vertical	Pass
2	2450.700	93.08	-12.35	74.0	-19.08	Peak	135.00	100	Vertical	N/A
2**	2450.700	83.12	-12.35	54.0	-29.12	AV	135.00	100	Vertical	N/A
3	4968.000	51.24	-3.25	74.0	22.76	Peak	172.00	150	Vertical	Pass
3**	4968.000	41.13	-3.25	54.0	12.87	AV	172.00	150	Vertical	Pass
4	6677.200	54.55	0.31	74.0	19.45	Peak	339.00	400	Vertical	Pass
4**	6677.200	45.50	0.31	54.0	8.50	AV	339.00	400	Vertical	Pass
5	12398.099	53.28	1.59	74.0	20.72	Peak	344.00	300	Vertical	Pass
5**	12398.099	43.03	1.59	54.0	10.97	AV	344.00	300	Vertical	Pass
6	17402.550	56.11	3.25	74.0	17.89	Peak	103.00	100	Vertical	Pass
6**	17402.550	47.24	3.25	54.0	6.76	AV	103.00	100	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note [1]: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.
Note [2]: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.
Note [3]: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.
Note [4]: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

Main Antenna

802.11b CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2365.100	55.65	-0.31	74.0	18.35	Peak	99.00	200	Horizontal	Pass
1**	2365.100	43.89	-0.31	54.0	10.11	AV	99.00	200	Horizontal	Pass
2	2389.950	53.59	-0.59	74.0	20.41	Peak	58.00	150	Horizontal	Pass
2**	2389.950	44.01	-0.59	54.0	9.99	AV	58.00	150	Horizontal	Pass

802.11b CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	55.34	-0.06	74.0	18.66	Peak	360.00	150	Horizontal	Pass
1**	2483.560	44.33	-0.06	54.0	9.67	AV	360.00	150	Horizontal	Pass
2	2499.775	55.93	-0.12	74.0	18.07	Peak	265.00	200	Horizontal	Pass
2**	2499.775	43.86	-0.12	54.0	10.14	AV	265.00	200	Horizontal	Pass

802.11g CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	67.57	-0.60	74.0	6.43	Peak	194.00	100	Horizontal	Pass
1**	2389.700	46.26	-0.60	54.0	7.74	AV	194.00	100	Horizontal	Pass
2	2389.950	64.03	-0.59	74.0	9.97	Peak	201.00	150	Horizontal	Pass
2**	2389.950	46.19	-0.59	54.0	7.81	AV	201.00	150	Horizontal	Pass
3	2389.750	63.43	-0.60	74.0	10.57	Peak	274.00	150	Horizontal	Pass
3**	2389.750	48.95	-0.60	54.0	5.05	AV	274.00	150	Horizontal	Pass

802.11g CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.550	66.60	-0.64	74.0	7.40	Peak	204.00	150	Horizontal	Pass
1**	2388.550	46.01	-0.64	54.0	7.99	AV	204.00	150	Horizontal	Pass
2	2389.950	63.20	-0.59	74.0	10.80	Peak	204.00	150	Horizontal	Pass
2**	2389.950	47.11	-0.59	54.0	6.89	AV	204.00	150	Horizontal	Pass
3	2389.650	61.93	-0.60	74.0	12.07	Peak	180.00	150	Horizontal	Pass
3**	2389.650	47.91	-0.60	54.0	6.09	AV	180.00	150	Horizontal	Pass

802.11g CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.950	67.09	-0.69	74.0	6.91	Peak	191.00	100	Horizontal	Pass
1**	2386.950	45.35	-0.69	54.0	8.65	AV	191.00	100	Horizontal	Pass
2	2389.950	62.68	-0.59	74.0	11.32	Peak	336.00	150	Horizontal	Pass
2**	2389.950	47.25	-0.59	54.0	6.75	AV	336.00	150	Horizontal	Pass
3	2389.850	63.61	-0.59	74.0	10.39	Peak	179.00	150	Horizontal	Pass
3**	2389.850	48.92	-0.59	54.0	5.08	AV	179.00	150	Horizontal	Pass

802.11g CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	63.66	-0.06	74.0	10.34	Peak	250.00	200	Horizontal	Pass
1**	2483.590	45.66	-0.06	54.0	8.34	AV	250.00	200	Horizontal	Pass
2	2486.590	66.45	-0.21	74.0	7.55	Peak	219.00	100	Horizontal	Pass
2**	2486.590	44.54	-0.21	54.0	9.46	AV	219.00	100	Horizontal	Pass

802.11g CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	66.51	-0.06	74.0	7.49	Peak	206.00	150	Horizontal	Pass
1**	2483.590	47.33	-0.06	54.0	6.67	AV	206.00	150	Horizontal	Pass
2	2484.175	67.31	-0.12	74.0	6.69	Peak	211.00	200	Horizontal	Pass
2**	2484.175	47.26	-0.12	54.0	6.74	AV	211.00	200	Horizontal	Pass
3	2484.190	63.94	-0.12	74.0	10.06	Peak	246.00	150	Horizontal	Pass
3**	2484.190	48.88	-0.12	54.0	5.12	AV	246.00	150	Horizontal	Pass

802.11g CHANNEL 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	63.97	-0.06	74.0	10.03	Peak	294.00	200	Horizontal	Pass
1**	2483.560	47.38	-0.06	54.0	6.62	AV	294.00	200	Horizontal	Pass
2	2484.175	67.33	-0.12	74.0	6.67	Peak	215.00	100	Horizontal	Pass
2**	2484.175	47.01	-0.12	54.0	6.99	AV	215.00	100	Horizontal	Pass
3	2483.755	60.24	-0.08	74.0	13.76	Peak	168.00	150	Horizontal	Pass
3**	2483.755	48.11	-0.08	54.0	5.89	AV	168.00	150	Horizontal	Pass

802.11g CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	64.79	-0.06	74.0	9.21	Peak	213.00	100	Horizontal	Pass
1**	2483.575	48.10	-0.06	54.0	5.90	AV	213.00	100	Horizontal	Pass
2	2484.460	64.37	-0.14	74.0	9.63	Peak	208.00	200	Horizontal	Pass
2**	2484.460	46.64	-0.14	54.0	7.36	AV	208.00	200	Horizontal	Pass
3	2483.785	58.29	-0.08	74.0	15.71	Peak	193.00	150	Horizontal	Pass
3**	2483.785	48.73	-0.08	54.0	5.27	AV	193.00	150	Horizontal	Pass

802.11n20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.400	68.54	-0.61	74.0	5.46	Peak	213.00	150	Horizontal	Pass
1**	2389.400	45.97	-0.61	54.0	8.03	AV	213.00	150	Horizontal	Pass
2	2389.950	59.84	-0.59	74.0	14.16	Peak	320.00	200	Horizontal	Pass
2**	2389.950	46.93	-0.59	54.0	7.07	AV	320.00	200	Horizontal	Pass

802.11n20 CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	66.59	-0.62	74.0	7.41	Peak	197.00	150	Horizontal	Pass
1**	2389.150	47.47	-0.62	54.0	6.53	AV	197.00	150	Horizontal	Pass
2	2389.950	64.41	-0.59	74.0	9.59	Peak	203.00	150	Horizontal	Pass
2**	2389.950	48.69	-0.59	54.0	5.31	AV	203.00	150	Horizontal	Pass

802.11n20 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.450	64.83	-0.64	74.0	9.17	Peak	201.00	150	Horizontal	Pass
1**	2388.450	46.23	-0.64	54.0	7.77	AV	201.00	150	Horizontal	Pass
2	2389.950	65.86	-0.59	74.0	8.14	Peak	194.00	200	Horizontal	Pass
2**	2389.950	48.11	-0.59	54.0	5.89	AV	194.00	200	Horizontal	Pass

802.11n20 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	63.19	-0.06	74.0	10.81	Peak	211.00	100	Horizontal	Pass
1**	2483.560	46.03	-0.06	54.0	7.97	AV	211.00	100	Horizontal	Pass
2	2484.775	67.17	-0.15	74.0	6.83	Peak	189.00	100	Horizontal	Pass
2**	2484.775	45.75	-0.15	54.0	8.25	AV	189.00	100	Horizontal	Pass

802.11n20 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	65.65	-0.06	74.0	8.35	Peak	239.00	200	Horizontal	Pass
1**	2483.560	48.72	-0.06	54.0	5.28	AV	239.00	200	Horizontal	Pass
2	2483.890	67.96	-0.09	74.0	6.04	Peak	220.00	200	Horizontal	Pass
2**	2483.890	47.93	-0.09	54.0	6.07	AV	220.00	200	Horizontal	Pass

802.11n20 CHANNEL 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	65.02	-0.06	74.0	8.98	Peak	207.00	200	Horizontal	Pass
1**	2483.545	46.46	-0.06	54.0	7.54	AV	207.00	200	Horizontal	Pass
2	2483.800	68.82	-0.08	74.0	5.18	Peak	205.00	100	Horizontal	Pass
2**	2483.800	47.33	-0.08	54.0	6.67	AV	205.00	100	Horizontal	Pass

802.11n20 CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.83	-0.05	74.0	9.17	Peak	205.00	200	Horizontal	Pass
1**	2483.500	47.87	-0.05	54.0	6.13	AV	205.00	200	Horizontal	Pass
2	2484.880	64.74	-0.15	74.0	9.26	Peak	208.00	200	Horizontal	Pass
2**	2484.880	47.49	-0.15	54.0	6.51	AV	208.00	200	Horizontal	Pass
3	2483.650	62.72	-0.07	74.0	11.28	Peak	211.00	150	Horizontal	Pass
3**	2483.650	48.69	-0.07	54.0	5.31	AV	211.00	150	Horizontal	Pass

802.11n40 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	64.11	-0.60	74.0	9.89	Peak	249.00	150	Horizontal	Pass
1**	2389.550	47.83	-0.60	54.0	6.17	AV	249.00	150	Horizontal	Pass
2	2389.950	57.76	-0.59	74.0	16.24	Peak	208.00	100	Horizontal	Pass
2**	2389.950	47.86	-0.59	54.0	6.14	AV	208.00	100	Horizontal	Pass
3	2389.600	58.78	-0.60	74.0	15.22	Peak	214.00	150	Horizontal	Pass
3**	2389.600	48.73	-0.60	54.0	5.27	AV	214.00	150	Horizontal	Pass

802.11n40 CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	62.08	-0.60	74.0	11.92	Peak	207.00	200	Horizontal	Pass
1**	2389.800	46.90	-0.60	54.0	7.10	AV	207.00	200	Horizontal	Pass
2	2389.950	57.04	-0.59	74.0	16.96	Peak	193.00	200	Horizontal	Pass
2**	2389.950	47.68	-0.59	54.0	6.32	AV	193.00	200	Horizontal	Pass
3	2389.850	57.44	-0.59	74.0	16.56	Peak	203.00	150	Horizontal	Pass
3**	2389.850	48.47	-0.59	54.0	5.53	AV	203.00	150	Horizontal	Pass

802.11n40 CHANNEL 5



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	64.48	-0.61	74.0	9.52	Peak	192.00	100	Horizontal	Pass
1**	2389.500	47.97	-0.61	54.0	6.03	AV	192.00	100	Horizontal	Pass
2	2389.950	59.29	-0.59	74.0	14.71	Peak	211.00	150	Horizontal	Pass
2**	2389.950	48.05	-0.59	54.0	5.95	AV	211.00	150	Horizontal	Pass
3	2389.550	59.44	-0.60	74.0	14.56	Peak	192.00	150	Horizontal	Pass
3**	2389.550	48.76	-0.60	54.0	5.24	AV	192.00	150	Horizontal	Pass

802.11n40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.100	63.66	-0.65	74.0	10.34	Peak	202.00	200	Horizontal	Pass
1**	2388.100	46.56	-0.65	54.0	7.44	AV	202.00	200	Horizontal	Pass
2	2389.950	61.95	-0.59	74.0	12.05	Peak	199.00	100	Horizontal	Pass
2**	2389.950	48.07	-0.59	54.0	5.93	AV	199.00	100	Horizontal	Pass
3	2389.450	61.18	-0.61	74.0	12.82	Peak	212.00	150	Horizontal	Pass
3**	2389.450	48.26	-0.61	54.0	5.74	AV	212.00	150	Horizontal	Pass

802.11n40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	64.29	-0.05	74.0	9.71	Peak	165.00	200	Horizontal	Pass
1**	2483.530	48.96	-0.05	54.0	5.04	AV	165.00	200	Horizontal	Pass
2	2484.025	65.30	-0.10	74.0	8.70	Peak	249.00	150	Horizontal	Pass
2**	2484.025	47.44	-0.10	54.0	6.56	AV	249.00	150	Horizontal	Pass

802.11n40 CHANNEL 7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	66.98	-0.06	74.0	7.02	Peak	200.00	150	Horizontal	Pass
1**	2483.545	47.70	-0.06	54.0	6.30	AV	200.00	150	Horizontal	Pass
2	2484.655	66.64	-0.14	74.0	7.36	Peak	208.00	100	Horizontal	Pass
2**	2484.655	47.74	-0.14	54.0	6.26	AV	208.00	100	Horizontal	Pass
3	2483.605	63.79	-0.06	74.0	10.21	Peak	357.00	150	Horizontal	Pass
3**	2483.605	48.12	-0.06	54.0	5.88	AV	357.00	150	Horizontal	Pass

802.11n40 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	59.58	-0.06	74.0	14.42	Peak	206.00	150	Horizontal	Pass
1**	2483.560	48.16	-0.06	54.0	5.84	AV	206.00	150	Horizontal	Pass
2	2483.740	63.66	-0.07	74.0	10.34	Peak	203.00	150	Horizontal	Pass
2**	2483.740	46.92	-0.07	54.0	7.08	AV	203.00	150	Horizontal	Pass

802.11n40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	59.57	-0.05	74.0	14.43	Peak	206.00	100	Horizontal	Pass
1**	2483.530	48.46	-0.05	54.0	5.54	AV	206.00	100	Horizontal	Pass
2	2484.220	61.77	-0.12	74.0	12.23	Peak	198.00	100	Horizontal	Pass
2**	2484.220	47.90	-0.12	54.0	6.10	AV	198.00	100	Horizontal	Pass

VHT20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	66.91	-0.61	74.0	7.09	Peak	207.00	150	Horizontal	Pass
1**	2389.250	46.77	-0.61	54.0	7.23	AV	207.00	150	Horizontal	Pass
2	2389.950	64.76	-0.59	74.0	9.24	Peak	181.00	150	Horizontal	Pass
2**	2389.950	46.95	-0.59	54.0	7.05	AV	181.00	150	Horizontal	Pass
3	2389.300	61.53	-0.61	74.0	12.47	Peak	189.00	150	Horizontal	Pass
3**	2389.300	48.92	-0.61	54.0	5.08	AV	189.00	150	Horizontal	Pass

VHT20 CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.450	66.27	-0.64	74.0	7.73	Peak	247.00	150	Horizontal	Pass
1**	2388.450	47.79	-0.64	54.0	6.21	AV	247.00	150	Horizontal	Pass
2	2389.950	63.77	-0.59	74.0	10.23	Peak	207.00	200	Horizontal	Pass
2**	2389.950	48.36	-0.59	54.0	5.64	AV	207.00	200	Horizontal	Pass

VHT20 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	68.39	-0.61	74.0	5.61	Peak	205.00	100	Horizontal	Pass
1**	2389.300	48.48	-0.61	54.0	5.52	AV	205.00	100	Horizontal	Pass
2	2389.950	63.74	-0.59	74.0	10.26	Peak	207.00	150	Horizontal	Pass
2**	2389.950	48.91	-0.59	54.0	5.09	AV	207.00	150	Horizontal	Pass

VHT20 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	63.20	-0.06	74.0	10.80	Peak	216.00	150	Horizontal	Pass
1**	2483.545	46.42	-0.06	54.0	7.58	AV	216.00	150	Horizontal	Pass
2	2484.670	65.76	-0.14	74.0	8.24	Peak	218.00	100	Horizontal	Pass
2**	2484.670	46.64	-0.14	54.0	7.36	AV	218.00	100	Horizontal	Pass
3	2485.120	62.39	-0.16	74.0	11.61	Peak	341.00	150	Horizontal	Pass
3**	2485.120	48.90	-0.16	54.0	5.10	AV	341.00	150	Horizontal	Pass

VHT20 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	65.76	-0.06	74.0	8.24	Peak	195.00	150	Horizontal	Pass
1**	2483.590	47.77	-0.06	54.0	6.23	AV	195.00	150	Horizontal	Pass
2	2484.085	66.76	-0.11	74.0	7.24	Peak	237.00	150	Horizontal	Pass
2**	2484.085	47.38	-0.11	54.0	6.62	AV	237.00	150	Horizontal	Pass
3	2483.950	65.49	-0.09	74.0	8.51	Peak	208.00	150	Horizontal	Pass
3**	2483.950	48.47	-0.09	54.0	5.53	AV	208.00	150	Horizontal	Pass

VHT20 CHANNEL 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	64.79	-0.06	74.0	9.21	Peak	216.00	150	Horizontal	Pass
1**	2483.545	48.55	-0.06	54.0	5.45	AV	216.00	150	Horizontal	Pass
2	2485.105	66.52	-0.16	74.0	7.48	Peak	235.00	100	Horizontal	Pass
2**	2485.105	46.75	-0.16	54.0	7.25	AV	235.00	100	Horizontal	Pass

VHT20 CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	65.83	-0.06	74.0	8.17	Peak	335.00	150	Horizontal	Pass
1**	2483.560	48.46	-0.06	54.0	5.54	AV	335.00	150	Horizontal	Pass
2	2483.830	65.80	-0.08	74.0	8.20	Peak	192.00	100	Horizontal	Pass
2**	2483.830	47.96	-0.08	54.0	6.04	AV	192.00	100	Horizontal	Pass

VHT40 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.800	62.12	-0.63	74.0	11.88	Peak	199.00	100	Horizontal	Pass
1**	2388.800	48.37	-0.63	54.0	5.63	AV	199.00	100	Horizontal	Pass
2	2389.950	57.42	-0.59	74.0	16.58	Peak	206.00	150	Horizontal	Pass
2**	2389.950	47.96	-0.59	54.0	6.04	AV	206.00	150	Horizontal	Pass

VHT40 CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.750	61.40	-0.63	74.0	12.60	Peak	196.00	100	Horizontal	Pass
1**	2388.750	46.67	-0.63	54.0	7.33	AV	196.00	100	Horizontal	Pass
2	2389.950	57.60	-0.59	74.0	16.40	Peak	216.00	200	Horizontal	Pass
2**	2389.950	47.16	-0.59	54.0	6.84	AV	216.00	200	Horizontal	Pass
3	2389.600	57.93	-0.60	74.0	16.07	Peak	210.00	150	Horizontal	Pass
3**	2389.600	48.49	-0.60	54.0	5.51	AV	210.00	150	Horizontal	Pass

VHT40 CHANNEL 5



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	63.80	-0.61	74.0	10.20	Peak	204.00	200	Horizontal	Pass
1**	2389.300	47.00	-0.61	54.0	7.00	AV	204.00	200	Horizontal	Pass
2	2389.950	61.21	-0.59	74.0	12.79	Peak	284.00	200	Horizontal	Pass
2**	2389.950	47.58	-0.59	54.0	6.42	AV	284.00	200	Horizontal	Pass
3	2389.800	57.48	-0.60	74.0	16.52	Peak	192.00	150	Horizontal	Pass
3**	2389.800	48.40	-0.60	54.0	5.60	AV	192.00	150	Horizontal	Pass

VHT40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.400	63.97	-0.61	74.0	10.03	Peak	199.00	100	Horizontal	Pass
1**	2389.400	47.80	-0.61	54.0	6.20	AV	199.00	100	Horizontal	Pass
2	2389.950	58.84	-0.59	74.0	15.16	Peak	186.00	200	Horizontal	Pass
2**	2389.950	48.08	-0.59	54.0	5.92	AV	186.00	200	Horizontal	Pass

VHT40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	64.55	-0.06	74.0	9.45	Peak	214.00	200	Horizontal	Pass
1**	2483.575	48.39	-0.06	54.0	5.61	AV	214.00	200	Horizontal	Pass
2	2484.745	66.23	-0.15	74.0	7.77	Peak	207.00	100	Horizontal	Pass
2**	2484.745	48.39	-0.15	54.0	5.61	AV	207.00	100	Horizontal	Pass

VHT40 CHANNEL 7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	65.55	-0.06	74.0	8.45	Peak	215.00	150	Horizontal	Pass
1**	2483.560	48.05	-0.06	54.0	5.95	AV	215.00	150	Horizontal	Pass
2	2484.130	66.31	-0.11	74.0	7.69	Peak	205.00	100	Horizontal	Pass
2**	2484.130	47.74	-0.11	54.0	6.26	AV	205.00	100	Horizontal	Pass
3	2483.905	58.32	-0.09	74.0	15.68	Peak	172.00	150	Horizontal	Pass
3**	2483.905	48.40	-0.09	54.0	5.60	AV	172.00	150	Horizontal	Pass

VHT40 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	60.52	-0.05	74.0	13.48	Peak	199.00	100	Horizontal	Pass
1**	2483.515	47.59	-0.05	54.0	6.41	AV	199.00	100	Horizontal	Pass
2	2483.995	64.10	-0.10	74.0	9.90	Peak	217.00	150	Horizontal	Pass
2**	2483.995	47.71	-0.10	54.0	6.29	AV	217.00	150	Horizontal	Pass
3	2483.725	56.90	-0.07	74.0	17.10	Peak	205.00	150	Horizontal	Pass
3**	2483.725	48.33	-0.07	54.0	5.67	AV	205.00	150	Horizontal	Pass

VHT40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.96	-0.05	74.0	12.04	Peak	204.00	100	Horizontal	Pass
1**	2483.515	48.61	-0.05	54.0	5.39	AV	204.00	100	Horizontal	Pass
2	2483.830	66.41	-0.08	74.0	7.59	Peak	246.00	200	Horizontal	Pass
2**	2483.830	48.29	-0.08	54.0	5.71	AV	246.00	200	Horizontal	Pass

802.11ax20(SU) CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	67.11	-0.62	74.0	6.89	Peak	194.00	200	Horizontal	Pass
1**	2389.050	47.23	-0.62	54.0	6.77	AV	194.00	200	Horizontal	Pass
2	2389.950	64.82	-0.59	74.0	9.18	Peak	214.00	200	Horizontal	Pass
2**	2389.950	46.44	-0.59	54.0	7.56	AV	214.00	200	Horizontal	Pass
3	2389.100	63.17	-0.62	74.0	10.83	Peak	336.00	150	Horizontal	Pass
3**	2389.100	48.26	-0.62	54.0	5.74	AV	336.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.450	67.14	-0.61	74.0	6.86	Peak	240.00	200	Horizontal	Pass
1**	2389.450	48.37	-0.61	54.0	5.63	AV	240.00	200	Horizontal	Pass
2	2389.950	61.14	-0.59	74.0	12.86	Peak	235.00	100	Horizontal	Pass
2**	2389.950	48.46	-0.59	54.0	5.54	AV	235.00	100	Horizontal	Pass

802.11ax20(SU) CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	66.17	-0.60	74.0	7.83	Peak	200.00	200	Horizontal	Pass
1**	2389.750	46.66	-0.60	54.0	7.34	AV	200.00	200	Horizontal	Pass
2	2389.950	61.28	-0.59	74.0	12.72	Peak	240.00	200	Horizontal	Pass
2**	2389.950	46.58	-0.59	54.0	7.42	AV	240.00	200	Horizontal	Pass
3	2389.800	61.76	-0.60	74.0	12.24	Peak	205.00	150	Horizontal	Pass
3**	2389.800	48.01	-0.60	54.0	5.99	AV	205.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.450	64.26	-0.61	74.0	9.74	Peak	196.00	200	Horizontal	Pass
1**	2389.450	46.43	-0.61	54.0	7.57	AV	196.00	200	Horizontal	Pass
2	2389.950	62.00	-0.59	74.0	12.00	Peak	207.00	150	Horizontal	Pass
2**	2389.950	46.87	-0.59	54.0	7.13	AV	207.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.24	-0.05	74.0	10.76	Peak	209.00	100	Horizontal	Pass
1**	2483.500	47.09	-0.05	54.0	6.91	AV	209.00	100	Horizontal	Pass
2	2484.700	66.18	-0.15	74.0	7.82	Peak	218.00	150	Horizontal	Pass
2**	2484.700	46.20	-0.15	54.0	7.80	AV	218.00	150	Horizontal	Pass
3	2484.775	62.95	-0.15	74.0	11.05	Peak	211.00	150	Horizontal	Pass
3**	2484.775	48.36	-0.15	54.0	5.64	AV	211.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	65.76	-0.06	74.0	8.24	Peak	0.00	150	Horizontal	Pass
1**	2483.575	47.66	-0.06	54.0	6.34	AV	0.00	150	Horizontal	Pass
2	2484.805	66.58	-0.15	74.0	7.42	Peak	204.00	200	Horizontal	Pass
2**	2484.805	46.14	-0.15	54.0	7.86	AV	204.00	200	Horizontal	Pass
3	2484.310	61.67	-0.13	74.0	12.33	Peak	245.00	150	Horizontal	Pass
3**	2484.310	48.67	-0.13	54.0	5.33	AV	245.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 10



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.14	-0.05	74.0	7.86	Peak	196.00	150	Horizontal	Pass
1**	2483.500	46.77	-0.05	54.0	7.23	AV	196.00	150	Horizontal	Pass
2	2484.490	64.47	-0.14	74.0	9.53	Peak	200.00	100	Horizontal	Pass
2**	2484.490	46.77	-0.14	54.0	7.23	AV	200.00	100	Horizontal	Pass
3	2483.920	61.64	-0.09	74.0	12.36	Peak	350.00	150	Horizontal	Pass
3**	2483.920	48.49	-0.09	54.0	5.51	AV	350.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	65.93	-0.06	74.0	8.07	Peak	212.00	100	Horizontal	Pass
1**	2483.545	48.65	-0.06	54.0	5.35	AV	212.00	100	Horizontal	Pass
2	2484.250	66.99	-0.12	74.0	7.01	Peak	246.00	150	Horizontal	Pass
2**	2484.250	47.50	-0.12	54.0	6.50	AV	246.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	63.59	-0.61	74.0	10.41	Peak	170.00	100	Horizontal	Pass
1**	2389.500	47.85	-0.61	54.0	6.15	AV	170.00	100	Horizontal	Pass
2	2389.950	59.53	-0.59	74.0	14.47	Peak	203.00	200	Horizontal	Pass
2**	2389.950	48.54	-0.59	54.0	5.46	AV	203.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	65.58	-0.62	74.0	8.42	Peak	344.00	200	Horizontal	Pass
1**	2389.000	48.33	-0.62	54.0	5.67	AV	344.00	200	Horizontal	Pass
2	2389.950	58.72	-0.59	74.0	15.28	Peak	203.00	150	Horizontal	Pass
2**	2389.950	48.02	-0.59	54.0	5.98	AV	203.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 5



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	61.78	-0.62	74.0	12.22	Peak	216.00	200	Horizontal	Pass
1**	2389.150	47.56	-0.62	54.0	6.44	AV	216.00	200	Horizontal	Pass
2	2389.950	58.92	-0.59	74.0	15.08	Peak	216.00	200	Horizontal	Pass
2**	2389.950	47.77	-0.59	54.0	6.23	AV	216.00	200	Horizontal	Pass
3	2389.250	60.49	-0.61	74.0	13.51	Peak	343.00	150	Horizontal	Pass
3**	2389.250	48.01	-0.61	54.0	5.99	AV	343.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.350	63.80	-0.61	74.0	10.20	Peak	212.00	100	Horizontal	Pass
1**	2389.350	46.48	-0.61	54.0	7.52	AV	212.00	100	Horizontal	Pass
2	2389.950	58.48	-0.59	74.0	15.52	Peak	208.00	150	Horizontal	Pass
2**	2389.950	46.86	-0.59	54.0	7.14	AV	208.00	150	Horizontal	Pass
3	2389.400	57.04	-0.61	74.0	16.96	Peak	181.00	150	Horizontal	Pass
3**	2389.400	48.34	-0.61	54.0	5.66	AV	181.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.92	-0.05	74.0	12.08	Peak	211.00	200	Horizontal	Pass
1**	2483.515	46.81	-0.05	54.0	7.19	AV	211.00	200	Horizontal	Pass
2	2484.190	65.93	-0.12	74.0	8.07	Peak	199.00	150	Horizontal	Pass
2**	2484.190	46.24	-0.12	54.0	7.76	AV	199.00	150	Horizontal	Pass
3	2483.605	58.84	-0.06	74.0	15.16	Peak	211.00	150	Horizontal	Pass
3**	2483.605	48.04	-0.06	54.0	5.96	AV	211.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.65	-0.05	74.0	10.35	Peak	207.00	200	Horizontal	Pass
1**	2483.500	48.93	-0.05	54.0	5.07	AV	207.00	200	Horizontal	Pass
2	2484.700	69.18	-0.15	74.0	4.82	Peak	198.00	150	Horizontal	Pass
2**	2484.700	47.61	-0.15	54.0	6.39	AV	198.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	65.31	-0.05	74.0	8.69	Peak	219.00	150	Horizontal	Pass
1**	2483.530	48.77	-0.05	54.0	5.23	AV	219.00	150	Horizontal	Pass
2	2484.730	64.70	-0.15	74.0	9.30	Peak	207.00	150	Horizontal	Pass
2**	2484.730	47.71	-0.15	54.0	6.29	AV	207.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	59.87	-0.06	74.0	14.13	Peak	191.00	150	Horizontal	Pass
1**	2483.590	48.50	-0.06	54.0	5.50	AV	191.00	150	Horizontal	Pass
2	2484.340	62.65	-0.13	74.0	11.35	Peak	210.00	200	Horizontal	Pass
2**	2484.340	48.43	-0.13	54.0	5.57	AV	210.00	200	Horizontal	Pass

802.11ax20(RU26) CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2326.050	55.65	-0.68	74.0	18.35	Peak	84.00	100	Horizontal	Pass
1**	2326.050	44.43	-0.68	54.0	9.57	AV	84.00	100	Horizontal	Pass
2	2389.950	52.95	-0.59	74.0	21.05	Peak	249.00	200	Horizontal	Pass
2**	2389.950	43.74	-0.59	54.0	10.26	AV	249.00	200	Horizontal	Pass

802.11ax20(RU26) CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.17	-0.05	74.0	18.83	Peak	169.00	150	Horizontal	Pass
1**	2483.500	44.33	-0.05	54.0	9.67	AV	169.00	150	Horizontal	Pass
2	2494.930	56.17	-0.20	74.0	17.83	Peak	360.00	200	Horizontal	Pass
2**	2494.930	44.17	-0.20	54.0	9.83	AV	360.00	200	Horizontal	Pass

802.11ax40(RU26) CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	56.97	-0.63	74.0	17.03	Peak	197.00	200	Horizontal	Pass
1**	2388.900	43.96	-0.63	54.0	10.04	AV	197.00	200	Horizontal	Pass
2	2389.950	54.72	-0.59	74.0	19.28	Peak	301.00	100	Horizontal	Pass
2**	2389.950	44.08	-0.59	54.0	9.92	AV	301.00	100	Horizontal	Pass

802.11ax40(RU26) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	55.38	-0.06	74.0	18.62	Peak	0.00	200	Horizontal	Pass
1**	2483.590	44.38	-0.06	54.0	9.62	AV	0.00	200	Horizontal	Pass
2	2483.875	58.59	-0.09	74.0	15.41	Peak	214.00	150	Horizontal	Pass
2**	2483.875	44.16	-0.09	54.0	9.84	AV	214.00	150	Horizontal	Pass

Aux. Antenna

802.11b CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2378.350	55.98	-0.50	74.0	18.02	Peak	123.00	200	Horizontal	Pass
1**	2378.350	44.04	-0.50	54.0	9.96	AV	123.00	200	Horizontal	Pass
2	2389.950	54.60	-0.59	74.0	19.40	Peak	360.00	150	Horizontal	Pass
2**	2389.950	43.75	-0.59	54.0	10.25	AV	360.00	150	Horizontal	Pass

802.11b CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	54.91	-0.06	74.0	19.09	Peak	73.00	100	Horizontal	Pass
1**	2483.575	44.23	-0.06	54.0	9.77	AV	73.00	100	Horizontal	Pass
2	2495.095	55.90	-0.20	74.0	18.10	Peak	37.00	100	Horizontal	Pass
2**	2495.095	43.97	-0.20	54.0	10.03	AV	37.00	100	Horizontal	Pass

802.11g CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.450	65.16	-0.61	74.0	8.84	Peak	213.00	150	Horizontal	Pass
1**	2389.450	46.90	-0.61	54.0	7.10	AV	213.00	150	Horizontal	Pass
2	2389.950	61.28	-0.59	74.0	12.72	Peak	329.00	100	Horizontal	Pass
2**	2389.950	47.63	-0.59	54.0	6.37	AV	329.00	100	Horizontal	Pass
3	2389.500	64.58	-0.61	74.0	9.42	Peak	218.00	150	Horizontal	Pass
3**	2389.500	48.03	-0.61	54.0	5.97	AV	218.00	150	Horizontal	Pass

802.11g CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.700	64.66	-0.66	74.0	9.34	Peak	221.00	200	Horizontal	Pass
1**	2387.700	45.05	-0.66	54.0	8.95	AV	221.00	200	Horizontal	Pass
2	2389.950	60.53	-0.59	74.0	13.47	Peak	215.00	100	Horizontal	Pass
2**	2389.950	45.91	-0.59	54.0	8.09	AV	215.00	100	Horizontal	Pass