



802.11g CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.69	-0.06	74.0	13.31	Peak	234.00	150	Horizontal	Pass
1**	2483.575	45.81	-0.06	54.0	8.19	AV	234.00	150	Horizontal	Pass
2	2483.845	65.86	-0.08	74.0	8.14	Peak	228.00	100	Horizontal	Pass
2**	2483.845	45.58	-0.08	54.0	8.42	AV	228.00	100	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	62.16	-0.05	74.0	11.84	Peak	218.00	100	Horizontal	Pass
1**	2483.515	46.57	-0.05	54.0	7.43	AV	218.00	100	Horizontal	Pass
2	2483.755	63.86	-0.08	74.0	10.14	Peak	223.00	100	Horizontal	Pass
2**	2483.755	46.57	-0.08	54.0	7.43	AV	223.00	100	Horizontal	Pass
3	2484.235	59.53	-0.12	74.0	14.47	Peak	218.00	150	Horizontal	Pass
3**	2484.235	47.95	-0.12	54.0	6.05	AV	218.00	150	Horizontal	Pass

802.11n20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	68.32	-0.60	74.0	5.68	Peak	218.00	200	Horizontal	Pass
1**	2389.650	48.13	-0.60	54.0	5.87	AV	218.00	200	Horizontal	Pass
2	2389.950	62.24	-0.59	74.0	11.76	Peak	210.00	150	Horizontal	Pass
2**	2389.950	48.09	-0.59	54.0	5.91	AV	210.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.300	62.88	-0.65	74.0	11.12	Peak	202.00	100	Horizontal	Pass
1**	2388.300	44.94	-0.65	54.0	9.06	AV	202.00	100	Horizontal	Pass
2	2389.950	59.86	-0.59	74.0	14.14	Peak	211.00	200	Horizontal	Pass
2**	2389.950	45.26	-0.59	54.0	8.74	AV	211.00	200	Horizontal	Pass

802.11n20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	61.83	-0.05	74.0	12.17	Peak	226.00	100	Horizontal	Pass
1**	2483.530	45.92	-0.05	54.0	8.08	AV	226.00	100	Horizontal	Pass
2	2484.475	67.22	-0.14	74.0	6.78	Peak	228.00	200	Horizontal	Pass
2**	2484.475	45.84	-0.14	54.0	8.16	AV	228.00	200	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	64.96	-0.06	74.0	9.04	Peak	229.00	200	Horizontal	Pass
1**	2483.545	48.65	-0.06	54.0	5.35	AV	229.00	200	Horizontal	Pass
2	2483.770	65.40	-0.08	74.0	8.60	Peak	238.00	100	Horizontal	Pass
2**	2483.770	47.37	-0.08	54.0	6.63	AV	238.00	100	Horizontal	Pass

802.11n40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	63.37	-0.60	74.0	10.63	Peak	221.00	100	Horizontal	Pass
1**	2389.800	48.76	-0.60	54.0	5.24	AV	221.00	100	Horizontal	Pass
2	2389.950	58.68	-0.59	74.0	15.32	Peak	221.00	200	Horizontal	Pass
2**	2389.950	48.75	-0.59	54.0	5.25	AV	221.00	200	Horizontal	Pass

802.11n40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.700	63.57	-0.69	74.0	10.43	Peak	246.00	200	Horizontal	Pass
1**	2386.700	46.04	-0.69	54.0	7.96	AV	246.00	200	Horizontal	Pass
2	2389.950	57.25	-0.59	74.0	16.75	Peak	233.00	200	Horizontal	Pass
2**	2389.950	47.66	-0.59	54.0	6.34	AV	233.00	200	Horizontal	Pass
3	2389.400	57.57	-0.61	74.0	16.43	Peak	229.00	150	Horizontal	Pass
3**	2389.400	48.24	-0.61	54.0	5.76	AV	229.00	150	Horizontal	Pass

802.11n40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	61.98	-0.62	74.0	12.02	Peak	214.00	150	Horizontal	Pass
1**	2389.050	48.75	-0.62	54.0	5.25	AV	214.00	150	Horizontal	Pass
2	2389.950	61.93	-0.59	74.0	12.07	Peak	230.00	150	Horizontal	Pass
2**	2389.950	48.73	-0.59	54.0	5.27	AV	230.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	62.85	-0.60	74.0	11.15	Peak	215.00	150	Horizontal	Pass
1**	2389.800	48.00	-0.60	54.0	6.00	AV	215.00	150	Horizontal	Pass
2	2389.950	59.73	-0.59	74.0	14.27	Peak	229.00	150	Horizontal	Pass
2**	2389.950	47.64	-0.59	54.0	6.36	AV	229.00	150	Horizontal	Pass
3	2389.150	58.64	-0.62	74.0	15.36	Peak	215.00	150	Horizontal	Pass
3**	2389.150	48.88	-0.62	54.0	5.12	AV	215.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	61.81	-0.06	74.0	12.19	Peak	217.00	100	Horizontal	Pass
1**	2483.590	48.51	-0.06	54.0	5.49	AV	217.00	100	Horizontal	Pass
2	2484.040	62.39	-0.10	74.0	11.61	Peak	220.00	100	Horizontal	Pass
2**	2484.040	47.83	-0.10	54.0	6.17	AV	220.00	100	Horizontal	Pass

802.11n40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	62.46	-0.06	74.0	11.54	Peak	226.00	200	Horizontal	Pass
1**	2483.590	48.70	-0.06	54.0	5.30	AV	226.00	200	Horizontal	Pass
2	2483.845	65.10	-0.08	74.0	8.90	Peak	230.00	150	Horizontal	Pass
2**	2483.845	48.99	-0.08	54.0	5.01	AV	230.00	150	Horizontal	Pass

802.11n40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	62.57	-0.06	74.0	11.43	Peak	217.00	200	Horizontal	Pass
1**	2483.560	48.91	-0.06	54.0	5.09	AV	217.00	200	Horizontal	Pass
2	2484.160	64.20	-0.11	74.0	9.80	Peak	229.00	200	Horizontal	Pass
2**	2484.160	47.50	-0.11	54.0	6.50	AV	229.00	200	Horizontal	Pass

802.11n40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	61.89	-0.06	74.0	12.11	Peak	219.00	150	Horizontal	Pass
1**	2483.545	48.83	-0.06	54.0	5.17	AV	219.00	150	Horizontal	Pass
2	2484.895	64.06	-0.15	74.0	9.94	Peak	229.00	200	Horizontal	Pass
2**	2484.895	48.01	-0.15	54.0	5.99	AV	229.00	200	Horizontal	Pass

VHT20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	65.56	-0.60	74.0	8.44	Peak	164.00	100	Horizontal	Pass
1**	2389.750	47.72	-0.60	54.0	6.28	AV	164.00	100	Horizontal	Pass
2	2389.950	63.95	-0.59	74.0	10.05	Peak	212.00	200	Horizontal	Pass
2**	2389.950	48.70	-0.59	54.0	5.30	AV	212.00	200	Horizontal	Pass

VHT20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	64.42	-0.62	74.0	9.58	Peak	225.00	150	Horizontal	Pass
1**	2389.100	45.55	-0.62	54.0	8.45	AV	225.00	150	Horizontal	Pass
2	2389.950	57.71	-0.59	74.0	16.29	Peak	154.00	150	Horizontal	Pass
2**	2389.950	45.77	-0.59	54.0	8.23	AV	154.00	150	Horizontal	Pass

VHT20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	63.31	-0.06	74.0	10.69	Peak	225.00	150	Horizontal	Pass
1**	2483.590	46.46	-0.06	54.0	7.54	AV	225.00	150	Horizontal	Pass
2	2484.535	63.30	-0.14	74.0	10.70	Peak	225.00	200	Horizontal	Pass
2**	2484.535	45.43	-0.14	54.0	8.57	AV	225.00	200	Horizontal	Pass

VHT20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.24	-0.05	74.0	6.76	Peak	231.00	150	Horizontal	Pass
1**	2483.500	47.78	-0.05	54.0	6.22	AV	231.00	150	Horizontal	Pass
2	2484.130	66.53	-0.11	74.0	7.47	Peak	217.00	200	Horizontal	Pass
2**	2484.130	47.65	-0.11	54.0	6.35	AV	217.00	200	Horizontal	Pass
3	2483.800	61.02	-0.08	74.0	12.98	Peak	325.00	150	Horizontal	Pass
3**	2483.800	48.99	-0.08	54.0	5.01	AV	325.00	150	Horizontal	Pass

VHT40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.850	62.16	-0.63	74.0	11.84	Peak	224.00	150	Horizontal	Pass
1**	2388.850	48.71	-0.63	54.0	5.29	AV	224.00	150	Horizontal	Pass
2	2389.950	64.41	-0.59	74.0	9.59	Peak	217.00	150	Horizontal	Pass
2**	2389.950	48.74	-0.59	54.0	5.26	AV	217.00	150	Horizontal	Pass

VHT40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.800	61.99	-0.63	74.0	12.01	Peak	200.00	200	Horizontal	Pass
1**	2388.800	47.31	-0.63	54.0	6.69	AV	200.00	200	Horizontal	Pass
2	2389.950	59.83	-0.59	74.0	14.17	Peak	200.00	100	Horizontal	Pass
2**	2389.950	47.89	-0.59	54.0	6.11	AV	200.00	100	Horizontal	Pass
3	2389.600	60.95	-0.60	74.0	13.05	Peak	226.00	150	Horizontal	Pass
3**	2389.600	48.90	-0.60	54.0	5.10	AV	226.00	150	Horizontal	Pass

VHT40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	61.75	-0.60	74.0	12.25	Peak	210.00	100	Horizontal	Pass
1**	2389.650	46.88	-0.60	54.0	7.12	AV	210.00	100	Horizontal	Pass
2	2389.950	57.01	-0.59	74.0	16.99	Peak	224.00	150	Horizontal	Pass
2**	2389.950	47.67	-0.59	54.0	6.33	AV	224.00	150	Horizontal	Pass
3	2389.450	59.20	-0.61	74.0	14.80	Peak	200.00	150	Horizontal	Pass
3**	2389.450	48.11	-0.61	54.0	5.89	AV	200.00	150	Horizontal	Pass

VHT40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	64.38	-0.62	74.0	9.62	Peak	217.00	150	Horizontal	Pass
1**	2389.050	48.23	-0.62	54.0	5.77	AV	217.00	150	Horizontal	Pass
2	2389.950	59.38	-0.59	74.0	14.62	Peak	332.00	100	Horizontal	Pass
2**	2389.950	48.98	-0.59	54.0	5.02	AV	332.00	100	Horizontal	Pass

VHT40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	62.39	-0.05	74.0	11.61	Peak	221.00	200	Horizontal	Pass
1**	2483.530	48.77	-0.05	54.0	5.23	AV	221.00	200	Horizontal	Pass
2	2484.340	64.66	-0.13	74.0	9.34	Peak	224.00	100	Horizontal	Pass
2**	2484.340	48.32	-0.13	54.0	5.68	AV	224.00	100	Horizontal	Pass


VHT40 CHANNEL 7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	62.46	-0.06	74.0	11.54	Peak	303.00	150	Horizontal	Pass
1**	2483.560	48.76	-0.06	54.0	5.24	AV	303.00	150	Horizontal	Pass
2	2484.235	66.12	-0.12	74.0	7.88	Peak	210.00	200	Horizontal	Pass
2**	2484.235	48.19	-0.12	54.0	5.81	AV	210.00	200	Horizontal	Pass


VHT40 CHANNEL 8

Bandedge_FCC_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	61.44	-0.06	74.0	12.56	Peak	214.00	100	Horizontal	Pass
1**	2483.560	47.87	-0.06	54.0	6.13	AV	214.00	100	Horizontal	Pass
2	2483.950	66.98	-0.09	74.0	7.02	Peak	214.00	100	Horizontal	Pass
2**	2483.950	48.71	-0.09	54.0	5.29	AV	214.00	100	Horizontal	Pass

VHT40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	62.99	-0.05	74.0	11.01	Peak	210.00	100	Horizontal	Pass
1**	2483.530	47.59	-0.05	54.0	6.41	AV	210.00	100	Horizontal	Pass
2	2483.875	62.15	-0.09	74.0	11.85	Peak	215.00	150	Horizontal	Pass
2**	2483.875	47.74	-0.09	54.0	6.26	AV	215.00	150	Horizontal	Pass
3	2483.605	58.63	-0.06	74.0	15.37	Peak	215.00	150	Horizontal	Pass
3**	2483.605	48.70	-0.06	54.0	5.30	AV	215.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	65.71	-0.61	74.0	8.29	Peak	227.00	200	Horizontal	Pass
1**	2389.300	47.92	-0.61	54.0	6.08	AV	227.00	200	Horizontal	Pass
2	2389.950	65.91	-0.59	74.0	8.09	Peak	225.00	100	Horizontal	Pass
2**	2389.950	47.17	-0.59	54.0	6.83	AV	225.00	100	Horizontal	Pass
3	2388.950	60.94	-0.63	74.0	13.06	Peak	295.00	150	Horizontal	Pass
3**	2388.950	48.45	-0.63	54.0	5.55	AV	295.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.350	64.80	-0.61	74.0	9.20	Peak	214.00	150	Horizontal	Pass
1**	2389.350	47.15	-0.61	54.0	6.85	AV	214.00	150	Horizontal	Pass
2	2389.950	61.64	-0.59	74.0	12.36	Peak	217.00	150	Horizontal	Pass
2**	2389.950	47.69	-0.59	54.0	6.31	AV	217.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	67.69	-0.05	74.0	6.31	Peak	208.00	200	Horizontal	Pass
1**	2483.515	48.56	-0.05	54.0	5.44	AV	208.00	200	Horizontal	Pass
2	2483.890	66.88	-0.09	74.0	7.12	Peak	212.00	150	Horizontal	Pass
2**	2483.890	47.59	-0.09	54.0	6.41	AV	212.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	64.32	-0.06	74.0	9.68	Peak	220.00	200	Horizontal	Pass
1**	2483.575	47.40	-0.06	54.0	6.60	AV	220.00	200	Horizontal	Pass
2	2483.935	68.73	-0.09	74.0	5.27	Peak	217.00	150	Horizontal	Pass
2**	2483.935	47.20	-0.09	54.0	6.80	AV	217.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	61.84	-0.60	74.0	12.16	Peak	224.00	150	Horizontal	Pass
1**	2389.800	48.65	-0.60	54.0	5.35	AV	224.00	150	Horizontal	Pass
2	2389.950	60.40	-0.59	74.0	13.60	Peak	236.00	200	Horizontal	Pass
2**	2389.950	48.20	-0.59	54.0	5.80	AV	236.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.700	61.28	-0.63	74.0	12.72	Peak	219.00	200	Horizontal	Pass
1**	2388.700	47.28	-0.63	54.0	6.72	AV	219.00	200	Horizontal	Pass
2	2389.950	58.39	-0.59	74.0	15.61	Peak	221.00	150	Horizontal	Pass
2**	2389.950	48.68	-0.59	54.0	5.32	AV	221.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	61.66	-0.62	74.0	12.34	Peak	240.00	150	Horizontal	Pass
1**	2389.150	47.31	-0.62	54.0	6.69	AV	240.00	150	Horizontal	Pass
2	2389.950	60.11	-0.59	74.0	13.89	Peak	238.00	100	Horizontal	Pass
2**	2389.950	47.17	-0.59	54.0	6.83	AV	238.00	100	Horizontal	Pass
3	2389.600	58.69	-0.60	74.0	15.31	Peak	318.00	150	Horizontal	Pass
3**	2389.600	48.21	-0.60	54.0	5.79	AV	318.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	62.98	-0.61	74.0	11.02	Peak	229.00	150	Horizontal	Pass
1**	2389.300	48.04	-0.61	54.0	5.96	AV	229.00	150	Horizontal	Pass
2	2389.950	59.21	-0.59	74.0	14.79	Peak	222.00	200	Horizontal	Pass
2**	2389.950	47.45	-0.59	54.0	6.55	AV	222.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	61.42	-0.06	74.0	12.58	Peak	188.00	100	Horizontal	Pass
1**	2483.560	48.01	-0.06	54.0	5.99	AV	188.00	100	Horizontal	Pass
2	2483.965	62.67	-0.10	74.0	11.33	Peak	228.00	100	Horizontal	Pass
2**	2483.965	47.41	-0.10	54.0	6.59	AV	228.00	100	Horizontal	Pass

802.11ax40(SU) CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	62.60	-0.06	74.0	11.40	Peak	206.00	200	Horizontal	Pass
1**	2483.575	48.74	-0.06	54.0	5.26	AV	206.00	200	Horizontal	Pass
2	2484.340	66.04	-0.13	74.0	7.96	Peak	227.00	100	Horizontal	Pass
2**	2484.340	48.12	-0.13	54.0	5.88	AV	227.00	100	Horizontal	Pass

802.11ax40(SU) CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	65.48	-0.06	74.0	8.52	Peak	217.00	150	Horizontal	Pass
1**	2483.560	48.23	-0.06	54.0	5.77	AV	217.00	150	Horizontal	Pass
2	2483.845	64.85	-0.08	74.0	9.15	Peak	219.00	150	Horizontal	Pass
2**	2483.845	48.32	-0.08	54.0	5.68	AV	219.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	61.67	-0.06	74.0	12.33	Peak	221.00	100	Horizontal	Pass
1**	2483.560	48.20	-0.06	54.0	5.80	AV	221.00	100	Horizontal	Pass
2	2485.420	64.96	-0.18	74.0	9.04	Peak	242.00	100	Horizontal	Pass
2**	2485.420	46.65	-0.18	54.0	7.35	AV	242.00	100	Horizontal	Pass

802.11ax20(RU26) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2339.050	55.77	-0.64	74.0	18.23	Peak	202.00	200	Horizontal	Pass
1**	2339.050	43.85	-0.64	54.0	10.15	AV	202.00	200	Horizontal	Pass
2	2389.950	53.78	-0.59	74.0	20.22	Peak	299.00	100	Horizontal	Pass
2**	2389.950	43.70	-0.59	54.0	10.30	AV	299.00	100	Horizontal	Pass

802.11ax20(RU26) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	54.22	-0.06	74.0	19.78	Peak	161.00	100	Horizontal	Pass
1**	2483.575	44.18	-0.06	54.0	9.82	AV	161.00	100	Horizontal	Pass
2	2484.775	55.98	-0.15	74.0	18.02	Peak	36.00	100	Horizontal	Pass
2**	2484.775	44.19	-0.15	54.0	9.81	AV	36.00	100	Horizontal	Pass

802.11ax40(RU26) CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	58.72	-0.61	74.0	15.28	Peak	222.00	150	Horizontal	Pass
1**	2389.250	43.87	-0.61	54.0	10.13	AV	222.00	150	Horizontal	Pass
2	2389.950	55.95	-0.59	74.0	18.05	Peak	275.00	100	Horizontal	Pass
2**	2389.950	43.88	-0.59	54.0	10.12	AV	275.00	100	Horizontal	Pass


802.11ax40(RU26) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	57.14	-0.06	74.0	16.86	Peak	207.00	200	Horizontal	Pass
1**	2483.560	44.30	-0.06	54.0	9.70	AV	207.00	200	Horizontal	Pass
2	2483.755	63.38	-0.08	74.0	10.62	Peak	207.00	150	Horizontal	Pass
2**	2483.755	44.55	-0.08	54.0	9.45	AV	207.00	150	Horizontal	Pass


MIMO

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.000	56.07	-0.66	74.0	17.93	Peak	355.00	150	Horizontal	Pass
1**	2388.000	43.99	-0.66	54.0	10.01	AV	355.00	150	Horizontal	Pass
2	2389.950	53.61	-0.59	74.0	20.39	Peak	30.00	150	Horizontal	Pass
2**	2389.950	44.50	-0.59	54.0	9.50	AV	30.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	55.34	-0.06	74.0	18.66	Peak	199.00	200	Horizontal	Pass
1**	2483.575	44.95	-0.06	54.0	9.05	AV	199.00	200	Horizontal	Pass
2	2488.630	56.37	-0.07	74.0	17.63	Peak	68.00	100	Horizontal	Pass
2**	2488.630	44.36	-0.07	54.0	9.64	AV	68.00	100	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	66.50	-0.63	74.0	7.50	Peak	288.00	150	Horizontal	Pass
1**	2388.900	46.88	-0.63	54.0	7.12	AV	288.00	150	Horizontal	Pass
2	2389.950	60.14	-0.59	74.0	13.86	Peak	338.00	100	Horizontal	Pass
2**	2389.950	46.75	-0.59	54.0	7.25	AV	338.00	100	Horizontal	Pass
3	2389.800	62.60	-0.60	74.0	11.40	Peak	203.00	150	Horizontal	Pass
3**	2389.800	48.90	-0.60	54.0	5.10	AV	203.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	66.53	-0.62	74.0	7.47	Peak	283.00	100	Horizontal	Pass
1**	2389.000	46.66	-0.62	54.0	7.34	AV	283.00	100	Horizontal	Pass
2	2389.950	62.09	-0.59	74.0	11.91	Peak	182.00	100	Horizontal	Pass
2**	2389.950	48.43	-0.59	54.0	5.57	AV	182.00	100	Horizontal	Pass

802.11g CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.300	66.36	-0.65	74.0	7.64	Peak	195.00	100	Horizontal	Pass
1**	2388.300	47.52	-0.65	54.0	6.48	AV	195.00	100	Horizontal	Pass
2	2389.950	64.53	-0.59	74.0	9.47	Peak	275.00	200	Horizontal	Pass
2**	2389.950	47.94	-0.59	54.0	6.06	AV	275.00	200	Horizontal	Pass
3	2387.550	59.56	-0.67	74.0	14.44	Peak	221.00	150	Horizontal	Pass
3**	2387.550	48.46	-0.67	54.0	5.54	AV	221.00	150	Horizontal	Pass

802.11g CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	64.95	-0.06	74.0	9.05	Peak	208.00	200	Horizontal	Pass
1**	2483.575	46.58	-0.06	54.0	7.42	AV	208.00	200	Horizontal	Pass
2	2484.055	66.30	-0.10	74.0	7.70	Peak	216.00	100	Horizontal	Pass
2**	2484.055	46.16	-0.10	54.0	7.84	AV	216.00	100	Horizontal	Pass
3	2483.590	60.03	-0.06	74.0	13.97	Peak	207.00	150	Horizontal	Pass
3**	2483.590	48.55	-0.06	54.0	5.45	AV	207.00	150	Horizontal	Pass

802.11g CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	67.39	-0.05	74.0	6.61	Peak	172.00	100	Horizontal	Pass
1**	2483.515	48.31	-0.05	54.0	5.69	AV	172.00	100	Horizontal	Pass
2	2486.380	68.11	-0.22	74.0	5.89	Peak	209.00	100	Horizontal	Pass
2**	2486.380	45.80	-0.22	54.0	8.20	AV	209.00	100	Horizontal	Pass

802.11g CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	65.49	-0.06	74.0	8.51	Peak	216.00	200	Horizontal	Pass
1**	2483.560	47.62	-0.06	54.0	6.38	AV	216.00	200	Horizontal	Pass
2	2483.710	66.93	-0.07	74.0	7.07	Peak	211.00	200	Horizontal	Pass
2**	2483.710	47.14	-0.07	54.0	6.86	AV	211.00	200	Horizontal	Pass
3	2483.575	63.16	-0.06	74.0	10.84	Peak	282.00	150	Horizontal	Pass
3**	2483.575	48.63	-0.06	54.0	5.37	AV	282.00	150	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.15	-0.05	74.0	9.85	Peak	295.00	200	Horizontal	Pass
1**	2483.500	48.32	-0.05	54.0	5.68	AV	295.00	200	Horizontal	Pass
2	2483.980	64.89	-0.10	74.0	9.11	Peak	200.00	150	Horizontal	Pass
2**	2483.980	47.43	-0.10	54.0	6.57	AV	200.00	150	Horizontal	Pass

802.11n20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	64.60	-0.61	74.0	9.40	Peak	206.00	100	Horizontal	Pass
1**	2389.250	46.98	-0.61	54.0	7.02	AV	206.00	100	Horizontal	Pass
2	2389.950	61.16	-0.59	74.0	12.84	Peak	192.00	150	Horizontal	Pass
2**	2389.950	48.70	-0.59	54.0	5.30	AV	192.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	65.07	-0.60	74.0	8.93	Peak	203.00	150	Horizontal	Pass
1**	2389.800	47.79	-0.60	54.0	6.21	AV	203.00	150	Horizontal	Pass
2	2389.950	61.56	-0.59	74.0	12.44	Peak	341.00	100	Horizontal	Pass
2**	2389.950	47.60	-0.59	54.0	6.40	AV	341.00	100	Horizontal	Pass
3	2389.750	62.54	-0.60	74.0	11.46	Peak	346.00	150	Horizontal	Pass
3**	2389.750	48.38	-0.60	54.0	5.62	AV	346.00	150	Horizontal	Pass

802.11n20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.450	64.29	-0.61	74.0	9.71	Peak	208.00	200	Horizontal	Pass
1**	2389.450	46.80	-0.61	54.0	7.20	AV	208.00	200	Horizontal	Pass
2	2389.950	60.53	-0.59	74.0	13.47	Peak	342.00	150	Horizontal	Pass
2**	2389.950	47.70	-0.59	54.0	6.30	AV	342.00	150	Horizontal	Pass
3	2389.800	59.45	-0.60	74.0	14.55	Peak	208.00	150	Horizontal	Pass
3**	2389.800	48.42	-0.60	54.0	5.58	AV	208.00	150	Horizontal	Pass

802.11n20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.100	66.06	-0.65	74.0	7.94	Peak	197.00	100	Horizontal	Pass
1**	2388.100	44.83	-0.65	54.0	9.17	AV	197.00	100	Horizontal	Pass
2	2389.950	62.22	-0.59	74.0	11.78	Peak	207.00	150	Horizontal	Pass
2**	2389.950	47.45	-0.59	54.0	6.55	AV	207.00	150	Horizontal	Pass

802.11n20 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	65.46	-0.06	74.0	8.54	Peak	238.00	200	Horizontal	Pass
1**	2483.590	47.54	-0.06	54.0	6.46	AV	238.00	200	Horizontal	Pass
2	2484.010	67.05	-0.10	74.0	6.95	Peak	251.00	150	Horizontal	Pass
2**	2484.010	47.22	-0.10	54.0	6.78	AV	251.00	150	Horizontal	Pass

802.11n20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	64.84	-0.06	74.0	9.16	Peak	210.00	150	Horizontal	Pass
1**	2483.560	46.89	-0.06	54.0	7.11	AV	210.00	150	Horizontal	Pass
2	2484.175	66.17	-0.12	74.0	7.83	Peak	212.00	100	Horizontal	Pass
2**	2484.175	47.64	-0.12	54.0	6.36	AV	212.00	100	Horizontal	Pass
3	2484.145	60.84	-0.11	74.0	13.16	Peak	285.00	150	Horizontal	Pass
3**	2484.145	48.37	-0.11	54.0	5.63	AV	285.00	150	Horizontal	Pass

802.11n20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	61.96	-0.06	74.0	12.04	Peak	245.00	200	Horizontal	Pass
1**	2483.545	46.89	-0.06	54.0	7.11	AV	245.00	200	Horizontal	Pass
2	2484.100	68.11	-0.11	74.0	5.89	Peak	195.00	150	Horizontal	Pass
2**	2484.100	46.66	-0.11	54.0	7.34	AV	195.00	150	Horizontal	Pass
3	2484.115	61.04	-0.11	74.0	12.96	Peak	256.00	150	Horizontal	Pass
3**	2484.115	48.91	-0.11	54.0	5.09	AV	256.00	150	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.90	-0.05	74.0	12.10	Peak	253.00	150	Horizontal	Pass
1**	2483.500	47.86	-0.05	54.0	6.14	AV	253.00	150	Horizontal	Pass
2	2484.220	63.17	-0.12	74.0	10.83	Peak	229.00	200	Horizontal	Pass
2**	2484.220	46.54	-0.12	54.0	7.46	AV	229.00	200	Horizontal	Pass
3	2483.650	63.52	-0.07	74.0	10.48	Peak	198.00	150	Horizontal	Pass
3**	2483.650	48.08	-0.07	54.0	5.92	AV	198.00	150	Horizontal	Pass

802.11n40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.250	59.99	-0.61	74.0	14.01	Peak	195.00	150	Horizontal	Pass
1**	2389.250	47.89	-0.61	54.0	6.11	AV	195.00	150	Horizontal	Pass
2	2389.950	58.38	-0.59	74.0	15.62	Peak	236.00	100	Horizontal	Pass
2**	2389.950	47.28	-0.59	54.0	6.72	AV	236.00	100	Horizontal	Pass
3	2388.950	59.16	-0.63	74.0	14.84	Peak	214.00	150	Horizontal	Pass
3**	2388.950	48.63	-0.63	54.0	5.37	AV	214.00	150	Horizontal	Pass

802.11n40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	61.88	-0.60	74.0	12.12	Peak	207.00	150	Horizontal	Pass
1**	2389.750	48.24	-0.60	54.0	5.76	AV	207.00	150	Horizontal	Pass
2	2389.950	58.01	-0.59	74.0	15.99	Peak	207.00	100	Horizontal	Pass
2**	2389.950	48.03	-0.59	54.0	5.97	AV	207.00	100	Horizontal	Pass
3	2389.400	57.75	-0.61	74.0	16.25	Peak	212.00	150	Horizontal	Pass
3**	2389.400	48.83	-0.61	54.0	5.17	AV	212.00	150	Horizontal	Pass

802.11n40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	62.49	-0.61	74.0	11.51	Peak	213.00	200	Horizontal	Pass
1**	2389.300	47.86	-0.61	54.0	6.14	AV	213.00	200	Horizontal	Pass
2	2389.950	60.49	-0.59	74.0	13.51	Peak	195.00	100	Horizontal	Pass
2**	2389.950	48.49	-0.59	54.0	5.51	AV	195.00	100	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.150	64.80	-0.68	74.0	9.20	Peak	211.00	100	Horizontal	Pass
1**	2387.150	46.12	-0.68	54.0	7.88	AV	211.00	100	Horizontal	Pass
2	2389.950	59.81	-0.59	74.0	14.19	Peak	201.00	150	Horizontal	Pass
2**	2389.950	48.19	-0.59	54.0	5.81	AV	201.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	63.11	-0.05	74.0	10.89	Peak	207.00	100	Horizontal	Pass
1**	2483.515	47.38	-0.05	54.0	6.62	AV	207.00	100	Horizontal	Pass
2	2484.055	63.60	-0.10	74.0	10.40	Peak	216.00	150	Horizontal	Pass
2**	2484.055	48.27	-0.10	54.0	5.73	AV	216.00	150	Horizontal	Pass

802.11n40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	61.17	-0.06	74.0	12.83	Peak	209.00	150	Horizontal	Pass
1**	2483.545	46.98	-0.06	54.0	7.02	AV	209.00	150	Horizontal	Pass
2	2484.580	61.41	-0.14	74.0	12.59	Peak	214.00	100	Horizontal	Pass
2**	2484.580	46.84	-0.14	54.0	7.16	AV	214.00	100	Horizontal	Pass
3	2484.595	60.98	-0.14	74.0	13.02	Peak	209.00	150	Horizontal	Pass
3**	2484.595	48.17	-0.14	54.0	5.83	AV	209.00	150	Horizontal	Pass

802.11n40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	58.62	-0.06	74.0	15.38	Peak	193.00	150	Horizontal	Pass
1**	2483.590	47.03	-0.06	54.0	6.97	AV	193.00	150	Horizontal	Pass
2	2484.130	60.99	-0.11	74.0	13.01	Peak	215.00	150	Horizontal	Pass
2**	2484.130	47.62	-0.11	54.0	6.38	AV	215.00	150	Horizontal	Pass
3	2483.680	58.45	-0.07	74.0	15.55	Peak	203.00	150	Horizontal	Pass
3**	2483.680	48.70	-0.07	54.0	5.30	AV	203.00	150	Horizontal	Pass

802.11n40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	59.97	-0.06	74.0	14.03	Peak	194.00	100	Horizontal	Pass
1**	2483.560	47.73	-0.06	54.0	6.27	AV	194.00	100	Horizontal	Pass
2	2483.815	59.59	-0.08	74.0	14.41	Peak	192.00	100	Horizontal	Pass
2**	2483.815	47.17	-0.08	54.0	6.83	AV	192.00	100	Horizontal	Pass
3	2484.355	57.39	-0.13	74.0	16.61	Peak	189.00	150	Horizontal	Pass
3**	2484.355	48.13	-0.13	54.0	5.87	AV	189.00	150	Horizontal	Pass

VHT20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	67.11	-0.62	74.0	6.89	Peak	194.00	100	Horizontal	Pass
1**	2389.000	47.11	-0.62	54.0	6.89	AV	194.00	100	Horizontal	Pass
2	2389.950	63.68	-0.59	74.0	10.32	Peak	292.00	150	Horizontal	Pass
2**	2389.950	47.59	-0.59	54.0	6.41	AV	292.00	150	Horizontal	Pass
3	2388.950	60.62	-0.63	74.0	13.38	Peak	190.00	150	Horizontal	Pass
3**	2388.950	48.84	-0.63	54.0	5.16	AV	190.00	150	Horizontal	Pass

VHT20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.200	67.96	-0.68	74.0	6.04	Peak	202.00	100	Horizontal	Pass
1**	2387.200	45.73	-0.68	54.0	8.27	AV	202.00	100	Horizontal	Pass
2	2389.950	65.66	-0.59	74.0	8.34	Peak	222.00	100	Horizontal	Pass
2**	2389.950	48.15	-0.59	54.0	5.85	AV	222.00	100	Horizontal	Pass

VHT20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	67.23	-0.60	74.0	6.77	Peak	199.00	150	Horizontal	Pass
1**	2389.750	48.40	-0.60	54.0	5.60	AV	199.00	150	Horizontal	Pass
2	2389.950	65.06	-0.59	74.0	8.94	Peak	333.00	100	Horizontal	Pass
2**	2389.950	48.68	-0.59	54.0	5.32	AV	333.00	100	Horizontal	Pass

VHT20 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	62.88	-0.06	74.0	11.12	Peak	230.00	150	Horizontal	Pass
1**	2483.575	46.81	-0.06	54.0	7.19	AV	230.00	150	Horizontal	Pass
2	2484.100	65.96	-0.11	74.0	8.04	Peak	236.00	100	Horizontal	Pass
2**	2484.100	45.77	-0.11	54.0	8.23	AV	236.00	100	Horizontal	Pass

VHT20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	66.13	-0.06	74.0	7.87	Peak	206.00	100	Horizontal	Pass
1**	2483.575	47.21	-0.06	54.0	6.79	AV	206.00	100	Horizontal	Pass
2	2484.220	66.67	-0.12	74.0	7.33	Peak	206.00	200	Horizontal	Pass
2**	2484.220	46.62	-0.12	54.0	7.38	AV	206.00	200	Horizontal	Pass
3	2484.100	63.19	-0.11	74.0	10.81	Peak	217.00	150	Horizontal	Pass
3**	2484.100	48.34	-0.11	54.0	5.66	AV	217.00	150	Horizontal	Pass

VHT20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	64.68	-0.05	74.0	9.32	Peak	251.00	150	Horizontal	Pass
1**	2483.530	47.29	-0.05	54.0	6.71	AV	251.00	150	Horizontal	Pass
2	2484.835	65.85	-0.15	74.0	8.15	Peak	204.00	150	Horizontal	Pass
2**	2484.835	46.64	-0.15	54.0	7.36	AV	204.00	150	Horizontal	Pass
3	2484.055	59.98	-0.10	74.0	14.02	Peak	193.00	150	Horizontal	Pass
3**	2484.055	48.43	-0.10	54.0	5.57	AV	193.00	150	Horizontal	Pass

VHT20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	64.94	-0.05	74.0	9.06	Peak	199.00	100	Horizontal	Pass
1**	2483.530	48.92	-0.05	54.0	5.08	AV	199.00	100	Horizontal	Pass
2	2484.805	66.02	-0.15	74.0	7.98	Peak	214.00	150	Horizontal	Pass
2**	2484.805	48.35	-0.15	54.0	5.65	AV	214.00	150	Horizontal	Pass

VHT40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	58.94	-0.60	74.0	15.06	Peak	203.00	100	Horizontal	Pass
1**	2389.650	47.32	-0.60	54.0	6.68	AV	203.00	100	Horizontal	Pass
2	2389.950	60.69	-0.59	74.0	13.31	Peak	210.00	150	Horizontal	Pass
2**	2389.950	47.57	-0.59	54.0	6.43	AV	210.00	150	Horizontal	Pass
3	2389.450	57.97	-0.61	74.0	16.03	Peak	210.00	150	Horizontal	Pass
3**	2389.450	48.55	-0.61	54.0	5.45	AV	210.00	150	Horizontal	Pass

VHT40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	60.17	-0.62	74.0	13.83	Peak	210.00	150	Horizontal	Pass
1**	2389.000	46.69	-0.62	54.0	7.31	AV	210.00	150	Horizontal	Pass
2	2389.950	60.72	-0.59	74.0	13.28	Peak	208.00	150	Horizontal	Pass
2**	2389.950	48.14	-0.59	54.0	5.86	AV	208.00	150	Horizontal	Pass

VHT40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	64.80	-0.62	74.0	9.20	Peak	208.00	150	Horizontal	Pass
1**	2389.100	48.54	-0.62	54.0	5.46	AV	208.00	150	Horizontal	Pass
2	2389.950	60.47	-0.59	74.0	13.53	Peak	204.00	150	Horizontal	Pass
2**	2389.950	48.98	-0.59	54.0	5.02	AV	204.00	150	Horizontal	Pass

VHT40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	63.03	-0.60	74.0	10.97	Peak	202.00	150	Horizontal	Pass
1**	2389.750	48.18	-0.60	54.0	5.82	AV	202.00	150	Horizontal	Pass
2	2389.950	61.41	-0.59	74.0	12.59	Peak	218.00	100	Horizontal	Pass
2**	2389.950	48.04	-0.59	54.0	5.96	AV	218.00	100	Horizontal	Pass

VHT40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	63.65	-0.05	74.0	10.35	Peak	215.00	100	Horizontal	Pass
1**	2483.515	47.46	-0.05	54.0	6.54	AV	215.00	100	Horizontal	Pass
2	2484.355	62.93	-0.13	74.0	11.07	Peak	206.00	200	Horizontal	Pass
2**	2484.355	47.21	-0.13	54.0	6.79	AV	206.00	200	Horizontal	Pass
3	2484.400	58.11	-0.13	74.0	15.89	Peak	209.00	150	Horizontal	Pass
3**	2484.400	48.93	-0.13	54.0	5.07	AV	209.00	150	Horizontal	Pass

VHT40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	58.68	-0.06	74.0	15.32	Peak	196.00	150	Horizontal	Pass
1**	2483.590	47.32	-0.06	54.0	6.68	AV	196.00	150	Horizontal	Pass
2	2484.775	62.77	-0.15	74.0	11.23	Peak	214.00	100	Horizontal	Pass
2**	2484.775	47.80	-0.15	54.0	6.20	AV	214.00	100	Horizontal	Pass
3	2484.970	58.68	-0.16	74.0	15.32	Peak	214.00	150	Horizontal	Pass
3**	2484.970	48.56	-0.16	54.0	5.44	AV	214.00	150	Horizontal	Pass

VHT40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	60.07	-0.06	74.0	13.93	Peak	205.00	100	Horizontal	Pass
1**	2483.590	47.89	-0.06	54.0	6.11	AV	205.00	100	Horizontal	Pass
2	2484.805	61.32	-0.15	74.0	12.68	Peak	209.00	150	Horizontal	Pass
2**	2484.805	46.62	-0.15	54.0	7.38	AV	209.00	150	Horizontal	Pass
3	2484.820	55.96	-0.15	74.0	18.04	Peak	208.00	150	Horizontal	Pass
3**	2484.820	48.24	-0.15	54.0	5.76	AV	208.00	150	Horizontal	Pass

VHT40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.38	-0.05	74.0	16.62	Peak	176.00	200	Horizontal	Pass
1**	2483.500	45.89	-0.05	54.0	8.11	AV	176.00	200	Horizontal	Pass
2	2485.000	58.95	-0.16	74.0	15.05	Peak	157.00	200	Horizontal	Pass
2**	2485.000	46.47	-0.16	54.0	7.53	AV	157.00	200	Horizontal	Pass

802.11ax20(SU) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.350	65.27	-0.64	74.0	8.73	Peak	204.00	150	Horizontal	Pass
1**	2388.350	46.67	-0.64	54.0	7.33	AV	204.00	150	Horizontal	Pass
2	2389.950	60.41	-0.59	74.0	13.59	Peak	189.00	150	Horizontal	Pass
2**	2389.950	48.27	-0.59	54.0	5.73	AV	189.00	150	Horizontal	Pass
3	2389.300	64.27	-0.61	74.0	9.73	Peak	213.00	150	Horizontal	Pass
3**	2389.300	48.72	-0.61	54.0	5.28	AV	213.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.150	67.72	-0.62	74.0	6.28	Peak	197.00	100	Horizontal	Pass
1**	2389.150	46.46	-0.62	54.0	7.54	AV	197.00	100	Horizontal	Pass
2	2389.950	65.36	-0.59	74.0	8.64	Peak	186.00	200	Horizontal	Pass
2**	2389.950	47.08	-0.59	54.0	6.92	AV	186.00	200	Horizontal	Pass
3	2389.200	60.63	-0.62	74.0	13.37	Peak	197.00	150	Horizontal	Pass
3**	2389.200	48.33	-0.62	54.0	5.67	AV	197.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	65.00	-0.63	74.0	9.00	Peak	206.00	150	Horizontal	Pass
1**	2388.900	46.73	-0.63	54.0	7.27	AV	206.00	150	Horizontal	Pass
2	2389.950	62.88	-0.59	74.0	11.12	Peak	206.00	200	Horizontal	Pass
2**	2389.950	48.47	-0.59	54.0	5.53	AV	206.00	200	Horizontal	Pass

802.11ax20(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.650	65.09	-0.60	74.0	8.91	Peak	206.00	100	Horizontal	Pass
1**	2389.650	47.16	-0.60	54.0	6.84	AV	206.00	100	Horizontal	Pass
2	2389.950	60.23	-0.59	74.0	13.77	Peak	206.00	150	Horizontal	Pass
2**	2389.950	46.95	-0.59	54.0	7.05	AV	206.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.11	-0.05	74.0	7.89	Peak	199.00	200	Horizontal	Pass
1**	2483.500	47.39	-0.05	54.0	6.61	AV	199.00	200	Horizontal	Pass
2	2485.045	67.29	-0.16	74.0	6.71	Peak	224.00	100	Horizontal	Pass
2**	2485.045	46.52	-0.16	54.0	7.48	AV	224.00	100	Horizontal	Pass

802.11ax20(SU) CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.67	-0.05	74.0	7.33	Peak	211.00	100	Horizontal	Pass
1**	2483.500	47.57	-0.05	54.0	6.43	AV	211.00	100	Horizontal	Pass
2	2486.410	66.65	-0.22	74.0	7.35	Peak	209.00	100	Horizontal	Pass
2**	2486.410	45.66	-0.22	54.0	8.34	AV	209.00	100	Horizontal	Pass
3	2486.425	56.07	-0.22	74.0	17.93	Peak	241.00	150	Horizontal	Pass
3**	2486.425	48.14	-0.22	54.0	5.86	AV	241.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	60.77	-0.05	74.0	13.23	Peak	235.00	200	Horizontal	Pass
1**	2483.515	46.47	-0.05	54.0	7.53	AV	235.00	200	Horizontal	Pass
2	2484.160	66.44	-0.11	74.0	7.56	Peak	209.00	100	Horizontal	Pass
2**	2484.160	46.25	-0.11	54.0	7.75	AV	209.00	100	Horizontal	Pass
3	2484.175	58.68	-0.12	74.0	15.32	Peak	237.00	150	Horizontal	Pass
3**	2484.175	48.99	-0.12	54.0	5.01	AV	237.00	150	Horizontal	Pass

802.11ax20(SU) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	64.73	-0.06	74.0	9.27	Peak	231.00	150	Horizontal	Pass
1**	2483.560	48.15	-0.06	54.0	5.85	AV	231.00	150	Horizontal	Pass
2	2484.850	63.17	-0.15	74.0	10.83	Peak	220.00	200	Horizontal	Pass
2**	2484.850	47.43	-0.15	54.0	6.57	AV	220.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	61.45	-0.60	74.0	12.55	Peak	233.00	100	Horizontal	Pass
1**	2389.750	48.27	-0.60	54.0	5.73	AV	233.00	100	Horizontal	Pass
2	2389.950	58.40	-0.59	74.0	15.60	Peak	242.00	200	Horizontal	Pass
2**	2389.950	47.26	-0.59	54.0	6.74	AV	242.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	59.74	-0.60	74.0	14.26	Peak	239.00	150	Horizontal	Pass
1**	2389.750	47.47	-0.60	54.0	6.53	AV	239.00	150	Horizontal	Pass
2	2389.950	58.08	-0.59	74.0	15.92	Peak	217.00	150	Horizontal	Pass
2**	2389.950	46.46	-0.59	54.0	7.54	AV	217.00	150	Horizontal	Pass
3	2389.500	57.45	-0.61	74.0	16.55	Peak	221.00	150	Horizontal	Pass
3**	2389.500	48.82	-0.61	54.0	5.18	AV	221.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	66.26	-0.63	74.0	7.74	Peak	203.00	200	Horizontal	Pass
1**	2388.900	48.11	-0.63	54.0	5.89	AV	203.00	200	Horizontal	Pass
2	2389.950	60.48	-0.59	74.0	13.52	Peak	203.00	200	Horizontal	Pass
2**	2389.950	48.89	-0.59	54.0	5.11	AV	203.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	63.65	-0.61	74.0	10.35	Peak	222.00	150	Horizontal	Pass
1**	2389.500	48.79	-0.61	54.0	5.21	AV	222.00	150	Horizontal	Pass
2	2389.950	61.16	-0.59	74.0	12.84	Peak	216.00	100	Horizontal	Pass
2**	2389.950	48.47	-0.59	54.0	5.53	AV	216.00	100	Horizontal	Pass

802.11ax40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	62.22	-0.06	74.0	11.78	Peak	225.00	150	Horizontal	Pass
1**	2483.590	48.40	-0.06	54.0	5.60	AV	225.00	150	Horizontal	Pass
2	2484.760	64.92	-0.15	74.0	9.08	Peak	216.00	200	Horizontal	Pass
2**	2484.760	48.72	-0.15	54.0	5.28	AV	216.00	200	Horizontal	Pass

802.11ax40(SU) CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	58.62	-0.06	74.0	15.38	Peak	203.00	150	Horizontal	Pass
1**	2483.575	46.75	-0.06	54.0	7.25	AV	203.00	150	Horizontal	Pass
2	2484.235	61.27	-0.12	74.0	12.73	Peak	178.00	200	Horizontal	Pass
2**	2484.235	46.77	-0.12	54.0	7.23	AV	178.00	200	Horizontal	Pass
3	2484.520	57.94	-0.14	74.0	16.06	Peak	210.00	150	Horizontal	Pass
3**	2484.520	48.14	-0.14	54.0	5.86	AV	210.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	58.60	-0.05	74.0	15.40	Peak	218.00	100	Horizontal	Pass
1**	2483.530	47.82	-0.05	54.0	6.18	AV	218.00	100	Horizontal	Pass
2	2484.700	60.72	-0.15	74.0	13.28	Peak	343.00	100	Horizontal	Pass
2**	2484.700	47.43	-0.15	54.0	6.57	AV	343.00	100	Horizontal	Pass
3	2483.785	57.00	-0.08	74.0	17.00	Peak	213.00	150	Horizontal	Pass
3**	2483.785	48.28	-0.08	54.0	5.72	AV	213.00	150	Horizontal	Pass

802.11ax40(SU) CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	60.34	-0.06	74.0	13.66	Peak	208.00	150	Horizontal	Pass
1**	2483.560	47.29	-0.06	54.0	6.71	AV	208.00	150	Horizontal	Pass
2	2485.135	61.24	-0.16	74.0	12.76	Peak	298.00	150	Horizontal	Pass
2**	2485.135	47.46	-0.16	54.0	6.54	AV	298.00	150	Horizontal	Pass
3	2484.715	57.14	-0.15	74.0	16.86	Peak	215.00	150	Horizontal	Pass
3**	2484.715	48.55	-0.15	54.0	5.45	AV	215.00	150	Horizontal	Pass

802.11ax20(RU26) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2345.200	56.28	-0.58	74.0	17.72	Peak	294.00	200	Horizontal	Pass
1**	2345.200	44.04	-0.58	54.0	9.96	AV	294.00	200	Horizontal	Pass
2	2389.950	53.33	-0.59	74.0	20.67	Peak	97.00	100	Horizontal	Pass
2**	2389.950	43.95	-0.59	54.0	10.05	AV	97.00	100	Horizontal	Pass

802.11ax20(RU26) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	55.40	-0.06	74.0	18.60	Peak	29.00	100	Horizontal	Pass
1**	2483.545	44.24	-0.06	54.0	9.76	AV	29.00	100	Horizontal	Pass
2	2489.035	55.39	-0.10	74.0	18.61	Peak	232.00	100	Horizontal	Pass
2**	2489.035	44.35	-0.10	54.0	9.65	AV	232.00	100	Horizontal	Pass

802.11ax40(RU26) CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.300	58.83	-0.61	74.0	15.17	Peak	255.00	200	Horizontal	Pass
1**	2389.300	44.02	-0.61	54.0	9.98	AV	255.00	200	Horizontal	Pass
2	2389.950	57.61	-0.59	74.0	16.39	Peak	199.00	100	Horizontal	Pass
2**	2389.950	44.32	-0.59	54.0	9.68	AV	199.00	100	Horizontal	Pass

802.11ax40(RU26) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.90	-0.05	74.0	16.10	Peak	286.00	200	Horizontal	Pass
1**	2483.500	44.59	-0.05	54.0	9.41	AV	286.00	200	Horizontal	Pass
2	2484.400	59.01	-0.13	74.0	14.99	Peak	213.00	200	Horizontal	Pass
2**	2484.400	44.50	-0.13	54.0	9.50	AV	213.00	200	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-4.32	8
CH6	-3.76	8
CH11	-4.03	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.49	8
CH2	-7.32	8
CH3	-6.49	8
CH6	-5.66	8
CH8	-5.03	8
CH9	-6.90	8
CH10	-9.20	8
CH11	-10.63	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.61	8
CH2	-7.66	8
CH3	-6.20	8
CH4	-6.18	8
CH6	-6.56	8
CH8	-4.16	8
CH9	-6.05	8
CH10	-9.32	8
CH11	-10.30	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.94	8
CH4	-15.03	8
CH5	-13.82	8
CH6	-10.92	8
CH7	-13.05	8
CH8	-13.82	8
CH9	-14.77	8

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.82	8
CH2	-7.78	8
CH3	-5.70	8
CH6	-6.72	8
CH8	-5.30	8
CH9	-7.72	8
CH10	-9.11	8
CH11	-11.25	8

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.02	8
CH4	-14.37	8
CH5	-13.28	8
CH6	-12.13	8
CH7	-12.99	8
CH8	-14.02	8
CH9	-14.88	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.75	8
CH2	-9.52	8
CH3	-7.62	8
CH4	-6.61	8
CH6	-6.75	8
CH8	-6.90	8
CH9	-8.96	8
CH10	-10.89	8
CH11	-12.75	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.33	8
CH4	-15.64	8
CH5	-14.22	8
CH6	-11.39	8
CH7	-12.25	8
CH8	-13.34	8
CH9	-15.46	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.73	8
Middle	-9.32	8
High	-11.54	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.04	8
Middle	-9.12	8
High	-11.25	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.23	8
Middle	-9.07	8
High	-9.35	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.63	8
Middle	-9.98	8
High	-9.69	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.13	8
Middle	-9.20	8
High	-9.76	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.70	8
Middle	-8.92	8
High	-10.26	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.70	8
Middle	-9.45	8
High	-13.00	8

Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-4.62	8
CH6	-4.59	8
CH11	-5.47	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.33	8
CH2	-5.34	8
CH3	-6.72	8
CH6	-7.38	8
CH8	-6.78	8
CH9	-7.25	8
CH10	-7.39	8
CH11	-7.94	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.43	8
CH2	-7.23	8
CH3	-6.33	8
CH4	-6.63	8
CH6	-7.08	8
CH8	-7.98	8
CH9	-7.89	8
CH10	-6.63	8
CH11	-8.54	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.63	8
CH4	-13.51	8
CH5	-11.64	8
CH6	-11.66	8
CH7	-11.73	8
CH8	-13.19	8
CH9	-14.46	8

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.20	8
CH2	-6.97	8
CH3	-6.11	8
CH6	-6.58	8
CH8	-7.03	8
CH9	-7.35	8
CH10	-7.30	8
CH11	-8.48	8

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-13.42	8
CH4	-13.51	8
CH5	-13.31	8
CH6	-11.97	8
CH7	-10.78	8
CH8	-11.46	8
CH9	-13.32	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.38	8
CH2	-7.98	8
CH3	-7.58	8
CH4	-7.16	8
CH6	-7.21	8
CH8	-7.87	8
CH9	-7.56	8
CH10	-7.65	8
CH11	-9.37	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.50	8
CH4	-14.77	8
CH5	-14.21	8
CH6	-12.24	8
CH7	-12.74	8
CH8	-13.96	8
CH9	-15.31	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.89	8
Middle	-10.83	8
High	-11.65	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.76	8
Middle	-8.79	8
High	-10.78	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.96	8
Middle	-9.49	8
High	-10.11	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.70	8
Middle	-9.64	8
High	-11.26	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.72	8
Middle	-9.86	8
High	-10.16	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.94	8
Middle	-10.26	8
High	-11.38	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.91	8
Middle	-9.71	8
High	-11.19	8

MIMO-Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-3.22	8
CH6	-3.14	8
CH11	-2.39	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.90	8
CH2	-6.77	8
CH3	-5.62	8
CH6	-6.92	8
CH8	-6.33	8
CH9	-7.22	8
CH10	-8.68	8
CH11	-10.93	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.62	8
CH2	-8.02	8
CH3	-7.46	8
CH4	-6.97	8
CH6	-6.21	8
CH8	-6.72	8
CH9	-8.06	8
CH10	-10.58	8
CH11	-12.06	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-18.16	8
CH4	-16.20	8
CH5	-15.47	8
CH6	-12.80	8
CH7	-14.70	8
CH8	-15.81	8
CH9	-17.12	8

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.86	8
CH2	-7.75	8
CH3	-6.29	8
CH6	-6.88	8
CH8	-6.49	8
CH9	-7.47	8
CH10	-9.19	8
CH11	-10.70	8

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.06	8
CH4	-16.24	8
CH5	-14.81	8
CH6	-12.86	8
CH7	-13.81	8
CH8	-15.78	8
CH9	-16.49	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.73	8
CH2	-9.00	8
CH3	-8.05	8
CH4	-5.81	8
CH6	-7.33	8
CH8	-6.49	8
CH9	-8.06	8
CH10	-8.91	8
CH11	-12.35	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.65	8
CH4	-16.48	8
CH5	-15.08	8
CH6	-13.03	8
CH7	-15.92	8
CH8	-16.62	8
CH9	-16.64	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.76	8
Middle	-10.99	8
High	-12.58	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.02	8
Middle	-9.64	8
High	-10.17	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.98	8
Middle	-10.11	8
High	-8.72	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.65	8
Middle	-9.86	8
High	-10.30	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.41	8
Middle	-9.86	8
High	-10.92	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.27	8
Middle	-9.93	8
High	-13.35	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-15.03	8
Middle	-10.84	8
High	-15.15	8

MIMO-Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-4.30	8
CH6	-4.78	8
CH11	-4.45	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.31	8
CH2	-7.31	8
CH3	-6.35	8
CH6	-6.99	8
CH8	-6.61	8
CH9	-7.25	8
CH10	-8.72	8
CH11	-11.79	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-11.65	8
CH2	-9.95	8
CH3	-8.10	8
CH4	-6.94	8
CH6	-5.92	8
CH8	-7.96	8
CH9	-8.12	8
CH10	-10.85	8
CH11	-12.25	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.16	8
CH4	-17.11	8
CH5	-14.52	8
CH6	-12.31	8
CH7	-15.34	8
CH8	-16.33	8
CH9	-18.19	8

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.03	8
CH2	-8.51	8
CH3	-6.13	8
CH6	-7.21	8
CH8	-7.30	8
CH9	-7.08	8
CH10	-9.53	8
CH11	-11.91	8

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.85	8
CH4	-17.26	8
CH5	-15.87	8
CH6	-13.87	8
CH7	-14.46	8
CH8	-17.22	8
CH9	-15.72	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-12.54	8
CH2	-10.28	8
CH3	-8.44	8
CH4	-6.55	8
CH6	-7.12	8
CH8	-7.77	8
CH9	-9.61	8
CH10	-10.86	8
CH11	-13.24	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-18.62	8
CH4	-17.73	8
CH5	-16.61	8
CH6	-14.08	8
CH7	-16.31	8
CH8	-16.67	8
CH9	-17.95	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.30	8
Middle	-11.47	8
High	-10.65	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.97	8
Middle	-10.44	8
High	-10.87	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.81	8
Middle	-10.31	8
High	-10.01	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.24	8
Middle	-10.97	8
High	-11.58	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.90	8
Middle	-10.50	8
High	-11.73	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.59	8
Middle	-9.10	8
High	-13.21	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-15.20	8
Middle	-11.58	8
High	-15.77	8

MIMO

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-0.72	8
CH6	-0.87	8
CH11	-0.29	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-7.09	8
CH2	-4.02	8
CH3	-2.96	8
CH6	-3.94	8
CH8	-3.46	8
CH9	-4.22	8
CH10	-5.69	8
CH11	-8.33	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.10	8
CH2	-5.87	8
CH3	-4.76	8
CH4	-3.95	8
CH6	-3.05	8
CH8	-4.29	8
CH9	-5.08	8
CH10	-7.71	8
CH11	-9.15	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.62	8
CH4	-13.62	8
CH5	-11.96	8
CH6	-9.54	8
CH7	-12.00	8
CH8	-13.05	8
CH9	-14.61	8

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-6.39	8
CH2	-5.10	8
CH3	-3.20	8
CH6	-4.03	8
CH8	-3.87	8
CH9	-4.26	8
CH10	-6.34	8
CH11	-8.25	8

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-13.94	8
CH4	-13.71	8
CH5	-12.30	8
CH6	-10.32	8
CH7	-11.11	8
CH8	-13.43	8
CH9	-13.07	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.53	8
CH2	-6.58	8
CH3	-5.23	8
CH4	-3.16	8
CH6	-4.21	8
CH8	-4.07	8
CH9	-5.75	8
CH10	-6.77	8
CH11	-9.76	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.10	8
CH4	-14.05	8
CH5	-12.77	8
CH6	-10.51	8
CH7	-13.10	8
CH8	-13.63	8
CH9	-14.23	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.96	8
Middle	-8.21	8
High	-8.50	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.46	8
Middle	-7.01	8
High	-7.50	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.37	8
Middle	-7.20	8
High	-6.31	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.43	8
Middle	-7.37	8
High	-7.88	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.64	8
Middle	-7.16	8
High	-8.30	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.42	8
Middle	-6.48	8
High	-10.27	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.11	8
Middle	-8.18	8
High	-12.44	8

Test Plots

Main Antenna

802.11b CHANNEL 1




802.11b CHANNEL 6




802.11b CHANNEL 11




802.11g CHANNEL 1




802.11g CHANNEL 2




802.11g CHANNEL 3



802.11g CHANNEL 6




802.11g CHANNEL 8




802.11g CHANNEL 9



802.11g CHANNEL 10



802.11g CHANNEL 11




802.11n-20 MHz CHANNEL 1




802.11n-20 MHz CHANNEL 2



802.11n-20 MHz CHANNEL 3




802.11n-20 MHz CHANNEL 4




802.11n-20 MHz CHANNEL 6



802.11n-20 MHz CHANNEL 8



802.11n-20 MHz CHANNEL 9



802.11n-20 MHz CHANNEL 10




802.11n-20 MHz CHANNEL 11




802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 4




802.11n-40 MHz CHANNEL 5



802.11n-40 MHz CHANNEL 6



802.11n-40 MHz CHANNEL 7




802.11n-40 MHz CHANNEL 8




802.11n-40 MHz CHANNEL 9




VHT-20 MHz CHANNEL 1




VHT-20 MHz CHANNEL 2




VHT-20 MHz CHANNEL 3




VHT-20 MHz CHANNEL 6



VHT-20 MHz CHANNEL 8




VHT-20 MHz CHANNEL 9




VHT-20 MHz CHANNEL 10




VHT-20 MHz CHANNEL 11




VHT-40 MHz CHANNEL 3




VHT-40 MHz CHANNEL 4



VHT-40 MHz CHANNEL 5



VHT-40 MHz CHANNEL 6



VHT-40 MHz CHANNEL 7



VHT-40 MHz CHANNEL 8




VHT-40 MHz CHANNEL 9



802.11ax-20 MHz(SU) CHANNEL 1



802.11ax-20 MHz(SU) CHANNEL 2



802.11ax-20 MHz(SU) CHANNEL 3



802.11ax-20 MHz(SU) CHANNEL 4



802.11ax-20 MHz(SU) CHANNEL 6




802.11ax-20 MHz(SU) CHANNEL 8




802.11ax-20 MHz(SU) CHANNEL 9



802.11ax-20 MHz(SU) CHANNEL 10



802.11ax-20 MHz(SU) CHANNEL 11



802.11ax-40 MHz(SU) CHANNEL 3



802.11ax-40 MHz(SU) CHANNEL 4



802.11ax-40 MHz(SU) CHANNEL 5




802.11ax-40 MHz(SU) CHANNEL 6



802.11ax-40 MHz(SU) CHANNEL 7




802.11ax-40 MHz(SU) CHANNEL 8




802.11ax-40 MHz(SU) CHANNEL 9




802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL




802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL




802.11ax-20 MHz(RU106) MIDDLE CHANNEL




802.11ax-20 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU26) LOW CHANNEL



802.11ax-40 MHz(RU26) MIDDLE CHANNEL




802.11ax-40 MHz(RU26) HIGH CHANNEL




802.11ax-40 MHz(RU52) LOW CHANNEL



802.11ax-40 MHz(RU52) MIDDLE CHANNEL




802.11ax-40 MHz(RU52) HIGH CHANNEL



802.11ax-40 MHz(RU106) LOW CHANNEL



802.11ax-40 MHz(RU106) MIDDLE CHANNEL




802.11ax-40 MHz(RU106) HIGH CHANNEL



802.11ax-40 MHz(RU242) LOW CHANNEL



802.11ax-40 MHz(RU242) MIDDLE CHANNEL



802.11ax-40 MHz(RU242) HIGH CHANNEL



Aux. Antenna

802.11b CHANNEL 1




802.11b CHANNEL 6




802.11b CHANNEL 11



802.11g CHANNEL 1



802.11g CHANNEL 2



802.11g CHANNEL 3



802.11g CHANNEL 6




802.11g CHANNEL 8




802.11g CHANNEL 9




802.11g CHANNEL 10



802.11g CHANNEL 11




802.11n-20 MHz CHANNEL 1




802.11n-20 MHz CHANNEL 2




802.11n-20 MHz CHANNEL 3




802.11n-20 MHz CHANNEL 4



802.11n-20 MHz CHANNEL 6



802.11n-20 MHz CHANNEL 8



802.11n-20 MHz CHANNEL 9




802.11n-20 MHz CHANNEL 10




802.11n-20 MHz CHANNEL 11




802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 4



802.11n-40 MHz CHANNEL 5




802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 7



802.11n-40 MHz CHANNEL 8




802.11n-40 MHz CHANNEL 9



VHT-20 MHz CHANNEL 1



VHT-20 MHz CHANNEL 2



VHT-20 MHz CHANNEL 3

