


Test Data and Plots


Main Antenna

U-NII-1 11a CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 4794.450 | 58.88 | 3.66 | 74.0 | 15.12 | Peak | 168.00 | 200 | Horizontal | Pass |
| 1** | 4794.450 | 46.75 | 3.66 | 54.0 | 7.25 | AV | 168.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.88 | 3.43 | 74.0 | 17.12 | Peak | 64.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.17 | 3.43 | 54.0 | 6.83 | AV | 64.00 | 100 | Horizontal | Pass |

U-NII-1 11a CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.49 | 3.26 | 74.0 | 17.51 | Peak | 35.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 46.88 | 3.26 | 54.0 | 7.12 | AV | 35.00 | 200 | Horizontal | Pass |
| 2 | 5423.480 | 59.35 | 3.80 | 74.0 | 14.65 | Peak | 265.00 | 200 | Horizontal | Pass |
| 2** | 5423.480 | 47.98 | 3.80 | 54.0 | 6.02 | AV | 265.00 | 200 | Horizontal | Pass |

U-NII-1 11n20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5115.875 | 58.75 | 3.95 | 74.0 | 15.25 | Peak | 226.00 | 150 | Horizontal | Pass |
| 1** | 5115.875 | 47.21 | 3.95 | 54.0 | 6.79 | AV | 226.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 55.82 | 3.43 | 74.0 | 18.18 | Peak | 292.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.02 | 3.43 | 54.0 | 6.98 | AV | 292.00 | 150 | Horizontal | Pass |

U-NII-1 11n20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.31 | 3.25 | 74.0 | 17.69 | Peak | 259.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.94 | 3.25 | 54.0 | 7.06 | AV | 259.00 | 150 | Horizontal | Pass |
| 2 | 5438.000 | 59.41 | 4.46 | 74.0 | 14.59 | Peak | 34.00 | 200 | Horizontal | Pass |
| 2** | 5438.000 | 48.30 | 4.46 | 54.0 | 5.70 | AV | 34.00 | 200 | Horizontal | Pass |

U-NII-1 11n40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5134.075 | 58.45 | 3.92 | 74.0 | 15.55 | Peak | 10.00 | 100 | Horizontal | Pass |
| 1** | 5134.075 | 47.17 | 3.92 | 54.0 | 6.83 | AV | 10.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.93 | 3.43 | 74.0 | 17.07 | Peak | 254.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.49 | 3.43 | 54.0 | 6.51 | AV | 254.00 | 150 | Horizontal | Pass |

U-NII-1 11n40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.90 | 3.25 | 74.0 | 17.10 | Peak | 181.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.19 | 3.25 | 54.0 | 6.81 | AV | 181.00 | 200 | Horizontal | Pass |
| 2 | 5437.120 | 59.83 | 4.41 | 74.0 | 14.17 | Peak | 228.00 | 200 | Horizontal | Pass |
| 2** | 5437.120 | 48.24 | 4.41 | 54.0 | 5.76 | AV | 228.00 | 200 | Horizontal | Pass |

U-NII-1 11ac20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5130.500 | 58.58 | 4.05 | 74.0 | 15.42 | Peak | 136.00 | 150 | Horizontal | Pass |
| 1** | 5130.500 | 47.19 | 4.05 | 54.0 | 6.81 | AV | 136.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.52 | 3.43 | 74.0 | 17.48 | Peak | 54.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 46.93 | 3.43 | 54.0 | 7.07 | AV | 54.00 | 100 | Horizontal | Pass |

U-NII-1 11ac20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.88 | 3.26 | 74.0 | 17.12 | Peak | 298.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 46.80 | 3.26 | 54.0 | 7.20 | AV | 298.00 | 200 | Horizontal | Pass |
| 2 | 5419.850 | 59.13 | 3.68 | 74.0 | 14.87 | Peak | 130.00 | 150 | Horizontal | Pass |
| 2** | 5419.850 | 47.86 | 3.68 | 54.0 | 6.14 | AV | 130.00 | 150 | Horizontal | Pass |

U-NII-1 11ac40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5146.425 | 58.33 | 3.60 | 74.0 | 15.67 | Peak | 329.00 | 150 | Horizontal | Pass |
| 1** | 5146.425 | 47.26 | 3.60 | 54.0 | 6.74 | AV | 329.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 57.37 | 3.43 | 74.0 | 16.63 | Peak | 217.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.72 | 3.43 | 54.0 | 6.28 | AV | 217.00 | 100 | Horizontal | Pass |

U-NII-1 11ac40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.35 | 3.26 | 74.0 | 16.65 | Peak | 119.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 46.87 | 3.26 | 54.0 | 7.13 | AV | 119.00 | 100 | Horizontal | Pass |
| 2 | 5429.695 | 59.74 | 4.11 | 74.0 | 14.26 | Peak | 61.00 | 200 | Horizontal | Pass |
| 2** | 5429.695 | 48.13 | 4.11 | 54.0 | 5.87 | AV | 61.00 | 200 | Horizontal | Pass |

U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5128.550 | 59.21 | 4.07 | 74.0 | 14.79 | Peak | 219.00 | 150 | Horizontal | Pass |
| 1** | 5128.550 | 47.64 | 4.07 | 54.0 | 6.36 | AV | 219.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 58.69 | 3.43 | 74.0 | 15.31 | Peak | 81.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 48.83 | 3.43 | 54.0 | 5.17 | AV | 81.00 | 100 | Horizontal | Pass |

U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.13 | 3.25 | 74.0 | 16.87 | Peak | 190.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.04 | 3.25 | 54.0 | 6.96 | AV | 190.00 | 200 | Horizontal | Pass |
| 2 | 5436.900 | 59.29 | 4.40 | 74.0 | 14.71 | Peak | 243.00 | 100 | Horizontal | Pass |
| 2** | 5436.900 | 47.84 | 4.40 | 54.0 | 6.16 | AV | 243.00 | 100 | Horizontal | Pass |

U-NII-1 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5136.025 | 59.94 | 3.86 | 74.0 | 14.06 | Peak | 196.00 | 150 | Horizontal | Pass |
| 1** | 5136.025 | 48.94 | 3.86 | 54.0 | 5.06 | AV | 196.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 58.13 | 3.43 | 74.0 | 15.87 | Peak | 201.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 48.14 | 3.43 | 54.0 | 5.86 | AV | 201.00 | 200 | Horizontal | Pass |

U-NII-1 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.20 | 3.25 | 74.0 | 16.80 | Peak | 58.00 | 100 | Horizontal | Pass |
| 1** | 5350.055 | 47.31 | 3.25 | 54.0 | 6.69 | AV | 58.00 | 100 | Horizontal | Pass |
| 2 | 5386.850 | 61.33 | 3.64 | 74.0 | 12.67 | Peak | 198.00 | 150 | Horizontal | Pass |
| 2** | 5386.850 | 47.98 | 3.64 | 54.0 | 6.02 | AV | 198.00 | 150 | Horizontal | Pass |
| 3 | 5385.970 | 60.07 | 3.66 | 74.0 | 13.93 | Peak | 11.00 | 150 | Horizontal | Pass |
| 3** | 5385.970 | 48.58 | 3.66 | 54.0 | 5.42 | AV | 11.00 | 150 | Horizontal | Pass |

U-NII-1 11ax20 (SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5117.825 | 58.42 | 3.99 | 74.0 | 15.58 | Peak | 50.00 | 150 | Horizontal | Pass |
| 1** | 5117.825 | 47.39 | 3.99 | 54.0 | 6.61 | AV | 50.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.84 | 3.43 | 74.0 | 17.16 | Peak | 271.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.02 | 3.43 | 54.0 | 6.98 | AV | 271.00 | 200 | Horizontal | Pass |

U-NII-1 11ax20 (SU) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.86 | 3.26 | 74.0 | 17.14 | Peak | 346.00 | 150 | Horizontal | Pass |
| 1** | 5350.000 | 47.18 | 3.26 | 54.0 | 6.82 | AV | 346.00 | 150 | Horizontal | Pass |
| 2 | 5432.830 | 59.65 | 4.35 | 74.0 | 14.35 | Peak | 340.00 | 200 | Horizontal | Pass |
| 2** | 5432.830 | 48.19 | 4.35 | 54.0 | 5.81 | AV | 340.00 | 200 | Horizontal | Pass |

U-NII-1 11ax40 (SU) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 4923.800 | 58.28 | 3.66 | 74.0 | 15.72 | Peak | 126.00 | 150 | Horizontal | Pass |
| 1** | 4923.800 | 46.60 | 3.66 | 54.0 | 7.40 | AV | 126.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 57.40 | 3.43 | 74.0 | 16.60 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.48 | 3.43 | 54.0 | 6.52 | AV | 360.00 | 150 | Horizontal | Pass |

U-NII-1 11ax40 (SU) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.70 | 3.25 | 74.0 | 17.30 | Peak | 20.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 46.77 | 3.25 | 54.0 | 7.23 | AV | 20.00 | 200 | Horizontal | Pass |
| 2 | 5428.045 | 59.38 | 4.05 | 74.0 | 14.62 | Peak | 339.00 | 150 | Horizontal | Pass |
| 2** | 5428.045 | 48.01 | 4.05 | 54.0 | 5.99 | AV | 339.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5137.975 | 59.29 | 3.73 | 74.0 | 14.71 | Peak | 209.00 | 150 | Horizontal | Pass |
| 1** | 5137.975 | 48.08 | 3.73 | 54.0 | 5.92 | AV | 209.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 58.01 | 3.43 | 74.0 | 15.99 | Peak | 212.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 48.23 | 3.43 | 54.0 | 5.77 | AV | 212.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.33 | 3.26 | 74.0 | 16.67 | Peak | 242.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 46.83 | 3.26 | 54.0 | 7.17 | AV | 242.00 | 100 | Horizontal | Pass |
| 2 | 5438.660 | 59.63 | 4.43 | 74.0 | 14.37 | Peak | 122.00 | 200 | Horizontal | Pass |
| 2** | 5438.660 | 48.03 | 4.43 | 54.0 | 5.97 | AV | 122.00 | 200 | Horizontal | Pass |

U-NII-1 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5126.925 | 59.38 | 4.10 | 74.0 | 14.62 | Peak | 199.00 | 200 | Horizontal | Pass |
| 1** | 5126.925 | 48.09 | 4.10 | 54.0 | 5.91 | AV | 199.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 58.79 | 3.43 | 74.0 | 15.21 | Peak | 207.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 48.44 | 3.43 | 54.0 | 5.56 | AV | 207.00 | 100 | Horizontal | Pass |

U-NII-1 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.27 | 3.26 | 74.0 | 16.73 | Peak | 209.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 47.23 | 3.26 | 54.0 | 6.77 | AV | 209.00 | 200 | Horizontal | Pass |
| 2 | 5386.575 | 62.03 | 3.65 | 74.0 | 11.97 | Peak | 197.00 | 200 | Horizontal | Pass |
| 2** | 5386.575 | 47.55 | 3.65 | 54.0 | 6.45 | AV | 197.00 | 200 | Horizontal | Pass |
| 3 | 5396.530 | 59.52 | 3.86 | 74.0 | 14.48 | Peak | 222.00 | 150 | Horizontal | Pass |
| 3** | 5396.530 | 48.69 | 3.86 | 54.0 | 5.31 | AV | 222.00 | 150 | Horizontal | Pass |

U-NII-1 11ax20 (RU26) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5079.800 | 58.39 | 3.37 | 74.0 | 15.61 | Peak | 162.00 | 100 | Horizontal | Pass |
| 1** | 5079.800 | 46.80 | 3.37 | 54.0 | 7.20 | AV | 162.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.45 | 3.43 | 74.0 | 17.55 | Peak | 356.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 46.93 | 3.43 | 54.0 | 7.07 | AV | 356.00 | 100 | Horizontal | Pass |

U-NII-1 11ax20 (RU26) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.92 | 3.26 | 74.0 | 17.08 | Peak | 88.00 | 150 | Horizontal | Pass |
| 1** | 5350.000 | 46.81 | 3.26 | 54.0 | 7.19 | AV | 88.00 | 150 | Horizontal | Pass |
| 2 | 5434.590 | 59.28 | 4.43 | 74.0 | 14.72 | Peak | 189.00 | 100 | Horizontal | Pass |
| 2** | 5434.590 | 47.97 | 4.43 | 54.0 | 6.03 | AV | 189.00 | 100 | Horizontal | Pass |

U-NII-1 11ax40 (RU26) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5105.150 | 58.96 | 3.93 | 74.0 | 15.04 | Peak | 169.00 | 150 | Horizontal | Pass |
| 1** | 5105.150 | 47.50 | 3.93 | 54.0 | 6.50 | AV | 169.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.50 | 3.43 | 74.0 | 17.50 | Peak | 251.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 46.80 | 3.43 | 54.0 | 7.20 | AV | 251.00 | 150 | Horizontal | Pass |

U-NII-1 11ax40 (RU26) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.93 | 3.25 | 74.0 | 17.07 | Peak | 358.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.67 | 3.25 | 54.0 | 7.33 | AV | 358.00 | 150 | Horizontal | Pass |
| 2 | 5434.480 | 59.31 | 4.44 | 74.0 | 14.69 | Peak | 78.00 | 150 | Horizontal | Pass |
| 2** | 5434.480 | 48.06 | 4.44 | 54.0 | 5.94 | AV | 78.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (RU26) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5129.525 | 58.80 | 4.08 | 74.0 | 15.20 | Peak | 150.00 | 100 | Horizontal | Pass |
| 1** | 5129.525 | 47.13 | 4.08 | 54.0 | 6.87 | AV | 150.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.45 | 3.43 | 74.0 | 17.55 | Peak | 173.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.03 | 3.43 | 54.0 | 6.97 | AV | 173.00 | 100 | Horizontal | Pass |

U-NII-1 11ax80 (RU26) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.50 | 3.25 | 74.0 | 16.50 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.64 | 3.25 | 54.0 | 7.36 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 5434.150 | 58.99 | 4.46 | 74.0 | 15.01 | Peak | 201.00 | 150 | Horizontal | Pass |
| 2** | 5434.150 | 48.07 | 4.46 | 54.0 | 5.93 | AV | 201.00 | 150 | Horizontal | Pass |

U-NII-1 11ax160 (RU26) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5098.650 | 58.92 | 3.69 | 74.0 | 15.08 | Peak | 151.00 | 200 | Horizontal | Pass |
| 1** | 5098.650 | 47.04 | 3.69 | 54.0 | 6.96 | AV | 151.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 57.04 | 3.43 | 74.0 | 16.96 | Peak | 298.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 46.97 | 3.43 | 54.0 | 7.03 | AV | 298.00 | 100 | Horizontal | Pass |

U-NII-1 11ax160 (RU26) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.69 | 3.26 | 74.0 | 17.31 | Peak | 309.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 46.83 | 3.26 | 54.0 | 7.17 | AV | 309.00 | 200 | Horizontal | Pass |
| 2 | 5432.555 | 59.43 | 4.31 | 74.0 | 14.57 | Peak | 49.00 | 200 | Horizontal | Pass |
| 2** | 5432.555 | 48.14 | 4.31 | 54.0 | 5.86 | AV | 49.00 | 200 | Horizontal | Pass |

U-NII-2A 11a CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5123.675 | 58.69 | 4.16 | 74.0 | 15.31 | Peak | 75.00 | 100 | Horizontal | Pass |
| 1** | 5123.675 | 47.15 | 4.16 | 54.0 | 6.85 | AV | 75.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 57.06 | 3.43 | 74.0 | 16.94 | Peak | 360.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.34 | 3.43 | 54.0 | 6.66 | AV | 360.00 | 200 | Horizontal | Pass |

U-NII-2A 11a CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 61.92 | 3.25 | 74.0 | 12.08 | Peak | 220.00 | 100 | Horizontal | Pass |
| 1** | 5350.055 | 47.27 | 3.25 | 54.0 | 6.73 | AV | 220.00 | 100 | Horizontal | Pass |
| 2 | 5351.210 | 64.18 | 3.26 | 74.0 | 9.82 | Peak | 205.00 | 200 | Horizontal | Pass |
| 2** | 5351.210 | 46.95 | 3.26 | 54.0 | 7.05 | AV | 205.00 | 200 | Horizontal | Pass |
| 3 | 5350.165 | 60.00 | 3.25 | 74.0 | 14.00 | Peak | 347.00 | 150 | Horizontal | Pass |
| 3** | 5350.165 | 48.01 | 3.25 | 54.0 | 5.99 | AV | 347.00 | 150 | Horizontal | Pass |

U-NII-2A 11n20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5034.300 | 58.53 | 3.27 | 74.0 | 15.47 | Peak | 57.00 | 200 | Horizontal | Pass |
| 1** | 5034.300 | 46.70 | 3.27 | 54.0 | 7.30 | AV | 57.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 57.27 | 3.43 | 74.0 | 16.73 | Peak | 270.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 46.99 | 3.43 | 54.0 | 7.01 | AV | 270.00 | 150 | Horizontal | Pass |

U-NII-2A 11n20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 61.89 | 3.25 | 74.0 | 12.11 | Peak | 0.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.15 | 3.25 | 54.0 | 6.85 | AV | 0.00 | 200 | Horizontal | Pass |
| 2 | 5350.385 | 66.66 | 3.25 | 74.0 | 7.34 | Peak | 192.00 | 100 | Horizontal | Pass |
| 2** | 5350.385 | 47.02 | 3.25 | 54.0 | 6.98 | AV | 192.00 | 100 | Horizontal | Pass |
| 3 | 5350.440 | 59.58 | 3.25 | 74.0 | 14.42 | Peak | 20.00 | 150 | Horizontal | Pass |
| 3** | 5350.440 | 48.75 | 3.25 | 54.0 | 5.25 | AV | 20.00 | 150 | Horizontal | Pass |

U-NII-2A 11n40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 4903.000 | 58.65 | 3.57 | 74.0 | 15.35 | Peak | 270.00 | 200 | Horizontal | Pass |
| 1** | 4903.000 | 47.01 | 3.57 | 54.0 | 6.99 | AV | 270.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 57.30 | 3.43 | 74.0 | 16.70 | Peak | 113.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 46.95 | 3.43 | 54.0 | 7.05 | AV | 113.00 | 100 | Horizontal | Pass |

U-NII-2A 11n40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 60.75 | 3.25 | 74.0 | 13.25 | Peak | 214.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.27 | 3.25 | 54.0 | 6.73 | AV | 214.00 | 200 | Horizontal | Pass |
| 2 | 5350.495 | 64.12 | 3.25 | 74.0 | 9.88 | Peak | 214.00 | 150 | Horizontal | Pass |
| 2** | 5350.495 | 47.02 | 3.25 | 54.0 | 6.98 | AV | 214.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5101.250 | 58.35 | 3.85 | 74.0 | 15.65 | Peak | 209.00 | 100 | Horizontal | Pass |
| 1** | 5101.250 | 47.14 | 3.85 | 54.0 | 6.86 | AV | 209.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.77 | 3.43 | 74.0 | 17.23 | Peak | 228.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.08 | 3.43 | 54.0 | 6.92 | AV | 228.00 | 100 | Horizontal | Pass |

U-NII-2A 11ac20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 61.68 | 3.26 | 74.0 | 12.32 | Peak | 346.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 47.38 | 3.26 | 54.0 | 6.62 | AV | 346.00 | 200 | Horizontal | Pass |
| 2 | 5351.155 | 63.30 | 3.25 | 74.0 | 10.70 | Peak | 10.00 | 100 | Horizontal | Pass |
| 2** | 5351.155 | 47.10 | 3.25 | 54.0 | 6.90 | AV | 10.00 | 100 | Horizontal | Pass |
| 3 | 5352.090 | 62.18 | 3.29 | 74.0 | 11.82 | Peak | 150.00 | 150 | Horizontal | Pass |
| 3** | 5352.090 | 48.22 | 3.29 | 54.0 | 5.78 | AV | 150.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5087.275 | 58.29 | 3.48 | 74.0 | 15.71 | Peak | 332.00 | 100 | Horizontal | Pass |
| 1** | 5087.275 | 47.14 | 3.48 | 54.0 | 6.86 | AV | 332.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.90 | 3.43 | 74.0 | 17.10 | Peak | 103.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.22 | 3.43 | 54.0 | 6.78 | AV | 103.00 | 200 | Horizontal | Pass |

U-NII-2A 11ac40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.82 | 3.26 | 74.0 | 16.18 | Peak | 4.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 47.21 | 3.26 | 54.0 | 6.79 | AV | 4.00 | 100 | Horizontal | Pass |
| 2 | 5352.475 | 63.37 | 3.31 | 74.0 | 10.63 | Peak | 357.00 | 150 | Horizontal | Pass |
| 2** | 5352.475 | 47.10 | 3.31 | 54.0 | 6.90 | AV | 357.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5094.100 | 58.43 | 3.55 | 74.0 | 15.57 | Peak | 155.00 | 150 | Horizontal | Pass |
| 1** | 5094.100 | 46.90 | 3.55 | 54.0 | 7.10 | AV | 155.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.66 | 3.43 | 74.0 | 17.34 | Peak | 290.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.17 | 3.43 | 54.0 | 6.83 | AV | 290.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 60.15 | 3.25 | 74.0 | 13.85 | Peak | 214.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 47.24 | 3.25 | 54.0 | 6.76 | AV | 214.00 | 150 | Horizontal | Pass |
| 2 | 5369.690 | 63.45 | 3.72 | 74.0 | 10.55 | Peak | 197.00 | 150 | Horizontal | Pass |
| 2** | 5369.690 | 47.21 | 3.72 | 54.0 | 6.79 | AV | 197.00 | 150 | Horizontal | Pass |
| 3 | 5433.765 | 57.85 | 4.48 | 74.0 | 16.15 | Peak | 81.00 | 150 | Horizontal | Pass |
| 3** | 5433.765 | 48.65 | 4.48 | 54.0 | 5.35 | AV | 81.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax20 (SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5137.975 | 58.38 | 3.73 | 74.0 | 15.62 | Peak | 338.00 | 100 | Horizontal | Pass |
| 1** | 5137.975 | 47.11 | 3.73 | 54.0 | 6.89 | AV | 338.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.74 | 3.43 | 74.0 | 17.26 | Peak | 293.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.26 | 3.43 | 54.0 | 6.74 | AV | 293.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax20 (SU) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 62.40 | 3.26 | 74.0 | 11.60 | Peak | 202.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 48.87 | 3.26 | 54.0 | 5.13 | AV | 202.00 | 200 | Horizontal | Pass |
| 2 | 5354.235 | 64.01 | 3.30 | 74.0 | 9.99 | Peak | 214.00 | 100 | Horizontal | Pass |
| 2** | 5354.235 | 46.71 | 3.30 | 54.0 | 7.29 | AV | 214.00 | 100 | Horizontal | Pass |

U-NII-2A 11ax40 (SU) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5126.600 | 59.03 | 4.12 | 74.0 | 14.97 | Peak | 332.00 | 100 | Horizontal | Pass |
| 1** | 5126.600 | 47.37 | 4.12 | 54.0 | 6.63 | AV | 332.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.88 | 3.43 | 74.0 | 17.12 | Peak | 146.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.25 | 3.43 | 54.0 | 6.75 | AV | 146.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax40 (SU) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 60.78 | 3.25 | 74.0 | 13.22 | Peak | 215.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 47.25 | 3.25 | 54.0 | 6.75 | AV | 215.00 | 150 | Horizontal | Pass |
| 2 | 5352.310 | 62.77 | 3.30 | 74.0 | 11.23 | Peak | 231.00 | 200 | Horizontal | Pass |
| 2** | 5352.310 | 46.93 | 3.30 | 54.0 | 7.07 | AV | 231.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5082.725 | 58.55 | 3.34 | 74.0 | 15.45 | Peak | 107.00 | 200 | Horizontal | Pass |
| 1** | 5082.725 | 46.69 | 3.34 | 54.0 | 7.31 | AV | 107.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.87 | 3.43 | 74.0 | 17.13 | Peak | 300.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.02 | 3.43 | 54.0 | 6.98 | AV | 300.00 | 100 | Horizontal | Pass |

U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 58.56 | 3.25 | 74.0 | 15.44 | Peak | 347.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 48.08 | 3.25 | 54.0 | 5.92 | AV | 347.00 | 200 | Horizontal | Pass |
| 2 | 5350.440 | 63.09 | 3.25 | 74.0 | 10.91 | Peak | 208.00 | 150 | Horizontal | Pass |
| 2** | 5350.440 | 48.05 | 3.25 | 54.0 | 5.95 | AV | 208.00 | 150 | Horizontal | Pass |
| 3 | 5365.400 | 57.71 | 3.86 | 74.0 | 16.29 | Peak | 208.00 | 150 | Horizontal | Pass |
| 3** | 5365.400 | 48.98 | 3.86 | 54.0 | 5.02 | AV | 208.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax20 (RU26) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5022.275 | 58.58 | 2.87 | 74.0 | 15.42 | Peak | 91.00 | 100 | Horizontal | Pass |
| 1** | 5022.275 | 46.31 | 2.87 | 54.0 | 7.69 | AV | 91.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 57.12 | 3.43 | 74.0 | 16.88 | Peak | 234.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 46.85 | 3.43 | 54.0 | 7.15 | AV | 234.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax20 (RU26) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.22 | 3.25 | 74.0 | 16.78 | Peak | 234.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.84 | 3.25 | 54.0 | 7.16 | AV | 234.00 | 150 | Horizontal | Pass |
| 2 | 5363.530 | 58.96 | 3.81 | 74.0 | 15.04 | Peak | 264.00 | 150 | Horizontal | Pass |
| 2** | 5363.530 | 46.96 | 3.81 | 54.0 | 7.04 | AV | 264.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax40 (RU26) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5108.400 | 58.78 | 4.01 | 74.0 | 15.22 | Peak | 211.00 | 200 | Horizontal | Pass |
| 1** | 5108.400 | 47.12 | 4.01 | 54.0 | 6.88 | AV | 211.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.68 | 3.43 | 74.0 | 17.32 | Peak | 255.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.06 | 3.43 | 54.0 | 6.94 | AV | 255.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax40 (RU26) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.35 | 3.25 | 74.0 | 17.65 | Peak | 355.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.61 | 3.25 | 54.0 | 7.39 | AV | 355.00 | 150 | Horizontal | Pass |
| 2 | 5441.685 | 59.85 | 4.27 | 74.0 | 14.15 | Peak | 137.00 | 200 | Horizontal | Pass |
| 2** | 5441.685 | 47.77 | 4.27 | 54.0 | 6.23 | AV | 137.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax80 (RU26) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5105.475 | 58.27 | 3.95 | 74.0 | 15.73 | Peak | 301.00 | 100 | Horizontal | Pass |
| 1** | 5105.475 | 47.48 | 3.95 | 54.0 | 6.52 | AV | 301.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.58 | 3.43 | 74.0 | 17.42 | Peak | 91.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.05 | 3.43 | 54.0 | 6.95 | AV | 91.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax80 (RU26) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.38 | 3.26 | 74.0 | 16.62 | Peak | 218.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 46.74 | 3.26 | 54.0 | 7.26 | AV | 218.00 | 100 | Horizontal | Pass |
| 2 | 5436.075 | 59.54 | 4.36 | 74.0 | 14.46 | Peak | 324.00 | 150 | Horizontal | Pass |
| 2** | 5436.075 | 47.93 | 4.36 | 54.0 | 6.07 | AV | 324.00 | 150 | Horizontal | Pass |

U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5429.740 | 59.16 | 4.11 | 74.0 | 14.84 | Peak | 35.00 | 100 | Horizontal | Pass |
| 1** | 5429.740 | 48.30 | 4.11 | 54.0 | 5.70 | AV | 35.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 57.09 | 4.10 | 74.0 | 16.91 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.26 | 4.10 | 54.0 | 6.74 | AV | 360.00 | 100 | Horizontal | Pass |
| 3 | 5469.640 | 63.19 | 4.07 | 68.2 | 5.01 | Peak | 360.00 | 100 | Horizontal | Pass |
| 3** | 5469.640 | 47.75 | 4.07 | -- | -- | AV | 360.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 60.75 | 4.06 | 68.2 | 7.45 | Peak | 156.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 47.93 | 4.06 | -- | -- | AV | 156.00 | 150 | Horizontal | N/A |

U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 58.22 | 4.12 | 68.2 | 9.98 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2 | 5726.375 | 63.10 | 4.12 | 68.2 | 5.10 | Peak | 360.00 | 100 | Horizontal | Pass |

U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5427.880 | 59.22 | 4.04 | 74.0 | 14.78 | Peak | 10.00 | 200 | Horizontal | Pass |
| 1** | 5427.880 | 47.92 | 4.04 | 54.0 | 6.08 | AV | 10.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 58.24 | 4.10 | 74.0 | 15.76 | Peak | 256.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.34 | 4.10 | 54.0 | 6.66 | AV | 256.00 | 200 | Horizontal | Pass |
| 3 | 5468.380 | 62.47 | 4.12 | 68.2 | 5.73 | Peak | 360.00 | 200 | Horizontal | Pass |
| 3** | 5468.380 | 47.65 | 4.12 | -- | -- | AV | 360.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 60.67 | 4.06 | 68.2 | 7.53 | Peak | 156.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 47.77 | 4.06 | -- | -- | AV | 156.00 | 200 | Horizontal | N/A |

U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.74 | 4.12 | 68.2 | 10.46 | Peak | 289.00 | 150 | Horizontal | Pass |
| 2 | 5729.125 | 62.55 | 4.11 | 68.2 | 5.65 | Peak | 6.00 | 100 | Horizontal | Pass |

U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5425.180 | 59.54 | 3.83 | 74.0 | 14.46 | Peak | 360.00 | 200 | Horizontal | Pass |
| 1** | 5425.180 | 47.50 | 3.83 | 54.0 | 6.50 | AV | 360.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.52 | 4.10 | 74.0 | 16.48 | Peak | 169.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.50 | 4.10 | 54.0 | 6.50 | AV | 169.00 | 100 | Horizontal | Pass |
| 3 | 5468.200 | 61.94 | 4.12 | 68.2 | 6.26 | Peak | 360.00 | 100 | Horizontal | Pass |
| 3** | 5468.200 | 49.01 | 4.12 | -- | -- | AV | 360.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 58.13 | 4.06 | 68.2 | 10.07 | Peak | 13.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 48.76 | 4.06 | -- | -- | AV | 13.00 | 200 | Horizontal | N/A |

U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 59.44 | 4.12 | 68.2 | 8.76 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2 | 5727.625 | 61.47 | 4.12 | 68.2 | 6.73 | Peak | 357.00 | 200 | Horizontal | Pass |

U-NII-2C 11ac20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5436.880 | 58.91 | 4.40 | 74.0 | 15.09 | Peak | 190.00 | 150 | Horizontal | Pass |
| 1** | 5436.880 | 48.23 | 4.40 | 54.0 | 5.77 | AV | 190.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.36 | 4.10 | 74.0 | 16.64 | Peak | 217.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 47.24 | 4.10 | 54.0 | 6.76 | AV | 217.00 | 150 | Horizontal | Pass |
| 3 | 5468.080 | 62.30 | 4.13 | 68.2 | 5.90 | Peak | 204.00 | 200 | Horizontal | Pass |
| 3** | 5468.080 | 47.96 | 4.13 | -- | -- | AV | 204.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 60.60 | 4.06 | 68.2 | 7.60 | Peak | 0.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 47.57 | 4.06 | -- | -- | AV | 0.00 | 100 | Horizontal | N/A |

U-NII-2C 11ac20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 58.11 | 4.12 | 68.2 | 10.09 | Peak | 294.00 | 200 | Horizontal | Pass |
| 2 | 5725.125 | 62.64 | 4.12 | 68.2 | 5.56 | Peak | 9.00 | 100 | Horizontal | Pass |

U-NII-2C 11ac40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5436.940 | 59.49 | 4.40 | 74.0 | 14.51 | Peak | 326.00 | 200 | Horizontal | Pass |
| 1** | 5436.940 | 48.06 | 4.40 | 54.0 | 5.94 | AV | 326.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.69 | 4.10 | 74.0 | 16.31 | Peak | 97.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 48.01 | 4.10 | 54.0 | 5.99 | AV | 97.00 | 150 | Horizontal | Pass |
| 3 | 5466.340 | 61.61 | 4.02 | 68.2 | 6.59 | Peak | 0.00 | 200 | Horizontal | Pass |
| 3** | 5466.340 | 48.11 | 4.02 | -- | -- | AV | 0.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 59.31 | 4.06 | 68.2 | 8.89 | Peak | 7.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 48.99 | 4.06 | -- | -- | AV | 7.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 59.70 | 4.12 | 68.2 | 8.50 | Peak | 0.00 | 100 | Horizontal | Pass |
| 2 | 5727.187 | 63.01 | 4.12 | 68.2 | 5.19 | Peak | 6.00 | 150 | Horizontal | Pass |

U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5435.680 | 61.67 | 4.36 | 74.0 | 12.33 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 5435.680 | 48.62 | 4.36 | 54.0 | 5.38 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 60.31 | 4.10 | 74.0 | 13.69 | Peak | 220.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 48.74 | 4.10 | 54.0 | 5.26 | AV | 220.00 | 150 | Horizontal | Pass |
| 3 | 5469.400 | 60.76 | 4.08 | 68.2 | 7.44 | Peak | 360.00 | 100 | Horizontal | Pass |
| 3** | 5469.400 | 49.85 | 4.08 | -- | -- | AV | 360.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 59.22 | 4.06 | 68.2 | 8.98 | Peak | 357.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 49.78 | 4.06 | -- | -- | AV | 357.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.99 | 4.12 | 68.2 | 10.21 | Peak | 110.00 | 200 | Horizontal | Pass |
| 2 | 5728.688 | 59.70 | 4.12 | 68.2 | 8.50 | Peak | 1.00 | 200 | Horizontal | Pass |

U-NII-2C 11ac160 CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5439.280 | 60.69 | 4.41 | 74.0 | 13.31 | Peak | 163.00 | 150 | Horizontal | Pass |
| 1** | 5439.280 | 48.85 | 4.41 | 54.0 | 5.15 | AV | 163.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.66 | 4.10 | 74.0 | 16.34 | Peak | 143.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 48.34 | 4.10 | 54.0 | 5.66 | AV | 143.00 | 100 | Horizontal | Pass |
| 3 | 5463.880 | 59.64 | 4.07 | 68.2 | 8.56 | Peak | 218.00 | 200 | Horizontal | Pass |
| 3** | 5463.880 | 48.14 | 4.07 | -- | -- | AV | 218.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 58.13 | 4.06 | 68.2 | 10.07 | Peak | 315.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 48.72 | 4.06 | -- | -- | AV | 315.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac160 CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.99 | 4.12 | 68.2 | 10.21 | Peak | 67.00 | 100 | Horizontal | Pass |
| 2 | 5764.250 | 59.08 | 4.07 | 68.2 | 9.12 | Peak | 77.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax20 (SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5431.660 | 59.57 | 4.17 | 74.0 | 14.43 | Peak | 97.00 | 200 | Horizontal | Pass |
| 1** | 5431.660 | 47.89 | 4.17 | 54.0 | 6.11 | AV | 97.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 56.87 | 4.10 | 74.0 | 17.13 | Peak | 282.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.25 | 4.10 | 54.0 | 6.75 | AV | 282.00 | 100 | Horizontal | Pass |
| 3 | 5467.720 | 61.82 | 4.14 | 68.2 | 6.38 | Peak | 360.00 | 100 | Horizontal | Pass |
| 3** | 5467.720 | 47.62 | 4.14 | -- | -- | AV | 360.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 56.91 | 4.06 | 68.2 | 11.29 | Peak | 191.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 48.04 | 4.06 | -- | -- | AV | 191.00 | 100 | Horizontal | N/A |

U-NII-2C 11ax20 (SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 60.71 | 4.12 | 68.2 | 7.49 | Peak | 0.00 | 200 | Horizontal | Pass |
| 2 | 5728.312 | 62.03 | 4.12 | 68.2 | 6.17 | Peak | 0.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax40 (SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5457.040 | 60.53 | 4.09 | 74.0 | 13.47 | Peak | 360.00 | 100 | Horizontal | Pass |
| 1** | 5457.040 | 47.27 | 4.09 | 54.0 | 6.73 | AV | 360.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 57.52 | 4.10 | 74.0 | 16.48 | Peak | 12.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.50 | 4.10 | 54.0 | 6.50 | AV | 12.00 | 200 | Horizontal | Pass |
| 3 | 5468.560 | 61.99 | 4.11 | 68.2 | 6.21 | Peak | 288.00 | 150 | Horizontal | Pass |
| 3** | 5468.560 | 48.38 | 4.11 | -- | -- | AV | 288.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.53 | 4.06 | 68.2 | 10.67 | Peak | 28.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 48.66 | 4.06 | -- | -- | AV | 28.00 | 200 | Horizontal | N/A |
| 5 | 5435.200 | 57.53 | 4.39 | 74.0 | 16.47 | Peak | 175.00 | 150 | Horizontal | Pass |
| 5** | 5435.200 | 48.36 | 4.39 | 54.0 | 5.64 | AV | 175.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax40 (SU) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 59.12 | 4.12 | 68.2 | 9.08 | Peak | 323.00 | 150 | Horizontal | Pass |
| 2 | 5729.000 | 62.22 | 4.11 | 68.2 | 5.98 | Peak | 2.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax80 (SU) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5445.820 | 61.85 | 4.13 | 74.0 | 12.15 | Peak | 0.00 | 200 | Horizontal | Pass |
| 1** | 5445.820 | 48.83 | 4.13 | 54.0 | 5.17 | AV | 0.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 58.11 | 4.10 | 74.0 | 15.89 | Peak | 5.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 48.26 | 4.10 | 54.0 | 5.74 | AV | 5.00 | 150 | Horizontal | Pass |
| 3 | 5466.040 | 60.79 | 4.00 | 68.2 | 7.41 | Peak | 140.00 | 100 | Horizontal | Pass |
| 3** | 5466.040 | 49.46 | 4.00 | -- | -- | AV | 140.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 58.86 | 4.06 | 68.2 | 9.34 | Peak | 224.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 50.04 | 4.06 | -- | -- | AV | 224.00 | 200 | Horizontal | N/A |

U-NII-2C 11ax80 (SU) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.91 | 4.12 | 68.2 | 10.29 | Peak | 278.00 | 200 | Horizontal | Pass |
| 2 | 5754.563 | 59.43 | 3.87 | 68.2 | 8.77 | Peak | 134.00 | 100 | Horizontal | Pass |

U-NII-2C 11ax160 (SU) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5436.400 | 60.61 | 4.37 | 74.0 | 13.39 | Peak | 9.00 | 200 | Horizontal | Pass |
| 1** | 5436.400 | 48.64 | 4.37 | 54.0 | 5.36 | AV | 9.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.03 | 4.10 | 74.0 | 16.97 | Peak | 215.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.98 | 4.10 | 54.0 | 6.02 | AV | 215.00 | 200 | Horizontal | Pass |
| 3 | 5466.940 | 59.94 | 4.08 | 68.2 | 8.26 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 5466.940 | 48.58 | 4.08 | -- | -- | AV | 0.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.66 | 4.06 | 68.2 | 10.54 | Peak | 0.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 48.80 | 4.06 | -- | -- | AV | 0.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax160 (SU) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.98 | 4.12 | 68.2 | 10.22 | Peak | 200.00 | 200 | Horizontal | Pass |
| 2 | 5836.875 | 59.78 | 3.88 | 68.2 | 8.42 | Peak | 198.00 | 200 | Horizontal | Pass |

U-NII-2C 11ax20 (RU26) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5405.320 | 59.67 | 3.92 | 74.0 | 14.33 | Peak | 105.00 | 150 | Horizontal | Pass |
| 1** | 5405.320 | 47.39 | 3.92 | 54.0 | 6.61 | AV | 105.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.12 | 4.10 | 74.0 | 16.88 | Peak | 343.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 47.47 | 4.10 | 54.0 | 6.53 | AV | 343.00 | 150 | Horizontal | Pass |
| 3 | 5466.460 | 58.74 | 4.03 | 68.2 | 9.46 | Peak | 70.00 | 150 | Horizontal | Pass |
| 3** | 5466.460 | 47.49 | 4.03 | -- | -- | AV | 70.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.45 | 4.06 | 68.2 | 10.75 | Peak | 17.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 47.56 | 4.06 | -- | -- | AV | 17.00 | 100 | Horizontal | N/A |

U-NII-2C 11ax20 (RU26) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.85 | 4.12 | 68.2 | 10.35 | Peak | 76.00 | 200 | Horizontal | Pass |
| 2 | 5778.625 | 59.13 | 4.49 | 68.2 | 9.07 | Peak | 200.00 | 200 | Horizontal | Pass |

U-NII-2C 11ax40 (RU26) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5439.820 | 59.45 | 4.38 | 74.0 | 14.55 | Peak | 238.00 | 100 | Horizontal | Pass |
| 1** | 5439.820 | 48.02 | 4.38 | 54.0 | 5.98 | AV | 238.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 57.13 | 4.10 | 74.0 | 16.87 | Peak | 126.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.63 | 4.10 | 54.0 | 6.37 | AV | 126.00 | 200 | Horizontal | Pass |
| 3 | 5462.680 | 59.36 | 4.11 | 68.2 | 8.84 | Peak | 226.00 | 150 | Horizontal | Pass |
| 3** | 5462.680 | 47.53 | 4.11 | -- | -- | AV | 226.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 56.80 | 4.06 | 68.2 | 11.40 | Peak | 273.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 47.65 | 4.06 | -- | -- | AV | 273.00 | 100 | Horizontal | N/A |

U-NII-2C 11ax40 (RU26) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.99 | 4.12 | 68.2 | 10.21 | Peak | 334.00 | 100 | Horizontal | Pass |
| 2 | 5741.562 | 59.47 | 4.06 | 68.2 | 8.73 | Peak | 195.00 | 100 | Horizontal | Pass |

U-NII-2C 11ax80 (RU26) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5434.960 | 59.60 | 4.40 | 74.0 | 14.40 | Peak | 160.00 | 150 | Horizontal | Pass |
| 1** | 5434.960 | 48.08 | 4.40 | 54.0 | 5.92 | AV | 160.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.53 | 4.10 | 74.0 | 16.47 | Peak | 144.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.65 | 4.10 | 54.0 | 6.35 | AV | 144.00 | 200 | Horizontal | Pass |
| 3 | 5467.840 | 58.85 | 4.14 | 68.2 | 9.35 | Peak | 191.00 | 200 | Horizontal | Pass |
| 3** | 5467.840 | 47.78 | 4.14 | -- | -- | AV | 191.00 | 200 | Horizontal | N/A |
| 4 | 5469.940 | 57.04 | 4.06 | 68.2 | 11.16 | Peak | 151.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 47.75 | 4.06 | -- | -- | AV | 151.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax80 (RU26) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.68 | 4.12 | 68.2 | 10.52 | Peak | 359.00 | 200 | Horizontal | Pass |
| 2 | 5726.063 | 59.58 | 4.12 | 68.2 | 8.62 | Peak | 64.00 | 150 | Horizontal | Pass |

U-NII-2C 11ax160 (RU26) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5432.800 | 59.38 | 4.34 | 74.0 | 14.62 | Peak | 305.00 | 150 | Horizontal | Pass |
| 1** | 5432.800 | 48.21 | 4.34 | 54.0 | 5.79 | AV | 305.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.82 | 4.10 | 74.0 | 16.18 | Peak | 129.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.80 | 4.10 | 54.0 | 6.20 | AV | 129.00 | 200 | Horizontal | Pass |
| 3 | 5467.120 | 58.98 | 4.09 | 68.2 | 9.22 | Peak | 0.00 | 100 | Horizontal | Pass |
| 3** | 5467.120 | 47.48 | 4.09 | -- | -- | AV | 0.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 57.81 | 4.06 | 68.2 | 10.39 | Peak | 116.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 47.71 | 4.06 | -- | -- | AV | 116.00 | 150 | Horizontal | N/A |

U-NII-2C 11ax160 (RU26) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 58.06 | 4.12 | 68.2 | 10.14 | Peak | 265.00 | 150 | Horizontal | Pass |
| 2 | 5846.000 | 59.72 | 4.06 | 68.2 | 8.48 | Peak | 148.00 | 200 | Horizontal | Pass |

U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5649.438 | 59.13 | 3.82 | 68.2 | 9.07 | Peak | 8.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 57.23 | 3.83 | 68.2 | 10.97 | Peak | 97.00 | 100 | Horizontal | Pass |

U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.88 | 3.64 | 68.3 | 11.42 | Peak | 99.00 | 200 | Horizontal | Pass |
| 2 | 5989.350 | 60.69 | 5.07 | 68.2 | 7.51 | Peak | 123.00 | 150 | Horizontal | Pass |

U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5622.500 | 59.19 | 3.36 | 68.2 | 9.01 | Peak | 98.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 57.32 | 3.83 | 68.2 | 10.88 | Peak | 257.00 | 100 | Horizontal | Pass |

U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.19 | 3.64 | 68.3 | 11.11 | Peak | 348.00 | 200 | Horizontal | Pass |
| 2 | 5972.700 | 60.38 | 4.91 | 68.2 | 7.82 | Peak | 64.00 | 150 | Horizontal | Pass |

U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5637.938 | 59.39 | 3.75 | 68.2 | 8.81 | Peak | 348.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 57.38 | 3.83 | 68.2 | 10.82 | Peak | 107.00 | 150 | Horizontal | Pass |

U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.24 | 3.64 | 68.3 | 11.06 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2 | 5994.600 | 60.35 | 5.67 | 68.2 | 7.85 | Peak | 33.00 | 150 | Horizontal | Pass |

U-NII-3 11ac20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5608.375 | 58.85 | 3.62 | 68.2 | 9.35 | Peak | 303.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 56.66 | 3.83 | 68.2 | 11.54 | Peak | 3.00 | 200 | Horizontal | Pass |

U-NII-3 11ac20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.58 | 3.64 | 68.3 | 10.72 | Peak | 171.00 | 100 | Horizontal | Pass |
| 2 | 5994.300 | 60.09 | 5.61 | 68.2 | 8.11 | Peak | 12.00 | 200 | Horizontal | Pass |

U-NII-3 11ac40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5643.313 | 59.06 | 3.87 | 68.2 | 9.14 | Peak | 143.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 57.16 | 3.83 | 68.2 | 11.04 | Peak | 225.00 | 100 | Horizontal | Pass |

U-NII-3 11ac40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.59 | 3.64 | 68.3 | 11.71 | Peak | 185.00 | 200 | Horizontal | Pass |
| 2 | 5998.200 | 60.53 | 5.77 | 68.2 | 7.67 | Peak | 210.00 | 150 | Horizontal | Pass |

U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5644.125 | 62.09 | 3.83 | 68.2 | 6.11 | Peak | 229.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 59.01 | 3.83 | 68.2 | 9.19 | Peak | 98.00 | 150 | Horizontal | Pass |

U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.44 | 3.64 | 68.3 | 10.86 | Peak | 350.00 | 200 | Horizontal | Pass |
| 2 | 5992.650 | 60.52 | 5.30 | 68.2 | 7.68 | Peak | 232.00 | 200 | Horizontal | Pass |

U-NII-3 11ax20 (SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5612.750 | 59.22 | 3.74 | 68.2 | 8.98 | Peak | 318.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 57.07 | 3.83 | 68.2 | 11.13 | Peak | 310.00 | 150 | Horizontal | Pass |

U-NII-3 11ax20 (SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.86 | 3.64 | 68.3 | 11.44 | Peak | 215.00 | 150 | Horizontal | Pass |
| 2 | 5995.650 | 60.28 | 5.68 | 68.2 | 7.92 | Peak | 57.00 | 200 | Horizontal | Pass |

U-NII-3 11ax40 (SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5605.375 | 59.04 | 3.59 | 68.2 | 9.16 | Peak | 298.00 | 150 | Horizontal | Pass |
| 2 | 5650.000 | 56.78 | 3.83 | 68.2 | 11.42 | Peak | 299.00 | 100 | Horizontal | Pass |

U-NII-3 11ax40 (SU) CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.32 | 3.64 | 68.3 | 10.98 | Peak | 295.00 | 200 | Horizontal | Pass |
| 2 | 5996.475 | 60.35 | 5.67 | 68.2 | 7.85 | Peak | 208.00 | 100 | Horizontal | Pass |

U-NII-3 11ax80 (SU) CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5619.438 | 63.14 | 3.42 | 68.2 | 5.06 | Peak | 99.00 | 100 | Horizontal | Pass |
| 2 | 5650.000 | 58.31 | 3.83 | 68.2 | 9.89 | Peak | 196.00 | 100 | Horizontal | Pass |

U-NII-3 11ax80 (SU) CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.12 | 3.64 | 68.3 | 11.18 | Peak | 273.00 | 200 | Horizontal | Pass |
| 2 | 5996.700 | 60.39 | 5.67 | 68.2 | 7.81 | Peak | 316.00 | 150 | Horizontal | Pass |

U-NII-3 11ax20 (RU26) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5608.750 | 58.79 | 3.65 | 68.2 | 9.41 | Peak | 284.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 56.80 | 3.83 | 68.2 | 11.40 | Peak | 43.00 | 100 | Horizontal | Pass |

U-NII-3 11ax20 (RU26) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 56.72 | 3.64 | 68.3 | 11.58 | Peak | 263.00 | 150 | Horizontal | Pass |
| 2 | 5999.475 | 60.58 | 5.78 | 68.2 | 7.62 | Peak | 321.00 | 200 | Horizontal | Pass |

U-NII-3 11ax40 (RU26) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5644.750 | 59.06 | 3.87 | 68.2 | 9.14 | Peak | 184.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 57.50 | 3.83 | 68.2 | 10.70 | Peak | 78.00 | 150 | Horizontal | Pass |

U-NII-3 11ax40 (RU26) CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.82 | 3.64 | 68.3 | 10.48 | Peak | 107.00 | 100 | Horizontal | Pass |
| 2 | 5999.175 | 60.49 | 5.81 | 68.2 | 7.71 | Peak | 77.00 | 200 | Horizontal | Pass |

U-NII-3 11ax80 (RU26) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5642.563 | 60.18 | 3.91 | 68.2 | 8.02 | Peak | 218.00 | 200 | Horizontal | Pass |
| 2 | 5650.000 | 56.68 | 3.83 | 68.2 | 11.52 | Peak | 300.00 | 100 | Horizontal | Pass |


U-NII-3 11ax80 (RU26) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5924.925 | 57.39 | 3.64 | 68.3 | 10.91 | Peak | 279.00 | 100 | Horizontal | Pass |
| 2 | 5962.725 | 61.59 | 4.48 | 68.2 | 6.61 | Peak | 121.00 | 200 | Horizontal | Pass |


Aux. Antenna

U-NII-1 11a CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5136.350 | 58.18 | 3.85 | 74.0 | 15.82 | Peak | 293.00 | 150 | Vertical | Pass |
| 1** | 5136.350 | 47.05 | 3.85 | 54.0 | 6.95 | AV | 293.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.31 | 3.43 | 74.0 | 17.69 | Peak | 136.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.99 | 3.43 | 54.0 | 7.01 | AV | 136.00 | 200 | Vertical | Pass |

U-NII-1 11a CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.29 | 3.26 | 74.0 | 17.71 | Peak | 0.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 46.93 | 3.26 | 54.0 | 7.07 | AV | 0.00 | 150 | Vertical | Pass |
| 2 | 5435.635 | 59.36 | 4.36 | 74.0 | 14.64 | Peak | 249.00 | 200 | Vertical | Pass |
| 2** | 5435.635 | 47.94 | 4.36 | 54.0 | 6.06 | AV | 249.00 | 200 | Vertical | Pass |

U-NII-1 11n20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 4998.550 | 58.99 | 3.27 | 74.0 | 15.01 | Peak | 144.00 | 150 | Vertical | Pass |
| 1** | 4998.550 | 46.47 | 3.27 | 54.0 | 7.53 | AV | 144.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.36 | 3.43 | 74.0 | 17.64 | Peak | 243.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.11 | 3.43 | 54.0 | 6.89 | AV | 243.00 | 150 | Vertical | Pass |

U-NII-1 11n20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 57.01 | 3.26 | 74.0 | 16.99 | Peak | 180.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 46.80 | 3.26 | 54.0 | 7.20 | AV | 180.00 | 100 | Vertical | Pass |
| 2 | 5434.700 | 59.31 | 4.42 | 74.0 | 14.69 | Peak | 321.00 | 150 | Vertical | Pass |
| 2** | 5434.700 | 48.24 | 4.42 | 54.0 | 5.76 | AV | 321.00 | 150 | Vertical | Pass |

U-NII-1 11n40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5095.725 | 58.38 | 3.67 | 74.0 | 15.62 | Peak | 98.00 | 100 | Vertical | Pass |
| 1** | 5095.725 | 46.95 | 3.67 | 54.0 | 7.05 | AV | 98.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.27 | 3.43 | 74.0 | 17.73 | Peak | 312.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 46.86 | 3.43 | 54.0 | 7.14 | AV | 312.00 | 150 | Vertical | Pass |

U-NII-1 11n40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|-----------|---------|
| 1 | 5350.055 | 56.38 | 3.25 | 74.0 | 17.62 | Peak | 303.00 | 150 | Verticall | Pass |
| 1** | 5350.055 | 46.75 | 3.25 | 54.0 | 7.25 | AV | 303.00 | 150 | Verticall | Pass |
| 2 | 5440.145 | 59.58 | 4.37 | 74.0 | 14.42 | Peak | 350.00 | 200 | Verticall | Pass |
| 2** | 5440.145 | 47.93 | 4.37 | 54.0 | 6.07 | AV | 350.00 | 200 | Verticall | Pass |

U-NII-1 11ac20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5099.300 | 58.00 | 3.72 | 74.0 | 16.00 | Peak | 300.00 | 100 | Vertical | Pass |
| 1** | 5099.300 | 46.95 | 3.72 | 54.0 | 7.05 | AV | 300.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.54 | 3.43 | 74.0 | 17.46 | Peak | 13.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 46.91 | 3.43 | 54.0 | 7.09 | AV | 13.00 | 100 | Vertical | Pass |

U-NII-1 11ac20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.34 | 3.26 | 74.0 | 17.66 | Peak | 89.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 46.85 | 3.26 | 54.0 | 7.15 | AV | 89.00 | 200 | Vertical | Pass |
| 2 | 5438.605 | 59.47 | 4.43 | 74.0 | 14.53 | Peak | 80.00 | 150 | Vertical | Pass |
| 2** | 5438.605 | 47.95 | 4.43 | 54.0 | 6.05 | AV | 80.00 | 150 | Vertical | Pass |

U-NII-1 11ac40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5118.475 | 58.29 | 3.98 | 74.0 | 15.71 | Peak | 48.00 | 150 | Vertical | Pass |
| 1** | 5118.475 | 47.36 | 3.98 | 54.0 | 6.64 | AV | 48.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.27 | 3.43 | 74.0 | 17.73 | Peak | 127.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.09 | 3.43 | 54.0 | 6.91 | AV | 127.00 | 200 | Vertical | Pass |

U-NII-1 11ac40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 58.42 | 3.25 | 74.0 | 15.58 | Peak | 46.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 47.02 | 3.25 | 54.0 | 6.98 | AV | 46.00 | 200 | Vertical | Pass |
| 2 | 5438.660 | 59.84 | 4.43 | 74.0 | 14.16 | Peak | 176.00 | 200 | Vertical | Pass |
| 2** | 5438.660 | 48.01 | 4.43 | 54.0 | 5.99 | AV | 176.00 | 200 | Vertical | Pass |

U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5069.075 | 58.13 | 3.35 | 74.0 | 15.87 | Peak | 331.00 | 150 | Vertical | Pass |
| 1** | 5069.075 | 46.59 | 3.35 | 54.0 | 7.41 | AV | 331.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.21 | 3.43 | 74.0 | 17.79 | Peak | 349.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 46.96 | 3.43 | 54.0 | 7.04 | AV | 349.00 | 100 | Vertical | Pass |

U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 57.30 | 3.26 | 74.0 | 16.70 | Peak | 20.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 46.84 | 3.26 | 54.0 | 7.16 | AV | 20.00 | 100 | Vertical | Pass |
| 2 | 5366.720 | 59.75 | 3.84 | 74.0 | 14.25 | Peak | 127.00 | 200 | Vertical | Pass |
| 2** | 5366.720 | 47.04 | 3.84 | 54.0 | 6.96 | AV | 127.00 | 200 | Vertical | Pass |

U-NII-1 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5119.450 | 61.73 | 3.96 | 74.0 | 12.27 | Peak | 186.00 | 150 | Vertical | Pass |
| 1** | 5119.450 | 48.24 | 3.96 | 54.0 | 5.76 | AV | 186.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 58.43 | 3.43 | 74.0 | 15.57 | Peak | 173.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 48.58 | 3.43 | 54.0 | 5.42 | AV | 173.00 | 200 | Vertical | Pass |

U-NII-1 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 61.57 | 3.26 | 74.0 | 12.43 | Peak | 197.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 48.36 | 3.26 | 54.0 | 5.64 | AV | 197.00 | 200 | Vertical | Pass |
| 2 | 5366.885 | 63.63 | 3.84 | 74.0 | 10.37 | Peak | 197.00 | 100 | Vertical | Pass |
| 2** | 5366.885 | 48.08 | 3.84 | 54.0 | 5.92 | AV | 197.00 | 100 | Vertical | Pass |

U-NII-1 11ax20 (SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5101.900 | 58.52 | 3.89 | 74.0 | 15.48 | Peak | 54.00 | 150 | Vertical | Pass |
| 1** | 5101.900 | 47.12 | 3.89 | 54.0 | 6.88 | AV | 54.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.69 | 3.43 | 74.0 | 17.31 | Peak | 246.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 46.86 | 3.43 | 54.0 | 7.14 | AV | 246.00 | 150 | Vertical | Pass |

U-NII-1 11ax20 (SU) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 57.05 | 3.25 | 74.0 | 16.95 | Peak | 203.00 | 150 | Vertical | Pass |
| 1** | 5350.055 | 46.80 | 3.25 | 54.0 | 7.20 | AV | 203.00 | 150 | Vertical | Pass |
| 2 | 5393.615 | 59.14 | 3.69 | 74.0 | 14.86 | Peak | 0.00 | 100 | Vertical | Pass |
| 2** | 5393.615 | 47.40 | 3.69 | 54.0 | 6.60 | AV | 0.00 | 100 | Vertical | Pass |

U-NII-1 11ax40 (SU) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5147.725 | 58.38 | 3.53 | 74.0 | 15.62 | Peak | 19.00 | 100 | Vertical | Pass |
| 1** | 5147.725 | 46.94 | 3.53 | 54.0 | 7.06 | AV | 19.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 57.00 | 3.43 | 74.0 | 17.00 | Peak | 340.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.96 | 3.43 | 54.0 | 7.04 | AV | 340.00 | 200 | Vertical | Pass |

U-NII-1 11ax40 (SU) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.60 | 3.26 | 74.0 | 17.40 | Peak | 34.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 46.62 | 3.26 | 54.0 | 7.38 | AV | 34.00 | 200 | Vertical | Pass |
| 2 | 5433.380 | 59.40 | 4.43 | 74.0 | 14.60 | Peak | 360.00 | 150 | Vertical | Pass |
| 2** | 5433.380 | 48.41 | 4.43 | 54.0 | 5.59 | AV | 360.00 | 150 | Vertical | Pass |

U-NII-1 11ax80 (SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5106.775 | 58.22 | 4.02 | 74.0 | 15.78 | Peak | 62.00 | 200 | Vertical | Pass |
| 1** | 5106.775 | 47.28 | 4.02 | 54.0 | 6.72 | AV | 62.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.39 | 3.43 | 74.0 | 16.61 | Peak | 107.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 46.98 | 3.43 | 54.0 | 7.02 | AV | 107.00 | 150 | Vertical | Pass |

U-NII-1 11ax80 (SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 56.66 | 3.25 | 74.0 | 17.34 | Peak | 360.00 | 100 | Vertical | Pass |
| 1** | 5350.055 | 46.90 | 3.25 | 54.0 | 7.10 | AV | 360.00 | 100 | Vertical | Pass |
| 2 | 5437.395 | 60.48 | 4.43 | 74.0 | 13.52 | Peak | 226.00 | 150 | Vertical | Pass |
| 2** | 5437.395 | 48.05 | 4.43 | 54.0 | 5.95 | AV | 226.00 | 150 | Vertical | Pass |

U-NII-1 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5138.950 | 63.12 | 3.73 | 74.0 | 10.88 | Peak | 182.00 | 150 | Vertical | Pass |
| 1** | 5138.950 | 48.93 | 3.73 | 54.0 | 5.07 | AV | 182.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 59.29 | 3.43 | 74.0 | 14.71 | Peak | 205.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 48.99 | 3.43 | 54.0 | 5.01 | AV | 205.00 | 150 | Vertical | Pass |

U-NII-1 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 60.90 | 3.25 | 74.0 | 13.10 | Peak | 194.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 47.98 | 3.25 | 54.0 | 6.02 | AV | 194.00 | 200 | Vertical | Pass |
| 2 | 5357.920 | 63.70 | 3.48 | 74.0 | 10.30 | Peak | 194.00 | 200 | Vertical | Pass |
| 2** | 5357.920 | 47.34 | 3.48 | 54.0 | 6.66 | AV | 194.00 | 200 | Vertical | Pass |

U-NII-1 11ax20 (RU26) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5107.100 | 58.66 | 4.02 | 74.0 | 15.34 | Peak | 323.00 | 100 | Vertical | Pass |
| 1** | 5107.100 | 47.20 | 4.02 | 54.0 | 6.80 | AV | 323.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 58.21 | 3.43 | 74.0 | 15.79 | Peak | 305.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.89 | 3.43 | 54.0 | 7.11 | AV | 305.00 | 200 | Vertical | Pass |

U-NII-1 11ax20 (RU26) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.65 | 3.26 | 74.0 | 17.35 | Peak | 39.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 46.69 | 3.26 | 54.0 | 7.31 | AV | 39.00 | 100 | Vertical | Pass |
| 2 | 5356.435 | 59.32 | 3.34 | 74.0 | 14.68 | Peak | 276.00 | 150 | Vertical | Pass |
| 2** | 5356.435 | 46.64 | 3.34 | 54.0 | 7.36 | AV | 276.00 | 150 | Vertical | Pass |

U-NII-1 11ax40 (RU26) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 4989.775 | 58.58 | 3.30 | 74.0 | 15.42 | Peak | 262.00 | 150 | Vertical | Pass |
| 1** | 4989.775 | 46.67 | 3.30 | 54.0 | 7.33 | AV | 262.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.82 | 3.43 | 74.0 | 17.18 | Peak | 91.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.98 | 3.43 | 54.0 | 7.02 | AV | 91.00 | 200 | Vertical | Pass |

U-NII-1 11ax40 (RU26) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 56.89 | 3.25 | 74.0 | 17.11 | Peak | 1.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 46.61 | 3.25 | 54.0 | 7.39 | AV | 1.00 | 200 | Vertical | Pass |
| 2 | 5430.795 | 59.21 | 4.14 | 74.0 | 14.79 | Peak | 172.00 | 100 | Vertical | Pass |
| 2** | 5430.795 | 47.88 | 4.14 | 54.0 | 6.12 | AV | 172.00 | 100 | Vertical | Pass |

U-NII-1 11ax80 (RU26) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5103.850 | 58.39 | 3.89 | 74.0 | 15.61 | Peak | 283.00 | 200 | Vertical | Pass |
| 1** | 5103.850 | 47.22 | 3.89 | 54.0 | 6.78 | AV | 283.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.79 | 3.43 | 74.0 | 17.21 | Peak | 360.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.99 | 3.43 | 54.0 | 7.01 | AV | 360.00 | 200 | Vertical | Pass |

U-NII-1 11ax80 (RU26) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 57.14 | 3.26 | 74.0 | 16.86 | Peak | 285.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 46.87 | 3.26 | 54.0 | 7.13 | AV | 285.00 | 200 | Vertical | Pass |
| 2 | 5436.570 | 59.35 | 4.38 | 74.0 | 14.65 | Peak | 232.00 | 150 | Vertical | Pass |
| 2** | 5436.570 | 48.17 | 4.38 | 54.0 | 5.83 | AV | 232.00 | 150 | Vertical | Pass |

U-NII-1 11ax160 (RU26) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 4985.875 | 58.25 | 3.16 | 74.0 | 15.75 | Peak | 360.00 | 150 | Vertical | Pass |
| 1** | 4985.875 | 46.88 | 3.16 | 54.0 | 7.12 | AV | 360.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.73 | 3.43 | 74.0 | 17.27 | Peak | 54.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.10 | 3.43 | 54.0 | 6.90 | AV | 54.00 | 150 | Vertical | Pass |

U-NII-1 11ax160 (RU26) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 56.50 | 3.25 | 74.0 | 17.50 | Peak | 0.00 | 100 | Vertical | Pass |
| 1** | 5350.055 | 46.74 | 3.25 | 54.0 | 7.26 | AV | 0.00 | 100 | Vertical | Pass |
| 2 | 5435.140 | 59.77 | 4.39 | 74.0 | 14.23 | Peak | 67.00 | 200 | Vertical | Pass |
| 2** | 5435.140 | 48.00 | 4.39 | 54.0 | 6.00 | AV | 67.00 | 200 | Vertical | Pass |

U-NII-2A 11a CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5119.450 | 58.69 | 3.96 | 74.0 | 15.31 | Peak | 225.00 | 100 | Vertical | Pass |
| 1** | 5119.450 | 47.30 | 3.96 | 54.0 | 6.70 | AV | 225.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 56.40 | 3.43 | 74.0 | 17.60 | Peak | 119.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.04 | 3.43 | 54.0 | 6.96 | AV | 119.00 | 150 | Vertical | Pass |

U-NII-2A 11a CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 57.22 | 3.25 | 74.0 | 16.78 | Peak | 0.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 46.94 | 3.25 | 54.0 | 7.06 | AV | 0.00 | 200 | Vertical | Pass |
| 2 | 5433.545 | 59.61 | 4.46 | 74.0 | 14.39 | Peak | 31.00 | 200 | Vertical | Pass |
| 2** | 5433.545 | 48.16 | 4.46 | 54.0 | 5.84 | AV | 31.00 | 200 | Vertical | Pass |

U-NII-2A 11n20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5119.450 | 58.62 | 3.96 | 74.0 | 15.38 | Peak | 272.00 | 150 | Vertical | Pass |
| 1** | 5119.450 | 46.98 | 3.96 | 54.0 | 7.02 | AV | 272.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.44 | 3.43 | 74.0 | 17.56 | Peak | 258.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 46.91 | 3.43 | 54.0 | 7.09 | AV | 258.00 | 100 | Vertical | Pass |

U-NII-2A 11n20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.60 | 3.26 | 74.0 | 17.40 | Peak | 251.00 | 200 | Vertical | Pass |
| 1** | 5350.000 | 46.98 | 3.26 | 54.0 | 7.02 | AV | 251.00 | 200 | Vertical | Pass |
| 2 | 5437.340 | 59.47 | 4.42 | 74.0 | 14.53 | Peak | 87.00 | 150 | Vertical | Pass |
| 2** | 5437.340 | 47.93 | 4.42 | 54.0 | 6.07 | AV | 87.00 | 150 | Vertical | Pass |

U-NII-2A 11n40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5003.750 | 58.28 | 3.05 | 74.0 | 15.72 | Peak | 0.00 | 150 | Vertical | Pass |
| 1** | 5003.750 | 46.43 | 3.05 | 54.0 | 7.57 | AV | 0.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.28 | 3.43 | 74.0 | 17.72 | Peak | 313.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.86 | 3.43 | 54.0 | 7.14 | AV | 313.00 | 200 | Vertical | Pass |

U-NII-2A 11n40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 62.12 | 3.25 | 74.0 | 11.88 | Peak | 158.00 | 150 | Vertical | Pass |
| 1** | 5350.055 | 47.79 | 3.25 | 54.0 | 6.21 | AV | 158.00 | 150 | Vertical | Pass |
| 2 | 5350.770 | 63.46 | 3.24 | 74.0 | 10.54 | Peak | 193.00 | 100 | Vertical | Pass |
| 2** | 5350.770 | 47.38 | 3.24 | 54.0 | 6.62 | AV | 193.00 | 100 | Vertical | Pass |

U-NII-2A 11ac20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5124.650 | 58.45 | 4.16 | 74.0 | 15.55 | Peak | 231.00 | 200 | Vertical | Pass |
| 1** | 5124.650 | 47.38 | 4.16 | 54.0 | 6.62 | AV | 231.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 57.10 | 3.43 | 74.0 | 16.90 | Peak | 190.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.13 | 3.43 | 54.0 | 6.87 | AV | 190.00 | 150 | Vertical | Pass |

U-NII-2A 11ac20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 57.60 | 3.25 | 74.0 | 16.40 | Peak | 216.00 | 200 | Vertical | Pass |
| 1** | 5350.055 | 46.74 | 3.25 | 54.0 | 7.26 | AV | 216.00 | 200 | Vertical | Pass |
| 2 | 5435.745 | 59.26 | 4.35 | 74.0 | 14.74 | Peak | 100.00 | 100 | Vertical | Pass |
| 2** | 5435.745 | 47.84 | 4.35 | 54.0 | 6.16 | AV | 100.00 | 100 | Vertical | Pass |

U-NII-2A 11ac40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5050.225 | 58.53 | 3.33 | 74.0 | 15.47 | Peak | 122.00 | 150 | Vertical | Pass |
| 1** | 5050.225 | 46.85 | 3.33 | 54.0 | 7.15 | AV | 122.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.75 | 3.43 | 74.0 | 17.25 | Peak | 62.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.18 | 3.43 | 54.0 | 6.82 | AV | 62.00 | 100 | Vertical | Pass |

U-NII-2A 11ac40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 62.08 | 3.25 | 74.0 | 11.92 | Peak | 179.00 | 100 | Vertical | Pass |
| 1** | 5350.055 | 47.81 | 3.25 | 54.0 | 6.19 | AV | 179.00 | 100 | Vertical | Pass |
| 2 | 5351.540 | 63.17 | 3.27 | 74.0 | 10.83 | Peak | 200.00 | 100 | Vertical | Pass |
| 2** | 5351.540 | 47.66 | 3.27 | 54.0 | 6.34 | AV | 200.00 | 100 | Vertical | Pass |

U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5125.300 | 58.56 | 4.16 | 74.0 | 15.44 | Peak | 36.00 | 200 | Vertical | Pass |
| 1** | 5125.300 | 47.30 | 4.16 | 54.0 | 6.70 | AV | 36.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.33 | 3.43 | 74.0 | 17.67 | Peak | 306.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 47.03 | 3.43 | 54.0 | 6.97 | AV | 306.00 | 150 | Vertical | Pass |

U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 62.65 | 3.26 | 74.0 | 11.35 | Peak | 196.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 47.42 | 3.26 | 54.0 | 6.58 | AV | 196.00 | 150 | Vertical | Pass |
| 2 | 5350.495 | 63.91 | 3.25 | 74.0 | 10.09 | Peak | 217.00 | 200 | Vertical | Pass |
| 2** | 5350.495 | 47.21 | 3.25 | 54.0 | 6.79 | AV | 217.00 | 200 | Vertical | Pass |

U-NII-2A 11ax20 (SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5109.700 | 58.39 | 3.93 | 74.0 | 15.61 | Peak | 58.00 | 150 | Vertical | Pass |
| 1** | 5109.700 | 47.00 | 3.93 | 54.0 | 7.00 | AV | 58.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.41 | 3.43 | 74.0 | 17.59 | Peak | 238.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 47.07 | 3.43 | 54.0 | 6.93 | AV | 238.00 | 200 | Vertical | Pass |

U-NII-2A 11ax20 (SU) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.055 | 57.07 | 3.25 | 74.0 | 16.93 | Peak | 330.00 | 100 | Vertical | Pass |
| 1** | 5350.055 | 46.83 | 3.25 | 54.0 | 7.17 | AV | 330.00 | 100 | Vertical | Pass |
| 2 | 5351.540 | 59.77 | 3.27 | 74.0 | 14.23 | Peak | 192.00 | 150 | Vertical | Pass |
| 2** | 5351.540 | 47.21 | 3.27 | 54.0 | 6.79 | AV | 192.00 | 150 | Vertical | Pass |

U-NII-2A 11ax40 (SU) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5069.075 | 58.57 | 3.35 | 74.0 | 15.43 | Peak | 252.00 | 150 | Vertical | Pass |
| 1** | 5069.075 | 46.81 | 3.35 | 54.0 | 7.19 | AV | 252.00 | 150 | Vertical | Pass |
| 2 | 5149.675 | 56.23 | 3.43 | 74.0 | 17.77 | Peak | 4.00 | 100 | Vertical | Pass |
| 2** | 5149.675 | 47.10 | 3.43 | 54.0 | 6.90 | AV | 4.00 | 100 | Vertical | Pass |

U-NII-2A 11ax40 (SU) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 61.72 | 3.26 | 74.0 | 12.28 | Peak | 172.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 47.55 | 3.26 | 54.0 | 6.45 | AV | 172.00 | 100 | Vertical | Pass |
| 2 | 5351.540 | 62.91 | 3.27 | 74.0 | 11.09 | Peak | 194.00 | 150 | Vertical | Pass |
| 2** | 5351.540 | 47.50 | 3.27 | 54.0 | 6.50 | AV | 194.00 | 150 | Vertical | Pass |

U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5105.475 | 58.57 | 3.95 | 74.0 | 15.43 | Peak | 114.00 | 200 | Vertical | Pass |
| 1** | 5105.475 | 47.19 | 3.95 | 54.0 | 6.81 | AV | 114.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.23 | 3.43 | 74.0 | 17.77 | Peak | 201.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.90 | 3.43 | 54.0 | 7.10 | AV | 201.00 | 200 | Vertical | Pass |

U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 61.93 | 3.26 | 74.0 | 12.07 | Peak | 58.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 47.73 | 3.26 | 54.0 | 6.27 | AV | 58.00 | 150 | Vertical | Pass |
| 2 | 5350.605 | 63.67 | 3.24 | 74.0 | 10.33 | Peak | 219.00 | 150 | Vertical | Pass |
| 2** | 5350.605 | 47.79 | 3.24 | 54.0 | 6.21 | AV | 219.00 | 150 | Vertical | Pass |

U-NII-2A 11ax20 (RU26) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 4905.600 | 58.30 | 3.71 | 74.0 | 15.70 | Peak | 245.00 | 200 | Vertical | Pass |
| 1** | 4905.600 | 46.74 | 3.71 | 54.0 | 7.26 | AV | 245.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.10 | 3.43 | 74.0 | 17.90 | Peak | 54.00 | 150 | Vertical | Pass |
| 2** | 5149.675 | 46.72 | 3.43 | 54.0 | 7.28 | AV | 54.00 | 150 | Vertical | Pass |

U-NII-2A 11ax20 (RU26) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.84 | 3.26 | 74.0 | 17.16 | Peak | 94.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 46.66 | 3.26 | 54.0 | 7.34 | AV | 94.00 | 100 | Vertical | Pass |
| 2 | 5409.180 | 59.32 | 3.80 | 74.0 | 14.68 | Peak | 102.00 | 150 | Vertical | Pass |
| 2** | 5409.180 | 47.25 | 3.80 | 54.0 | 6.75 | AV | 102.00 | 150 | Vertical | Pass |

U-NII-2A 11ax40 (RU26) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5101.900 | 58.25 | 3.89 | 74.0 | 15.75 | Peak | 199.00 | 200 | Vertical | Pass |
| 1** | 5101.900 | 46.98 | 3.89 | 54.0 | 7.02 | AV | 199.00 | 200 | Vertical | Pass |
| 2 | 5149.675 | 56.44 | 3.43 | 74.0 | 17.56 | Peak | 340.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.76 | 3.43 | 54.0 | 7.24 | AV | 340.00 | 200 | Vertical | Pass |

U-NII-2A 11ax40 (RU26) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 56.36 | 3.26 | 74.0 | 17.64 | Peak | 143.00 | 150 | Vertical | Pass |
| 1** | 5350.000 | 46.57 | 3.26 | 54.0 | 7.43 | AV | 143.00 | 150 | Vertical | Pass |
| 2 | 5437.010 | 59.26 | 4.41 | 74.0 | 14.74 | Peak | 352.00 | 200 | Vertical | Pass |
| 2** | 5437.010 | 48.01 | 4.41 | 54.0 | 5.99 | AV | 352.00 | 200 | Vertical | Pass |

U-NII-2A 11ax80 (RU26) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5080.775 | 58.67 | 3.42 | 74.0 | 15.33 | Peak | 54.00 | 100 | Vertical | Pass |
| 1** | 5080.775 | 46.48 | 3.42 | 54.0 | 7.52 | AV | 54.00 | 100 | Vertical | Pass |
| 2 | 5149.675 | 57.09 | 3.43 | 74.0 | 16.91 | Peak | 63.00 | 200 | Vertical | Pass |
| 2** | 5149.675 | 46.84 | 3.43 | 54.0 | 7.16 | AV | 63.00 | 200 | Vertical | Pass |

U-NII-2A 11ax80 (RU26) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5350.000 | 57.10 | 3.26 | 74.0 | 16.90 | Peak | 360.00 | 100 | Vertical | Pass |
| 1** | 5350.000 | 46.65 | 3.26 | 54.0 | 7.35 | AV | 360.00 | 100 | Vertical | Pass |
| 2 | 5436.405 | 59.21 | 4.37 | 74.0 | 14.79 | Peak | 360.00 | 200 | Vertical | Pass |
| 2** | 5436.405 | 47.92 | 4.37 | 54.0 | 6.08 | AV | 360.00 | 200 | Vertical | Pass |

U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5427.340 | 60.01 | 4.02 | 74.0 | 13.99 | Peak | 152.00 | 150 | Vertical | Pass |
| 1** | 5427.340 | 48.04 | 4.02 | 54.0 | 5.96 | AV | 152.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 57.67 | 4.10 | 74.0 | 16.33 | Peak | 95.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 47.44 | 4.10 | 54.0 | 6.56 | AV | 95.00 | 200 | Vertical | Pass |
| 3 | 5465.860 | 59.36 | 3.98 | 68.2 | 8.84 | Peak | 152.00 | 150 | Vertical | Pass |
| 3** | 5465.860 | 47.31 | 3.98 | -- | -- | AV | 152.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 56.52 | 4.06 | 68.2 | 11.68 | Peak | 306.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 47.81 | 4.06 | -- | -- | AV | 306.00 | 200 | Vertical | N/A |

U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.67 | 4.12 | 68.2 | 9.53 | Peak | 213.00 | 150 | Vertical | Pass |
| 2 | 5727.250 | 60.83 | 4.12 | 68.2 | 7.37 | Peak | 199.00 | 200 | Vertical | Pass |

U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5435.200 | 59.76 | 4.39 | 74.0 | 14.24 | Peak | 99.00 | 200 | Vertical | Pass |
| 1** | 5435.200 | 48.13 | 4.39 | 54.0 | 5.87 | AV | 99.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 56.92 | 4.10 | 74.0 | 17.08 | Peak | 140.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 47.53 | 4.10 | 54.0 | 6.47 | AV | 140.00 | 200 | Vertical | Pass |
| 3 | 5469.460 | 60.68 | 4.08 | 68.2 | 7.52 | Peak | 155.00 | 150 | Vertical | Pass |
| 3** | 5469.460 | 47.55 | 4.08 | -- | -- | AV | 155.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 57.54 | 4.06 | 68.2 | 10.66 | Peak | 2.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 47.58 | 4.06 | -- | -- | AV | 2.00 | 100 | Vertical | N/A |

U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 62.11 | 4.12 | 68.2 | 6.09 | Peak | 177.00 | 200 | Vertical | Pass |
| 2 | 5727.125 | 62.54 | 4.12 | 68.2 | 5.66 | Peak | 173.00 | 150 | Vertical | Pass |

U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5427.760 | 59.98 | 4.04 | 74.0 | 14.02 | Peak | 94.00 | 200 | Vertical | Pass |
| 1** | 5427.760 | 48.11 | 4.04 | 54.0 | 5.89 | AV | 94.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 57.13 | 4.10 | 74.0 | 16.87 | Peak | 182.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.75 | 4.10 | 54.0 | 6.25 | AV | 182.00 | 150 | Vertical | Pass |
| 3 | 5469.040 | 62.19 | 4.09 | 68.2 | 6.01 | Peak | 196.00 | 100 | Vertical | Pass |
| 3** | 5469.040 | 47.75 | 4.09 | -- | -- | AV | 196.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 58.87 | 4.06 | 68.2 | 9.33 | Peak | 168.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 47.97 | 4.06 | -- | -- | AV | 168.00 | 200 | Vertical | N/A |

U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.46 | 4.12 | 68.2 | 9.74 | Peak | 202.00 | 100 | Vertical | Pass |
| 2 | 5740.875 | 59.45 | 3.99 | 68.2 | 8.75 | Peak | 191.00 | 200 | Vertical | Pass |

U-NII-2C 11ac20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5439.340 | 59.22 | 4.40 | 74.0 | 14.78 | Peak | 254.00 | 100 | Vertical | Pass |
| 1** | 5439.340 | 47.92 | 4.40 | 54.0 | 6.08 | AV | 254.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 57.42 | 4.10 | 74.0 | 16.58 | Peak | 181.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.29 | 4.10 | 54.0 | 6.71 | AV | 181.00 | 150 | Vertical | Pass |
| 3 | 5464.300 | 59.06 | 4.04 | 68.2 | 9.14 | Peak | 38.00 | 150 | Vertical | Pass |
| 3** | 5464.300 | 47.27 | 4.04 | -- | -- | AV | 38.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 57.66 | 4.06 | 68.2 | 10.54 | Peak | 7.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 47.52 | 4.06 | -- | -- | AV | 7.00 | 100 | Vertical | N/A |

U-NII-2C 11ac20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.84 | 4.12 | 68.2 | 9.36 | Peak | 177.00 | 150 | Vertical | Pass |
| 2 | 5725.875 | 60.87 | 4.12 | 68.2 | 7.33 | Peak | 166.00 | 100 | Vertical | Pass |

U-NII-2C 11ac40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5439.040 | 59.38 | 4.42 | 74.0 | 14.62 | Peak | 53.00 | 150 | Vertical | Pass |
| 1** | 5439.040 | 48.04 | 4.42 | 54.0 | 5.96 | AV | 53.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 58.05 | 4.10 | 74.0 | 15.95 | Peak | 194.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 47.49 | 4.10 | 54.0 | 6.51 | AV | 194.00 | 200 | Vertical | Pass |
| 3 | 5469.400 | 63.07 | 4.08 | 68.2 | 5.13 | Peak | 203.00 | 200 | Vertical | Pass |
| 3** | 5469.400 | 47.84 | 4.08 | -- | -- | AV | 203.00 | 200 | Vertical | N/A |
| 4 | 5469.940 | 59.22 | 4.06 | 68.2 | 8.98 | Peak | 194.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 47.77 | 4.06 | -- | -- | AV | 194.00 | 150 | Vertical | N/A |

U-NII-2C 11ac40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.62 | 4.12 | 68.2 | 9.58 | Peak | 203.00 | 100 | Vertical | Pass |
| 2 | 5730.313 | 60.49 | 4.06 | 68.2 | 7.71 | Peak | 179.00 | 200 | Vertical | Pass |

U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5459.380 | 60.63 | 4.08 | 74.0 | 13.37 | Peak | 188.00 | 100 | Vertical | Pass |
| 1** | 5459.380 | 48.66 | 4.08 | 54.0 | 5.34 | AV | 188.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 56.78 | 4.10 | 74.0 | 17.22 | Peak | 78.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 48.99 | 4.10 | 54.0 | 5.01 | AV | 78.00 | 100 | Vertical | Pass |
| 3 | 5469.160 | 62.64 | 4.09 | 68.2 | 5.56 | Peak | 186.00 | 100 | Vertical | Pass |
| 3** | 5469.160 | 49.48 | 4.09 | -- | -- | AV | 186.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 60.09 | 4.06 | 68.2 | 8.11 | Peak | 196.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 49.80 | 4.06 | -- | -- | AV | 196.00 | 150 | Vertical | N/A |

U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 58.17 | 4.12 | 68.2 | 10.03 | Peak | 88.00 | 150 | Vertical | Pass |
| 2 | 5740.562 | 59.55 | 3.96 | 68.2 | 8.65 | Peak | 187.00 | 150 | Vertical | Pass |

U-NII-2C 11ac160 CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5458.720 | 61.19 | 4.08 | 74.0 | 12.81 | Peak | 189.00 | 150 | Vertical | Pass |
| 1** | 5458.720 | 48.62 | 4.08 | 54.0 | 5.38 | AV | 189.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 58.17 | 4.10 | 74.0 | 15.83 | Peak | 139.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 47.88 | 4.10 | 54.0 | 6.12 | AV | 139.00 | 200 | Vertical | Pass |
| 3 | 5463.160 | 60.44 | 4.10 | 68.2 | 7.76 | Peak | 186.00 | 150 | Vertical | Pass |
| 3** | 5463.160 | 48.08 | 4.10 | -- | -- | AV | 186.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 57.40 | 4.06 | 68.2 | 10.80 | Peak | 210.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 48.00 | 4.06 | -- | -- | AV | 210.00 | 200 | Vertical | N/A |

U-NII-2C 11ac160 CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 59.29 | 4.12 | 68.2 | 8.91 | Peak | 195.00 | 100 | Vertical | Pass |
| 2 | 5725.687 | 61.52 | 4.12 | 68.2 | 6.68 | Peak | 211.00 | 150 | Vertical | Pass |

U-NII-2C 11ax20 (SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5453.320 | 59.99 | 3.93 | 74.0 | 14.01 | Peak | 199.00 | 100 | Vertical | Pass |
| 1** | 5453.320 | 47.33 | 3.93 | 54.0 | 6.67 | AV | 199.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 57.34 | 4.10 | 74.0 | 16.66 | Peak | 247.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 47.27 | 4.10 | 54.0 | 6.73 | AV | 247.00 | 100 | Vertical | Pass |
| 3 | 5463.220 | 58.98 | 4.10 | 68.2 | 9.22 | Peak | 138.00 | 100 | Vertical | Pass |
| 3** | 5463.220 | 47.58 | 4.10 | -- | -- | AV | 138.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 59.95 | 4.06 | 68.2 | 8.25 | Peak | 186.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 47.59 | 4.06 | -- | -- | AV | 186.00 | 100 | Vertical | N/A |

U-NII-2C 11ax20 (SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 57.62 | 4.12 | 68.2 | 10.58 | Peak | 192.00 | 100 | Vertical | Pass |
| 2 | 5725.750 | 62.97 | 4.12 | 68.2 | 5.23 | Peak | 180.00 | 100 | Vertical | Pass |

U-NII-2C 11ax40 (SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5434.000 | 59.86 | 4.47 | 74.0 | 14.14 | Peak | 54.00 | 150 | Vertical | Pass |
| 1** | 5434.000 | 48.23 | 4.47 | 54.0 | 5.77 | AV | 54.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 57.50 | 4.10 | 74.0 | 16.50 | Peak | 327.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.48 | 4.10 | 54.0 | 6.52 | AV | 327.00 | 150 | Vertical | Pass |
| 3 | 5469.040 | 63.12 | 4.09 | 68.2 | 5.08 | Peak | 204.00 | 100 | Vertical | Pass |
| 3** | 5469.040 | 47.72 | 4.09 | -- | -- | AV | 204.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 59.25 | 4.06 | 68.2 | 8.95 | Peak | 196.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 48.24 | 4.06 | -- | -- | AV | 196.00 | 200 | Vertical | N/A |

U-NII-2C 11ax40 (SU) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 57.54 | 4.12 | 68.2 | 10.66 | Peak | 60.00 | 200 | Vertical | Pass |
| 2 | 5727.688 | 59.62 | 4.12 | 68.2 | 8.58 | Peak | 200.00 | 100 | Vertical | Pass |

U-NII-2C 11ax80 (SU) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5459.380 | 63.11 | 4.08 | 74.0 | 10.89 | Peak | 197.00 | 100 | Vertical | Pass |
| 1** | 5459.380 | 48.40 | 4.08 | 54.0 | 5.60 | AV | 197.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 56.87 | 4.10 | 74.0 | 17.13 | Peak | 190.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 48.14 | 4.10 | 54.0 | 5.86 | AV | 190.00 | 100 | Vertical | Pass |
| 3 | 5469.520 | 63.11 | 4.07 | 68.2 | 5.09 | Peak | 190.00 | 200 | Vertical | Pass |
| 3** | 5469.520 | 48.65 | 4.07 | -- | -- | AV | 190.00 | 200 | Vertical | N/A |
| 4 | 5469.940 | 57.61 | 4.06 | 68.2 | 10.59 | Peak | 174.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 48.87 | 4.06 | -- | -- | AV | 174.00 | 150 | Vertical | N/A |

U-NII-2C 11ax80 (SU) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 57.91 | 4.12 | 68.2 | 10.29 | Peak | 179.00 | 100 | Vertical | Pass |
| 2 | 5748.125 | 59.44 | 4.00 | 68.2 | 8.76 | Peak | 122.00 | 150 | Vertical | Pass |

U-NII-2C 11ax160 (SU) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5456.920 | 62.67 | 4.09 | 74.0 | 11.33 | Peak | 183.00 | 200 | Vertical | Pass |
| 1** | 5456.920 | 48.77 | 4.09 | 54.0 | 5.23 | AV | 183.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 57.10 | 4.10 | 74.0 | 16.90 | Peak | 188.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.78 | 4.10 | 54.0 | 6.22 | AV | 188.00 | 150 | Vertical | Pass |
| 3 | 5467.420 | 62.64 | 4.12 | 68.2 | 5.56 | Peak | 185.00 | 150 | Vertical | Pass |
| 3** | 5467.420 | 48.32 | 4.12 | -- | -- | AV | 185.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 57.41 | 4.06 | 68.2 | 10.79 | Peak | 183.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 48.10 | 4.06 | -- | -- | AV | 183.00 | 200 | Vertical | N/A |

U-NII-2C 11ax160 (SU) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 57.56 | 4.12 | 68.2 | 10.64 | Peak | 63.00 | 150 | Vertical | Pass |
| 2 | 5726.938 | 60.27 | 4.12 | 68.2 | 7.93 | Peak | 215.00 | 200 | Vertical | Pass |

U-NII-2C 11ax20 (RU26) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5423.020 | 59.54 | 3.79 | 74.0 | 14.46 | Peak | 232.00 | 150 | Vertical | Pass |
| 1** | 5423.020 | 47.67 | 3.79 | 54.0 | 6.33 | AV | 232.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 56.97 | 4.10 | 74.0 | 17.03 | Peak | 119.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 47.52 | 4.10 | 54.0 | 6.48 | AV | 119.00 | 200 | Vertical | Pass |
| 3 | 5467.540 | 59.14 | 4.13 | 68.2 | 9.06 | Peak | 152.00 | 150 | Vertical | Pass |
| 3** | 5467.540 | 47.67 | 4.13 | -- | -- | AV | 152.00 | 150 | Vertical | N/A |
| 4 | 5469.940 | 56.81 | 4.06 | 68.2 | 11.39 | Peak | 208.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 47.60 | 4.06 | -- | -- | AV | 208.00 | 150 | Vertical | N/A |

U-NII-2C 11ax20 (RU26) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 57.57 | 4.12 | 68.2 | 10.63 | Peak | 347.00 | 200 | Vertical | Pass |
| 2 | 5742.500 | 59.59 | 4.00 | 68.2 | 8.61 | Peak | 296.00 | 100 | Vertical | Pass |

U-NII-2C 11ax40 (RU26) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5433.340 | 59.29 | 4.43 | 74.0 | 14.71 | Peak | 296.00 | 150 | Vertical | Pass |
| 1** | 5433.340 | 48.07 | 4.43 | 54.0 | 5.93 | AV | 296.00 | 150 | Vertical | Pass |
| 2 | 5459.980 | 57.68 | 4.10 | 74.0 | 16.32 | Peak | 137.00 | 200 | Vertical | Pass |
| 2** | 5459.980 | 47.77 | 4.10 | 54.0 | 6.23 | AV | 137.00 | 200 | Vertical | Pass |
| 3 | 5467.660 | 59.26 | 4.14 | 68.2 | 8.94 | Peak | 32.00 | 100 | Vertical | Pass |
| 3** | 5467.660 | 47.72 | 4.14 | -- | -- | AV | 32.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 57.18 | 4.06 | 68.2 | 11.02 | Peak | 179.00 | 100 | Vertical | Pass |
| 4** | 5469.940 | 47.96 | 4.06 | -- | -- | AV | 179.00 | 100 | Vertical | N/A |

U-NII-2C 11ax40 (RU26) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.000 | 57.84 | 4.12 | 68.2 | 10.36 | Peak | 256.00 | 150 | Vertical | Pass |
| 2 | 5763.562 | 59.38 | 4.11 | 68.2 | 8.82 | Peak | 43.00 | 200 | Vertical | Pass |

U-NII-2C 11ax80 (RU26) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5437.960 | 59.38 | 4.46 | 74.0 | 14.62 | Peak | 307.00 | 200 | Vertical | Pass |
| 1** | 5437.960 | 48.21 | 4.46 | 54.0 | 5.79 | AV | 307.00 | 200 | Vertical | Pass |
| 2 | 5459.980 | 57.71 | 4.10 | 74.0 | 16.29 | Peak | 70.00 | 100 | Vertical | Pass |
| 2** | 5459.980 | 47.53 | 4.10 | 54.0 | 6.47 | AV | 70.00 | 100 | Vertical | Pass |
| 3 | 5464.360 | 59.23 | 4.04 | 68.2 | 8.97 | Peak | 75.00 | 100 | Vertical | Pass |
| 3** | 5464.360 | 47.34 | 4.04 | -- | -- | AV | 75.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 57.60 | 4.06 | 68.2 | 10.60 | Peak | 292.00 | 150 | Vertical | Pass |
| 4** | 5469.940 | 47.74 | 4.06 | -- | -- | AV | 292.00 | 150 | Vertical | N/A |

U-NII-2C 11ax80 (RU26) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 57.46 | 4.12 | 68.2 | 10.74 | Peak | 349.00 | 150 | Vertical | Pass |
| 2 | 5784.813 | 59.58 | 3.84 | 68.2 | 8.62 | Peak | 92.00 | 100 | Vertical | Pass |

U-NII-2C 11ax160 (RU26) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5403.940 | 59.30 | 3.95 | 74.0 | 14.70 | Peak | 289.00 | 100 | Vertical | Pass |
| 1** | 5403.940 | 47.31 | 3.95 | 54.0 | 6.69 | AV | 289.00 | 100 | Vertical | Pass |
| 2 | 5459.980 | 57.76 | 4.10 | 74.0 | 16.24 | Peak | 88.00 | 150 | Vertical | Pass |
| 2** | 5459.980 | 47.40 | 4.10 | 54.0 | 6.60 | AV | 88.00 | 150 | Vertical | Pass |
| 3 | 5467.840 | 59.33 | 4.14 | 68.2 | 8.87 | Peak | 157.00 | 100 | Vertical | Pass |
| 3** | 5467.840 | 47.82 | 4.14 | -- | -- | AV | 157.00 | 100 | Vertical | N/A |
| 4 | 5469.940 | 57.93 | 4.06 | 68.2 | 10.27 | Peak | 181.00 | 200 | Vertical | Pass |
| 4** | 5469.940 | 47.85 | 4.06 | -- | -- | AV | 181.00 | 200 | Vertical | N/A |

U-NII-2C 11ax160 (RU26) CH114




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5725.063 | 57.34 | 4.12 | 68.2 | 10.86 | Peak | 4.00 | 200 | Vertical | Pass |
| 2 | 5741.500 | 60.60 | 4.05 | 68.2 | 7.60 | Peak | 79.00 | 100 | Vertical | Pass |

U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5643.500 | 59.49 | 3.86 | 68.2 | 8.71 | Peak | 203.00 | 150 | Vertical | Pass |
| 2 | 5650.000 | 56.52 | 3.83 | 68.2 | 11.68 | Peak | 321.00 | 100 | Vertical | Pass |

U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.86 | 3.64 | 68.3 | 10.44 | Peak | 283.00 | 150 | Vertical | Pass |
| 2 | 5997.900 | 60.27 | 5.74 | 68.2 | 7.93 | Peak | 68.00 | 150 | Vertical | Pass |

U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5641.812 | 58.98 | 3.92 | 68.2 | 9.22 | Peak | 103.00 | 200 | Vertical | Pass |
| 2 | 5650.000 | 57.57 | 3.83 | 68.2 | 10.63 | Peak | 156.00 | 100 | Vertical | Pass |

U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.12 | 3.64 | 68.3 | 11.18 | Peak | 322.00 | 100 | Vertical | Pass |
| 2 | 5996.100 | 60.02 | 5.67 | 68.2 | 8.18 | Peak | 45.00 | 100 | Vertical | Pass |

U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5612.500 | 59.02 | 3.73 | 68.2 | 9.18 | Peak | 240.00 | 150 | Vertical | Pass |
| 2 | 5650.000 | 57.31 | 3.83 | 68.2 | 10.89 | Peak | 98.00 | 200 | Vertical | Pass |

U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.75 | 3.64 | 68.3 | 10.55 | Peak | 338.00 | 200 | Vertical | Pass |
| 2 | 5990.925 | 60.62 | 5.17 | 68.2 | 7.58 | Peak | 0.00 | 100 | Vertical | Pass |

U-NII-3 11ac20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5623.312 | 58.84 | 3.37 | 68.2 | 9.36 | Peak | 181.00 | 200 | Vertical | Pass |
| 2 | 5650.000 | 57.33 | 3.83 | 68.2 | 10.87 | Peak | 209.00 | 100 | Vertical | Pass |

U-NII-3 11ac20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 56.77 | 3.64 | 68.3 | 11.53 | Peak | 0.00 | 150 | Vertical | Pass |
| 2 | 5997.975 | 60.15 | 5.75 | 68.2 | 8.05 | Peak | 209.00 | 150 | Vertical | Pass |

U-NII-3 11ac40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5638.437 | 58.70 | 3.73 | 68.2 | 9.50 | Peak | 174.00 | 150 | Vertical | Pass |
| 2 | 5650.000 | 56.64 | 3.83 | 68.2 | 11.56 | Peak | 287.00 | 150 | Vertical | Pass |

U-NII-3 11ac40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.20 | 3.64 | 68.3 | 11.10 | Peak | 171.00 | 150 | Vertical | Pass |
| 2 | 5999.175 | 60.31 | 5.81 | 68.2 | 7.89 | Peak | 287.00 | 100 | Vertical | Pass |

U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5642.937 | 59.99 | 3.89 | 68.2 | 8.21 | Peak | 239.00 | 150 | Vertical | Pass |
| 2 | 5650.000 | 57.54 | 3.83 | 68.2 | 10.66 | Peak | 305.00 | 100 | Vertical | Pass |

U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.19 | 3.64 | 68.3 | 11.11 | Peak | 306.00 | 200 | Vertical | Pass |
| 2 | 5996.700 | 60.28 | 5.67 | 68.2 | 7.92 | Peak | 102.00 | 150 | Vertical | Pass |

U-NII-3 11ax20 (SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5647.250 | 59.26 | 3.87 | 68.2 | 8.94 | Peak | 242.00 | 100 | Vertical | Pass |
| 2 | 5650.000 | 57.14 | 3.83 | 68.2 | 11.06 | Peak | 0.00 | 200 | Vertical | Pass |

U-NII-3 11ax20 (SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.29 | 3.64 | 68.3 | 11.01 | Peak | 62.00 | 200 | Vertical | Pass |
| 2 | 5993.475 | 60.14 | 5.46 | 68.2 | 8.06 | Peak | 157.00 | 200 | Vertical | Pass |

U-NII-3 11ax40 (SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5620.875 | 59.07 | 3.47 | 68.2 | 9.13 | Peak | 295.00 | 200 | Vertical | Pass |
| 2 | 5650.000 | 57.29 | 3.83 | 68.2 | 10.91 | Peak | 39.00 | 100 | Vertical | Pass |

U-NII-3 11ax40 (SU) CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 58.03 | 3.64 | 68.3 | 10.27 | Peak | 114.00 | 150 | Vertical | Pass |
| 2 | 5996.250 | 60.44 | 5.67 | 68.2 | 7.76 | Peak | 136.00 | 200 | Vertical | Pass |

U-NII-3 11ax80 (SU) CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5639.000 | 58.62 | 3.72 | 68.2 | 9.58 | Peak | 298.00 | 100 | Vertical | Pass |
| 2 | 5650.000 | 57.29 | 3.83 | 68.2 | 10.91 | Peak | 275.00 | 200 | Vertical | Pass |

U-NII-3 11ax80 (SU) CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.11 | 3.64 | 68.3 | 11.19 | Peak | 277.00 | 150 | Vertical | Pass |
| 2 | 5996.100 | 60.24 | 5.67 | 68.2 | 7.96 | Peak | 48.00 | 100 | Vertical | Pass |

U-NII-3 11ax20 (RU26) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5639.750 | 59.24 | 3.70 | 68.2 | 8.96 | Peak | 113.00 | 100 | Vertical | Pass |
| 2 | 5650.000 | 58.07 | 3.83 | 68.2 | 10.13 | Peak | 244.00 | 150 | Vertical | Pass |

U-NII-3 11ax20 (RU26) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 56.84 | 3.64 | 68.3 | 11.46 | Peak | 141.00 | 200 | Vertical | Pass |
| 2 | 5994.150 | 60.33 | 5.58 | 68.2 | 7.87 | Peak | 317.00 | 150 | Vertical | Pass |

U-NII-3 11ax40 (RU26) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5601.750 | 59.22 | 3.64 | 68.2 | 8.98 | Peak | 265.00 | 200 | Vertical | Pass |
| 2 | 5650.000 | 57.01 | 3.83 | 68.2 | 11.19 | Peak | 136.00 | 200 | Vertical | Pass |

U-NII-3 11ax40 (RU26) CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.19 | 3.64 | 68.3 | 11.11 | Peak | 87.00 | 100 | Vertical | Pass |
| 2 | 5999.625 | 60.69 | 5.76 | 68.2 | 7.51 | Peak | 145.00 | 200 | Vertical | Pass |

U-NII-3 11ax80 (RU26) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5643.250 | 58.85 | 3.88 | 68.2 | 9.35 | Peak | 71.00 | 150 | Vertical | Pass |
| 2 | 5650.000 | 57.53 | 3.83 | 68.2 | 10.67 | Peak | 208.00 | 150 | Vertical | Pass |


U-NII-3 11ax80 (RU26) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1 | 5924.925 | 57.22 | 3.64 | 68.3 | 11.08 | Peak | 324.00 | 200 | Vertical | Pass |
| 2 | 5992.500 | 60.67 | 5.28 | 68.2 | 7.53 | Peak | 164.00 | 200 | Vertical | Pass |


MIMO

U-NII-1 11a CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5121.725 | 58.82 | 4.05 | 74.0 | 15.18 | Peak | 319.00 | 200 | Horizontal | Pass |
| 1** | 5121.725 | 47.22 | 4.05 | 54.0 | 6.78 | AV | 319.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.54 | 3.43 | 74.0 | 17.46 | Peak | 214.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.56 | 3.43 | 54.0 | 6.44 | AV | 214.00 | 200 | Horizontal | Pass |

U-NII-1 11a CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 58.01 | 3.25 | 74.0 | 15.99 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 47.14 | 3.25 | 54.0 | 6.86 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 5435.195 | 60.10 | 4.39 | 74.0 | 13.90 | Peak | 211.00 | 200 | Horizontal | Pass |
| 2** | 5435.195 | 48.11 | 4.39 | 54.0 | 5.89 | AV | 211.00 | 200 | Horizontal | Pass |

U-NII-1 11n20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5102.550 | 58.54 | 3.91 | 74.0 | 15.46 | Peak | 274.00 | 200 | Horizontal | Pass |
| 1** | 5102.550 | 47.12 | 3.91 | 54.0 | 6.88 | AV | 274.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.80 | 3.43 | 74.0 | 17.20 | Peak | 65.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.37 | 3.43 | 54.0 | 6.63 | AV | 65.00 | 200 | Horizontal | Pass |

U-NII-1 11n20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.48 | 3.25 | 74.0 | 17.52 | Peak | 298.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.90 | 3.25 | 54.0 | 7.10 | AV | 298.00 | 150 | Horizontal | Pass |
| 2 | 5434.315 | 59.25 | 4.45 | 74.0 | 14.75 | Peak | 64.00 | 100 | Horizontal | Pass |
| 2** | 5434.315 | 48.06 | 4.45 | 54.0 | 5.94 | AV | 64.00 | 100 | Horizontal | Pass |

U-NII-1 11n40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5089.225 | 58.39 | 3.47 | 74.0 | 15.61 | Peak | 45.00 | 100 | Horizontal | Pass |
| 1** | 5089.225 | 46.89 | 3.47 | 54.0 | 7.11 | AV | 45.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 57.23 | 3.43 | 74.0 | 16.77 | Peak | 219.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.65 | 3.43 | 54.0 | 6.35 | AV | 219.00 | 150 | Horizontal | Pass |

U-NII-1 11n40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.32 | 3.26 | 74.0 | 17.68 | Peak | 86.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 46.98 | 3.26 | 54.0 | 7.02 | AV | 86.00 | 100 | Horizontal | Pass |
| 2 | 5433.820 | 59.40 | 4.48 | 74.0 | 14.60 | Peak | 248.00 | 100 | Horizontal | Pass |
| 2** | 5433.820 | 48.09 | 4.48 | 54.0 | 5.91 | AV | 248.00 | 100 | Horizontal | Pass |

U-NII-1 11ac20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5139.275 | 59.20 | 3.74 | 74.0 | 14.80 | Peak | 15.00 | 150 | Horizontal | Pass |
| 1** | 5139.275 | 47.20 | 3.74 | 54.0 | 6.80 | AV | 15.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.65 | 3.43 | 74.0 | 17.35 | Peak | 184.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.18 | 3.43 | 54.0 | 6.82 | AV | 184.00 | 200 | Horizontal | Pass |

U-NII-1 11ac20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.15 | 3.26 | 74.0 | 16.85 | Peak | 207.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 46.86 | 3.26 | 54.0 | 7.14 | AV | 207.00 | 200 | Horizontal | Pass |
| 2 | 5436.185 | 60.02 | 4.36 | 74.0 | 13.98 | Peak | 37.00 | 100 | Horizontal | Pass |
| 2** | 5436.185 | 47.91 | 4.36 | 54.0 | 6.09 | AV | 37.00 | 100 | Horizontal | Pass |

U-NII-1 11ac40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5144.475 | 58.81 | 3.68 | 74.0 | 15.19 | Peak | 251.00 | 100 | Horizontal | Pass |
| 1** | 5144.475 | 47.37 | 3.68 | 54.0 | 6.63 | AV | 251.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 57.20 | 3.43 | 74.0 | 16.80 | Peak | 219.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.42 | 3.43 | 54.0 | 6.58 | AV | 219.00 | 100 | Horizontal | Pass |

U-NII-1 11ac40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.26 | 3.26 | 74.0 | 17.74 | Peak | 30.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 46.88 | 3.26 | 54.0 | 7.12 | AV | 30.00 | 200 | Horizontal | Pass |
| 2 | 5438.605 | 59.89 | 4.43 | 74.0 | 14.11 | Peak | 208.00 | 100 | Horizontal | Pass |
| 2** | 5438.605 | 48.21 | 4.43 | 54.0 | 5.79 | AV | 208.00 | 100 | Horizontal | Pass |

U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5123.350 | 58.98 | 4.15 | 74.0 | 15.02 | Peak | 187.00 | 150 | Horizontal | Pass |
| 1** | 5123.350 | 47.88 | 4.15 | 54.0 | 6.12 | AV | 187.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 57.74 | 3.43 | 74.0 | 16.26 | Peak | 144.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 48.36 | 3.43 | 54.0 | 5.64 | AV | 144.00 | 100 | Horizontal | Pass |

U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.77 | 3.25 | 74.0 | 16.23 | Peak | 29.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 47.10 | 3.25 | 54.0 | 6.90 | AV | 29.00 | 150 | Horizontal | Pass |
| 2 | 5433.270 | 59.90 | 4.41 | 74.0 | 14.10 | Peak | 292.00 | 200 | Horizontal | Pass |
| 2** | 5433.270 | 48.21 | 4.41 | 54.0 | 5.79 | AV | 292.00 | 200 | Horizontal | Pass |

U-NII-1 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5126.925 | 60.47 | 4.10 | 74.0 | 13.53 | Peak | 179.00 | 150 | Horizontal | Pass |
| 1** | 5126.925 | 48.14 | 4.10 | 54.0 | 5.86 | AV | 179.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 57.45 | 3.43 | 74.0 | 16.55 | Peak | 331.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.94 | 3.43 | 54.0 | 6.06 | AV | 331.00 | 150 | Horizontal | Pass |

U-NII-1 11ac160 CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.47 | 3.25 | 74.0 | 17.53 | Peak | 206.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.01 | 3.25 | 54.0 | 6.99 | AV | 206.00 | 200 | Horizontal | Pass |
| 2 | 5387.510 | 62.46 | 3.63 | 74.0 | 11.54 | Peak | 201.00 | 200 | Horizontal | Pass |
| 2** | 5387.510 | 48.26 | 3.63 | 54.0 | 5.74 | AV | 201.00 | 200 | Horizontal | Pass |
| 3 | 5387.565 | 61.25 | 3.62 | 74.0 | 12.75 | Peak | 163.00 | 150 | Horizontal | Pass |
| 3** | 5387.565 | 48.98 | 3.62 | 54.0 | 5.02 | AV | 163.00 | 150 | Horizontal | Pass |

U-NII-1 11ax20 (SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5051.525 | 58.66 | 3.41 | 74.0 | 15.34 | Peak | 260.00 | 150 | Horizontal | Pass |
| 1** | 5051.525 | 47.30 | 3.41 | 54.0 | 6.70 | AV | 260.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 57.91 | 3.43 | 74.0 | 16.09 | Peak | 71.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.48 | 3.43 | 54.0 | 6.52 | AV | 71.00 | 200 | Horizontal | Pass |

U-NII-1 11ax20 (SU) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.19 | 3.25 | 74.0 | 16.81 | Peak | 157.00 | 100 | Horizontal | Pass |
| 1** | 5350.055 | 47.13 | 3.25 | 54.0 | 6.87 | AV | 157.00 | 100 | Horizontal | Pass |
| 2 | 5435.855 | 59.43 | 4.34 | 74.0 | 14.57 | Peak | 57.00 | 150 | Horizontal | Pass |
| 2** | 5435.855 | 47.91 | 4.34 | 54.0 | 6.09 | AV | 57.00 | 150 | Horizontal | Pass |

U-NII-1 11ax40 (SU) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5123.025 | 58.19 | 4.13 | 74.0 | 15.81 | Peak | 89.00 | 150 | Horizontal | Pass |
| 1** | 5123.025 | 47.44 | 4.13 | 54.0 | 6.56 | AV | 89.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.96 | 3.43 | 74.0 | 17.04 | Peak | 193.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.61 | 3.43 | 54.0 | 6.39 | AV | 193.00 | 150 | Horizontal | Pass |

U-NII-1 11ax40 (SU) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.43 | 3.25 | 74.0 | 17.57 | Peak | 348.00 | 100 | Horizontal | Pass |
| 1** | 5350.055 | 46.78 | 3.25 | 54.0 | 7.22 | AV | 348.00 | 100 | Horizontal | Pass |
| 2 | 5433.325 | 59.35 | 4.42 | 74.0 | 14.65 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 5433.325 | 48.44 | 4.42 | 54.0 | 5.56 | AV | 0.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5146.100 | 59.15 | 3.62 | 74.0 | 14.85 | Peak | 204.00 | 150 | Horizontal | Pass |
| 1** | 5146.100 | 48.68 | 3.62 | 54.0 | 5.32 | AV | 204.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 58.20 | 3.43 | 74.0 | 15.80 | Peak | 116.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 48.53 | 3.43 | 54.0 | 5.47 | AV | 116.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.03 | 3.25 | 74.0 | 16.97 | Peak | 23.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.88 | 3.25 | 54.0 | 7.12 | AV | 23.00 | 150 | Horizontal | Pass |
| 2 | 5418.970 | 59.18 | 3.68 | 74.0 | 14.82 | Peak | 339.00 | 100 | Horizontal | Pass |
| 2** | 5418.970 | 47.51 | 3.68 | 54.0 | 6.49 | AV | 339.00 | 100 | Horizontal | Pass |

U-NII-1 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5126.275 | 60.68 | 4.13 | 74.0 | 13.32 | Peak | 191.00 | 150 | Horizontal | Pass |
| 1** | 5126.275 | 48.68 | 4.13 | 54.0 | 5.32 | AV | 191.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.98 | 3.43 | 74.0 | 17.02 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.72 | 3.43 | 54.0 | 6.28 | AV | 0.00 | 150 | Horizontal | Pass |

U-NII-1 11ax160 (SU) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.53 | 3.26 | 74.0 | 16.47 | Peak | 270.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 47.01 | 3.26 | 54.0 | 6.99 | AV | 270.00 | 100 | Horizontal | Pass |
| 2 | 5387.180 | 62.40 | 3.63 | 74.0 | 11.60 | Peak | 214.00 | 200 | Horizontal | Pass |
| 2** | 5387.180 | 47.96 | 3.63 | 54.0 | 6.04 | AV | 214.00 | 200 | Horizontal | Pass |
| 3 | 5386.135 | 59.48 | 3.66 | 74.0 | 14.52 | Peak | 162.00 | 150 | Horizontal | Pass |
| 3** | 5386.135 | 48.61 | 3.66 | 54.0 | 5.39 | AV | 162.00 | 150 | Horizontal | Pass |

U-NII-1 11ax20 (RU26) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5117.175 | 58.48 | 4.01 | 74.0 | 15.52 | Peak | 128.00 | 100 | Horizontal | Pass |
| 1** | 5117.175 | 47.14 | 4.01 | 54.0 | 6.86 | AV | 128.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.71 | 3.43 | 74.0 | 17.29 | Peak | 84.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.00 | 3.43 | 54.0 | 7.00 | AV | 84.00 | 100 | Horizontal | Pass |

U-NII-1 11ax20 (RU26) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.23 | 3.25 | 74.0 | 17.77 | Peak | 334.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.71 | 3.25 | 54.0 | 7.29 | AV | 334.00 | 150 | Horizontal | Pass |
| 2 | 5444.765 | 59.76 | 4.20 | 74.0 | 14.24 | Peak | 360.00 | 100 | Horizontal | Pass |
| 2** | 5444.765 | 47.57 | 4.20 | 54.0 | 6.43 | AV | 360.00 | 100 | Horizontal | Pass |

U-NII-1 11ax40 (RU26) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5104.825 | 58.64 | 3.91 | 74.0 | 15.36 | Peak | 168.00 | 100 | Horizontal | Pass |
| 1** | 5104.825 | 47.60 | 3.91 | 54.0 | 6.40 | AV | 168.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.38 | 3.43 | 74.0 | 17.62 | Peak | 316.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.25 | 3.43 | 54.0 | 6.75 | AV | 316.00 | 150 | Horizontal | Pass |

U-NII-1 11ax40 (RU26) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.79 | 3.26 | 74.0 | 17.21 | Peak | 356.00 | 150 | Horizontal | Pass |
| 1** | 5350.000 | 46.98 | 3.26 | 54.0 | 7.02 | AV | 356.00 | 150 | Horizontal | Pass |
| 2 | 5385.145 | 59.61 | 3.68 | 74.0 | 14.39 | Peak | 225.00 | 150 | Horizontal | Pass |
| 2** | 5385.145 | 47.14 | 3.68 | 54.0 | 6.86 | AV | 225.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (RU26) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5107.100 | 58.56 | 4.02 | 74.0 | 15.44 | Peak | 7.00 | 100 | Horizontal | Pass |
| 1** | 5107.100 | 47.32 | 4.02 | 54.0 | 6.68 | AV | 7.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 56.65 | 3.43 | 74.0 | 17.35 | Peak | 115.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.30 | 3.43 | 54.0 | 6.70 | AV | 115.00 | 150 | Horizontal | Pass |

U-NII-1 11ax80 (RU26) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 58.60 | 3.25 | 74.0 | 15.40 | Peak | 270.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.87 | 3.25 | 54.0 | 7.13 | AV | 270.00 | 150 | Horizontal | Pass |
| 2 | 5430.135 | 59.67 | 4.12 | 74.0 | 14.33 | Peak | 70.00 | 150 | Horizontal | Pass |
| 2** | 5430.135 | 47.84 | 4.12 | 54.0 | 6.16 | AV | 70.00 | 150 | Horizontal | Pass |

U-NII-1 11ax160 (RU26) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5129.200 | 58.38 | 4.08 | 74.0 | 15.62 | Peak | 270.00 | 200 | Horizontal | Pass |
| 1** | 5129.200 | 47.23 | 4.08 | 54.0 | 6.77 | AV | 270.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.48 | 3.43 | 74.0 | 17.52 | Peak | 128.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.31 | 3.43 | 54.0 | 6.69 | AV | 128.00 | 200 | Horizontal | Pass |

U-NII-1 11ax160 (RU26) CH50




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.89 | 3.25 | 74.0 | 17.11 | Peak | 112.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 46.77 | 3.25 | 54.0 | 7.23 | AV | 112.00 | 200 | Horizontal | Pass |
| 2 | 5436.405 | 59.32 | 4.37 | 74.0 | 14.68 | Peak | 354.00 | 100 | Horizontal | Pass |
| 2** | 5436.405 | 47.95 | 4.37 | 54.0 | 6.05 | AV | 354.00 | 100 | Horizontal | Pass |

U-NII-2A 11a CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5107.750 | 58.48 | 4.01 | 74.0 | 15.52 | Peak | 63.00 | 150 | Horizontal | Pass |
| 1** | 5107.750 | 47.30 | 4.01 | 54.0 | 6.70 | AV | 63.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.58 | 3.43 | 74.0 | 17.42 | Peak | 215.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.29 | 3.43 | 54.0 | 6.71 | AV | 215.00 | 150 | Horizontal | Pass |

U-NII-2A 11a CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 61.31 | 3.26 | 74.0 | 12.69 | Peak | 360.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 47.80 | 3.26 | 54.0 | 6.20 | AV | 360.00 | 100 | Horizontal | Pass |
| 2 | 5352.090 | 63.31 | 3.29 | 74.0 | 10.69 | Peak | 216.00 | 100 | Horizontal | Pass |
| 2** | 5352.090 | 47.35 | 3.29 | 54.0 | 6.65 | AV | 216.00 | 100 | Horizontal | Pass |
| 3 | 5350.715 | 60.32 | 3.24 | 74.0 | 13.68 | Peak | 168.00 | 150 | Horizontal | Pass |
| 3** | 5350.715 | 48.41 | 3.24 | 54.0 | 5.59 | AV | 168.00 | 150 | Horizontal | Pass |

U-NII-2A 11n20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5136.350 | 58.39 | 3.85 | 74.0 | 15.61 | Peak | 360.00 | 200 | Horizontal | Pass |
| 1** | 5136.350 | 47.14 | 3.85 | 54.0 | 6.86 | AV | 360.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.45 | 3.43 | 74.0 | 17.55 | Peak | 47.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 47.23 | 3.43 | 54.0 | 6.77 | AV | 47.00 | 150 | Horizontal | Pass |

U-NII-2A 11n20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 59.93 | 3.26 | 74.0 | 14.07 | Peak | 22.00 | 150 | Horizontal | Pass |
| 1** | 5350.000 | 47.19 | 3.26 | 54.0 | 6.81 | AV | 22.00 | 150 | Horizontal | Pass |
| 2 | 5351.210 | 61.45 | 3.26 | 74.0 | 12.55 | Peak | 208.00 | 200 | Horizontal | Pass |
| 2** | 5351.210 | 46.97 | 3.26 | 54.0 | 7.03 | AV | 208.00 | 200 | Horizontal | Pass |
| 3 | 5360.670 | 57.15 | 3.74 | 74.0 | 16.85 | Peak | 155.00 | 150 | Horizontal | Pass |
| 3** | 5360.670 | 47.96 | 3.74 | 54.0 | 6.04 | AV | 155.00 | 150 | Horizontal | Pass |

U-NII-2A 11n40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5107.750 | 58.83 | 4.01 | 74.0 | 15.17 | Peak | 283.00 | 150 | Horizontal | Pass |
| 1** | 5107.750 | 47.48 | 4.01 | 54.0 | 6.52 | AV | 283.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 58.05 | 3.43 | 74.0 | 15.95 | Peak | 23.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.03 | 3.43 | 54.0 | 6.97 | AV | 23.00 | 200 | Horizontal | Pass |

U-NII-2A 11n40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 62.34 | 3.26 | 74.0 | 11.66 | Peak | 231.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 47.95 | 3.26 | 54.0 | 6.05 | AV | 231.00 | 200 | Horizontal | Pass |
| 2 | 5351.870 | 63.83 | 3.28 | 74.0 | 10.17 | Peak | 218.00 | 200 | Horizontal | Pass |
| 2** | 5351.870 | 47.61 | 3.28 | 54.0 | 6.39 | AV | 218.00 | 200 | Horizontal | Pass |
| 3 | 5354.455 | 61.07 | 3.30 | 74.0 | 12.93 | Peak | 228.00 | 150 | Horizontal | Pass |
| 3** | 5354.455 | 48.72 | 3.30 | 54.0 | 5.28 | AV | 228.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5112.950 | 58.52 | 3.77 | 74.0 | 15.48 | Peak | 69.00 | 150 | Horizontal | Pass |
| 1** | 5112.950 | 47.05 | 3.77 | 54.0 | 6.95 | AV | 69.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.86 | 3.43 | 74.0 | 17.14 | Peak | 116.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 46.99 | 3.43 | 54.0 | 7.01 | AV | 116.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 58.82 | 3.25 | 74.0 | 15.18 | Peak | 109.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.04 | 3.25 | 54.0 | 6.96 | AV | 109.00 | 200 | Horizontal | Pass |
| 2 | 5437.065 | 59.74 | 4.41 | 74.0 | 14.26 | Peak | 43.00 | 150 | Horizontal | Pass |
| 2** | 5437.065 | 48.03 | 4.41 | 54.0 | 5.97 | AV | 43.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5123.675 | 58.46 | 4.16 | 74.0 | 15.54 | Peak | 266.00 | 100 | Horizontal | Pass |
| 1** | 5123.675 | 47.44 | 4.16 | 54.0 | 6.56 | AV | 266.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 57.40 | 3.43 | 74.0 | 16.60 | Peak | 305.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.10 | 3.43 | 54.0 | 6.90 | AV | 305.00 | 200 | Horizontal | Pass |

U-NII-2A 11ac40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 60.88 | 3.26 | 74.0 | 13.12 | Peak | 167.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 47.66 | 3.26 | 54.0 | 6.34 | AV | 167.00 | 200 | Horizontal | Pass |
| 2 | 5350.330 | 66.90 | 3.25 | 74.0 | 7.10 | Peak | 221.00 | 150 | Horizontal | Pass |
| 2** | 5350.330 | 47.86 | 3.25 | 54.0 | 6.14 | AV | 221.00 | 150 | Horizontal | Pass |
| 3 | 5353.080 | 59.55 | 3.33 | 74.0 | 14.45 | Peak | 146.00 | 150 | Horizontal | Pass |
| 3** | 5353.080 | 49.00 | 3.33 | 54.0 | 5.00 | AV | 146.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5040.475 | 58.65 | 2.96 | 74.0 | 15.35 | Peak | 113.00 | 200 | Horizontal | Pass |
| 1** | 5040.475 | 46.51 | 2.96 | 54.0 | 7.49 | AV | 113.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 57.02 | 3.43 | 74.0 | 16.98 | Peak | 191.00 | 150 | Horizontal | Pass |
| 2** | 5149.675 | 46.85 | 3.43 | 54.0 | 7.15 | AV | 191.00 | 150 | Horizontal | Pass |

U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 58.37 | 3.25 | 74.0 | 15.63 | Peak | 7.00 | 200 | Horizontal | Pass |
| 1** | 5350.055 | 47.06 | 3.25 | 54.0 | 6.94 | AV | 7.00 | 200 | Horizontal | Pass |
| 2 | 5351.485 | 62.63 | 3.27 | 74.0 | 11.37 | Peak | 92.00 | 100 | Horizontal | Pass |
| 2** | 5351.485 | 47.56 | 3.27 | 54.0 | 6.44 | AV | 92.00 | 100 | Horizontal | Pass |
| 3 | 5364.630 | 57.12 | 3.84 | 74.0 | 16.88 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 5364.630 | 48.53 | 3.84 | 54.0 | 5.47 | AV | 0.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax20 (SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5089.875 | 58.36 | 3.47 | 74.0 | 15.64 | Peak | 110.00 | 150 | Horizontal | Pass |
| 1** | 5089.875 | 46.97 | 3.47 | 54.0 | 7.03 | AV | 110.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.91 | 3.43 | 74.0 | 17.09 | Peak | 78.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.12 | 3.43 | 54.0 | 6.88 | AV | 78.00 | 100 | Horizontal | Pass |

U-NII-2A 11ax20 (SU) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 60.27 | 3.26 | 74.0 | 13.73 | Peak | 225.00 | 150 | Horizontal | Pass |
| 1** | 5350.000 | 47.55 | 3.26 | 54.0 | 6.45 | AV | 225.00 | 150 | Horizontal | Pass |
| 2 | 5351.870 | 60.35 | 3.28 | 74.0 | 13.65 | Peak | 222.00 | 150 | Horizontal | Pass |
| 2** | 5351.870 | 47.21 | 3.28 | 54.0 | 6.79 | AV | 222.00 | 150 | Horizontal | Pass |
| 3 | 5362.100 | 57.12 | 3.78 | 74.0 | 16.88 | Peak | 252.00 | 150 | Horizontal | Pass |
| 3** | 5362.100 | 47.96 | 3.78 | 54.0 | 6.04 | AV | 252.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax40 (SU) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5017.725 | 58.79 | 2.89 | 74.0 | 15.21 | Peak | 127.00 | 200 | Horizontal | Pass |
| 1** | 5017.725 | 46.39 | 2.89 | 54.0 | 7.61 | AV | 127.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.59 | 3.43 | 74.0 | 17.41 | Peak | 132.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.01 | 3.43 | 54.0 | 6.99 | AV | 132.00 | 100 | Horizontal | Pass |

U-NII-2A 11ax40 (SU) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 60.88 | 3.26 | 74.0 | 13.12 | Peak | 124.00 | 200 | Horizontal | Pass |
| 1** | 5350.000 | 47.19 | 3.26 | 54.0 | 6.81 | AV | 124.00 | 200 | Horizontal | Pass |
| 2 | 5351.375 | 65.96 | 3.26 | 74.0 | 8.04 | Peak | 225.00 | 150 | Horizontal | Pass |
| 2** | 5351.375 | 48.44 | 3.26 | 54.0 | 5.56 | AV | 225.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5051.200 | 58.28 | 3.43 | 74.0 | 15.72 | Peak | 16.00 | 150 | Horizontal | Pass |
| 1** | 5051.200 | 46.86 | 3.43 | 54.0 | 7.14 | AV | 16.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 57.42 | 3.43 | 74.0 | 16.58 | Peak | 128.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.34 | 3.43 | 54.0 | 6.66 | AV | 128.00 | 100 | Horizontal | Pass |

U-NII-2A 11ax80 (SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 57.16 | 3.26 | 74.0 | 16.84 | Peak | 120.00 | 100 | Horizontal | Pass |
| 1** | 5350.000 | 47.33 | 3.26 | 54.0 | 6.67 | AV | 120.00 | 100 | Horizontal | Pass |
| 2 | 5351.100 | 62.43 | 3.25 | 74.0 | 11.57 | Peak | 11.00 | 200 | Horizontal | Pass |
| 2** | 5351.100 | 47.39 | 3.25 | 54.0 | 6.61 | AV | 11.00 | 200 | Horizontal | Pass |
| 3 | 5364.025 | 58.43 | 3.82 | 74.0 | 15.57 | Peak | 213.00 | 150 | Horizontal | Pass |
| 3** | 5364.025 | 48.08 | 3.82 | 54.0 | 5.92 | AV | 213.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax20 (RU26) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5060.300 | 58.20 | 3.18 | 74.0 | 15.80 | Peak | 52.00 | 200 | Horizontal | Pass |
| 1** | 5060.300 | 46.52 | 3.18 | 54.0 | 7.48 | AV | 52.00 | 200 | Horizontal | Pass |
| 2 | 5149.675 | 56.81 | 3.43 | 74.0 | 17.19 | Peak | 78.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 47.22 | 3.43 | 54.0 | 6.78 | AV | 78.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax20 (RU26) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 57.00 | 3.25 | 74.0 | 17.00 | Peak | 101.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.70 | 3.25 | 54.0 | 7.30 | AV | 101.00 | 150 | Horizontal | Pass |
| 2 | 5456.480 | 59.47 | 4.08 | 74.0 | 14.53 | Peak | 169.00 | 150 | Horizontal | Pass |
| 2** | 5456.480 | 47.54 | 4.08 | 54.0 | 6.46 | AV | 169.00 | 150 | Horizontal | Pass |

U-NII-2A 11ax40 (RU26) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5108.725 | 58.88 | 4.00 | 74.0 | 15.12 | Peak | 71.00 | 150 | Horizontal | Pass |
| 1** | 5108.725 | 47.24 | 4.00 | 54.0 | 6.76 | AV | 71.00 | 150 | Horizontal | Pass |
| 2 | 5149.675 | 56.53 | 3.43 | 74.0 | 17.47 | Peak | 93.00 | 100 | Horizontal | Pass |
| 2** | 5149.675 | 47.32 | 3.43 | 54.0 | 6.68 | AV | 93.00 | 100 | Horizontal | Pass |

U-NII-2A 11ax40 (RU26) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.000 | 56.42 | 3.26 | 74.0 | 17.58 | Peak | 294.00 | 150 | Horizontal | Pass |
| 1** | 5350.000 | 46.68 | 3.26 | 54.0 | 7.32 | AV | 294.00 | 150 | Horizontal | Pass |
| 2 | 5403.350 | 59.06 | 3.94 | 74.0 | 14.94 | Peak | 33.00 | 200 | Horizontal | Pass |
| 2** | 5403.350 | 47.37 | 3.94 | 54.0 | 6.63 | AV | 33.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax80 (RU26) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5141.550 | 58.25 | 3.68 | 74.0 | 15.75 | Peak | 125.00 | 100 | Horizontal | Pass |
| 1** | 5141.550 | 46.95 | 3.68 | 54.0 | 7.05 | AV | 125.00 | 100 | Horizontal | Pass |
| 2 | 5149.675 | 57.41 | 3.43 | 74.0 | 16.59 | Peak | 301.00 | 200 | Horizontal | Pass |
| 2** | 5149.675 | 46.84 | 3.43 | 54.0 | 7.16 | AV | 301.00 | 200 | Horizontal | Pass |

U-NII-2A 11ax80 (RU26) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5350.055 | 56.76 | 3.25 | 74.0 | 17.24 | Peak | 269.00 | 150 | Horizontal | Pass |
| 1** | 5350.055 | 46.83 | 3.25 | 54.0 | 7.17 | AV | 269.00 | 150 | Horizontal | Pass |
| 2 | 5412.425 | 59.02 | 3.60 | 74.0 | 14.98 | Peak | 31.00 | 150 | Horizontal | Pass |
| 2** | 5412.425 | 47.36 | 3.60 | 54.0 | 6.64 | AV | 31.00 | 150 | Horizontal | Pass |

U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5434.000 | 59.39 | 4.47 | 74.0 | 14.61 | Peak | 201.00 | 100 | Horizontal | Pass |
| 1** | 5434.000 | 48.18 | 4.47 | 54.0 | 5.82 | AV | 201.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 56.71 | 4.10 | 74.0 | 17.29 | Peak | 0.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.33 | 4.10 | 54.0 | 6.67 | AV | 0.00 | 100 | Horizontal | Pass |
| 3 | 5468.440 | 63.13 | 4.12 | 68.2 | 5.07 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 5468.440 | 47.56 | 4.12 | -- | -- | AV | 360.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 58.28 | 4.06 | 68.2 | 9.92 | Peak | 156.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 47.88 | 4.06 | -- | -- | AV | 156.00 | 200 | Horizontal | N/A |

U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.56 | 4.12 | 68.2 | 10.64 | Peak | 43.00 | 150 | Horizontal | Pass |
| 2 | 5728.625 | 62.42 | 4.12 | 68.2 | 5.78 | Peak | 1.00 | 200 | Horizontal | Pass |

U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5424.220 | 59.33 | 3.82 | 74.0 | 14.67 | Peak | 24.00 | 200 | Horizontal | Pass |
| 1** | 5424.220 | 47.58 | 3.82 | 54.0 | 6.42 | AV | 24.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.32 | 4.10 | 74.0 | 16.68 | Peak | 176.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 47.78 | 4.10 | 54.0 | 6.22 | AV | 176.00 | 150 | Horizontal | Pass |
| 3 | 5460.220 | 59.61 | 4.10 | 68.2 | 8.59 | Peak | 0.00 | 100 | Horizontal | Pass |
| 3** | 5460.220 | 47.78 | 4.10 | -- | -- | AV | 0.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 58.04 | 4.06 | 68.2 | 10.16 | Peak | 206.00 | 100 | Horizontal | Pass |
| 4** | 5469.940 | 48.11 | 4.06 | -- | -- | AV | 206.00 | 100 | Horizontal | N/A |

U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 60.80 | 4.12 | 68.2 | 7.40 | Peak | 206.00 | 100 | Horizontal | Pass |
| 2 | 5726.000 | 62.78 | 4.12 | 68.2 | 5.42 | Peak | 154.00 | 150 | Horizontal | Pass |

U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5459.080 | 60.93 | 4.08 | 74.0 | 13.07 | Peak | 360.00 | 100 | Horizontal | Pass |
| 1** | 5459.080 | 47.44 | 4.08 | 54.0 | 6.56 | AV | 360.00 | 100 | Horizontal | Pass |
| 2 | 5459.980 | 56.92 | 4.10 | 74.0 | 17.08 | Peak | 45.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 47.45 | 4.10 | 54.0 | 6.55 | AV | 45.00 | 150 | Horizontal | Pass |
| 3 | 5469.280 | 62.57 | 4.08 | 68.2 | 5.63 | Peak | 340.00 | 100 | Horizontal | Pass |
| 3** | 5469.280 | 49.37 | 4.08 | -- | -- | AV | 340.00 | 100 | Horizontal | N/A |
| 4 | 5469.940 | 58.99 | 4.06 | 68.2 | 9.21 | Peak | 7.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 49.14 | 4.06 | -- | -- | AV | 7.00 | 150 | Horizontal | N/A |

U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.22 | 4.12 | 68.2 | 10.98 | Peak | 33.00 | 200 | Horizontal | Pass |
| 2 | 5726.437 | 60.51 | 4.12 | 68.2 | 7.69 | Peak | 9.00 | 150 | Horizontal | Pass |

U-NII-2C 11ac20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5427.460 | 59.55 | 4.02 | 74.0 | 14.45 | Peak | 333.00 | 150 | Horizontal | Pass |
| 1** | 5427.460 | 47.88 | 4.02 | 54.0 | 6.12 | AV | 333.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 57.19 | 4.10 | 74.0 | 16.81 | Peak | 337.00 | 200 | Horizontal | Pass |
| 2** | 5459.980 | 47.55 | 4.10 | 54.0 | 6.45 | AV | 337.00 | 200 | Horizontal | Pass |
| 3 | 5468.260 | 60.36 | 4.12 | 68.2 | 7.84 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 5468.260 | 47.85 | 4.12 | -- | -- | AV | 0.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 58.79 | 4.06 | 68.2 | 9.41 | Peak | 62.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 47.75 | 4.06 | -- | -- | AV | 62.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 57.58 | 4.12 | 68.2 | 10.62 | Peak | 151.00 | 100 | Horizontal | Pass |
| 2 | 5725.250 | 60.39 | 4.12 | 68.2 | 7.81 | Peak | 209.00 | 200 | Horizontal | Pass |

U-NII-2C 11ac40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5438.800 | 59.18 | 4.43 | 74.0 | 14.82 | Peak | 205.00 | 200 | Horizontal | Pass |
| 1** | 5438.800 | 48.14 | 4.43 | 54.0 | 5.86 | AV | 205.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 58.01 | 4.10 | 74.0 | 15.99 | Peak | 31.00 | 150 | Horizontal | Pass |
| 2** | 5459.980 | 47.70 | 4.10 | 54.0 | 6.30 | AV | 31.00 | 150 | Horizontal | Pass |
| 3 | 5469.280 | 60.36 | 4.08 | 68.2 | 7.84 | Peak | 12.00 | 150 | Horizontal | Pass |
| 3** | 5469.280 | 48.92 | 4.08 | -- | -- | AV | 12.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 58.90 | 4.06 | 68.2 | 9.30 | Peak | 150.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 48.61 | 4.06 | -- | -- | AV | 150.00 | 150 | Horizontal | N/A |

U-NII-2C 11ac40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.73 | 4.12 | 68.2 | 10.47 | Peak | 339.00 | 200 | Horizontal | Pass |
| 2 | 5741.250 | 59.71 | 4.03 | 68.2 | 8.49 | Peak | 127.00 | 100 | Horizontal | Pass |

U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5449.180 | 60.86 | 3.90 | 74.0 | 13.14 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 5449.180 | 48.93 | 3.90 | 54.0 | 5.07 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 5459.980 | 58.77 | 4.10 | 74.0 | 15.23 | Peak | 8.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 48.97 | 4.10 | 54.0 | 5.03 | AV | 8.00 | 100 | Horizontal | Pass |
| 3 | 5468.500 | 61.70 | 4.11 | 68.2 | 6.50 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 5468.500 | 50.41 | 4.11 | -- | -- | AV | 0.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 59.46 | 4.06 | 68.2 | 8.74 | Peak | 360.00 | 150 | Horizontal | Pass |
| 4** | 5469.940 | 50.50 | 4.06 | -- | -- | AV | 360.00 | 150 | Horizontal | N/A |

U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.063 | 58.43 | 4.12 | 68.2 | 9.77 | Peak | 360.00 | 200 | Horizontal | Pass |
| 2 | 5822.813 | 59.78 | 3.79 | 68.2 | 8.42 | Peak | 84.00 | 100 | Horizontal | Pass |

U-NII-2C 11ac160 CH114



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5446.600 | 62.92 | 4.07 | 74.0 | 11.08 | Peak | 199.00 | 200 | Horizontal | Pass |
| 1** | 5446.600 | 48.84 | 4.07 | 54.0 | 5.16 | AV | 199.00 | 200 | Horizontal | Pass |
| 2 | 5459.980 | 57.32 | 4.10 | 74.0 | 16.68 | Peak | 88.00 | 100 | Horizontal | Pass |
| 2** | 5459.980 | 47.86 | 4.10 | 54.0 | 6.14 | AV | 88.00 | 100 | Horizontal | Pass |
| 3 | 5466.580 | 61.58 | 4.04 | 68.2 | 6.62 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 5466.580 | 49.08 | 4.04 | -- | -- | AV | 360.00 | 150 | Horizontal | N/A |
| 4 | 5469.940 | 57.82 | 4.06 | 68.2 | 10.38 | Peak | 95.00 | 200 | Horizontal | Pass |
| 4** | 5469.940 | 48.34 | 4.06 | -- | -- | AV | 95.00 | 200 | Horizontal | N/A |

U-NII-2C 11ac160 CH114



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1 | 5725.000 | 57.69 | 4.12 | 68.2 | 10.51 | Peak | 207.00 | 150 | Horizontal | Pass |
| 2 | 5728.187 | 59.30 | 4.12 | 68.2 | 8.90 | Peak | 251.00 | 150 | Horizontal | Pass |