



U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5427.400	59.51	4.02	74.0	14.49	Peak	299.00	100	Horizontal	Pass
1**	5427.400	47.84	4.02	54.0	6.16	AV	299.00	100	Horizontal	Pass
2	5459.980	56.72	4.10	74.0	17.28	Peak	345.00	150	Horizontal	Pass
2**	5459.980	47.51	4.10	54.0	6.49	AV	345.00	150	Horizontal	Pass
3	5468.140	62.56	4.13	68.2	5.64	Peak	224.00	150	Horizontal	Pass
3**	5468.140	47.67	4.13	--	--	AV	224.00	150	Horizontal	N/A
4	5469.940	59.56	4.06	68.2	8.64	Peak	230.00	200	Horizontal	Pass
4**	5469.940	47.95	4.06	--	--	AV	230.00	200	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.80	4.12	68.2	10.40	Peak	341.00	100	Horizontal	Pass
2	5818.375	59.64	3.62	68.2	8.56	Peak	333.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.200	61.05	4.45	74.0	12.95	Peak	9.00	100	Horizontal	Pass
1**	5438.200	48.08	4.45	54.0	5.92	AV	9.00	100	Horizontal	Pass
2	5459.980	56.88	4.10	74.0	17.12	Peak	250.00	150	Horizontal	Pass
2**	5459.980	47.61	4.10	54.0	6.39	AV	250.00	150	Horizontal	Pass
3	5466.340	62.66	4.02	68.2	5.54	Peak	219.00	150	Horizontal	Pass
3**	5466.340	48.11	4.02	--	--	AV	219.00	150	Horizontal	N/A
4	5469.940	58.11	4.06	68.2	10.09	Peak	338.00	150	Horizontal	Pass
4**	5469.940	48.90	4.06	--	--	AV	338.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.63	4.12	68.2	7.57	Peak	117.00	100	Horizontal	Pass
2	5726.000	61.62	4.12	68.2	6.58	Peak	137.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.760	61.23	4.23	74.0	12.77	Peak	216.00	200	Horizontal	Pass
1**	5442.760	48.93	4.23	54.0	5.07	AV	216.00	200	Horizontal	Pass
2	5459.980	59.28	4.10	74.0	14.72	Peak	226.00	150	Horizontal	Pass
2**	5459.980	48.89	4.10	54.0	5.11	AV	226.00	150	Horizontal	Pass
3	5468.980	61.54	4.09	68.2	6.66	Peak	0.00	150	Horizontal	Pass
3**	5468.980	50.33	4.09	--	--	AV	0.00	150	Horizontal	N/A
4	5469.940	59.36	4.06	68.2	8.84	Peak	212.00	200	Horizontal	Pass
4**	5469.940	50.02	4.06	--	--	AV	212.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.24	4.12	68.2	10.96	Peak	325.00	100	Horizontal	Pass
2	5774.312	59.32	4.42	68.2	8.88	Peak	321.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.200	62.82	4.01	74.0	11.18	Peak	5.00	200	Horizontal	Pass
1**	5447.200	48.88	4.01	54.0	5.12	AV	5.00	200	Horizontal	Pass
2	5459.980	57.81	4.10	74.0	16.19	Peak	14.00	150	Horizontal	Pass
2**	5459.980	48.02	4.10	54.0	5.98	AV	14.00	150	Horizontal	Pass
3	5466.940	62.74	4.08	68.2	5.46	Peak	203.00	100	Horizontal	Pass
3**	5466.940	48.80	4.08	--	--	AV	203.00	100	Horizontal	N/A
4	5469.940	58.10	4.06	68.2	10.10	Peak	350.00	150	Horizontal	Pass
4**	5469.940	48.56	4.06	--	--	AV	350.00	150	Horizontal	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.80	4.12	68.2	10.40	Peak	206.00	100	Horizontal	Pass
2	5778.563	59.82	4.50	68.2	8.38	Peak	181.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5427.220	59.66	4.01	74.0	14.34	Peak	240.00	200	Horizontal	Pass
1**	5427.220	47.98	4.01	54.0	6.02	AV	240.00	200	Horizontal	Pass
2	5459.980	56.57	4.10	74.0	17.43	Peak	62.00	150	Horizontal	Pass
2**	5459.980	47.33	4.10	54.0	6.67	AV	62.00	150	Horizontal	Pass
3	5461.840	59.09	4.13	68.2	9.11	Peak	254.00	200	Horizontal	Pass
3**	5461.840	47.33	4.13	--	--	AV	254.00	200	Horizontal	N/A
4	5469.940	58.14	4.06	68.2	10.06	Peak	348.00	100	Horizontal	Pass
4**	5469.940	47.52	4.06	--	--	AV	348.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.21	4.12	68.2	8.99	Peak	152.00	100	Horizontal	Pass
2	5729.000	59.59	4.11	68.2	8.61	Peak	206.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.460	59.55	4.40	74.0	14.45	Peak	153.00	200	Horizontal	Pass
1**	5439.460	47.98	4.40	54.0	6.02	AV	153.00	200	Horizontal	Pass
2	5459.980	56.74	4.10	74.0	17.26	Peak	112.00	150	Horizontal	Pass
2**	5459.980	47.62	4.10	54.0	6.38	AV	112.00	150	Horizontal	Pass
3	5467.900	58.84	4.14	68.2	9.36	Peak	317.00	200	Horizontal	Pass
3**	5467.900	47.66	4.14	--	--	AV	317.00	200	Horizontal	N/A
4	5469.940	56.88	4.06	68.2	11.32	Peak	131.00	150	Horizontal	Pass
4**	5469.940	47.52	4.06	--	--	AV	131.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.40	4.12	68.2	10.80	Peak	0.00	100	Horizontal	Pass
2	5740.063	59.68	3.91	68.2	8.52	Peak	96.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5425.720	59.38	3.88	74.0	14.62	Peak	198.00	200	Horizontal	Pass
1**	5425.720	47.99	3.88	54.0	6.01	AV	198.00	200	Horizontal	Pass
2	5459.980	57.11	4.10	74.0	16.89	Peak	233.00	150	Horizontal	Pass
2**	5459.980	47.57	4.10	54.0	6.43	AV	233.00	150	Horizontal	Pass
3	5464.060	58.62	4.06	68.2	9.58	Peak	334.00	200	Horizontal	Pass
3**	5464.060	47.40	4.06	--	--	AV	334.00	200	Horizontal	N/A
4	5469.940	58.25	4.06	68.2	9.95	Peak	59.00	200	Horizontal	Pass
4**	5469.940	47.80	4.06	--	--	AV	59.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.54	4.12	68.2	10.66	Peak	105.00	200	Horizontal	Pass
2	5744.187	59.78	3.81	68.2	8.42	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.160	59.39	4.23	74.0	14.61	Peak	191.00	100	Horizontal	Pass
1**	5442.160	47.98	4.23	54.0	6.02	AV	191.00	100	Horizontal	Pass
2	5459.980	57.76	4.10	74.0	16.24	Peak	329.00	200	Horizontal	Pass
2**	5459.980	47.45	4.10	54.0	6.55	AV	329.00	200	Horizontal	Pass
3	5466.340	59.19	4.02	68.2	9.01	Peak	278.00	200	Horizontal	Pass
3**	5466.340	47.36	4.02	--	--	AV	278.00	200	Horizontal	N/A
4	5469.940	57.04	4.06	68.2	11.16	Peak	123.00	200	Horizontal	Pass
4**	5469.940	47.68	4.06	--	--	AV	123.00	200	Horizontal	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.09	4.12	68.2	10.11	Peak	33.00	100	Horizontal	Pass
2	5754.500	59.30	3.87	68.2	8.90	Peak	36.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.750	58.83	3.83	68.2	9.37	Peak	142.00	200	Horizontal	Pass
2	5650.000	56.97	3.83	68.2	11.23	Peak	160.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	3.64	68.3	10.95	Peak	106.00	200	Horizontal	Pass
2	5993.775	60.20	5.51	68.2	8.00	Peak	209.00	200	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.562	59.85	3.86	68.2	8.35	Peak	193.00	100	Horizontal	Pass
2	5650.000	56.89	3.83	68.2	11.31	Peak	120.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.54	3.64	68.3	11.76	Peak	204.00	200	Horizontal	Pass
2	5997.600	60.41	5.72	68.2	7.79	Peak	141.00	200	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.375	58.74	3.59	68.2	9.46	Peak	98.00	100	Horizontal	Pass
2	5650.000	57.51	3.83	68.2	10.69	Peak	295.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.90	3.64	68.3	11.40	Peak	64.00	150	Horizontal	Pass
2	5971.575	60.42	4.90	68.2	7.78	Peak	296.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.125	58.86	3.88	68.2	9.34	Peak	26.00	100	Horizontal	Pass
2	5650.000	56.98	3.83	68.2	11.22	Peak	95.00	200	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.08	3.64	68.3	11.22	Peak	176.00	100	Horizontal	Pass
2	5999.025	60.58	5.82	68.2	7.62	Peak	173.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.688	58.62	3.58	68.2	9.58	Peak	265.00	150	Horizontal	Pass
2	5650.000	56.93	3.83	68.2	11.27	Peak	131.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	3.64	68.3	11.54	Peak	0.00	100	Horizontal	Pass
2	5993.775	60.18	5.51	68.2	8.02	Peak	5.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.438	60.68	3.88	68.2	7.52	Peak	102.00	100	Horizontal	Pass
2	5650.000	57.59	3.83	68.2	10.61	Peak	307.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.54	3.64	68.3	10.76	Peak	312.00	200	Horizontal	Pass
2	5994.000	60.03	5.56	68.2	8.17	Peak	268.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.312	58.82	3.82	68.2	9.38	Peak	94.00	100	Horizontal	Pass
2	5650.000	56.83	3.83	68.2	11.37	Peak	25.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.64	3.64	68.3	11.66	Peak	280.00	150	Horizontal	Pass
2	5993.175	60.60	5.40	68.2	7.60	Peak	200.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.813	59.31	3.75	68.2	8.89	Peak	128.00	150	Horizontal	Pass
2	5650.000	57.24	3.83	68.2	10.96	Peak	358.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.50	3.64	68.3	10.80	Peak	273.00	100	Horizontal	Pass
2	5994.000	60.43	5.56	68.2	7.77	Peak	84.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.875	60.69	3.93	68.2	7.51	Peak	95.00	100	Horizontal	Pass
2	5650.000	56.85	3.83	68.2	11.35	Peak	295.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.21	3.64	68.3	11.09	Peak	150.00	150	Horizontal	Pass
2	5996.925	60.19	5.67	68.2	8.01	Peak	276.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.250	59.31	3.69	68.2	8.89	Peak	307.00	200	Horizontal	Pass
2	5650.000	56.99	3.83	68.2	11.21	Peak	215.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.93	3.64	68.3	11.37	Peak	91.00	200	Horizontal	Pass
2	5996.100	60.50	5.67	68.2	7.70	Peak	114.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.250	58.94	3.76	68.2	9.26	Peak	294.00	100	Horizontal	Pass
2	5650.000	57.81	3.83	68.2	10.39	Peak	190.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.10	3.64	68.3	11.20	Peak	36.00	100	Horizontal	Pass
2	5994.150	60.83	5.58	68.2	7.37	Peak	205.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.875	59.84	3.67	68.2	8.36	Peak	291.00	100	Horizontal	Pass
2	5650.000	57.05	3.83	68.2	11.15	Peak	223.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.34	3.64	68.3	11.96	Peak	23.00	100	Horizontal	Pass
2	5996.700	60.61	5.67	68.2	7.59	Peak	100.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2380398-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2380398-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2380398-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--