


Annex A.5 Spurious Emission at Antenna

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.58	-13	Pass	401
0.15	30	0.01	Peak	0.2	-51.61	-13	Pass	2986
30	500	0.1	Peak	458.9	-43.45	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.18	-13	N/A	5001
1000	10000	1	Peak	6971	-19.93	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.71	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.01	-13	Pass	2986
30	500	0.1	Peak	368.8	-43.34	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.12	-13	N/A	5001
1000	10000	1	Peak	7224	-20.21	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.31	-13	Pass	401
0.15	30	0.01	Peak	0.24	-51.84	-13	Pass	2986
30	500	0.1	Peak	469.7	-43.36	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.09	-13	N/A	5001
1000	10000	1	Peak	7200	-20.39	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.69	-13	Pass	2986
30	1000	0.1	Peak	919.9	-47.02	-13	Pass	9701
1000	3000	1	Peak	1851	29.02	-13	N/A	2001
3000	20000	1	Peak	19962	-39.28	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.73	-13	Pass	2986
30	1000	0.1	Peak	971.7	-46.31	-13	Pass	9701
1000	3000	1	Peak	1880	29.97	-13	N/A	2001
3000	20000	1	Peak	19768	-39.03	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.23	-13	Pass	2986
30	1000	0.1	Peak	930.2	-47.08	-13	Pass	9701
1000	3000	1	Peak	1910	29.53	-13	N/A	2001
3000	20000	1	Peak	3820	-38.64	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.2	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.85	-13	Pass	2986
30	500	0.1	Peak	417.6	-43.02	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.15	-13	N/A	5001
1000	10000	1	Peak	7441	-20.25	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.25	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.02	-13	Pass	2986
30	500	0.1	Peak	396.6	-43.74	-13	Pass	4701
500	1000	0.1	Peak	836.7	26.94	-13	N/A	5001
1000	10000	1	Peak	7379	-19.29	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-57.75	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.07	-13	Pass	2986
30	500	0.1	Peak	375.1	-43.05	-13	Pass	4701
500	1000	0.1	Peak	848.9	26.8	-13	N/A	5001
1000	10000	1	Peak	7128	-19.44	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.57	-13	Pass	2986
30	1000	0.1	Peak	914.7	-46.97	-13	Pass	9701
1000	3000	1	Peak	1850	29.24	-13	N/A	2001
3000	20000	1	Peak	19986	-39.38	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.38	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.45	-13	Pass	2986
30	1000	0.1	Peak	871	-47.43	-13	Pass	9701
1000	3000	1	Peak	1879	26.25	-13	N/A	2001
3000	20000	1	Peak	19784	-38.84	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.68	-13	Pass	2986
30	1000	0.1	Peak	809.2	-47.2	-13	Pass	9701
1000	3000	1	Peak	1910	26.51	-13	N/A	2001
3000	20000	1	Peak	19990	-37.71	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.39	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.67	-13	Pass	2986
30	1000	0.1	Peak	976.985	-53.17	-13	Pass	9701
1000	3000	1	Peak	1851	23.96	-13	N/A	2001
3000	20000	1	Peak	19428	-21.57	-13	Pass	17003




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.08	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.56	-13	Pass	2986
30	1000	0.1	Peak	862.309	-52.81	-13	Pass	9701
1000	3000	1	Peak	1879	24.27	-13	N/A	2001
3000	20000	1	Peak	19998	-21.74	-13	Pass	17003



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.88	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.24	-13	Pass	2986
30	1000	0.1	Peak	858.306	-52.91	-13	Pass	9701
1000	3000	1	Peak	1906	24.37	-13	N/A	2001
3000	20000	1	Peak	19944	-21.64	-13	Pass	17003



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.51	-13	Pass	401
0.15	30	0.01	Peak	0.57	-64.14	-13	Pass	2986
30	1000	0.1	Peak	810	-52.74	-13	Pass	9701
1000	3000	1	Peak	1711	23.68	-13	N/A	2001
3000	20000	1	Peak	19407	-22.14	-13	Pass	17003




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.39	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.67	-13	Pass	2986
30	1000	0.1	Peak	832.9	-52.67	-13	Pass	9701
1000	3000	1	Peak	1734	23.62	-13	N/A	2001
3000	20000	1	Peak	19365	-21.98	-13	Pass	17003



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.69	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.23	-13	Pass	2986
30	1000	0.1	Peak	978.886	-52.28	-13	Pass	9701
1000	3000	1	Peak	1751	23.89	-13	N/A	2001
3000	20000	1	Peak	19844	-22.13	-13	Pass	17003



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.42	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.37	-13	Pass	2986
30	500	0.1	Peak	338.3	-53.95	-13	Pass	4701
500	1000	0.1	Peak	826.7	18.97	-13	N/A	5001
1000	10000	1	Peak	6951	-30.15	-13	Pass	9002




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.2	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.23	-13	Pass	2986
30	500	0.1	Peak	404.8	-53.47	-13	Pass	4701
500	1000	0.1	Peak	837.6	19.22	-13	N/A	5001
1000	10000	1	Peak	6747	-30.5	-13	Pass	9002



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.14	-13	Pass	401
0.15	30	0.01	Peak	0.5	-65.03	-13	Pass	2986
30	500	0.1	Peak	416.2	-53.53	-13	Pass	4701
500	1000	0.1	Peak	845.9	19.14	-13	N/A	5001
1000	10000	1	Peak	7044	-30.31	-13	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	Pass	2986
30	1000	0.1	RMS	844.2	-63.77	-13	Pass	9701
1000	1840	1	RMS	1840	-51.6	-13	Pass	841
1840	1920	1	RMS	1850.2	22.83	60	Pass	401
1920	3000	1	RMS	2953	-49.07	-13	Pass	1081
3000	12000	1	RMS	11847	-41.34	-13	Pass	9002
12000	20000	1	RMS	19404	-33.58	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.19	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.72	-13	Pass	841
1840	1920	1	RMS	1850.2	21.97	60	Pass	401
1920	3000	1	RMS	2943	-49.09	-13	Pass	1081
3000	12000	1	RMS	11965	-41.34	-13	Pass	9002
12000	20000	1	RMS	19401	-33.55	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.85	-13	Pass	9701
1000	1840	1	RMS	1840	-52.36	-13	Pass	841
1840	1920	1	RMS	1879.4	22.99	60	Pass	401
1920	3000	1	RMS	2960	-49.09	-13	Pass	1081
3000	12000	1	RMS	11950	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-33.58	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	1000	0.1	RMS	829	-63.82	-13	Pass	9701
1000	1840	1	RMS	1835	-52.35	-13	Pass	841
1840	1920	1	RMS	1879.4	22.12	60	Pass	401
1920	3000	1	RMS	2953	-49.08	-13	Pass	1081
3000	12000	1	RMS	11948	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-33.56	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	841.7	-63.87	-13	Pass	9701
1000	1840	1	RMS	1830	-52.28	-13	Pass	841
1840	1920	1	RMS	1908.8	22.96	60	Pass	401
1920	3000	1	RMS	2959	-49.1	-13	Pass	1081
3000	12000	1	RMS	11963	-41.36	-13	Pass	9002
12000	20000	1	RMS	19403	-33.57	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2986
30	1000	0.1	RMS	833.5	-63.93	-13	Pass	9701
1000	1840	1	RMS	1839	-52.35	-13	Pass	841
1840	1920	1	RMS	1908.8	22.13	60	Pass	401
1920	3000	1	RMS	2951	-49.08	-13	Pass	1081
3000	12000	1	RMS	11850	-41.34	-13	Pass	9002
12000	20000	1	RMS	19417	-33.57	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2986
30	1000	0.1	RMS	836.4	-63.97	-13	Pass	9701
1000	1840	1	RMS	1840	-51.31	-13	Pass	841
1840	1920	1	RMS	1850.2	22.91	60	Pass	401
1920	3000	1	RMS	2955	-49.08	-13	Pass	1081
3000	12000	1	RMS	11851	-41.27	-13	Pass	9002
12000	20000	1	RMS	19400	-33.56	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	834.4	-63.91	-13	Pass	9701
1000	1840	1	RMS	1840	-51.42	-13	Pass	841
1840	1920	1	RMS	1850.2	22.12	60	Pass	401
1920	3000	1	RMS	2957	-49.09	-13	Pass	1081
3000	12000	1	RMS	11951	-41.28	-13	Pass	9002
12000	20000	1	RMS	19398	-33.54	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-52.36	-13	Pass	841
1840	1920	1	RMS	1878.6	23.09	60	Pass	401
1920	3000	1	RMS	2957	-49.06	-13	Pass	1081
3000	12000	1	RMS	11947	-41.3	-13	Pass	9002
12000	20000	1	RMS	19402	-33.58	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.93	-13	Pass	9701
1000	1840	1	RMS	1833	-52.37	-13	Pass	841
1840	1920	1	RMS	1878.6	22.18	60	Pass	401
1920	3000	1	RMS	2948	-49.1	-13	Pass	1081
3000	12000	1	RMS	11949	-41.18	-13	Pass	9002
12000	20000	1	RMS	19410	-33.57	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.74	-13	Pass	2986
30	1000	0.1	RMS	844.2	-63.8	-13	Pass	9701
1000	1840	1	RMS	1832	-52.35	-13	Pass	841
1840	1920	1	RMS	1907.2	22.87	60	Pass	401
1920	3000	1	RMS	2958	-49.07	-13	Pass	1081
3000	12000	1	RMS	11950	-41.31	-13	Pass	9002
12000	20000	1	RMS	19402	-33.53	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	1000	0.1	RMS	825.9	-63.57	-13	Pass	9701
1000	1840	1	RMS	1837	-52.34	-13	Pass	841
1840	1920	1	RMS	1907.2	22.21	60	Pass	401
1920	3000	1	RMS	2935	-49.07	-13	Pass	1081
3000	12000	1	RMS	11955	-41.32	-13	Pass	9002
12000	20000	1	RMS	19399	-33.49	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	1000	0.1	RMS	844.3	-63.77	-13	Pass	9701
1000	1840	1	RMS	1840	-50.12	-13	Pass	841
1840	1920	1	RMS	1850.2	23.03	60	Pass	401
1920	3000	1	RMS	2949	-49.11	-13	Pass	1081
3000	12000	1	RMS	11852	-41.29	-13	Pass	9002
12000	20000	1	RMS	19407	-33.54	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-53.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2986
30	1000	0.1	RMS	837.6	-63.85	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1920	1	RMS	1850.2	22.04	60	Pass	401
1920	3000	1	RMS	2954	-49.04	-13	Pass	1081
3000	12000	1	RMS	11950	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	837	-63.78	-13	Pass	9701
1000	1840	1	RMS	1812	-52.36	-13	Pass	841
1840	1920	1	RMS	1877.8	23.06	60	Pass	401
1920	3000	1	RMS	2935	-49.06	-13	Pass	1081
3000	12000	1	RMS	11949	-41.38	-13	Pass	9002
12000	20000	1	RMS	19402	-33.43	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.87	-13	Pass	9701
1000	1840	1	RMS	1838	-52.33	-13	Pass	841
1840	1920	1	RMS	1877.8	22.22	60	Pass	401
1920	3000	1	RMS	2958	-49.06	-13	Pass	1081
3000	12000	1	RMS	11843	-41.35	-13	Pass	9002
12000	20000	1	RMS	19401	-33.51	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.91	-13	Pass	9701
1000	1840	1	RMS	1839	-52.36	-13	Pass	841
1840	1920	1	RMS	1905.2	23.01	60	Pass	401
1920	3000	1	RMS	2936	-49.1	-13	Pass	1081
3000	12000	1	RMS	11953	-41.31	-13	Pass	9002
12000	20000	1	RMS	19399	-33.54	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.92	-13	Pass	9701
1000	1840	1	RMS	1837	-52.27	-13	Pass	841
1840	1920	1	RMS	1905.2	22.28	60	Pass	401
1920	3000	1	RMS	2946	-49	-13	Pass	1081
3000	12000	1	RMS	11848	-41.27	-13	Pass	9002
12000	20000	1	RMS	19406	-33.58	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	1000	0.1	RMS	841.4	-63.82	-13	Pass	9701
1000	1840	1	RMS	1840	-47.51	-13	Pass	841
1840	1920	1	RMS	1850.4	22.88	60	Pass	401
1920	3000	1	RMS	2946	-49.06	-13	Pass	1081
3000	12000	1	RMS	11945	-41.26	-13	Pass	9002
12000	20000	1	RMS	19399	-33.57	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.55	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.9	-13	Pass	9701
1000	1840	1	RMS	1840	-46.98	-13	Pass	841
1840	1920	1	RMS	1850.4	22.07	60	Pass	401
1920	3000	1	RMS	2961	-49.07	-13	Pass	1081
3000	12000	1	RMS	11949	-41.3	-13	Pass	9002
12000	20000	1	RMS	19406	-33.54	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	837.9	-63.81	-13	Pass	9701
1000	1840	1	RMS	1837	-52.34	-13	Pass	841
1840	1920	1	RMS	1875.4	23.03	60	Pass	401
1920	3000	1	RMS	2942	-49.06	-13	Pass	1081
3000	12000	1	RMS	11966	-41.29	-13	Pass	9002
12000	20000	1	RMS	19405	-33.57	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	1000	0.1	RMS	842.9	-63.88	-13	Pass	9701
1000	1840	1	RMS	1840	-52.3	-13	Pass	841
1840	1920	1	RMS	1875.4	22.04	60	Pass	401
1920	3000	1	RMS	2958	-49.07	-13	Pass	1081
3000	12000	1	RMS	11846	-41.33	-13	Pass	9002
12000	20000	1	RMS	19411	-33.56	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	834.3	-63.82	-13	Pass	9701
1000	1840	1	RMS	1816	-52.36	-13	Pass	841
1840	1920	1	RMS	1900.4	22.91	60	Pass	401
1920	3000	1	RMS	2943	-49.06	-13	Pass	1081
3000	12000	1	RMS	11951	-41.3	-13	Pass	9002
12000	20000	1	RMS	19401	-33.55	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-50.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.78	-13	Pass	9701
1000	1840	1	RMS	1837	-52.33	-13	Pass	841
1840	1920	1	RMS	1900.4	22.1	60	Pass	401
1920	3000	1	RMS	2956	-49.09	-13	Pass	1081
3000	12000	1	RMS	11957	-41.28	-13	Pass	9002
12000	20000	1	RMS	19393	-33.6	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.85	-13	Pass	9701
1000	1840	1	RMS	1840	-46.48	-13	Pass	841
1840	1920	1	RMS	1850.8	22.98	60	Pass	401
1920	3000	1	RMS	2948	-49.07	-13	Pass	1081
3000	12000	1	RMS	11843	-41.31	-13	Pass	9002
12000	20000	1	RMS	19398	-33.54	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.68	-13	Pass	9701
1000	1840	1	RMS	1840	-46.67	-13	Pass	841
1840	1920	1	RMS	1850.8	22.11	60	Pass	401
1920	3000	1	RMS	2959	-49.06	-13	Pass	1081
3000	12000	1	RMS	11954	-41.29	-13	Pass	9002
12000	20000	1	RMS	19405	-33.53	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	Pass	2986
30	1000	0.1	RMS	860.908	-63.8	-13	Pass	9701
1000	1840	1	RMS	1837	-52.16	-13	Pass	841
1840	1920	1	RMS	1873.2	23.03	60	Pass	401
1920	3000	1	RMS	2952	-49.11	-13	Pass	1081
3000	12000	1	RMS	11850	-41.28	-13	Pass	9002
12000	20000	1	RMS	19401	-33.46	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.91	-13	Pass	9701
1000	1840	1	RMS	1840	-52.19	-13	Pass	841
1840	1920	1	RMS	1873.2	22.07	60	Pass	401
1920	3000	1	RMS	2940	-49.08	-13	Pass	1081
3000	12000	1	RMS	11946	-41.3	-13	Pass	9002
12000	20000	1	RMS	19402	-33.52	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-52.33	-13	Pass	841
1840	1920	1	RMS	1895.8	22.94	60	Pass	401
1920	3000	1	RMS	2956	-49.1	-13	Pass	1081
3000	12000	1	RMS	11847	-41.28	-13	Pass	9002
12000	20000	1	RMS	19397	-33.55	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.73	-13	Pass	9701
1000	1840	1	RMS	1839	-52.34	-13	Pass	841
1840	1920	1	RMS	1895.8	22.16	60	Pass	401
1920	3000	1	RMS	2944	-49.09	-13	Pass	1081
3000	12000	1	RMS	11950	-41.3	-13	Pass	9002
12000	20000	1	RMS	19404	-33.56	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	819.2	-63.91	-13	Pass	9701
1000	1840	1	RMS	1840	-47.38	-13	Pass	841
1840	1920	1	RMS	1851	22.94	60	Pass	401
1920	3000	1	RMS	2946	-49.07	-13	Pass	1081
3000	12000	1	RMS	11964	-41.36	-13	Pass	9002
12000	20000	1	RMS	19401	-33.57	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.81	-13	Pass	9701
1000	1840	1	RMS	1840	-47.5	-13	Pass	841
1840	1920	1	RMS	1851	22.19	60	Pass	401
1920	3000	1	RMS	2936	-49.07	-13	Pass	1081
3000	12000	1	RMS	11849	-41.34	-13	Pass	9002
12000	20000	1	RMS	19399	-33.53	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.8	-13	Pass	9701
1000	1840	1	RMS	1835	-52.1	-13	Pass	841
1840	1920	1	RMS	1871	23.05	60	Pass	401
1920	3000	1	RMS	2963	-49.1	-13	Pass	1081
3000	12000	1	RMS	11952	-41.34	-13	Pass	9002
12000	20000	1	RMS	19911	-33.56	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	833.5	-63.81	-13	Pass	9701
1000	1840	1	RMS	1836	-52.06	-13	Pass	841
1840	1920	1	RMS	1871	22.24	60	Pass	401
1920	3000	1	RMS	2959	-49.06	-13	Pass	1081
3000	12000	1	RMS	11969	-41.32	-13	Pass	9002
12000	20000	1	RMS	19401	-33.54	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2986
30	1000	0.1	RMS	829.8	-63.88	-13	Pass	9701
1000	1840	1	RMS	1838	-52.33	-13	Pass	841
1840	1920	1	RMS	1891	23	60	Pass	401
1920	3000	1	RMS	2957	-49.12	-13	Pass	1081
3000	12000	1	RMS	11848	-41.32	-13	Pass	9002
12000	20000	1	RMS	19399	-33.55	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-52.31	-13	Pass	841
1840	1920	1	RMS	1891	22	60	Pass	401
1920	3000	1	RMS	2958	-49.1	-13	Pass	1081
3000	12000	1	RMS	11849	-41.25	-13	Pass	9002
12000	20000	1	RMS	19400	-33.59	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2986
30	1000	0.1	RMS	843.5	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1765	1	RMS	1710.075	23.02	60	Pass	401
1765	3000	1	RMS	2952	-49.08	-13	Pass	1236
3000	12000	1	RMS	11945	-41.34	-13	Pass	9002
12000	20000	1	RMS	19409	-33.56	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.85	-13	Pass	9701
1000	1700	1	RMS	1700	-52.07	-13	Pass	701
1700	1765	1	RMS	1710.238	22.18	60	Pass	401
1765	3000	1	RMS	2958	-49.06	-13	Pass	1236
3000	12000	1	RMS	11966	-41.35	-13	Pass	9002
12000	20000	1	RMS	19398	-33.49	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	1000	0.1	RMS	825	-63.9	-13	Pass	9701
1000	1700	1	RMS	1698	-52.6	-13	Pass	701
1700	1765	1	RMS	1732.013	23.19	60	Pass	401
1765	3000	1	RMS	2943	-49.09	-13	Pass	1236
3000	12000	1	RMS	11951	-41.34	-13	Pass	9002
12000	20000	1	RMS	19402	-33.58	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	834.7	-63.88	-13	Pass	9701
1000	1700	1	RMS	1698	-52.6	-13	Pass	701
1700	1765	1	RMS	1732.013	22.28	60	Pass	401
1765	3000	1	RMS	2958	-49.07	-13	Pass	1236
3000	12000	1	RMS	11948	-41.3	-13	Pass	9002
12000	20000	1	RMS	19401	-33.59	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.85	-13	Pass	9701
1000	1700	1	RMS	1695	-52.63	-13	Pass	701
1700	1765	1	RMS	1753.788	23.15	60	Pass	401
1765	3000	1	RMS	2930	-49.01	-13	Pass	1236
3000	12000	1	RMS	11944	-41.37	-13	Pass	9002
12000	20000	1	RMS	19416	-33.58	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	866.411	-63.89	-13	Pass	9701
1000	1700	1	RMS	1699	-52.65	-13	Pass	701
1700	1765	1	RMS	1753.788	22.39	60	Pass	401
1765	3000	1	RMS	2957	-49.05	-13	Pass	1236
3000	12000	1	RMS	11952	-41.24	-13	Pass	9002
12000	20000	1	RMS	19409	-33.55	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	841.8	-63.86	-13	Pass	9701
1000	1700	1	RMS	1700	-51.69	-13	Pass	701
1700	1765	1	RMS	1710.238	23.18	60	Pass	401
1765	3000	1	RMS	2936	-49.04	-13	Pass	1236
3000	12000	1	RMS	11951	-41.35	-13	Pass	9002
12000	20000	1	RMS	19404	-33.53	-13	Pass	8001



9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	Pass	701
1700	1765	1	RMS	1710.238	22.39	60	Pass	401
1765	3000	1	RMS	2945	-49	-13	Pass	1236
3000	12000	1	RMS	11949	-41.32	-13	Pass	9002
12000	20000	1	RMS	19393	-33.6	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-54.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	857.706	-63.89	-13	Pass	9701
1000	1700	1	RMS	1698	-52.59	-13	Pass	701
1700	1765	1	RMS	1731.2	23.24	60	Pass	401
1765	3000	1	RMS	2942	-49.04	-13	Pass	1236
3000	12000	1	RMS	11963	-41.29	-13	Pass	9002
12000	20000	1	RMS	19404	-33.55	-13	Pass	8001

