


20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.98	-25	Pass	2986
30	1000	0.1	RMS	842.8	-60.14	-25	Pass	9701
1000	2525	1	RMS	2521	-46.59	-25	Pass	1526
2525	2665	1	RMS	2590.8	10.27	60	Pass	401
2665	3000	1	RMS	2675.05	-45	-25	Pass	401
3000	12000	1	RMS	11701	-50.04	-25	Pass	9002
12000	26500	1	RMS	26020	-35.21	-25	Pass	14502



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.48	-25	Pass	2986
30	1000	0.1	RMS	841.3	-59.99	-25	Pass	9701
1000	2525	1	RMS	2522	-45.93	-25	Pass	1526
2525	2665	1	RMS	2592.2	8.31	60	Pass	401
2665	3000	1	RMS	2665	-43.84	-25	Pass	401
3000	12000	1	RMS	11698	-49.97	-25	Pass	9002
12000	26500	1	RMS	26040	-35.09	-25	Pass	14502



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.07	-25	Pass	2986
30	1000	0.1	RMS	997.298	-60.13	-25	Pass	9701
1000	2525	1	RMS	2524	-46.58	-25	Pass	1526
2525	2665	1	RMS	2590.45	10.11	60	Pass	401
2665	3000	1	RMS	2946.4	-45.28	-25	Pass	401
3000	12000	1	RMS	11704	-50.04	-25	Pass	9002
12000	26500	1	RMS	26005	-35.16	-25	Pass	14502



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.46	-25	Pass	2986
30	1000	0.1	RMS	849.2	-60.01	-25	Pass	9701
1000	2525	1	RMS	2521	-46.16	-25	Pass	1526
2525	2665	1	RMS	2592.9	7.71	60	Pass	401
2665	3000	1	RMS	2665	-45.17	-25	Pass	401
3000	12000	1	RMS	11704	-49.91	-25	Pass	9002
12000	26500	1	RMS	26010	-35.1	-25	Pass	14502



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.63	-25	Pass	2986
30	1000	0.1	RMS	830.7	-60.07	-25	Pass	9701
1000	2525	1	RMS	2495	-45.18	-25	Pass	1526
2525	2665	1	RMS	2571.2	9.59	60	Pass	401
2665	3000	1	RMS	2957.288	-45.24	-25	Pass	401
3000	12000	1	RMS	11703	-50.04	-25	Pass	9002
12000	26500	1	RMS	26024	-35.18	-25	Pass	14502



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.47	-25	Pass	2986
30	1000	0.1	RMS	836.9	-60.07	-25	Pass	9701
1000	2525	1	RMS	2525	-40.8	-25	Pass	1526
2525	2665	1	RMS	2577.85	6.67	60	Pass	401
2665	3000	1	RMS	2665.838	-44.22	-25	Pass	401
3000	12000	1	RMS	11708	-49.99	-25	Pass	9002
12000	26500	1	RMS	26000	-35.18	-25	Pass	14502



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.1	-25	Pass	2986
30	1000	0.1	RMS	833.4	-60.08	-25	Pass	9701
1000	2525	1	RMS	2496	-44.14	-25	Pass	1526
2525	2665	1	RMS	2571.2	9.69	60	Pass	401
2665	3000	1	RMS	2958.125	-45.27	-25	Pass	401
3000	12000	1	RMS	11697	-49.96	-25	Pass	9002
12000	26500	1	RMS	25994	-35.14	-25	Pass	14502



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.14	-25	Pass	2986
30	1000	0.1	RMS	847.8	-59.93	-25	Pass	9701
1000	2525	1	RMS	2524	-43.35	-25	Pass	1526
2525	2665	1	RMS	2579.25	6.32	60	Pass	401
2665	3000	1	RMS	2665	-45.12	-25	Pass	401
3000	12000	1	RMS	11700	-49.88	-25	Pass	9002
12000	26500	1	RMS	26000	-35.13	-25	Pass	14502



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.48	-25	Pass	2986
30	1000	0.1	RMS	834.8	-60.02	-25	Pass	9701
1000	2525	1	RMS	2500	-45.55	-25	Pass	1526
2525	2665	1	RMS	2576.1	9.63	60	Pass	401
2665	3000	1	RMS	2953.1	-45.27	-25	Pass	401
3000	12000	1	RMS	11701	-49.97	-25	Pass	9002
12000	26500	1	RMS	25993	-35.19	-25	Pass	14502



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.95	-25	Pass	2986
30	1000	0.1	RMS	851.201	-60.12	-25	Pass	9701
1000	2525	1	RMS	2525	-42.24	-25	Pass	1526
2525	2665	1	RMS	2587.65	7.25	60	Pass	401
2665	3000	1	RMS	2665	-42.78	-25	Pass	401
3000	12000	1	RMS	11699	-49.97	-25	Pass	9002
12000	26500	1	RMS	25992	-35.23	-25	Pass	14502



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.82	-25	Pass	2986
30	1000	0.1	RMS	842.1	-59.93	-25	Pass	9701
1000	2525	1	RMS	2501	-43.07	-25	Pass	1526
2525	2665	1	RMS	2613.55	9.36	60	Pass	401
2665	3000	1	RMS	2688.45	-45.03	-25	Pass	401
3000	12000	1	RMS	11701	-50.01	-25	Pass	9002
12000	26500	1	RMS	25999	-35.18	-25	Pass	14502



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.84	-25	Pass	2986
30	1000	0.1	RMS	857.806	-60.09	-25	Pass	9701
1000	2525	1	RMS	2524	-44.03	-25	Pass	1526
2525	2665	1	RMS	2584.5	5.88	60	Pass	401
2665	3000	1	RMS	2665.838	-43.96	-25	Pass	401
3000	12000	1	RMS	11705	-49.98	-25	Pass	9002
12000	26500	1	RMS	25995	-35.16	-25	Pass	14502



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.74	-25	Pass	2986
30	1000	0.1	RMS	829.4	-60.06	-25	Pass	9701
1000	2525	1	RMS	2506	-44.89	-25	Pass	1526
2525	2665	1	RMS	2581	10.35	60	Pass	401
2665	3000	1	RMS	2944.725	-45.27	-25	Pass	401
3000	12000	1	RMS	11705	-50.02	-25	Pass	9002
12000	26500	1	RMS	26010	-35.18	-25	Pass	14502



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.9	-25	Pass	2986
30	1000	0.1	RMS	833.9	-60.15	-25	Pass	9701
1000	2525	1	RMS	2524	-44.16	-25	Pass	1526
2525	2665	1	RMS	2590.8	7.42	60	Pass	401
2665	3000	1	RMS	2665	-40.98	-25	Pass	401
3000	12000	1	RMS	11702	-49.99	-25	Pass	9002
12000	26500	1	RMS	26012	-35.13	-25	Pass	14502



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.48	-25	Pass	2986
30	1000	0.1	RMS	850.501	-60.12	-25	Pass	9701
1000	2525	1	RMS	2506	-44.94	-25	Pass	1526
2525	2665	1	RMS	2581.35	10.09	60	Pass	401
2665	3000	1	RMS	2693.475	-45.19	-25	Pass	401
3000	12000	1	RMS	11700	-49.94	-25	Pass	9002
12000	26500	1	RMS	26014	-35.08	-25	Pass	14502



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	Pass	2986
30	1000	0.1	RMS	848	-60.06	-25	Pass	9701
1000	2525	1	RMS	2525	-44.77	-25	Pass	1526
2525	2665	1	RMS	2586.25	5.89	60	Pass	401
2665	3000	1	RMS	2665	-43.01	-25	Pass	401
3000	12000	1	RMS	11697	-50.06	-25	Pass	9002
12000	26500	1	RMS	26012	-35.18	-25	Pass	14502




21. CA_41C_full

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.76	-25	Pass	2986
30	1000	0.1	RMS	841.4	-60.11	-25	Pass	9701
1000	2475	1	RMS	2474	-32.29	-25	Pass	1476
2475	2735	1	RMS	2519.2	9.65	60	Pass	401
2735	3000	1	RMS	2958.263	-45.29	-25	Pass	401
3000	12000	1	RMS	11702	-50.05	-25	Pass	9002
12000	27000	1	RMS	26014	-35.22	-25	Pass	15002



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	Pass	2986
30	1000	0.1	RMS	844.6	-60.13	-25	Pass	9701
1000	2475	1	RMS	2475	-41.23	-25	Pass	1476
2475	2735	1	RMS	2517.25	13.17	60	Pass	401
2735	3000	1	RMS	2956.938	-45.27	-25	Pass	401
3000	12000	1	RMS	11706	-49.96	-25	Pass	9002
12000	27000	1	RMS	26022	-35.11	-25	Pass	15002



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.04	-25	Pass	2986
30	1000	0.1	RMS	853.603	-60.02	-25	Pass	9701
1000	2475	1	RMS	2474	-35.09	-25	Pass	1476
2475	2735	1	RMS	2519.85	9.39	60	Pass	401
2735	3000	1	RMS	2954.288	-45.3	-25	Pass	401
3000	12000	1	RMS	11704	-49.96	-25	Pass	9002
12000	27000	1	RMS	25992	-35.11	-25	Pass	15002



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.79	-25	Pass	2986
30	1000	0.1	RMS	840.6	-60.14	-25	Pass	9701
1000	2475	1	RMS	2474	-41.94	-25	Pass	1476
2475	2735	1	RMS	2516.6	12.12	60	Pass	401
2735	3000	1	RMS	2967.538	-45.28	-25	Pass	401
3000	12000	1	RMS	11702	-49.95	-25	Pass	9002
12000	27000	1	RMS	26008	-35.14	-25	Pass	15002



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.56	-25	Pass	2986
30	1000	0.1	RMS	843.3	-60.17	-25	Pass	9701
1000	2475	1	RMS	2475	-46.89	-25	Pass	1476
2475	2735	1	RMS	2581.6	9.55	60	Pass	401
2735	3000	1	RMS	2953.625	-45.27	-25	Pass	401
3000	12000	1	RMS	11701	-49.97	-25	Pass	9002
12000	27000	1	RMS	26001	-35.07	-25	Pass	15002



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.96	-25	Pass	2986
30	1000	0.1	RMS	854.404	-60.08	-25	Pass	9701
1000	2475	1	RMS	2473	-46.96	-25	Pass	1476
2475	2735	1	RMS	2601.1	13.25	60	Pass	401
2735	3000	1	RMS	2964.225	-45.28	-25	Pass	401
3000	12000	1	RMS	11712	-49.94	-25	Pass	9002
12000	27000	1	RMS	26001	-35.13	-25	Pass	15002



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.77	-25	Pass	2986
30	1000	0.1	RMS	829.8	-60.08	-25	Pass	9701
1000	2475	1	RMS	2470	-46.97	-25	Pass	1476
2475	2735	1	RMS	2581.6	9.94	60	Pass	401
2735	3000	1	RMS	2967.538	-45.25	-25	Pass	401
3000	12000	1	RMS	11702	-49.95	-25	Pass	9002
12000	27000	1	RMS	26016	-35.11	-25	Pass	15002



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.17	-25	Pass	2986
30	1000	0.1	RMS	825.8	-60.1	-25	Pass	9701
1000	2475	1	RMS	2473	-46.95	-25	Pass	1476
2475	2735	1	RMS	2601.75	11.85	60	Pass	401
2735	3000	1	RMS	2953.625	-45.29	-25	Pass	401
3000	12000	1	RMS	11699	-50.04	-25	Pass	9002
12000	27000	1	RMS	26022	-35.13	-25	Pass	15002



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	Pass	2986
30	1000	0.1	RMS	830.5	-60.1	-25	Pass	9701
1000	2475	1	RMS	2467	-46.95	-25	Pass	1476
2475	2735	1	RMS	2665.45	10.3	60	Pass	401
2735	3000	1	RMS	2956.938	-45.26	-25	Pass	401
3000	12000	1	RMS	11698	-50.03	-25	Pass	9002
12000	27000	1	RMS	26000	-35.1	-25	Pass	15002



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.99	-25	Pass	2986
30	1000	0.1	RMS	851.201	-60.17	-25	Pass	9701
1000	2475	1	RMS	2474	-46.87	-25	Pass	1476
2475	2735	1	RMS	2686.25	12.45	60	Pass	401
2735	3000	1	RMS	2947	-45.27	-25	Pass	401
3000	12000	1	RMS	11695	-49.94	-25	Pass	9002
12000	27000	1	RMS	25997	-35.17	-25	Pass	15002



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.81	-25	Pass	2986
30	1000	0.1	RMS	854.203	-60.11	-25	Pass	9701
1000	2475	1	RMS	2472	-46.95	-25	Pass	1476
2475	2735	1	RMS	2666.1	9.77	60	Pass	401
2735	3000	1	RMS	2950.313	-45.29	-25	Pass	401
3000	12000	1	RMS	11998	-50	-25	Pass	9002
12000	27000	1	RMS	26000	-35.1	-25	Pass	15002



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.22	-25	Pass	2986
30	1000	0.1	RMS	830.1	-60.04	-25	Pass	9701
1000	2475	1	RMS	2470	-46.95	-25	Pass	1476
2475	2735	1	RMS	2685.6	11.81	60	Pass	401
2735	3000	1	RMS	2947	-45.28	-25	Pass	401
3000	12000	1	RMS	12000	-49.98	-25	Pass	9002
12000	27000	1	RMS	26000	-35.04	-25	Pass	15002



21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.97	-25	Pass	2986
30	1000	0.1	RMS	852.702	-59.99	-25	Pass	9701
1000	2475	1	RMS	2463	-46.91	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.07	60	Pass	401
2735	3000	1	RMS	2955.613	-45.28	-25	Pass	401
3000	12000	1	RMS	11704	-50.01	-25	Pass	9002
12000	27000	1	RMS	26001	-35.1	-25	Pass	15002



21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.11	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.03	-25	Pass	2986
30	1000	0.1	RMS	847.8	-60.17	-25	Pass	9701
1000	2475	1	RMS	2475	-35.09	-25	Pass	1476
2475	2735	1	RMS	2524.4	6.82	60	Pass	401
2735	3000	1	RMS	2952.3	-45.28	-25	Pass	401
3000	12000	1	RMS	11699	-49.99	-25	Pass	9002
12000	27000	1	RMS	25994	-35.14	-25	Pass	15002



21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	Pass	2986
30	1000	0.1	RMS	845.8	-60.05	-25	Pass	9701
1000	2475	1	RMS	2475	-46.94	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.02	60	Pass	401
2735	3000	1	RMS	2947.663	-45.28	-25	Pass	401
3000	12000	1	RMS	11701	-49.93	-25	Pass	9002
12000	27000	1	RMS	26006	-35.15	-25	Pass	15002



21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.57	-25	Pass	2986
30	1000	0.1	RMS	841.1	-60.06	-25	Pass	9701
1000	2475	1	RMS	2474	-38.49	-25	Pass	1476
2475	2735	1	RMS	2524.4	6.41	60	Pass	401
2735	3000	1	RMS	2948.988	-45.29	-25	Pass	401
3000	12000	1	RMS	11701	-49.98	-25	Pass	9002
12000	27000	1	RMS	26021	-35.09	-25	Pass	15002



21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.53	-25	Pass	2986
30	1000	0.1	RMS	836.3	-60.01	-25	Pass	9701
1000	2475	1	RMS	2473	-46.93	-25	Pass	1476
2475	2735	1	RMS	2573.8	9.16	60	Pass	401
2735	3000	1	RMS	2949.65	-45.26	-25	Pass	401
3000	12000	1	RMS	11709	-49.97	-25	Pass	9002
12000	27000	1	RMS	26002	-35.05	-25	Pass	15002



21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	Pass	2986
30	1000	0.1	RMS	866.712	-60.1	-25	Pass	9701
1000	2475	1	RMS	2475	-46.87	-25	Pass	1476
2475	2735	1	RMS	2583.55	6.71	60	Pass	401
2735	3000	1	RMS	2952.963	-45.26	-25	Pass	401
3000	12000	1	RMS	11714	-49.95	-25	Pass	9002
12000	27000	1	RMS	26000	-35.17	-25	Pass	15002



21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.05	-25	Pass	2986
30	1000	0.1	RMS	843.8	-60.16	-25	Pass	9701
1000	2475	1	RMS	2475	-46.92	-25	Pass	1476
2475	2735	1	RMS	2573.8	9.93	60	Pass	401
2735	3000	1	RMS	2956.938	-45.26	-25	Pass	401
3000	12000	1	RMS	11702	-49.99	-25	Pass	9002
12000	27000	1	RMS	26026	-35.21	-25	Pass	15002



21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	Pass	2986
30	1000	0.1	RMS	848.6	-59.94	-25	Pass	9701
1000	2475	1	RMS	2469	-46.94	-25	Pass	1476
2475	2735	1	RMS	2582.25	6.63	60	Pass	401
2735	3000	1	RMS	2964.888	-45.29	-25	Pass	401
3000	12000	1	RMS	11693	-50.02	-25	Pass	9002
12000	27000	1	RMS	25995	-35.02	-25	Pass	15002



21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.09	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.31	-25	Pass	2986
30	1000	0.1	RMS	843.2	-60.09	-25	Pass	9701
1000	2475	1	RMS	2475	-46.88	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.62	60	Pass	401
2735	3000	1	RMS	2945.013	-45.27	-25	Pass	401
3000	12000	1	RMS	11999	-49.97	-25	Pass	9002
12000	27000	1	RMS	25999	-35.12	-25	Pass	15002



21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.42	-25	Pass	2986
30	1000	0.1	RMS	851.301	-60.14	-25	Pass	9701
1000	2475	1	RMS	2474	-46.88	-25	Pass	1476
2475	2735	1	RMS	2657	7.79	60	Pass	401
2735	3000	1	RMS	2950.975	-45.29	-25	Pass	401
3000	12000	1	RMS	11700	-49.97	-25	Pass	9002
12000	27000	1	RMS	25998	-35.1	-25	Pass	15002



21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.26	-25	Pass	2986
30	1000	0.1	RMS	845.4	-59.99	-25	Pass	9701
1000	2475	1	RMS	2457	-46.7	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.58	60	Pass	401
2735	3000	1	RMS	2956.938	-45.29	-25	Pass	401
3000	12000	1	RMS	11702	-50.02	-25	Pass	9002
12000	27000	1	RMS	25999	-35.1	-25	Pass	15002



21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.96	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.36	-25	Pass	2986
30	1000	0.1	RMS	835.2	-59.97	-25	Pass	9701
1000	2475	1	RMS	2468	-46.9	-25	Pass	1476
2475	2735	1	RMS	2659.6	7.15	60	Pass	401
2735	3000	1	RMS	2958.263	-45.28	-25	Pass	401
3000	12000	1	RMS	11700	-50	-25	Pass	9002
12000	27000	1	RMS	25999	-35.14	-25	Pass	15002



22. n5


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.88	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.83	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.9	-13	Pass	7841
814	859	0.1	RMS	824.3	18.07	60	Pass	451
859	1000	0.1	RMS	932.9	-62.42	-13	Pass	1411
1000	3000	1	RMS	2961	-47.64	-13	Pass	2001
3000	10000	1	RMS	7043	-57.32	-13	Pass	7001




**22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.48	-13	Pass	401
0.15	30	0.01	RMS	0.37	-71.73	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.38	-13	Pass	7841
814	859	0.1	RMS	828.7	17.69	60	Pass	451
859	1000	0.1	RMS	883.3	-62.19	-13	Pass	1411
1000	3000	1	RMS	2955	-47.65	-13	Pass	2001
3000	10000	1	RMS	7100	-58.99	-13	Pass	7001




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.91	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.22	-13	Pass	2986
30	814	0.1	RMS	814	-50.48	-13	Pass	7841
814	859	0.1	RMS	826.3	5.15	60	Pass	451
859	1000	0.1	RMS	869.7	-62.31	-13	Pass	1411
1000	3000	1	RMS	2968	-47.72	-13	Pass	2001
3000	10000	1	RMS	9999	-58.92	-13	Pass	7001




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.96	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.62	-13	Pass	2986
30	814	0.1	RMS	358.5	-61.27	-13	Pass	7841
814	859	0.1	RMS	834.3	18.17	60	Pass	451
859	1000	0.1	RMS	865.3	-62.43	-13	Pass	1411
1000	3000	1	RMS	2963	-47.62	-13	Pass	2001
3000	10000	1	RMS	9998	-58.86	-13	Pass	7001




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-13	Pass	2986
30	814	0.1	RMS	747.5	-61.33	-13	Pass	7841
814	859	0.1	RMS	838.7	17.64	60	Pass	451
859	1000	0.1	RMS	918.8	-62.29	-13	Pass	1411
1000	3000	1	RMS	2973	-47.72	-13	Pass	2001
3000	10000	1	RMS	9997	-58.93	-13	Pass	7001




22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.79	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.52	-13	Pass	2986
30	814	0.1	RMS	813.9	-62	-13	Pass	7841
814	859	0.1	RMS	835.7	5.09	60	Pass	451
859	1000	0.1	RMS	893.1	-62.18	-13	Pass	1411
1000	3000	1	RMS	2960	-47.58	-13	Pass	2001
3000	10000	1	RMS	9976	-58.95	-13	Pass	7001




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.79	-13	Pass	2986
30	814	0.1	RMS	742.7	-62.82	-13	Pass	7841
814	859	0.1	RMS	844.3	18.13	60	Pass	451
859	1000	0.1	RMS	992.3	-62.34	-13	Pass	1411
1000	3000	1	RMS	2963	-47.74	-13	Pass	2001
3000	10000	1	RMS	7045	-56.64	-13	Pass	7001




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.9	-13	Pass	2986
30	814	0.1	RMS	754	-62.84	-13	Pass	7841
814	859	0.1	RMS	848.6	17.59	60	Pass	451
859	1000	0.1	RMS	992.5	-62.33	-13	Pass	1411
1000	3000	1	RMS	2961	-47.55	-13	Pass	2001
3000	10000	1	RMS	10000	-59.02	-13	Pass	7001




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.06	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.35	-13	Pass	2986
30	814	0.1	RMS	625.8	-62.8	-13	Pass	7841
814	859	0.1	RMS	844.7	5.55	60	Pass	451
859	1000	0.1	RMS	897.8	-62.25	-13	Pass	1411
1000	3000	1	RMS	2959	-47.66	-13	Pass	2001
3000	10000	1	RMS	7101	-58.99	-13	Pass	7001




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.49	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.57	-13	Pass	2986
30	814	0.1	RMS	811.8	-56.42	-13	Pass	7841
814	859	0.1	RMS	824.5	18.19	60	Pass	451
859	1000	0.1	RMS	884.5	-62.32	-13	Pass	1411
1000	3000	1	RMS	2960	-47.71	-13	Pass	2001
3000	10000	1	RMS	10000	-59.05	-13	Pass	7001




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2986
30	814	0.1	RMS	810.5	-55.97	-13	Pass	7841
814	859	0.1	RMS	838.5	18.42	60	Pass	451
859	1000	0.1	RMS	904.4	-62.39	-13	Pass	1411
1000	3000	1	RMS	2961	-47.76	-13	Pass	2001
3000	10000	1	RMS	9992	-58.86	-13	Pass	7001




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.63	-13	Pass	401
0.15	30	0.01	RMS	0.39	-71.64	-13	Pass	2986
30	814	0.1	RMS	813.8	-39.78	-13	Pass	7841
814	859	0.1	RMS	824.8	0.98	60	Pass	451
859	1000	0.1	RMS	891.4	-62.17	-13	Pass	1411
1000	3000	1	RMS	2961	-47.67	-13	Pass	2001
3000	10000	1	RMS	9998	-58.96	-13	Pass	7001




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2986
30	814	0.1	RMS	813.6	-57.43	-13	Pass	7841
814	859	0.1	RMS	829.5	18.17	60	Pass	451
859	1000	0.1	RMS	899.6	-62.31	-13	Pass	1411
1000	3000	1	RMS	2956	-47.71	-13	Pass	2001
3000	10000	1	RMS	7039	-56.4	-13	Pass	7001



22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.41	-13	Pass	401
0.15	30	0.01	RMS	0.62	-71.29	-13	Pass	2986
30	814	0.1	RMS	813.1	-57.79	-13	Pass	7841
814	859	0.1	RMS	843.5	18.42	60	Pass	451
859	1000	0.1	RMS	895.6	-62.21	-13	Pass	1411
1000	3000	1	RMS	2965	-47.74	-13	Pass	2001
3000	10000	1	RMS	9995	-59.02	-13	Pass	7001




**22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2986
30	814	0.1	RMS	814	-43.2	-13	Pass	7841
814	859	0.1	RMS	842.5	0.94	60	Pass	451
859	1000	0.1	RMS	913.9	-62.33	-13	Pass	1411
1000	3000	1	RMS	2958	-47.66	-13	Pass	2001
3000	10000	1	RMS	10000	-58.97	-13	Pass	7001




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.18	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.38	-13	Pass	2986
30	814	0.1	RMS	811.4	-58.08	-13	Pass	7841
814	859	0.1	RMS	834.5	18.13	60	Pass	451
859	1000	0.1	RMS	897.8	-62.34	-13	Pass	1411
1000	3000	1	RMS	2960	-47.71	-13	Pass	2001
3000	10000	1	RMS	10000	-58.93	-13	Pass	7001




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.47	-13	Pass	7841
814	859	0.1	RMS	848.5	18.26	60	Pass	451
859	1000	0.1	RMS	911.5	-62.32	-13	Pass	1411
1000	3000	1	RMS	2963	-47.7	-13	Pass	2001
3000	10000	1	RMS	9998	-58.92	-13	Pass	7001




22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.29	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.32	-13	Pass	2986
30	814	0.1	RMS	814	-45.83	-13	Pass	7841
814	859	0.1	RMS	842.1	0.46	60	Pass	451
859	1000	0.1	RMS	875.7	-62.46	-13	Pass	1411
1000	3000	1	RMS	2957	-47.7	-13	Pass	2001
3000	10000	1	RMS	9996	-59.03	-13	Pass	7001




22.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	814	0.1	RMS	813.1	-57.16	-13	Pass	7841
814	859	0.1	RMS	824.5	17.92	60	Pass	451
859	1000	0.1	RMS	914.5	-62.44	-13	Pass	1411
1000	3000	1	RMS	2961	-47.72	-13	Pass	2001
3000	10000	1	RMS	7033	-56.67	-13	Pass	7001




22.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2986
30	814	0.1	RMS	812.7	-44.81	-13	Pass	7841
814	859	0.1	RMS	843.4	17.98	60	Pass	451
859	1000	0.1	RMS	985.2	-62.47	-13	Pass	1411
1000	3000	1	RMS	2954	-47.73	-13	Pass	2001
3000	10000	1	RMS	10000	-59.03	-13	Pass	7001




22.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.12	-13	Pass	401
0.15	30	0.01	RMS	0.41	-71	-13	Pass	2986
30	814	0.1	RMS	812.6	-37	-13	Pass	7841
814	859	0.1	RMS	825.4	0.17	60	Pass	451
859	1000	0.1	RMS	888.9	-62.48	-13	Pass	1411
1000	3000	1	RMS	2958	-47.71	-13	Pass	2001
3000	10000	1	RMS	9998	-58.99	-13	Pass	7001




22.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.6	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.61	-13	Pass	2986
30	814	0.1	RMS	808.1	-57.73	-13	Pass	7841
814	859	0.1	RMS	827	18.01	60	Pass	451
859	1000	0.1	RMS	885.7	-62.5	-13	Pass	1411
1000	3000	1	RMS	2959	-47.67	-13	Pass	2001
3000	10000	1	RMS	9998	-59.01	-13	Pass	7001




22.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.49	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	Pass	2986
30	814	0.1	RMS	812.3	-50.86	-13	Pass	7841
814	859	0.1	RMS	845.9	17.96	60	Pass	451
859	1000	0.1	RMS	911.7	-62.42	-13	Pass	1411
1000	3000	1	RMS	2957	-47.73	-13	Pass	2001
3000	10000	1	RMS	9999	-59	-13	Pass	7001




**22.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.5	-13	Pass	401
0.15	30	0.01	RMS	0.4	-71.45	-13	Pass	2986
30	814	0.1	RMS	813.9	-36.53	-13	Pass	7841
814	859	0.1	RMS	827.2	-0.25	60	Pass	451
859	1000	0.1	RMS	987.4	-62.46	-13	Pass	1411
1000	3000	1	RMS	2960	-47.74	-13	Pass	2001
3000	10000	1	RMS	9994	-59.01	-13	Pass	7001




22.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	814	0.1	RMS	810.6	-54.68	-13	Pass	7841
814	859	0.1	RMS	829.5	17.9	60	Pass	451
859	1000	0.1	RMS	886	-62.38	-13	Pass	1411
1000	3000	1	RMS	2960	-47.71	-13	Pass	2001
3000	10000	1	RMS	7032	-55.81	-13	Pass	7001




22.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	814	0.1	RMS	810.7	-57.51	-13	Pass	7841
814	859	0.1	RMS	848.4	17.91	60	Pass	451
859	1000	0.1	RMS	868.1	-62.2	-13	Pass	1411
1000	3000	1	RMS	2959	-47.73	-13	Pass	2001
3000	10000	1	RMS	9998	-58.84	-13	Pass	7001



**22.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:106, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	Pass	2986
30	814	0.1	RMS	812.3	-39.61	-13	Pass	7841
814	859	0.1	RMS	842.9	-0.79	60	Pass	451
859	1000	0.1	RMS	880.9	-62.48	-13	Pass	1411
1000	3000	1	RMS	2962	-47.74	-13	Pass	2001
3000	10000	1	RMS	9999	-59.03	-13	Pass	7001



23. n7


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.44	-69.26	-25	Pass	2986
30	1000	0.1	RMS	982.989	-60.05	-25	Pass	9701
1000	2490	1	RMS	2490	-48.72	-25	Pass	1491
2490	2580	1	RMS	2500.35	19.3	60	Pass	401
2580	3000	1	RMS	2973	-47.65	-25	Pass	421
3000	6500	1	RMS	5001	-61.75	-25	Pass	3501
6500	26500	1	RMS	25112	-49.1	-25	Pass	20003




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.48	-25	Pass	2986
30	1000	0.1	RMS	985.19	-59.95	-25	Pass	9701
1000	2490	1	RMS	2490	-48.72	-25	Pass	1491
2490	2580	1	RMS	2504.625	19.35	60	Pass	401
2580	3000	1	RMS	2960	-47.69	-25	Pass	421
3000	6500	1	RMS	5009	-60.73	-25	Pass	3501
6500	26500	1	RMS	24062	-49.46	-25	Pass	20003




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-25	Pass	401
0.15	30	0.01	RMS	1.39	-68.36	-25	Pass	2986
30	1000	0.1	RMS	859.907	-60.1	-25	Pass	9701
1000	2490	1	RMS	2490	-47.54	-25	Pass	1491
2490	2580	1	RMS	2502.375	13.28	60	Pass	401
2580	3000	1	RMS	2978	-47.7	-25	Pass	421
3000	6500	1	RMS	6384	-63.52	-25	Pass	3501
6500	26500	1	RMS	25103	-49.45	-25	Pass	20003




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.3	-25	Pass	2986
30	1000	0.1	RMS	633.3	-59.86	-25	Pass	9701
1000	2490	1	RMS	2490	-48.95	-25	Pass	1491
2490	2580	1	RMS	2532.75	19.26	60	Pass	401
2580	3000	1	RMS	2960	-47.66	-25	Pass	421
3000	6500	1	RMS	5066	-62.58	-25	Pass	3501
6500	26500	1	RMS	24099	-49.37	-25	Pass	20003



**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.35	-67.95	-25	Pass	2986
30	1000	0.1	RMS	488	-59.64	-25	Pass	9701
1000	2490	1	RMS	2488	-48.74	-25	Pass	1491
2490	2580	1	RMS	2537.25	19.27	60	Pass	401
2580	3000	1	RMS	2967	-47.61	-25	Pass	421
3000	6500	1	RMS	6362	-63.66	-25	Pass	3501
6500	26500	1	RMS	25128	-49.38	-25	Pass	20003



23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.43	-68.56	-25	Pass	2986
30	1000	0.1	RMS	846.1	-59.36	-25	Pass	9701
1000	2490	1	RMS	2487	-48.82	-25	Pass	1491
2490	2580	1	RMS	2535.675	13.25	60	Pass	401
2580	3000	1	RMS	2969	-47.59	-25	Pass	421
3000	6500	1	RMS	6206	-63.36	-25	Pass	3501
6500	26500	1	RMS	24120	-49.16	-25	Pass	20003

