



**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-25	Pass	401
0.15	30	0.01	RMS	27.15	-69.34	-25	Pass	2986
30	1000	0.1	RMS	939.76	-59.04	-25	Pass	9701
1000	2490	1	RMS	2488	-48.95	-25	Pass	1491
2490	2580	1	RMS	2565.375	19.21	60	Pass	401
2580	3000	1	RMS	2939	-47.66	-25	Pass	421
3000	6500	1	RMS	5131	-61.56	-25	Pass	3501
6500	26500	1	RMS	25405	-49.33	-25	Pass	20003




**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.33	-69.08	-25	Pass	2986
30	1000	0.1	RMS	787.2	-59.99	-25	Pass	9701
1000	2490	1	RMS	2489	-48.85	-25	Pass	1491
2490	2580	1	RMS	2569.65	19.27	60	Pass	401
2580	3000	1	RMS	2959	-47.58	-25	Pass	421
3000	6500	1	RMS	5139	-58.9	-25	Pass	3501
6500	26500	1	RMS	25103	-49.33	-25	Pass	20003




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-74.59	-25	Pass	401
0.15	30	0.01	RMS	7.65	-68.65	-25	Pass	2986
30	1000	0.1	RMS	824.4	-60.09	-25	Pass	9701
1000	2490	1	RMS	2489	-48.89	-25	Pass	1491
2490	2580	1	RMS	2568.525	13.2	60	Pass	401
2580	3000	1	RMS	2580	-45.48	-25	Pass	421
3000	6500	1	RMS	5135	-63.36	-25	Pass	3501
6500	26500	1	RMS	25090	-49.27	-25	Pass	20003




**23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.84	-25	Pass	2986
30	1000	0.1	RMS	723.6	-60.09	-25	Pass	9701
1000	2490	1	RMS	2489	-46.77	-25	Pass	1491
2490	2580	1	RMS	2500.575	19.31	60	Pass	401
2580	3000	1	RMS	2968	-47.66	-25	Pass	421
3000	6500	1	RMS	5001	-62.17	-25	Pass	3501
6500	26500	1	RMS	25088	-49.03	-25	Pass	20003




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.36	-67.46	-25	Pass	2986
30	1000	0.1	RMS	904.537	-59.86	-25	Pass	9701
1000	2490	1	RMS	2490	-46.73	-25	Pass	1491
2490	2580	1	RMS	2524.425	19.27	60	Pass	401
2580	3000	1	RMS	2953	-47.53	-25	Pass	421
3000	6500	1	RMS	5049	-63.12	-25	Pass	3501
6500	26500	1	RMS	24085	-49.33	-25	Pass	20003




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.59	-69.45	-25	Pass	2986
30	1000	0.1	RMS	884.624	-59.82	-25	Pass	9701
1000	2490	1	RMS	2490	-40.62	-25	Pass	1491
2490	2580	1	RMS	2513.625	6.08	60	Pass	401
2580	3000	1	RMS	2962	-47.76	-25	Pass	421
3000	6500	1	RMS	6394	-63.69	-25	Pass	3501
6500	26500	1	RMS	25101	-48.95	-25	Pass	20003




**23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-25	Pass	401
0.15	30	0.01	RMS	2.53	-69.2	-25	Pass	2986
30	1000	0.1	RMS	885.624	-60.13	-25	Pass	9701
1000	2490	1	RMS	2489	-48.86	-25	Pass	1491
2490	2580	1	RMS	2523.075	19.18	60	Pass	401
2580	3000	1	RMS	2962	-47.69	-25	Pass	421
3000	6500	1	RMS	5046	-61.82	-25	Pass	3501
6500	26500	1	RMS	24115	-49.25	-25	Pass	20003



**23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.42	-66.33	-25	Pass	2986
30	1000	0.1	RMS	887.225	-60.28	-25	Pass	9701
1000	2490	1	RMS	2488	-48.71	-25	Pass	1491
2490	2580	1	RMS	2546.925	19.11	60	Pass	401
2580	3000	1	RMS	2962	-47.6	-25	Pass	421
3000	6500	1	RMS	5094	-62.41	-25	Pass	3501
6500	26500	1	RMS	25102	-49.01	-25	Pass	20003






**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.39	-25	Pass	401
0.15	30	0.01	RMS	24.26	-69.28	-25	Pass	2986
30	1000	0.1	RMS	950.367	-59.98	-25	Pass	9701
1000	2490	1	RMS	2490	-47.35	-25	Pass	1491
2490	2580	1	RMS	2525.55	5.91	60	Pass	401
2580	3000	1	RMS	2580	-46.42	-25	Pass	421
3000	6500	1	RMS	6367	-63.49	-25	Pass	3501
6500	26500	1	RMS	25757	-49.47	-25	Pass	20003




**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-25	Pass	401
0.15	30	0.01	RMS	0.66	-69.7	-25	Pass	2986
30	1000	0.1	RMS	609.6	-59.76	-25	Pass	9701
1000	2490	1	RMS	2485	-48.9	-25	Pass	1491
2490	2580	1	RMS	2545.575	19.13	60	Pass	401
2580	3000	1	RMS	2580	-46.2	-25	Pass	421
3000	6500	1	RMS	5091	-61.31	-25	Pass	3501
6500	26500	1	RMS	25093	-49.34	-25	Pass	20003




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.09	-25	Pass	2986
30	1000	0.1	RMS	592.8	-59.9	-25	Pass	9701
1000	2490	1	RMS	2464	-48.12	-25	Pass	1491
2490	2580	1	RMS	2569.425	19.09	60	Pass	401
2580	3000	1	RMS	2581	-45.65	-25	Pass	421
3000	6500	1	RMS	5139	-58.24	-25	Pass	3501
6500	26500	1	RMS	25857	-49.45	-25	Pass	20003




**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.97	-25	Pass	2986
30	1000	0.1	RMS	743.2	-59.35	-25	Pass	9701
1000	2490	1	RMS	2486	-48.53	-25	Pass	1491
2490	2580	1	RMS	2548.5	6.48	60	Pass	401
2580	3000	1	RMS	2580	-39.33	-25	Pass	421
3000	6500	1	RMS	6389	-63.45	-25	Pass	3501
6500	26500	1	RMS	24113	-49.27	-25	Pass	20003




**23.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.11	-25	Pass	2986
30	1000	0.1	RMS	912.542	-60.17	-25	Pass	9701
1000	2490	1	RMS	2490	-45.87	-25	Pass	1491
2490	2580	1	RMS	2500.8	19.11	60	Pass	401
2580	3000	1	RMS	2975	-47.69	-25	Pass	421
3000	6500	1	RMS	5002	-62.61	-25	Pass	3501
6500	26500	1	RMS	24126	-49.31	-25	Pass	20003




**23.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-25	Pass	401
0.15	30	0.01	RMS	22.57	-69.06	-25	Pass	2986
30	1000	0.1	RMS	827.5	-60.14	-25	Pass	9701
1000	2490	1	RMS	2488	-47.94	-25	Pass	1491
2490	2580	1	RMS	2549.175	19.21	60	Pass	401
2580	3000	1	RMS	2968	-47.68	-25	Pass	421
3000	6500	1	RMS	5098	-60.76	-25	Pass	3501
6500	26500	1	RMS	24129	-49.24	-25	Pass	20003




**23.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-25	Pass	2986
30	1000	0.1	RMS	627.1	-60.23	-25	Pass	9701
1000	2490	1	RMS	2490	-42.5	-25	Pass	1491
2490	2580	1	RMS	2513.175	3.37	60	Pass	401
2580	3000	1	RMS	2580	-43.59	-25	Pass	421
3000	6500	1	RMS	6392	-63.5	-25	Pass	3501
6500	26500	1	RMS	25435	-49.61	-25	Pass	20003



**23.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-25	Pass	401
0.15	30	0.01	RMS	23.26	-69.72	-25	Pass	2986
30	1000	0.1	RMS	916.645	-59.43	-25	Pass	9701
1000	2490	1	RMS	2487	-48.25	-25	Pass	1491
2490	2580	1	RMS	2510.7	19.15	60	Pass	401
2580	3000	1	RMS	2964	-47.64	-25	Pass	421
3000	6500	1	RMS	5022	-61.22	-25	Pass	3501
6500	26500	1	RMS	26122	-49.22	-25	Pass	20003






**23.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-25	Pass	401
0.15	30	0.01	RMS	1.08	-68.62	-25	Pass	2986
30	1000	0.1	RMS	979.486	-59.6	-25	Pass	9701
1000	2490	1	RMS	2490	-48.3	-25	Pass	1491
2490	2580	1	RMS	2559.3	19.18	60	Pass	401
2580	3000	1	RMS	2583	-46.94	-25	Pass	421
3000	6500	1	RMS	5118	-62.61	-25	Pass	3501
6500	26500	1	RMS	24111	-49.44	-25	Pass	20003




**23.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-25	Pass	401
0.15	30	0.01	RMS	28.61	-68.91	-25	Pass	2986
30	1000	0.1	RMS	909.94	-59.93	-25	Pass	9701
1000	2490	1	RMS	2490	-42.64	-25	Pass	1491
2490	2580	1	RMS	2515.65	3.33	60	Pass	401
2580	3000	1	RMS	2580	-42.98	-25	Pass	421
3000	6500	1	RMS	6368	-63.56	-25	Pass	3501
6500	26500	1	RMS	25106	-49.41	-25	Pass	20003




**23.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.5	-69.81	-25	Pass	2986
30	1000	0.1	RMS	858.006	-60.34	-25	Pass	9701
1000	2490	1	RMS	2490	-48.64	-25	Pass	1491
2490	2580	1	RMS	2520.825	19.19	60	Pass	401
2580	3000	1	RMS	2582	-47.03	-25	Pass	421
3000	6500	1	RMS	5042	-62.91	-25	Pass	3501
6500	26500	1	RMS	25083	-49.5	-25	Pass	20003




**23.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.04	-25	Pass	2986
30	1000	0.1	RMS	865.811	-59.65	-25	Pass	9701
1000	2490	1	RMS	2489	-48.42	-25	Pass	1491
2490	2580	1	RMS	2569.2	19.22	60	Pass	401
2580	3000	1	RMS	2580	-44.69	-25	Pass	421
3000	6500	1	RMS	5138	-59.33	-25	Pass	3501
6500	26500	1	RMS	25102	-49.24	-25	Pass	20003



**23.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:270, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-25	Pass	401
0.15	30	0.01	RMS	0.77	-68.43	-25	Pass	2986
30	1000	0.1	RMS	910.441	-59.82	-25	Pass	9701
1000	2490	1	RMS	2490	-44.64	-25	Pass	1491
2490	2580	1	RMS	2522.175	3.23	60	Pass	401
2580	3000	1	RMS	2580	-41.62	-25	Pass	421
3000	6500	1	RMS	6410	-63.68	-25	Pass	3501
6500	26500	1	RMS	24095	-49.18	-25	Pass	20003



## 24. n12 15kHz


**24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.54	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.5	-13	Pass	6591
689	726	0.1	RMS	699.36	17.88	60	Pass	401
726	1000	0.1	RMS	876.5	-62.26	-13	Pass	2741
1000	3000	1	RMS	2960	-47.7	-13	Pass	2001
3000	10000	1	RMS	7038	-57.35	-13	Pass	7001



**24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.64	-13	Pass	2986
30	689	0.1	RMS	638	-62.83	-13	Pass	6591
689	726	0.1	RMS	703.615	17.83	60	Pass	401
726	1000	0.1	RMS	881.3	-62.32	-13	Pass	2741
1000	3000	1	RMS	2966	-47.68	-13	Pass	2001
3000	10000	1	RMS	9998	-58.87	-13	Pass	7001



**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	689	0.1	RMS	689	-60.58	-13	Pass	6591
689	726	0.1	RMS	700.655	4.89	60	Pass	401
726	1000	0.1	RMS	982.8	-62.11	-13	Pass	2741
1000	3000	1	RMS	2971	-47.65	-13	Pass	2001
3000	10000	1	RMS	9985	-58.79	-13	Pass	7001






**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.5	-13	Pass	2986
30	689	0.1	RMS	493.8	-62.85	-13	Pass	6591
689	726	0.1	RMS	705.373	17.76	60	Pass	401
726	1000	0.1	RMS	891.7	-62.25	-13	Pass	2741
1000	3000	1	RMS	2958	-47.54	-13	Pass	2001
3000	10000	1	RMS	9996	-58.94	-13	Pass	7001




**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.59	-13	Pass	2986
30	689	0.1	RMS	498.1	-63.09	-13	Pass	6591
689	726	0.1	RMS	709.628	18.04	60	Pass	401
726	1000	0.1	RMS	887.9	-62.37	-13	Pass	2741
1000	3000	1	RMS	2956	-47.57	-13	Pass	2001
3000	10000	1	RMS	9986	-58.95	-13	Pass	7001




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.86	-13	Pass	401
0.15	30	0.01	RMS	20.37	-69.97	-13	Pass	2986
30	689	0.1	RMS	358	-60.99	-13	Pass	6591
689	726	0.1	RMS	708.333	4.92	60	Pass	401
726	1000	0.1	RMS	892.1	-62.33	-13	Pass	2741
1000	3000	1	RMS	2957	-47.58	-13	Pass	2001
3000	10000	1	RMS	10000	-58.82	-13	Pass	7001




**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.41	-13	Pass	2986
30	689	0.1	RMS	670.9	-62.66	-13	Pass	6591
689	726	0.1	RMS	711.293	17.79	60	Pass	401
726	1000	0.1	RMS	913.4	-62.23	-13	Pass	2741
1000	3000	1	RMS	2964	-47.56	-13	Pass	2001
3000	10000	1	RMS	7044	-56.3	-13	Pass	7001




**24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.37	-13	Pass	2986
30	689	0.1	RMS	302.1	-61.86	-13	Pass	6591
689	726	0.1	RMS	715.64	18.14	60	Pass	401
726	1000	0.1	RMS	902.2	-62.21	-13	Pass	2741
1000	3000	1	RMS	2960	-47.5	-13	Pass	2001
3000	10000	1	RMS	10000	-58.7	-13	Pass	7001




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.57	-13	Pass	2986
30	689	0.1	RMS	451.4	-60.81	-13	Pass	6591
689	726	0.1	RMS	711.755	5.15	60	Pass	401
726	1000	0.1	RMS	984.1	-62.16	-13	Pass	2741
1000	3000	1	RMS	2960	-47.58	-13	Pass	2001
3000	10000	1	RMS	9990	-58.95	-13	Pass	7001




**24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	689	0.1	RMS	441.9	-61.52	-13	Pass	6591
689	726	0.1	RMS	699.36	17.6	60	Pass	401
726	1000	0.1	RMS	881.3	-62.14	-13	Pass	2741
1000	3000	1	RMS	2972	-47.57	-13	Pass	2001
3000	10000	1	RMS	9993	-58.8	-13	Pass	7001



**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2986
30	689	0.1	RMS	473.6	-60.62	-13	Pass	6591
689	726	0.1	RMS	708.61	17.92	60	Pass	401
726	1000	0.1	RMS	974.6	-60.81	-13	Pass	2741
1000	3000	1	RMS	2962	-47.46	-13	Pass	2001
3000	10000	1	RMS	9990	-58.85	-13	Pass	7001






**24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.52	-13	Pass	2986
30	689	0.1	RMS	689	-53.25	-13	Pass	6591
689	726	0.1	RMS	705.095	1.87	60	Pass	401
726	1000	0.1	RMS	906.5	-62.36	-13	Pass	2741
1000	3000	1	RMS	2957	-47.5	-13	Pass	2001
3000	10000	1	RMS	9998	-58.71	-13	Pass	7001




**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.75	-13	Pass	401
0.15	30	0.01	RMS	11.93	-70.87	-13	Pass	2986
30	689	0.1	RMS	353.6	-60.91	-13	Pass	6591
689	726	0.1	RMS	702.875	18.05	60	Pass	401
726	1000	0.1	RMS	904.9	-59.7	-13	Pass	2741
1000	3000	1	RMS	2960	-47.56	-13	Pass	2001
3000	10000	1	RMS	7047	-56.43	-13	Pass	7001




**24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.87	-13	Pass	401
0.15	30	0.01	RMS	9.87	-70	-13	Pass	2986
30	689	0.1	RMS	626	-60.58	-13	Pass	6591
689	726	0.1	RMS	712.125	17.63	60	Pass	401
726	1000	0.1	RMS	912.7	-59.86	-13	Pass	2741
1000	3000	1	RMS	2962	-47.48	-13	Pass	2001
3000	10000	1	RMS	9988	-58.78	-13	Pass	7001




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.38	-13	Pass	401
0.15	30	0.01	RMS	3.14	-69.67	-13	Pass	2986
30	689	0.1	RMS	689	-56.13	-13	Pass	6591
689	726	0.1	RMS	706.853	1.85	60	Pass	401
726	1000	0.1	RMS	992.8	-60.2	-13	Pass	2741
1000	3000	1	RMS	2962	-47.56	-13	Pass	2001
3000	10000	1	RMS	9994	-58.81	-13	Pass	7001




**24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	Pass	401
0.15	30	0.01	RMS	12.93	-69.91	-13	Pass	2986
30	689	0.1	RMS	649	-60.53	-13	Pass	6591
689	726	0.1	RMS	706.39	18.2	60	Pass	401
726	1000	0.1	RMS	891.4	-59.99	-13	Pass	2741
1000	3000	1	RMS	2961	-47.52	-13	Pass	2001
3000	10000	1	RMS	10000	-58.77	-13	Pass	7001




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.55	-13	Pass	2986
30	689	0.1	RMS	486	-60.35	-13	Pass	6591
689	726	0.1	RMS	715.548	17.91	60	Pass	401
726	1000	0.1	RMS	900.8	-60.58	-13	Pass	2741
1000	3000	1	RMS	2958	-47.49	-13	Pass	2001
3000	10000	1	RMS	10000	-58.72	-13	Pass	7001




**24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.48	-13	Pass	401
0.15	30	0.01	RMS	2.08	-69.49	-13	Pass	2986
30	689	0.1	RMS	689	-60.12	-13	Pass	6591
689	726	0.1	RMS	706.668	2.41	60	Pass	401
726	1000	0.1	RMS	996.4	-62.23	-13	Pass	2741
1000	3000	1	RMS	2961	-47.56	-13	Pass	2001
3000	10000	1	RMS	9999	-58.87	-13	Pass	7001



**24.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	Pass	401
0.15	30	0.01	RMS	1.31	-70.13	-13	Pass	2986
30	689	0.1	RMS	489.1	-60.55	-13	Pass	6591
689	726	0.1	RMS	699.453	18.02	60	Pass	401
726	1000	0.1	RMS	983.2	-60.22	-13	Pass	2741
1000	3000	1	RMS	2957	-47.56	-13	Pass	2001
3000	10000	1	RMS	7049	-56.79	-13	Pass	7001






**24.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.56	-13	Pass	401
0.15	30	0.01	RMS	15.23	-70.33	-13	Pass	2986
30	689	0.1	RMS	362.1	-60.8	-13	Pass	6591
689	726	0.1	RMS	713.513	18.2	60	Pass	401
726	1000	0.1	RMS	920.4	-62.08	-13	Pass	2741
1000	3000	1	RMS	2962	-47.49	-13	Pass	2001
3000	10000	1	RMS	9999	-58.76	-13	Pass	7001




**24.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	28.22	-69.6	-13	Pass	2986
30	689	0.1	RMS	688.8	-50.36	-13	Pass	6591
689	726	0.1	RMS	705.188	0.15	60	Pass	401
726	1000	0.1	RMS	729.5	-60.41	-13	Pass	2741
1000	3000	1	RMS	2962	-47.55	-13	Pass	2001
3000	10000	1	RMS	9991	-58.74	-13	Pass	7001




**24.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	Pass	401
0.15	30	0.01	RMS	16.35	-70.11	-13	Pass	2986
30	689	0.1	RMS	483	-60.49	-13	Pass	6591
689	726	0.1	RMS	700.47	18.21	60	Pass	401
726	1000	0.1	RMS	830.9	-60.35	-13	Pass	2741
1000	3000	1	RMS	2960	-47.54	-13	Pass	2001
3000	10000	1	RMS	10000	-58.81	-13	Pass	7001




**24.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.47	-71.31	-13	Pass	2986
30	689	0.1	RMS	686.4	-60.08	-13	Pass	6591
689	726	0.1	RMS	714.53	18.11	60	Pass	401
726	1000	0.1	RMS	997.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	2962	-47.54	-13	Pass	2001
3000	10000	1	RMS	10000	-58.79	-13	Pass	7001




**24.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.97	-69.77	-13	Pass	2986
30	689	0.1	RMS	688.9	-50.74	-13	Pass	6591
689	726	0.1	RMS	705.003	0.23	60	Pass	401
726	1000	0.1	RMS	985	-62.11	-13	Pass	2741
1000	3000	1	RMS	2956	-47.57	-13	Pass	2001
3000	10000	1	RMS	9993	-58.85	-13	Pass	7001




**24.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-74.67	-13	Pass	401
0.15	30	0.01	RMS	2.24	-69.22	-13	Pass	2986
30	689	0.1	RMS	552	-61.02	-13	Pass	6591
689	726	0.1	RMS	701.488	18.12	60	Pass	401
726	1000	0.1	RMS	877.4	-60.06	-13	Pass	2741
1000	3000	1	RMS	2955	-47.59	-13	Pass	2001
3000	10000	1	RMS	7050	-56.48	-13	Pass	7001




**24.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.18	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.37	-13	Pass	2986
30	689	0.1	RMS	687.5	-60.9	-13	Pass	6591
689	726	0.1	RMS	715.548	17.82	60	Pass	401
726	1000	0.1	RMS	860.4	-61.9	-13	Pass	2741
1000	3000	1	RMS	2958	-47.58	-13	Pass	2001
3000	10000	1	RMS	10000	-58.85	-13	Pass	7001



**24.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-13	Pass	2986
30	689	0.1	RMS	689	-49.58	-13	Pass	6591
689	726	0.1	RMS	705.28	0.24	60	Pass	401
726	1000	0.1	RMS	912.8	-62.3	-13	Pass	2741
1000	3000	1	RMS	2962	-47.62	-13	Pass	2001
3000	10000	1	RMS	9983	-58.94	-13	Pass	7001






## 25. n66 15kHz


**25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-25	Pass	401
0.15	30	0.01	RMS	1.27	-69.3	-25	Pass	2986
30	1000	0.1	RMS	868.413	-60.19	-25	Pass	9701
1000	1700	1	RMS	1700	-50.67	-25	Pass	701
1700	1790	1	RMS	1710.35	19.87	60	Pass	401
1790	3000	1	RMS	2946	-47.47	-25	Pass	1211
3000	6500	1	RMS	6491	-63.71	-25	Pass	3501
6500	20000	1	RMS	18101	-50.78	-25	Pass	13502




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-73.87	-25	Pass	401
0.15	30	0.01	RMS	3.42	-68.83	-25	Pass	2986
30	1000	0.1	RMS	748.3	-60.27	-25	Pass	9701
1000	1700	1	RMS	1700	-51.06	-25	Pass	701
1700	1790	1	RMS	1714.625	19.79	60	Pass	401
1790	3000	1	RMS	2962	-47.58	-25	Pass	1211
3000	6500	1	RMS	6384	-63.6	-25	Pass	3501
6500	20000	1	RMS	18032	-50.73	-25	Pass	13502




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.65	-69.73	-25	Pass	2986
30	1000	0.1	RMS	862.909	-59.76	-25	Pass	9701
1000	1700	1	RMS	1700	-48.25	-25	Pass	701
1700	1790	1	RMS	1713.275	13.27	60	Pass	401
1790	3000	1	RMS	2982	-47.67	-25	Pass	1211
3000	6500	1	RMS	6227	-63.69	-25	Pass	3501
6500	20000	1	RMS	19712	-50.91	-25	Pass	13502




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.55	-69.33	-25	Pass	2986
30	1000	0.1	RMS	858.306	-59.55	-25	Pass	9701
1000	1700	1	RMS	1698	-51.39	-25	Pass	701
1700	1790	1	RMS	1742.75	19.7	60	Pass	401
1790	3000	1	RMS	2975	-47.45	-25	Pass	1211
3000	6500	1	RMS	6377	-63.67	-25	Pass	3501
6500	20000	1	RMS	18081	-50.89	-25	Pass	13502




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-25	Pass	401
0.15	30	0.01	RMS	1.83	-69.52	-25	Pass	2986
30	1000	0.1	RMS	458.5	-59.32	-25	Pass	9701
1000	1700	1	RMS	1691	-51.34	-25	Pass	701
1700	1790	1	RMS	1747.25	19.59	60	Pass	401
1790	3000	1	RMS	2965	-47.34	-25	Pass	1211
3000	6500	1	RMS	6263	-63.63	-25	Pass	3501
6500	20000	1	RMS	19772	-51.03	-25	Pass	13502




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.8	-69.39	-25	Pass	2986
30	1000	0.1	RMS	983.989	-59.71	-25	Pass	9701
1000	1700	1	RMS	1692	-51.39	-25	Pass	701
1700	1790	1	RMS	1744.55	13.11	60	Pass	401
1790	3000	1	RMS	2972	-47.47	-25	Pass	1211
3000	6500	1	RMS	6396	-63.59	-25	Pass	3501
6500	20000	1	RMS	18092	-50.95	-25	Pass	13502




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-25	Pass	401
0.15	30	0.01	RMS	1.3	-68.41	-25	Pass	2986
30	1000	0.1	RMS	915.344	-59.79	-25	Pass	9701
1000	1700	1	RMS	1695	-51.4	-25	Pass	701
1700	1790	1	RMS	1775.375	19.8	60	Pass	401
1790	3000	1	RMS	2957	-47.6	-25	Pass	1211
3000	6500	1	RMS	6479	-63.71	-25	Pass	3501
6500	20000	1	RMS	18102	-50.48	-25	Pass	13502



**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.36	-68.42	-25	Pass	2986
30	1000	0.1	RMS	906.738	-59.78	-25	Pass	9701
1000	1700	1	RMS	1695	-51.4	-25	Pass	701
1700	1790	1	RMS	1779.65	19.85	60	Pass	401
1790	3000	1	RMS	2960	-47.57	-25	Pass	1211
3000	6500	1	RMS	6391	-63.75	-25	Pass	3501
6500	20000	1	RMS	18085	-50.55	-25	Pass	13502






**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-74.21	-25	Pass	401
0.15	30	0.01	RMS	4.76	-69.43	-25	Pass	2986
30	1000	0.1	RMS	875.718	-60.22	-25	Pass	9701
1000	1700	1	RMS	1689	-51.34	-25	Pass	701
1700	1790	1	RMS	1776.725	13.44	60	Pass	401
1790	3000	1	RMS	2951	-47.61	-25	Pass	1211
3000	6500	1	RMS	6393	-63.63	-25	Pass	3501
6500	20000	1	RMS	19805	-50.83	-25	Pass	13502




**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.36	-25	Pass	2986
30	1000	0.1	RMS	887.926	-59.67	-25	Pass	9701
1000	1700	1	RMS	1692	-48.97	-25	Pass	701
1700	1790	1	RMS	1710.35	19.83	60	Pass	401
1790	3000	1	RMS	2976	-47.57	-25	Pass	1211
3000	6500	1	RMS	6348	-63.72	-25	Pass	3501
6500	20000	1	RMS	18100	-50.78	-25	Pass	13502




**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.31	-25	Pass	2986
30	1000	0.1	RMS	872.215	-59.84	-25	Pass	9701
1000	1700	1	RMS	1700	-48.76	-25	Pass	701
1700	1790	1	RMS	1719.575	19.85	60	Pass	401
1790	3000	1	RMS	2975	-47.65	-25	Pass	1211
3000	6500	1	RMS	6488	-63.73	-25	Pass	3501
6500	20000	1	RMS	19707	-50.97	-25	Pass	13502




**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.22	-25	Pass	2986
30	1000	0.1	RMS	989.593	-60.33	-25	Pass	9701
1000	1700	1	RMS	1700	-39.92	-25	Pass	701
1700	1790	1	RMS	1718	10.13	60	Pass	401
1790	3000	1	RMS	2977	-47.66	-25	Pass	1211
3000	6500	1	RMS	6366	-63.59	-25	Pass	3501
6500	20000	1	RMS	18087	-50.7	-25	Pass	13502




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.35	-69.08	-25	Pass	2986
30	1000	0.1	RMS	522.2	-60.31	-25	Pass	9701
1000	1700	1	RMS	1681	-51.37	-25	Pass	701
1700	1790	1	RMS	1740.5	19.66	60	Pass	401
1790	3000	1	RMS	2951	-47.57	-25	Pass	1211
3000	6500	1	RMS	6473	-63.65	-25	Pass	3501
6500	20000	1	RMS	19608	-50.61	-25	Pass	13502




**25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.28	-25	Pass	2986
30	1000	0.1	RMS	349.1	-59.01	-25	Pass	9701
1000	1700	1	RMS	1651	-51.46	-25	Pass	701
1700	1790	1	RMS	1749.5	19.65	60	Pass	401
1790	3000	1	RMS	2948	-47.57	-25	Pass	1211
3000	6500	1	RMS	6250	-63.72	-25	Pass	3501
6500	20000	1	RMS	18082	-50.81	-25	Pass	13502




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.53	-69.04	-25	Pass	2986
30	1000	0.1	RMS	852.102	-59.94	-25	Pass	9701
1000	1700	1	RMS	1689	-51.42	-25	Pass	701
1700	1790	1	RMS	1744.1	9.98	60	Pass	401
1790	3000	1	RMS	2985	-47.57	-25	Pass	1211
3000	6500	1	RMS	6219	-63.7	-25	Pass	3501
6500	20000	1	RMS	18092	-50.89	-25	Pass	13502



**25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-73.95	-25	Pass	401
0.15	30	0.01	RMS	1.04	-69.14	-25	Pass	2986
30	1000	0.1	RMS	974.683	-59.59	-25	Pass	9701
1000	1700	1	RMS	1696	-51.38	-25	Pass	701
1700	1790	1	RMS	1770.425	19.83	60	Pass	401
1790	3000	1	RMS	2943	-47.61	-25	Pass	1211
3000	6500	1	RMS	6257	-63.6	-25	Pass	3501
6500	20000	1	RMS	19800	-50.87	-25	Pass	13502






**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.49	-25	Pass	2986
30	1000	0.1	RMS	757.6	-60.05	-25	Pass	9701
1000	1700	1	RMS	1674	-51.35	-25	Pass	701
1700	1790	1	RMS	1779.65	19.84	60	Pass	401
1790	3000	1	RMS	2964	-47.59	-25	Pass	1211
3000	6500	1	RMS	3398	-63.78	-25	Pass	3501
6500	20000	1	RMS	19417	-50.91	-25	Pass	13502




**25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.56	-25	Pass	2986
30	1000	0.1	RMS	825.5	-60.09	-25	Pass	9701
1000	1700	1	RMS	1695	-51.36	-25	Pass	701
1700	1790	1	RMS	1774.25	10.19	60	Pass	401
1790	3000	1	RMS	1790	-41.31	-25	Pass	1211
3000	6500	1	RMS	6388	-63.53	-25	Pass	3501
6500	20000	1	RMS	18136	-50.8	-25	Pass	13502



**25.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	Pass	401
0.15	30	0.01	RMS	27.74	-69.87	-25	Pass	2986
30	1000	0.1	RMS	981.188	-59.87	-25	Pass	9701
1000	1700	1	RMS	1696	-47.95	-25	Pass	701
1700	1790	1	RMS	1710.35	19.65	60	Pass	401
1790	3000	1	RMS	2995	-47.56	-25	Pass	1211
3000	6500	1	RMS	6495	-63.61	-25	Pass	3501
6500	20000	1	RMS	18087	-50.42	-25	Pass	13502



**25.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.4	-68.8	-25	Pass	2986
30	1000	0.1	RMS	860.007	-60.15	-25	Pass	9701
1000	1700	1	RMS	1696	-43.31	-25	Pass	701
1700	1790	1	RMS	1724.525	19.81	60	Pass	401
1790	3000	1	RMS	2945	-47.66	-25	Pass	1211
3000	6500	1	RMS	6418	-63.7	-25	Pass	3501
6500	20000	1	RMS	18097	-50.63	-25	Pass	13502

