



24.11. Band Edge for SA (NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 696 | 716 | 0.1 | RMS | 715.5 | 18.27 | 30 | Pass | 401 |
| 716 | 717 | 0.02 | RMS | 716 | -37.93 | -13 | Pass | 401 |
| 717 | 741 | 0.1 | RMS | 717 | -54.05 | -13 | Pass | 401 |



24.12. Band Edge for SA (NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 696 | 716 | 0.1 | RMS | 705.1 | 0.28 | 30 | Pass | 401 |
| 716 | 717 | 0.15 | RMS | 716.065 | -36.22 | -13 | Pass | 401 |
| 717 | 741 | 0.1 | RMS | 717.18 | -39.91 | -13 | Pass | 401 |



25. n66 15kHz


25.1. Band Edge for SA (NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1685 | 1708 | 1 | RMS | 1708 | -40.46 | -13 | Pass | 401 |
| 1708 | 1709 | 1 | RMS | 1709 | -40.11 | -13 | Pass | 2 |
| 1709 | 1710 | 0.05 | RMS | 1710 | -22.64 | -13 | Pass | 21 |
| 1710 | 1730 | 1 | RMS | 1710.35 | 19.91 | 30 | Pass | 401 |




25.2. Band Edge for SA (NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1685 | 1708 | 1 | RMS | 1707.77 | -30.26 | -13 | Pass | 401 |
| 1708 | 1709 | 1 | RMS | 1709 | -30.29 | -13 | Pass | 2 |
| 1709 | 1710 | 0.051 | RMS | 1710 | -35.34 | -13 | Pass | 401 |
| 1710 | 1730 | 1 | RMS | 1713.4 | 13.27 | 30 | Pass | 401 |




25.3. Band Edge for SA (NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1760 | 1780 | 1 | RMS | 1779.65 | 19.98 | 30 | Pass | 401 |
| 1780 | 1781 | 0.05 | RMS | 1780 | -24.55 | -13 | Pass | 21 |
| 1781 | 1782 | 1 | RMS | 1781 | -40.38 | -13 | Pass | 2 |
| 1782 | 1805 | 1 | RMS | 1782 | -41.32 | -13 | Pass | 401 |




25.4. Band Edge for SA (NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1760 | 1780 | 1 | RMS | 1776.35 | 13.39 | 30 | Pass | 401 |
| 1780 | 1781 | 0.051 | RMS | 1780 | -37.47 | -13 | Pass | 401 |
| 1781 | 1782 | 1 | RMS | 1781 | -30.76 | -13 | Pass | 2 |
| 1782 | 1805 | 1 | RMS | 1782 | -31.86 | -13 | Pass | 401 |




25.5. Band Edge for SA (NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1685 | 1708 | 1 | RMS | 1703.515 | -42.91 | -13 | Pass | 401 |
| 1708 | 1709 | 1 | RMS | 1709 | -42.3 | -13 | Pass | 2 |
| 1709 | 1710 | 0.15 | RMS | 1710 | -23.83 | -13 | Pass | 401 |
| 1710 | 1730 | 1 | RMS | 1710.45 | 19.92 | 30 | Pass | 401 |




25.6. Band Edge for SA (NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1685 | 1708 | 1 | RMS | 1707.885 | -35.07 | -13 | Pass | 401 |
| 1708 | 1709 | 1 | RMS | 1709 | -35.1 | -13 | Pass | 2 |
| 1709 | 1710 | 0.15 | RMS | 1710 | -40.08 | -13 | Pass | 401 |
| 1710 | 1730 | 1 | RMS | 1719.35 | 8.32 | 30 | Pass | 401 |




25.7. Band Edge for SA (NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1760 | 1780 | 1 | RMS | 1779.5 | 20.01 | 30 | Pass | 401 |
| 1780 | 1781 | 0.15 | RMS | 1780.003 | -25.69 | -13 | Pass | 401 |
| 1781 | 1782 | 1 | RMS | 1781 | -42.53 | -13 | Pass | 2 |
| 1782 | 1805 | 1 | RMS | 1786.428 | -43.38 | -13 | Pass | 401 |




25.8. Band Edge for SA (NTNV)(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1760 | 1780 | 1 | RMS | 1773.5 | 8.42 | 30 | Pass | 401 |
| 1780 | 1781 | 0.15 | RMS | 1780 | -39.75 | -13 | Pass | 401 |
| 1781 | 1782 | 1 | RMS | 1781 | -35.37 | -13 | Pass | 2 |
| 1782 | 1805 | 1 | RMS | 1782.288 | -34.95 | -13 | Pass | 401 |




25.9. Band Edge for SA (NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1685 | 1708 | 1 | RMS | 1701.33 | -43.63 | -13 | Pass | 401 |
| 1708 | 1709 | 1 | RMS | 1709 | -42.43 | -13 | Pass | 2 |
| 1709 | 1710 | 0.2 | RMS | 1710 | -26.17 | -13 | Pass | 6 |
| 1710 | 1730 | 1 | RMS | 1710.45 | 19.94 | 30 | Pass | 401 |




25.10. Band Edge for SA (NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1685 | 1708 | 1 | RMS | 1707.138 | -34.91 | -13 | Pass | 401 |
| 1708 | 1709 | 1 | RMS | 1709 | -35.01 | -13 | Pass | 2 |
| 1709 | 1710 | 0.2 | RMS | 1709.633 | -39.85 | -13 | Pass | 401 |
| 1710 | 1730 | 1 | RMS | 1718.65 | 7.03 | 30 | Pass | 401 |




25.11. Band Edge for SA (NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1760 | 1780 | 1 | RMS | 1779.4 | 20.01 | 30 | Pass | 401 |
| 1780 | 1781 | 0.2 | RMS | 1780 | -27.77 | -13 | Pass | 6 |
| 1781 | 1782 | 1 | RMS | 1781 | -42.79 | -13 | Pass | 2 |
| 1782 | 1805 | 1 | RMS | 1788.67 | -43.57 | -13 | Pass | 401 |



25.12. Band Edge for SA (NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1760 | 1780 | 1 | RMS | 1773.8 | 7.1 | 30 | Pass | 401 |
| 1780 | 1781 | 0.2 | RMS | 1780.08 | -39.95 | -13 | Pass | 401 |
| 1781 | 1782 | 1 | RMS | 1781 | -35.48 | -13 | Pass | 2 |
| 1782 | 1805 | 1 | RMS | 1782.575 | -34.16 | -13 | Pass | 401 |



26. n38_PC3


26.1. Band Edge for SA (NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2525 | 2560 | 1 | RMS | 2560 | -46.06 | -25 | Pass | 401 |
| 2560 | 2565 | 1 | RMS | 2565 | -44.47 | -13 | Pass | 401 |
| 2565 | 2569 | 1 | RMS | 2569 | -39.01 | -10 | Pass | 5 |
| 2569 | 2570 | 0.2 | RMS | 2569.998 | -25.55 | -10 | Pass | 401 |
| 2570 | 2610 | 1 | RMS | 2570.9 | 20.58 | 30 | Pass | 401 |




26.2. Band Edge for SA (NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2525 | 2560 | 1 | RMS | 2559.475 | -40.03 | -25 | Pass | 401 |
| 2560 | 2565 | 1 | RMS | 2564.988 | -34.3 | -13 | Pass | 401 |
| 2565 | 2569 | 1 | RMS | 2569 | -32.25 | -10 | Pass | 5 |
| 2569 | 2570 | 0.2 | RMS | 2569.998 | -36.52 | -10 | Pass | 401 |
| 2570 | 2610 | 1 | RMS | 2578.1 | 10.28 | 30 | Pass | 401 |




26.3. Band Edge for SA (NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580 | 2620 | 1 | RMS | 2619.1 | 20.6 | 30 | Pass | 401 |
| 2620 | 2621 | 0.2 | RMS | 2620 | -54.16 | -10 | Pass | 6 |
| 2621 | 2625 | 1 | RMS | 2621 | -39.87 | -10 | Pass | 5 |
| 2625 | 2630 | 1 | RMS | 2625.013 | -44.3 | -13 | Pass | 401 |
| 2630 | 2665 | 1 | RMS | 2630 | -45.71 | -25 | Pass | 401 |




26.4. Band Edge for SA (NTNV)(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580 | 2620 | 1 | RMS | 2611.8 | 10.27 | 30 | Pass | 401 |
| 2620 | 2621 | 0.2 | RMS | 2620.8 | -54.76 | -10 | Pass | 6 |
| 2621 | 2625 | 1 | RMS | 2621 | -33.06 | -10 | Pass | 5 |
| 2625 | 2630 | 1 | RMS | 2625.063 | -34.42 | -13 | Pass | 401 |
| 2630 | 2665 | 1 | RMS | 2630.175 | -39.38 | -25 | Pass | 401 |




26.5. Band Edge for SA (NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2525 | 2550 | 1 | RMS | 2549.813 | -48.1 | -25 | Pass | 401 |
| 2550 | 2565 | 1 | RMS | 2562 | -41.74 | -13 | Pass | 401 |
| 2565 | 2569 | 1 | RMS | 2569 | -40.94 | -10 | Pass | 5 |
| 2569 | 2570 | 0.39 | RMS | 2569.993 | -24.2 | -10 | Pass | 401 |
| 2570 | 2610 | 1 | RMS | 2571 | 20.53 | 30 | Pass | 401 |




26.6. Band Edge for SA (NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2525 | 2550 | 1 | RMS | 2549.813 | -41.39 | -25 | Pass | 401 |
| 2550 | 2565 | 1 | RMS | 2564.888 | -34.86 | -13 | Pass | 401 |
| 2565 | 2569 | 1 | RMS | 2569 | -35.62 | -10 | Pass | 5 |
| 2569 | 2570 | 0.39 | RMS | 2569.928 | -37 | -10 | Pass | 401 |
| 2570 | 2610 | 1 | RMS | 2583.1 | 6.93 | 30 | Pass | 401 |




26.7. Band Edge for SA (NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580 | 2620 | 1 | RMS | 2619 | 20.55 | 30 | Pass | 401 |
| 2620 | 2621 | 0.4 | RMS | 2620 | -34.36 | -10 | Pass | 4 |
| 2621 | 2625 | 1 | RMS | 2621 | -41.46 | -10 | Pass | 5 |
| 2625 | 2640 | 1 | RMS | 2628.038 | -41.42 | -13 | Pass | 401 |
| 2640 | 2665 | 1 | RMS | 2640.125 | -48.15 | -25 | Pass | 401 |




26.8. Band Edge for SA (NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580 | 2620 | 1 | RMS | 2604.5 | 7.08 | 30 | Pass | 401 |
| 2620 | 2621 | 0.4 | RMS | 2620.667 | -40.38 | -10 | Pass | 4 |
| 2621 | 2625 | 1 | RMS | 2621 | -35.65 | -10 | Pass | 5 |
| 2625 | 2640 | 1 | RMS | 2625.3 | -35.93 | -13 | Pass | 401 |
| 2640 | 2665 | 1 | RMS | 2640.188 | -41.61 | -25 | Pass | 401 |




26.9. Band Edge for SA (NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2525 | 2530 | 1 | RMS | 2529.338 | -48.74 | -25 | Pass | 401 |
| 2530 | 2565 | 1 | RMS | 2552.138 | -43.12 | -13 | Pass | 401 |
| 2565 | 2569 | 1 | RMS | 2569 | -37.73 | -10 | Pass | 5 |
| 2569 | 2570 | 0.8 | RMS | 2570 | -16.68 | -10 | Pass | 3 |
| 2570 | 2610 | 1 | RMS | 2571.1 | 20.53 | 30 | Pass | 401 |




26.10. Band Edge for SA (NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2525 | 2530 | 1 | RMS | 2529.9 | -43.67 | -25 | Pass | 401 |
| 2530 | 2565 | 1 | RMS | 2560.713 | -37.18 | -13 | Pass | 401 |
| 2565 | 2569 | 1 | RMS | 2569 | -37.74 | -10 | Pass | 5 |
| 2569 | 2570 | 0.82 | RMS | 2570 | -21.78 | -10 | Pass | 401 |
| 2570 | 2610 | 1 | RMS | 2577.3 | 3.78 | 30 | Pass | 401 |




26.11. Band Edge for SA (NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580 | 2620 | 1 | RMS | 2618.8 | 20.5 | 30 | Pass | 401 |
| 2620 | 2621 | 0.8 | RMS | 2620 | -18.11 | -10 | Pass | 3 |
| 2621 | 2625 | 1 | RMS | 2621 | -37.34 | -10 | Pass | 5 |
| 2625 | 2660 | 1 | RMS | 2637.775 | -42.9 | -13 | Pass | 401 |
| 2660 | 2665 | 1 | RMS | 2661.15 | -48.23 | -25 | Pass | 401 |



26.12. Band Edge for SA (NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2580 | 2620 | 1 | RMS | 2592.2 | 3.87 | 30 | Pass | 401 |
| 2620 | 2621 | 0.8 | RMS | 2620 | -36.68 | -10 | Pass | 3 |
| 2621 | 2625 | 1 | RMS | 2621 | -37.88 | -10 | Pass | 5 |
| 2625 | 2660 | 1 | RMS | 2625.7 | -37.16 | -13 | Pass | 401 |
| 2660 | 2665 | 1 | RMS | 2660.725 | -44.9 | -25 | Pass | 401 |



27. n41


27.1. Band Edge for SA (NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391 | 2490.5 | 1 | RMS | 2488.013 | -41.76 | -25 | Pass | 401 |
| 2490.5 | 2495 | 1 | RMS | 2495 | -35.03 | -13 | Pass | 401 |
| 2495 | 2496 | 0.051 | RMS | 2495.995 | -42.29 | -13 | Pass | 401 |
| 2496 | 2596 | 1 | RMS | 2497 | 20.45 | 30 | Pass | 401 |




27.2. Band Edge for SA (NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391 | 2490.5 | 1 | RMS | 2490.251 | -35.8 | -25 | Pass | 401 |
| 2490.5 | 2495 | 1 | RMS | 2494.123 | -33.45 | -13 | Pass | 401 |
| 2495 | 2496 | 0.4 | RMS | 2496 | -38.64 | -13 | Pass | 4 |
| 2496 | 2596 | 1 | RMS | 2513.25 | 8 | 30 | Pass | 401 |




27.3. Band Edge for SA (NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590 | 2690 | 1 | RMS | 2689 | 20.44 | 30 | Pass | 401 |
| 2690 | 2691 | 0.1 | RMS | 2690 | -39.66 | -13 | Pass | 401 |
| 2691 | 2695 | 1 | RMS | 2691 | -35.3 | -13 | Pass | 401 |
| 2695 | 2710 | 1 | RMS | 2697.963 | -41.22 | -13 | Pass | 401 |
| 2710 | 2795 | 1 | RMS | 2757.813 | -47.87 | -25 | Pass | 401 |




27.4. Band Edge for SA (NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590 | 2690 | 1 | RMS | 2673 | 7.95 | 30 | Pass | 401 |
| 2690 | 2691 | 0.4 | RMS | 2690.667 | -41.7 | -13 | Pass | 4 |
| 2691 | 2695 | 1 | RMS | 2691.06 | -34.58 | -13 | Pass | 401 |
| 2695 | 2710 | 1 | RMS | 2695.113 | -37.02 | -13 | Pass | 401 |
| 2710 | 2715 | 1 | RMS | 2710.475 | -42.97 | -25 | Pass | 401 |
| 2715 | 2795 | 1 | RMS | 2715.4 | -46.66 | -25 | Pass | 401 |




27.5. Band Edge for SA (NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391 | 2490.5 | 1 | RMS | 2489.256 | -46.52 | -25 | Pass | 401 |
| 2490.5 | 2495 | 1 | RMS | 2495 | -33.63 | -13 | Pass | 401 |
| 2495 | 2496 | 0.051 | RMS | 2496 | -38.65 | -13 | Pass | 401 |
| 2496 | 2596 | 1 | RMS | 2497 | 20.28 | 30 | Pass | 401 |




27.6. Band Edge for SA (NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391 | 2490.5 | 1 | RMS | 2489.754 | -38.47 | -25 | Pass | 401 |
| 2490.5 | 2495 | 1 | RMS | 2493.628 | -36.56 | -13 | Pass | 401 |
| 2495 | 2496 | 1.2 | RMS | 2496 | -33.19 | -13 | Pass | 2 |
| 2496 | 2596 | 1 | RMS | 2526.5 | 2.57 | 30 | Pass | 401 |




27.7. Band Edge for SA (NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590 | 2690 | 1 | RMS | 2689 | 20.33 | 30 | Pass | 401 |
| 2690 | 2691 | 0.1 | RMS | 2690 | -38.63 | -13 | Pass | 401 |
| 2691 | 2695 | 1 | RMS | 2691 | -35.47 | -13 | Pass | 401 |
| 2695 | 2750 | 1 | RMS | 2695 | -45.83 | -13 | Pass | 401 |
| 2750 | 2795 | 1 | RMS | 2763.613 | -47.83 | -25 | Pass | 401 |




27.8. Band Edge for SA (NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590 | 2690 | 1 | RMS | 2655.75 | 2.44 | 30 | Pass | 401 |
| 2690 | 2691 | 1.2 | RMS | 2690 | -36.11 | -13 | Pass | 2 |
| 2691 | 2695 | 1 | RMS | 2693.37 | -40.26 | -13 | Pass | 401 |
| 2695 | 2750 | 1 | RMS | 2701.738 | -41.24 | -13 | Pass | 401 |
| 2750 | 2755 | 1 | RMS | 2754.688 | -47.94 | -25 | Pass | 401 |
| 2755 | 2795 | 1 | RMS | 2764.1 | -47.82 | -25 | Pass | 401 |




27.9. Band Edge for SA (NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391 | 2490.5 | 1 | RMS | 2475.575 | -45.92 | -25 | Pass | 401 |
| 2490.5 | 2495 | 1 | RMS | 2494.989 | -32.83 | -13 | Pass | 401 |
| 2495 | 2496 | 0.051 | RMS | 2495.998 | -34.56 | -13 | Pass | 401 |
| 2496 | 2596 | 1 | RMS | 2497 | 20.29 | 30 | Pass | 401 |




27.10. Band Edge for SA (NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391 | 2490.5 | 1 | RMS | 2488.261 | -40.7 | -25 | Pass | 401 |
| 2490.5 | 2495 | 1 | RMS | 2494.55 | -39.57 | -13 | Pass | 401 |
| 2495 | 2496 | 1 | RMS | 2496 | -37.72 | -13 | Pass | 2 |
| 2496 | 2596 | 1 | RMS | 2517.75 | 0.51 | 30 | Pass | 401 |



27.11. Band Edge for SA (NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590 | 2690 | 1 | RMS | 2689 | 20.34 | 30 | Pass | 401 |
| 2690 | 2691 | 0.1 | RMS | 2690.003 | -31.17 | -13 | Pass | 401 |
| 2691 | 2695 | 1 | RMS | 2691.01 | -32.59 | -13 | Pass | 401 |
| 2695 | 2790 | 1 | RMS | 2710.438 | -43.53 | -13 | Pass | 401 |
| 2790 | 2795 | 1 | RMS | 2790.388 | -48 | -25 | Pass | 401 |



27.12. Band Edge for SA (NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590 | 2690 | 1 | RMS | 2592 | 1.27 | 30 | Pass | 401 |
| 2690 | 2691 | 1 | RMS | 2690 | -38.4 | -13 | Pass | 2 |
| 2691 | 2695 | 1 | RMS | 2692.16 | -40.36 | -13 | Pass | 401 |
| 2695 | 2790 | 1 | RMS | 2696.425 | -40.99 | -13 | Pass | 401 |
| 2790 | 2795 | 1 | RMS | 2794.688 | -48.39 | -25 | Pass | 401 |



28. n2 15kHz


28.1. Band Edge for SA (NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1825 | 1849 | 0.1 | RMS | 1848.04 | -46.72 | -13 | Pass | 401 |
| 1849 | 1850 | 0.02 | RMS | 1850 | -26.25 | -13 | Pass | 401 |
| 1850 | 1870 | 0.1 | RMS | 1850.35 | 17.61 | 30 | Pass | 401 |




28.2. Band Edge for SA (NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1825 | 1849 | 0.1 | RMS | 1848.88 | -35.4 | -13 | Pass | 401 |
| 1849 | 1850 | 0.051 | RMS | 1849.998 | -33.87 | -13 | Pass | 401 |
| 1850 | 1870 | 0.1 | RMS | 1852.3 | 3.52 | 30 | Pass | 401 |




28.3. Band Edge for SA (NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890 | 1910 | 0.1 | RMS | 1909.65 | 17.56 | 30 | Pass | 401 |
| 1910 | 1911 | 0.02 | RMS | 1910 | -28.05 | -13 | Pass | 401 |
| 1911 | 1935 | 0.1 | RMS | 1911.9 | -47.72 | -13 | Pass | 401 |




28.4. Band Edge for SA (NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890 | 1910 | 0.1 | RMS | 1905.65 | 3.61 | 30 | Pass | 401 |
| 1910 | 1911 | 0.051 | RMS | 1910.018 | -33.22 | -13 | Pass | 401 |
| 1911 | 1935 | 0.1 | RMS | 1911 | -32.88 | -13 | Pass | 401 |




28.5. Band Edge for SA (NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1825 | 1849 | 0.1 | RMS | 1843.78 | -49 | -13 | Pass | 401 |
| 1849 | 1850 | 0.02 | RMS | 1850 | -37.13 | -13 | Pass | 401 |
| 1850 | 1870 | 0.1 | RMS | 1850.45 | 17.53 | 30 | Pass | 401 |




28.6. Band Edge for SA (NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1825 | 1849 | 0.1 | RMS | 1848.94 | -39.16 | -13 | Pass | 401 |
| 1849 | 1850 | 0.15 | RMS | 1849.993 | -36.55 | -13 | Pass | 401 |
| 1850 | 1870 | 0.1 | RMS | 1859.3 | -1.43 | 30 | Pass | 401 |



28.7. Band Edge for SA (NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890 | 1910 | 0.1 | RMS | 1909.5 | 17.42 | 30 | Pass | 401 |
| 1910 | 1911 | 0.02 | RMS | 1910 | -38.5 | -13 | Pass | 401 |
| 1911 | 1935 | 0.1 | RMS | 1916.22 | -49.36 | -13 | Pass | 401 |




28.8. Band Edge for SA (NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890 | 1910 | 0.1 | RMS | 1895.95 | -0.74 | 30 | Pass | 401 |
| 1910 | 1911 | 0.15 | RMS | 1910.01 | -36.15 | -13 | Pass | 401 |
| 1911 | 1935 | 0.1 | RMS | 1912.2 | -38.78 | -13 | Pass | 401 |




28.9. Band Edge for SA (NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1825 | 1849 | 0.1 | RMS | 1841.62 | -49.66 | -13 | Pass | 401 |
| 1849 | 1850 | 0.02 | RMS | 1850 | -37.72 | -13 | Pass | 401 |
| 1850 | 1870 | 0.1 | RMS | 1850.55 | 17.57 | 30 | Pass | 401 |




28.10. Band Edge for SA (NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1825 | 1849 | 0.1 | RMS | 1846.72 | -40.95 | -13 | Pass | 401 |
| 1849 | 1850 | 0.2 | RMS | 1849.995 | -37.36 | -13 | Pass | 401 |
| 1850 | 1870 | 0.1 | RMS | 1859.4 | -2.64 | 30 | Pass | 401 |




28.11. Band Edge for SA (NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890 | 1910 | 0.1 | RMS | 1909.45 | 17.47 | 30 | Pass | 401 |
| 1910 | 1911 | 0.02 | RMS | 1910 | -39 | -13 | Pass | 401 |
| 1911 | 1935 | 0.1 | RMS | 1911 | -52.14 | -13 | Pass | 401 |



28.12. Band Edge for SA (NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 1890 | 1910 | 0.1 | RMS | 1892.8 | -2.24 | 30 | Pass | 401 |
| 1910 | 1911 | 0.2 | RMS | 1910.528 | -37.54 | -13 | Pass | 401 |
| 1911 | 1935 | 0.1 | RMS | 1912.02 | -41.24 | -13 | Pass | 401 |



--BLANK BELOW--