

## A.2 WCDMA Peak to Average Ratio

# 1. WCDMA\_Band4

## 1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.4	0.1	2.81	13	Pass

**General Purpose RF Measurement - V3.5.110 - Base V 3.5.137**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 1712.40000 Ref. Level: 30.00 Connector:RF2COM

Statistic Count	1 / 1	Probability	
Sample Count	999512	10,000%	1.641 dB
Sample Time	40.000 ms	1,0000%	2.484 dB
Avg Power	23.374 dBm	0,1000%	2.813 dB
Max Power	26.495 dBm	0,0010%	3.047 dB
PAR	3.122 dB	0,0001%	3.094 dB

Go To Local Show Remote Screen

## 1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)



### 1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.6	0.1	2.86	13	Pass

**General Purpose RF Measurement - V3.5.110 - Base V 3.5.137**
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

**Power**  
RDY


Frequency: 1752.60000 Ref. Level: 30.00 Connector:RF2COM

Statistic Count		Probability	
Sample Count	999512	10,000%	1.641 dB
Sample Time	40.000 ms	1,0000%	2.484 dB
Avg Power	23.516 dBm	0,1000%	2.859 dB
Max Power	26.666 dBm	0,0100%	3.000 dB
PAR	3.150 dB	0,0010%	3.047 dB
		0,0001%	3.094 dB

Go To Local
Show Remote Screen


## 2. WCDMA\_Band5

### 2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)



## 2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	2.77	13	Pass



### 2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	2.77	13	Pass

**General Purpose RF Measurement - V3.5.110 - Base V 3.5.137**

GPRF

● Power ● Spectrum ● FFT Spectrum ● IQ Recorder ● IQ vs. Slot ● EPS

Frequency: **846.60000** Ref. Level: **30.00** Connector: **RF2COM**

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count <span style="float: right;">1 / 1</span>		<b>Probability</b>	
Sample Count	999512	10,000%	1.641 dB
Sample Time	40.000 ms	1,0000%	2.438 dB
Avg Power	23.601 dBm	0,1000%	2.766 dB
Max Power	26.642 dBm	0,0100%	2.906 dB
PAR	3.041 dB	0,0010%	2.953 dB
		0,0001%	3.000 dB

Go To Local
Show Remote Screen

GPRF

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


### 3. LTE\_Band4

#### 3.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)







### 3.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




### 3.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 3.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




### 3.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 3.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




### 3.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



### 3.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




### 3.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)







### 3.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



### 3.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 3.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




## 4. LTE\_Band5


### 4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




#### 4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




### 4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)



#### 4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




**4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**







**4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




#### 4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**



**4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




## 5. LTE\_Band12

### 5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)







**5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




### 5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




**5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




**5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**



**5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




**5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**







**5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**



**5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




## 6. LTE\_Band17


### 6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




### 6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)



### 6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




**6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**







**6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




### 6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




**6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




### 6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**



**6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




## 7. LTE\_Band26(part22)

### 7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)







**7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**




### 7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




**7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**




**7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**



**7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**




**7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**







**7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**



**7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**




## 8. LTE\_Band26(part90)


### 8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



### 8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




### 8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




## 9. LTE\_Band38

### 9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)







**9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




### 9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**9.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**9.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**9.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**



**9.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**9.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**







**9.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**



**9.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**9.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 10. LTE\_Band41 full


### 10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**



**10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**







**10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**



**10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 11. CA\_41C\_full

### 11.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:40528+40645, Bandwidth:5+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)







**11.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:40528+40645, Bandwidth:5+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**




**11.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**




**11.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**



**11.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:40526+40670, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**11.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:40526+40670, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**



**11.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40571+40715, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	9.7	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137
GPRF

Power
  Spectrum
  FFT Spectrum
  IQ Recorder
  IQ vs. Slot
  EPS

Frequency: 2592.80000 Ref. Level: 30.00 Connector:RF4COM

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display

Statistic Count	1 / 1	<b>Probability</b>	
Sample Count	999514	10,000%	5.766 dB
Sample Time	10.000 ms	1,0000%	8.578 dB
Avg Power	17.172 dBm	0,1000%	9.703 dB
Max Power	28.307 dBm	0,0100%	10.359 dB
PAR	11.136 dB	0,0010%	10.688 dB
		0,0001%	11.016 dB

Go To Local
Show Remote Screen

**11.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571+40715, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	10.36	13	Pass

**General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2592.80000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	998512	10,000%	5.578 dB
Sample Time	9.990 ms	1,0000%	9.000 dB
Avg Power	16.143 dBm	0,1000%	10.359 dB
Max Power	28.291 dBm	0,0010%	11.578 dB
PAR	12.149 dB	0,0001%	11.953 dB

Go To Local Show Remote Screen

**11.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40545+40695, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**





**11.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.31	13	Pass

**General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.00000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	Value	Probability	Value
Sample Count	998512	10,000%	5.625 dB
Sample Time	9.990 ms	1,0000%	8.953 dB
Avg Power	15.194 dBm	0,1000%	10.313 dB
Max Power	27.000 dBm	0,0010%	11.484 dB
PAR	11.806 dB	0,0001%	11.625 dB

Go To Local Show Remote Screen


**11.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**11.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**



**11.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**11.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	10.36	13	Pass

**General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137**


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF4COM


Statistic Count	Value	Probability	Value
Sample Count	1023460	10,000%	5.625 dB
Sample Time	20.479 ms	1,0000%	9.047 dB
Avg Power	16.133 dBm	0,1000%	10.359 dB
Max Power	28.030 dBm	0,0010%	11.484 dB
PAR	11.897 dB	0,0001%	11.766 dB

Go To Local Show Remote Screen

**11.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**11.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**



END