

Annex A.2 Peak to Average Ratio

1. WCDMA_Band2

1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.4	0.1	2.72	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 1852.40000 Ref. Level: 30.00 Connector:RF2COM


Statistic Count	1 / 1	Probability	
Sample Count	999512	10,000%	1.547 dB
Sample Time	40.000 ms	1,0000%	2.297 dB
Avg Power	22.870 dBm	0,1000%	2.719 dB
Max Power	25.950 dBm	0,0010%	3.000 dB
PAR	3.081 dB	0,0001%	3.047 dB

Go To Local Show Remote Screen

1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)




1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)




2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)



2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)




2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)




3. WCDMA_Band5


3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)



3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)




3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)




4. LTE_Band2


4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band4


5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




6. LTE_Band5


6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band7


7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8. LTE_Band12


8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




9. LTE_Band13


9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10. LTE_Band17


10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




11. LTE_Band26(part22)


11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




11.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




11.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




11.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



11.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




12. LTE_Band26(part90)


12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




13. LTE_Band38


13.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



13.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14. LTE_Band41 full


14.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



14.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15. LTE_Band66


15.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




15.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




15.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




15.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



15.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




15.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




16. CA_7C


16.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




16.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




16.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



16.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



16.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



16.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	7.27	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	998912	10,000%	3.516 dB
Sample Time	9.994 ms	1,0000%	5.859 dB
Avg Power	19.285 dBm	0,1000%	7.266 dB
Max Power	29.161 dBm	0,0010%	8.250 dB
PAR	9.876 dB	0,0001%	9.656 dB

Go To Local | Show Remote Screen

16.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	6.66	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172


Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.10000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	999112	10,000%	3.281 dB
Sample Time	19.992 ms	1,0000%	5.391 dB
Avg Power	20.314 dBm	0,1000%	6.656 dB
Max Power	28.726 dBm	0,0010%	7.969 dB
PAR	8.413 dB	0,0001%	8.297 dB

Go To Local Show Remote Screen

16.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



16.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.52	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	999112	10,000%	3.281 dB
Sample Time	19.992 ms	1,0000%	5.297 dB
Avg Power	20.256 dBm	0,1000%	6.516 dB
Max Power	29.040 dBm	0,0010%	8.250 dB
PAR	8.785 dB	0,0001%	8.625 dB

Go To Local | Show Remote Screen

16.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	7.22	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS

Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1023880	10,000%	3.469 dB
Sample Time	20.488 ms	1,0000%	5.813 dB
Avg Power	19.288 dBm	0,1000%	7.219 dB
Max Power	28.727 dBm	0,0010%	9.000 dB
PAR	9.439 dB	0,0001%	9.328 dB

Go To Local | Show Remote Screen

16.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.7	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	1 / 1	Probability	
Sample Count	999112	10,000%	3.234 dB
Sample Time	19.992 ms	1,0000%	5.344 dB
Avg Power	20.281 dBm	0,1000%	6.703 dB
Max Power	29.294 dBm	0,0010%	8.484 dB
PAR	9.013 dB	0,0001%	8.813 dB

Go To Local Show Remote Screen

16.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	7.27	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS


Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	Value	Probability	Value
Sample Count	1023880	10,000%	3.469 dB
Sample Time	20.488 ms	1,0000%	5.766 dB
Avg Power	19.282 dBm	0,1000%	7.266 dB
Max Power	28.663 dBm	0,0010%	8.344 dB
PAR	9.380 dB	0,0001%	9.281 dB

Go To Local | Show Remote Screen

17. CA_38C

17.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



17.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

