



**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.47	-25	Pass	2986
30	1000	0.1	RMS	997.398	-60.14	-25	Pass	9701
1000	2475	1	RMS	2474	-43.32	-25	Pass	1476
2475	2735	1	RMS	2517.25	13.27	60	Pass	401
2735	3000	1	RMS	2968.2	-44.3	-25	Pass	401
3000	12000	1	RMS	10399	-48.53	-25	Pass	9002
12000	27000	1	RMS	26190	-36.13	-25	Pass	15002




**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.27	-67.03	-25	Pass	2986
30	1000	0.1	RMS	904.937	-60.1	-25	Pass	9701
1000	2475	1	RMS	2470	-46.07	-25	Pass	1476
2475	2735	1	RMS	2604.35	12.29	60	Pass	401
2735	3000	1	RMS	2968.863	-44.28	-25	Pass	401
3000	12000	1	RMS	10404	-48.54	-25	Pass	9002
12000	27000	1	RMS	26165	-36.17	-25	Pass	15002




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.79	-25	Pass	2986
30	1000	0.1	RMS	989.493	-60.07	-25	Pass	9701
1000	2475	1	RMS	2473	-46.04	-25	Pass	1476
2475	2735	1	RMS	2601.75	13.76	60	Pass	401
2735	3000	1	RMS	2964.225	-44.31	-25	Pass	401
3000	12000	1	RMS	10400	-48.48	-25	Pass	9002
12000	27000	1	RMS	26224	-36.15	-25	Pass	15002




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.13	-25	Pass	2986
30	1000	0.1	RMS	991.294	-60.14	-25	Pass	9701
1000	2475	1	RMS	2468	-46.04	-25	Pass	1476
2475	2735	1	RMS	2580.95	11.64	60	Pass	401
2735	3000	1	RMS	2965.55	-44.34	-25	Pass	401
3000	12000	1	RMS	10392	-48.54	-25	Pass	9002
12000	27000	1	RMS	25837	-36.18	-25	Pass	15002




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.51	-25	Pass	2986
30	1000	0.1	RMS	905.537	-60.04	-25	Pass	9701
1000	2475	1	RMS	2475	-46.1	-25	Pass	1476
2475	2735	1	RMS	2601.1	13.52	60	Pass	401
2735	3000	1	RMS	2972.175	-44.35	-25	Pass	401
3000	12000	1	RMS	10392	-48.56	-25	Pass	9002
12000	27000	1	RMS	25863	-36.22	-25	Pass	15002




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.9	-25	Pass	2986
30	1000	0.1	RMS	997.198	-59.98	-25	Pass	9701
1000	2475	1	RMS	2472	-46.12	-25	Pass	1476
2475	2735	1	RMS	2665.45	12.21	60	Pass	401
2735	3000	1	RMS	2735	-43.45	-25	Pass	401
3000	12000	1	RMS	10398	-48.52	-25	Pass	9002
12000	27000	1	RMS	25852	-36.14	-25	Pass	15002




22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.22	-25	Pass	2986
30	1000	0.1	RMS	991.194	-59.83	-25	Pass	9701
1000	2475	1	RMS	2473	-46.13	-25	Pass	1476
2475	2735	1	RMS	2686.9	13.77	60	Pass	401
2735	3000	1	RMS	2965.55	-44.32	-25	Pass	401
3000	12000	1	RMS	10396	-48.46	-25	Pass	9002
12000	27000	1	RMS	25794	-36.21	-25	Pass	15002




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.35	-67.19	-25	Pass	2986
30	1000	0.1	RMS	996.798	-60.06	-25	Pass	9701
1000	2475	1	RMS	2473	-46	-25	Pass	1476
2475	2735	1	RMS	2665.45	12.54	60	Pass	401
2735	3000	1	RMS	2735	-43.56	-25	Pass	401
3000	12000	1	RMS	10400	-48.53	-25	Pass	9002
12000	27000	1	RMS	25841	-36.15	-25	Pass	15002




22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.27	-67.84	-25	Pass	2986
30	1000	0.1	RMS	995.997	-59.99	-25	Pass	9701
1000	2475	1	RMS	2475	-46.01	-25	Pass	1476
2475	2735	1	RMS	2685.6	13.24	60	Pass	401
2735	3000	1	RMS	2969.525	-44.28	-25	Pass	401
3000	12000	1	RMS	10398	-48.55	-25	Pass	9002
12000	27000	1	RMS	26214	-36.14	-25	Pass	15002




**22.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	Pass	2986
30	1000	0.1	RMS	882.922	-59.94	-25	Pass	9701
1000	2475	1	RMS	2473	-46.02	-25	Pass	1476
2475	2735	1	RMS	2534.15	12.13	60	Pass	401
2735	3000	1	RMS	2966.875	-44.31	-25	Pass	401
3000	12000	1	RMS	10393	-48.47	-25	Pass	9002
12000	27000	1	RMS	25810	-36.18	-25	Pass	15002




**22.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.59	-25	Pass	2986
30	1000	0.1	RMS	884.123	-59.95	-25	Pass	9701
1000	2475	1	RMS	2474	-40.78	-25	Pass	1476
2475	2735	1	RMS	2523.1	8.33	60	Pass	401
2735	3000	1	RMS	2966.213	-44.31	-25	Pass	401
3000	12000	1	RMS	10392	-48.51	-25	Pass	9002
12000	27000	1	RMS	26199	-36.15	-25	Pass	15002




**22.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.93	-25	Pass	2986
30	1000	0.1	RMS	995.897	-60.01	-25	Pass	9701
1000	2475	1	RMS	2475	-46.1	-25	Pass	1476
2475	2735	1	RMS	2534.15	12.24	60	Pass	401
2735	3000	1	RMS	2971.513	-44.32	-25	Pass	401
3000	12000	1	RMS	10397	-48.52	-25	Pass	9002
12000	27000	1	RMS	25819	-36.06	-25	Pass	15002




**22.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.76	-25	Pass	2986
30	1000	0.1	RMS	994.396	-59.79	-25	Pass	9701
1000	2475	1	RMS	2474	-41.99	-25	Pass	1476
2475	2735	1	RMS	2525.05	7.35	60	Pass	401
2735	3000	1	RMS	2962.9	-44.33	-25	Pass	401
3000	12000	1	RMS	10400	-48.49	-25	Pass	9002
12000	27000	1	RMS	26201	-36.13	-25	Pass	15002




**22.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.6	-25	Pass	2986
30	1000	0.1	RMS	906.638	-59.98	-25	Pass	9701
1000	2475	1	RMS	2475	-46.13	-25	Pass	1476
2475	2735	1	RMS	2611.5	13.01	60	Pass	401
2735	3000	1	RMS	2964.225	-44.37	-25	Pass	401
3000	12000	1	RMS	10397	-48.46	-25	Pass	9002
12000	27000	1	RMS	26202	-36.12	-25	Pass	15002




**22.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.4	-25	Pass	2986
30	1000	0.1	RMS	907.439	-60.05	-25	Pass	9701
1000	2475	1	RMS	2475	-45.78	-25	Pass	1476
2475	2735	1	RMS	2600.45	7.77	60	Pass	401
2735	3000	1	RMS	2966.875	-44.35	-25	Pass	401
3000	12000	1	RMS	10403	-48.54	-25	Pass	9002
12000	27000	1	RMS	26213	-36.12	-25	Pass	15002




**22.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.89	-25	Pass	2986
30	1000	0.1	RMS	999.199	-60.18	-25	Pass	9701
1000	2475	1	RMS	2473	-46.07	-25	Pass	1476
2475	2735	1	RMS	2611.5	11.75	60	Pass	401
2735	3000	1	RMS	2967.538	-44.35	-25	Pass	401
3000	12000	1	RMS	10395	-48.52	-25	Pass	9002
12000	27000	1	RMS	26185	-36.13	-25	Pass	15002




22.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.84	-25	Pass	2986
30	1000	0.1	RMS	972.982	-60.14	-25	Pass	9701
1000	2475	1	RMS	2475	-46	-25	Pass	1476
2475	2735	1	RMS	2599.8	7.33	60	Pass	401
2735	3000	1	RMS	2968.863	-44.35	-25	Pass	401
3000	12000	1	RMS	10404	-48.39	-25	Pass	9002
12000	27000	1	RMS	25812	-36.15	-25	Pass	15002




**22.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	Pass	2986
30	1000	0.1	RMS	890.127	-60.15	-25	Pass	9701
1000	2475	1	RMS	2471	-46.11	-25	Pass	1476
2475	2735	1	RMS	2651.15	12.78	60	Pass	401
2735	3000	1	RMS	2971.513	-44.37	-25	Pass	401
3000	12000	1	RMS	10402	-48.41	-25	Pass	9002
12000	27000	1	RMS	25837	-36.07	-25	Pass	15002




**22.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.78	-25	Pass	2986
30	1000	0.1	RMS	904.837	-60	-25	Pass	9701
1000	2475	1	RMS	2473	-46.18	-25	Pass	1476
2475	2735	1	RMS	2658.3	8.85	60	Pass	401
2735	3000	1	RMS	2966.213	-44.33	-25	Pass	401
3000	12000	1	RMS	10398	-48.45	-25	Pass	9002
12000	27000	1	RMS	26090	-36.24	-25	Pass	15002




**22.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.74	-25	Pass	2986
30	1000	0.1	RMS	993.996	-60.06	-25	Pass	9701
1000	2475	1	RMS	2475	-46.08	-25	Pass	1476
2475	2735	1	RMS	2651.15	11.62	60	Pass	401
2735	3000	1	RMS	2966.213	-44.34	-25	Pass	401
3000	12000	1	RMS	10406	-48.6	-25	Pass	9002
12000	27000	1	RMS	25859	-36.23	-25	Pass	15002



**22.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.33	-67.77	-25	Pass	2986
30	1000	0.1	RMS	991.895	-59.94	-25	Pass	9701
1000	2475	1	RMS	2475	-46.14	-25	Pass	1476
2475	2735	1	RMS	2659.6	7.59	60	Pass	401
2735	3000	1	RMS	2960.913	-44.36	-25	Pass	401
3000	12000	1	RMS	10398	-48.45	-25	Pass	9002
12000	27000	1	RMS	26208	-36.19	-25	Pass	15002



23. n5 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.52	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.88	-13	Pass	7840
814	859	0.1	RMS	826.728	10.65	60	Pass	450
859	1000	0.1	RMS	885.619	-63.6	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.57	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.47	-13	Pass	7000




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-59.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2985
30	814	0.1	RMS	751.692	-63.91	-13	Pass	7840
814	859	0.1	RMS	826.027	10.58	60	Pass	450
859	1000	0.1	RMS	877.913	-63.63	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.54	-13	Pass	2000
3000	10000	1	RMS	8900.843	-58.42	-13	Pass	7000




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-60.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	Pass	2985
30	814	0.1	RMS	737.79	-63.93	-13	Pass	7840
814	859	0.1	RMS	836.751	10.66	60	Pass	450
859	1000	0.1	RMS	899.829	-63.7	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.57	-13	Pass	2000
3000	10000	1	RMS	8907.844	-58.44	-13	Pass	7000




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-65.73	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.55	-13	Pass	2985
30	814	0.1	RMS	741.391	-64.01	-13	Pass	7840
814	859	0.1	RMS	837.151	10.68	60	Pass	450
859	1000	0.1	RMS	892.624	-63.71	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.57	-13	Pass	2000
3000	10000	1	RMS	8900.843	-58.38	-13	Pass	7000




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-60.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2985
30	814	0.1	RMS	764.094	-64.06	-13	Pass	7840
814	859	0.1	RMS	846.773	10.82	60	Pass	450
859	1000	0.1	RMS	890.522	-63.69	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.54	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.48	-13	Pass	7000




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.06	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.95	-13	Pass	2985
30	814	0.1	RMS	742.191	-63.91	-13	Pass	7840
814	859	0.1	RMS	846.372	10.71	60	Pass	450
859	1000	0.1	RMS	892.924	-63.64	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.62	-13	Pass	2000
3000	10000	1	RMS	8900.843	-58.47	-13	Pass	7000




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.46	-13	Pass	2985
30	814	0.1	RMS	814	-56.33	-13	Pass	7840
814	859	0.1	RMS	828.432	6.16	60	Pass	450
859	1000	0.1	RMS	876.512	-63.64	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.62	-13	Pass	2000
3000	10000	1	RMS	8903.843	-58.45	-13	Pass	7000




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	Pass	2985
30	814	0.1	RMS	813.2	-55.28	-13	Pass	7840
814	859	0.1	RMS	832.241	6.01	60	Pass	450
859	1000	0.1	RMS	891.323	-63.59	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.56	-13	Pass	2000
3000	10000	1	RMS	8908.844	-58.52	-13	Pass	7000




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-61.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	Pass	2985
30	814	0.1	RMS	813.7	-59.79	-13	Pass	7840
814	859	0.1	RMS	833.443	6.13	60	Pass	450
859	1000	0.1	RMS	894.325	-63.67	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.54	-13	Pass	2000
3000	10000	1	RMS	8903.843	-58.45	-13	Pass	7000




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-60.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2985
30	814	0.1	RMS	813.8	-58.28	-13	Pass	7840
814	859	0.1	RMS	838.354	6.16	60	Pass	450
859	1000	0.1	RMS	886.419	-63.66	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.59	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.5	-13	Pass	7000




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-61.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	Pass	2985
30	814	0.1	RMS	814	-63.27	-13	Pass	7840
814	859	0.1	RMS	838.454	6.12	60	Pass	450
859	1000	0.1	RMS	1000	-63.79	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.54	-13	Pass	2000
3000	10000	1	RMS	8901.843	-58.4	-13	Pass	7000




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-61.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2985
30	814	0.1	RMS	814	-62.5	-13	Pass	7840
814	859	0.1	RMS	843.365	6.32	60	Pass	450
859	1000	0.1	RMS	891.523	-63.67	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.54	-13	Pass	2000
3000	10000	1	RMS	8902.843	-58.5	-13	Pass	7000




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-61.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2985
30	814	0.1	RMS	813.4	-53.11	-13	Pass	7840
814	859	0.1	RMS	829.434	4.88	60	Pass	450
859	1000	0.1	RMS	883.417	-63.74	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.52	-13	Pass	2000
3000	10000	1	RMS	8900.843	-58.38	-13	Pass	7000




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-61.99	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.29	-13	Pass	2985
30	814	0.1	RMS	813.4	-49.7	-13	Pass	7840
814	859	0.1	RMS	832.842	4.93	60	Pass	450
859	1000	0.1	RMS	884.118	-63.62	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.56	-13	Pass	2000
3000	10000	1	RMS	8899.843	-58.44	-13	Pass	7000




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-61.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.76	-13	Pass	2985
30	814	0.1	RMS	813.9	-56.54	-13	Pass	7840
814	859	0.1	RMS	831.84	4.88	60	Pass	450
859	1000	0.1	RMS	893.024	-63.62	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.59	-13	Pass	2000
3000	10000	1	RMS	8902.843	-58.48	-13	Pass	7000




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	Pass	2985
30	814	0.1	RMS	813.9	-54.21	-13	Pass	7840
814	859	0.1	RMS	835.347	4.77	60	Pass	450
859	1000	0.1	RMS	893.825	-63.65	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.58	-13	Pass	2000
3000	10000	1	RMS	8904.844	-58.47	-13	Pass	7000




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-61.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2985
30	814	0.1	RMS	813.6	-58.31	-13	Pass	7840
814	859	0.1	RMS	838.053	4.82	60	Pass	450
859	1000	0.1	RMS	864.304	-63.73	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.6	-13	Pass	2000
3000	10000	1	RMS	8896.842	-58.48	-13	Pass	7000



23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	814	0.1	RMS	813.7	-56.94	-13	Pass	7840
814	859	0.1	RMS	837.853	4.96	60	Pass	450
859	1000	0.1	RMS	880.715	-63.72	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.6	-13	Pass	2000
3000	10000	1	RMS	8889.841	-58.49	-13	Pass	7000



24. n7 15kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.3	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-25	Pass	2985
30	1000	0.1	RMS	905.274	-63.73	-25	Pass	9699
1000	2490	1	RMS	2490	-50.51	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.01	60	Pass	401
2580	3000	1	RMS	2868.687	-48.9	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.47	-25	Pass	3500
6500	26000	1	RMS	25193.741	-50.03	-25	Pass	19500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.1	-25	Pass	2985
30	1000	0.1	RMS	895.561	-63.67	-25	Pass	9699
1000	2490	1	RMS	2490	-50.3	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.93	60	Pass	401
2580	3000	1	RMS	2870.692	-48.87	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.45	-25	Pass	3500
6500	26000	1	RMS	25197.743	-49.99	-25	Pass	19500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2985
30	1000	0.1	RMS	881.643	-63.75	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.75	-25	Pass	1490
2490	2580	1	RMS	2535	19.74	60	Pass	401
2580	3000	1	RMS	2871.695	-48.9	-25	Pass	420
3000	6500	1	RMS	6211.918	-63.39	-25	Pass	3500
6500	26000	1	RMS	25197.743	-50.02	-25	Pass	19500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.32	-25	Pass	2985
30	1000	0.1	RMS	992.79	-63.84	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.73	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.8	60	Pass	401
2580	3000	1	RMS	2867.685	-48.93	-25	Pass	420
3000	6500	1	RMS	6213.918	-63.43	-25	Pass	3500
6500	26000	1	RMS	25201.744	-49.93	-25	Pass	19500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-25	Pass	2985
30	1000	0.1	RMS	894.56	-63.85	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.68	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.02	60	Pass	401
2580	3000	1	RMS	2869.69	-48.92	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.44	-25	Pass	3500
6500	26000	1	RMS	25199.743	-49.89	-25	Pass	19500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.91	-25	Pass	2985
30	1000	0.1	RMS	911.583	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.09	60	Pass	401
2580	3000	1	RMS	2867.685	-48.92	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.38	-25	Pass	3500
6500	26000	1	RMS	25199.743	-49.91	-25	Pass	19500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-55.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-25	Pass	2985
30	1000	0.1	RMS	872.13	-63.81	-25	Pass	9699
1000	2490	1	RMS	2488.999	-44.8	-25	Pass	1490
2490	2580	1	RMS	2513.4	12.84	60	Pass	401
2580	3000	1	RMS	2868.687	-48.91	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.46	-25	Pass	3500
6500	26000	1	RMS	25196.742	-49.88	-25	Pass	19500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-25	Pass	2985
30	1000	0.1	RMS	899.066	-63.77	-25	Pass	9699
1000	2490	1	RMS	2486.998	-40.06	-25	Pass	1490
2490	2580	1	RMS	2515.65	12.92	60	Pass	401
2580	3000	1	RMS	2868.687	-48.93	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.43	-25	Pass	3500
6500	26000	1	RMS	25199.743	-49.93	-25	Pass	19500




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.57	-25	Pass	2985
30	1000	0.1	RMS	895.361	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-49.29	-25	Pass	1490
2490	2580	1	RMS	2532.975	12.75	60	Pass	401
2580	3000	1	RMS	2868.687	-48.9	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.4	-25	Pass	3500
6500	26000	1	RMS	25197.743	-49.97	-25	Pass	19500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-25	Pass	2985
30	1000	0.1	RMS	907.177	-63.88	-25	Pass	9699
1000	2490	1	RMS	2490	-48.41	-25	Pass	1490
2490	2580	1	RMS	2531.85	12.87	60	Pass	401
2580	3000	1	RMS	2580	-48.52	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.39	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.85	-25	Pass	19500




**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-58.97	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.48	-25	Pass	2985
30	1000	0.1	RMS	896.162	-63.76	-25	Pass	9699
1000	2490	1	RMS	2490	-50.68	-25	Pass	1490
2490	2580	1	RMS	2557.05	12.96	60	Pass	401
2580	3000	1	RMS	2580	-43.77	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.39	-25	Pass	3500
6500	26000	1	RMS	25200.743	-49.93	-25	Pass	19500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-25	Pass	2985
30	1000	0.1	RMS	891.556	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-50.64	-25	Pass	1490
2490	2580	1	RMS	2554.35	12.98	60	Pass	401
2580	3000	1	RMS	2581.002	-39.95	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.42	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.9	-25	Pass	19500




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-54.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-25	Pass	2985
30	1000	0.1	RMS	894.76	-63.83	-25	Pass	9699
1000	2490	1	RMS	2488.999	-44.17	-25	Pass	1490
2490	2580	1	RMS	2521.05	10.51	60	Pass	401
2580	3000	1	RMS	2869.69	-48.89	-25	Pass	420
3000	6500	1	RMS	6199.914	-63.5	-25	Pass	3500
6500	26000	1	RMS	25203.744	-49.93	-25	Pass	19500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-25	Pass	2985
30	1000	0.1	RMS	887.551	-63.87	-25	Pass	9699
1000	2490	1	RMS	2488.999	-42.43	-25	Pass	1490
2490	2580	1	RMS	2516.775	10.59	60	Pass	401
2580	3000	1	RMS	2580	-48.62	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.46	-25	Pass	3500
6500	26000	1	RMS	25203.744	-50.04	-25	Pass	19500




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-25	Pass	2985
30	1000	0.1	RMS	904.473	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-47.61	-25	Pass	1490
2490	2580	1	RMS	2527.575	10.51	60	Pass	401
2580	3000	1	RMS	2580	-47.44	-25	Pass	420
3000	6500	1	RMS	6198.914	-63.49	-25	Pass	3500
6500	26000	1	RMS	25203.744	-49.97	-25	Pass	19500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.39	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.95	-25	Pass	2985
30	1000	0.1	RMS	997.797	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-44.18	-25	Pass	1490
2490	2580	1	RMS	2528.7	10.6	60	Pass	401
2580	3000	1	RMS	2580	-43.88	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.46	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.93	-25	Pass	19500




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:510000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-25	Pass	2985
30	1000	0.1	RMS	883.946	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-49.79	-25	Pass	1490
2490	2580	1	RMS	2547.6	10.55	60	Pass	401
2580	3000	1	RMS	2581.002	-42.21	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.45	-25	Pass	3500
6500	26000	1	RMS	25202.744	-49.97	-25	Pass	19500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:510000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-25	Pass	2985
30	1000	0.1	RMS	899.166	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-47.49	-25	Pass	1490
2490	2580	1	RMS	2557.95	10.64	60	Pass	401
2580	3000	1	RMS	2580	-40.11	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.47	-25	Pass	3500
6500	26000	1	RMS	25201.744	-49.96	-25	Pass	19500



25. n38 30kHz_PC3


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.31	-25	Pass	401
0.15	30	0.01	RMS	0.37	-69.91	-25	Pass	2985
30	1000	0.1	RMS	894.861	-61.18	-25	Pass	9699
1000	2560	1	RMS	2560	-47.23	-25	Pass	1560
2560	2630	1	RMS	2575.225	17	60	Pass	401
2630	3000	1	RMS	2868.65	-48.9	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.1	-25	Pass	3500
6500	26500	1	RMS	25198.64	-49.23	-25	Pass	20000




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-53.62	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.23	-25	Pass	2985
30	1000	0.1	RMS	927.504	-61.44	-25	Pass	9699
1000	2560	1	RMS	2560	-45.67	-25	Pass	1560
2560	2630	1	RMS	2576.1	17.1	60	Pass	401
2630	3000	1	RMS	2869.575	-48.85	-25	Pass	401
3000	6500	1	RMS	6202.915	-63.2	-25	Pass	3500
6500	26500	1	RMS	25166.631	-48.81	-25	Pass	20000




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.68	-25	Pass	401
0.15	30	0.01	RMS	0.36	-69.23	-25	Pass	2985
30	1000	0.1	RMS	876.837	-61.5	-25	Pass	9699
1000	2560	1	RMS	2520.975	-50.31	-25	Pass	1560
2560	2630	1	RMS	2594.65	17.05	60	Pass	401
2630	3000	1	RMS	2870.5	-48.81	-25	Pass	401
3000	6500	1	RMS	5187.625	-62.91	-25	Pass	3500
6500	26500	1	RMS	25174.633	-49.11	-25	Pass	20000




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-58.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70	-25	Pass	2985
30	1000	0.1	RMS	962.25	-61.76	-25	Pass	9699
1000	2560	1	RMS	2528.98	-50.36	-25	Pass	1560
2560	2630	1	RMS	2596.05	17.12	60	Pass	401
2630	3000	1	RMS	2872.35	-48.8	-25	Pass	401
3000	6500	1	RMS	5189.626	-63.04	-25	Pass	3500
6500	26500	1	RMS	25477.717	-49.23	-25	Pass	20000




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-54.47	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.01	-25	Pass	2985
30	1000	0.1	RMS	902.371	-61.5	-25	Pass	9699
1000	2560	1	RMS	2500.962	-50.28	-25	Pass	1560
2560	2630	1	RMS	2616	17.37	60	Pass	401
2630	3000	1	RMS	2630	-47.23	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.02	-25	Pass	3500
6500	26500	1	RMS	25185.637	-49.01	-25	Pass	20000




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.83	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70	-25	Pass	2985
30	1000	0.1	RMS	868.926	-61.11	-25	Pass	9699
1000	2560	1	RMS	2507.967	-50.3	-25	Pass	1560
2560	2630	1	RMS	2616	17.42	60	Pass	401
2630	3000	1	RMS	2630	-45.06	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.09	-25	Pass	3500
6500	26500	1	RMS	25811.81	-48.95	-25	Pass	20000




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-56.83	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.99	-25	Pass	2985
30	1000	0.1	RMS	702.782	-60.57	-25	Pass	9699
1000	2560	1	RMS	2560	-43.25	-25	Pass	1560
2560	2630	1	RMS	2582.225	13.92	60	Pass	401
2630	3000	1	RMS	2866.8	-48.76	-25	Pass	401
3000	6500	1	RMS	6208.917	-63.12	-25	Pass	3500
6500	26500	1	RMS	25184.636	-49.28	-25	Pass	20000




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-53.17	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.76	-25	Pass	2985
30	1000	0.1	RMS	486.956	-61.24	-25	Pass	9699
1000	2560	1	RMS	2560	-38.94	-25	Pass	1560
2560	2630	1	RMS	2578.2	13.87	60	Pass	401
2630	3000	1	RMS	2870.5	-48.78	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.19	-25	Pass	3500
6500	26500	1	RMS	25211.644	-48.8	-25	Pass	20000




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.98	-25	Pass	2985
30	1000	0.1	RMS	726.885	-61.38	-25	Pass	9699
1000	2560	1	RMS	2531.982	-50.28	-25	Pass	1560
2560	2630	1	RMS	2597.1	13.92	60	Pass	401
2630	3000	1	RMS	2868.65	-48.82	-25	Pass	401
3000	6500	1	RMS	5184.624	-62.88	-25	Pass	3500
6500	26500	1	RMS	25185.637	-49.27	-25	Pass	20000




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.02	-25	Pass	2985
30	1000	0.1	RMS	986.983	-61.04	-25	Pass	9699
1000	2560	1	RMS	2560	-49.87	-25	Pass	1560
2560	2630	1	RMS	2593.25	13.9	60	Pass	401
2630	3000	1	RMS	2870.5	-48.83	-25	Pass	401
3000	6500	1	RMS	6209.917	-63.13	-25	Pass	3500
6500	26500	1	RMS	25197.64	-49.21	-25	Pass	20000




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.78	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.16	-25	Pass	2985
30	1000	0.1	RMS	741.687	-61.15	-25	Pass	9699
1000	2560	1	RMS	2517.973	-50.27	-25	Pass	1560
2560	2630	1	RMS	2612.15	14.17	60	Pass	401
2630	3000	1	RMS	2630	-42.17	-25	Pass	401
3000	6500	1	RMS	6220.92	-62.96	-25	Pass	3500
6500	26500	1	RMS	25197.64	-49.32	-25	Pass	20000




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.05	-25	Pass	401
0.15	30	0.01	RMS	0.37	-70.52	-25	Pass	2985
30	1000	0.1	RMS	922.998	-61.43	-25	Pass	9699
1000	2560	1	RMS	2506.966	-50.37	-25	Pass	1560
2560	2630	1	RMS	2608.3	14.11	60	Pass	401
2630	3000	1	RMS	2630	-38.18	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.06	-25	Pass	3500
6500	26500	1	RMS	25177.634	-48.9	-25	Pass	20000




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.45	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.15	-25	Pass	2985
30	1000	0.1	RMS	978.672	-61.14	-25	Pass	9699
1000	2560	1	RMS	2560	-42.55	-25	Pass	1560
2560	2630	1	RMS	2590.975	10.89	60	Pass	401
2630	3000	1	RMS	2630.925	-45.34	-25	Pass	401
3000	6500	1	RMS	6222.921	-63.05	-25	Pass	3500
6500	26500	1	RMS	25192.638	-49.04	-25	Pass	20000




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.42	-25	Pass	401
0.15	30	0.01	RMS	0.35	-69.36	-25	Pass	2985
30	1000	0.1	RMS	747.888	-61.76	-25	Pass	9699
1000	2560	1	RMS	2553.996	-41.12	-25	Pass	1560
2560	2630	1	RMS	2593.075	11.08	60	Pass	401
2630	3000	1	RMS	2630	-41.37	-25	Pass	401
3000	6500	1	RMS	6208.917	-63.18	-25	Pass	3500
6500	26500	1	RMS	25203.641	-49.22	-25	Pass	20000




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.59	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.11	-25	Pass	2985
30	1000	0.1	RMS	885.849	-61.39	-25	Pass	9699
1000	2560	1	RMS	2558.999	-43.3	-25	Pass	1560
2560	2630	1	RMS	2590.8	10.92	60	Pass	401
2630	3000	1	RMS	2630	-43.58	-25	Pass	401
3000	6500	1	RMS	6222.921	-63.2	-25	Pass	3500
6500	26500	1	RMS	18238.433	-49.02	-25	Pass	20000




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.4	-25	Pass	401
0.15	30	0.01	RMS	0.36	-70.54	-25	Pass	2985
30	1000	0.1	RMS	891.957	-61.34	-25	Pass	9699
1000	2560	1	RMS	2558.999	-41.1	-25	Pass	1560
2560	2630	1	RMS	2598.15	11.03	60	Pass	401
2630	3000	1	RMS	2632.775	-40.47	-25	Pass	401
3000	6500	1	RMS	6217.919	-62.91	-25	Pass	3500
6500	26500	1	RMS	25799.806	-48.91	-25	Pass	20000




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.19	-25	Pass	2985
30	1000	0.1	RMS	861.116	-61.4	-25	Pass	9699
1000	2560	1	RMS	2560	-44.54	-25	Pass	1560
2560	2630	1	RMS	2595.875	10.95	60	Pass	401
2630	3000	1	RMS	2630	-41.96	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.03	-25	Pass	3500
6500	26500	1	RMS	25467.715	-49.05	-25	Pass	20000



25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-56.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-25	Pass	2985
30	1000	0.1	RMS	996.295	-61.35	-25	Pass	9699
1000	2560	1	RMS	2560	-41.35	-25	Pass	1560
2560	2630	1	RMS	2603.05	11.08	60	Pass	401
2630	3000	1	RMS	2634.625	-40.08	-25	Pass	401
3000	6500	1	RMS	6209.917	-63.21	-25	Pass	3500
6500	26500	1	RMS	25198.64	-49.15	-25	Pass	20000



26. n41 30kHz


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-56.32	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.93	-25	Pass	2985
30	1000	0.1	RMS	896.262	-60.46	-25	Pass	9699
1000	2486	1	RMS	2486	-41.23	-25	Pass	1486
2486	2700	1	RMS	2507.935	15.86	60	Pass	401
2700	3000	1	RMS	2871	-48.77	-25	Pass	401
3000	6500	1	RMS	6208.917	-62.99	-25	Pass	3500
6500	26500	1	RMS	25210.643	-48.84	-25	Pass	20000




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.73	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.91	-25	Pass	2985
30	1000	0.1	RMS	907.177	-61.74	-25	Pass	9699
1000	2486	1	RMS	2486	-37.03	-25	Pass	1486
2486	2700	1	RMS	2509.005	15.93	60	Pass	401
2700	3000	1	RMS	2868.75	-48.76	-25	Pass	401
3000	6500	1	RMS	6211.918	-62.99	-25	Pass	3500
6500	26500	1	RMS	25498.723	-49.06	-25	Pass	20000




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.78	-25	Pass	401
0.15	30	0.01	RMS	0.35	-68.45	-25	Pass	2985
30	1000	0.1	RMS	887.851	-60.75	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.75	-25	Pass	1486
2486	2700	1	RMS	2595.14	15.98	60	Pass	401
2700	3000	1	RMS	2868	-48.84	-25	Pass	401
3000	6500	1	RMS	5189.626	-62.51	-25	Pass	3500
6500	26500	1	RMS	25202.641	-48.98	-25	Pass	20000




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-53.77	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.36	-25	Pass	2985
30	1000	0.1	RMS	741.387	-60.98	-25	Pass	9699
1000	2486	1	RMS	2477.995	-50.65	-25	Pass	1486
2486	2700	1	RMS	2595.675	15.88	60	Pass	401
2700	3000	1	RMS	2874.75	-48.82	-25	Pass	401
3000	6500	1	RMS	5184.624	-63.03	-25	Pass	3500
6500	26500	1	RMS	25215.645	-49.1	-25	Pass	20000




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-56.03	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.59	-25	Pass	2985
30	1000	0.1	RMS	858.713	-60.5	-25	Pass	9699
1000	2486	1	RMS	2486	-50.7	-25	Pass	1486
2486	2700	1	RMS	2676.46	15.75	60	Pass	401
2700	3000	1	RMS	2700	-41.04	-25	Pass	401
3000	6500	1	RMS	6248.928	-63.2	-25	Pass	3500
6500	26500	1	RMS	25518.729	-49.37	-25	Pass	20000




26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.45	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.8	-25	Pass	2985
30	1000	0.1	RMS	492.156	-60.66	-25	Pass	9699
1000	2486	1	RMS	2467.988	-50.74	-25	Pass	1486
2486	2700	1	RMS	2676.46	15.73	60	Pass	401
2700	3000	1	RMS	2700	-36	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.08	-25	Pass	3500
6500	26500	1	RMS	25184.636	-48.89	-25	Pass	20000




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.96	-25	Pass	2985
30	1000	0.1	RMS	849.4	-61.25	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.93	-25	Pass	1486
2486	2700	1	RMS	2522.38	10.97	60	Pass	401
2700	3000	1	RMS	2867.25	-48.81	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.05	-25	Pass	3500
6500	26500	1	RMS	18304.441	-49.16	-25	Pass	20000




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.04	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.57	-25	Pass	2985
30	1000	0.1	RMS	771.691	-61.6	-25	Pass	9699
1000	2486	1	RMS	2486	-37.86	-25	Pass	1486
2486	2700	1	RMS	2528.8	10.89	60	Pass	401
2700	3000	1	RMS	2869.5	-48.87	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.13	-25	Pass	3500
6500	26500	1	RMS	18270.437	-49.13	-25	Pass	20000




**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.6	-25	Pass	401
0.15	30	0.01	RMS	0.37	-68.99	-25	Pass	2985
30	1000	0.1	RMS	548.863	-61.33	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.67	-25	Pass	1486
2486	2700	1	RMS	2591.395	11.03	60	Pass	401
2700	3000	1	RMS	2868	-48.81	-25	Pass	401
3000	6500	1	RMS	6197.914	-63.31	-25	Pass	3500
6500	26500	1	RMS	25193.639	-49.17	-25	Pass	20000




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.51	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.72	-25	Pass	2985
30	1000	0.1	RMS	719.584	-61.57	-25	Pass	9699
1000	2486	1	RMS	2486	-50.19	-25	Pass	1486
2486	2700	1	RMS	2602.63	10.98	60	Pass	401
2700	3000	1	RMS	2871	-48.8	-25	Pass	401
3000	6500	1	RMS	6223.921	-63.27	-25	Pass	3500
6500	26500	1	RMS	25206.642	-49.25	-25	Pass	20000




**26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-25	Pass	2985
30	1000	0.1	RMS	751.588	-61.2	-25	Pass	9699
1000	2486	1	RMS	2486	-50.61	-25	Pass	1486
2486	2700	1	RMS	2648.64	10.98	60	Pass	401
2700	3000	1	RMS	2700	-40.53	-25	Pass	401
3000	6500	1	RMS	6198.914	-63.19	-25	Pass	3500
6500	26500	1	RMS	25469.715	-48.96	-25	Pass	20000




26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.72	-25	Pass	2985
30	1000	0.1	RMS	751.088	-61.61	-25	Pass	9699
1000	2486	1	RMS	2486	-50.63	-25	Pass	1486
2486	2700	1	RMS	2651.85	10.9	60	Pass	401
2700	3000	1	RMS	2700	-36.22	-25	Pass	401
3000	6500	1	RMS	6206.916	-63.21	-25	Pass	3500
6500	26500	1	RMS	25203.641	-49.3	-25	Pass	20000




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-53.66	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.1	-25	Pass	2985
30	1000	0.1	RMS	994.192	-61.36	-25	Pass	9699
1000	2486	1	RMS	2484.999	-43.56	-25	Pass	1486
2486	2700	1	RMS	2553.945	8.77	60	Pass	401
2700	3000	1	RMS	2871.75	-48.79	-25	Pass	401
3000	6500	1	RMS	5114.604	-62.98	-25	Pass	3500
6500	26500	1	RMS	25190.638	-49.13	-25	Pass	20000




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.97	-25	Pass	2985
30	1000	0.1	RMS	863.219	-60.76	-25	Pass	9699
1000	2486	1	RMS	2486	-39.48	-25	Pass	1486
2486	2700	1	RMS	2554.48	8.75	60	Pass	401
2700	3000	1	RMS	2883.75	-48.84	-25	Pass	401
3000	6500	1	RMS	6198.914	-63.22	-25	Pass	3500
6500	26500	1	RMS	25214.645	-49.08	-25	Pass	20000



**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-54.45	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.76	-25	Pass	2985
30	1000	0.1	RMS	915.688	-61.34	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.35	-25	Pass	1486
2486	2700	1	RMS	2607.98	8.83	60	Pass	401
2700	3000	1	RMS	2706.75	-47.37	-25	Pass	401
3000	6500	1	RMS	6205.916	-63.24	-25	Pass	3500
6500	26500	1	RMS	25199.64	-49.08	-25	Pass	20000



26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.42	-25	Pass	401
0.15	30	0.01	RMS	0.35	-67.83	-25	Pass	2985
30	1000	0.1	RMS	910.581	-61.22	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.45	-25	Pass	1486
2486	2700	1	RMS	2601.56	8.96	60	Pass	401
2700	3000	1	RMS	2700	-43.91	-25	Pass	401
3000	6500	1	RMS	6205.916	-63.14	-25	Pass	3500
6500	26500	1	RMS	25191.638	-48.83	-25	Pass	20000

