



**26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-55.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	Pass	2985
30	1000	0.1	RMS	983.178	-61.16	-25	Pass	9699
1000	2486	1	RMS	2478.995	-50.3	-25	Pass	1486
2486	2700	1	RMS	2637.405	8.79	60	Pass	401
2700	3000	1	RMS	2707.5	-38.93	-25	Pass	401
3000	6500	1	RMS	6208.917	-63.15	-25	Pass	3500
6500	26500	1	RMS	18209.429	-49.19	-25	Pass	20000



26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.78	-25	Pass	2985
30	1000	0.1	RMS	895.762	-61.28	-25	Pass	9699
1000	2486	1	RMS	2486	-49.69	-25	Pass	1486
2486	2700	1	RMS	2631.52	8.9	60	Pass	401
2700	3000	1	RMS	2707.5	-36.82	-25	Pass	401
3000	6500	1	RMS	6201.915	-63.02	-25	Pass	3500
6500	26500	1	RMS	25200.641	-49.15	-25	Pass	20000



27. n66 15kHz


27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-13	Pass	2985
30	1000	0.1	RMS	995.895	-63.85	-13	Pass	9699
1000	1700	1	RMS	1700	-52.5	-13	Pass	700
1700	1790	1	RMS	1712.375	20.63	60	Pass	401
1790	3000	1	RMS	2868.892	-48.83	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.43	-13	Pass	3500
6500	20000	1	RMS	18237.668	-50.58	-13	Pass	13500




27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2985
30	1000	0.1	RMS	981.976	-63.78	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1712.15	20.69	60	Pass	401
1790	3000	1	RMS	2866.89	-48.85	-13	Pass	1210
3000	6500	1	RMS	3425.121	-63.41	-13	Pass	3500
6500	20000	1	RMS	18301.68	-50.52	-13	Pass	13500




27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-57.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71	-13	Pass	2985
30	1000	0.1	RMS	906.276	-63.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.76	-13	Pass	700
1700	1790	1	RMS	1745	20.61	60	Pass	401
1790	3000	1	RMS	2866.89	-48.87	-13	Pass	1210
3000	6500	1	RMS	3489.14	-63.17	-13	Pass	3500
6500	20000	1	RMS	18262.673	-50.55	-13	Pass	13500




27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	Pass	2985
30	1000	0.1	RMS	913.986	-63.81	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.75	-13	Pass	700
1700	1790	1	RMS	1744.775	20.62	60	Pass	401
1790	3000	1	RMS	2871.894	-48.84	-13	Pass	1210
3000	6500	1	RMS	3490.14	-62.97	-13	Pass	3500
6500	20000	1	RMS	18269.674	-50.51	-13	Pass	13500




27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.33	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.02	-13	Pass	2985
30	1000	0.1	RMS	889.053	-63.75	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.74	-13	Pass	700
1700	1790	1	RMS	1777.4	20.54	60	Pass	401
1790	3000	1	RMS	2864.888	-48.9	-13	Pass	1210
3000	6500	1	RMS	3554.158	-61.89	-13	Pass	3500
6500	20000	1	RMS	18271.674	-50.56	-13	Pass	13500




27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-13	Pass	2985
30	1000	0.1	RMS	896.062	-63.73	-13	Pass	9699
1000	1700	1	RMS	1700	-52.73	-13	Pass	700
1700	1790	1	RMS	1777.175	20.51	60	Pass	401
1790	3000	1	RMS	2867.891	-48.81	-13	Pass	1210
3000	6500	1	RMS	3555.159	-61.29	-13	Pass	3500
6500	20000	1	RMS	18252.671	-50.47	-13	Pass	13500




27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	Pass	2985
30	1000	0.1	RMS	892.357	-63.74	-13	Pass	9699
1000	1700	1	RMS	1700	-44.71	-13	Pass	700
1700	1790	1	RMS	1718.9	14.63	60	Pass	401
1790	3000	1	RMS	2869.892	-48.74	-13	Pass	1210
3000	6500	1	RMS	6210.917	-63.46	-13	Pass	3500
6500	20000	1	RMS	18305.681	-50.56	-13	Pass	13500




27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.59	-13	Pass	2985
30	1000	0.1	RMS	887.751	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-40.87	-13	Pass	700
1700	1790	1	RMS	1718.225	14.59	60	Pass	401
1790	3000	1	RMS	2869.892	-48.87	-13	Pass	1210
3000	6500	1	RMS	6211.918	-63.43	-13	Pass	3500
6500	20000	1	RMS	18260.672	-50.54	-13	Pass	13500




27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.83	-13	Pass	2985
30	1000	0.1	RMS	909.88	-63.81	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.76	-13	Pass	700
1700	1790	1	RMS	1744.325	14.59	60	Pass	401
1790	3000	1	RMS	2868.892	-48.82	-13	Pass	1210
3000	6500	1	RMS	6216.919	-63.43	-13	Pass	3500
6500	20000	1	RMS	18308.681	-50.52	-13	Pass	13500




27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-13	Pass	2985
30	1000	0.1	RMS	887.05	-63.84	-13	Pass	9699
1000	1700	1	RMS	1700	-52.74	-13	Pass	700
1700	1790	1	RMS	1746.35	14.63	60	Pass	401
1790	3000	1	RMS	2867.891	-48.85	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.43	-13	Pass	3500
6500	20000	1	RMS	18246.67	-50.57	-13	Pass	13500




**27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-13	Pass	2985
30	1000	0.1	RMS	893.859	-63.78	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1790	1	RMS	1768.85	14.5	60	Pass	401
1790	3000	1	RMS	1790	-45.44	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.45	-13	Pass	3500
6500	20000	1	RMS	18296.679	-50.52	-13	Pass	13500




27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2985
30	1000	0.1	RMS	905.875	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-52.73	-13	Pass	700
1700	1790	1	RMS	1772.225	14.5	60	Pass	401
1790	3000	1	RMS	1790	-42.27	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.42	-13	Pass	3500
6500	20000	1	RMS	18244.669	-50.57	-13	Pass	13500




**27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.26	-13	Pass	2985
30	1000	0.1	RMS	896.863	-63.8	-13	Pass	9699
1000	1700	1	RMS	1700	-45.06	-13	Pass	700
1700	1790	1	RMS	1721.6	11.45	60	Pass	401
1790	3000	1	RMS	2868.892	-48.89	-13	Pass	1210
3000	6500	1	RMS	6202.915	-63.41	-13	Pass	3500
6500	20000	1	RMS	18247.67	-50.54	-13	Pass	13500




27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-13	Pass	2985
30	1000	0.1	RMS	891.356	-63.74	-13	Pass	9699
1000	1700	1	RMS	1700	-42.74	-13	Pass	700
1700	1790	1	RMS	1723.4	11.44	60	Pass	401
1790	3000	1	RMS	2868.892	-48.86	-13	Pass	1210
3000	6500	1	RMS	6198.914	-63.37	-13	Pass	3500
6500	20000	1	RMS	18204.662	-50.59	-13	Pass	13500




**27.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.98	-13	Pass	2985
30	1000	0.1	RMS	899.867	-63.75	-13	Pass	9699
1000	1700	1	RMS	1700	-49.07	-13	Pass	700
1700	1790	1	RMS	1748.375	11.39	60	Pass	401
1790	3000	1	RMS	1790	-48.78	-13	Pass	1210
3000	6500	1	RMS	6212.918	-63.39	-13	Pass	3500
6500	20000	1	RMS	18230.667	-50.56	-13	Pass	13500




27.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	1000	0.1	RMS	878.239	-63.67	-13	Pass	9699
1000	1700	1	RMS	1700	-45.86	-13	Pass	700
1700	1790	1	RMS	1748.375	11.5	60	Pass	401
1790	3000	1	RMS	1790	-45.95	-13	Pass	1210
3000	6500	1	RMS	6214.919	-63.39	-13	Pass	3500
6500	20000	1	RMS	18273.675	-50.47	-13	Pass	13500




**27.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2985
30	1000	0.1	RMS	892.057	-63.8	-13	Pass	9699
1000	1700	1	RMS	1700	-51.91	-13	Pass	700
1700	1790	1	RMS	1751.975	11.5	60	Pass	401
1790	3000	1	RMS	1791.001	-43.51	-13	Pass	1210
3000	6500	1	RMS	6215.919	-63.44	-13	Pass	3500
6500	20000	1	RMS	18267.674	-50.55	-13	Pass	13500



27.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.92	-13	Pass	2985
30	1000	0.1	RMS	898.666	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-50.3	-13	Pass	700
1700	1790	1	RMS	1753.775	11.48	60	Pass	401
1790	3000	1	RMS	1790	-39.84	-13	Pass	1210
3000	6500	1	RMS	6201.915	-63.42	-13	Pass	3500
6500	20000	1	RMS	18294.679	-50.57	-13	Pass	13500



--BLANK BELOW--