



RSE-H&V DC_66A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.486	-36.09	9.05	-25.0	11.09	322.00	Horizontal	Vertical	N/A
874.724	-45.12	8.11	-25.0	20.12	262.00	Horizontal	Vertical	N/A
1701.300	-48.18	3.81	-25.0	23.18	203.00	Horizontal	Vertical	Pass
2170.600	-41.01	5.93	-25.0	16.01	259.00	Horizontal	Vertical	N/A
7771.750	-36.33	18.00	-25.0	11.33	247.00	Horizontal	Vertical	Pass
13389.975	-38.50	16.92	-25.0	13.50	360.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.389	-36.00	9.05	-25.0	11.00	22.00	Vertical	Vertical	N/A
875.113	-52.91	8.11	-25.0	27.91	181.00	Vertical	Vertical	N/A
1708.600	-48.48	3.78	-25.0	23.48	135.00	Vertical	Vertical	Pass
2111.800	-45.44	6.88	-25.0	20.44	271.00	Vertical	Vertical	N/A
7091.500	-36.75	16.36	-25.0	11.75	328.00	Vertical	Vertical	Pass
13391.025	-38.70	16.93	-25.0	13.70	18.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.438	-48.77	9.05	-25.0	23.77	6.00	Vertical	Horizontal	N/A
876.665	-51.38	8.18	-25.0	26.38	35.00	Vertical	Horizontal	N/A
2018.400	-45.44	5.34	-25.0	20.44	136.00	Vertical	Horizontal	Pass
2356.200	-44.40	7.09	-25.0	19.40	42.00	Vertical	Horizontal	Pass
6689.000	-37.08	17.06	-25.0	12.08	144.00	Vertical	Horizontal	Pass
13814.700	-39.42	16.67	-25.0	14.42	202.00	Vertical	Horizontal	Pass

37 DC_66A_n7A


37.1 DC_66A_n7A BW20(LTE)+BW40(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n7A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
180.156	-72.09	-17.34	-25.0	47.09	239.00	Horizontal	Horizontal	Pass
2121.000	-42.05	3.52	-25.0	17.05	154.00	Horizontal	Horizontal	N/A
2485.400	-25.07	7.02	-25.0	0.07	-1.00	Horizontal	Horizontal	N/A
7943.000	-40.30	14.94	-25.0	15.30	0.00	Horizontal	Horizontal	Pass
13320.937	-40.12	15.39	-25.0	15.12	238.00	Horizontal	Horizontal	Pass
17815.200	-43.04	12.79	-25.0	18.04	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n7A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1420.900	-52.59	-0.93	-25.0	27.59	165.00	Horizontal	Vertical	Pass
2120.700	-40.55	3.54	-25.0	15.55	90.00	Horizontal	Vertical	N/A
2486.800	-22.71	7.08	-25.0	-2.29	360.00	Horizontal	Vertical	N/A
2581.200	-40.11	7.37	-25.0	15.11	165.00	Horizontal	Vertical	N/A
7238.250	-39.51	14.47	-25.0	14.51	0.00	Horizontal	Vertical	Pass
12000.687	-39.96	13.80	-25.0	14.96	360.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n7A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
193.542	-71.80	-16.05	-25.0	46.80	307.00	Vertical	Vertical	Pass
1703.100	-49.30	1.34	-25.0	24.30	-1.00	Vertical	Vertical	Pass
2485.500	-23.61	7.07	-25.0	-1.39	84.00	Vertical	Vertical	N/A
2580.500	-42.53	7.37	-25.0	17.53	84.00	Vertical	Vertical	N/A
7225.000	-40.44	14.15	-25.0	15.44	0.00	Vertical	Vertical	Pass
13350.862	-39.38	16.55	-25.0	14.38	-3.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n7A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1300.500	-53.74	-0.54	-25.0	28.74	244.00	Vertical	Horizontal	Pass
2487.900	-38.72	7.08	-25.0	13.72	164.00	Vertical	Horizontal	N/A
7242.250	-40.17	14.55	-25.0	15.17	156.00	Vertical	Horizontal	Pass
11999.737	-39.88	13.82	-25.0	14.88	360.00	Vertical	Horizontal	Pass
13380.787	-38.64	16.83	-25.0	13.64	-3.00	Vertical	Horizontal	Pass
19945.349	-43.15	12.95	-25.0	18.15	-1.00	Vertical	Horizontal	Pass


37.2 DC_66A_n7A BW20(LTE)+BW40(NR), QPSK, High Chanel

RSE-H&H DC_66A_n7A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
178.361	-72.61	-17.61	-25.0	47.61	243.00	Horizontal	Horizontal	Pass
2171.200	-41.87	3.73	-25.0	16.87	209.00	Horizontal	Horizontal	N/A
2584.000	-19.20	7.35	-25.0	-5.80	337.00	Horizontal	Horizontal	N/A
2966.700	-44.05	10.84	-25.0	19.05	359.00	Horizontal	Horizontal	Pass
7259.750	-40.52	14.72	-25.0	15.52	308.00	Horizontal	Horizontal	Pass
13343.513	-39.41	16.28	-25.0	14.41	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n7A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
180.302	-72.77	-17.34	-25.0	47.77	238.00	Horizontal	Vertical	Pass
2170.900	-40.76	3.73	-25.0	15.76	201.00	Horizontal	Vertical	N/A
2579.100	-17.95	7.38	-25.0	-7.05	-1.00	Horizontal	Vertical	N/A
7257.750	-40.01	14.64	-25.0	15.01	0.00	Horizontal	Vertical	Pass
11986.201	-39.75	13.87	-25.0	14.75	186.00	Horizontal	Vertical	Pass
19695.600	-43.41	12.94	-25.0	18.41	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n7A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1291.500	-53.80	-0.64	-25.0	28.80	238.00	Vertical	Vertical	Pass
2584.600	-24.69	7.33	-25.0	-0.31	213.00	Vertical	Vertical	N/A
5363.000	-45.93	8.37	-25.0	20.93	0.00	Vertical	Vertical	Pass
7576.250	-39.96	14.29	-25.0	14.96	239.00	Vertical	Vertical	Pass
13816.275	-38.70	16.63	-25.0	13.70	-3.00	Vertical	Vertical	Pass
19736.551	-43.40	12.94	-25.0	18.40	-1.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n7A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1486.600	-52.23	-0.98	-25.0	27.23	360.00	Vertical	Horizontal	Pass
2584.600	-34.36	7.33	-25.0	9.36	103.00	Vertical	Horizontal	N/A
2880.800	-43.90	9.55	-25.0	18.90	358.00	Vertical	Horizontal	Pass
7259.750	-40.56	14.72	-25.0	15.56	8.00	Vertical	Horizontal	Pass
13397.063	-38.52	16.98	-25.0	13.52	-3.00	Vertical	Horizontal	Pass
20381.401	-42.82	12.97	-25.0	17.82	-1.00	Vertical	Horizontal	Pass

38 DC_66A_n38A


38.1 DC_66A_n38A BW20(LTE)+BW40(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n38A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1716.000	-48.05	3.81	-25.0	23.05	179.00	Horizontal	Horizontal	N/A
2120.800	-36.49	5.75	-25.0	11.49	254.00	Horizontal	Horizontal	N/A
2572.100	9.29	8.12	-25.0	-34.29	24.00	Horizontal	Horizontal	N/A
5049.000	-42.62	11.98	-25.0	17.62	141.00	Horizontal	Horizontal	Pass
7405.000	-36.85	17.93	-25.0	11.85	52.00	Horizontal	Horizontal	Pass
13378.688	-39.92	16.81	-25.0	14.92	234.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n38A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1764.100	-47.99	3.66	-25.0	22.99	38.00	Horizontal	Vertical	N/A
2121.300	-40.05	5.75	-25.0	15.05	271.00	Horizontal	Vertical	N/A
2572.200	0.64	8.12	-25.0	-25.64	56.00	Horizontal	Vertical	N/A
4969.000	-41.87	13.56	-25.0	16.87	216.00	Horizontal	Vertical	Pass
6766.000	-36.66	16.07	-25.0	11.66	95.00	Horizontal	Vertical	Pass
13377.112	-39.56	16.79	-25.0	14.56	345.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n38A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1703.100	-46.82	3.87	-25.0	21.82	24.00	Vertical	Vertical	N/A
2121.500	-44.37	5.75	-25.0	19.37	203.00	Vertical	Vertical	N/A
2572.000	8.11	8.10	-25.0	-33.11	55.00	Vertical	Vertical	N/A
5122.500	-41.90	12.33	-25.0	16.90	324.00	Vertical	Vertical	Pass
7975.750	-35.91	18.11	-25.0	10.91	346.00	Vertical	Vertical	Pass
13388.925	-39.63	16.91	-25.0	14.63	299.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n38A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.182	-65.82	-19.39	-25.0	40.82	363.00	Vertical	Horizontal	Pass
1718.200	-48.44	3.80	-25.0	23.44	296.00	Vertical	Horizontal	N/A
2099.900	-46.16	6.22	-25.0	21.16	112.00	Vertical	Horizontal	N/A
2572.000	2.94	8.10	-25.0	-27.94	187.00	Vertical	Horizontal	N/A
7354.750	-37.01	17.23	-25.0	12.01	129.00	Vertical	Horizontal	Pass
13447.200	-38.94	15.97	-25.0	13.94	360.00	Vertical	Horizontal	Pass


38.2 DC_66A_n38A BW20(LTE)+BW40(NR), QPSK, High Chanel

RSE-H&H DC_66A_n38A BW20(LTE)+BW40(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
900.914	-66.03	2.31	-25.0	41.03	182.00	Horizontal	Horizontal	Pass
2170.300	-37.16	5.73	-25.0	12.16	26.00	Horizontal	Horizontal	N/A
2614.400	-24.72	11.58	-25.0	-0.28	0.00	Horizontal	Horizontal	N/A
7889.750	-37.95	17.79	-25.0	12.95	292.00	Horizontal	Horizontal	Pass
13360.838	-40.74	16.64	-25.0	15.74	271.00	Horizontal	Horizontal	Pass
19409.725	-43.92	12.92	-25.0	18.92	58.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n38A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
183.066	-75.02	-17.21	-25.0	50.02	22.00	Horizontal	Vertical	Pass
2170.100	-39.19	5.74	-25.0	14.19	180.00	Horizontal	Vertical	N/A
2614.500	-31.11	11.58	-25.0	6.11	130.00	Horizontal	Vertical	N/A
7934.500	-35.91	18.85	-25.0	10.91	324.00	Horizontal	Vertical	Pass
13376.588	-38.96	16.79	-25.0	13.96	224.00	Horizontal	Vertical	Pass
17961.150	-41.49	13.81	-25.0	16.49	26.00	Horizontal	Vertical	Pass


RSE-V&V DC_66A_n38A BW20(LTE)+BW40(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.081	-72.89	-20.83	-25.0	47.89	61.00	Vertical	Vertical	Pass
2170.700	-32.00	5.70	-25.0	7.00	174.00	Vertical	Vertical	N/A
2460.400	-36.48	6.80	-25.0	11.48	162.00	Vertical	Vertical	Pass
2616.700	-24.47	11.58	-25.0	-0.53	272.00	Vertical	Vertical	N/A
7340.500	-37.16	17.11	-25.0	12.16	42.00	Vertical	Vertical	Pass
13406.775	-40.11	16.86	-25.0	15.11	360.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n38A BW20(LTE)+BW40(NR)

RSE[5G NSA FCC]_RSE[5G NSA FCC]_NSA_66A_n41A(High) & 66A_n38A & 38A_n66A_1710-1785&2620-2690_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.227	-74.08	-20.79	-25.0	49.08	83.00	Vertical	Horizontal	Pass
2169.600	-45.84	5.74	-25.0	20.84	342.00	Vertical	Horizontal	N/A
2614.800	-35.82	11.58	-25.0	10.82	291.00	Vertical	Horizontal	N/A
6918.750	-39.11	16.48	-25.0	14.11	29.00	Vertical	Horizontal	Pass
13364.775	-41.61	16.68	-25.0	16.61	355.00	Vertical	Horizontal	Pass
17926.500	-43.46	13.53	-25.0	18.46	13.00	Vertical	Horizontal	Pass

39 DC_66A_n41A


39.1 DC_66A_n41A BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2120.800	-41.07	3.90	-25.0	16.07	240.00	Horizontal	Horizontal	N/A
2485.700	-34.77	7.31	-25.0	9.77	94.00	Horizontal	Horizontal	N/A
2632.200	-33.27	7.56	-25.0	8.27	121.00	Horizontal	Horizontal	N/A
7598.000	-39.99	13.79	-25.0	14.99	201.00	Horizontal	Horizontal	Pass
13402.313	-38.05	16.96	-25.0	13.05	360.00	Horizontal	Horizontal	Pass
19746.449	-43.33	12.94	-25.0	18.33	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2116.800	-40.12	6.23	-25.0	15.12	161.00	Horizontal	Vertical	N/A
2434.300	-32.97	7.18	-25.0	7.97	284.00	Horizontal	Vertical	N/A
2500.500	-43.12	9.59	-25.0	18.12	174.00	Horizontal	Vertical	N/A
4977.000	-42.56	13.39	-25.0	17.56	138.00	Horizontal	Vertical	Pass
7977.500	-36.28	18.08	-25.0	11.28	18.00	Horizontal	Vertical	Pass
12902.776	-39.49	15.43	-25.0	14.49	202.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.800	-42.11	3.30	-25.0	17.11	16.00	Vertical	Vertical	N/A
2120.800	-42.01	5.84	-25.0	17.01	71.00	Vertical	Vertical	N/A
2485.700	-40.70	9.37	-25.0	15.70	333.00	Vertical	Vertical	N/A
5067.250	-41.72	12.08	-25.0	16.72	7.00	Vertical	Vertical	Pass
7926.000	-35.74	18.46	-25.0	10.74	258.00	Vertical	Vertical	Pass
13392.862	-39.60	16.94	-25.0	14.60	360.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
86.842	-73.57	-19.11	-25.0	48.57	254.00	Vertical	Horizontal	Pass
1485.600	-53.36	-0.71	-25.0	28.36	69.00	Vertical	Horizontal	Pass
2966.000	-43.71	11.53	-25.0	18.71	173.00	Vertical	Horizontal	Pass
7271.000	-39.86	14.58	-25.0	14.86	205.00	Vertical	Horizontal	Pass
13367.663	-39.68	16.71	-25.0	14.68	360.00	Vertical	Horizontal	Pass
20096.999	-42.34	12.96	-25.0	17.34	63.00	Vertical	Horizontal	Pass


39.2 DC_66A_n41A BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1716.200	-48.46	3.81	-25.0	23.46	87.00	Horizontal	Horizontal	N/A
2170.800	-40.23	5.70	-25.0	15.23	264.00	Horizontal	Horizontal	N/A
2688.300	-41.95	11.61	-25.0	16.95	246.00	Horizontal	Horizontal	N/A
4983.500	-42.31	13.24	-25.0	17.31	360.00	Horizontal	Horizontal	Pass
7097.000	-37.06	16.62	-25.0	12.06	105.00	Horizontal	Horizontal	Pass
13368.713	-38.95	16.72	-25.0	13.95	319.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1779.400	-48.03	3.66	-25.0	23.03	160.00	Horizontal	Vertical	N/A
2171.000	-41.42	5.68	-25.0	16.42	2.00	Horizontal	Vertical	N/A
2653.300	-41.93	11.57	-25.0	16.93	252.00	Horizontal	Vertical	N/A
4839.750	-42.91	12.44	-25.0	17.91	1.00	Horizontal	Vertical	Pass
7927.250	-35.30	18.45	-25.0	10.30	96.00	Horizontal	Vertical	Pass
13383.412	-38.86	16.85	-25.0	13.86	1.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1728.200	-48.51	3.76	-25.0	23.51	315.00	Vertical	Vertical	N/A
2170.900	-41.60	5.69	-25.0	16.60	82.00	Vertical	Vertical	N/A
2701.100	-40.09	9.91	-25.0	15.09	217.00	Vertical	Vertical	N/A
5687.500	-40.49	13.74	-25.0	15.49	18.00	Vertical	Vertical	Pass
7788.750	-36.37	18.27	-25.0	11.37	269.00	Vertical	Vertical	Pass
12897.526	-38.25	15.43	-25.0	13.25	110.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1702.900	-48.27	3.87	-25.0	23.27	360.00	Vertical	Horizontal	N/A
2141.400	-45.72	6.00	-25.0	20.72	222.00	Vertical	Horizontal	N/A
2692.100	-41.57	11.62	-25.0	16.57	247.00	Vertical	Horizontal	N/A
4929.500	-42.27	13.01	-25.0	17.27	326.00	Vertical	Horizontal	Pass
6690.750	-37.18	17.01	-25.0	12.18	138.00	Vertical	Horizontal	Pass
13406.775	-39.80	16.86	-25.0	14.80	360.00	Vertical	Horizontal	Pass

-- BLANK BELOW --