



U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.94	4.76	68.2	6.26	Peak	4.00	150	Horizontal	Pass
2	5729.375	62.15	5.18	68.2	6.05	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5393.500	59.40	4.54	74.0	14.60	Peak	144.00	150	Horizontal	Pass
1**	5393.500	48.01	4.54	54.0	5.99	AV	144.00	150	Horizontal	Pass
2	5459.980	58.84	4.87	74.0	15.16	Peak	159.00	150	Horizontal	Pass
2**	5459.980	48.29	4.87	54.0	5.71	AV	159.00	150	Horizontal	Pass
3	5468.200	62.89	4.90	68.2	5.31	Peak	360.00	150	Horizontal	Pass
3**	5468.200	49.73	4.90	--	--	AV	360.00	150	Horizontal	N/A
4	5469.940	62.43	5.05	68.2	5.77	Peak	352.00	100	Horizontal	Pass
4**	5469.940	51.09	5.05	--	--	AV	352.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.13	4.76	68.2	7.07	Peak	360.00	200	Horizontal	Pass
2	5727.875	63.20	5.00	68.2	5.00	Peak	360.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.660	59.98	4.89	74.0	14.02	Peak	194.00	150	Horizontal	Pass
1**	5458.660	48.38	4.89	54.0	5.62	AV	194.00	150	Horizontal	Pass
2	5459.980	58.34	4.87	74.0	15.66	Peak	252.00	150	Horizontal	Pass
2**	5459.980	47.96	4.87	54.0	6.04	AV	252.00	150	Horizontal	Pass
3	5467.840	63.18	4.87	68.2	5.02	Peak	0.00	150	Horizontal	Pass
3**	5467.840	48.21	4.87	--	--	AV	0.00	150	Horizontal	N/A
4	5469.940	57.74	5.05	68.2	10.46	Peak	51.00	200	Horizontal	Pass
4**	5469.940	48.71	5.05	--	--	AV	51.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.59	4.77	68.2	7.61	Peak	0.00	150	Horizontal	Pass
2	5725.125	62.38	4.77	68.2	5.82	Peak	0.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.340	59.70	4.90	74.0	14.30	Peak	360.00	100	Horizontal	Pass
1**	5454.340	48.36	4.90	54.0	5.64	AV	360.00	100	Horizontal	Pass
2	5459.980	57.54	4.87	74.0	16.46	Peak	360.00	100	Horizontal	Pass
2**	5459.980	48.51	4.87	54.0	5.49	AV	360.00	100	Horizontal	Pass
3	5467.360	62.59	4.92	68.2	5.61	Peak	360.00	200	Horizontal	Pass
3**	5467.360	49.41	4.92	--	--	AV	360.00	200	Horizontal	N/A
4	5469.940	61.93	5.05	68.2	6.27	Peak	360.00	100	Horizontal	Pass
4**	5469.940	50.39	5.05	--	--	AV	360.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.51	4.76	68.2	6.69	Peak	4.00	200	Horizontal	Pass
2	5726.000	62.96	4.82	68.2	5.24	Peak	6.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.160	59.67	4.81	74.0	14.33	Peak	345.00	200	Horizontal	Pass
1**	5445.160	47.92	4.81	54.0	6.08	AV	345.00	200	Horizontal	Pass
2	5459.980	57.22	4.87	74.0	16.78	Peak	291.00	200	Horizontal	Pass
2**	5459.980	48.34	4.87	54.0	5.66	AV	291.00	200	Horizontal	Pass
3	5466.700	61.13	5.03	68.2	7.07	Peak	360.00	200	Horizontal	Pass
3**	5466.700	48.50	5.03	--	--	AV	360.00	200	Horizontal	N/A
4	5469.940	58.82	5.05	68.2	9.38	Peak	106.00	200	Horizontal	Pass
4**	5469.940	48.79	5.05	--	--	AV	106.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.82	4.77	68.2	7.38	Peak	360.00	150	Horizontal	Pass
2	5725.875	62.15	4.81	68.2	6.05	Peak	357.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.480	60.52	4.93	74.0	13.48	Peak	360.00	150	Horizontal	Pass
1**	5452.480	48.96	4.93	54.0	5.04	AV	360.00	150	Horizontal	Pass
2	5459.980	58.37	4.87	74.0	15.63	Peak	4.00	100	Horizontal	Pass
2**	5459.980	48.76	4.87	54.0	5.24	AV	4.00	100	Horizontal	Pass
3	5465.020	61.03	5.19	68.2	7.17	Peak	360.00	150	Horizontal	Pass
3**	5465.020	49.99	5.19	--	--	AV	360.00	150	Horizontal	N/A
4	5469.940	59.85	5.05	68.2	8.35	Peak	360.00	200	Horizontal	Pass
4**	5469.940	49.99	5.05	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.53	4.76	68.2	9.67	Peak	0.00	200	Horizontal	Pass
2	5839.688	61.55	6.33	68.2	6.65	Peak	293.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5360.200	59.91	4.83	74.0	14.09	Peak	270.00	150	Horizontal	Pass
1**	5360.200	48.54	4.83	54.0	5.46	AV	270.00	150	Horizontal	Pass
2	5459.980	60.30	4.87	74.0	13.70	Peak	360.00	100	Horizontal	Pass
2**	5459.980	48.71	4.87	54.0	5.29	AV	360.00	100	Horizontal	Pass
3	5466.160	62.69	5.11	68.2	5.51	Peak	13.00	150	Horizontal	Pass
3**	5466.160	49.49	5.11	--	--	AV	13.00	150	Horizontal	N/A
4	5469.940	59.43	5.05	68.2	8.77	Peak	352.00	100	Horizontal	Pass
4**	5469.940	50.17	5.05	--	--	AV	352.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.47	4.77	68.2	9.73	Peak	80.00	200	Horizontal	Pass
2	5840.500	61.38	6.30	68.2	6.82	Peak	268.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5362.120	60.24	4.89	74.0	13.76	Peak	189.00	150	Horizontal	Pass
1**	5362.120	48.38	4.89	54.0	5.62	AV	189.00	150	Horizontal	Pass
2	5459.980	58.38	4.87	74.0	15.62	Peak	2.00	200	Horizontal	Pass
2**	5459.980	48.79	4.87	54.0	5.21	AV	2.00	200	Horizontal	Pass
3	5469.040	61.54	4.98	68.2	6.66	Peak	15.00	150	Horizontal	Pass
3**	5469.040	49.97	4.98	--	--	AV	15.00	150	Horizontal	N/A
4	5469.940	60.08	5.05	68.2	8.12	Peak	360.00	100	Horizontal	Pass
4**	5469.940	50.51	5.05	--	--	AV	360.00	100	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.51	4.76	68.2	8.69	Peak	106.00	150	Horizontal	Pass
2	5840.750	61.32	6.29	68.2	6.88	Peak	246.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.480	59.99	4.90	74.0	14.01	Peak	360.00	150	Horizontal	Pass
1**	5458.480	48.99	4.90	54.0	5.01	AV	360.00	150	Horizontal	Pass
2	5459.980	58.21	4.87	74.0	15.79	Peak	93.00	150	Horizontal	Pass
2**	5459.980	48.98	4.87	54.0	5.02	AV	93.00	150	Horizontal	Pass
3	5469.820	61.21	5.05	68.2	6.99	Peak	3.00	100	Horizontal	Pass
3**	5469.820	50.26	5.05	--	--	AV	3.00	100	Horizontal	N/A
4	5469.940	59.31	5.05	68.2	8.89	Peak	17.00	150	Horizontal	Pass
4**	5469.940	50.44	5.05	--	--	AV	17.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.24	4.77	68.2	8.96	Peak	0.00	200	Horizontal	Pass
2	5844.687	61.42	6.32	68.2	6.78	Peak	290.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5363.440	59.81	4.72	74.0	14.19	Peak	0.00	100	Horizontal	Pass
1**	5363.440	48.31	4.72	54.0	5.69	AV	0.00	100	Horizontal	Pass
2	5459.980	57.69	4.87	74.0	16.31	Peak	107.00	200	Horizontal	Pass
2**	5459.980	48.04	4.87	54.0	5.96	AV	107.00	200	Horizontal	Pass
3	5466.100	59.54	5.12	68.2	8.66	Peak	353.00	200	Horizontal	Pass
3**	5466.100	48.60	5.12	--	--	AV	353.00	200	Horizontal	N/A
4	5469.940	58.03	5.05	68.2	10.17	Peak	245.00	150	Horizontal	Pass
4**	5469.940	48.58	5.05	--	--	AV	245.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.87	4.76	68.2	10.33	Peak	49.00	150	Horizontal	Pass
2	5839.437	61.41	6.33	68.2	6.79	Peak	72.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5358.880	59.74	4.68	74.0	14.26	Peak	19.00	100	Horizontal	Pass
1**	5358.880	47.85	4.68	54.0	6.15	AV	19.00	100	Horizontal	Pass
2	5459.980	57.13	4.87	74.0	16.87	Peak	346.00	100	Horizontal	Pass
2**	5459.980	47.98	4.87	54.0	6.02	AV	346.00	100	Horizontal	Pass
3	5465.320	59.99	5.20	68.2	8.21	Peak	288.00	150	Horizontal	Pass
3**	5465.320	48.52	5.20	--	--	AV	288.00	150	Horizontal	N/A
4	5469.940	57.41	5.05	68.2	10.79	Peak	310.00	100	Horizontal	Pass
4**	5469.940	48.69	5.05	--	--	AV	310.00	100	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.82	4.77	68.2	10.38	Peak	4.00	200	Horizontal	Pass
2	5840.563	61.60	6.30	68.2	6.60	Peak	229.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.480	60.15	4.22	74.0	13.85	Peak	52.00	200	Horizontal	Pass
1**	5353.480	47.53	4.22	54.0	6.47	AV	52.00	200	Horizontal	Pass
2	5459.980	57.68	4.87	74.0	16.32	Peak	360.00	150	Horizontal	Pass
2**	5459.980	47.80	4.87	54.0	6.20	AV	360.00	150	Horizontal	Pass
3	5463.160	59.95	5.14	68.2	8.25	Peak	352.00	150	Horizontal	Pass
3**	5463.160	48.17	5.14	--	--	AV	352.00	150	Horizontal	N/A
4	5469.940	58.43	5.05	68.2	9.77	Peak	263.00	100	Horizontal	Pass
4**	5469.940	48.64	5.05	--	--	AV	263.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.23	4.77	68.2	9.97	Peak	360.00	200	Horizontal	Pass
2	5848.312	60.64	6.25	68.2	7.56	Peak	207.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.438	59.83	4.41	68.2	8.37	Peak	149.00	100	Horizontal	Pass
2	5650.000	59.20	4.48	68.2	9.00	Peak	360.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.03	4.55	68.3	10.27	Peak	25.00	150	Horizontal	Pass
2	5950.200	61.35	6.02	68.2	6.85	Peak	134.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.500	60.37	4.40	68.2	7.83	Peak	349.00	100	Horizontal	Pass
2	5650.000	57.70	4.48	68.2	10.50	Peak	169.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.33	4.55	68.3	9.97	Peak	179.00	100	Horizontal	Pass
2	5954.175	61.50	6.41	68.2	6.70	Peak	3.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.062	59.49	3.86	68.2	8.71	Peak	274.00	150	Horizontal	Pass
2	5650.000	58.07	4.48	68.2	10.13	Peak	303.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.46	4.55	68.3	10.84	Peak	272.00	200	Horizontal	Pass
2	5956.125	61.49	6.32	68.2	6.71	Peak	219.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.063	59.71	4.38	68.2	8.49	Peak	62.00	200	Horizontal	Pass
2	5650.000	59.01	4.48	68.2	9.19	Peak	213.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.27	4.55	68.3	10.03	Peak	20.00	150	Horizontal	Pass
2	5970.675	61.51	6.61	68.2	6.69	Peak	110.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.500	59.48	4.51	68.2	8.72	Peak	235.00	200	Horizontal	Pass
2	5650.000	58.68	4.48	68.2	9.52	Peak	174.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.31	4.55	68.3	9.99	Peak	352.00	100	Horizontal	Pass
2	5953.425	61.82	6.39	68.2	6.38	Peak	349.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.125	60.10	3.98	68.2	8.10	Peak	87.00	200	Horizontal	Pass
2	5650.000	58.52	4.48	68.2	9.68	Peak	1.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.38	4.55	68.3	9.92	Peak	112.00	200	Horizontal	Pass
2	5958.000	61.53	6.22	68.2	6.67	Peak	119.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.438	59.44	4.41	68.2	8.76	Peak	130.00	150	Horizontal	Pass
2	5650.000	58.46	4.48	68.2	9.74	Peak	35.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.82	4.55	68.3	10.48	Peak	332.00	150	Horizontal	Pass
2	5966.850	61.18	6.93	68.2	7.02	Peak	305.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.188	59.41	4.03	68.2	8.79	Peak	264.00	200	Horizontal	Pass
2	5650.000	57.65	4.48	68.2	10.55	Peak	37.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.78	4.55	68.3	10.52	Peak	114.00	200	Horizontal	Pass
2	5965.350	61.71	6.57	68.2	6.49	Peak	228.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.813	60.15	4.23	68.2	8.05	Peak	118.00	200	Horizontal	Pass
2	5650.000	58.53	4.48	68.2	9.67	Peak	157.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.88	4.55	68.3	10.42	Peak	72.00	200	Horizontal	Pass
2	5953.125	62.02	6.38	68.2	6.18	Peak	358.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.687	59.35	4.15	68.2	8.85	Peak	319.00	100	Horizontal	Pass
2	5650.000	58.49	4.48	68.2	9.71	Peak	207.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.89	4.55	68.3	9.41	Peak	180.00	150	Horizontal	Pass
2	5958.000	61.50	6.22	68.2	6.70	Peak	215.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.687	59.05	3.99	68.2	9.15	Peak	263.00	200	Horizontal	Pass
2	5650.000	57.27	4.48	68.2	10.93	Peak	295.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.43	4.55	68.3	9.87	Peak	115.00	200	Horizontal	Pass
2	5961.525	61.44	6.42	68.2	6.76	Peak	170.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.187	59.11	4.21	68.2	9.09	Peak	36.00	100	Horizontal	Pass
2	5650.000	57.55	4.48	68.2	10.65	Peak	343.00	150	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.46	4.55	68.3	9.84	Peak	187.00	200	Horizontal	Pass
2	5966.700	61.53	6.90	68.2	6.67	Peak	356.00	200	Horizontal	Pass


Aux. Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.050	59.58	4.27	74.0	14.42	Peak	117.00	200	Horizontal	Pass
1**	5135.050	47.73	4.27	54.0	6.27	AV	117.00	200	Horizontal	Pass
2	5149.675	58.63	3.93	74.0	15.37	Peak	193.00	200	Horizontal	Pass
2**	5149.675	48.53	3.93	54.0	5.47	AV	193.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.65	4.21	74.0	16.35	Peak	298.00	200	Horizontal	Pass
1**	5350.055	47.75	4.21	54.0	6.25	AV	298.00	200	Horizontal	Pass
2	5433.985	60.05	4.62	74.0	13.95	Peak	168.00	150	Horizontal	Pass
2**	5433.985	48.56	4.62	54.0	5.44	AV	168.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.475	59.53	4.41	74.0	14.47	Peak	138.00	150	Horizontal	Pass
1**	5131.475	47.53	4.41	54.0	6.47	AV	138.00	150	Horizontal	Pass
2	5149.675	58.14	3.93	74.0	15.86	Peak	190.00	200	Horizontal	Pass
2**	5149.675	48.60	3.93	54.0	5.40	AV	190.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.39	4.21	74.0	16.61	Peak	63.00	200	Horizontal	Pass
1**	5350.055	47.78	4.21	54.0	6.22	AV	63.00	200	Horizontal	Pass
2	5430.410	60.01	4.36	74.0	13.99	Peak	17.00	100	Horizontal	Pass
2**	5430.410	48.31	4.36	54.0	5.69	AV	17.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	63.02	3.89	74.0	10.98	Peak	222.00	150	Horizontal	Pass
1**	5149.025	47.74	3.89	54.0	6.26	AV	222.00	150	Horizontal	Pass
2	5149.675	59.93	3.93	74.0	14.07	Peak	237.00	200	Horizontal	Pass
2**	5149.675	48.09	3.93	54.0	5.91	AV	237.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.89	4.22	74.0	16.11	Peak	9.00	150	Horizontal	Pass
1**	5350.000	47.77	4.22	54.0	6.23	AV	9.00	150	Horizontal	Pass
2	5369.030	61.05	4.46	74.0	12.95	Peak	204.00	100	Horizontal	Pass
2**	5369.030	47.98	4.46	54.0	6.02	AV	204.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5043.075	59.21	3.91	74.0	14.79	Peak	62.00	200	Horizontal	Pass
1**	5043.075	47.41	3.91	54.0	6.59	AV	62.00	200	Horizontal	Pass
2	5149.675	58.51	3.93	74.0	15.49	Peak	343.00	150	Horizontal	Pass
2**	5149.675	48.77	3.93	54.0	5.23	AV	343.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.73	4.22	74.0	16.27	Peak	74.00	100	Horizontal	Pass
1**	5350.000	48.02	4.22	54.0	5.98	AV	74.00	100	Horizontal	Pass
2	5458.515	60.01	5.47	74.0	13.99	Peak	46.00	150	Horizontal	Pass
2**	5458.515	48.65	5.47	54.0	5.35	AV	46.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.93	3.91	74.0	13.07	Peak	202.00	100	Horizontal	Pass
1**	5149.350	47.84	3.91	54.0	6.16	AV	202.00	100	Horizontal	Pass
2	5149.675	58.00	3.93	74.0	16.00	Peak	185.00	200	Horizontal	Pass
2**	5149.675	47.94	3.93	54.0	6.06	AV	185.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.79	4.21	74.0	15.21	Peak	144.00	100	Horizontal	Pass
1**	5350.055	48.12	4.21	54.0	5.88	AV	144.00	100	Horizontal	Pass
2	5450.265	60.25	5.47	74.0	13.75	Peak	208.00	150	Horizontal	Pass
2**	5450.265	48.88	5.47	54.0	5.12	AV	208.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	60.11	4.28	74.0	13.89	Peak	276.00	100	Horizontal	Pass
1**	5140.575	48.38	4.28	54.0	5.62	AV	276.00	100	Horizontal	Pass
2	5149.675	58.51	3.93	74.0	15.49	Peak	225.00	100	Horizontal	Pass
2**	5149.675	48.59	3.93	54.0	5.41	AV	225.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.58	4.22	74.0	16.42	Peak	195.00	150	Horizontal	Pass
1**	5350.000	47.69	4.22	54.0	6.31	AV	195.00	150	Horizontal	Pass
2	5452.520	60.70	5.64	74.0	13.30	Peak	2.00	200	Horizontal	Pass
2**	5452.520	48.93	5.64	54.0	5.07	AV	2.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.525	59.62	4.29	74.0	14.38	Peak	96.00	150	Horizontal	Pass
1**	5077.525	47.76	4.29	54.0	6.24	AV	96.00	150	Horizontal	Pass
2	5149.675	57.24	3.93	74.0	16.76	Peak	14.00	100	Horizontal	Pass
2**	5149.675	48.08	3.93	54.0	5.92	AV	14.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.93	4.21	74.0	16.07	Peak	129.00	200	Horizontal	Pass
1**	5350.055	47.95	4.21	54.0	6.05	AV	129.00	200	Horizontal	Pass
2	5442.950	60.67	5.34	74.0	13.33	Peak	211.00	150	Horizontal	Pass
2**	5442.950	48.97	5.34	54.0	5.03	AV	211.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5055.425	59.36	4.14	74.0	14.64	Peak	327.00	100	Horizontal	Pass
1**	5055.425	47.53	4.14	54.0	6.47	AV	327.00	100	Horizontal	Pass
2	5149.675	57.88	3.93	74.0	16.12	Peak	322.00	200	Horizontal	Pass
2**	5149.675	48.09	3.93	54.0	5.91	AV	322.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.28	4.21	74.0	16.72	Peak	285.00	100	Horizontal	Pass
1**	5350.055	47.96	4.21	54.0	6.04	AV	285.00	100	Horizontal	Pass
2	5453.180	60.44	5.65	74.0	13.56	Peak	174.00	200	Horizontal	Pass
2**	5453.180	48.79	5.65	54.0	5.21	AV	174.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4773.000	59.56	4.63	74.0	14.44	Peak	243.00	100	Horizontal	Pass
1**	4773.000	47.53	4.63	54.0	6.47	AV	243.00	100	Horizontal	Pass
2	5149.675	57.87	3.93	74.0	16.13	Peak	229.00	200	Horizontal	Pass
2**	5149.675	48.28	3.93	54.0	5.72	AV	229.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.47	4.21	74.0	16.53	Peak	54.00	100	Horizontal	Pass
1**	5350.055	47.74	4.21	54.0	6.26	AV	54.00	100	Horizontal	Pass
2	5361.220	60.28	4.95	74.0	13.72	Peak	343.00	100	Horizontal	Pass
2**	5361.220	48.30	4.95	54.0	5.70	AV	343.00	100	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.950	59.22	4.32	74.0	14.78	Peak	110.00	150	Horizontal	Pass
1**	5060.950	47.54	4.32	54.0	6.46	AV	110.00	150	Horizontal	Pass
2	5149.675	56.96	3.93	74.0	17.04	Peak	35.00	150	Horizontal	Pass
2**	5149.675	47.26	3.93	54.0	6.74	AV	35.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.79	4.21	74.0	17.21	Peak	117.00	100	Horizontal	Pass
1**	5350.055	47.69	4.21	54.0	6.31	AV	117.00	100	Horizontal	Pass
2	5384.815	59.07	4.68	74.0	14.93	Peak	112.00	150	Horizontal	Pass
2**	5384.815	47.84	4.68	54.0	6.16	AV	112.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.950	59.26	4.13	74.0	14.74	Peak	223.00	100	Horizontal	Pass
1**	5138.950	47.05	4.13	54.0	6.95	AV	223.00	100	Horizontal	Pass
2	5149.675	57.15	3.93	74.0	16.85	Peak	264.00	200	Horizontal	Pass
2**	5149.675	47.26	3.93	54.0	6.74	AV	264.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.97	4.21	74.0	16.03	Peak	73.00	200	Horizontal	Pass
1**	5350.055	47.48	4.21	54.0	6.52	AV	73.00	200	Horizontal	Pass
2	5442.345	59.77	4.52	74.0	14.23	Peak	51.00	200	Horizontal	Pass
2**	5442.345	47.88	4.52	54.0	6.12	AV	51.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	61.87	3.88	74.0	12.13	Peak	203.00	200	Horizontal	Pass
1**	5148.050	47.01	3.88	54.0	6.99	AV	203.00	200	Horizontal	Pass
2	5149.675	57.00	3.93	74.0	17.00	Peak	203.00	150	Horizontal	Pass
2**	5149.675	47.34	3.93	54.0	6.66	AV	203.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.30	4.22	74.0	16.70	Peak	14.00	200	Horizontal	Pass
1**	5350.000	47.43	4.22	54.0	6.57	AV	14.00	200	Horizontal	Pass
2	5452.905	59.94	4.96	74.0	14.06	Peak	312.00	150	Horizontal	Pass
2**	5452.905	47.86	4.96	54.0	6.14	AV	312.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.175	59.24	4.20	74.0	14.76	Peak	139.00	150	Horizontal	Pass
1**	5143.175	47.64	4.20	54.0	6.36	AV	139.00	150	Horizontal	Pass
2	5149.675	59.15	3.93	74.0	14.85	Peak	291.00	150	Horizontal	Pass
2**	5149.675	47.72	3.93	54.0	6.28	AV	291.00	150	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.52	4.22	74.0	13.48	Peak	8.00	100	Horizontal	Pass
1**	5350.000	48.68	4.22	54.0	5.32	AV	8.00	100	Horizontal	Pass
2	5351.375	60.56	4.17	74.0	13.44	Peak	5.00	150	Horizontal	Pass
2**	5351.375	48.53	4.17	54.0	5.47	AV	5.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5044.375	59.65	4.05	74.0	14.35	Peak	306.00	100	Horizontal	Pass
1**	5044.375	47.25	4.05	54.0	6.75	AV	306.00	100	Horizontal	Pass
2	5149.675	57.29	3.93	74.0	16.71	Peak	187.00	100	Horizontal	Pass
2**	5149.675	47.37	3.93	54.0	6.63	AV	187.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.34	4.21	74.0	14.66	Peak	0.00	200	Horizontal	Pass
1**	5350.055	48.93	4.21	54.0	5.07	AV	0.00	200	Horizontal	Pass
2	5452.795	60.88	5.66	74.0	13.12	Peak	216.00	150	Horizontal	Pass
2**	5452.795	48.76	5.66	54.0	5.24	AV	216.00	150	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.125	59.04	4.29	74.0	14.96	Peak	261.00	200	Horizontal	Pass
1**	5119.125	47.57	4.29	54.0	6.43	AV	261.00	200	Horizontal	Pass
2	5149.675	57.48	3.93	74.0	16.52	Peak	114.00	200	Horizontal	Pass
2**	5149.675	47.81	3.93	54.0	6.19	AV	114.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.54	4.22	74.0	8.46	Peak	205.00	150	Horizontal	Pass
1**	5350.000	48.77	4.22	54.0	5.23	AV	205.00	150	Horizontal	Pass
2	5352.475	65.07	4.16	74.0	8.93	Peak	200.00	100	Horizontal	Pass
2**	5352.475	48.31	4.16	54.0	5.69	AV	200.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.975	59.41	4.37	74.0	14.59	Peak	262.00	100	Horizontal	Pass
1**	5124.975	47.55	4.37	54.0	6.45	AV	262.00	100	Horizontal	Pass
2	5149.675	58.19	3.93	74.0	15.81	Peak	60.00	100	Horizontal	Pass
2**	5149.675	47.48	3.93	54.0	6.52	AV	60.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.87	4.22	74.0	14.13	Peak	169.00	200	Horizontal	Pass
1**	5350.000	48.94	4.22	54.0	5.06	AV	169.00	200	Horizontal	Pass
2	5440.585	60.26	5.02	74.0	13.74	Peak	309.00	150	Horizontal	Pass
2**	5440.585	48.58	5.02	54.0	5.42	AV	309.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5062.575	58.75	4.16	74.0	15.25	Peak	131.00	150	Horizontal	Pass
1**	5062.575	47.42	4.16	54.0	6.58	AV	131.00	150	Horizontal	Pass
2	5149.675	56.95	3.93	74.0	17.05	Peak	193.00	200	Horizontal	Pass
2**	5149.675	47.93	3.93	54.0	6.07	AV	193.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.33	4.22	74.0	15.67	Peak	188.00	150	Horizontal	Pass
1**	5350.000	47.91	4.22	54.0	6.09	AV	188.00	150	Horizontal	Pass
2	5351.815	62.02	4.17	74.0	11.98	Peak	214.00	150	Horizontal	Pass
2**	5351.815	47.98	4.17	54.0	6.02	AV	214.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5045.025	60.14	4.10	74.0	13.86	Peak	67.00	100	Horizontal	Pass
1**	5045.025	47.41	4.10	54.0	6.59	AV	67.00	100	Horizontal	Pass
2	5149.675	57.85	3.93	74.0	16.15	Peak	255.00	100	Horizontal	Pass
2**	5149.675	47.68	3.93	54.0	6.32	AV	255.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.51	4.22	74.0	16.49	Peak	53.00	200	Horizontal	Pass
1**	5350.000	48.32	4.22	54.0	5.68	AV	53.00	200	Horizontal	Pass
2	5440.200	60.62	4.98	74.0	13.38	Peak	272.00	200	Horizontal	Pass
2**	5440.200	48.45	4.98	54.0	5.55	AV	272.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5085.975	59.51	4.24	74.0	14.49	Peak	221.00	150	Horizontal	Pass
1**	5085.975	47.71	4.24	54.0	6.29	AV	221.00	150	Horizontal	Pass
2	5149.675	56.70	3.93	74.0	17.30	Peak	177.00	200	Horizontal	Pass
2**	5149.675	47.76	3.93	54.0	6.24	AV	177.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.37	4.22	74.0	14.63	Peak	80.00	150	Horizontal	Pass
1**	5350.000	48.28	4.22	54.0	5.72	AV	80.00	150	Horizontal	Pass
2	5350.440	62.58	4.19	74.0	11.42	Peak	341.00	100	Horizontal	Pass
2**	5350.440	48.20	4.19	54.0	5.80	AV	341.00	100	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4978.075	59.26	4.40	74.0	14.74	Peak	74.00	150	Horizontal	Pass
1**	4978.075	47.61	4.40	54.0	6.39	AV	74.00	150	Horizontal	Pass
2	5149.675	56.52	3.93	74.0	17.48	Peak	281.00	150	Horizontal	Pass
2**	5149.675	47.38	3.93	54.0	6.62	AV	281.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.92	4.21	74.0	16.08	Peak	210.00	200	Horizontal	Pass
1**	5350.055	48.67	4.21	54.0	5.33	AV	210.00	200	Horizontal	Pass
2	5354.345	62.08	4.33	74.0	11.92	Peak	85.00	150	Horizontal	Pass
2**	5354.345	48.07	4.33	54.0	5.93	AV	85.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.800	58.98	4.43	74.0	15.02	Peak	342.00	150	Horizontal	Pass
1**	5131.800	47.55	4.43	54.0	6.45	AV	342.00	150	Horizontal	Pass
2	5149.675	57.82	3.93	74.0	16.18	Peak	330.00	100	Horizontal	Pass
2**	5149.675	47.83	3.93	54.0	6.17	AV	330.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.82	4.22	74.0	16.18	Peak	218.00	150	Horizontal	Pass
1**	5350.000	48.71	4.22	54.0	5.29	AV	218.00	150	Horizontal	Pass
2	5444.875	60.12	5.54	74.0	13.88	Peak	13.00	150	Horizontal	Pass
2**	5444.875	48.79	5.54	54.0	5.21	AV	13.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.875	59.72	4.12	74.0	14.28	Peak	283.00	100	Horizontal	Pass
1**	5050.875	47.36	4.12	54.0	6.64	AV	283.00	100	Horizontal	Pass
2	5149.675	56.92	3.93	74.0	17.08	Peak	269.00	100	Horizontal	Pass
2**	5149.675	47.19	3.93	54.0	6.81	AV	269.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.76	4.21	74.0	16.24	Peak	173.00	150	Horizontal	Pass
1**	5350.055	47.55	4.21	54.0	6.45	AV	173.00	150	Horizontal	Pass
2	5358.745	59.77	4.66	74.0	14.23	Peak	11.00	100	Horizontal	Pass
2**	5358.745	47.79	4.66	54.0	6.21	AV	11.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5059.650	58.89	4.49	74.0	15.11	Peak	176.00	100	Horizontal	Pass
1**	5059.650	47.49	4.49	54.0	6.51	AV	176.00	100	Horizontal	Pass
2	5149.675	57.62	3.93	74.0	16.38	Peak	25.00	100	Horizontal	Pass
2**	5149.675	47.22	3.93	54.0	6.78	AV	25.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.01	4.22	74.0	15.99	Peak	270.00	200	Horizontal	Pass
1**	5350.000	47.63	4.22	54.0	6.37	AV	270.00	200	Horizontal	Pass
2	5443.830	59.48	4.81	74.0	14.52	Peak	172.00	150	Horizontal	Pass
2**	5443.830	47.76	4.81	54.0	6.24	AV	172.00	150	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.125	59.65	4.53	74.0	14.35	Peak	18.00	100	Horizontal	Pass
1**	5093.125	47.62	4.53	54.0	6.38	AV	18.00	100	Horizontal	Pass
2	5149.675	56.45	3.93	74.0	17.55	Peak	194.00	100	Horizontal	Pass
2**	5149.675	47.26	3.93	54.0	6.74	AV	194.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.76	4.21	74.0	16.24	Peak	343.00	200	Horizontal	Pass
1**	5350.055	47.43	4.21	54.0	6.57	AV	343.00	200	Horizontal	Pass
2	5368.040	59.82	4.52	74.0	14.18	Peak	284.00	150	Horizontal	Pass
2**	5368.040	47.97	4.52	54.0	6.03	AV	284.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.300	60.29	5.62	74.0	13.71	Peak	214.00	150	Horizontal	Pass
1**	5452.300	48.82	5.62	54.0	5.18	AV	214.00	150	Horizontal	Pass
2	5459.980	58.30	5.37	74.0	15.70	Peak	267.00	200	Horizontal	Pass
2**	5459.980	48.95	5.37	54.0	5.05	AV	267.00	200	Horizontal	Pass
3	5467.120	62.65	4.96	68.2	5.55	Peak	211.00	150	Horizontal	Pass
3**	5467.120	48.37	4.96	--	--	AV	211.00	150	Horizontal	N/A
4	5469.940	57.96	5.05	68.2	10.24	Peak	186.00	200	Horizontal	Pass
4**	5469.940	49.01	5.05	--	--	AV	186.00	200	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.11	4.76	68.2	10.09	Peak	244.00	200	Horizontal	Pass
2	5839.938	60.82	6.32	68.2	7.38	Peak	136.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.180	61.03	5.53	74.0	12.97	Peak	201.00	200	Horizontal	Pass
1**	5458.180	48.90	5.53	54.0	5.10	AV	201.00	200	Horizontal	Pass
2	5459.980	57.91	5.37	74.0	16.09	Peak	158.00	150	Horizontal	Pass
2**	5459.980	48.84	5.37	54.0	5.16	AV	158.00	150	Horizontal	Pass
3	5468.380	63.11	4.92	68.2	5.09	Peak	217.00	100	Horizontal	Pass
3**	5468.380	48.35	4.92	--	--	AV	217.00	100	Horizontal	N/A
4	5469.940	57.97	5.05	68.2	10.23	Peak	46.00	200	Horizontal	Pass
4**	5469.940	48.90	5.05	--	--	AV	46.00	200	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.77	4.77	68.2	10.43	Peak	215.00	100	Horizontal	Pass
2	5840.437	61.04	6.30	68.2	7.16	Peak	10.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.820	60.21	5.42	74.0	13.79	Peak	323.00	200	Horizontal	Pass
1**	5445.820	49.00	5.42	54.0	5.00	AV	323.00	200	Horizontal	Pass
2	5459.980	58.01	5.37	74.0	15.99	Peak	0.00	100	Horizontal	Pass
2**	5459.980	48.74	5.37	54.0	5.26	AV	0.00	100	Horizontal	Pass
3	5462.320	59.50	5.32	68.2	8.70	Peak	173.00	100	Horizontal	Pass
3**	5462.320	48.62	5.32	--	--	AV	173.00	100	Horizontal	N/A
4	5469.940	58.38	5.05	68.2	9.82	Peak	346.00	100	Horizontal	Pass
4**	5469.940	48.48	5.05	--	--	AV	346.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.03	4.77	68.2	10.17	Peak	225.00	200	Horizontal	Pass
2	5841.312	60.96	6.27	68.2	7.24	Peak	249.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.880	60.41	5.57	74.0	13.59	Peak	77.00	200	Horizontal	Pass
1**	5454.880	48.91	5.57	54.0	5.09	AV	77.00	200	Horizontal	Pass
2	5459.980	59.26	5.37	74.0	14.74	Peak	220.00	150	Horizontal	Pass
2**	5459.980	48.48	5.37	54.0	5.52	AV	220.00	150	Horizontal	Pass
3	5469.340	62.50	5.00	68.2	5.70	Peak	186.00	200	Horizontal	Pass
3**	5469.340	48.91	5.00	--	--	AV	186.00	200	Horizontal	N/A
4	5469.940	60.41	5.05	68.2	7.79	Peak	0.00	200	Horizontal	Pass
4**	5469.940	49.33	5.05	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.18	4.76	68.2	10.02	Peak	7.00	200	Horizontal	Pass
2	5841.625	61.08	6.25	68.2	7.12	Peak	257.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5398.960	60.00	4.21	74.0	14.00	Peak	233.00	150	Horizontal	Pass
1**	5398.960	47.45	4.21	54.0	6.55	AV	233.00	150	Horizontal	Pass
2	5459.980	58.64	5.37	74.0	15.36	Peak	94.00	200	Horizontal	Pass
2**	5459.980	48.60	5.37	54.0	5.40	AV	94.00	200	Horizontal	Pass
3	5461.000	59.83	5.43	68.2	8.37	Peak	56.00	100	Horizontal	Pass
3**	5461.000	48.62	5.43	--	--	AV	56.00	100	Horizontal	N/A
4	5469.940	59.50	5.05	68.2	8.70	Peak	352.00	100	Horizontal	Pass
4**	5469.940	48.59	5.05	--	--	AV	352.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.53	4.76	68.2	9.67	Peak	46.00	200	Horizontal	Pass
2	5844.562	61.56	6.32	68.2	6.64	Peak	313.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5430.220	60.12	4.32	74.0	13.88	Peak	309.00	100	Horizontal	Pass
1**	5430.220	48.03	4.32	54.0	5.97	AV	309.00	100	Horizontal	Pass
2	5459.980	57.92	5.37	74.0	16.08	Peak	30.00	150	Horizontal	Pass
2**	5459.980	48.55	5.37	54.0	5.45	AV	30.00	150	Horizontal	Pass
3	5461.480	59.69	5.43	68.2	8.51	Peak	8.00	100	Horizontal	Pass
3**	5461.480	48.76	5.43	--	--	AV	8.00	100	Horizontal	N/A
4	5469.940	58.45	5.05	68.2	9.75	Peak	352.00	100	Horizontal	Pass
4**	5469.940	48.70	5.05	--	--	AV	352.00	100	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.88	4.77	68.2	10.32	Peak	286.00	200	Horizontal	Pass
2	5833.312	60.74	5.71	68.2	7.46	Peak	162.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5362.480	60.56	4.85	74.0	13.44	Peak	24.00	200	Horizontal	Pass
1**	5362.480	48.50	4.85	54.0	5.50	AV	24.00	200	Horizontal	Pass
2	5459.980	58.05	5.37	74.0	15.95	Peak	310.00	100	Horizontal	Pass
2**	5459.980	48.58	5.37	54.0	5.42	AV	310.00	100	Horizontal	Pass
3	5467.660	61.17	4.87	68.2	7.03	Peak	335.00	150	Horizontal	Pass
3**	5467.660	48.27	4.87	--	--	AV	335.00	150	Horizontal	N/A
4	5469.940	58.06	5.05	68.2	10.14	Peak	87.00	100	Horizontal	Pass
4**	5469.940	48.50	5.05	--	--	AV	87.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.91	4.77	68.2	10.29	Peak	190.00	150	Horizontal	Pass
2	5841.062	61.05	6.28	68.2	7.15	Peak	286.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.320	60.25	5.67	74.0	13.75	Peak	199.00	100	Horizontal	Pass
1**	5456.320	48.77	5.67	54.0	5.23	AV	199.00	100	Horizontal	Pass
2	5459.980	57.92	5.37	74.0	16.08	Peak	84.00	150	Horizontal	Pass
2**	5459.980	48.79	5.37	54.0	5.21	AV	84.00	150	Horizontal	Pass
3	5465.080	59.84	5.19	68.2	8.36	Peak	346.00	100	Horizontal	Pass
3**	5465.080	48.46	5.19	--	--	AV	346.00	100	Horizontal	N/A
4	5469.940	58.76	5.05	68.2	9.44	Peak	314.00	150	Horizontal	Pass
4**	5469.940	48.52	5.05	--	--	AV	314.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.25	4.77	68.2	9.95	Peak	83.00	100	Horizontal	Pass
2	5842.812	60.70	6.29	68.2	7.50	Peak	86.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.900	59.93	5.64	74.0	14.07	Peak	343.00	100	Horizontal	Pass
1**	5455.900	48.69	5.64	54.0	5.31	AV	343.00	100	Horizontal	Pass
2	5459.980	57.77	5.37	74.0	16.23	Peak	289.00	150	Horizontal	Pass
2**	5459.980	48.45	5.37	54.0	5.55	AV	289.00	150	Horizontal	Pass
3	5469.460	59.71	5.02	68.2	8.49	Peak	245.00	200	Horizontal	Pass
3**	5469.460	48.76	5.02	--	--	AV	245.00	200	Horizontal	N/A
4	5469.940	58.49	5.05	68.2	9.71	Peak	46.00	100	Horizontal	Pass
4**	5469.940	48.85	5.05	--	--	AV	46.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.93	4.77	68.2	10.27	Peak	275.00	200	Horizontal	Pass
2	5840.625	60.93	6.29	68.2	7.27	Peak	11.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.840	60.46	4.77	74.0	13.54	Peak	360.00	100	Horizontal	Pass
1**	5449.840	47.86	4.77	54.0	6.14	AV	360.00	100	Horizontal	Pass
2	5459.980	58.07	4.87	74.0	15.93	Peak	340.00	100	Horizontal	Pass
2**	5459.980	47.75	4.87	54.0	6.25	AV	340.00	100	Horizontal	Pass
3	5469.640	59.70	5.03	68.2	8.50	Peak	97.00	200	Horizontal	Pass
3**	5469.640	48.22	5.03	--	--	AV	97.00	200	Horizontal	N/A
4	5469.940	57.40	5.05	68.2	10.80	Peak	0.00	150	Horizontal	Pass
4**	5469.940	48.26	5.05	--	--	AV	0.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.29	4.77	68.2	9.91	Peak	360.00	200	Horizontal	Pass
2	5844.188	61.83	6.32	68.2	6.37	Peak	356.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5356.540	59.72	4.47	74.0	14.28	Peak	151.00	100	Horizontal	Pass
1**	5356.540	47.61	4.47	54.0	6.39	AV	151.00	100	Horizontal	Pass
2	5459.980	57.60	4.87	74.0	16.40	Peak	111.00	100	Horizontal	Pass
2**	5459.980	47.97	4.87	54.0	6.03	AV	111.00	100	Horizontal	Pass
3	5464.360	59.63	5.18	68.2	8.57	Peak	148.00	100	Horizontal	Pass
3**	5464.360	48.25	5.18	--	--	AV	148.00	100	Horizontal	N/A
4	5469.940	57.44	5.05	68.2	10.76	Peak	20.00	200	Horizontal	Pass
4**	5469.940	48.26	5.05	--	--	AV	20.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.23	4.77	68.2	9.97	Peak	355.00	100	Horizontal	Pass
2	5736.187	60.82	5.01	68.2	7.38	Peak	220.00	100	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.560	59.67	4.43	74.0	14.33	Peak	188.00	150	Horizontal	Pass
1**	5441.560	47.55	4.43	54.0	6.45	AV	188.00	150	Horizontal	Pass
2	5459.980	57.07	4.87	74.0	16.93	Peak	101.00	200	Horizontal	Pass
2**	5459.980	48.01	4.87	54.0	5.99	AV	101.00	200	Horizontal	Pass
3	5464.300	59.95	5.18	68.2	8.25	Peak	232.00	200	Horizontal	Pass
3**	5464.300	48.32	5.18	--	--	AV	232.00	200	Horizontal	N/A
4	5469.940	60.00	5.05	68.2	8.20	Peak	297.00	100	Horizontal	Pass
4**	5469.940	48.02	5.05	--	--	AV	297.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.29	4.76	68.2	9.91	Peak	35.00	200	Horizontal	Pass
2	5844.188	61.57	6.32	68.2	6.63	Peak	0.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.062	59.29	3.79	68.2	8.91	Peak	91.00	150	Horizontal	Pass
2	5650.000	58.47	4.48	68.2	9.73	Peak	172.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.58	4.55	68.3	9.72	Peak	258.00	200	Horizontal	Pass
2	5955.225	62.14	6.37	68.2	6.06	Peak	25.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.062	60.52	4.36	68.2	7.68	Peak	337.00	150	Horizontal	Pass
2	5650.000	57.31	4.48	68.2	10.89	Peak	235.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.46	4.55	68.3	9.84	Peak	10.00	150	Horizontal	Pass
2	5995.050	61.29	6.15	68.2	6.91	Peak	267.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.125	59.71	4.07	68.2	8.49	Peak	155.00	200	Horizontal	Pass
2	5650.000	58.48	4.48	68.2	9.72	Peak	94.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.62	4.55	68.3	9.68	Peak	284.00	100	Horizontal	Pass
2	5968.800	61.45	6.79	68.2	6.75	Peak	360.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.000	59.84	4.07	68.2	8.36	Peak	336.00	100	Horizontal	Pass
2	5650.000	58.61	4.48	68.2	9.59	Peak	273.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.95	4.55	68.3	10.35	Peak	19.00	150	Horizontal	Pass
2	5948.700	61.64	5.87	68.2	6.56	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.375	60.00	4.27	68.2	8.20	Peak	212.00	150	Horizontal	Pass
2	5650.000	58.61	4.48	68.2	9.59	Peak	155.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.24	4.55	68.3	10.06	Peak	143.00	150	Horizontal	Pass
2	5952.600	61.68	6.36	68.2	6.52	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.937	61.75	4.55	68.2	6.45	Peak	228.00	150	Horizontal	Pass
2	5650.000	58.28	4.48	68.2	9.92	Peak	245.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.11	4.55	68.3	10.19	Peak	185.00	100	Horizontal	Pass
2	5954.025	61.83	6.41	68.2	6.37	Peak	140.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.312	59.63	3.92	68.2	8.57	Peak	282.00	150	Horizontal	Pass
2	5650.000	58.20	4.48	68.2	10.00	Peak	122.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.08	4.55	68.3	10.22	Peak	276.00	200	Horizontal	Pass
2	5970.450	61.62	6.63	68.2	6.58	Peak	217.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.125	60.47	4.07	68.2	7.73	Peak	251.00	150	Horizontal	Pass
2	5650.000	60.38	4.48	68.2	7.82	Peak	222.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.15	4.55	68.3	10.15	Peak	283.00	150	Horizontal	Pass
2	5968.350	61.86	6.84	68.2	6.34	Peak	142.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.062	61.29	4.36	68.2	6.91	Peak	181.00	200	Horizontal	Pass
2	5650.000	58.49	4.48	68.2	9.71	Peak	214.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.94	4.55	68.3	10.36	Peak	28.00	100	Horizontal	Pass
2	5957.325	61.99	6.26	68.2	6.21	Peak	190.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.500	58.81	3.88	68.2	9.39	Peak	360.00	150	Horizontal	Pass
2	5650.000	57.23	4.48	68.2	10.97	Peak	305.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.47	4.55	68.3	10.83	Peak	360.00	150	Horizontal	Pass
2	5966.325	61.41	6.81	68.2	6.79	Peak	105.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.812	59.13	4.46	68.2	9.07	Peak	191.00	200	Horizontal	Pass
2	5650.000	58.31	4.48	68.2	9.89	Peak	279.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.74	4.55	68.3	10.56	Peak	285.00	150	Horizontal	Pass
2	5968.500	61.47	6.83	68.2	6.73	Peak	201.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.812	59.47	4.26	68.2	8.73	Peak	138.00	150	Horizontal	Pass
2	5650.000	57.64	4.48	68.2	10.56	Peak	107.00	150	Horizontal	Pass


U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.69	4.55	68.3	10.61	Peak	196.00	200	Horizontal	Pass
2	5954.175	61.39	6.41	68.2	6.81	Peak	61.00	100	Horizontal	Pass


MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	59.59	3.89	74.0	14.41	Peak	360.00	200	Horizontal	Pass
1**	5148.700	48.85	3.89	54.0	5.15	AV	360.00	200	Horizontal	Pass
2	5149.675	58.79	3.93	74.0	15.21	Peak	197.00	150	Horizontal	Pass
2**	5149.675	48.16	3.93	54.0	5.84	AV	197.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.13	4.22	74.0	16.87	Peak	245.00	150	Horizontal	Pass
1**	5350.000	47.94	4.22	54.0	6.06	AV	245.00	150	Horizontal	Pass
2	5443.610	61.38	5.47	74.0	12.62	Peak	28.00	200	Horizontal	Pass
2**	5443.610	48.77	5.47	54.0	5.23	AV	28.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.28	3.91	74.0	13.72	Peak	0.00	100	Horizontal	Pass
1**	5149.350	48.98	3.91	54.0	5.02	AV	0.00	100	Horizontal	Pass
2	5149.675	59.96	3.93	74.0	14.04	Peak	0.00	100	Horizontal	Pass
2**	5149.675	48.98	3.93	54.0	5.02	AV	0.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.42	4.21	74.0	16.58	Peak	276.00	150	Horizontal	Pass
1**	5350.055	47.79	4.21	54.0	6.21	AV	276.00	150	Horizontal	Pass
2	5454.170	60.30	5.61	74.0	13.70	Peak	360.00	200	Horizontal	Pass
2**	5454.170	48.52	5.61	54.0	5.48	AV	360.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	64.66	3.91	74.0	9.34	Peak	0.00	150	Horizontal	Pass
1**	5149.350	48.13	3.91	54.0	5.87	AV	0.00	150	Horizontal	Pass
2	5149.675	63.54	3.93	74.0	10.46	Peak	0.00	100	Horizontal	Pass
2**	5149.675	48.33	3.93	54.0	5.67	AV	0.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.94	4.22	74.0	16.06	Peak	257.00	100	Horizontal	Pass
1**	5350.000	47.83	4.22	54.0	6.17	AV	257.00	100	Horizontal	Pass
2	5449.055	59.95	5.45	74.0	14.05	Peak	85.00	150	Horizontal	Pass
2**	5449.055	48.63	5.45	54.0	5.37	AV	85.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5029.100	59.47	3.27	74.0	14.53	Peak	145.00	150	Horizontal	Pass
1**	5029.100	47.06	3.27	54.0	6.94	AV	145.00	150	Horizontal	Pass
2	5149.675	58.72	3.93	74.0	15.28	Peak	11.00	150	Horizontal	Pass
2**	5149.675	48.91	3.93	54.0	5.09	AV	11.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.70	4.21	74.0	16.30	Peak	0.00	200	Horizontal	Pass
1**	5350.055	47.81	4.21	54.0	6.19	AV	0.00	200	Horizontal	Pass
2	5452.300	60.61	5.62	74.0	13.39	Peak	281.00	100	Horizontal	Pass
2**	5452.300	48.92	5.62	54.0	5.08	AV	281.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	60.25	3.86	74.0	13.75	Peak	180.00	100	Horizontal	Pass
1**	5147.400	47.58	3.86	54.0	6.42	AV	180.00	100	Horizontal	Pass
2	5149.675	57.48	3.93	74.0	16.52	Peak	323.00	150	Horizontal	Pass
2**	5149.675	48.08	3.93	54.0	5.92	AV	323.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.02	4.22	74.0	15.98	Peak	270.00	150	Horizontal	Pass
1**	5350.000	47.54	4.22	54.0	6.46	AV	270.00	150	Horizontal	Pass
2	5456.315	60.32	5.67	74.0	13.68	Peak	186.00	100	Horizontal	Pass
2**	5456.315	48.75	5.67	54.0	5.25	AV	186.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.075	58.82	4.46	74.0	15.18	Peak	156.00	100	Horizontal	Pass
1**	5082.075	47.65	4.46	54.0	6.35	AV	156.00	100	Horizontal	Pass
2	5149.675	57.87	3.93	74.0	16.13	Peak	88.00	150	Horizontal	Pass
2**	5149.675	49.00	3.93	54.0	5.00	AV	88.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.72	4.22	74.0	16.28	Peak	40.00	100	Horizontal	Pass
1**	5350.000	47.62	4.22	54.0	6.38	AV	40.00	100	Horizontal	Pass
2	5452.135	60.26	5.60	74.0	13.74	Peak	113.00	100	Horizontal	Pass
2**	5452.135	48.85	5.60	54.0	5.15	AV	113.00	100	Horizontal	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	65.46	3.86	74.0	8.54	Peak	7.00	100	Horizontal	Pass
1**	5146.100	48.51	3.86	54.0	5.49	AV	7.00	100	Horizontal	Pass
2	5149.675	66.82	3.93	74.0	7.18	Peak	210.00	150	Horizontal	Pass
2**	5149.675	48.95	3.93	54.0	5.05	AV	210.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.53	4.21	74.0	16.47	Peak	45.00	150	Horizontal	Pass
1**	5350.055	47.80	4.21	54.0	6.20	AV	45.00	150	Horizontal	Pass
2	5443.170	59.92	5.38	74.0	14.08	Peak	145.00	200	Horizontal	Pass
2**	5443.170	48.71	5.38	54.0	5.29	AV	145.00	200	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	64.62	3.85	74.0	9.38	Peak	360.00	100	Horizontal	Pass
1**	5146.750	48.92	3.85	54.0	5.08	AV	360.00	100	Horizontal	Pass
2	5149.675	62.42	3.93	74.0	11.58	Peak	258.00	150	Horizontal	Pass
2**	5149.675	48.95	3.93	54.0	5.05	AV	258.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.96	4.21	74.0	16.04	Peak	228.00	150	Horizontal	Pass
1**	5350.055	47.78	4.21	54.0	6.22	AV	228.00	150	Horizontal	Pass
2	5382.835	60.48	4.65	74.0	13.52	Peak	274.00	200	Horizontal	Pass
2**	5382.835	48.08	4.65	54.0	5.92	AV	274.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	59.80	3.86	74.0	14.20	Peak	359.00	200	Horizontal	Pass
1**	5145.775	48.83	3.86	54.0	5.17	AV	359.00	200	Horizontal	Pass
2	5149.675	58.48	3.93	74.0	15.52	Peak	359.00	150	Horizontal	Pass
2**	5149.675	48.84	3.93	54.0	5.16	AV	359.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.65	4.21	74.0	16.35	Peak	323.00	150	Horizontal	Pass
1**	5350.055	47.70	4.21	54.0	6.30	AV	323.00	150	Horizontal	Pass
2	5455.985	59.88	5.64	74.0	14.12	Peak	86.00	150	Horizontal	Pass
2**	5455.985	48.86	5.64	54.0	5.14	AV	86.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5090.850	58.77	4.43	74.0	15.23	Peak	59.00	100	Horizontal	Pass
1**	5090.850	47.74	4.43	54.0	6.26	AV	59.00	100	Horizontal	Pass
2	5149.675	56.40	3.93	74.0	17.60	Peak	230.00	150	Horizontal	Pass
2**	5149.675	47.13	3.93	54.0	6.87	AV	230.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.07	4.22	74.0	16.93	Peak	77.00	200	Horizontal	Pass
1**	5350.000	47.91	4.22	54.0	6.09	AV	77.00	200	Horizontal	Pass
2	5354.180	60.38	4.31	74.0	13.62	Peak	173.00	200	Horizontal	Pass
2**	5354.180	47.62	4.31	54.0	6.38	AV	173.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.350	59.02	4.58	74.0	14.98	Peak	274.00	150	Horizontal	Pass
1**	5097.350	48.10	4.58	54.0	5.90	AV	274.00	150	Horizontal	Pass
2	5149.675	57.86	3.93	74.0	16.14	Peak	9.00	200	Horizontal	Pass
2**	5149.675	47.29	3.93	54.0	6.71	AV	9.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.77	4.21	74.0	17.23	Peak	315.00	100	Horizontal	Pass
1**	5350.055	47.49	4.21	54.0	6.51	AV	315.00	100	Horizontal	Pass
2	5358.525	59.34	4.64	74.0	14.66	Peak	53.00	100	Horizontal	Pass
2**	5358.525	47.94	4.64	54.0	6.06	AV	53.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4675.175	59.27	3.94	74.0	14.73	Peak	311.00	200	Horizontal	Pass
1**	4675.175	46.13	3.94	54.0	7.87	AV	311.00	200	Horizontal	Pass
2	5149.675	56.62	3.93	74.0	17.38	Peak	360.00	100	Horizontal	Pass
2**	5149.675	47.43	3.93	54.0	6.57	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.49	4.21	74.0	16.51	Peak	80.00	100	Horizontal	Pass
1**	5350.055	47.56	4.21	54.0	6.44	AV	80.00	100	Horizontal	Pass
2	5432.115	59.46	4.11	74.0	14.54	Peak	131.00	150	Horizontal	Pass
2**	5432.115	47.59	4.11	54.0	6.41	AV	131.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.275	59.82	4.53	74.0	14.18	Peak	335.00	100	Horizontal	Pass
1**	5100.275	47.98	4.53	54.0	6.02	AV	335.00	100	Horizontal	Pass
2	5149.675	57.37	3.93	74.0	16.63	Peak	202.00	150	Horizontal	Pass
2**	5149.675	47.72	3.93	54.0	6.28	AV	202.00	150	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.38	4.21	74.0	14.62	Peak	41.00	100	Horizontal	Pass
1**	5350.055	48.55	4.21	54.0	5.45	AV	41.00	100	Horizontal	Pass
2	5351.760	60.92	4.17	74.0	13.08	Peak	38.00	200	Horizontal	Pass
2**	5351.760	48.97	4.17	54.0	5.03	AV	38.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5066.475	59.88	4.13	74.0	14.12	Peak	47.00	200	Horizontal	Pass
1**	5066.475	47.45	4.13	54.0	6.55	AV	47.00	200	Horizontal	Pass
2	5149.675	57.71	3.93	74.0	16.29	Peak	228.00	100	Horizontal	Pass
2**	5149.675	47.42	3.93	54.0	6.58	AV	228.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.17	4.21	74.0	12.83	Peak	356.00	100	Horizontal	Pass
1**	5350.055	48.04	4.21	54.0	5.96	AV	356.00	100	Horizontal	Pass
2	5350.715	62.39	4.18	74.0	11.61	Peak	345.00	100	Horizontal	Pass
2**	5350.715	48.15	4.18	54.0	5.85	AV	345.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5062.250	59.39	4.17	74.0	14.61	Peak	360.00	150	Horizontal	Pass
1**	5062.250	47.75	4.17	54.0	6.25	AV	360.00	150	Horizontal	Pass
2	5149.675	57.16	3.93	74.0	16.84	Peak	6.00	100	Horizontal	Pass
2**	5149.675	47.69	3.93	54.0	6.31	AV	6.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.90	4.22	74.0	8.10	Peak	350.00	100	Horizontal	Pass
1**	5350.000	48.38	4.22	54.0	5.62	AV	350.00	100	Horizontal	Pass
2	5350.220	65.37	4.21	74.0	8.63	Peak	0.00	200	Horizontal	Pass
2**	5350.220	48.82	4.21	54.0	5.18	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	59.17	3.86	74.0	14.83	Peak	228.00	100	Horizontal	Pass
1**	5147.400	47.56	3.86	54.0	6.44	AV	228.00	100	Horizontal	Pass
2	5149.675	57.16	3.93	74.0	16.84	Peak	63.00	100	Horizontal	Pass
2**	5149.675	47.81	3.93	54.0	6.19	AV	63.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.14	4.21	74.0	15.86	Peak	227.00	100	Horizontal	Pass
1**	5350.055	47.96	4.21	54.0	6.04	AV	227.00	100	Horizontal	Pass
2	5351.100	60.77	4.17	74.0	13.23	Peak	208.00	100	Horizontal	Pass
2**	5351.100	48.16	4.17	54.0	5.84	AV	208.00	100	Horizontal	Pass
3	5360.505	58.55	4.87	74.0	15.45	Peak	283.00	100	Horizontal	Pass
3**	5360.505	48.71	4.87	54.0	5.29	AV	283.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5061.925	59.05	4.18	74.0	14.95	Peak	360.00	150	Horizontal	Pass
1**	5061.925	47.85	4.18	54.0	6.15	AV	360.00	150	Horizontal	Pass
2	5149.675	57.83	3.93	74.0	16.17	Peak	39.00	150	Horizontal	Pass
2**	5149.675	47.62	3.93	54.0	6.38	AV	39.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.31	4.21	74.0	15.69	Peak	360.00	200	Horizontal	Pass
1**	5350.055	48.16	4.21	54.0	5.84	AV	360.00	200	Horizontal	Pass
2	5352.695	64.77	4.16	74.0	9.23	Peak	349.00	150	Horizontal	Pass
2**	5352.695	48.14	4.16	54.0	5.86	AV	349.00	150	Horizontal	Pass
3	5361.000	57.59	4.92	74.0	16.41	Peak	267.00	100	Horizontal	Pass
3**	5361.000	48.92	4.92	54.0	5.08	AV	267.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4972.225	59.42	4.29	74.0	14.58	Peak	236.00	150	Horizontal	Pass
1**	4972.225	47.43	4.29	54.0	6.57	AV	236.00	150	Horizontal	Pass
2	5149.675	57.43	3.93	74.0	16.57	Peak	5.00	150	Horizontal	Pass
2**	5149.675	47.52	3.93	54.0	6.48	AV	5.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.82	4.21	74.0	14.18	Peak	37.00	100	Horizontal	Pass
1**	5350.055	48.41	4.21	54.0	5.59	AV	37.00	100	Horizontal	Pass
2	5362.760	61.52	4.81	74.0	12.48	Peak	360.00	100	Horizontal	Pass
2**	5362.760	48.52	4.81	54.0	5.48	AV	360.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.500	59.19	4.32	74.0	14.81	Peak	53.00	200	Horizontal	Pass
1**	5130.500	47.58	4.32	54.0	6.42	AV	53.00	200	Horizontal	Pass
2	5149.675	57.08	3.93	74.0	16.92	Peak	353.00	200	Horizontal	Pass
2**	5149.675	47.69	3.93	54.0	6.31	AV	353.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.62	4.22	74.0	16.38	Peak	89.00	200	Horizontal	Pass
1**	5350.000	48.22	4.22	54.0	5.78	AV	89.00	200	Horizontal	Pass
2	5361.770	59.71	4.94	74.0	14.29	Peak	168.00	200	Horizontal	Pass
2**	5361.770	48.93	4.94	54.0	5.07	AV	168.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5099.950	59.39	4.54	74.0	14.61	Peak	54.00	100	Horizontal	Pass
1**	5099.950	47.88	4.54	54.0	6.12	AV	54.00	100	Horizontal	Pass
2	5149.675	57.10	3.93	74.0	16.90	Peak	123.00	200	Horizontal	Pass
2**	5149.675	47.68	3.93	54.0	6.32	AV	123.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.08	4.21	74.0	14.92	Peak	195.00	150	Horizontal	Pass
1**	5350.055	48.49	4.21	54.0	5.51	AV	195.00	150	Horizontal	Pass
2	5381.075	60.00	4.65	74.0	14.00	Peak	355.00	100	Horizontal	Pass
2**	5381.075	48.19	4.65	54.0	5.81	AV	355.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	58.92	4.13	74.0	15.08	Peak	254.00	200	Horizontal	Pass
1**	5143.500	47.74	4.13	54.0	6.26	AV	254.00	200	Horizontal	Pass
2	5149.675	57.10	3.93	74.0	16.90	Peak	165.00	100	Horizontal	Pass
2**	5149.675	47.49	3.93	54.0	6.51	AV	165.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.93	4.22	74.0	15.07	Peak	61.00	200	Horizontal	Pass
1**	5350.000	48.31	4.22	54.0	5.69	AV	61.00	200	Horizontal	Pass
2	5350.825	59.98	4.17	74.0	14.02	Peak	0.00	200	Horizontal	Pass
2**	5350.825	48.99	4.17	54.0	5.01	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5025.200	58.85	3.51	74.0	15.15	Peak	58.00	200	Horizontal	Pass
1**	5025.200	46.85	3.51	54.0	7.15	AV	58.00	200	Horizontal	Pass
2	5149.675	57.42	3.93	74.0	16.58	Peak	102.00	100	Horizontal	Pass
2**	5149.675	47.23	3.93	54.0	6.77	AV	102.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.30	4.21	74.0	15.70	Peak	284.00	100	Horizontal	Pass
1**	5350.055	47.53	4.21	54.0	6.47	AV	284.00	100	Horizontal	Pass
2	5396.915	59.64	4.35	74.0	14.36	Peak	212.00	100	Horizontal	Pass
2**	5396.915	47.45	4.35	54.0	6.55	AV	212.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4975.475	59.28	4.21	74.0	14.72	Peak	339.00	150	Horizontal	Pass
1**	4975.475	47.49	4.21	54.0	6.51	AV	339.00	150	Horizontal	Pass
2	5149.675	56.92	3.93	74.0	17.08	Peak	350.00	200	Horizontal	Pass
2**	5149.675	47.27	3.93	54.0	6.73	AV	350.00	200	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.05	4.22	74.0	16.95	Peak	149.00	150	Horizontal	Pass
1**	5350.000	47.52	4.22	54.0	6.48	AV	149.00	150	Horizontal	Pass
2	5365.400	59.16	4.76	74.0	14.84	Peak	349.00	100	Horizontal	Pass
2**	5365.400	48.07	4.76	54.0	5.93	AV	349.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5056.075	59.09	4.19	74.0	14.91	Peak	196.00	200	Horizontal	Pass
1**	5056.075	47.25	4.19	54.0	6.75	AV	196.00	200	Horizontal	Pass
2	5149.675	57.44	3.93	74.0	16.56	Peak	360.00	200	Horizontal	Pass
2**	5149.675	47.46	3.93	54.0	6.54	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.63	4.21	74.0	16.37	Peak	355.00	150	Horizontal	Pass
1**	5350.055	47.48	4.21	54.0	6.52	AV	355.00	150	Horizontal	Pass
2	5365.675	59.39	4.77	74.0	14.61	Peak	124.00	100	Horizontal	Pass
2**	5365.675	48.05	4.77	54.0	5.95	AV	124.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.400	59.70	3.61	74.0	14.30	Peak	133.00	200	Horizontal	Pass
1**	5421.400	47.42	3.61	54.0	6.58	AV	133.00	200	Horizontal	Pass
2	5459.980	58.00	4.87	74.0	16.00	Peak	191.00	200	Horizontal	Pass
2**	5459.980	48.44	4.87	54.0	5.56	AV	191.00	200	Horizontal	Pass
3	5468.560	62.69	4.94	68.2	5.51	Peak	1.00	200	Horizontal	Pass
3**	5468.560	50.10	4.94	--	--	AV	1.00	200	Horizontal	N/A
4	5469.940	59.05	5.05	68.2	9.15	Peak	0.00	100	Horizontal	Pass
4**	5469.940	49.98	5.05	--	--	AV	0.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.50	4.77	68.2	7.70	Peak	359.00	100	Horizontal	Pass
2	5728.375	63.06	5.08	68.2	5.14	Peak	346.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5366.440	59.81	4.69	74.0	14.19	Peak	130.00	150	Horizontal	Pass
1**	5366.440	48.34	4.69	54.0	5.66	AV	130.00	150	Horizontal	Pass
2	5459.980	57.48	4.87	74.0	16.52	Peak	210.00	100	Horizontal	Pass
2**	5459.980	48.77	4.87	54.0	5.23	AV	210.00	100	Horizontal	Pass
3	5466.040	63.04	5.13	68.2	5.16	Peak	360.00	200	Horizontal	Pass
3**	5466.040	50.23	5.13	--	--	AV	360.00	200	Horizontal	N/A
4	5469.940	60.54	5.05	68.2	7.66	Peak	360.00	150	Horizontal	Pass
4**	5469.940	50.84	5.05	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	61.27	4.77	68.2	6.93	Peak	345.00	200	Horizontal	Pass
2	5725.813	63.02	4.81	68.2	5.18	Peak	343.00	150	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.120	60.27	4.90	74.0	13.73	Peak	360.00	150	Horizontal	Pass
1**	5452.120	48.01	4.90	54.0	5.99	AV	360.00	150	Horizontal	Pass
2	5459.980	57.45	4.87	74.0	16.55	Peak	358.00	100	Horizontal	Pass
2**	5459.980	48.22	4.87	54.0	5.78	AV	358.00	100	Horizontal	Pass
3	5466.520	61.27	5.06	68.2	6.93	Peak	14.00	100	Horizontal	Pass
3**	5466.520	48.45	5.06	--	--	AV	14.00	100	Horizontal	N/A
4	5469.940	57.96	5.05	68.2	10.24	Peak	291.00	150	Horizontal	Pass
4**	5469.940	48.60	5.05	--	--	AV	291.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.09	4.77	68.2	8.11	Peak	96.00	100	Horizontal	Pass
2	5841.812	61.33	6.25	68.2	6.87	Peak	53.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.920	60.45	4.80	74.0	13.55	Peak	349.00	100	Horizontal	Pass
1**	5450.920	48.35	4.80	54.0	5.65	AV	349.00	100	Horizontal	Pass
2	5459.980	58.28	4.87	74.0	15.72	Peak	318.00	200	Horizontal	Pass
2**	5459.980	48.39	4.87	54.0	5.61	AV	318.00	200	Horizontal	Pass
3	5463.760	62.78	5.17	68.2	5.42	Peak	3.00	200	Horizontal	Pass
3**	5463.760	49.55	5.17	--	--	AV	3.00	200	Horizontal	N/A
4	5469.940	61.46	5.05	68.2	6.74	Peak	0.00	150	Horizontal	Pass
4**	5469.940	50.90	5.05	--	--	AV	0.00	150	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.52	4.77	68.2	7.68	Peak	85.00	100	Horizontal	Pass
2	5726.063	62.74	4.82	68.2	5.46	Peak	342.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.820	59.86	4.96	74.0	14.14	Peak	99.00	150	Horizontal	Pass
1**	5457.820	48.46	4.96	54.0	5.54	AV	99.00	150	Horizontal	Pass
2	5459.980	57.20	4.87	74.0	16.80	Peak	208.00	200	Horizontal	Pass
2**	5459.980	48.27	4.87	54.0	5.73	AV	208.00	200	Horizontal	Pass
3	5468.500	62.22	4.93	68.2	5.98	Peak	348.00	100	Horizontal	Pass
3**	5468.500	48.58	4.93	--	--	AV	348.00	100	Horizontal	N/A
4	5469.940	58.61	5.05	68.2	9.59	Peak	16.00	200	Horizontal	Pass
4**	5469.940	48.51	5.05	--	--	AV	16.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.69	4.76	68.2	8.51	Peak	344.00	200	Horizontal	Pass
2	5737.250	61.00	5.04	68.2	7.20	Peak	360.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.460	60.22	4.27	74.0	13.78	Peak	0.00	200	Horizontal	Pass
1**	5439.460	47.95	4.27	54.0	6.05	AV	0.00	200	Horizontal	Pass
2	5459.980	58.22	4.87	74.0	15.78	Peak	12.00	150	Horizontal	Pass
2**	5459.980	48.80	4.87	54.0	5.20	AV	12.00	150	Horizontal	Pass
3	5468.680	60.64	4.95	68.2	7.56	Peak	0.00	100	Horizontal	Pass
3**	5468.680	49.83	4.95	--	--	AV	0.00	100	Horizontal	N/A
4	5469.940	59.74	5.05	68.2	8.46	Peak	360.00	150	Horizontal	Pass
4**	5469.940	50.89	5.05	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.45	4.77	68.2	8.75	Peak	346.00	150	Horizontal	Pass
2	5733.687	61.67	5.17	68.2	6.53	Peak	92.00	200	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.060	61.26	4.21	74.0	12.74	Peak	356.00	150	Horizontal	Pass
1**	5437.060	47.83	4.21	54.0	6.17	AV	356.00	150	Horizontal	Pass
2	5459.980	57.94	4.87	74.0	16.06	Peak	360.00	150	Horizontal	Pass
2**	5459.980	48.76	4.87	54.0	5.24	AV	360.00	150	Horizontal	Pass
3	5468.980	62.62	4.97	68.2	5.58	Peak	9.00	200	Horizontal	Pass
3**	5468.980	49.75	4.97	--	--	AV	9.00	200	Horizontal	N/A
4	5469.940	59.00	5.05	68.2	9.20	Peak	334.00	150	Horizontal	Pass
4**	5469.940	49.68	5.05	--	--	AV	334.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.46	4.77	68.2	8.74	Peak	223.00	200	Horizontal	Pass
2	5842.375	61.34	6.28	68.2	6.86	Peak	221.00	100	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.080	60.04	4.85	74.0	13.96	Peak	0.00	100	Horizontal	Pass
1**	5459.080	48.73	4.85	54.0	5.27	AV	0.00	100	Horizontal	Pass
2	5459.980	57.77	4.87	74.0	16.23	Peak	5.00	150	Horizontal	Pass
2**	5459.980	48.86	4.87	54.0	5.14	AV	5.00	150	Horizontal	Pass
3	5467.600	62.32	4.88	68.2	5.88	Peak	0.00	200	Horizontal	Pass
3**	5467.600	50.52	4.88	--	--	AV	0.00	200	Horizontal	N/A
4	5469.940	61.76	5.05	68.2	6.44	Peak	0.00	100	Horizontal	Pass
4**	5469.940	51.48	5.05	--	--	AV	0.00	100	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.74	4.77	68.2	8.46	Peak	108.00	200	Horizontal	Pass
2	5847.750	61.06	6.23	68.2	7.14	Peak	39.00	100	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5369.080	60.26	4.46	74.0	13.74	Peak	22.00	150	Horizontal	Pass
1**	5369.080	47.74	4.46	54.0	6.26	AV	22.00	150	Horizontal	Pass
2	5459.980	57.82	4.87	74.0	16.18	Peak	293.00	200	Horizontal	Pass
2**	5459.980	48.33	4.87	54.0	5.67	AV	293.00	200	Horizontal	Pass
3	5469.520	60.83	5.02	68.2	7.37	Peak	335.00	150	Horizontal	Pass
3**	5469.520	49.83	5.02	--	--	AV	335.00	150	Horizontal	N/A
4	5469.940	58.55	5.05	68.2	9.65	Peak	6.00	100	Horizontal	Pass
4**	5469.940	50.14	5.05	--	--	AV	6.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.65	4.76	68.2	9.55	Peak	66.00	100	Horizontal	Pass
2	5845.938	61.37	6.30	68.2	6.83	Peak	125.00	150	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5360.620	60.05	4.88	74.0	13.95	Peak	344.00	200	Horizontal	Pass
1**	5360.620	48.02	4.88	54.0	5.98	AV	344.00	200	Horizontal	Pass
2	5459.980	58.06	4.87	74.0	15.94	Peak	360.00	150	Horizontal	Pass
2**	5459.980	47.82	4.87	54.0	6.18	AV	360.00	150	Horizontal	Pass
3	5461.960	59.73	5.01	68.2	8.47	Peak	125.00	150	Horizontal	Pass
3**	5461.960	48.07	5.01	--	--	AV	125.00	150	Horizontal	N/A
4	5469.940	57.55	5.05	68.2	10.65	Peak	252.00	100	Horizontal	Pass
4**	5469.940	48.34	5.05	--	--	AV	252.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.45	4.76	68.2	9.75	Peak	53.00	200	Horizontal	Pass
2	5845.375	60.46	6.31	68.2	7.74	Peak	355.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5355.220	59.58	4.43	74.0	14.42	Peak	360.00	200	Horizontal	Pass
1**	5355.220	47.85	4.43	54.0	6.15	AV	360.00	200	Horizontal	Pass
2	5459.980	58.60	4.87	74.0	15.40	Peak	220.00	150	Horizontal	Pass
2**	5459.980	47.81	4.87	54.0	6.19	AV	220.00	150	Horizontal	Pass
3	5466.580	59.46	5.05	68.2	8.74	Peak	11.00	150	Horizontal	Pass
3**	5466.580	48.32	5.05	--	--	AV	11.00	150	Horizontal	N/A
4	5469.940	58.44	5.05	68.2	9.76	Peak	225.00	100	Horizontal	Pass
4**	5469.940	48.41	5.05	--	--	AV	225.00	100	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.57	4.76	68.2	9.63	Peak	15.00	150	Horizontal	Pass
2	5842.937	60.79	6.30	68.2	7.41	Peak	98.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.400	59.80	4.42	74.0	14.20	Peak	50.00	150	Horizontal	Pass
1**	5394.400	48.08	4.42	54.0	5.92	AV	50.00	150	Horizontal	Pass
2	5459.980	57.67	4.87	74.0	16.33	Peak	22.00	200	Horizontal	Pass
2**	5459.980	47.87	4.87	54.0	6.13	AV	22.00	200	Horizontal	Pass
3	5467.960	61.85	4.88	68.2	6.35	Peak	101.00	100	Horizontal	Pass
3**	5467.960	48.00	4.88	--	--	AV	101.00	100	Horizontal	N/A
4	5469.940	57.49	5.05	68.2	10.71	Peak	146.00	100	Horizontal	Pass
4**	5469.940	48.07	5.05	--	--	AV	146.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.52	4.77	68.2	9.68	Peak	205.00	200	Horizontal	Pass
2	5849.250	61.17	6.38	68.2	7.03	Peak	298.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.938	59.49	4.07	68.2	8.71	Peak	170.00	200	Horizontal	Pass
2	5650.000	58.90	4.48	68.2	9.30	Peak	271.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.79	4.55	68.3	9.51	Peak	118.00	200	Horizontal	Pass
2	5966.550	61.73	6.86	68.2	6.47	Peak	95.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.375	59.53	4.03	68.2	8.67	Peak	360.00	150	Horizontal	Pass
2	5650.000	57.93	4.48	68.2	10.27	Peak	119.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.53	4.55	68.3	10.77	Peak	150.00	100	Horizontal	Pass
2	5953.500	61.32	6.39	68.2	6.88	Peak	0.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.750	59.61	4.15	68.2	8.59	Peak	97.00	150	Horizontal	Pass
2	5650.000	58.15	4.48	68.2	10.05	Peak	208.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.13	4.55	68.3	10.17	Peak	346.00	100	Horizontal	Pass
2	5964.450	61.92	6.43	68.2	6.28	Peak	116.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.500	59.46	3.99	68.2	8.74	Peak	338.00	200	Horizontal	Pass
2	5650.000	58.80	4.48	68.2	9.40	Peak	338.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.06	4.55	68.3	10.24	Peak	11.00	100	Horizontal	Pass
2	5967.600	61.89	6.93	68.2	6.31	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.312	59.85	4.27	68.2	8.35	Peak	110.00	150	Horizontal	Pass
2	5650.000	57.75	4.48	68.2	10.45	Peak	240.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.52	4.55	68.3	9.78	Peak	21.00	200	Horizontal	Pass
2	5951.700	61.34	6.27	68.2	6.86	Peak	312.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.938	61.53	4.14	68.2	6.67	Peak	352.00	100	Horizontal	Pass
2	5650.000	59.73	4.48	68.2	8.47	Peak	234.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	59.50	4.55	68.3	8.80	Peak	360.00	100	Horizontal	Pass
2	5976.225	61.88	6.20	68.2	6.32	Peak	119.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.125	60.06	4.60	68.2	8.14	Peak	189.00	150	Horizontal	Pass
2	5650.000	57.39	4.48	68.2	10.81	Peak	360.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.23	4.55	68.3	10.07	Peak	360.00	100	Horizontal	Pass
2	5955.675	61.50	6.35	68.2	6.70	Peak	10.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.062	59.85	3.92	68.2	8.35	Peak	4.00	150	Horizontal	Pass
2	5650.000	58.17	4.48	68.2	10.03	Peak	162.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.12	4.55	68.3	10.18	Peak	47.00	200	Horizontal	Pass
2	5961.450	62.12	6.43	68.2	6.08	Peak	283.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.437	61.58	4.29	68.2	6.62	Peak	342.00	100	Horizontal	Pass
2	5650.000	59.11	4.48	68.2	9.09	Peak	200.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.06	4.55	68.3	10.24	Peak	226.00	200	Horizontal	Pass
2	5966.775	61.30	6.92	68.2	6.90	Peak	235.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.750	59.03	4.27	68.2	9.17	Peak	56.00	100	Horizontal	Pass
2	5650.000	57.44	4.48	68.2	10.76	Peak	180.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.60	4.55	68.3	10.70	Peak	8.00	200	Horizontal	Pass
2	5986.425	61.44	5.63	68.2	6.76	Peak	203.00	200	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.500	59.12	3.73	68.2	9.08	Peak	110.00	100	Horizontal	Pass
2	5650.000	58.04	4.48	68.2	10.16	Peak	92.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.87	4.55	68.3	10.43	Peak	14.00	150	Horizontal	Pass
2	5972.550	61.47	6.46	68.2	6.73	Peak	5.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.000	59.74	4.57	68.2	8.46	Peak	224.00	100	Horizontal	Pass
2	5650.000	58.41	4.48	68.2	9.79	Peak	302.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.69	4.55	68.3	9.61	Peak	273.00	100	Horizontal	Pass
2	5956.350	61.60	6.31	68.2	6.60	Peak	0.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2330970-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2330970-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2330970-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--