

Report No.: SEWM2306000195RG05

Rev.: 01

Page: 1 of 292

### **TEST REPORT**

Application No.: SEWM2306000195RG

Applicant: Guangdong OPPO Mobile Telecommunications Corp., Ltd.

Address of Applicant: NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City,

Guangdong, China

Manufacturer: Guangdong OPPO Mobile Telecommunications Corp., Ltd.

Address of Manufacturer: NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City,

Guangdong, China

EUT Description: Mobile Phone

Model No.: CPH2579

Trade Mark: OPPO

FCC ID: R9C-CPH2579

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart E

**Date of Receipt:** 2023/06/09


**Date of Test:** 2023/06/13 to 2023/06/28

**Date of Issue:** 2023/07/04

Test Result : PASS \*

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.">http://www.sgs.com/en/Terms-and-Conditions.spx.</a> Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 2 of 292

### 1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2023/07/04		Original

Prepared By	(Ives Cheng) / Test Engineer
Checked By	(Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01 Page: 3 of 292

2 Test Summary

Test Item	Band <sup>[1]</sup>	FCC rules No.	Test Requirements	Test Result	Result
Antenna Requirement		15.203/15.407(a)		Clause 4.1	PASS
26dB Emission Bandwidth	Band II-A Band II-C	15.407(a)(1) 15.407(a)(2) 15.407(a)(2)	No limit.	Clause 4.5	For Report Purpose
6dB Emission Bandwidth	Band III	15.407(e)	≥ 500 kHz.	Clause 4.6	PASS
99% Occupied Bandwidth	Band II-A Band II-C Band III	KDB 789033 D02§ D	No limit.	Clause 4.7	For Report Purpose
Duty Cycle	Band I Band II-A Band II-C Band III		No limit.	Clause 4.3	For Report Purpose
Maximum	Band I	15.407(a)(iv)	< 250mW		
Conducted Output Power	Band II-A Band II-C	15.407(a)(2)	<min{250mw,11dbm+10*lg(ebw)}< td=""><td>Clause 4.4</td><td>PASS</td></min{250mw,11dbm+10*lg(ebw)}<>	Clause 4.4	PASS
- Catpat : Circi	Band III	15.407(a)(3)	< 1W		
Maximum	Band I	15.407(a)(iv)	<11dBm/MHz		
Power Spectral Density	Band II-A Band II-C	15.407(a)(2) <11dBm/MHZ		Clause 4.8	PASS
Donony	Band III	15.407(a)(3)	<30dBm/500KHz		
	Band I	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15- 5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS
Radiated Spurious Emissions	Band II-A	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.25- 5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).	Clause 4.9	PASS
	Band II-C	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.47- 5.725 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS
	Band III	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP) F≥1GHz &out-restricted:(PK)		PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

4 of 292 Page:

			All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.  F≥1GHz & in-restricted: §15.209 limit (AV&PK).		
Restricted bands around fundamental frequency	Band I Band II-A Band II-C Band III	15.407(b) 15.205/15.209		Clause 4.10	PASS
AC Power Line Conducted Emissions	Band I Band II-A Band II-C Band III	15.207		Clause 4.2	PASS
Dynamic Frequency Selection	Band II-A Band II-C	15.407	Channel Move Time:10 Seconds	Clause 4.11	PASS
Frequency Stability	Band I Band II-A Band II-C Band III	15.407(g)	Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual	N/A	N/A

Note 1:

Band I: 5150-5250MHz Band II-A: 5250-5350MHz Band II-C: 5470-5725MHz Band III: 5725-5850MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01 Page: 5 of 292

### **Contents**

1	Version	on	2
2	Test S	Summary	3
3	Genei	ral Information	6
	3.1	Details of Client	6
	3.2	Test Location	6
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment and Mode	10
	3.6	Description of Support Units	10
	3.7	Worst-case configuration and mode	10
4	Test r	esults and Measurement Data	11
	4.1	Antenna Requirement	11
	4.2	AC Power Line Conducted Emissions	12
	4.3	Duty Cycle	16
	4.4	Conducted Output Power	17
	4.5	26dB Emission Bandwidth	18
	4.6	6dB Emission Bandwidth	19
	4.7	99% Occupied Bandwidth	20
	4.8	Power Spectral Density	21
	4.9	Radiated Spurious Emissions	22
	4.10	Restricted bands around fundamental frequency	24
	4.11	Dynamic Frequency Selection	26
	4	4.11.1 DFS Overview	26
	4	4.11.2 DFS Detection Thresholds	27
	4	4.11.3 RADAR TEST WAVEFORMS	28
	4	4.11.4 Response Requirements	30
5	Measi	urement Uncertainty (95% confidence levels, k=2)	31
6	Equip	ment List	32
7	Photo	ographs - Setup Photos	34



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 6 of 292

### 3 General Information

#### 3.1 Details of Client

Applicant:	Guangdong OPPO Mobile Telecommunications Corp., Ltd.	
Address of Applicant:	NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China	
Manufacturer:	Guangdong OPPO Mobile Telecommunications Corp., Ltd.	
Address of Manufacturer:	NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China	

#### 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.	
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	
Post code:	215000	
Test engineer:	Ives Cheng, King-p Li	

### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf">https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 7 of 292

### 3.4 General Description of EUT

EUT Description:	Mobile Pho	ile Phone		
Model No.:	CPH2579			
Trade Mark:	OPPO			
Hardware Version:	11			
Software Version:	ColorOS 13	3.1		
	RF Conducted IMEI1: 867723060021390		IMEI1: 867723060021390	
IMEI:	RSE & AC	oower line	IMEI1: 867723060021119 IMEI2: 867723060021101	
	802.11a:	20 MHz chann	el bandwidth	
WLAN Mode Supported:	802.11n:	20 MHz / 40 M	Hz channel bandwidth	
	802.11ac:	20 MHz / 40 M	Hz / 80 MHz channel bandwidth	
Operation Frequency:	5150MHz to 5250MHz to 5470MHz to 5725MHz to	5350MHz 5725MHz		
	802.11a: OFDM (BPSK, QPSK, 16QAM, 64QAM)			
Modulation Type:	802.11n:	OFDM (BPSK, QPSK, 16QAM, 64QAM)		
	802.11ac:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)		
	20MHz:	802.11a/n(HT20)/ac(VHT20)		
Channel Spacing:	40MHz:	802.11n(HT40)	)/ac(VHT40)	
	80MHz:	802.11ac(VHT80)		
Antenna Type:	Fixed Intern	nal Antenna		
Antenna Gain:	5250MHz to 5470MHz to	Hz to 5250MHz: 2.0dBi(Ant2); Hz to 5350MHz: 2.5dBi(Ant2); Hz to 5725MHz: 2.5dBi(Ant2); Hz to 5850MHz: 1.5dBi(Ant2);		
	Note: The antenn manufacture	na gain are derived from the gain information report provided by the		
	⊠ SISO	802.11a/n/a		
		CDD: 802.11	1a/n/ac: Tx & Rx	
Smart System:			I1n/ac: Tx & Rx	
	TXBF: 802.11n/ac: Tx & Rx			
	Diversity 802.11a: Tx & Rx		& Rx	
TPC Function:		⊠Not Support		
DFS Function:	☐Master ☐Slave wit	ith radar detection Slave without radar detection		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.">http://www.sgs.com/en/Terms-and-Conditions.spx.</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of inability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced experience in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (liangsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿(号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 8 of 292

RF Cable: 2.0dB

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

#### Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency range over which device operates	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band I:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5180		
IEEE 802.11a/n/ac 20MHz	The Middle channel	5200		
	The Highest channel	5240		
IEEE 802.11n/ac 40MHz	The Lowest channel	5190		
1EEE 802.1111/ac 401/162	The Highest channel	5230		
IEEE 802.11ac 80MHz	The Middle channel	5210		

For UNII Band II-A:					
Mode	Channel	Frequency(MHz)			
	The Lowest channel	5260			
IEEE 802.11a/n/ac 20MHz	The Middle channel	5280			
	The Highest channel	5320			
IEEE 000 44 m/s - 40MHz	The Lowest channel	5270			
IEEE 802.11n/ac 40MHz	The Highest channel	5310			
IEEE 802.11ac 80MHz	The Middle channel	5290			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 9 of 292

For UNII Band II-C:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5500		
IEEE 802.11a/n/ac 20MHz	The Middle channel	5580		
	The Highest channel	5700		
	The Lowest channel	5510		
IEEE 802.11n/ac 40MHz	The Middle channel	5550		
	The Highest channel	5670		
IEEE 802.11ac 80MHz	The Middle channel	5530		

For UNII Band III:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5745		
IEEE 802.11a/n/ac 20MHz	The Middle channel	5785		
	The Highest channel	5825		
IEEE 000 44 m/o c 40 MHz	The Lowest channel	5755		
IEEE 802.11n/ac 40MHz	The Highest channel	5795		
IEEE 802.11ac 80MHz	The Middle channel	5775		

Frequency Band	Channel	Freq.(MHz)	Channel	Freq.(MHz)
	120 <sup>[1]</sup>	5600	124 <sup>[1]</sup>	5620
TDWR Channel	128 <sup>[1]</sup>	5640	118 <sup>[2]</sup>	5590
	126 <sup>[2]</sup>	5630	122[3]	5610

#### Note:

- 1. The above Frequency and Channel were 802.11a, 802.11n HT20 and 802.11ac VHT20.
- 2. The above Frequency and Channel were 802.11n HT40 and 802.11ac VHT40.
- 3. The above Frequency and Channel were 802.11ac VHT80.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 10 of 292

#### 3.5 Test Environment and Mode

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-46 % RH Ambient				
Value	Temperature(°C) Voltage(V)				
NTNV	22~23	3.91			

Remark:

NV: Normal Voltage NT: Normal Temperature

### 3.6 Description of Support Units

Description	Manufacturer	Model No.
Router	ASUS	GT-AXE11000 (FCC ID MSQ-RTAXJF00)

### 3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	MIMO - Data Rate
802.11a	6 Mbps	/
802.11n (HT 20)	MCS0 (6.5 Mbps)	/
802.11n (HT 40)	MCS0 (13.5 Mbps)	/
802.11ac (VHT 20)	MCS0 (6.5 Mbps)	/
802.11ac (VHT 40)	MCS0 (13.5 Mbps)	/
802.11ac (VHT 80)	MCS0 (29.3 Mbps)	/



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 11 of 292

### 4 Test results and Measurement Data

### 4.1 Antenna Requirement

**Standard requirement:** 47 CFR Part 15 Section 15.203

The antenna is Fixed Internal Antenna and no consideration of replacement.

The best case gain of the antenna is 5150MHz to 5250MHz: 2.0dBi(Ant2); 5250MHz to 5350MHz: 2.5dBi(Ant2); 5470MHz to 5725MHz: 2.5dBi(Ant2); 5725MHz to 5850MHz: 1.5dBi(Ant2);\*

\*Note

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 12 of 292

### 4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15 Section 15.207				
Test Method:	ANSI C63.10-2020 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30	)kHz			
Limit:	Fraguenov rango (MUz)	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room.  2) The EUT was connected to a second plane in the same was multiple socket outlet single LISN provided.  3) The tabletop EUT was ground reference plane placed on the horizor.  4) The test was perform of the EUT shall be overtical ground reference plane. The unit under test and be mounted on top of the between the closest the EUT and associated.  5) In order to find the mequipment and all of	cted to AC power source throation Network) which provides are cables of all other units of the LISN 2, which was bonded ay as the LISN 1 for the unit but strip was used to connect must be reading of the LISN was not as placed upon a non-metallic me. And for floor-standing arrantal ground reference plane, and with a vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m from the vertical ground reference plane. The points of the LISN 1 and the Extended equipment was at least 0 aximum emission, the relative the interface cables must be an conducted measurement.	ugh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a ot exceeded. table 0.8m above the angement, the EUT was erence plane. The rear reference plane. The horizontal ground m the boundary of the plane for LISNs is distance was EUT. All other units of 8 m from the LISN 2.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@sgs.com


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 13 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 14 of 292

#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1905	11.67	24.65	36.32	64.01	27.69	19.42	31.09	54.01	22.92	PASS
2	0.4290	11.62	20.28	31.90	57.27	25.37	13.63	25.25	47.27	22.02	PASS
3	0.6270	11.64	14.81	26.45	56.00	29.55	6.78	18.42	46.00	27.58	PASS
4	1.9275	11.74	14.40	26.14	56.00	29.86	2.86	14.60	46.00	31.40	PASS
5	5.7255	11.84	6.79	18.63	60.00	41.37	-0.03	11.81	50.00	38.19	PASS
6	17.3850	11.96	23.37	35.33	60.00	24.67	16.81	28.77	50.00	21.23	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.appx.and">http://www.sps.com/en/Terms-and-Conditions.appx.and</a>, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-e-Document.spx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.chin



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 15 of 292



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1815	11.71	24.39	36.10	64.42	28.32	18.22	29.93	54.42	24.49	PASS
2	0.4515	11.60	22.60	34.20	56.85	22.65	18.64	30.24	46.85	16.61	PASS
3	0.7260	11.68	14.17	25.85	56.00	30.15	7.32	19.00	46.00	27.00	PASS
4	2.0175	11.73	15.35	27.08	56.00	28.92	2.94	14.67	46.00	31.33	PASS
5	7.7280	11.89	2.03	13.92	60.00	46.08	-4.39	7.50	50.00	42.50	PASS
6	17.5245	11.97	23.58	35.55	60.00	24.45	16.98	28.95	50.00	21.05	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Docume

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 16 of 292

### 4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 17 of 292

### 4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15 Se	ection 15.407(a)(iv)			
Test Method:	ANSI C63.10-2020 Section 12.4.3.2				
Test Setup:	Power meter O				
		Ground Reference Plane			
	Method PM-G is m Measurements ma provided that the g measured only who level. Because the	meter (Detector function: Average) neasurement using a gated RF average power meter. ay be performed using a wideband gated RF power meter gate parameters are adjusted such that the power is nen the EUT is transmitting at its maximum power control e measurement is made only during the ON time of the ty cycle correction factor is required.			
Test Instruments:	Refer to section 6 f	for details.			
Exploratory Test Mode:	Transmitting with a	all kind of modulations, data rates			
Final Test Mode:	Refer to section 3.7	.7 for details.			
Limit:	Frequency Band	Limit			
	5150-5250MHz	Not exceed 250mW(23.98dBm)			
	5250-5350MHz	The lesser of 250mW(23.98dBm) or 11+ 10logB			
	5470-5725MHz	The lesser of 250mW(23.98dBm) or 11+ 10logB			
	5725-5850MHz	Not exceed 1W(30dBm)			
	*Where B is the 26	6dB emission bandwidth in MHz			
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.pxy and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.china




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 18 of 292

### 4.5 26dB Emission Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-Condit

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 19 of 292

### 4.6 6dB Emission Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apyx and,">http://www.sgs.com/en/Terms-and-Conditions.apyx and,</a> for electronic Documents stubject to Terms and Conditions/Terms-a-Documents. Stubject to Terms and Conditions/Terms-a-Document. Stubject in the study of the study of

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 20 of 292

### 4.7 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 21 of 292

### 4.8 Power Spectral Density

Test Requirement:	47 CFR Part 15 Sec	tion 15.407(a)(iv)			
Test Method:	ANSI C63.10-2020	ANSI C63.10-2020 Section 12.6			
	KDB 789033 D02 v02r01, Section F.				
Test Setup:	PC	SGS Test system  Vector Signal Generator  Spectrum Analyzer  Communication  Tester  RF Control Unit  DC Power  Ground Reference Plane			
Instruments Used:	Refer to section 6 fo	r details.			
Exploratory Test Mode:	Transmitting with all	kind of modulations, data rates			
Final Test Mode:	Refer to section 3.7	for details.			
Limit:	Frequency Band	Limit			
	5150-5250MHz	The power spectral density less than 11dBm/1MHz			
	5250-5350MHz	The power spectral density less than 11dBm/1MHz			
	5470-5725MHz	The power spectral density less than 11dBm/1MHz			
	5725-5850MHz	The power spectral density less than <30dBm/500KHz			
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 22 of 292

### 4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)
Test Method:	ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)
Test frequency:	9kHz ~ 40GHz(or 10 Harmonic)

#### Test Setup:





Figure 1. 9kHz to 30MHz






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz test, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz test, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
   (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document on exconerate parties to a transaction fore exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 23 of 292

	rage. 23 01 292
	<ul> <li>e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.</li> <li>f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> <li>g. Test the EUT in the outermost channels.</li> <li>h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the Z axis positioning which it is worse case.</li> <li>i. Repeat above procedures until all frequencies measured was complete.</li> <li>j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported</li> <li>k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.</li> </ul>
	I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	<ul> <li>RBW = 10 kHz</li> <li>VBW = 30 kHz</li> <li>Detector = Peak &amp; Average &amp; Quasi-peak</li> <li>Trace mode = max hold</li> <li>Measurements Below 1000MHz</li> <li>RBW = 120 kHz</li> <li>VBW = 300 kHz</li> <li>Detector = Quasi-peak</li> <li>Trace mode = max hold</li> <li>Peak Measurements Above 1000 MHz</li> <li>RBW = 1 MHz</li> <li>VBW ≥ 3 MHz</li> <li>Detector = Peak</li> <li>Sweep time = auto</li> <li>Trace mode = max hold</li> <li>Average Measurements Above 1000MHz</li> <li>RBW = 1 MHz</li> <li>VBW ≥ 1 MHz</li> <li>VBW = 1 MHz</li> <li>WBW = 1 MHz</li> <li>VBW ≥ 1/T, when duty cycle is less than 98 percent.</li> <li>VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.</li> </ul>
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Refer to section 3.7 for details.
Instruments Used:	Refer to section 6 for details.
Test Results:	Pass
The detailed test data see	e: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsteing Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980



Report No.: SEWM2306000195RG05


Rev.: 01

Page: 24 of 292

### 4.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)						
Test Method:	ANSI C63.10-2020 Section	ANSI C63.10-2020 Section 12.7					
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Chaml	per)				
Limit:	Frequency	Frequency Limit (dBuV/m) Remark					
	30MHz-88MHz	40.0	Quasi-peak				
	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz 46.0 Quasi-peak						
	960MHz-1GHz	54.0	Quasi-peak				
	Above 1GHz	54.0	Average Value				
	Above IGHZ	74.0	Peak Value				

#### Test Setup:



#### Test Procedure:

- a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
- g. Test the EUT in the outermost channels.
- h. The radiation measurements are performed in X, Y, Z axis positioning for



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.ags.com/en/Terms-and-Conditions.ags">https://www.ags.com/en/Terms-and-Conditions.ags</a> and, for electronic Documents at <a href="https://www.ags.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 25 of 292

	Transmitting mode, And found the Z axis positioning which it is worse case.				
	i. Repeat above procedures until all frequencies measured was complete.				
Test Configuration:	Measurements Below 1000MHz				
Ŭ	• RBW = 120 kHz				
	• VBW = 300 kHz				
	Detector = Quasi-peak				
	Trace mode = max hold				
	Peak Measurements Above 1000 MHz				
	• RBW = 1 MHz				
	• VBW ≥ 3 MHz				
	Detector = Peak				
	Sweep time = auto				
	Trace mode = max hold				
	Average Measurements Above 1000MHz				
	• RBW = 1 MHz				
	VBW = 10Hz, when duty cycle is no less than 98 percent.				
	<ul> <li>VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.</li> </ul>				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.				
Final Test Mode:	Refer to section 3.7 for details.				
Instruments Used:	Refer to section 6 for details.				
Test Results:	st Results: Pass				
The detailed test data see	e: Appendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 26 of 292

### 4.11 Dynamic Frequency Selection

#### 4.11.1 DFS Overview

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operational Mode					
	Master	Client Without Radar Detection	Client With Radar Detection			
Non-Occupancy Period	Yes	Not required	Yes			
DFS Detection Threshold	Yes	Not required	Yes			
Channel Availability Check Time	Yes	Not required	Not required			
U-NII Detection Bandwidth	Yes	Not required	Yes			

Table 2: Applicability of DFS requirements during normal operation

Requirement	Operational	Operational Mode			
	Master Device or Client with Radar Detection	Client Without Radar Detection			
DFS Detection Threshold	Yes	Not required			
Channel Closing Transmission Time	Yes	Yes			
Channel Move Time	Yes	Yes			
U-NII Detection Bandwidth	Yes	Not required			

Additional requirements for devices with	Master Device or Client with	Client Without Radar
multiple bandwidth modes	Radar Detection	Detection
U-NII Detection Bandwidth and Statistical	All BW modes must be tested	Not required
Performance Check		
Channel Move Time and Channel Closing	Test using widest BW mode	Test using the widest
Transmission Time	available	BW mode available for
		the link
All other tests	Any single BW mode	Not required

**Note:** Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and">http://www.sgs.com/en/Terms-and-Conditions.apx.and</a>, conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention</a> is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 27 of 292

#### 4.11.2 DFS Detection Thresholds

# Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value
	(See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and	-62 dBm
power spectral density < 10 dBm/MHz	
EIRP < 200 milliwatt that do not meet the power spectral density	-64 dBm
requirement	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

**Note 2:** Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

**Note3:** EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

28 of 292 Page:

#### 4.11.3 RADAR TEST WAVEFORMS

Table 5 - Short Pulse Radar Test Waveforms

		THORE SHOTET UP		1.5				
Radar	Pulse Width	PRI	Number of Pulses	Minimum	Minimum			
Type	(µsec)	(µsec)		Percentage of	Number of			
				Successful	Trials			
				Detection				
0	1	1428	18	See Note 1	See Note 1			
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	Roundup $ \left\{                                  $	60%	30			
2	1-5	150-230	23-29	60%	30			
3	6-10	200-500	16-18	60%	30			
4	11-20	200-500	12-16	60%	30			
Aggregate (	Aggregate (Radar Types 1-4) 80% 120							
Note 1. Chart Pulse Dader Type 0 should be used for the detection bandwidth test, showed move								

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 29 of 292

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition	Pulse Repetition Frequency	Pulse Repetition
Frequency	(Pulses Per Second)	Interval
Number		(Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658
9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful	Minimum Percentage		
		Detections	of Successful		
			Detection		
1	35	29	82.9%		
2	30	18	60%		
3	30	27	90%		
4	50	44	88%		
Aggregate $(82.9\% + 60\% + 90\% + 88\%)/4 = 80.2\%$					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx">http://www.ags.com/en/Terms-and-Conditions.agpx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.agpx">http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.agpx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 30 of 292

Table 6 – Long Pulse Radar Test Waveform

Radar	Pulse	Chirp	PRI	Number	Number	Minimum	Minimum
Type	Width	Width	(µsec)	of Pulses	of Bursts	Percentage of	Number of
	(µsec)	(MHz)		per Burst		Successful	Trials
						Detection	
5	50-100	5-20	1000-	1-3	8-20	80%	30
			2000				

Table 7 - Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width	PRI (µsec)	Pulses	Hopping Rate	Hopping Sequence	Minimum Percentage of	Minimum Number of
Type	(µsec)	(μεςς)	Hop	(kHz)	Length	Successful	Trials
					(msec)	Detection	
6	1	333	9	0.333	300	70%	30

### 4.11.4 Response Requirements

**Table 4: DFS Response Requirement Values** 

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds
	See Note 1.
Channel Closing Transmission Time	200 milliseconds + an
	aggregate of 60
	milliseconds over remaining
	10 second period.
	See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-
	NII 99% transmission
	power bandwidth. See Note
	3.

**Note 1:** Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst. **Note 2:** The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. **Note 3:** During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

000 t (86–512) 62992980 000 t (86–512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 31 of 292

### 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 %
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 %
7	Conduction Emission	± 2.90dB (150kHz to 30MHz)
		± 3.13dB (9k -30MHz)
8	Radiated Emission	± 4.8dB (30M -1GHz)
		± 4.8dB (1GHz to 18GHz)
		± 4.80dB (Above 18GHz)

#### Remark

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please econtact us at telephone: (86-75) 8307 144.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (liangsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿(号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 32 of 292

6 Equipment List

RF Test Equipment						
Test Equipment Manufacturer		Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)	
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07	
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05	
Measurement Software	Tonscend	JS1120-3 Test System V 3.3.20	SUWI-02-09-09	NCR	NCR	
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10	
Wideband Radio Communication Tester	ROHDE& SCHWARZ	CMW500	SUWI-01-16-05	2023/02/06	2024/02/05	
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05	
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2022/11/23	2023/11/22	
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2022/11/23	2023/11/22	
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2023/02/06	2024/02/05	
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05	

Conduction Test Equipment						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)	
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07	
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06	
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07	
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07	
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 33 of 292

RE Test System						
Equipment	Manufacturer	Manufacturer Model No. Inventory No.		Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)	
Semi-Anechoic Chamber	Brilliant-emc	N/A SUWI-04-02-01 2021/05/08		2021/05/08	2024/05/07	
Temperature and humidity meter	MingGao	MingGao TH101B		2023/02/07	2024/02/06	
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10	
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2022/11/23	2023/11/22	
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07	
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12	
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12	
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	-		2023/05/12	2024/05/11	
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12	
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05	
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05	
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07	
Measurement Software	Lonscend		SUWI-02-09-04	NCR	NCR	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf">https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 34 of 292

### 7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 35 of 292

# **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 36 of 292

#### **Emission Bandwidth**

#### **Test Result**

TestMode	Antenna	Frequency[MHz]	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11a	Ant2	5180	19.72	5170.16	5189.88	
11a	Ant2	5220	19.72	5210.08	5229.80	
11a	Ant2	5240	19.72	5230.08	5249.80	
11a	Ant2	5260	19.64	5250.12	5269.76	
11a	Ant2	5300	19.92	5290.04	5309.96	
11a	Ant2	5320	19.76	5310.12	5329.88	
11a	Ant2	5500	19.80	5490.08	5509.88	
11a	Ant2	5580	19.76	5570.08	5589.84	
11a	Ant2	5700	19.84	5690.12	5709.96	
11a	Ant2	5745	19.60	5735.12	5754.72	
11a	Ant2	5785	19.84	5775.04	5794.88	
11a	Ant2	5825	19.84	5815.00	5834.84	
11ac20SISO	Ant2	5180	20.56	5169.68	5190.24	
11ac20SISO	Ant2	5220	20.44	5209.80	5230.24	
11ac20SISO	Ant2	5240	20.60	5229.64	5250.24	
11ac20SISO	Ant2	5260	20.52	5249.72	5270.24	
11ac20SISO	Ant2	5300	20.52	5289.72	5310.24	
11ac20SISO	Ant2	5320	20.44	5309.76	5330.20	
11ac20SISO	Ant2	5500	20.52	5489.76	5510.28	For
11ac20SISO	Ant2	5580	20.48	5569.80	5590.28	Report Purpose
11ac20SISO	Ant2	5700	20.40	5689.76	5710.16	Fulpose
11ac20SISO	Ant2	5785	20.44	5774.80	5795.24	
11ac20SISO	Ant2	5745	21.52	5734.72	5756.24	
11ac20SISO	Ant2	5825	20.48	5814.76	5835.24	
11ac40SISO	Ant2	5190	40.64	5169.76	5210.40	
11ac40SISO	Ant2	5230	40.80	5209.60	5250.40	
11ac40SISO	Ant2	5270	40.72	5249.44	5290.16	
11ac40SISO	Ant2	5310	40.96	5289.36	5330.32	
11ac40SISO	Ant2	5510	40.48	5489.76	5530.24	
11ac40SISO	Ant2	5550	40.48	5529.76	5570.24	
11ac40SISO	Ant2	5670	40.72	5649.76	5690.48	
11ac40SISO	Ant2	5755	40.48	5734.92	5775.40	
11ac40SISO	Ant2	5795	40.64	5774.60	5815.24	
11ac80SISO	Ant2	5210	81.76	5169.04	5250.80	
11ac80SISO	Ant2	5290	82.08	5248.88	5330.96	
11ac80SISO	Ant2	5530	81.60	5489.20	5570.80	]
11ac80SISO	Ant2	5610	81.76	5569.20	5650.96	
11ac80SISO	Ant2	5775	81.44	5734.36	5815.80	

#### Remark

For 802.11n HT20/ac VHT20 and 802.11n HT40/ac VHT40 mode, the whole testing have assessed only, 802.11ac VHT20/40 by referring to their higher output power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 37 of 292

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

Page: 38 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980





Rev.: 01

Page: 39 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

Page: 40 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

41 of 292 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 42 of 292

#### Occupied channel bandwidth

#### **Test Result**

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict
11a	Ant2	5180	16.969	5171.5368	5188.5061	
11a	Ant2	5220	16.979	5211.5047	5228.4841	
11a	Ant2	5240	17.001	5231.5022	5248.5033	
11a	Ant2	5260	16.991	5251.4871	5268.4778	
11a	Ant2	5300	16.987	5291.4367	5308.4235	
11a	Ant2	5320	16.912	5311.5581	5328.4706	
11a	Ant2	5500	16.949	5491.5324	5508.4818	
11a	Ant2	5580	16.958	5571.5179	5588.4756	
11a	Ant2	5700	16.92	5691.4976	5708.4179	
11a	Ant2	5745	17.032	5736.5134	5753.5451	
11a	Ant2	5785	17.101	5776.4223	5793.5234	
11a	Ant2	5825	16.983	5816.4920	5833.4746	
11ac20SISO	Ant2	5180	17.88	5171.0336	5188.9139	
11ac20SISO	Ant2	5220	17.928	5211.0128	5228.9412	
11ac20SISO	Ant2	5240	17.947	5231.0353	5248.9824	
11ac20SISO	Ant2	5260	17.907	5251.0374	5268.9448	
11ac20SISO	Ant2	5300	17.88	5291.0288	5308.9090	
11ac20SISO	Ant2	5320	17.894	5311.0722	5328.9664	F
11ac20SISO	Ant2	5500	17.842	5491.0645	5508.9061	For Report
11ac20SISO	Ant2	5580	17.913	5571.0333	5588.9465	Purpose
11ac20SISO	Ant2	5700	17.954	5690.9905	5708.9448	Fulpose
11ac20SISO	Ant2	5745	17.896	5736.0441	5753.9404	
11ac20SISO	Ant2	5785	17.909	5776.0782	5793.9875	
11ac20SISO	Ant2	5825	17.895	5816.0479	5833.9433	
11ac40SISO	Ant2	5190	36.22	5171.9161	5208.1364	
11ac40SISO	Ant2	5230	36.247	5211.9286	5248.1752	
11ac40SISO	Ant2	5270	36.178	5251.9012	5288.0790	
11ac40SISO	Ant2	5310	36.279	5291.8215	5328.1006	
11ac40SISO	Ant2	5510	36.247	5491.9018	5528.1485	
11ac40SISO	Ant2	5550	36.308	5531.9116	5568.2198	
11ac40SISO	Ant2	5670	36.199	5651.9945	5688.1937	
11ac40SISO	Ant2	5755	36.296	5736.9242	5773.2202	
11ac40SISO	Ant2	5795	36.237	5776.9413	5813.1787	
11ac80SISO	Ant2	5210	75.355	5172.3647	5247.7201	
11ac80SISO	Ant2	5290	75.346	5252.3131	5327.6587	
11ac80SISO	Ant2	5530	75.294	5492.4301	5567.7243	
11ac80SISO	Ant2	5610	75.369	5572.2821	5647.6511	
11ac80SISO	Ant2	5775	75.46	5737.4283	5812.8883	

#### Remark:

For 802.11n HT20/ac VHT20 and 802.11n HT40/ac VHT40 mode, the whole testing have assessed only, 802.11ac VHT20/40 by referring to their higher output power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and">http://www.sgs.com/en/Terms-and-Conditions.apx.and</a>, conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention</a> is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 43 of 292

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authersticity of testing rispection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

Page: 44 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgeny or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

Page: 45 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 46 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgeny or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

Page: 47 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 48 of 292

#### 6dB emission bandwidth

#### **Test Result B4**

TestMode	Antenna	Frequency[MHz]	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11a	Ant2	5745	14.12	5738.04	5752.16	≥0.5	PASS
11a	Ant2	5785	16.36	5776.80	5793.16	≥0.5	PASS
11a	Ant2	5825	14.76	5817.40	5832.16	≥0.5	PASS
11ac20SISO	Ant2	5745	13.96	5738.64	5752.60	≥0.5	PASS
11ac20SISO	Ant2	5785	15.20	5777.36	5792.56	≥0.5	PASS
11ac20SISO	Ant2	5825	13.52	5818.04	5831.56	≥0.5	PASS
11ac40SISO	Ant2	5755	35.28	5737.32	5772.60	≥0.5	PASS
11ac40SISO	Ant2	5795	31.52	5778.60	5810.12	≥0.5	PASS
11ac80SISO	Ant2	5775	75.52	5737.24	5812.76	≥0.5	PASS

#### Remark:

For 802.11n HT20/ac VHT20 and 802.11n HT40/ac VHT40 mode, the whole testing have assessed only, 802.11ac VHT20/40 by referring to their higher output power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 49 of 292

#### **Test Graphs B4**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) terested and such sample(s) are relation for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 50 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration fropger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 51 of 292

### **Duty Cycle**

#### **Test Result**

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11a	Ant2	5180	1.39	1.44	96.53
11n20SISO	Ant2	5180	1.30	1.35	96.30
11n40SISO	Ant2	5190	0.64	0.69	92.75
11ac20SISO	Ant2	5180	1.31	1.36	96.32
11ac40SISO	Ant2	5190	0.65	0.70	92.86
11ac80SISO	Ant2	5210	0.32	0.37	86.49

#### Note:

Radiated Emission Average VBW = 1 / T

TestMode	T[ms]	Period[ms]	Duty Cycle[%]	1/T[kHz]	VBW Setting
11a	1.39	1.44	96.53	0.71942	0.75KHz
11ac20SISO	1.31	1.36	96.32	0.76336	0.82KHz
11ac40SISO	0.65	0.70	92.86	1.53846	1.6KHz
11ac80SISO	0.32	0.37	86.49	3.12500	3.3KHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: SEWM2306000195RG05

Rev.: 01

52 of 292 Page:

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 53 of 292

### Maximum conducted output power

#### **Test Result Channel Power**

TestMode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant2	5180	14.01	≤23.98	PASS
11a	Ant2	5220	13.78	≤23.98	PASS
11a	Ant2	5240	13.71	≤23.98	PASS
11a	Ant2	5260	13.75	≤23.93	PASS
11a	Ant2	5300	13.65	≤23.98	PASS
11a	Ant2	5320	13.71	≤23.96	PASS
11a	Ant2	5500	12.26	≤23.97	PASS
11a	Ant2	5580	13.79	≤23.96	PASS
11a	Ant2	5700	11.56	≤23.98	PASS
11a	Ant2	5745	13.39	≤30.00	PASS
11a	Ant2	5785	13.56	≤30.00	PASS
11a	Ant2	5825	13.87	≤30.00	PASS
11n20SISO	Ant2	5180	13.79	≤23.98	PASS
11n20SISO	Ant2	5220	13.64	≤23.98	PASS
11n20SISO	Ant2	5240	13.74	≤23.98	PASS
11n20SISO	Ant2	5260	13.71	≤23.98	PASS
11n20SISO	Ant2	5300	13.53	≤23.98	PASS
11n20SISO	Ant2	5320	13.71	≤23.98	PASS
11n20SISO	Ant2	5500	12.26	≤23.98	PASS
11n20SISO	Ant2	5580	13.71	≤23.98	PASS
11n20SISO	Ant2	5700	11.68	≤23.98	PASS
11n20SISO	Ant2	5745	13.48	≤30.00	PASS
11n20SISO	Ant2	5785	13.71	≤30.00	PASS
11n20SISO	Ant2	5825	13.87	≤30.00	PASS
11n40SISO	Ant2	5190	13.82	≤23.98	PASS
11n40SISO	Ant2	5230	13.74	≤23.98	PASS
11n40SISO	Ant2	5270	13.81	≤23.98	PASS
11n40SISO	Ant2	5310	12.69	≤23.98	PASS
11n40SISO	Ant2	5510	9.69	≤23.98	PASS
11n40SISO	Ant2	5550	13.73	≤23.98	PASS
11n40SISO	Ant2	5670	13.06	≤23.98	PASS
11n40SISO	Ant2	5755	13.63	≤30.00	PASS
11n40SISO	Ant2	5795	13.74	≤30.00	PASS
11ac20SISO	Ant2	5180	13.81	≤23.98	PASS
11ac20SISO	Ant2	5220	13.72	≤23.98	PASS
11ac20SISO	Ant2	5240	13.76	≤23.98	PASS
11ac20SISO	Ant2	5260	13.73	≤23.98	PASS
11ac20SISO	Ant2	5300	13.61	≤23.98	PASS
11ac20SISO	Ant2	5320	13.72	≤23.98	PASS
11ac20SISO	Ant2	5500	12.32	≤23.98	PASS
11ac20SISO	Ant2	5580	13.74	≤23.98	PASS
11ac20SISO	Ant2	5700	11.71	≤23.98	PASS
11ac20SISO	Ant2	5745	13.52	≤30.00	PASS
11ac20SISO	Ant2	5785	13.76	≤30.00	PASS
11ac20SISO	Ant2	5825	13.91	≤30.00	PASS
11ac40SISO	Ant2	5190	13.87	≤23.98	PASS
11ac40SISO	Ant2	5230	13.77	≤23.98	PASS
11ac40SISO	Ant2	5270	13.83	≤23.98	PASS
11ac40SISO	Ant2	5310	12.74	≤23.98	PASS
11ac40SISO	Ant2	5510	9.71	≤23.98	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 54 of 292

11ac40SISO	Ant2	5550	13.79	≤23.98	PASS
11ac40SISO	Ant2	5670	13.11	≤23.98	PASS
11ac40SISO	Ant2	5755	13.69	≤30.00	PASS
11ac40SISO	Ant2	5795	13.81	≤30.00	PASS
11ac80SISO	Ant2	5210	13.91	≤23.98	PASS
11ac80SISO	Ant2	5290	13.87	≤23.98	PASS
11ac80SISO	Ant2	5530	9.98	≤23.98	PASS
11ac80SISO	Ant2	5610	9.79	≤23.98	PASS
11ac80SISO	Ant2	5775	13.68	≤30.00	PASS



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2306000195RG05

Rev.: 01

Page: 55 of 292

#### **Maximum power spectral density**

#### **Test Result**

TestMode	Antenna	Frequency[MHz]	Result	Limit	Verdict
11a	Ant2	5180	4.46	≤11.00	PASS
11a	Ant2	5220	4.58	≤11.00	PASS
11a	Ant2	5240	4.15	≤11.00	PASS
11a	Ant2	5260	4.06	≤11.00	PASS
11a	Ant2	5300	3.54	≤11.00	PASS
11a	Ant2	5320	2.3	≤11.00	PASS
11a	Ant2	5500	1.29	≤11.00	PASS
11a	Ant2	5580	4.03	≤11.00	PASS
11a	Ant2	5700	1.55	≤11.00	PASS
11a	Ant2	5745	1.42	≤30.00	PASS
11a	Ant2	5785	1.42	≤30.00	PASS
11a	Ant2	5825	1.65	≤30.00	PASS
11ac20SISO	Ant2	5180	4.5	≤11.00	PASS
11ac20SISO	Ant2	5220	4.08	≤11.00	PASS
11ac20SISO	Ant2	5240	4.16	≤11.00	PASS
11ac20SISO	Ant2	5260	4.11	≤11.00	PASS
11ac20SISO	Ant2	5300	3.59	≤11.00	PASS
11ac20SISO	Ant2	5320	2.51	≤11.00	PASS
11ac20SISO	Ant2	5500	1.16	≤11.00	PASS
11ac20SISO	Ant2	5580	3.84	≤11.00	PASS
11ac20SISO	Ant2	5700	0.63	≤11.00	PASS
11ac20SISO	Ant2	5745	1.07	≤30.00	PASS
11ac20SISO	Ant2	5785	0.63	≤30.00	PASS
11ac20SISO	Ant2	5825	1.59	≤30.00	PASS
11ac40SISO	Ant2	5190	0.74	≤11.00	PASS
11ac40SISO	Ant2	5230	1.08	≤11.00	PASS
11ac40SISO	Ant2	5270	0.86	≤11.00	PASS
11ac40SISO	Ant2	5310	-1.06	≤11.00	PASS
11ac40SISO	Ant2	5510	-3.82	≤11.00	PASS
11ac40SISO	Ant2	5550	0.32	≤11.00	PASS
11ac40SISO	Ant2	5670	-0.05	≤11.00	PASS
11ac40SISO	Ant2	5755	-1.67	≤30.00	PASS
11ac40SISO	Ant2	5795	-2.08	≤30.00	PASS
11ac80SISO	Ant2	5210	-2.45	≤11.00	PASS
11ac80SISO	Ant2	5290	-2.61	≤11.00	PASS
11ac80SISO	Ant2	5530	-6.95	≤11.00	PASS
11ac80SISO	Ant2	5610	-6.89	≤11.00	PASS
11ac80SISO	Ant2	5775	-4.61	≤30.00	PASS

#### Note:

- 1. The Result and Limit Unit is dBm/1MHz in the band 5.150-5250 GHz, 5250-5350 GHz, 5470-5725 GHz.
- 2. The Result and Limit Unit is dBm/500 kHz in the band 5.725-5.85 GHz.
- 3. The Duty Cycle Factor and RBW Factor is compensated in the graph.

#### Remark:

For 802.11n HT20/ac VHT20 and 802.11n HT40/ac VHT40 mode, the whole testing have assessed only, 802.11ac VHT20/40 by referring to their higher output power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980




Report No.: SEWM2306000195RG05

Rev.: 01

Page: 56 of 292

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980





Rev.: 01

Page: 57 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com





Rev.: 01

Page: 58 of 292





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

t (86-512) 62992980 t (86-512) 62992980