






11N20MIMO_Ant12_2412_0~Reference





11N20MIMO_Ant12_2412_30~1000


















11N20MIMO_Ant12_2462_0~Reference




11N20MIMO_Ant12_2462_30~1000











11AC20MIMO_Ant12_2412_0~Reference





11AC20MIMO_Ant12_2412_30~1000




























11AX20MIMO_Ant12_2412_0~Reference





11AX20MIMO_Ant12_2412_30~1000



























11BE20MIMO_Ant1_2412_0~Reference





11BE20MIMO_Ant1_2412_30~1000























RU Mode

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX 20MI MO	Ant1 2	2412	26To ne	RU0	Reference	-0.84	-0.84	---	PASS
				RU0	30~1000	-0.84	-56.54	\leq -30.84	PASS
				RU0	1000~26500	-0.84	-48.65	\leq -30.84	PASS
				RU8	Reference	-2.47	-2.47	---	PASS
				RU8	30~1000	-2.47	-55.56	\leq -32.47	PASS
				RU8	1000~26500	-2.47	-49.72	\leq -32.47	PASS
			52To ne	RU37	Reference	-2.11	-2.11	---	PASS
				RU37	30~1000	-2.11	-55.53	\leq -32.11	PASS
				RU37	1000~26500	-2.11	-49.77	\leq -32.11	PASS
				RU40	Reference	-2.91	-2.91	---	PASS
				RU40	30~1000	-2.91	-55.51	\leq -32.91	PASS
				RU40	1000~26500	-2.91	-49.58	\leq -32.91	PASS
			106T one	RU53	Reference	-0.23	-0.23	---	PASS
				RU53	30~1000	-0.23	-55.04	\leq -30.23	PASS
				RU53	1000~26500	-0.23	-49.50	\leq -30.23	PASS
				RU54	Reference	-1.26	-1.26	---	PASS
				RU54	30~1000	-1.26	-56.03	\leq -31.26	PASS
				RU54	1000~26500	-1.26	-49.57	\leq -31.26	PASS
			26To ne	RU0	Reference	-1.70	-1.70	---	PASS
				RU0	30~1000	-1.70	-51.20	\leq -31.7	PASS
				RU0	1000~26500	-1.70	-48.92	\leq -31.7	PASS
				RU8	Reference	-1.73	-1.73	---	PASS
				RU8	30~1000	-1.73	-55.82	\leq -31.73	PASS
				RU8	1000~26500	-1.73	-49.39	\leq -31.73	PASS
			52To ne	RU37	Reference	-0.81	-0.81	---	PASS
				RU37	30~1000	-0.81	-55.11	\leq -30.81	PASS
				RU37	1000~26500	-0.81	-49.75	\leq -30.81	PASS
				RU40	Reference	-1.80	-1.80	---	PASS
				RU40	30~1000	-1.80	-56.39	\leq -31.8	PASS
				RU40	1000~26500	-1.80	-49.20	\leq -31.8	PASS
			106T one	RU53	Reference	-0.83	-0.83	---	PASS
				RU53	30~1000	-0.83	-55.76	\leq -30.83	PASS
				RU53	1000~26500	-0.83	-49.52	\leq -30.83	PASS
				RU54	Reference	-1.78	-1.78	---	PASS
				RU54	30~1000	-1.78	-55.70	\leq -31.78	PASS
				RU54	1000~26500	-1.78	-49.09	\leq -31.78	PASS
	Ant1 2	2437	26To ne	RU0	Reference	-0.27	-0.27	---	PASS
				RU0	30~1000	-0.27	-56.27	\leq -30.27	PASS
				RU0	1000~26500	-0.27	-47.75	\leq -30.27	PASS

			RU8	Reference	-0.34	-0.34	---	PASS	
				30~1000	-0.34	-56.10	\leq -30.34	PASS	
				1000~26500	-0.34	-49.29	\leq -30.34	PASS	
			52To ne	RU37	Reference	-1.36	-1.36	---	PASS
				30~1000	-1.36	-55.68	\leq -31.36	PASS	
				1000~26500	-1.36	-49.43	\leq -31.36	PASS	
				RU40	Reference	-2.07	-2.07	---	PASS
				30~1000	-2.07	-55.98	\leq -32.07	PASS	
				1000~26500	-2.07	-48.83	\leq -32.07	PASS	
			106T one	RU53	Reference	-0.40	-0.40	---	PASS
				30~1000	-0.40	-56.25	\leq -30.4	PASS	
				1000~26500	-0.40	-49.06	\leq -30.4	PASS	
				RU54	Reference	-0.93	-0.93	---	PASS
				30~1000	-0.93	-56.01	\leq -30.93	PASS	
				1000~26500	-0.93	-49.18	\leq -30.93	PASS	
Ant7	2437	26To ne	RU0	Reference	0.14	0.14	---	PASS	
			RU0	30~1000	0.14	-55.62	\leq -29.86	PASS	
			RU0	1000~26500	0.14	-49.04	\leq -29.86	PASS	
			RU8	Reference	-0.95	-0.95	---	PASS	
			RU8	30~1000	-0.95	-55.95	\leq -30.95	PASS	
			RU8	1000~26500	-0.95	-49.18	\leq -30.95	PASS	
		52To ne	RU37	Reference	-1.15	-1.15	---	PASS	
			RU37	30~1000	-1.15	-55.59	\leq -31.15	PASS	
			RU37	1000~26500	-1.15	-49.52	\leq -31.15	PASS	
			RU40	Reference	-0.41	-0.41	---	PASS	
			RU40	30~1000	-0.41	-55.35	\leq -30.41	PASS	
			RU40	1000~26500	-0.41	-49.15	\leq -30.41	PASS	
		106T one	RU53	Reference	-0.67	-0.67	---	PASS	
			RU53	30~1000	-0.67	-55.07	\leq -30.67	PASS	
			RU53	1000~26500	-0.67	-49.02	\leq -30.67	PASS	
			RU54	Reference	-0.49	-0.49	---	PASS	
			RU54	30~1000	-0.49	-55.49	\leq -30.49	PASS	
			RU54	1000~26500	-0.49	-49.39	\leq -30.49	PASS	
Ant1 2	2462	26To ne	RU0	Reference	-1.33	-1.33	---	PASS	
			RU0	30~1000	-1.33	-55.69	\leq -31.33	PASS	
			RU0	1000~26500	-1.33	-49.33	\leq -31.33	PASS	
			RU8	Reference	-1.24	-1.24	---	PASS	
			RU8	30~1000	-1.24	-55.56	\leq -31.24	PASS	
			RU8	1000~26500	-1.24	-49.03	\leq -31.24	PASS	
		52To ne	RU37	Reference	-3.20	-3.20	---	PASS	
			RU37	30~1000	-3.20	-55.56	\leq -33.2	PASS	
			RU37	1000~26500	-3.20	-49.65	\leq -33.2	PASS	

			RU40	Reference	-2.94	-2.94	---	PASS	
				30~1000	-2.94	-55.72	\leq -32.94	PASS	
				1000~26500	-2.94	-49.60	\leq -32.94	PASS	
			106T one	RU53	Reference	-1.03	-1.03	---	PASS
				30~1000	-1.03	-56.07	\leq -31.03	PASS	
				1000~26500	-1.03	-48.93	\leq -31.03	PASS	
			RU54	Reference	-1.10	-1.10	---	PASS	
				30~1000	-1.10	-55.95	\leq -31.1	PASS	
				1000~26500	-1.10	-49.43	\leq -31.1	PASS	
			RU0	Reference	-1.36	-1.36	---	PASS	
				30~1000	-1.36	-55.60	\leq -31.36	PASS	
				1000~26500	-1.36	-49.27	\leq -31.36	PASS	
			RU8	Reference	-2.10	-2.10	---	PASS	
				30~1000	-2.10	-55.63	\leq -32.1	PASS	
				1000~26500	-2.10	-49.13	\leq -32.1	PASS	
			RU37	Reference	-2.26	-2.26	---	PASS	
				30~1000	-2.26	-56.16	\leq -32.26	PASS	
				1000~26500	-2.26	-49.51	\leq -32.26	PASS	
			RU40	Reference	-1.30	-1.30	---	PASS	
				30~1000	-1.30	-55.76	\leq -31.3	PASS	
				1000~26500	-1.30	-48.86	\leq -31.3	PASS	
			RU53	Reference	-0.43	-0.43	---	PASS	
				30~1000	-0.43	-55.97	\leq -30.43	PASS	
				1000~26500	-0.43	-49.67	\leq -30.43	PASS	
			RU54	Reference	-1.80	-1.80	---	PASS	
				30~1000	-1.80	-55.74	\leq -31.8	PASS	
				1000~26500	-1.80	-49.33	\leq -31.8	PASS	
			RU0	Reference	-0.70	-0.70	---	PASS	
				30~1000	-0.70	-54.34	\leq -30.7	PASS	
				1000~26500	-0.70	-49.17	\leq -30.7	PASS	
			RU8	Reference	-2.26	-2.26	---	PASS	
				30~1000	-2.26	-55.73	\leq -32.26	PASS	
				1000~26500	-2.26	-49.35	\leq -32.26	PASS	
			RU37	Reference	-2.34	-2.34	---	PASS	
				30~1000	-2.34	-56.24	\leq -32.34	PASS	
				1000~26500	-2.34	-49.74	\leq -32.34	PASS	
			RU40	Reference	-3.79	-3.79	---	PASS	
				30~1000	-3.79	-56.22	\leq -33.79	PASS	
				1000~26500	-3.79	-48.55	\leq -33.79	PASS	
			RU53	Reference	-0.19	-0.19	---	PASS	
				30~1000	-0.19	-56.10	\leq -30.19	PASS	
				1000~26500	-0.19	-49.88	\leq -30.19	PASS	
11BE 20MI MO	Ant1 2	2412		Reference	-0.19	-0.19	---	PASS	

			RU54	Reference	-1.33	-1.33	---	PASS
			RU54	30~1000	-1.33	-55.19	\leq -31.33	PASS
			RU54	1000~26500	-1.33	-49.45	\leq -31.33	PASS
Ant7	2412	26To ne	RU0	Reference	-1.05	-1.05	---	PASS
			RU0	30~1000	-1.05	-55.70	\leq -31.05	PASS
			RU0	1000~26500	-1.05	-49.35	\leq -31.05	PASS
			RU8	Reference	-1.28	-1.28	---	PASS
			RU8	30~1000	-1.28	-55.43	\leq -31.28	PASS
			RU8	1000~26500	-1.28	-49.17	\leq -31.28	PASS
		52To ne	RU37	Reference	-0.91	-0.91	---	PASS
			RU37	30~1000	-0.91	-55.93	\leq -30.91	PASS
			RU37	1000~26500	-0.91	-48.99	\leq -30.91	PASS
			RU40	Reference	-1.27	-1.27	---	PASS
			RU40	30~1000	-1.27	-55.47	\leq -31.27	PASS
			RU40	1000~26500	-1.27	-48.98	\leq -31.27	PASS
		106T one	RU53	Reference	-0.84	-0.84	---	PASS
			RU53	30~1000	-0.84	-56.22	\leq -30.84	PASS
			RU53	1000~26500	-0.84	-48.94	\leq -30.84	PASS
			RU54	Reference	-0.62	-0.62	---	PASS
			RU54	30~1000	-0.62	-56.16	\leq -30.62	PASS
			RU54	1000~26500	-0.62	-49.26	\leq -30.62	PASS
Ant1 2	2437	26To ne	RU0	Reference	-1.45	-1.45	---	PASS
			RU0	30~1000	-1.45	-56.11	\leq -31.45	PASS
			RU0	1000~26500	-1.45	-49.36	\leq -31.45	PASS
			RU8	Reference	0.31	0.31	---	PASS
			RU8	30~1000	0.31	-55.16	\leq -29.69	PASS
			RU8	1000~26500	0.31	-49.47	\leq -29.69	PASS
		52To ne	RU37	Reference	-1.73	-1.73	---	PASS
			RU37	30~1000	-1.73	-55.32	\leq -31.73	PASS
			RU37	1000~26500	-1.73	-49.42	\leq -31.73	PASS
			RU40	Reference	-2.01	-2.01	---	PASS
			RU40	30~1000	-2.01	-55.76	\leq -32.01	PASS
			RU40	1000~26500	-2.01	-49.27	\leq -32.01	PASS
		106T one	RU53	Reference	-0.18	-0.18	---	PASS
			RU53	30~1000	-0.18	-55.96	\leq -30.18	PASS
			RU53	1000~26500	-0.18	-49.52	\leq -30.18	PASS
			RU54	Reference	-1.02	-1.02	---	PASS
			RU54	30~1000	-1.02	-56.07	\leq -31.02	PASS
			RU54	1000~26500	-1.02	-49.34	\leq -31.02	PASS
Ant7	2437	26To ne	RU0	Reference	-0.13	-0.13	---	PASS
			RU0	30~1000	-0.13	-55.59	\leq -30.13	PASS
			RU0	1000~26500	-0.13	-49.32	\leq -30.13	PASS

			RU8	Reference	-0.28	-0.28	---	PASS	
				30~1000	-0.28	-55.77	\leq -30.28	PASS	
				1000~26500	-0.28	-48.61	\leq -30.28	PASS	
			52To ne	RU37	Reference	-1.24	-1.24	---	PASS
				30~1000	-1.24	-56.07	\leq -31.24	PASS	
				1000~26500	-1.24	-49.43	\leq -31.24	PASS	
				RU40	Reference	-0.54	-0.54	---	PASS
				30~1000	-0.54	-55.63	\leq -30.54	PASS	
				1000~26500	-0.54	-49.35	\leq -30.54	PASS	
			106T one	RU53	Reference	-1.07	-1.07	---	PASS
				30~1000	-1.07	-55.93	\leq -31.07	PASS	
				1000~26500	-1.07	-49.24	\leq -31.07	PASS	
				RU54	Reference	-0.76	-0.76	---	PASS
				30~1000	-0.76	-55.81	\leq -30.76	PASS	
				1000~26500	-0.76	-49.08	\leq -30.76	PASS	
Ant1 2	2462	26To ne	RU0	Reference	-0.63	-0.63	---	PASS	
				30~1000	-0.63	-55.81	\leq -30.63	PASS	
				1000~26500	-0.63	-49.80	\leq -30.63	PASS	
			RU8	Reference	-0.23	-0.23	---	PASS	
				30~1000	-0.23	-55.71	\leq -30.23	PASS	
				1000~26500	-0.23	-49.98	\leq -30.23	PASS	
		52To ne	RU37	Reference	-2.58	-2.58	---	PASS	
				30~1000	-2.58	-55.37	\leq -32.58	PASS	
				1000~26500	-2.58	-49.58	\leq -32.58	PASS	
			RU40	Reference	-2.60	-2.60	---	PASS	
				30~1000	-2.60	-55.70	\leq -32.6	PASS	
				1000~26500	-2.60	-48.96	\leq -32.6	PASS	
		106T one	RU53	Reference	-0.40	-0.40	---	PASS	
				30~1000	-0.40	-55.96	\leq -30.4	PASS	
				1000~26500	-0.40	-49.49	\leq -30.4	PASS	
			RU54	Reference	-0.94	-0.94	---	PASS	
				30~1000	-0.94	-55.18	\leq -30.94	PASS	
				1000~26500	-0.94	-48.76	\leq -30.94	PASS	
Ant7	2462	26To ne	RU0	Reference	-1.56	-1.56	---	PASS	
				30~1000	-1.56	-56.35	\leq -31.56	PASS	
				1000~26500	-1.56	-49.62	\leq -31.56	PASS	
			RU8	Reference	-1.18	-1.18	---	PASS	
				30~1000	-1.18	-56.04	\leq -31.18	PASS	
				1000~26500	-1.18	-48.96	\leq -31.18	PASS	
		52To ne	RU37	Reference	-1.70	-1.70	---	PASS	
				30~1000	-1.70	-56.27	\leq -31.7	PASS	
				1000~26500	-1.70	-49.55	\leq -31.7	PASS	

			RU40	Reference	-1.79	-1.79	---	PASS
			RU40	30~1000	-1.79	-55.53	\leq -31.79	PASS
			RU40	1000~26500	-1.79	-48.75	\leq -31.79	PASS
106T one	106T one	106T one	RU53	Reference	-1.15	-1.15	---	PASS
			RU53	30~1000	-1.15	-55.28	\leq -31.15	PASS
			RU53	1000~26500	-1.15	-49.33	\leq -31.15	PASS
			RU54	Reference	-2.27	-2.27	---	PASS
			RU54	30~1000	-2.27	-55.84	\leq -32.27	PASS
			RU54	1000~26500	-2.27	-49.37	\leq -32.27	PASS

