



14:20:31 16.04.2024

11AX20MIMO_Ant8_5280_26Tone_RU0




14:22:45 16.04.2024

11AX20MIMO_Ant8_5280_52Tone_RU37



14:23:49 16.04.2024

11AX20MIMO_Ant8_5280_106Tone_RU53



14:24:53 16.04.2024

11AX20MIMO_Ant9_5280_26Tone_RU0



14:25:56 16.04.2024

11AX20MIMO_Ant9_5280_52Tone_RU37



14:26:53 16.04.2024

11AX20MIMO_Ant9_5280_106Tone_RU53



11AX20MIMO_Ant8_5320_26Tone_RU0



11AX20MIMO_Ant8_5320_52Tone_RU37



14:29:42 16.04.2024

11AX20MIMO_Ant8_5320_106Tone_RU53



14:30:36 16.04.2024

11AX20MIMO_Ant9_5320_26Tone_RU0



14:31:28 16.04.2024

11AX20MIMO_Ant9_5320_52Tone_RU37




14:32:36 16.04.2024

11AX20MIMO_Ant9_5320_106Tone_RU53



14:33:29 16.04.2024

11AX20MIMO_Ant8_5500_26Tone_RU8



15:11:47 16.04.2024

11AX20MIMO_Ant8_5500_52Tone_RU40



15:14:48 16.04.2024

11AX20MIMO_Ant8_5500_106Tone_RU54




15:16:11 16.04.2024

11AX20MIMO_Ant9_5500_26Tone_RU8



15:17:11 16.04.2024

11AX20MIMO_Ant9_5500_52Tone_RU40




15:18:32 16.04.2024

11AX20MIMO_Ant9_5500_106Tone_RU54



11AX20MIMO_Ant8_5580_26Tone_RU8



11AX20MIMO_Ant8_5580_52Tone_RU40




15:22:50 16.04.2024

11AX20MIMO_Ant8_5580_106Tone_RU54



15:24:06 16.04.2024

11AX20MIMO_Ant9_5580_26Tone_RU8



15:25:07 16.04.2024

11AX20MIMO_Ant9_5580_52Tone_RU40




15:26:10 16.04.2024

11AX20MIMO_Ant9_5580_106Tone_RU54



15:31:34 16.04.2024

11AX20MIMO_Ant8_5700_26Tone_RU8



16:11:15 16.04.2024


11AX20MIMO_Ant8_5700_52Tone_RU40



11AX20MIMO_Ant8_5700_106Tone_RU54



11AX20MIMO_Ant9_5700_26Tone_RU8



16:14:13 16.04.2024

11AX20MIMO_Ant9_5700_52Tone_RU40



16:15:12 16.04.2024

11AX20MIMO_Ant9_5700_106Tone_RU54



Conclusion: PASS

A.9. Antenna Requirement

The antenna of the device is permanently attached. There are no provisions for connection to an external antenna.

The unit complies with the requirement of FCC Part 15.203.

A.10. Power control

A Transmission Power Control mechanism is not required for systems with an e.i.r.p. of less than 27dBm (500 mW).

ANNEX B: EUT parameters

Disclaimer: The antenna gain worse case provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

ANNEX C: Accreditation Certificate



Accredited Laboratory

A2LA has accredited

TELECOMMUNICATION TECHNOLOGY LABS, CAICT

Beijing, People's Republic of China

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 26th day of June 2023.



Mr. Trace McInturf, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 7049.01
Valid to July 31, 2024

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.

*** END OF REPORT BODY ***