




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15C QP AC LISN 100063 L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	31.02	-24.94	55.96	10.51	10.38	10.13	Average
2	0.15	47.72	-18.24	65.96	27.21	10.38	10.13	QP
3	0.16	34.22	-21.08	55.30	13.80	10.28	10.14	Average
4	0.16	45.62	-19.68	65.30	25.20	10.28	10.14	QP
5	0.18	34.51	-19.77	54.28	14.00	10.36	10.15	Average
6	0.18	44.41	-19.87	64.28	23.90	10.36	10.15	QP
7	0.22	32.40	-20.48	52.88	11.91	10.34	10.15	Average
8	0.22	41.90	-20.98	62.88	21.41	10.34	10.15	QP
9	0.46	26.19	-20.48	46.67	5.70	10.33	10.16	Average
10	0.46	31.29	-25.38	56.67	10.80	10.33	10.16	QP
11	0.98	23.73	-22.27	46.00	3.30	10.27	10.16	Average
12	0.98	34.13	-21.87	56.00	13.70	10.27	10.16	QP
13 *	13.56	50.39			29.70	10.23	10.46	Average
14	13.56	51.99			31.30	10.23	10.46	QP



Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15C_QP AC LISN 100063_N NEUTRAL


	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	31.31	-24.56	55.87	11.00	10.18	10.13	Average
2	0.15	47.61	-18.26	65.87	27.30	10.18	10.13	QP
3	0.17	33.32	-21.71	55.03	12.70	10.48	10.14	Average
4	0.17	45.42	-19.61	65.03	24.80	10.48	10.14	QP
5	0.18	34.25	-20.12	54.37	13.70	10.41	10.14	Average
6	0.18	42.85	-21.52	64.37	22.30	10.41	10.14	QP
7	0.21	31.59	-21.59	53.18	11.20	10.24	10.15	Average
8	0.21	39.59	-23.59	63.18	19.20	10.24	10.15	QP
9	0.40	33.88	-13.93	47.81	13.79	9.93	10.16	Average
10	0.40	37.48	-20.33	57.81	17.39	9.93	10.16	QP
11	0.99	22.00	-24.00	46.00	1.60	10.24	10.16	Average
12	0.99	34.00	-22.00	56.00	13.60	10.24	10.16	QP
13 *	13.56	48.49			27.80	10.23	10.46	Average
14	13.56	50.09			29.40	10.23	10.46	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15C_QP AC LISN 100063_L LINE


	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	13.56	19.49	-30.51	50.00	-1.20	10.23	10.46	Average
2	13.56	25.69	-34.31	60.00	5.00	10.23	10.46	QP

(2) With dummy load

Remark: Only the fundamental NFC signal needs to be retested per KDB 174176.



Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15C_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	13.56	20.79	-29.21	50.00	0.10	10.23	10.46	Average
2	13.56	27.99	-32.01	60.00	7.30	10.23	10.46	QP

(2) With dummy load

Remark: Only the fundamental NFC signal needs to be retested per KDB 174176.

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity :	48~49%
		Temperature :	24°C~25°C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	7	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	7	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	7	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	7	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	7	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	7	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	7	802.11n HT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	7	802.11n HT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	7	802.11n HT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	7	802.11n HT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	7	802.11n HT40	09	2452	MCS0	-	-
Mode 12	2400-2483.5	7	802.11n HT40	03	2422	MCS0	-	LF
Mode 13	2400-2483.5	7	802.11n HT40	04	2427	MCS0	-	-
Mode 14	2400-2483.5	7	802.11n HT40	08	2447	MCS0	-	-
Mode 15	2400-2483.5	7	802.11b	02	2417	1Mbps	-	-
Mode 16	2400-2483.5	7	802.11n HT40	05	2432	MCS0	-	-
Mode 17	2400-2483.5	7	802.11n HT40	03	2422	MCS0	-	-
	LTE Band 13 Link							



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.95	38.96	54.00	-15.04	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	40.32	54.00	-13.68	H	Average	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	47.04	54.00	-6.96	H	Average	Pass	Harmonic
3	802.11b	11	2486.51	40.52	54.00	-13.48	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	47.02	54.00	-6.98	H	Average	Pass	Harmonic
4	802.11g	01	2389.95	44.53	54.00	-9.47	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	45.27	74.00	-28.73	V	Peak	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	47.66	74.00	-26.34	V	Peak	Pass	Harmonic
6	802.11g	11	2483.51	48.69	54.00	-5.31	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	47.94	74.00	-26.06	V	Peak	Pass	Harmonic
7	802.11n HT20	01	2389.82	45.20	54.00	-8.80	H	AVERAGE	Pass	Band Edge
7	802.11n HT20	01	4824.00	44.87	74.00	-29.13	H	Peak	Pass	Harmonic
8	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
8	802.11n HT20	06	7311.00	47.49	74.00	-26.51	H	Peak	Pass	Harmonic
9	802.11n HT20	11	2483.85	48.01	54.00	-5.99	H	AVERAGE	Pass	Band Edge
9	802.11n HT20	11	7386.00	47.39	74.00	-26.61	H	Peak	Pass	Harmonic
10	802.11n HT40	03	2389.63	48.75	54.00	-5.25	H	AVERAGE	Pass	Band Edge
10	802.11n HT40	03	7266.00	47.37	74.00	-26.63	H	Peak	Pass	Harmonic
11	802.11n HT40	09	2484.45	48.06	54.00	-5.94	V	AVERAGE	Pass	Band Edge
11	802.11n HT40	09	-	-	-	-	-	-	-	Harmonic
12	802.11n HT40	03	35.82	30.20	40.00	-9.80	V	Peak	Pass	LF
13	802.11n HT40	04	2389.92	48.09	54.00	-5.91	H	AVERAGE	Pass	Band Edge
13	802.11n HT40	04	-	-	-	-	-	-	-	Harmonic
14	802.11n HT40	08	2484.59	48.53	54.00	-5.47	H	AVERAGE	Pass	Band Edge
14	802.11n HT40	08	-	-	-	-	-	-	-	Harmonic
15	802.11b	02	2389.69	39.33	54.00	-14.67	H	AVERAGE	Pass	Band Edge
15	802.11b	02	-	-	-	-	-	-	-	Harmonic
16	802.11n HT40	05	2389.76	47.89	54.00	-6.11	H	AVERAGE	Pass	Band Edge
16	802.11n HT40	05	-	-	-	-	-	-	-	Harmonic
17	802.11n HT40	03	2389.52	47.38	54.00	-6.62	H	AVERAGE	Pass	Band Edge
17	802.11n HT40	03	7266.00	46.80	74.00	-27.20	V	Peak	Pass	Harmonic



		1																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																															
Pol.	Horizontal		Fundamental																																																																													
Peak	 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-05. Peak at 2388.65 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.65</td> <td>50.02</td> <td>74.00</td> <td>-23.98</td> <td>42.08</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>345</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	50.02	74.00	-23.98	42.08	32.26	7.76	32.08	345	287	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-05. Peak at 2412.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.74</td> <td>-----</td> <td>-----</td> <td>93.70</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>345</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.74	-----	-----	93.70	32.31	7.81	32.08	345	287	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2388.65	50.02	74.00	-23.98	42.08	32.26	7.76	32.08	345	287	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	101.74	-----	-----	93.70	32.31	7.81	32.08	345	287	PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-05. Average at 2389.95 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>38.96</td> <td>54.00</td> <td>-15.04</td> <td>31.02</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>345</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	38.96	54.00	-15.04	31.02	32.26	7.76	32.08	345	287	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-05. Average at 2412.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.29</td> <td>-----</td> <td>-----</td> <td>91.25</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>345</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.29	-----	-----	91.25	32.31	7.81	32.08	345	287	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.95	38.96	54.00	-15.04	31.02	32.26	7.76	32.08	345	287	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2412.00	99.29	-----	-----	91.25	32.31	7.81	32.08	345	287	AVERAGE																																																																					



		1																																																																												
Mode	Band Edge																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-04-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>48.73</td> <td>74.00</td> <td>-25.27</td> <td>40.79</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>392</td> <td>223 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	48.73	74.00	-25.27	40.79	32.26	7.76	32.08	392	223 PEAK	<p style="text-align: right;">Date: 2024-04-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>93.97</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>392</td> <td>223 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.01	-----	-----	93.97	32.31	7.81	32.08	392	223 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2389.69	48.73	74.00	-25.27	40.79	32.26	7.76	32.08	392	223 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2412.00	102.01	-----	-----	93.97	32.31	7.81	32.08	392	223 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-04-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>38.59</td> <td>54.00</td> <td>-15.41</td> <td>30.65</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>392</td> <td>223 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	38.59	54.00	-15.41	30.65	32.26	7.76	32.08	392	223 AVERAGE	<p style="text-align: right;">Date: 2024-04-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.82</td> <td>-----</td> <td>-----</td> <td>91.78</td> <td>32.31</td> <td>7.81</td> <td>32.08</td> <td>392</td> <td>223 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.82	-----	-----	91.78	32.31	7.81	32.08	392	223 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2388.78	38.59	54.00	-15.41	30.65	32.26	7.76	32.08	392	223 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	2412.00	99.82	-----	-----	91.78	32.31	7.81	32.08	392	223 AVERAGE																																																																				



Mode	1																																																																																												
	Harmonic																																																																																												
	2400-2483.5_802.11b_CH01_2412MHz																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg	<p style="text-align: right;">Date: 2024-04-15</p>	<p style="text-align: right;">Date: 2024-04-15</p>																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>48.42</td> <td>74.00</td> <td>-25.58</td> <td>54.08</td> <td>34.83</td> <td>11.08</td> <td>51.57</td> <td>393</td> <td>63</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>40.32</td> <td>54.00</td> <td>-13.68</td> <td>45.98</td> <td>34.83</td> <td>11.08</td> <td>51.57</td> <td>393</td> <td>63</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	48.42	74.00	-25.58	54.08	34.83	11.08	51.57	393	63	Peak	2	4824.00	40.32	54.00	-13.68	45.98	34.83	11.08	51.57	393	63	Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>46.91</td> <td>74.00</td> <td>-27.09</td> <td>52.57</td> <td>34.83</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.91	74.00	-27.09	52.57	34.83	11.08	51.57	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4824.00	48.42	74.00	-25.58	54.08	34.83	11.08	51.57	393	63	Peak																																																																																		
2	4824.00	40.32	54.00	-13.68	45.98	34.83	11.08	51.57	393	63	Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4824.00	46.91	74.00	-27.09	52.57	34.83	11.08	51.57	--	--	Peak																																																																																		



Mode	2																																																																																																																																																	
	Harmonic																																																																																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>51.17</td> <td>74.00</td> <td>-22.83</td> <td>56.77</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>360</td> <td>84</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>47.04</td> <td>54.00</td> <td>-6.96</td> <td>52.64</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>360</td> <td>84</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>51.43</td> <td>74.00</td> <td>-22.57</td> <td>53.19</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>100</td> <td>287</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>44.48</td> <td>54.00</td> <td>-9.52</td> <td>46.24</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>100</td> <td>287</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	51.17	74.00	-22.83	56.77	34.85	11.10	51.55	360	84	Peak	2	4874.00	47.04	54.00	-6.96	52.64	34.85	11.10	51.55	360	84	Average	3	7311.00	51.43	74.00	-22.57	53.19	36.32	13.08	51.16	100	287	Peak	4	7311.00	44.48	54.00	-9.52	46.24	36.32	13.08	51.16	100	287	Average	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>48.39</td> <td>74.00</td> <td>-25.61</td> <td>53.99</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>139</td> <td>199</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>42.04</td> <td>54.00</td> <td>-11.96</td> <td>47.64</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>139</td> <td>199</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>49.83</td> <td>74.00</td> <td>-24.17</td> <td>51.59</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>100</td> <td>62</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>41.84</td> <td>54.00</td> <td>-12.16</td> <td>43.60</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>100</td> <td>62</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	48.39	74.00	-25.61	53.99	34.85	11.10	51.55	139	199	Peak	2	4874.00	42.04	54.00	-11.96	47.64	34.85	11.10	51.55	139	199	Average	3	7311.00	49.83	74.00	-24.17	51.59	36.32	13.08	51.16	100	62	Peak	4	7311.00	41.84	54.00	-12.16	43.60	36.32	13.08	51.16	100	62	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	4874.00	51.17	74.00	-22.83	56.77	34.85	11.10	51.55	360	84	Peak																																																																																																																																							
2	4874.00	47.04	54.00	-6.96	52.64	34.85	11.10	51.55	360	84	Average																																																																																																																																							
3	7311.00	51.43	74.00	-22.57	53.19	36.32	13.08	51.16	100	287	Peak																																																																																																																																							
4	7311.00	44.48	54.00	-9.52	46.24	36.32	13.08	51.16	100	287	Average																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	4874.00	48.39	74.00	-25.61	53.99	34.85	11.10	51.55	139	199	Peak																																																																																																																																							
2	4874.00	42.04	54.00	-11.96	47.64	34.85	11.10	51.55	139	199	Average																																																																																																																																							
3	7311.00	49.83	74.00	-24.17	51.59	36.32	13.08	51.16	100	62	Peak																																																																																																																																							
4	7311.00	41.84	54.00	-12.16	43.60	36.32	13.08	51.16	100	62	Average																																																																																																																																							



3

Mode

Band Edge



2400-2483.5_802.11b_CH11_2462MHz

Pol.

Horizontal

Fundamental



Peak



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2486.74	49.68	74.00	-24.32	41.43	32.47	7.88	32.10	370 286 PEAK

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2462.00	104.60	-----	-----	96.41	32.42	7.86	32.09	370 286 PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2486.51	40.52	54.00	-13.48	32.27	32.47	7.88	32.10	370 286 AVERAGE

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2462.00	102.46	-----	-----	94.27	32.42	7.86	32.09	370 286 AVERAGE



3

Mode

Band Edge



2400-2483.5_802.11b_CH11_2462MHz

Pol.

Vertical

Fundamental



Peak



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss Factor						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			
1	2485.41	50.42	74.00	-23.58	42.17	32.47	7.88	32.10	370	224	PEAK

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss Factor						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			
1	2462.00	105.91	-----	-----	97.72	32.42	7.86	32.09	370	224	PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss Factor						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			
1	2487.00	39.48	54.00	-14.52	31.23	32.47	7.88	32.10	370	224	AVERAGE

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss Factor						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			
1	2462.00	103.96	-----	-----	95.77	32.42	7.86	32.09	370	224	AVERAGE



Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>51.68</td> <td>74.00</td> <td>-22.32</td> <td>57.22</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>400</td> <td>78</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>47.02</td> <td>54.00</td> <td>-6.98</td> <td>52.56</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>400</td> <td>78</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>49.44</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	51.68	74.00	-22.32	57.22	34.87	11.12	51.53	400	78	Peak	2	4924.00	47.02	54.00	-6.98	52.56	34.87	11.12	51.53	400	78	Average	3	7386.00	47.74	74.00	-26.26	49.44	36.35	13.13	51.18	--	--	Peak	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>49.45</td> <td>74.00</td> <td>-24.55</td> <td>54.99</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>400</td> <td>156</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>43.44</td> <td>54.00</td> <td>-10.56</td> <td>48.98</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>400</td> <td>156</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>47.56</td> <td>74.00</td> <td>-26.44</td> <td>49.26</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	49.45	74.00	-24.55	54.99	34.87	11.12	51.53	400	156	Peak	2	4924.00	43.44	54.00	-10.56	48.98	34.87	11.12	51.53	400	156	Average	3	7386.00	47.56	74.00	-26.44	49.26	36.35	13.13	51.18	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	4924.00	51.68	74.00	-22.32	57.22	34.87	11.12	51.53	400	78	Peak																																																																																																															
2	4924.00	47.02	54.00	-6.98	52.56	34.87	11.12	51.53	400	78	Average																																																																																																															
3	7386.00	47.74	74.00	-26.26	49.44	36.35	13.13	51.18	--	--	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	4924.00	49.45	74.00	-24.55	54.99	34.87	11.12	51.53	400	156	Peak																																																																																																															
2	4924.00	43.44	54.00	-10.56	48.98	34.87	11.12	51.53	400	156	Average																																																																																																															
3	7386.00	47.56	74.00	-26.44	49.26	36.35	13.13	51.18	--	--	Peak																																																																																																															



4

Mode

Band Edge



2400-2483.5_802.11g_CH01_2412MHz

Pol.



Horizontal

Fundamental

Peak



Avg





4

Mode

Band Edge


2400-2483.5_802.11g_CH01_2412MHz

Pol.


Vertical

Fundamental

Peak




Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2389.82	57.13	74.00	-16.87	49.19	32.26	7.76	32.08	354 236 PEAK




Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2412.00	101.30	-----	-----	93.27	32.30	7.81	32.08	354 236 PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2389.95	43.03	54.00	-10.97	35.09	32.26	7.76	32.08	354 236 AVERAGE



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss Factor			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2412.00	94.03	-----	-----	86.00	32.30	7.81	32.08	354 236 AVERAGE



Mode	4	
	Harmonic	
	2400-2483.5_802.11g_CH01_2412MHz	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	5																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>49.96</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>49.15</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	44.36	74.00	-29.64	49.96	34.85	11.10	51.55	--	--	Peak	2	7311.00	47.39	74.00	-26.61	49.15	36.32	13.08	51.16	--	--	Peak	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>45.09</td> <td>74.00</td> <td>-28.91</td> <td>50.69</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.66</td> <td>74.00</td> <td>-26.34</td> <td>49.42</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	45.09	74.00	-28.91	50.69	34.85	11.10	51.55	--	--	Peak	2	7311.00	47.66	74.00	-26.34	49.42	36.32	13.08	51.16	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4874.00	44.36	74.00	-29.64	49.96	34.85	11.10	51.55	--	--	Peak																																																																																													
2	7311.00	47.39	74.00	-26.61	49.15	36.32	13.08	51.16	--	--	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4874.00	45.09	74.00	-28.91	50.69	34.85	11.10	51.55	--	--	Peak																																																																																													
2	7311.00	47.66	74.00	-26.34	49.42	36.32	13.08	51.16	--	--	Peak																																																																																													



		6																																																																															
Mode	Band Edge																																																																																
	2400-2483.5_802.11g_CH11_2462MHz																																																																																
Pol.	Horizontal		Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>64.79</td> <td>74.00</td> <td>-9.21</td> <td>56.55</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>368</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2483.74	64.79	74.00	-9.21	56.55	32.46	7.88	32.10	368	131	PEAK	<p style="text-align: right;">Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.24</td> <td>-----</td> <td>-----</td> <td>98.07</td> <td>32.41</td> <td>7.85</td> <td>32.09</td> <td>368</td> <td>131</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2462.00	106.24	-----	-----	98.07	32.41	7.85	32.09	368	131	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																									
1	2483.74	64.79	74.00	-9.21	56.55	32.46	7.88	32.10	368	131	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	106.24	-----	-----	98.07	32.41	7.85	32.09	368	131	PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>48.69</td> <td>54.00</td> <td>-5.31</td> <td>40.45</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>368</td> <td>131</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2483.51	48.69	54.00	-5.31	40.45	32.46	7.88	32.10	368	131	AVERAGE	<p style="text-align: right;">Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.78</td> <td>-----</td> <td>-----</td> <td>90.59</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>368</td> <td>131</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2462.00	98.78	-----	-----	90.59	32.42	7.86	32.09	368	131	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	48.69	54.00	-5.31	40.45	32.46	7.88	32.10	368	131	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	98.78	-----	-----	90.59	32.42	7.86	32.09	368	131	AVERAGE																																																																						



6

Mode

Band Edge


2400-2483.5_802.11g_CH11_2462MHz

Pol.


Vertical

Fundamental

Peak




Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2483.62	64.15	74.00	-9.85	55.91	32.46	7.88	32.10	370	224	PEAK




Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2462.00	103.96	-----	-----	95.77	32.42	7.86	32.09	370	224	PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2483.66	47.93	54.00	-6.07	39.69	32.46	7.88	32.10	370	224	AVERAGE



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2462.00	97.04	-----	-----	88.85	32.42	7.86	32.09	370	224	AVERAGE



Mode	6																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11g_CH11_2462MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2024-04-15</p>	<p>Date: 2024-04-15</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>50.92</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.92</td> <td>74.00</td> <td>-26.08</td> <td>49.62</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.38	74.00	-28.62	50.92	34.87	11.12	51.53	-- -- Peak	2	7386.00	47.92	74.00	-26.08	49.62	36.35	13.13	51.18	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.95</td> <td>74.00</td> <td>-29.05</td> <td>50.49</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.94</td> <td>74.00</td> <td>-26.06</td> <td>49.64</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	44.95	74.00	-29.05	50.49	34.87	11.12	51.53	-- -- Peak	2	7386.00	47.94	74.00	-26.06	49.64	36.35	13.13	51.18
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	4924.00	45.38	74.00	-28.62	50.92	34.87	11.12	51.53	-- -- Peak																																																																																						
2	7386.00	47.92	74.00	-26.08	49.62	36.35	13.13	51.18	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	4924.00	44.95	74.00	-29.05	50.49	34.87	11.12	51.53	-- -- Peak																																																																																						
2	7386.00	47.94	74.00	-26.06	49.64	36.35	13.13	51.18	-- -- Peak																																																																																						



7

Mode

Band Edge



2400-2483.5_802.11n_HT20_CH01_2412MHz

Pol.

Horizontal

Fundamental



Peak



Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg			
1	2389.95	61.42	74.00	-12.58	53.48	32.26	7.76	32.08	351	284	PEAK

Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg			
1	2412.00	104.99	-----	-----	96.95	32.31	7.81	32.08	351	284	PEAK

Avg



Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg			
1	2389.82	45.20	54.00	-8.80	37.26	32.26	7.76	32.08	351	284	AVERAGE

Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg			
1	2412.00	97.70	-----	-----	89.66	32.31	7.81	32.08	351	284	AVERAGE



7

Mode

Band Edge


2400-2483.5_802.11n_HT20_CH01_2412MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm				
1	2389.69	57.12	74.00	-16.88	49.18	32.26	7.76	32.08	387	226	PEAK




Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm				
1	2412.00	103.07	-----	-----	95.03	32.31	7.81	32.08	387	226	PEAK_74

Avg



Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm				
1	2389.95	41.54	54.00	-12.46	33.60	32.26	7.76	32.08	387	226	AVERAGE



Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				
								Freq	Level	Line Margin	Level Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm				
1	2412.00	95.78	-----	-----	87.74	32.31	7.81	32.08	387	226	AVERAGE



		7																																																																									
Mode	Harmonic																																																																										
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																										
Pol.	Horizontal		Vertical																																																																								
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>50.53</td> <td>34.83</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.87	74.00	-29.13	50.53	34.83	11.08	51.57	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.61</td> <td>74.00</td> <td>-29.39</td> <td>50.27</td> <td>34.83</td> <td>11.08</td> <td>51.57</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.61	74.00	-29.39	50.27	34.83	11.08	51.57	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	4824.00	44.87	74.00	-29.13	50.53	34.83	11.08	51.57	--	--	Peak																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	4824.00	44.61	74.00	-29.39	50.27	34.83	11.08	51.57	--	--	Peak																																																																



Mode	8																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.23</td> <td>74.00</td> <td>-29.77</td> <td>49.83</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.49</td> <td>74.00</td> <td>-26.51</td> <td>49.25</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	44.23	74.00	-29.77	49.83	34.85	11.10	51.55	--	--	Peak	2	7311.00	47.49	74.00	-26.51	49.25	36.32	13.08	51.16	--	--	Peak	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>50.50</td> <td>34.85</td> <td>11.10</td> <td>51.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>47.43</td> <td>74.00</td> <td>-26.57</td> <td>49.19</td> <td>36.32</td> <td>13.08</td> <td>51.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	44.90	74.00	-29.10	50.50	34.85	11.10	51.55	--	--	Peak	2	7311.00	47.43	74.00	-26.57	49.19	36.32	13.08	51.16	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4874.00	44.23	74.00	-29.77	49.83	34.85	11.10	51.55	--	--	Peak																																																																																													
2	7311.00	47.49	74.00	-26.51	49.25	36.32	13.08	51.16	--	--	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4874.00	44.90	74.00	-29.10	50.50	34.85	11.10	51.55	--	--	Peak																																																																																													
2	7311.00	47.43	74.00	-26.57	49.19	36.32	13.08	51.16	--	--	Peak																																																																																													



9

Mode

Band Edge



2400-2483.5_802.11n_HT20_CH11_2462MHz

Pol.

Horizontal

Fundamental



Peak



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2483.58	64.75	74.00	-9.25	56.51	32.46	7.88	32.10	369	133	PEAK

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2462.00	103.86	-----	-----	95.67	32.42	7.86	32.09	369	133	PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2483.85	48.01	54.00	-5.99	39.77	32.46	7.88	32.10	369	133	AVERAGE

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2462.00	97.11	-----	-----	88.92	32.42	7.86	32.09	369	133	AVERAGE



9

Mode

Band Edge



2400-2483.5_802.11n_HT20_CH11_2462MHz

Pol.

Vertical

Fundamental



Peak



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss	Factor		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg
1 2483.66	63.34	74.00	-10.66	55.10	32.46	7.88	32.10	371 224 PEAK

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss	Factor		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg
1 2462.00	104.17	-----	-----	96.00	32.41	7.85	32.09	371 224 PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss	Factor		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg
1 2483.51	47.11	54.00	-6.89	38.87	32.46	7.88	32.10	371 224 AVERAGE

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Factor	Loss	Factor		
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg
1 2462.00	96.12	-----	-----	87.93	32.42	7.86	32.09	371 224 AVERAGE



Mode	9																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.37</td> <td>74.00</td> <td>-29.63</td> <td>49.91</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>49.09</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	44.37	74.00	-29.63	49.91	34.87	11.12	51.53	--	--	Peak	2	7386.00	47.39	74.00	-26.61	49.09	36.35	13.13	51.18	--	--	Peak	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.12</td> <td>74.00</td> <td>-28.88</td> <td>50.66</td> <td>34.87</td> <td>11.12</td> <td>51.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.87</td> <td>74.00</td> <td>-27.13</td> <td>48.57</td> <td>36.35</td> <td>13.13</td> <td>51.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	45.12	74.00	-28.88	50.66	34.87	11.12	51.53	--	--	Peak	2	7386.00	46.87	74.00	-27.13	48.57	36.35	13.13	51.18	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4924.00	44.37	74.00	-29.63	49.91	34.87	11.12	51.53	--	--	Peak																																																																																													
2	7386.00	47.39	74.00	-26.61	49.09	36.35	13.13	51.18	--	--	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4924.00	45.12	74.00	-28.88	50.66	34.87	11.12	51.53	--	--	Peak																																																																																													
2	7386.00	46.87	74.00	-27.13	48.57	36.35	13.13	51.18	--	--	Peak																																																																																													



Mode	10																																																																															
	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>64.10</td> <td>74.00</td> <td>-9.90</td> <td>56.16</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>351</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.97	64.10	74.00	-9.90	56.16	32.26	7.76	32.08	351	285	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>99.41</td> <td>-----</td> <td>-----</td> <td>91.35</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>351</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2422.00	99.41	-----	-----	91.35	32.32	7.82	32.08	351	285	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	64.10	74.00	-9.90	56.16	32.26	7.76	32.08	351	285	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	99.41	-----	-----	91.35	32.32	7.82	32.08	351	285	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.63</td> <td>48.75</td> <td>54.00</td> <td>-5.25</td> <td>40.81</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>351</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.63	48.75	54.00	-5.25	40.81	32.26	7.76	32.08	351	285	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>91.49</td> <td>-----</td> <td>-----</td> <td>83.43</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>351</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2422.00	91.49	-----	-----	83.43	32.32	7.82	32.08	351	285	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.63	48.75	54.00	-5.25	40.81	32.26	7.76	32.08	351	285	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	91.49	-----	-----	83.43	32.32	7.82	32.08	351	285	AVERAGE																																																																					



		10																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.24</td> <td>49.51</td> <td>74.00</td> <td>-24.49</td> <td>41.26</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>351</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.24	49.51	74.00	-24.49	41.26	32.47	7.88	32.10	351	285	PEAK	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.24	49.51	74.00	-24.49	41.26	32.47	7.88	32.10	351	285	PEAK																															
Avg	<p>Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.77</td> <td>40.03</td> <td>54.00</td> <td>-13.97</td> <td>31.77</td> <td>32.48</td> <td>7.88</td> <td>32.10</td> <td>351</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.77	40.03	54.00	-13.97	31.77	32.48	7.88	32.10	351	285	AVERAGE	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2488.77	40.03	54.00	-13.97	31.77	32.48	7.88	32.10	351	285	AVERAGE																															



Mode	10																																																																															
	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>62.68</td> <td>74.00</td> <td>-11.32</td> <td>54.74</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>352</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.97	62.68	74.00	-11.32	54.74	32.26	7.76	32.08	352	234	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>96.77</td> <td>-----</td> <td>-----</td> <td>88.72</td> <td>32.32</td> <td>7.81</td> <td>32.08</td> <td>352</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2422.00	96.77	-----	-----	88.72	32.32	7.81	32.08	352	234	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	62.68	74.00	-11.32	54.74	32.26	7.76	32.08	352	234	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	96.77	-----	-----	88.72	32.32	7.81	32.08	352	234	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.86</td> <td>47.07</td> <td>54.00</td> <td>-6.93</td> <td>39.13</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>352</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.86	47.07	54.00	-6.93	39.13	32.26	7.76	32.08	352	234	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>90.07</td> <td>-----</td> <td>-----</td> <td>82.00</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>352</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2422.00	90.07	-----	-----	82.00	32.33	7.82	32.08	352	234	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.86	47.07	54.00	-6.93	39.13	32.26	7.76	32.08	352	234	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	90.07	-----	-----	82.00	32.33	7.82	32.08	352	234	AVERAGE																																																																					



		10																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.96</td> <td>49.30</td> <td>74.00</td> <td>-24.70</td> <td>41.05</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>352</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.96	49.30	74.00	-24.70	41.05	32.47	7.88	32.10	352	234	PEAK	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2485.96	49.30	74.00	-24.70	41.05	32.47	7.88	32.10	352	234	PEAK																															
Avg	<p>Date: 2024-04-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.97</td> <td>40.28</td> <td>54.00</td> <td>-13.72</td> <td>32.03</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>352</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.97	40.28	54.00	-13.72	32.03	32.47	7.88	32.10	352	234	AVERAGE	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2486.97	40.28	54.00	-13.72	32.03	32.47	7.88	32.10	352	234	AVERAGE																															



Mode	10																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>45.84</td> <td>74.00</td> <td>-28.16</td> <td>51.47</td> <td>34.84</td> <td>11.09</td> <td>51.56</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>47.37</td> <td>74.00</td> <td>-26.63</td> <td>49.16</td> <td>36.31</td> <td>13.05</td> <td>51.15</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	45.84	74.00	-28.16	51.47	34.84	11.09	51.56	--	--	Peak	2	7266.00	47.37	74.00	-26.63	49.16	36.31	13.05	51.15	--	--	Peak	<p>Date: 2024-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>45.36</td> <td>74.00</td> <td>-28.64</td> <td>50.99</td> <td>34.84</td> <td>11.09</td> <td>51.56</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>47.12</td> <td>74.00</td> <td>-26.88</td> <td>48.91</td> <td>36.31</td> <td>13.05</td> <td>51.15</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	45.36	74.00	-28.64	50.99	34.84	11.09	51.56	--	--	Peak	2	7266.00	47.12	74.00	-26.88	48.91	36.31	13.05	51.15	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4844.00	45.84	74.00	-28.16	51.47	34.84	11.09	51.56	--	--	Peak																																																																																													
2	7266.00	47.37	74.00	-26.63	49.16	36.31	13.05	51.15	--	--	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4844.00	45.36	74.00	-28.64	50.99	34.84	11.09	51.56	--	--	Peak																																																																																													
2	7266.00	47.12	74.00	-26.88	48.91	36.31	13.05	51.15	--	--	Peak																																																																																													



11

Mode

Band Edge - L


2400-2483.5_802.11n_HT40_CH09_2452MHz

Pol.


Horizontal

Fundamental

Peak




Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Loss	Loss			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2388.38	49.70	74.00	-24.30	41.77	32.25	7.76	32.08	330 285 PEAK




Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Loss	Loss			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2452.00	100.02	-----	-----	91.86	32.40	7.85	32.09	330 285 PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Loss	Loss			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2384.98	39.04	54.00	-14.96	31.12	32.25	7.75	32.08	330 285 AVERAGE



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
Freq	Level	Line	Level	Loss	Loss			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1 2452.00	92.52	-----	-----	84.36	32.40	7.85	32.09	330 285 AVERAGE



Mode	11																															
	Band Edge - R																															
	2400-2483.5_802.11n_HT40_CH09_2452MHz																															
Pol.	Horizontal	Fundamental																														
Peak	<p>Date: 2024-04-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.88</td> <td>62.46</td> <td>74.00</td> <td>-11.54</td> <td>54.21</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>330</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	2484.88	62.46	74.00	-11.54	54.21	32.47	7.88	32.10	330	285	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																								
1	2484.88	62.46	74.00	-11.54	54.21	32.47	7.88	32.10	330	285	PEAK																					
Avg	<p>Date: 2024-04-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.95</td> <td>47.51</td> <td>54.00</td> <td>-6.49</td> <td>39.26</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>330</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	2487.95	47.51	54.00	-6.49	39.26	32.47	7.88	32.10	330	285	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																								
1	2487.95	47.51	54.00	-6.49	39.26	32.47	7.88	32.10	330	285	AVERAGE																					



11

Mode

Band Edge - L



2400-2483.5_802.11n_HT40_CH09_2452MHz

Pol.

Vertical

Fundamental



Peak



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss	Factor					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2384.27	48.70	74.00	-25.30	40.79	32.25	7.74	32.08	370	223	PEAK

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss	Factor					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2452.00	99.36	74.00	-----	91.20	32.40	7.85	32.09	370	223	PEAK

Avg



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss	Factor					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2333.57	38.05	54.00	-15.95	30.39	32.13	7.60	32.07	370	223	AVERAGE

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	Level	Factor	Loss	Factor					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2452.00	92.33	54.00	-----	84.17	32.40	7.85	32.09	370	223	AVERAGE



		11																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																									
Pol.	Vertical		Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.78</td> <td>63.34</td> <td>74.00</td> <td>-10.66</td> <td>55.09</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>370</td> <td>223</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.78	63.34	74.00	-10.66	55.09	32.47	7.88	32.10	370	223	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.78	63.34	74.00	-10.66	55.09	32.47	7.88	32.10	370	223	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.45</td> <td>48.06</td> <td>54.00</td> <td>-5.94</td> <td>39.81</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>370</td> <td>223</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.45	48.06	54.00	-5.94	39.81	32.47	7.88	32.10	370	223	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.45	48.06	54.00	-5.94	39.81	32.47	7.88	32.10	370	223	AVERAGE																															



Mode	12																																																																																																																																																																														
	LF																																																																																																																																																																														
	2400-2483.5_802.11n_HT40_CH03_2422MHz																																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																																													
QP/Peak	<p>Date: 2024-04-07</p>	<p>Date: 2024-04-07</p>																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>40.67</td> <td>17.23</td> <td>40.00</td> <td>-22.77</td> <td>28.44</td> <td>18.66</td> <td>1.33</td> <td>31.20</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>152.22</td> <td>22.64</td> <td>43.50</td> <td>-20.86</td> <td>35.06</td> <td>16.46</td> <td>2.21</td> <td>31.09</td> <td>-- Peak</td> </tr> <tr> <td>3</td> <td>266.68</td> <td>27.86</td> <td>46.00</td> <td>-18.14</td> <td>36.55</td> <td>19.64</td> <td>2.57</td> <td>30.90</td> <td>-- Peak</td> </tr> <tr> <td>4</td> <td>315.18</td> <td>30.08</td> <td>46.00</td> <td>-15.92</td> <td>38.43</td> <td>19.74</td> <td>2.78</td> <td>30.87</td> <td>-- Peak</td> </tr> <tr> <td>5</td> <td>533.43</td> <td>22.90</td> <td>46.00</td> <td>-23.10</td> <td>25.66</td> <td>24.57</td> <td>3.57</td> <td>30.90</td> <td>-- Peak</td> </tr> <tr> <td>6</td> <td>728.40</td> <td>27.38</td> <td>46.00</td> <td>-18.62</td> <td>28.56</td> <td>25.60</td> <td>4.11</td> <td>30.89</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	40.67	17.23	40.00	-22.77	28.44	18.66	1.33	31.20	-- Peak	2	152.22	22.64	43.50	-20.86	35.06	16.46	2.21	31.09	-- Peak	3	266.68	27.86	46.00	-18.14	36.55	19.64	2.57	30.90	-- Peak	4	315.18	30.08	46.00	-15.92	38.43	19.74	2.78	30.87	-- Peak	5	533.43	22.90	46.00	-23.10	25.66	24.57	3.57	30.90	-- Peak	6	728.40	27.38	46.00	-18.62	28.56	25.60	4.11	30.89	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>35.82</td> <td>30.20</td> <td>40.00</td> <td>-9.80</td> <td>38.44</td> <td>21.68</td> <td>1.28</td> <td>31.20</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>136.70</td> <td>20.74</td> <td>43.50</td> <td>-22.76</td> <td>32.16</td> <td>17.58</td> <td>2.13</td> <td>31.13</td> <td>-- Peak</td> </tr> <tr> <td>3</td> <td>265.71</td> <td>23.89</td> <td>46.00</td> <td>-22.11</td> <td>32.50</td> <td>19.72</td> <td>2.57</td> <td>30.90</td> <td>-- Peak</td> </tr> <tr> <td>4</td> <td>314.21</td> <td>26.77</td> <td>46.00</td> <td>-19.23</td> <td>35.15</td> <td>19.72</td> <td>2.77</td> <td>30.87</td> <td>-- Peak</td> </tr> <tr> <td>5</td> <td>563.50</td> <td>23.86</td> <td>46.00</td> <td>-22.14</td> <td>26.24</td> <td>24.97</td> <td>3.65</td> <td>31.00</td> <td>-- Peak</td> </tr> <tr> <td>6</td> <td>735.19</td> <td>26.18</td> <td>46.00</td> <td>-19.82</td> <td>27.26</td> <td>25.69</td> <td>4.14</td> <td>30.91</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	35.82	30.20	40.00	-9.80	38.44	21.68	1.28	31.20	-- Peak	2	136.70	20.74	43.50	-22.76	32.16	17.58	2.13	31.13	-- Peak	3	265.71	23.89	46.00	-22.11	32.50	19.72	2.57	30.90	-- Peak	4	314.21	26.77	46.00	-19.23	35.15	19.72	2.77	30.87	-- Peak	5	563.50	23.86	46.00	-22.14	26.24	24.97	3.65	31.00	-- Peak	6	735.19	26.18	46.00	-19.82	27.26	25.69	4.14	30.91
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																							
1	40.67	17.23	40.00	-22.77	28.44	18.66	1.33	31.20	-- Peak																																																																																																																																																																						
2	152.22	22.64	43.50	-20.86	35.06	16.46	2.21	31.09	-- Peak																																																																																																																																																																						
3	266.68	27.86	46.00	-18.14	36.55	19.64	2.57	30.90	-- Peak																																																																																																																																																																						
4	315.18	30.08	46.00	-15.92	38.43	19.74	2.78	30.87	-- Peak																																																																																																																																																																						
5	533.43	22.90	46.00	-23.10	25.66	24.57	3.57	30.90	-- Peak																																																																																																																																																																						
6	728.40	27.38	46.00	-18.62	28.56	25.60	4.11	30.89	-- Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																							
1	35.82	30.20	40.00	-9.80	38.44	21.68	1.28	31.20	-- Peak																																																																																																																																																																						
2	136.70	20.74	43.50	-22.76	32.16	17.58	2.13	31.13	-- Peak																																																																																																																																																																						
3	265.71	23.89	46.00	-22.11	32.50	19.72	2.57	30.90	-- Peak																																																																																																																																																																						
4	314.21	26.77	46.00	-19.23	35.15	19.72	2.77	30.87	-- Peak																																																																																																																																																																						
5	563.50	23.86	46.00	-22.14	26.24	24.97	3.65	31.00	-- Peak																																																																																																																																																																						
6	735.19	26.18	46.00	-19.82	27.26	25.69	4.14	30.91	-- Peak																																																																																																																																																																						



		13																																																																												
Mode	Band Edge - L																																																																													
	2400-2483.5_802.11n_HT40_CH04_2427MHz																																																																													
Pol.	Horizontal		Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>63.90</td> <td>74.00</td> <td>-10.10</td> <td>55.96</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>391</td> <td>172 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.69	63.90	74.00	-10.10	55.96	32.26	7.76	32.08	391	172 PEAK	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2427.00</td> <td>98.16</td> <td>-----</td> <td>-----</td> <td>90.09</td> <td>32.34</td> <td>7.82</td> <td>32.08</td> <td>391</td> <td>172 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2427.00	98.16	-----	-----	90.09	32.34	7.82	32.08	391	172 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2389.69	63.90	74.00	-10.10	55.96	32.26	7.76	32.08	391	172 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2427.00	98.16	-----	-----	90.09	32.34	7.82	32.08	391	172 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.92</td> <td>48.09</td> <td>54.00</td> <td>-5.91</td> <td>40.15</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>391</td> <td>172 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.92	48.09	54.00	-5.91	40.15	32.26	7.76	32.08	391	172 AVERAGE	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2427.00</td> <td>91.51</td> <td>-----</td> <td>-----</td> <td>83.43</td> <td>32.34</td> <td>7.82</td> <td>32.08</td> <td>391</td> <td>172 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2427.00	91.51	-----	-----	83.43	32.34	7.82	32.08	391	172 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2389.92	48.09	54.00	-5.91	40.15	32.26	7.76	32.08	391	172 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2427.00	91.51	-----	-----	83.43	32.34	7.82	32.08	391	172 AVERAGE																																																																				



		13																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n_HT40_CH04_2427MHz																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.18</td> <td>50.19</td> <td>74.00</td> <td>-23.81</td> <td>41.94</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>391</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.18	50.19	74.00	-23.81	41.94	32.47	7.88	32.10	391	172	PEAK	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2487.18	50.19	74.00	-23.81	41.94	32.47	7.88	32.10	391	172	PEAK																															
Avg	<p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.37</td> <td>39.96</td> <td>54.00</td> <td>-14.04</td> <td>31.71</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>391</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.37	39.96	54.00	-14.04	31.71	32.47	7.88	32.10	391	172	AVERAGE	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.37	39.96	54.00	-14.04	31.71	32.47	7.88	32.10	391	172	AVERAGE																															



13

Mode

Band Edge - L



2400-2483.5_802.11n_HT40_CH04_2427MHz

Pol.

Vertical

Fundamental



Peak



Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2389.80	60.59	74.00	-13.41	52.65	32.26	7.76	32.08	400	222	PEAK

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2427.00	97.21	-----	-----	89.14	32.33	7.82	32.08	400	222	PEAK

Avg







Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2389.80	46.06	54.00	-7.94	38.12	32.26	7.76	32.08	400	222	AVERAGE

Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg			
1	2427.00	90.07	-----	-----	82.00	32.33	7.82	32.08	400	222	AVERAGE



		13																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n_HT40_CH04_2427MHz																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.27</td> <td>49.60</td> <td>74.00</td> <td>-24.40</td> <td>41.35</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.27	49.60	74.00	-24.40	41.35	32.47	7.88	32.10	400	222	PEAK	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2488.27	49.60	74.00	-24.40	41.35	32.47	7.88	32.10	400	222	PEAK																															
Avg	<p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.03</td> <td>40.71</td> <td>54.00</td> <td>-13.29</td> <td>32.46</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.03	40.71	54.00	-13.29	32.46	32.47	7.88	32.10	400	222	AVERAGE	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2488.03	40.71	54.00	-13.29	32.46	32.47	7.88	32.10	400	222	AVERAGE																															



		14																																																																														
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																																																															
Pol.	Horizontal		Fundamental																																																																													
Peak	 <p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.38</td> <td>50.45</td> <td>74.00</td> <td>-23.55</td> <td>42.52</td> <td>32.25</td> <td>7.76</td> <td>32.08</td> <td>361</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.38	50.45	74.00	-23.55	42.52	32.25	7.76	32.08	361	117	PEAK	 <p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>98.91</td> <td>-----</td> <td>-----</td> <td>90.75</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>361</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	98.91	-----	-----	90.75	32.40	7.85	32.09	361	117	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2388.38	50.45	74.00	-23.55	42.52	32.25	7.76	32.08	361	117	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2447.00	98.91	-----	-----	90.75	32.40	7.85	32.09	361	117	PEAK																																																																					
Avg	 <p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.96</td> <td>39.71</td> <td>54.00</td> <td>-14.29</td> <td>31.79</td> <td>32.25</td> <td>7.75</td> <td>32.08</td> <td>361</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.96	39.71	54.00	-14.29	31.79	32.25	7.75	32.08	361	117	AVERAGE	 <p>Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>91.92</td> <td>-----</td> <td>-----</td> <td>83.78</td> <td>32.39</td> <td>7.84</td> <td>32.09</td> <td>361</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	91.92	-----	-----	83.78	32.39	7.84	32.09	361	117	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2387.96	39.71	54.00	-14.29	31.79	32.25	7.75	32.08	361	117	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2447.00	91.92	-----	-----	83.78	32.39	7.84	32.09	361	117	AVERAGE																																																																					



		14																																						
Mode	Band Edge - R																																							
	2400-2483.5_802.11n HT40_CH08_2447MHz																																							
Pol.	Horizontal		Fundamental																																					
Peak			Blank																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.35</td> <td>62.24</td> <td>74.00</td> <td>-11.76</td> <td>53.99</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>361</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.35	62.24	74.00	-11.76	53.99	32.47	7.88	32.10	361
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	2484.35	62.24	74.00	-11.76	53.99	32.47	7.88	32.10	361	117	PEAK																													
Avg			Blank																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.59</td> <td>48.53</td> <td>54.00</td> <td>-5.47</td> <td>40.28</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>361</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.59	48.53	54.00	-5.47	40.28	32.47	7.88	32.10	361
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	2484.59	48.53	54.00	-5.47	40.28	32.47	7.88	32.10	361	117	AVERAGE																													



		14																																																																																
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																																																																	
Pol.	Vertical		Fundamental																																																																															
Peak	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.96</td> <td>49.24</td> <td>74.00</td> <td>-24.76</td> <td>41.32</td> <td>32.25</td> <td>7.75</td> <td>32.08</td> <td>361</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2387.96	49.24	74.00	-24.76	41.32	32.25	7.75	32.08	361	240	PEAK	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>94.71</td> <td>-----</td> <td>-----</td> <td>86.55</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>361</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2447.00	94.71	-----	-----	86.55	32.40	7.85	32.09	361	240	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1	2387.96	49.24	74.00	-24.76	41.32	32.25	7.75	32.08	361	240	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1	2447.00	94.71	-----	-----	86.55	32.40	7.85	32.09	361	240	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.66</td> <td>39.60</td> <td>54.00</td> <td>-14.40</td> <td>31.66</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>361</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.66	39.60	54.00	-14.40	31.66	32.26	7.76	32.08	361	240	AVERAGE	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>87.69</td> <td>-----</td> <td>-----</td> <td>79.53</td> <td>32.40</td> <td>7.85</td> <td>32.09</td> <td>361</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2447.00	87.69	-----	-----	79.53	32.40	7.85	32.09	361	240	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1	2389.66	39.60	54.00	-14.40	31.66	32.26	7.76	32.08	361	240	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																										
1	2447.00	87.69	-----	-----	79.53	32.40	7.85	32.09	361	240	AVERAGE																																																																							







		14																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																									
Pol.	Vertical	Fundamental																																								
Peak	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.69</td> <td>59.88</td> <td>74.00</td> <td>-14.12</td> <td>51.63</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>361</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.69	59.88	74.00	-14.12	51.63	32.47	7.88	32.10	361	240	PEAK	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.69	59.88	74.00	-14.12	51.63	32.47	7.88	32.10	361	240	PEAK																															
Avg	<p style="text-align: right;">Date: 2024-04-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.50</td> <td>45.59</td> <td>54.00</td> <td>-8.41</td> <td>37.34</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>361</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.50	45.59	54.00	-8.41	37.34	32.47	7.88	32.10	361	240	AVERAGE	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.50	45.59	54.00	-8.41	37.34	32.47	7.88	32.10	361	240	AVERAGE																															



		15																																																																															
Mode	Band Edge																																																																																
	2400-2483.5_802.11b_CH02_2417MHz																																																																																
Pol.	Horizontal		Fundamental																																																																														
Peak																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>50.14</td> <td>74.00</td> <td>-23.86</td> <td>42.20</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>388</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	50.14	74.00	-23.86	42.20	32.26	7.76	32.08	388	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>105.76</td> <td>-----</td> <td>-----</td> <td>97.71</td> <td>32.32</td> <td>7.81</td> <td>32.08</td> <td>388</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	105.76	-----	-----	97.71	32.32	7.81	32.08	388	268
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.30	50.14	74.00	-23.86	42.20	32.26	7.76	32.08	388	268	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	105.76	-----	-----	97.71	32.32	7.81	32.08	388	268	PEAK																																																																						
Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>39.33</td> <td>54.00</td> <td>-14.67</td> <td>31.39</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>388</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	39.33	54.00	-14.67	31.39	32.26	7.76	32.08	388	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>103.73</td> <td>-----</td> <td>-----</td> <td>95.68</td> <td>32.32</td> <td>7.81</td> <td>32.08</td> <td>388</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	103.73	-----	-----	95.68	32.32	7.81	32.08	388	268
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.69	39.33	54.00	-14.67	31.39	32.26	7.76	32.08	388	268	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	103.73	-----	-----	95.68	32.32	7.81	32.08	388	268	AVERAGE																																																																						



		15																																																																															
Mode	Band Edge																																																																																
	2400-2483.5_802.11b_CH02_2417MHz																																																																																
Pol.	Vertical		Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.02</td> <td>48.97</td> <td>74.00</td> <td>-25.03</td> <td>41.13</td> <td>32.21</td> <td>7.70</td> <td>32.07</td> <td>383</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2369.02	48.97	74.00	-25.03	41.13	32.21	7.70	32.07	383	302	PEAK	 <p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>100.61</td> <td>-----</td> <td>-----</td> <td>92.56</td> <td>32.32</td> <td>7.81</td> <td>32.08</td> <td>383</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	100.61	-----	-----	92.56	32.32	7.81	32.08	383	302	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2369.02	48.97	74.00	-25.03	41.13	32.21	7.70	32.07	383	302	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	100.61	-----	-----	92.56	32.32	7.81	32.08	383	302	PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.22</td> <td>38.58</td> <td>54.00</td> <td>-15.42</td> <td>30.66</td> <td>32.25</td> <td>7.75</td> <td>32.08</td> <td>383</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	38.58	54.00	-15.42	30.66	32.25	7.75	32.08	383	302	AVERAGE	 <p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>98.05</td> <td>-----</td> <td>-----</td> <td>90.00</td> <td>32.32</td> <td>7.81</td> <td>32.08</td> <td>383</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	98.05	-----	-----	90.00	32.32	7.81	32.08	383	302	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2387.22	38.58	54.00	-15.42	30.66	32.25	7.75	32.08	383	302	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	98.05	-----	-----	90.00	32.32	7.81	32.08	383	302	AVERAGE																																																																						



		16																																																																														
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH05_2432MHz																																																																															
Pol.	Horizontal		Fundamental																																																																													
Peak	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.50</td> <td>64.76</td> <td>74.00</td> <td>-9.24</td> <td>56.82</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>400</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.50	64.76	74.00	-9.24	56.82	32.26	7.76	32.08	400	272	PEAK	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>98.87</td> <td>-----</td> <td>-----</td> <td>90.80</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>400</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2432.00	98.87	-----	-----	90.80	32.33	7.82	32.08	400	272	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.50	64.76	74.00	-9.24	56.82	32.26	7.76	32.08	400	272	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2432.00	98.87	-----	-----	90.80	32.33	7.82	32.08	400	272	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>47.89</td> <td>54.00</td> <td>-6.11</td> <td>39.95</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>400</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2389.76	47.89	54.00	-6.11	39.95	32.26	7.76	32.08	400	272	AVERAGE	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>92.13</td> <td>-----</td> <td>-----</td> <td>84.04</td> <td>32.35</td> <td>7.83</td> <td>32.09</td> <td>400</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2432.00	92.13	-----	-----	84.04	32.35	7.83	32.09	400	272	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2389.76	47.89	54.00	-6.11	39.95	32.26	7.76	32.08	400	272	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2432.00	92.13	-----	-----	84.04	32.35	7.83	32.09	400	272	AVERAGE																																																																					



Mode	16																																								
	Band Edge - R																																								
	2400-2483.5_802.11n_HT40_CH05_2432MHz																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.40</td> <td>54.12</td> <td>74.00</td> <td>-19.88</td> <td>45.87</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.40	54.12	74.00	-19.88	45.87	32.47	7.88	32.10	400	272	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2487.40	54.12	74.00	-19.88	45.87	32.47	7.88	32.10	400	272	PEAK																														
Avg	<p>Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.15</td> <td>42.07</td> <td>54.00</td> <td>-11.93</td> <td>33.82</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.15	42.07	54.00	-11.93	33.82	32.47	7.88	32.10	400	272	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2487.15	42.07	54.00	-11.93	33.82	32.47	7.88	32.10	400	272	AVERAGE																														



		16																																																																																
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11n_HT40_CH05_2432MHz																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.88</td> <td>59.78</td> <td>74.00</td> <td>-14.22</td> <td>51.84</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>400</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	59.78	74.00	-14.22	51.84	32.26	7.76	32.08	400	239	PEAK	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>98.29</td> <td>-----</td> <td>-----</td> <td>90.22</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>400</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	98.29	-----	-----	90.22	32.33	7.82	32.08	400	239	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.88	59.78	74.00	-14.22	51.84	32.26	7.76	32.08	400	239	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2432.00	98.29	-----	-----	90.22	32.33	7.82	32.08	400	239	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>46.24</td> <td>54.00</td> <td>-7.76</td> <td>38.30</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>400</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	46.24	54.00	-7.76	38.30	32.26	7.76	32.08	400	239	AVERAGE	<p style="text-align: right;">Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>90.31</td> <td>-----</td> <td>-----</td> <td>82.22</td> <td>32.35</td> <td>7.83</td> <td>32.09</td> <td>400</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	90.31	-----	-----	82.22	32.35	7.83	32.09	400	239	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.76	46.24	54.00	-7.76	38.30	32.26	7.76	32.08	400	239	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2432.00	90.31	-----	-----	82.22	32.35	7.83	32.09	400	239	AVERAGE																																																																							



Mode	16																																								
	Band Edge - R																																								
	2400-2483.5_802.11n_HT40_CH05_2432MHz																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.95</td> <td>53.50</td> <td>74.00</td> <td>-20.50</td> <td>45.25</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.95	53.50	74.00	-20.50	45.25	32.47	7.88	32.10	400	239	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.95	53.50	74.00	-20.50	45.25	32.47	7.88	32.10	400	239	PEAK																														
Avg	<p>Date: 2024-04-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.09</td> <td>41.55</td> <td>54.00</td> <td>-12.45</td> <td>33.30</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.09	41.55	54.00	-12.45	33.30	32.47	7.88	32.10	400	239	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2487.09	41.55	54.00	-12.45	33.30	32.47	7.88	32.10	400	239	AVERAGE																														



Mode		17																																																																														
		Band Edge - L																																																																														
		2400-2483.5_802.11n_HT40_CH03_2422MHz+LTE_B13_Link_Co-olation																																																																														
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.74</td> <td>62.42</td> <td>74.00</td> <td>-11.58</td> <td>54.48</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>389</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.74	62.42	74.00	-11.58	54.48	32.26	7.76	32.08	389	276	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>99.03</td> <td>-----</td> <td>-----</td> <td>90.96</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>389</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	99.03	-----	-----	90.96	32.33	7.82	32.08	389	276	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.74	62.42	74.00	-11.58	54.48	32.26	7.76	32.08	389	276	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	99.03	-----	-----	90.96	32.33	7.82	32.08	389	276	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>47.38</td> <td>54.00</td> <td>-6.62</td> <td>39.44</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>389</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.52	47.38	54.00	-6.62	39.44	32.26	7.76	32.08	389	276	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>92.40</td> <td>-----</td> <td>-----</td> <td>84.34</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>389</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	92.40	-----	-----	84.34	32.32	7.82	32.08	389	276	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.52	47.38	54.00	-6.62	39.44	32.26	7.76	32.08	389	276	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	92.40	-----	-----	84.34	32.32	7.82	32.08	389	276	AVERAGE																																																																					



Mode	17																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH03_2422MHz+LTE B13 Link Co-colation																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.36</td> <td>49.89</td> <td>74.00</td> <td>-24.11</td> <td>41.62</td> <td>32.48</td> <td>7.89</td> <td>32.10</td> <td>389</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2492.36	49.89	74.00	-24.11	41.62	32.48	7.89	32.10	389	276	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2492.36	49.89	74.00	-24.11	41.62	32.48	7.89	32.10	389	276	PEAK																														
Avg	<p>Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.04</td> <td>39.48</td> <td>54.00</td> <td>-14.52</td> <td>31.23</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>389</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.04	39.48	54.00	-14.52	31.23	32.47	7.88	32.10	389	276	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2486.04	39.48	54.00	-14.52	31.23	32.47	7.88	32.10	389	276	AVERAGE																														



		17																																																																														
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11n_HT40_CH03_2422MHz+LTE_B13_Link_Co-colation																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>62.13</td> <td>74.00</td> <td>-11.87</td> <td>54.19</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>346</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	62.13	74.00	-11.87	54.19	32.26	7.76	32.08	346	234	PEAK	<p style="text-align: right;">Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>97.47</td> <td>-----</td> <td>-----</td> <td>89.41</td> <td>32.32</td> <td>7.82</td> <td>32.08</td> <td>346</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.47	-----	-----	89.41	32.32	7.82	32.08	346	234	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	62.13	74.00	-11.87	54.19	32.26	7.76	32.08	346	234	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	97.47	-----	-----	89.41	32.32	7.82	32.08	346	234	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.86</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>38.50</td> <td>32.26</td> <td>7.76</td> <td>32.08</td> <td>346</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.86	46.44	54.00	-7.56	38.50	32.26	7.76	32.08	346	234	AVERAGE	<p style="text-align: right;">Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>90.87</td> <td>-----</td> <td>-----</td> <td>82.80</td> <td>32.33</td> <td>7.82</td> <td>32.08</td> <td>346</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	90.87	-----	-----	82.80	32.33	7.82	32.08	346	234	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.86	46.44	54.00	-7.56	38.50	32.26	7.76	32.08	346	234	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	90.87	-----	-----	82.80	32.33	7.82	32.08	346	234	AVERAGE																																																																					



		17																																								
Mode	Band Edge - R																																									
	2400-2483.5_802.11n HT40_CH03_2422MHz+LTE B13 Link Co-colation																																									
Pol.	Vertical	Fundamental																																								
Peak	<p style="text-align: right;">Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.09</td> <td>49.48</td> <td>74.00</td> <td>-24.52</td> <td>41.20</td> <td>32.49</td> <td>7.89</td> <td>32.10</td> <td>346</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2495.09	49.48	74.00	-24.52	41.20	32.49	7.89	32.10	346	234	PEAK	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2495.09	49.48	74.00	-24.52	41.20	32.49	7.89	32.10	346	234	PEAK																															
Avg	<p style="text-align: right;">Date: 2024-04-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.82</td> <td>39.95</td> <td>54.00</td> <td>-14.05</td> <td>31.70</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>346</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.82	39.95	54.00	-14.05	31.70	32.47	7.88	32.10	346	234	AVERAGE	Blank	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2486.82	39.95	54.00	-14.05	31.70	32.47	7.88	32.10	346	234	AVERAGE																															



Mode	17																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11n HT40_CH03_2422MHz+LTE B13 Link Co-colation																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4844.00</th> <th>45.35</th> <th>74.00</th> <th>-28.65</th> <th>50.98</th> <th>34.84</th> <th>11.09</th> <th>51.56</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>7266.00</th> <th>46.57</th> <th>74.00</th> <th>-27.43</th> <th>48.36</th> <th>36.31</th> <th>13.05</th> <th>51.15</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> </thead> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	1	4844.00	45.35	74.00	-28.65	50.98	34.84	11.09	51.56	--	--	Peak	2	7266.00	46.57	74.00	-27.43	48.36	36.31	13.05	51.15	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4844.00</th> <th>44.81</th> <th>74.00</th> <th>-29.19</th> <th>50.44</th> <th>34.84</th> <th>11.09</th> <th>51.56</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>7266.00</th> <th>46.80</th> <th>74.00</th> <th>-27.20</th> <th>48.59</th> <th>36.31</th> <th>13.05</th> <th>51.15</th> <th>--</th> <th>--</th> <th>Peak</th> </tr> </thead> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	1	4844.00	44.81	74.00	-29.19	50.44	34.84	11.09	51.56	--	--	Peak	2	7266.00	46.80	74.00	-27.20	48.59	36.31	13.05	51.15	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
1	4844.00	45.35	74.00	-28.65	50.98	34.84	11.09	51.56	--	--	Peak																																																									
2	7266.00	46.57	74.00	-27.43	48.36	36.31	13.05	51.15	--	--	Peak																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
1	4844.00	44.81	74.00	-29.19	50.44	34.84	11.09	51.56	--	--	Peak																																																									
2	7266.00	46.80	74.00	-27.20	48.59	36.31	13.05	51.15	--	--	Peak																																																									


Note: the highest signals over limit is co-location fundamental signal.



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	97.54	1.39	0.719	1KHz
802.11n HT20	97.38	1.3	0.769	1KHz
802.11n HT40	94.74	0.648	1.543	3KHz


802.11b



Date: 29.MAR.2024 11:30:57




802.11g



Date: 29.MAR.2024 11:42:55


802.11n HT20



Date: 29.MAR.2024 11:47:42



802.11n HT40



Date: 29.MAR.2024 11:51:12