









Mode	23																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																																																													
ANT	9+8																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>67.44</td><td>37.61</td><td>11.22</td><td>63.19</td><td>350</td><td>344</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>59.57</td><td>37.61</td><td>11.22</td><td>63.19</td><td>350</td><td>344</td><td>Average</td></tr><tr><td>3</td><td>16530.00</td><td>46.24</td><td>68.30</td><td>-22.06</td><td>58.90</td><td>39.52</td><td>12.92</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11020.00	53.08	74.00	-20.92	67.44	37.61	11.22	63.19	350	344	Peak	2	11020.00	45.21	54.00	-8.79	59.57	37.61	11.22	63.19	350	344	Average	3	16530.00	46.24	68.30	-22.06	58.90	39.52	12.92	65.10	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>54.60</td><td>74.00</td><td>-19.40</td><td>68.96</td><td>37.61</td><td>11.22</td><td>63.19</td><td>243</td><td>328</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>62.02</td><td>37.61</td><td>11.22</td><td>63.19</td><td>243</td><td>328</td><td>Average</td></tr><tr><td>3</td><td>16530.00</td><td>47.62</td><td>68.30</td><td>-20.68</td><td>60.28</td><td>39.52</td><td>12.92</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11020.00	54.60	74.00	-19.40	68.96	37.61	11.22	63.19	243	328	Peak	2	11020.00	47.66	54.00	-6.34	62.02	37.61	11.22	63.19	243	328	Average	3	16530.00	47.62	68.30	-20.68	60.28	39.52	12.92	65.10	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	11020.00	53.08	74.00	-20.92	67.44	37.61	11.22	63.19	350	344	Peak																																																																																																																																			
2	11020.00	45.21	54.00	-8.79	59.57	37.61	11.22	63.19	350	344	Average																																																																																																																																			
3	16530.00	46.24	68.30	-22.06	58.90	39.52	12.92	65.10	--	--	Peak																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	11020.00	54.60	74.00	-19.40	68.96	37.61	11.22	63.19	243	328	Peak																																																																																																																																			
2	11020.00	47.66	54.00	-6.34	62.02	37.61	11.22	63.19	243	328	Average																																																																																																																																			
3	16530.00	47.62	68.30	-20.68	60.28	39.52	12.92	65.10	--	--	Peak																																																																																																																																			



Mode	24																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																						
ANT	9+8																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-09-28  Frequency (MHz)						Level (dBuV/m) Date: 2024-09-28  Frequency (MHz)																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5407.92</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>38.00</td><td>34.82</td><td>8.48</td><td>32.53</td><td>354</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>37.67</td><td>34.87</td><td>8.40</td><td>32.51</td><td>354</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5407.92	48.77	74.00	-25.23	38.00	34.82	8.48	32.53	354	127	PEAK	2	5465.84	48.43	68.30	-19.87	37.67	34.87	8.40	32.51	354	127	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.99</td><td>-----</td><td>-----</td><td>87.05</td><td>35.00</td><td>8.44</td><td>32.50</td><td>354</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	97.99	-----	-----	87.05	35.00	8.44	32.50	354	127
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5407.92	48.77	74.00	-25.23	38.00	34.82	8.48	32.53	354	127	PEAK																																																																																												
2	5465.84	48.43	68.30	-19.87	37.67	34.87	8.40	32.51	354	127	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5670.00	97.99	-----	-----	87.05	35.00	8.44	32.50	354	127	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-09-28  Frequency (MHz)						Level (dBuV/m) Date: 2024-09-28  Frequency (MHz)																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.44</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>29.55</td><td>34.84</td><td>8.45</td><td>32.53</td><td>354</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5427.44	40.31	54.00	-13.69	29.55	34.84	8.45	32.53	354	127	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.61</td><td>-----</td><td>-----</td><td>80.62</td><td>35.00</td><td>8.49</td><td>32.50</td><td>354</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	91.61	-----	-----	80.62	35.00	8.49	32.50	354	127	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5427.44	40.31	54.00	-13.69	29.55	34.84	8.45	32.53	354	127	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5670.00	91.61	-----	-----	80.62	35.00	8.49	32.50	354	127	AVERAGE																																																																																												

Mode	24																															
	Band Edge - R																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																															
ANT	9+8																															
Pol.	Horizontal	Fundamental																														
Peak	Date: 2024-09-28 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5754.46</td><td>50.49</td><td>68.30</td><td>-17.81</td><td>39.16</td><td>35.05</td><td>8.78</td><td>32.50</td><td>354</td><td>127 PEAK</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5754.46	50.49	68.30	-17.81	39.16	35.05	8.78	32.50	354	127 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1 5754.46	50.49	68.30	-17.81	39.16	35.05	8.78	32.50	354	127 PEAK																							



Mode	24																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5420.40</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>38.74</td><td>34.83</td><td>8.46</td><td>32.53</td><td>357</td><td>324 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>48.99</td><td>68.30</td><td>-19.31</td><td>38.23</td><td>34.87</td><td>8.40</td><td>32.51</td><td>357</td><td>324 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5420.40	49.50	74.00	-24.50	38.74	34.83	8.46	32.53	357	324 PEAK	2	5466.80	48.99	68.30	-19.31	38.23	34.87	8.40	32.51	357	324 PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.30</td><td>-----</td><td>-----</td><td>92.36</td><td>35.00</td><td>8.44</td><td>32.50</td><td>357</td><td>324 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.30	-----	-----	92.36	35.00	8.44	32.50	357	324 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5420.40	49.50	74.00	-24.50	38.74	34.83	8.46	32.53	357	324 PEAK																																																																																	
2	5466.80	48.99	68.30	-19.31	38.23	34.87	8.40	32.51	357	324 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5670.00	103.30	-----	-----	92.36	35.00	8.44	32.50	357	324 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>40.48</td><td>54.00</td><td>-13.52</td><td>29.72</td><td>34.86</td><td>8.41</td><td>32.51</td><td>357</td><td>324 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	40.48	54.00	-13.52	29.72	34.86	8.41	32.51	357	324 AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>96.12</td><td>-----</td><td>-----</td><td>85.16</td><td>35.00</td><td>8.46</td><td>32.50</td><td>357</td><td>324 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.12	-----	-----	85.16	35.00	8.46	32.50	357	324 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5459.12	40.48	54.00	-13.52	29.72	34.86	8.41	32.51	357	324 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5670.00	96.12	-----	-----	85.16	35.00	8.46	32.50	357	324 AVERAGE																																																																																	







Mode	24																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																
ANT	9+8																																																
Pol.	Vertical	Fundamental																																															
Peak	Date: 2024-09-28 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5730.71</td><td>52.08</td><td>68.30</td><td>-16.22</td><td>40.84</td><td>35.04</td><td>8.70</td><td>32.50</td><td>357</td><td>324</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5730.71	52.08	68.30	-16.22	40.84	35.04	8.70	32.50	357	324	PEAK	Blank
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5730.71	52.08	68.30	-16.22	40.84	35.04	8.70	32.50	357	324	PEAK																																						





Mode	24																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																																																															
ANT	9+8																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-10-10 Frequency (MHz)						Level (dBuV/m) Date: 2024-10-10 Frequency (MHz)																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11340.00</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>68.11</td><td>37.73</td><td>11.38</td><td>63.00</td><td>288</td><td>352</td><td>Peak</td></tr><tr><td>2</td><td>11340.00</td><td>47.12</td><td>54.00</td><td>-6.88</td><td>61.01</td><td>37.73</td><td>11.38</td><td>63.00</td><td>288</td><td>352</td><td>Average</td></tr><tr><td>3</td><td>17010.00</td><td>47.46</td><td>68.30</td><td>-20.84</td><td>59.53</td><td>39.92</td><td>13.12</td><td>65.11</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	54.22	74.00	-19.78	68.11	37.73	11.38	63.00	288	352	Peak	2	11340.00	47.12	54.00	-6.88	61.01	37.73	11.38	63.00	288	352	Average	3	17010.00	47.46	68.30	-20.84	59.53	39.92	13.12	65.11	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11340.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>68.29</td><td>37.73</td><td>11.38</td><td>63.00</td><td>270</td><td>343</td><td>Peak</td></tr><tr><td>2</td><td>11340.00</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>61.81</td><td>37.73</td><td>11.38</td><td>63.00</td><td>270</td><td>343</td><td>Average</td></tr><tr><td>3</td><td>17010.00</td><td>46.98</td><td>68.30</td><td>-21.32</td><td>59.05</td><td>39.92</td><td>13.12</td><td>65.11</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	54.40	74.00	-19.60	68.29	37.73	11.38	63.00	270	343	Peak	2	11340.00	47.92	54.00	-6.08	61.81	37.73	11.38	63.00	270	343	Average	3	17010.00	46.98	68.30	-21.32	59.05	39.92	13.12	65.11	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11340.00	54.22	74.00	-19.78	68.11	37.73	11.38	63.00	288	352	Peak																																																																																																																																					
2	11340.00	47.12	54.00	-6.88	61.01	37.73	11.38	63.00	288	352	Average																																																																																																																																					
3	17010.00	47.46	68.30	-20.84	59.53	39.92	13.12	65.11	--	--	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11340.00	54.40	74.00	-19.60	68.29	37.73	11.38	63.00	270	343	Peak																																																																																																																																					
2	11340.00	47.92	54.00	-6.08	61.81	37.73	11.38	63.00	270	343	Average																																																																																																																																					
3	17010.00	46.98	68.30	-21.32	59.05	39.92	13.12	65.11	--	--	Peak																																																																																																																																					







Mode	25																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	 Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5138.18</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>41.43</td><td>34.61</td><td>7.91</td><td>32.64</td><td>351 131 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5138.18	51.31	74.00	-22.69	41.43	34.61	7.91	32.64	351 131 PEAK	 Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>93.26</td><td>-----</td><td>-----</td><td>83.27</td><td>34.66</td><td>7.95</td><td>32.62</td><td>351 131 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5210.00	93.26	-----	-----	83.27	34.66	7.95	32.62	351 131 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																										
1 5138.18	51.31	74.00	-22.69	41.43	34.61	7.91	32.64	351 131 PEAK																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																										
1 5210.00	93.26	-----	-----	83.27	34.66	7.95	32.62	351 131 PEAK																																																																										
Avg	 Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5137.34</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>35.19</td><td>34.61</td><td>7.91</td><td>32.64</td><td>351 131 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5137.34	45.07	54.00	-8.93	35.19	34.61	7.91	32.64	351 131 AVERAGE	 Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>86.09</td><td>-----</td><td>-----</td><td>76.10</td><td>34.66</td><td>7.95</td><td>32.62</td><td>351 131 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5210.00	86.09	-----	-----	76.10	34.66	7.95	32.62	351 131 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																										
1 5137.34	45.07	54.00	-8.93	35.19	34.61	7.91	32.64	351 131 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																										
1 5210.00	86.09	-----	-----	76.10	34.66	7.95	32.62	351 131 AVERAGE																																																																										



Mode	25																																
	Band Edge - R																																
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																
ANT	9+8																																
Pol.	Horizontal	Fundamental																															
Peak	Date: 2024-09-28 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.75</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>38.87</td><td>34.86</td><td>8.42</td><td>32.51</td><td>351</td><td>131 PEAK</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.75	49.64	74.00	-24.36	38.87	34.86	8.42	32.51	351	131 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																								
1	5453.75	49.64	74.00	-24.36	38.87	34.86	8.42	32.51	351	131 PEAK																							
Avg	Date: 2024-09-28 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.75</td><td>41.91</td><td>54.00</td><td>-12.09</td><td>31.15</td><td>34.85</td><td>8.43</td><td>32.52</td><td>351</td><td>131 AVERAGE</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.75	41.91	54.00	-12.09	31.15	34.85	8.43	32.52	351	131 AVERAGE	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																								
1	5444.75	41.91	54.00	-12.09	31.15	34.85	8.43	32.52	351	131 AVERAGE																							





Mode	25																																																																																
	Band Edge - L																																																																																
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																
ANT	9+8																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5138.60</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>44.29</td><td>34.61</td><td>7.91</td><td>32.64</td><td>400 327 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5138.60	54.17	74.00	-19.83	44.29	34.61	7.91	32.64	400 327 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5210.00</td><td>97.16</td><td>-----</td><td>-----</td><td>87.08</td><td>34.68</td><td>8.01</td><td>32.61</td><td>400 327 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5210.00	97.16	-----	-----	87.08	34.68	8.01	32.61
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 5138.60	54.17	74.00	-19.83	44.29	34.61	7.91	32.64	400 327 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 5210.00	97.16	-----	-----	87.08	34.68	8.01	32.61	400 327 PEAK																																																																									
Avg																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5145.53</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>38.71</td><td>34.62</td><td>7.92</td><td>32.64</td><td>400 327 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5145.53	48.61	54.00	-5.39	38.71	34.62	7.92	32.64	400 327 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5210.00</td><td>88.67</td><td>-----</td><td>-----</td><td>78.51</td><td>34.70</td><td>8.06</td><td>32.60</td><td>400 327 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5210.00	88.67	-----	-----	78.51	34.70	8.06	32.60
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 5145.53	48.61	54.00	-5.39	38.71	34.62	7.92	32.64	400 327 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 5210.00	88.67	-----	-----	78.51	34.70	8.06	32.60	400 327 AVERAGE																																																																									



Mode	25																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																										
ANT	9+8																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2024-09-28 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5417.50</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>38.17</td><td>34.83</td><td>8.47</td><td>32.53</td><td>400</td><td>327 PEAK</td></tr></table>					Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5417.50	48.94	74.00	-25.06	38.17	34.83	8.47	32.53	400	327 PEAK	Blank				
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5417.50	48.94	74.00	-25.06	38.17	34.83	8.47	32.53	400	327 PEAK																																	
Avg	Date: 2024-09-28 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5387.00</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>31.09</td><td>34.81</td><td>8.43</td><td>32.54</td><td>400</td><td>327 AVERAGE</td></tr></table>					Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5387.00	41.79	54.00	-12.21	31.09	34.81	8.43	32.54	400	327 AVERAGE	Blank				
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5387.00	41.79	54.00	-12.21	31.09	34.81	8.43	32.54	400	327 AVERAGE																																	



Mode	25																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																					
ANT	9+8																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>10420.00</td><td>47.05</td><td>68.30</td><td>-21.25</td><td>63.60</td><td>37.40</td><td>10.77</td><td>64.72</td></tr><tr><td>2</td><td>15630.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>59.68</td><td>39.00</td><td>12.72</td><td>63.56</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10420.00	47.05	68.30	-21.25	63.60	37.40	10.77	64.72	2	15630.00	47.84	74.00	-26.16	59.68	39.00	12.72	63.56	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>10420.00</td><td>46.29</td><td>68.30</td><td>-22.01</td><td>62.84</td><td>37.40</td><td>10.77</td><td>64.72</td></tr><tr><td>2</td><td>15630.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>59.41</td><td>39.00</td><td>12.72</td><td>63.56</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10420.00	46.29	68.30	-22.01	62.84	37.40	10.77	64.72	2	15630.00	47.57	74.00	-26.43	59.41	39.00	12.72	63.56
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	10420.00	47.05	68.30	-21.25	63.60	37.40	10.77	64.72																																																																																														
2	15630.00	47.84	74.00	-26.16	59.68	39.00	12.72	63.56																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	10420.00	46.29	68.30	-22.01	62.84	37.40	10.77	64.72																																																																																														
2	15630.00	47.57	74.00	-26.43	59.41	39.00	12.72	63.56																																																																																														



Mode	26	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	9+8	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-09-28 1 5094.54 49.90 74.00 -24.10 40.10 34.58 7.88 32.66 347 130 PEAK	Level (dBuV/m) Date: 2024-09-28 1 5290.00 92.52 ----- 82.18 34.74 8.18 32.58 347 130 PEAK
	Level (dBuV/m) Date: 2024-09-28 1 5058.87 43.18 54.00 -10.82 33.45 34.55 7.86 32.68 347 130 AVERAGE	Level (dBuV/m) Date: 2024-09-28 1 5290.00 85.01 ----- 74.58 34.75 8.25 32.57 347 130 AVERAGE



Mode	26																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																		
ANT	9+8																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-09-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.65</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>40.97</td><td>34.79</td><td>8.37</td><td>32.55</td><td>347</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5358.65	51.58	74.00	-22.42	40.97	34.79	8.37	32.55	347	130	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5358.65	51.58	74.00	-22.42	40.97	34.79	8.37	32.55	347	130	PEAK																																								
Avg	Date: 2024-09-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.18</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>34.55</td><td>34.78</td><td>8.33</td><td>32.56</td><td>347</td><td>130</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.18	45.10	54.00	-8.90	34.55	34.78	8.33	32.56	347	130	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.18	45.10	54.00	-8.90	34.55	34.78	8.33	32.56	347	130	AVERAGE																																								





Mode	26																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																									
ANT	9+8																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5111.36</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>41.19</td><td>34.59</td><td>7.89</td><td>32.66</td><td>200</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5111.36	51.01	74.00	-22.99	41.19	34.59	7.89	32.66	200	285	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.19</td><td>-----</td><td>-----</td><td>87.76</td><td>34.75</td><td>8.25</td><td>32.57</td><td>200</td><td>285</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	98.19	-----	-----	87.76	34.75	8.25	32.57	200	285
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5111.36	51.01	74.00	-22.99	41.19	34.59	7.89	32.66	200	285	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	98.19	-----	-----	87.76	34.75	8.25	32.57	200	285	PEAK																																																																															
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.39</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>34.12</td><td>34.62</td><td>7.91</td><td>32.64</td><td>200</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5142.39	44.01	54.00	-9.99	34.12	34.62	7.91	32.64	200	285	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>90.49</td><td>-----</td><td>-----</td><td>80.08</td><td>34.75</td><td>8.23</td><td>32.57</td><td>200</td><td>285</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	90.49	-----	-----	80.08	34.75	8.23	32.57	200	285
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5142.39	44.01	54.00	-9.99	34.12	34.62	7.91	32.64	200	285	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	90.49	-----	-----	80.08	34.75	8.23	32.57	200	285	AVERAGE																																																																															



Mode	26																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																			
ANT	9+8																																																			
Pol.	Vertical						Fundamental																																													
Peak	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.92</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>44.43</td><td>34.78</td><td>8.34</td><td>32.56</td><td>200</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.92	54.99	74.00	-19.01	44.43	34.78	8.34	32.56	200	285	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5353.92	54.99	74.00	-19.01	44.43	34.78	8.34	32.56	200	285	PEAK																																									
Avg	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.58</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>37.69</td><td>34.78</td><td>8.34</td><td>32.56</td><td>200</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.58	48.25	54.00	-5.75	37.69	34.78	8.34	32.56	200	285	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5353.58	48.25	54.00	-5.75	37.69	34.78	8.34	32.56	200	285	AVERAGE																																									



Mode	26																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																																			
ANT	9+8																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-10-08 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>61.81</td><td>37.63</td><td>11.24</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>46.59</td><td>68.30</td><td>-21.71</td><td>59.17</td><td>39.57</td><td>12.95</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11060.00	47.52	74.00	-26.48	61.81	37.63	11.24	63.16	--	--	Peak	2	16590.00	46.59	68.30	-21.71	59.17	39.57	12.95	65.10	--	--	Peak	Level (dBuV/m) Date: 2024-10-08 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>61.18</td><td>37.63</td><td>11.24</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.12</td><td>68.30</td><td>-20.18</td><td>60.70</td><td>39.57</td><td>12.95</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11060.00	46.89	74.00	-27.11	61.18	37.63	11.24	63.16	--	--	Peak	2	16590.00	48.12	68.30	-20.18	60.70	39.57	12.95	65.10	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11060.00	47.52	74.00	-26.48	61.81	37.63	11.24	63.16	--	--	Peak																																																																																																									
2	16590.00	46.59	68.30	-21.71	59.17	39.57	12.95	65.10	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11060.00	46.89	74.00	-27.11	61.18	37.63	11.24	63.16	--	--	Peak																																																																																																									
2	16590.00	48.12	68.30	-20.18	60.70	39.57	12.95	65.10	--	--	Peak																																																																																																									



Mode	27																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																													
ANT	9+8																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>42.43</td><td>34.86</td><td>8.41</td><td>32.51</td><td>130</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>5462.68</td><td>50.92</td><td>68.30</td><td>-17.38</td><td>40.15</td><td>34.87</td><td>8.41</td><td>32.51</td><td>130</td><td>141</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.00	53.19	74.00	-20.81	42.43	34.86	8.41	32.51	130	141	PEAK	2	5462.68	50.92	68.30	-17.38	40.15	34.87	8.41	32.51	130	141	PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>92.17</td><td>-----</td><td>-----</td><td>81.42</td><td>34.89</td><td>8.36</td><td>32.50</td><td>130</td><td>141</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	92.17	-----	-----	81.42	34.89	8.36	32.50	130	141	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5458.00	53.19	74.00	-20.81	42.43	34.86	8.41	32.51	130	141	PEAK																																																																																			
2	5462.68	50.92	68.30	-17.38	40.15	34.87	8.41	32.51	130	141	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5530.00	92.17	-----	-----	81.42	34.89	8.36	32.50	130	141	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.30</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>34.79</td><td>34.85</td><td>8.44</td><td>32.52</td><td>130</td><td>141</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5437.30	45.56	54.00	-8.44	34.79	34.85	8.44	32.52	130	141	AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>85.70</td><td>-----</td><td>-----</td><td>74.97</td><td>34.91</td><td>8.32</td><td>32.50</td><td>130</td><td>141</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	85.70	-----	-----	74.97	34.91	8.32	32.50	130	141	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5437.30	45.56	54.00	-8.44	34.79	34.85	8.44	32.52	130	141	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5530.00	85.70	-----	-----	74.97	34.91	8.32	32.50	130	141	AVERAGE																																																																																			

Mode

27

Band Edge - L

U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz

ANT

9+8

Pol.

Vertical

Peak

Level (dBuV/m)

Date: 2024-09-28

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5350

5386.

5422.

5458.

5494.

5530

1

5438.56

55.94

74.00

-18.06

45.17

34.85

8.44

32.52

200

251

PEAK

2

5465.56

53.24

68.30

-15.06

42.48

34.87

8.40

32.51

200

251

PEAK

Limit

Read

Ant

Cable Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

Fundamental

Level (dBuV/m)

Date: 2024-09-28

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2200.

3400.

4600.

5800.

7000

1

5530.00

94.64

83.91

34.91

8.32

32.50

200

251

PEAK

Limit

Read

Ant

Cable Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

Level (dBuV/m)

Date: 2024-09-28

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5350

5386.

5422.

5458.

5494.

5530

1

5438.20

48.97

54.00

-5.03

38.20

34.85

8.44

32.52

200

251

AVERAGE

Limit

Read

Ant

Cable Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

Level (dBuV/m)

Date: 2024-09-28

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2200.

3400.

4600.

5800.

7000

1

5530.00

89.59

78.86

34.91

8.32

32.50

200

251

AVERAGE

Limit

Read

Ant

Cable Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg



Mode	27																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																										
ANT	9+8																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.50</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>40.60</td><td>35.05</td><td>8.75</td><td>32.50</td><td>200</td><td>251</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.50	51.90	68.30	-16.40	40.60	35.05	8.75	32.50	200	251	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5745.50	51.90	68.30	-16.40	40.60	35.05	8.75	32.50	200	251	PEAK																																



Mode	27																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																	
ANT	9+8																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11060.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>62.10</td><td>37.63</td><td>11.24 63.16</td></tr><tr><td>2</td><td>16590.00</td><td>45.03</td><td>68.30</td><td>-23.27</td><td>57.61</td><td>39.57</td><td>12.95 65.10</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11060.00	47.81	74.00	-26.19	62.10	37.63	11.24 63.16	2	16590.00	45.03	68.30	-23.27	57.61	39.57	12.95 65.10	Level (dBuV/m) Date: 2024-10-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11060.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>62.06</td><td>37.63</td><td>11.24 63.16</td></tr><tr><td>2</td><td>16590.00</td><td>45.45</td><td>68.30</td><td>-22.85</td><td>58.03</td><td>39.57</td><td>12.95 65.10</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11060.00	47.77	74.00	-26.23	62.06	37.63	11.24 63.16	2	16590.00	45.45	68.30	-22.85	58.03	39.57	12.95 65.10
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11060.00	47.81	74.00	-26.19	62.10	37.63	11.24 63.16																																																																											
2	16590.00	45.03	68.30	-23.27	57.61	39.57	12.95 65.10																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11060.00	47.77	74.00	-26.23	62.06	37.63	11.24 63.16																																																																											
2	16590.00	45.45	68.30	-22.85	58.03	39.57	12.95 65.10																																																																											
	Limit Date: 2024-09-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11060.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>62.10</td><td>37.63</td><td>11.24 63.16</td></tr><tr><td>2</td><td>16590.00</td><td>45.03</td><td>68.30</td><td>-23.27</td><td>57.61</td><td>39.57</td><td>12.95 65.10</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11060.00	47.81	74.00	-26.19	62.10	37.63	11.24 63.16	2	16590.00	45.03	68.30	-23.27	57.61	39.57	12.95 65.10	Limit Date: 2024-10-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11060.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>62.06</td><td>37.63</td><td>11.24 63.16</td></tr><tr><td>2</td><td>16590.00</td><td>45.45</td><td>68.30</td><td>-22.85</td><td>58.03</td><td>39.57</td><td>12.95 65.10</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11060.00	47.77	74.00	-26.23	62.06	37.63	11.24 63.16	2	16590.00	45.45	68.30	-22.85	58.03	39.57	12.95 65.10
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11060.00	47.81	74.00	-26.19	62.10	37.63	11.24 63.16																																																																											
2	16590.00	45.03	68.30	-23.27	57.61	39.57	12.95 65.10																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11060.00	47.77	74.00	-26.23	62.06	37.63	11.24 63.16																																																																											
2	16590.00	45.45	68.30	-22.85	58.03	39.57	12.95 65.10																																																																											

Mode

28

Band Edge - L

U-II-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz

ANT

9+8

Pol.

Horizontal

Peak

Date: 2024-09-28

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5350

5402

5454

5506

5558

5610

1

2

PART 15.407

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm			
1	5435.28	51.95	74.00	-22.05	41.18	34.85	8.44	32.52	100	137	PEAK
2	5460.24	51.60	68.30	-16.70	40.84	34.86	8.41	32.51	100	137	PEAK

Fundamental

Peak

Date: 2024-09-28

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2200

3400

4600

5800

7000

1

PART 15.407

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm			
1	5610.00	97.64	-----	-----	86.91	34.97	8.26	32.50	100	137	PEAK

Avg

Horizontal

Avg

Date: 2024-09-28

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5350

5402

5454

5506

5558

5610

1

PART 15.407 AVG

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm			
1	5455.56	44.06	54.00	-9.94	33.29	34.86	8.42	32.51	100	137	AVERAGE

Fundamental

Avg

Date: 2024-09-28

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2200

3400

4600

5800

7000

1

PART 15.407 AVG

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm			
1	5610.00	91.36	-----	-----	80.58	34.97	8.31	32.50	100	137	AVERAGE



		28																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																					
ANT		9+8																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5441.26</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>42.22</td><td>34.85</td><td>8.43</td><td>32.52</td><td>300</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5461.28</td><td>55.13</td><td>68.30</td><td>-13.17</td><td>44.36</td><td>34.87</td><td>8.41</td><td>32.51</td><td>300</td><td>283</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.73</td><td>-----</td><td>-----</td><td>90.03</td><td>34.96</td><td>8.24</td><td>32.50</td><td>300</td><td>283</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.26	52.98	74.00	-21.02	42.22	34.85	8.43	32.52	300	283	PEAK	2	5461.28	55.13	68.30	-13.17	44.36	34.87	8.41	32.51	300	283	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.73	-----	-----	90.03	34.96	8.24	32.50	300	283	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5441.26	52.98	74.00	-21.02	42.22	34.85	8.43	32.52	300	283	PEAK																																																																																												
2	5461.28	55.13	68.30	-13.17	44.36	34.87	8.41	32.51	300	283	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	100.73	-----	-----	90.03	34.96	8.24	32.50	300	283	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.40</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>35.80</td><td>34.86</td><td>8.42</td><td>32.52</td><td>300</td><td>283</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.82</td><td>-----</td><td>-----</td><td>84.12</td><td>34.96</td><td>8.24</td><td>32.50</td><td>300</td><td>283</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.40	46.56	54.00	-7.44	35.80	34.86	8.42	32.52	300	283	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.82	-----	-----	84.12	34.96	8.24	32.50	300	283	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5451.40	46.56	54.00	-7.44	35.80	34.86	8.42	32.52	300	283	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	94.82	-----	-----	84.12	34.96	8.24	32.50	300	283	AVERAGE																																																																																												







Mode	28																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																								
ANT	9+8																																								
Pol.	Vertical	Fundamental																																							
Peak	Date: 2024-09-28 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5727.65</td><td>54.19</td><td>68.30</td><td>-14.11</td><td>42.97</td><td>35.04</td><td>8.68</td><td>32.50</td><td>300</td><td>283 PEAK</td></tr></table> Blank	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5727.65	54.19	68.30	-14.11	42.97	35.04	8.68	32.50	300	283 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5727.65	54.19	68.30	-14.11	42.97	35.04	8.68	32.50	300	283 PEAK																															





		28																																																																							
Mode	Harmonic																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																								
ANT	9+8																																																																								
Pol.	Horizontal																																																																								
Peak Avg	Data: 4 Date: 2024-10-08 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>53.36</td><td>-20.64</td><td>74.00</td><td>67.42</td><td>37.69</td><td>11.32</td><td>63.07</td><td>270</td><td>346 Peak</td></tr><tr><td>2</td><td>11220.00</td><td>46.19</td><td>-7.81</td><td>54.00</td><td>60.25</td><td>37.69</td><td>11.32</td><td>63.07</td><td>270</td><td>346 Average</td></tr><tr><td>3</td><td>16830.00</td><td>47.17</td><td>-21.13</td><td>68.30</td><td>59.46</td><td>39.76</td><td>13.05</td><td>65.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	53.36	-20.64	74.00	67.42	37.69	11.32	63.07	270	346 Peak	2	11220.00	46.19	-7.81	54.00	60.25	37.69	11.32	63.07	270	346 Average	3	16830.00	47.17	-21.13	68.30	59.46	39.76	13.05	65.10	---	---	Peak
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																
	Freq	Level	Limit	Level	Factor	Loss	Factor																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	11220.00	53.36	-20.64	74.00	67.42	37.69	11.32	63.07	270	346 Peak																																																															
2	11220.00	46.19	-7.81	54.00	60.25	37.69	11.32	63.07	270	346 Average																																																															
3	16830.00	47.17	-21.13	68.30	59.46	39.76	13.05	65.10	---	---	Peak																																																														
Data: 5 Date: 2024-10-08 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>54.89</td><td>-19.11</td><td>74.00</td><td>68.95</td><td>37.69</td><td>11.32</td><td>63.07</td><td>278</td><td>340 Peak</td></tr><tr><td>2</td><td>11220.00</td><td>47.63</td><td>-6.37</td><td>54.00</td><td>61.69</td><td>37.69</td><td>11.32</td><td>63.07</td><td>278</td><td>340 Average</td></tr><tr><td>3</td><td>16830.00</td><td>46.16</td><td>-22.14</td><td>68.30</td><td>58.45</td><td>39.76</td><td>13.05</td><td>65.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	54.89	-19.11	74.00	68.95	37.69	11.32	63.07	278	340 Peak	2	11220.00	47.63	-6.37	54.00	61.69	37.69	11.32	63.07	278	340 Average	3	16830.00	46.16	-22.14	68.30	58.45	39.76	13.05	65.10	---	---	Peak	
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																
1	11220.00	54.89	-19.11	74.00	68.95	37.69	11.32	63.07	278	340 Peak																																																															
2	11220.00	47.63	-6.37	54.00	61.69	37.69	11.32	63.07	278	340 Average																																																															
3	16830.00	46.16	-22.14	68.30	58.45	39.76	13.05	65.10	---	---	Peak																																																														



		29																																																																														
Mode		Band Edge - L																																																																														
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																														
ANT		9+8																																																																														
Pol.		Horizontal					Fundamental																																																																									
Peak	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5250 MHz. A red line indicates the limit at 70.0 dBuV/m. The blue line shows the measured signal, which is below the limit until 5100 MHz, then rises to approximately 85 dBuV/m. A peak is labeled PART 15.407.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 70.0 dBuV/m. The blue line shows the measured signal, which is below the limit until 5100 MHz, then rises to approximately 85 dBuV/m. A peak is labeled PART 15.407.																																																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5100.50	54.45	74.00	-19.55	44.64	34.58	7.89	32.66	161	121	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.44</td><td>-----</td><td>-----</td><td>81.31</td><td>34.69</td><td>8.04</td><td>32.60</td><td>161</td><td>121</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	91.44	-----	-----	81.31	34.69	8.04	32.60	161	121
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5100.50	54.45	74.00	-19.55	44.64	34.58	7.89	32.66	161	121	PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5250.00	91.44	-----	-----	81.31	34.69	8.04	32.60	161	121	PEAK																																																																					
Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5250 MHz. A red line indicates the limit at 70.0 dBuV/m. The blue line shows the measured signal, which is below the limit until 5100 MHz, then rises to approximately 85 dBuV/m. A peak is labeled PART 15.407 AVG.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 70.0 dBuV/m. The blue line shows the measured signal, which is below the limit until 5100 MHz, then rises to approximately 85 dBuV/m. A peak is labeled PART 15.407 AVG.																																																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5106.00	45.21	54.00	-8.79	35.39	34.59	7.89	32.66	161	121	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>81.40</td><td>-----</td><td>-----</td><td>71.34</td><td>34.68</td><td>7.99</td><td>32.61</td><td>161</td><td>121</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	81.40	-----	-----	71.34	34.68	7.99	32.61	161	121
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5106.00	45.21	54.00	-8.79	35.39	34.59	7.89	32.66	161	121	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5250.00	81.40	-----	-----	71.34	34.68	7.99	32.61	161	121	AVERAGE																																																																					







Mode	29																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																			
ANT	9+8																																																			
Pol.	Horizontal							Fundamental																																												
Peak	Date: 2024-09-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.88</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>41.71</td><td>34.79</td><td>8.36</td><td>32.55</td><td>161</td><td>121</td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.88	52.31	74.00	-21.69	41.71	34.79	8.36	32.55	161	121	PEAK	Blank			
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5360.88	52.31	74.00	-21.69	41.71	34.79	8.36	32.55	161	121	PEAK																																									
Avg	Date: 2024-09-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.00</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>32.32</td><td>34.78</td><td>8.34</td><td>32.55</td><td>161</td><td>121</td><td>AVERAGE</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.00	42.89	54.00	-11.11	32.32	34.78	8.34	32.55	161	121	AVERAGE	Blank			
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5355.00	42.89	54.00	-11.11	32.32	34.78	8.34	32.55	161	121	AVERAGE																																									



Mode	29																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																															
ANT	9+8																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2024-09-28 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5144.00</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>45.02</td><td>34.62</td><td>7.91</td><td>32.64</td><td>200</td><td>304 PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5144.00	54.91	74.00	-19.09	45.02	34.62	7.91	32.64	200	304 PEAK	Level (dBuV/m) Date: 2024-09-28 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>94.37</td><td>-----</td><td>-----</td><td>84.10</td><td>34.72</td><td>8.14</td><td>32.59</td><td>200</td><td>304 PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	94.37	-----	-----	84.10	34.72	8.14	32.59	200	304 PEAK
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5144.00	54.91	74.00	-19.09	45.02	34.62	7.91	32.64	200	304 PEAK																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5250.00	94.37	-----	-----	84.10	34.72	8.14	32.59	200	304 PEAK																																																																							
Avg	Level (dBuV/m) Date: 2024-09-28 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5144.75</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>35.69</td><td>34.62</td><td>7.92</td><td>32.64</td><td>200</td><td>304 AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5144.75	45.59	54.00	-8.41	35.69	34.62	7.92	32.64	200	304 AVERAGE	Level (dBuV/m) Date: 2024-09-28 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>84.29</td><td>-----</td><td>-----</td><td>74.18</td><td>34.69</td><td>8.02</td><td>32.60</td><td>200</td><td>304 AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	84.29	-----	-----	74.18	34.69	8.02	32.60	200	304 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5144.75	45.59	54.00	-8.41	35.69	34.62	7.92	32.64	200	304 AVERAGE																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5250.00	84.29	-----	-----	74.18	34.69	8.02	32.60	200	304 AVERAGE																																																																							



		30																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																				
ANT		9+8																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2024-09-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5410.50</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>43.09</td><td>34.83</td><td>8.48</td><td>32.53</td><td>181</td><td>52</td><td>PEAK</td></tr><tr><td>2</td><td>5465.94</td><td>53.91</td><td>68.30</td><td>-14.39</td><td>43.15</td><td>34.87</td><td>8.40</td><td>32.51</td><td>181</td><td>52</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5410.50	53.87	74.00	-20.13	43.09	34.83	8.48	32.53	181	52	PEAK	2	5465.94	53.91	68.30	-14.39	43.15	34.87	8.40	32.51	181	52	PEAK	Level (dBuV/m) Date: 2024-09-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>92.62</td><td>-----</td><td>-----</td><td>81.91</td><td>34.94</td><td>8.27</td><td>32.50</td><td>181</td><td>52</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	92.62	-----	-----	81.91	34.94	8.27	32.50	181	52	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5410.50	53.87	74.00	-20.13	43.09	34.83	8.48	32.53	181	52	PEAK																																																																																											
2	5465.94	53.91	68.30	-14.39	43.15	34.87	8.40	32.51	181	52	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	92.62	-----	-----	81.91	34.94	8.27	32.50	181	52	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-09-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.34</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>33.30</td><td>34.86</td><td>8.42</td><td>32.52</td><td>181</td><td>52</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.34	44.06	54.00	-9.94	33.30	34.86	8.42	32.52	181	52	AVERAGE	Level (dBuV/m) Date: 2024-09-28  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>83.86</td><td>-----</td><td>-----</td><td>73.14</td><td>34.93</td><td>8.29</td><td>32.50</td><td>181</td><td>52</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	83.86	-----	-----	73.14	34.93	8.29	32.50	181	52	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5448.34	44.06	54.00	-9.94	33.30	34.86	8.42	32.52	181	52	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	83.86	-----	-----	73.14	34.93	8.29	32.50	181	52	AVERAGE																																																																																											




Mode	30																																																												
	Band Edge - R																																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																												
ANT	9+8																																																												
Pol.	Horizontal	Fundamental																																																											
Peak	Date: 2024-09-28 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>5745.11</td><td>52.44</td><td>68.30</td><td>-15.86</td><td>41.14</td><td>35.05</td><td>8.75</td><td>32.50</td><td>181</td><td>52</td><td colspan="3">PEAK</td><td></td></tr></table>			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg						1	5745.11	52.44	68.30	-15.86	41.14	35.05	8.75	32.50	181	52	PEAK				Blank
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																						
MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																				
1	5745.11	52.44	68.30	-15.86	41.14	35.05	8.75	32.50	181	52	PEAK																																																		



Mode	30																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																						
ANT	9+8																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5421.50</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>47.96</td><td>34.83</td><td>8.46</td><td>32.53</td><td>200</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>5467.48</td><td>56.76</td><td>68.30</td><td>-11.54</td><td>46.00</td><td>34.87</td><td>8.40</td><td>32.51</td><td>200</td><td>282</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5421.50	58.72	74.00	-15.28	47.96	34.83	8.46	32.53	200	282	PEAK	2	5467.48	56.76	68.30	-11.54	46.00	34.87	8.40	32.51	200	282	PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.84</td><td>-----</td><td>-----</td><td>85.12</td><td>34.93</td><td>8.29</td><td>32.50</td><td>200</td><td>282</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	95.84	-----	-----	85.12	34.93	8.29	32.50	200	282	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5421.50	58.72	74.00	-15.28	47.96	34.83	8.46	32.53	200	282	PEAK																																																																																												
2	5467.48	56.76	68.30	-11.54	46.00	34.87	8.40	32.51	200	282	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5570.00	95.84	-----	-----	85.12	34.93	8.29	32.50	200	282	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5425.02</td><td>48.29</td><td>54.00</td><td>-5.71</td><td>37.52</td><td>34.84</td><td>8.46</td><td>32.53</td><td>200</td><td>282</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5425.02	48.29	54.00	-5.71	37.52	34.84	8.46	32.53	200	282	AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>88.03</td><td>-----</td><td>-----</td><td>77.32</td><td>34.93</td><td>8.28</td><td>32.50</td><td>200</td><td>282</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	88.03	-----	-----	77.32	34.93	8.28	32.50	200	282	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5425.02	48.29	54.00	-5.71	37.52	34.84	8.46	32.53	200	282	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5570.00	88.03	-----	-----	77.32	34.93	8.28	32.50	200	282	AVERAGE																																																																																												





Mode	30																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																												
ANT	9+8																																												
Pol.	Vertical	Fundamental																																											
Peak	Date: 2024-09-28 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.76</td><td>52.97</td><td>68.30</td><td>-15.33</td><td>41.75</td><td>35.04</td><td>8.68</td><td>32.50</td><td>200</td><td>282 PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.76	52.97	68.30	-15.33	41.75	35.04	8.68	32.50	200	282 PEAK	Blank
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5727.76	52.97	68.30	-15.33	41.75	35.04	8.68	32.50	200	282 PEAK																																			





Mode	31																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
ANT	9+8																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5621.46</td><td>50.42</td><td>68.30</td><td>-17.88</td><td>39.66</td><td>34.97</td><td>8.29</td><td>32.50</td><td>338</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>5651.19</td><td>49.54</td><td>69.18</td><td>-19.64</td><td>38.65</td><td>34.99</td><td>8.40</td><td>32.50</td><td>338</td><td>280</td><td>PEAK</td></tr><tr><td>3</td><td>5719.63</td><td>61.02</td><td>110.70</td><td>-49.68</td><td>49.84</td><td>35.03</td><td>8.65</td><td>32.50</td><td>338</td><td>280</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>59.05</td><td>110.94</td><td>-51.89</td><td>47.86</td><td>35.03</td><td>8.66</td><td>32.50</td><td>338</td><td>280</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.46	50.42	68.30	-17.88	39.66	34.97	8.29	32.50	338	280	PEAK	2	5651.19	49.54	69.18	-19.64	38.65	34.99	8.40	32.50	338	280	PEAK	3	5719.63	61.02	110.70	-49.68	49.84	35.03	8.65	32.50	338	280	PEAK	4	5720.06	59.05	110.94	-51.89	47.86	35.03	8.66	32.50	338	280	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.64</td><td>-----</td><td>-----</td><td>98.34</td><td>35.05</td><td>8.75</td><td>32.50</td><td>338</td><td>280</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.64	-----	-----	98.34	35.05	8.75	32.50	338	280	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5621.46	50.42	68.30	-17.88	39.66	34.97	8.29	32.50	338	280	PEAK																																																																																																																				
2	5651.19	49.54	69.18	-19.64	38.65	34.99	8.40	32.50	338	280	PEAK																																																																																																																				
3	5719.63	61.02	110.70	-49.68	49.84	35.03	8.65	32.50	338	280	PEAK																																																																																																																				
4	5720.06	59.05	110.94	-51.89	47.86	35.03	8.66	32.50	338	280	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	109.64	-----	-----	98.34	35.05	8.75	32.50	338	280	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.46</td><td>-----</td><td>-----</td><td>92.16</td><td>35.05</td><td>8.75</td><td>32.50</td><td>338</td><td>280</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.46	-----	-----	92.16	35.05	8.75	32.50	338	280	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	103.46	-----	-----	92.16	35.05	8.75	32.50	338	280	AVERAGE																																																																																																																				



Mode	31																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																											
ANT	9+8																																																																											
Pol.	Horizontal																																																																											
Peak Avg	Date: 2024-09-30 																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>67.22</td><td>37.79</td><td>11.45</td><td>62.91</td><td>158</td><td>12</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>60.11</td><td>37.79</td><td>11.45</td><td>62.91</td><td>158</td><td>12</td><td>Average</td></tr><tr><td>3</td><td>17235.00</td><td>46.55</td><td>68.30</td><td>-21.75</td><td>58.40</td><td>40.27</td><td>13.17</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.55	74.00	-20.45	67.22	37.79	11.45	62.91	158	12	Peak	2	11490.00	46.44	54.00	-7.56	60.11	37.79	11.45	62.91	158	12	Average	3	17235.00	46.55	68.30	-21.75	58.40	40.27	13.17	65.29	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	11490.00	53.55	74.00	-20.45	67.22	37.79	11.45	62.91	158	12	Peak																																																																	
2	11490.00	46.44	54.00	-7.56	60.11	37.79	11.45	62.91	158	12	Average																																																																	
3	17235.00	46.55	68.30	-21.75	58.40	40.27	13.17	65.29	--	--	Peak																																																																	
Peak Avg	Date: 2024-09-30 																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>68.29</td><td>37.79</td><td>11.45</td><td>62.91</td><td>163</td><td>343</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>61.60</td><td>37.79</td><td>11.45</td><td>62.91</td><td>163</td><td>343</td><td>Average</td></tr><tr><td>3</td><td>17235.00</td><td>46.38</td><td>68.30</td><td>-21.92</td><td>58.23</td><td>40.27</td><td>13.17</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.62	74.00	-19.38	68.29	37.79	11.45	62.91	163	343	Peak	2	11490.00	47.93	54.00	-6.07	61.60	37.79	11.45	62.91	163	343	Average	3	17235.00	46.38	68.30	-21.92	58.23	40.27	13.17	65.29	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	11490.00	54.62	74.00	-19.38	68.29	37.79	11.45	62.91	163	343	Peak																																																																	
2	11490.00	47.93	54.00	-6.07	61.60	37.79	11.45	62.91	163	343	Average																																																																	
3	17235.00	46.38	68.30	-21.92	58.23	40.27	13.17	65.29	--	--	Peak																																																																	






Mode	32																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																													
ANT	9+8																																																																																																																													
Pol.	Horizontal					Vertical																																																																																																																								
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>64.80</td><td>37.85</td><td>11.49</td><td>62.94</td><td>166</td><td>53 Peak</td></tr><tr><td>2 11570.00</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>59.25</td><td>37.85</td><td>11.49</td><td>62.94</td><td>166</td><td>53 Average</td></tr><tr><td>3 17355.00</td><td>50.33</td><td>68.30</td><td>-17.97</td><td>62.05</td><td>40.46</td><td>13.20</td><td>65.38</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	51.20	74.00	-22.80	64.80	37.85	11.49	62.94	166	53 Peak	2 11570.00	45.65	54.00	-8.35	59.25	37.85	11.49	62.94	166	53 Average	3 17355.00	50.33	68.30	-17.97	62.05	40.46	13.20	65.38	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>66.72</td><td>37.85</td><td>11.49</td><td>62.94</td><td>162</td><td>342 Peak</td></tr><tr><td>2 11570.00</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>60.98</td><td>37.85</td><td>11.49</td><td>62.94</td><td>162</td><td>342 Average</td></tr><tr><td>3 17355.00</td><td>47.64</td><td>68.30</td><td>-20.66</td><td>59.36</td><td>40.46</td><td>13.20</td><td>65.38</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	53.12	74.00	-20.88	66.72	37.85	11.49	62.94	162	342 Peak	2 11570.00	47.38	54.00	-6.62	60.98	37.85	11.49	62.94	162	342 Average	3 17355.00	47.64	68.30	-20.66	59.36	40.46	13.20	65.38	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11570.00	51.20	74.00	-22.80	64.80	37.85	11.49	62.94	166	53 Peak																																																																																																																					
2 11570.00	45.65	54.00	-8.35	59.25	37.85	11.49	62.94	166	53 Average																																																																																																																					
3 17355.00	50.33	68.30	-17.97	62.05	40.46	13.20	65.38	--	-- Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11570.00	53.12	74.00	-20.88	66.72	37.85	11.49	62.94	162	342 Peak																																																																																																																					
2 11570.00	47.38	54.00	-6.62	60.98	37.85	11.49	62.94	162	342 Average																																																																																																																					
3 17355.00	47.64	68.30	-20.66	59.36	40.46	13.20	65.38	--	-- Peak																																																																																																																					



Mode	33																																																																																																																																																																																	
	Band Edge																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																																	
ANT	9+8																																																																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.75</td><td>69.63</td><td>113.65</td><td>-44.02</td><td>58.15</td><td>35.11</td><td>8.87</td><td>32.50</td><td>286</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5855.75</td><td>69.59</td><td>110.59</td><td>-41.00</td><td>58.11</td><td>35.11</td><td>8.87</td><td>32.50</td><td>286</td><td>127</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>50.04</td><td>68.20</td><td>-18.16</td><td>38.59</td><td>35.16</td><td>8.79</td><td>32.50</td><td>286</td><td>127</td><td>PEAK</td></tr><tr><td>4</td><td>5949.38</td><td>51.30</td><td>68.30</td><td>-17.00</td><td>39.87</td><td>35.17</td><td>8.76</td><td>32.50</td><td>286</td><td>127</td><td>PEAK</td></tr></table> Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.02</td><td>-----</td><td>-----</td><td>93.52</td><td>35.09</td><td>8.91</td><td>32.50</td><td>286</td><td>127</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.75	69.63	113.65	-44.02	58.15	35.11	8.87	32.50	286	127	PEAK	2	5855.75	69.59	110.59	-41.00	58.11	35.11	8.87	32.50	286	127	PEAK	3	5925.00	50.04	68.20	-18.16	38.59	35.16	8.79	32.50	286	127	PEAK	4	5949.38	51.30	68.30	-17.00	39.87	35.17	8.76	32.50	286	127	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.02	-----	-----	93.52	35.09	8.91	32.50	286	127	PEAK	Avg	Blank										Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.72</td><td>-----</td><td>-----</td><td>86.22</td><td>35.09</td><td>8.91</td><td>32.50</td><td>286</td><td>127</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.72	-----	-----	86.22	35.09	8.91	32.50	286	127	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	5853.75	69.63	113.65	-44.02	58.15	35.11	8.87	32.50	286	127	PEAK																																																																																																																																																																							
2	5855.75	69.59	110.59	-41.00	58.11	35.11	8.87	32.50	286	127	PEAK																																																																																																																																																																							
3	5925.00	50.04	68.20	-18.16	38.59	35.16	8.79	32.50	286	127	PEAK																																																																																																																																																																							
4	5949.38	51.30	68.30	-17.00	39.87	35.17	8.76	32.50	286	127	PEAK																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	5825.00	105.02	-----	-----	93.52	35.09	8.91	32.50	286	127	PEAK																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	5825.00	97.72	-----	-----	86.22	35.09	8.91	32.50	286	127	AVERAGE																																																																																																																																																																							






Mode	33																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	9+8																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>70.92</td><td>111.65</td><td>-40.73</td><td>59.44</td><td>35.11</td><td>8.87</td><td>32.50</td><td>318</td><td>344</td><td>PEAK</td></tr><tr><td>2</td><td>5865.75</td><td>67.50</td><td>107.79</td><td>-40.29</td><td>56.02</td><td>35.12</td><td>8.86</td><td>32.50</td><td>318</td><td>344</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>50.20</td><td>68.38</td><td>-18.18</td><td>38.75</td><td>35.16</td><td>8.79</td><td>32.50</td><td>318</td><td>344</td><td>PEAK</td></tr><tr><td>4</td><td>5941.25</td><td>50.83</td><td>68.30</td><td>-17.47</td><td>39.39</td><td>35.17</td><td>8.77</td><td>32.50</td><td>318</td><td>344</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	70.92	111.65	-40.73	59.44	35.11	8.87	32.50	318	344	PEAK	2	5865.75	67.50	107.79	-40.29	56.02	35.12	8.86	32.50	318	344	PEAK	3	5924.75	50.20	68.38	-18.18	38.75	35.16	8.79	32.50	318	344	PEAK	4	5941.25	50.83	68.30	-17.47	39.39	35.17	8.77	32.50	318	344	PEAK	Level (dBuV/m) Date: 2024-09-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.06</td><td>-----</td><td>-----</td><td>96.56</td><td>35.09</td><td>8.91</td><td>32.50</td><td>318</td><td>344</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.06	-----	-----	96.56	35.09	8.91	32.50	318	344	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.63	70.92	111.65	-40.73	59.44	35.11	8.87	32.50	318	344	PEAK																																																																																																																				
2	5865.75	67.50	107.79	-40.29	56.02	35.12	8.86	32.50	318	344	PEAK																																																																																																																				
3	5924.75	50.20	68.38	-18.18	38.75	35.16	8.79	32.50	318	344	PEAK																																																																																																																				
4	5941.25	50.83	68.30	-17.47	39.39	35.17	8.77	32.50	318	344	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	108.06	-----	-----	96.56	35.09	8.91	32.50	318	344	PEAK																																																																																																																				
Avg	Blank										Level (dBuV/m) Date: 2024-09-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.42</td><td>-----</td><td>-----</td><td>89.92</td><td>35.09</td><td>8.91</td><td>32.50</td><td>318</td><td>344</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.42	-----	-----	89.92	35.09	8.91	32.50	318	344	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	101.42	-----	-----	89.92	35.09	8.91	32.50	318	344	AVERAGE																																																																																																																				



Mode	33																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																						
ANT	9+8																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>65.84</td><td>37.92</td><td>11.53</td><td>62.99</td><td>211</td><td>62 Peak</td></tr><tr><td>2</td><td>11650.00</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>58.95</td><td>37.92</td><td>11.53</td><td>62.99</td><td>211</td><td>62 Average</td></tr><tr><td>3</td><td>17475.00</td><td>47.64</td><td>68.30</td><td>-20.66</td><td>59.23</td><td>40.65</td><td>13.23</td><td>65.47</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	52.30	74.00	-21.70	65.84	37.92	11.53	62.99	211	62 Peak	2	11650.00	45.41	54.00	-8.59	58.95	37.92	11.53	62.99	211	62 Average	3	17475.00	47.64	68.30	-20.66	59.23	40.65	13.23	65.47	--	-- Peak	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>68.02</td><td>37.92</td><td>11.53</td><td>62.99</td><td>170</td><td>342 Peak</td></tr><tr><td>2</td><td>11650.00</td><td>47.51</td><td>54.00</td><td>-6.49</td><td>61.05</td><td>37.92</td><td>11.53</td><td>62.99</td><td>170</td><td>342 Average</td></tr><tr><td>3</td><td>17475.00</td><td>47.81</td><td>68.30</td><td>-20.49</td><td>59.40</td><td>40.65</td><td>13.23</td><td>65.47</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	54.48	74.00	-19.52	68.02	37.92	11.53	62.99	170	342 Peak	2	11650.00	47.51	54.00	-6.49	61.05	37.92	11.53	62.99	170	342 Average	3	17475.00	47.81	68.30	-20.49	59.40	40.65	13.23	65.47	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	11650.00	52.30	74.00	-21.70	65.84	37.92	11.53	62.99	211	62 Peak																																																																																																																													
2	11650.00	45.41	54.00	-8.59	58.95	37.92	11.53	62.99	211	62 Average																																																																																																																													
3	17475.00	47.64	68.30	-20.66	59.23	40.65	13.23	65.47	--	-- Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	11650.00	54.48	74.00	-19.52	68.02	37.92	11.53	62.99	170	342 Peak																																																																																																																													
2	11650.00	47.51	54.00	-6.49	61.05	37.92	11.53	62.99	170	342 Average																																																																																																																													
3	17475.00	47.81	68.30	-20.49	59.40	40.65	13.23	65.47	--	-- Peak																																																																																																																													





Mode	34																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																													
ANT	9+8																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-29  Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a rising curve with a peak at 5716 MHz labeled 'PEAK_BET[94]_16-24'. There are also markers at 5606, 5650, and 5720 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.82</td><td>49.44</td><td>68.30</td><td>-18.86</td><td>38.74</td><td>34.96</td><td>8.24</td><td>32.50</td><td>130</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>50.18</td><td>68.64</td><td>-18.46</td><td>39.29</td><td>34.99</td><td>8.40</td><td>32.50</td><td>130</td><td>43</td><td>PEAK</td></tr><tr><td>3</td><td>5717.16</td><td>72.37</td><td>110.01</td><td>-37.64</td><td>61.19</td><td>35.03</td><td>8.65</td><td>32.50</td><td>130</td><td>43</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>68.91</td><td>110.94</td><td>-42.03</td><td>57.72</td><td>35.03</td><td>8.66</td><td>32.50</td><td>130</td><td>43</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.82	49.44	68.30	-18.86	38.74	34.96	8.24	32.50	130	43	PEAK	2	5650.46	50.18	68.64	-18.46	39.29	34.99	8.40	32.50	130	43	PEAK	3	5717.16	72.37	110.01	-37.64	61.19	35.03	8.65	32.50	130	43	PEAK	4	5720.06	68.91	110.94	-42.03	57.72	35.03	8.66	32.50	130	43	PEAK	Level (dBuV/m) Date: 2024-09-29  Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5745 MHz labeled 'PART 15.407'. There are also markers at 5745 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.23</td><td>-----</td><td>-----</td><td>93.93</td><td>35.05</td><td>8.75</td><td>32.50</td><td>130</td><td>43</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.23	-----	-----	93.93	35.05	8.75	32.50	130	43	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5606.82	49.44	68.30	-18.86	38.74	34.96	8.24	32.50	130	43	PEAK																																																																																																																			
2	5650.46	50.18	68.64	-18.46	39.29	34.99	8.40	32.50	130	43	PEAK																																																																																																																			
3	5717.16	72.37	110.01	-37.64	61.19	35.03	8.65	32.50	130	43	PEAK																																																																																																																			
4	5720.06	68.91	110.94	-42.03	57.72	35.03	8.66	32.50	130	43	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	105.23	-----	-----	93.93	35.05	8.75	32.50	130	43	PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-09-29  Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a sharp peak at 5745 MHz labeled 'PART 15.407 AVG'. There are also markers at 5745 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.46</td><td>-----</td><td>-----</td><td>86.16</td><td>35.05</td><td>8.75</td><td>32.50</td><td>130</td><td>43</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.46	-----	-----	86.16	35.05	8.75	32.50	130	43	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	97.46	-----	-----	86.16	35.05	8.75	32.50	130	43	AVERAGE																																																																																																																			





Mode	34																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																												
ANT	9+8																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5637.27</td><td>50.42</td><td>68.30</td><td>-17.88</td><td>39.59</td><td>34.98</td><td>8.35</td><td>32.50</td></tr><tr><td>2</td><td>5650.17</td><td>49.88</td><td>68.43</td><td>-18.55</td><td>38.99</td><td>34.99</td><td>8.40</td><td>32.50</td></tr><tr><td>3</td><td>5717.45</td><td>74.66</td><td>110.09</td><td>-35.43</td><td>63.48</td><td>35.03</td><td>8.65</td><td>32.50</td></tr><tr><td>4</td><td>5720.35</td><td>72.71</td><td>111.60</td><td>-38.89</td><td>61.52</td><td>35.03</td><td>8.66</td><td>32.50</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5637.27	50.42	68.30	-17.88	39.59	34.98	8.35	32.50	2	5650.17	49.88	68.43	-18.55	38.99	34.99	8.40	32.50	3	5717.45	74.66	110.09	-35.43	63.48	35.03	8.65	32.50	4	5720.35	72.71	111.60	-38.89	61.52	35.03	8.66	32.50	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5745.00</td><td>108.68</td><td>-----</td><td>-----</td><td>97.38</td><td>35.05</td><td>8.75</td><td>32.50</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5745.00	108.68	-----	-----	97.38	35.05	8.75	32.50
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																					
1	5637.27	50.42	68.30	-17.88	39.59	34.98	8.35	32.50																																																																																																					
2	5650.17	49.88	68.43	-18.55	38.99	34.99	8.40	32.50																																																																																																					
3	5717.45	74.66	110.09	-35.43	63.48	35.03	8.65	32.50																																																																																																					
4	5720.35	72.71	111.60	-38.89	61.52	35.03	8.66	32.50																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																					
1	5745.00	108.68	-----	-----	97.38	35.05	8.75	32.50																																																																																																					
Avg	Blank					Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5745.00</td><td>101.08</td><td>-----</td><td>-----</td><td>89.78</td><td>35.05</td><td>8.75</td><td>32.50</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5745.00	101.08	-----	-----	89.78	35.05	8.75	32.50																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																					
1	5745.00	101.08	-----	-----	89.78	35.05	8.75	32.50																																																																																																					



Mode	34																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																												
ANT	9+8																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>66.78</td><td>37.79</td><td>11.45</td><td>62.91</td><td>211</td><td>63</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>59.96</td><td>37.79</td><td>11.45</td><td>62.91</td><td>211</td><td>63</td><td>Average</td></tr><tr><td>3</td><td>17235.00</td><td>47.28</td><td>68.30</td><td>-21.02</td><td>59.13</td><td>40.27</td><td>13.17</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.11	74.00	-20.89	66.78	37.79	11.45	62.91	211	63	Peak	2	11490.00	46.29	54.00	-7.71	59.96	37.79	11.45	62.91	211	63	Average	3	17235.00	47.28	68.30	-21.02	59.13	40.27	13.17	65.29	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>68.47</td><td>37.79</td><td>11.45</td><td>62.91</td><td>166</td><td>332</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>61.27</td><td>37.79</td><td>11.45</td><td>62.91</td><td>166</td><td>332</td><td>Average</td></tr><tr><td>3</td><td>17235.00</td><td>47.59</td><td>68.30</td><td>-20.71</td><td>59.44</td><td>40.27</td><td>13.17</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.80	74.00	-19.20	68.47	37.79	11.45	62.91	166	332	Peak	2	11490.00	47.60	54.00	-6.40	61.27	37.79	11.45	62.91	166	332	Average	3	17235.00	47.59	68.30	-20.71	59.44	40.27	13.17	65.29	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11490.00	53.11	74.00	-20.89	66.78	37.79	11.45	62.91	211	63	Peak																																																																																																																																		
2	11490.00	46.29	54.00	-7.71	59.96	37.79	11.45	62.91	211	63	Average																																																																																																																																		
3	17235.00	47.28	68.30	-21.02	59.13	40.27	13.17	65.29	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11490.00	54.80	74.00	-19.20	68.47	37.79	11.45	62.91	166	332	Peak																																																																																																																																		
2	11490.00	47.60	54.00	-6.40	61.27	37.79	11.45	62.91	166	332	Average																																																																																																																																		
3	17235.00	47.59	68.30	-20.71	59.44	40.27	13.17	65.29	--	--	Peak																																																																																																																																		



Mode	35																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																													
ANT	9+8																																																																																																																													
Pol.	Horizontal					Vertical																																																																																																																								
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>67.15</td><td>37.85</td><td>11.49</td><td>62.94</td><td>206</td><td>55 Peak</td></tr><tr><td>2 11570.00</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>60.30</td><td>37.85</td><td>11.49</td><td>62.94</td><td>206</td><td>55 Average</td></tr><tr><td>3 17355.00</td><td>47.73</td><td>68.30</td><td>-20.57</td><td>59.45</td><td>40.46</td><td>13.20</td><td>65.38</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	53.55	74.00	-20.45	67.15	37.85	11.49	62.94	206	55 Peak	2 11570.00	46.70	54.00	-7.30	60.30	37.85	11.49	62.94	206	55 Average	3 17355.00	47.73	68.30	-20.57	59.45	40.46	13.20	65.38	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>68.45</td><td>37.85</td><td>11.49</td><td>62.94</td><td>166</td><td>342 Peak</td></tr><tr><td>2 11570.00</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>61.23</td><td>37.85</td><td>11.49</td><td>62.94</td><td>166</td><td>342 Average</td></tr><tr><td>3 17355.00</td><td>47.80</td><td>68.30</td><td>-20.50</td><td>59.52</td><td>40.46</td><td>13.20</td><td>65.38</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	54.85	74.00	-19.15	68.45	37.85	11.49	62.94	166	342 Peak	2 11570.00	47.63	54.00	-6.37	61.23	37.85	11.49	62.94	166	342 Average	3 17355.00	47.80	68.30	-20.50	59.52	40.46	13.20	65.38	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11570.00	53.55	74.00	-20.45	67.15	37.85	11.49	62.94	206	55 Peak																																																																																																																					
2 11570.00	46.70	54.00	-7.30	60.30	37.85	11.49	62.94	206	55 Average																																																																																																																					
3 17355.00	47.73	68.30	-20.57	59.45	40.46	13.20	65.38	--	-- Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11570.00	54.85	74.00	-19.15	68.45	37.85	11.49	62.94	166	342 Peak																																																																																																																					
2 11570.00	47.63	54.00	-6.37	61.23	37.85	11.49	62.94	166	342 Average																																																																																																																					
3 17355.00	47.80	68.30	-20.50	59.52	40.46	13.20	65.38	--	-- Peak																																																																																																																					



Mode	36																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																									
ANT	9+8																																																																																																																									
Pol.	Horizontal										Fundamental																																																																																																															
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5855.00</td><td>53.00</td><td>110.80</td><td>-57.80</td><td>41.52</td><td>35.11</td><td>8.87</td><td>32.50</td><td>181</td><td>131</td><td>PEAK</td></tr><tr><td>2 5873.25</td><td>50.78</td><td>105.69</td><td>-54.91</td><td>39.31</td><td>35.12</td><td>8.85</td><td>32.50</td><td>181</td><td>131</td><td>PEAK</td></tr><tr><td>3 5924.88</td><td>50.05</td><td>68.29</td><td>-18.24</td><td>38.60</td><td>35.16</td><td>8.79</td><td>32.50</td><td>181</td><td>131</td><td>PEAK</td></tr><tr><td>4 5946.88</td><td>50.45</td><td>68.30</td><td>-17.85</td><td>39.02</td><td>35.17</td><td>8.76</td><td>32.50</td><td>181</td><td>131</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5855.00	53.00	110.80	-57.80	41.52	35.11	8.87	32.50	181	131	PEAK	2 5873.25	50.78	105.69	-54.91	39.31	35.12	8.85	32.50	181	131	PEAK	3 5924.88	50.05	68.29	-18.24	38.60	35.16	8.79	32.50	181	131	PEAK	4 5946.88	50.45	68.30	-17.85	39.02	35.17	8.76	32.50	181	131	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>106.24</td><td>-----</td><td>-----</td><td>94.74</td><td>35.09</td><td>8.91</td><td>32.50</td><td>181</td><td>131</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	106.24	-----	-----	94.74	35.09	8.91	32.50	181	131	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5855.00	53.00	110.80	-57.80	41.52	35.11	8.87	32.50	181	131	PEAK																																																																																																																
2 5873.25	50.78	105.69	-54.91	39.31	35.12	8.85	32.50	181	131	PEAK																																																																																																																
3 5924.88	50.05	68.29	-18.24	38.60	35.16	8.79	32.50	181	131	PEAK																																																																																																																
4 5946.88	50.45	68.30	-17.85	39.02	35.17	8.76	32.50	181	131	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5825.00	106.24	-----	-----	94.74	35.09	8.91	32.50	181	131	PEAK																																																																																																																
Avg	Blank										Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>97.18</td><td>-----</td><td>-----</td><td>85.68</td><td>35.09</td><td>8.91</td><td>32.50</td><td>181</td><td>131</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	97.18	-----	-----	85.68	35.09	8.91	32.50	181	131	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5825.00	97.18	-----	-----	85.68	35.09	8.91	32.50	181	131	AVERAGE																																																																																																																



Mode	36																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																													
ANT	9+8																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.88</td><td>59.22</td><td>115.64</td><td>-56.42</td><td>47.74</td><td>35.11</td><td>8.87</td><td>32.50</td><td>339</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>51.81</td><td>105.58</td><td>-53.77</td><td>40.34</td><td>35.12</td><td>8.85</td><td>32.50</td><td>339</td><td>253</td><td>PEAK</td></tr><tr><td>3</td><td>5924.13</td><td>50.31</td><td>68.84</td><td>-18.53</td><td>38.86</td><td>35.16</td><td>8.79</td><td>32.50</td><td>339</td><td>253</td><td>PEAK</td></tr><tr><td>4</td><td>5936.38</td><td>51.52</td><td>68.30</td><td>-16.78</td><td>40.08</td><td>35.16</td><td>8.78</td><td>32.50</td><td>339</td><td>253</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.88	59.22	115.64	-56.42	47.74	35.11	8.87	32.50	339	253	PEAK	2	5873.63	51.81	105.58	-53.77	40.34	35.12	8.85	32.50	339	253	PEAK	3	5924.13	50.31	68.84	-18.53	38.86	35.16	8.79	32.50	339	253	PEAK	4	5936.38	51.52	68.30	-16.78	40.08	35.16	8.78	32.50	339	253	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.19</td><td>-----</td><td>-----</td><td>97.69</td><td>35.09</td><td>8.91</td><td>32.50</td><td>339</td><td>253</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.19	-----	-----	97.69	35.09	8.91	32.50	339	253	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5852.88	59.22	115.64	-56.42	47.74	35.11	8.87	32.50	339	253	PEAK																																																																																																																			
2	5873.63	51.81	105.58	-53.77	40.34	35.12	8.85	32.50	339	253	PEAK																																																																																																																			
3	5924.13	50.31	68.84	-18.53	38.86	35.16	8.79	32.50	339	253	PEAK																																																																																																																			
4	5936.38	51.52	68.30	-16.78	40.08	35.16	8.78	32.50	339	253	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	109.19	-----	-----	97.69	35.09	8.91	32.50	339	253	PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.12</td><td>-----</td><td>-----</td><td>88.62</td><td>35.09</td><td>8.91</td><td>32.50</td><td>339</td><td>253</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.12	-----	-----	88.62	35.09	8.91	32.50	339	253	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	100.12	-----	-----	88.62	35.09	8.91	32.50	339	253	AVERAGE																																																																																																																			





Mode	36																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																												
ANT	9+8																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>67.02</td><td>37.92</td><td>11.53</td><td>62.99</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>60.10</td><td>37.92</td><td>11.53</td><td>62.99</td><td>206</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>17475.00</td><td>47.16</td><td>68.30</td><td>-21.14</td><td>58.75</td><td>40.65</td><td>13.23</td><td>65.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	53.48	74.00	-20.52	67.02	37.92	11.53	62.99	--	--	Peak	2	11650.00	46.56	54.00	-7.44	60.10	37.92	11.53	62.99	206	52	Average	3	17475.00	47.16	68.30	-21.14	58.75	40.65	13.23	65.47	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>68.74</td><td>37.92</td><td>11.53</td><td>62.99</td><td>164</td><td>342</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>61.32</td><td>37.92</td><td>11.53</td><td>62.99</td><td>164</td><td>342</td><td>Average</td></tr><tr><td>3</td><td>17475.00</td><td>47.94</td><td>68.30</td><td>-20.36</td><td>59.53</td><td>40.65</td><td>13.23</td><td>65.47</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	55.20	74.00	-18.80	68.74	37.92	11.53	62.99	164	342	Peak	2	11650.00	47.78	54.00	-6.22	61.32	37.92	11.53	62.99	164	342	Average	3	17475.00	47.94	68.30	-20.36	59.53	40.65	13.23	65.47	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11650.00	53.48	74.00	-20.52	67.02	37.92	11.53	62.99	--	--	Peak																																																																																																																																		
2	11650.00	46.56	54.00	-7.44	60.10	37.92	11.53	62.99	206	52	Average																																																																																																																																		
3	17475.00	47.16	68.30	-21.14	58.75	40.65	13.23	65.47	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11650.00	55.20	74.00	-18.80	68.74	37.92	11.53	62.99	164	342	Peak																																																																																																																																		
2	11650.00	47.78	54.00	-6.22	61.32	37.92	11.53	62.99	164	342	Average																																																																																																																																		
3	17475.00	47.94	68.30	-20.36	59.53	40.65	13.23	65.47	--	--	Peak																																																																																																																																		



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																									
ANT	9+8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2024-09-29 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>49.91</td><td>111.17</td><td>-61.26</td><td>38.43</td><td>35.11</td><td>8.87</td><td>32.50</td><td>176</td><td>134 PEAK</td></tr><tr><td>2</td><td>5872.98</td><td>51.15</td><td>105.77</td><td>-54.62</td><td>39.68</td><td>35.12</td><td>8.85</td><td>32.50</td><td>176</td><td>134 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>48.50</td><td>68.31</td><td>-19.81</td><td>37.05</td><td>35.16</td><td>8.79</td><td>32.50</td><td>176</td><td>134 PEAK</td></tr><tr><td>4</td><td>5946.88</td><td>51.53</td><td>68.30</td><td>-16.77</td><td>40.10</td><td>35.17</td><td>8.76</td><td>32.50</td><td>176</td><td>134 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	49.91	111.17	-61.26	38.43	35.11	8.87	32.50	176	134 PEAK	2	5872.98	51.15	105.77	-54.62	39.68	35.12	8.85	32.50	176	134 PEAK	3	5924.85	48.50	68.31	-19.81	37.05	35.16	8.79	32.50	176	134 PEAK	4	5946.88	51.53	68.30	-16.77	40.10	35.17	8.76	32.50	176	134 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5854.84	49.91	111.17	-61.26	38.43	35.11	8.87	32.50	176	134 PEAK																																																																
2	5872.98	51.15	105.77	-54.62	39.68	35.12	8.85	32.50	176	134 PEAK																																																																
3	5924.85	48.50	68.31	-19.81	37.05	35.16	8.79	32.50	176	134 PEAK																																																																
4	5946.88	51.53	68.30	-16.77	40.10	35.17	8.76	32.50	176	134 PEAK																																																																



Mode	37																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																														
ANT	9+8																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>67.10</td><td>37.80</td><td>11.46</td><td>62.90</td><td>299</td><td>357</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>46.60</td><td>54.00</td><td>-7.40</td><td>60.24</td><td>37.80</td><td>11.46</td><td>62.90</td><td>299</td><td>357</td><td>Average</td></tr><tr><td>3</td><td>17265.00</td><td>49.39</td><td>68.30</td><td>-18.91</td><td>61.20</td><td>40.32</td><td>13.18</td><td>65.31</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	53.46	74.00	-20.54	67.10	37.80	11.46	62.90	299	357	Peak	2	11510.00	46.60	54.00	-7.40	60.24	37.80	11.46	62.90	299	357	Average	3	17265.00	49.39	68.30	-18.91	61.20	40.32	13.18	65.31	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>68.61</td><td>37.80</td><td>11.46</td><td>62.90</td><td>256</td><td>348</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>61.18</td><td>37.80</td><td>11.46</td><td>62.90</td><td>256</td><td>348</td><td>Average</td></tr><tr><td>3</td><td>17265.00</td><td>49.44</td><td>68.30</td><td>-18.86</td><td>61.25</td><td>40.32</td><td>13.18</td><td>65.31</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	54.97	74.00	-19.03	68.61	37.80	11.46	62.90	256	348	Peak	2	11510.00	47.54	54.00	-6.46	61.18	37.80	11.46	62.90	256	348	Average	3	17265.00	49.44	68.30	-18.86	61.25	40.32	13.18	65.31	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11510.00	53.46	74.00	-20.54	67.10	37.80	11.46	62.90	299	357	Peak																																																																																																																																				
2	11510.00	46.60	54.00	-7.40	60.24	37.80	11.46	62.90	299	357	Average																																																																																																																																				
3	17265.00	49.39	68.30	-18.91	61.20	40.32	13.18	65.31	--	--	Peak																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	11510.00	54.97	74.00	-19.03	68.61	37.80	11.46	62.90	256	348	Peak																																																																																																																																				
2	11510.00	47.54	54.00	-6.46	61.18	37.80	11.46	62.90	256	348	Average																																																																																																																																				
3	17265.00	49.44	68.30	-18.86	61.25	40.32	13.18	65.31	--	--	Peak																																																																																																																																				



Mode	38																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																														
ANT	9+8																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.18</td><td>50.12</td><td>68.30</td><td>-18.18</td><td>39.31</td><td>34.98</td><td>8.33</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>48.06</td><td>68.82</td><td>-20.76</td><td>37.17</td><td>34.99</td><td>8.40</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5719.15</td><td>60.98</td><td>110.56</td><td>-49.58</td><td>49.80</td><td>35.03</td><td>8.65</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5722.85</td><td>62.19</td><td>117.30</td><td>-55.11</td><td>50.99</td><td>35.03</td><td>8.67</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.18	50.12	68.30	-18.18	39.31	34.98	8.33	32.50	169	135	PEAK	2	5650.70	48.06	68.82	-20.76	37.17	34.99	8.40	32.50	169	135	PEAK	3	5719.15	60.98	110.56	-49.58	49.80	35.03	8.65	32.50	169	135	PEAK	4	5722.85	62.19	117.30	-55.11	50.99	35.03	8.67	32.50	169	135	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.92</td><td>-----</td><td>-----</td><td>93.41</td><td>35.08</td><td>8.93</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.92	-----	-----	93.41	35.08	8.93	32.50	169	135	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5632.18	50.12	68.30	-18.18	39.31	34.98	8.33	32.50	169	135	PEAK																																																																																																																				
2	5650.70	48.06	68.82	-20.76	37.17	34.99	8.40	32.50	169	135	PEAK																																																																																																																				
3	5719.15	60.98	110.56	-49.58	49.80	35.03	8.65	32.50	169	135	PEAK																																																																																																																				
4	5722.85	62.19	117.30	-55.11	50.99	35.03	8.67	32.50	169	135	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	104.92	-----	-----	93.41	35.08	8.93	32.50	169	135	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.10</td><td>-----</td><td>-----</td><td>84.59</td><td>35.08</td><td>8.93</td><td>32.50</td><td>169</td><td>135</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.10	-----	-----	84.59	35.08	8.93	32.50	169	135	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5795.00	96.10	-----	-----	84.59	35.08	8.93	32.50	169	135	AVERAGE																																																																																																																				



Mode	38																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																						
ANT	9+8																																																																																						
Pol.	Horizontal						Fundamental																																																																																
Peak	Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.99</td><td>57.88</td><td>110.83</td><td>-52.95</td><td>46.40</td><td>35.11</td><td>8.87</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5859.17</td><td>63.17</td><td>109.63</td><td>-46.46</td><td>51.68</td><td>35.12</td><td>8.87</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>49.62</td><td>69.31</td><td>-19.69</td><td>38.18</td><td>35.15</td><td>8.79</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5947.21</td><td>50.28</td><td>68.30</td><td>-18.02</td><td>38.85</td><td>35.17</td><td>8.76</td><td>32.50</td><td>169</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.99	57.88	110.83	-52.95	46.40	35.11	8.87	32.50	169	135	PEAK	2	5859.17	63.17	109.63	-46.46	51.68	35.12	8.87	32.50	169	135	PEAK	3	5923.50	49.62	69.31	-19.69	38.18	35.15	8.79	32.50	169	135	PEAK	4	5947.21	50.28	68.30	-18.02	38.85	35.17	8.76	32.50	169	135	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																															
1	5854.99	57.88	110.83	-52.95	46.40	35.11	8.87	32.50	169	135	PEAK																																																																												
2	5859.17	63.17	109.63	-46.46	51.68	35.12	8.87	32.50	169	135	PEAK																																																																												
3	5923.50	49.62	69.31	-19.69	38.18	35.15	8.79	32.50	169	135	PEAK																																																																												
4	5947.21	50.28	68.30	-18.02	38.85	35.17	8.76	32.50	169	135	PEAK																																																																												





Mode	38																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																				
ANT	9+8																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5635.10</td><td>50.22</td><td>68.30</td><td>-18.08</td><td>39.40</td><td>34.98</td><td>8.34</td><td>32.50</td></tr><tr><td>2</td><td>5650.31</td><td>48.26</td><td>68.53</td><td>-20.27</td><td>37.37</td><td>34.99</td><td>8.40</td><td>32.50</td></tr><tr><td>3</td><td>5715.83</td><td>60.12</td><td>109.63</td><td>-49.51</td><td>48.95</td><td>35.03</td><td>8.64</td><td>32.50</td></tr><tr><td>4</td><td>5720.12</td><td>57.98</td><td>111.07</td><td>-53.09</td><td>46.79</td><td>35.03</td><td>8.66</td><td>32.50</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5635.10	50.22	68.30	-18.08	39.40	34.98	8.34	32.50	2	5650.31	48.26	68.53	-20.27	37.37	34.99	8.40	32.50	3	5715.83	60.12	109.63	-49.51	48.95	35.03	8.64	32.50	4	5720.12	57.98	111.07	-53.09	46.79	35.03	8.66	32.50	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5795.00</td><td>106.70</td><td>-----</td><td>-----</td><td>95.19</td><td>35.08</td><td>8.93</td><td>32.50</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5795.00	106.70	-----	-----	95.19	35.08	8.93	32.50
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																													
1	5635.10	50.22	68.30	-18.08	39.40	34.98	8.34	32.50																																																																																													
2	5650.31	48.26	68.53	-20.27	37.37	34.99	8.40	32.50																																																																																													
3	5715.83	60.12	109.63	-49.51	48.95	35.03	8.64	32.50																																																																																													
4	5720.12	57.98	111.07	-53.09	46.79	35.03	8.66	32.50																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																													
1	5795.00	106.70	-----	-----	95.19	35.08	8.93	32.50																																																																																													
Avg	Blank	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5795.00</td><td>98.48</td><td>-----</td><td>-----</td><td>86.97</td><td>35.08</td><td>8.93</td><td>32.50</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5795.00	98.48	-----	-----	86.97	35.08	8.93	32.50																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																													
1	5795.00	98.48	-----	-----	86.97	35.08	8.93	32.50																																																																																													



Mode	38																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																												
ANT	9+8																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.46</td><td>110.83</td><td>-53.37</td><td>45.98</td><td>35.11</td><td>8.87</td><td>32.50</td><td>339</td><td>279</td><td>PEAK</td></tr><tr><td>2</td><td>5866.30</td><td>61.15</td><td>107.63</td><td>-46.48</td><td>49.67</td><td>35.12</td><td>8.86</td><td>32.50</td><td>339</td><td>279</td><td>PEAK</td></tr><tr><td>3</td><td>5924.12</td><td>49.46</td><td>68.85</td><td>-19.39</td><td>38.01</td><td>35.16</td><td>8.79</td><td>32.50</td><td>339</td><td>279</td><td>PEAK</td></tr><tr><td>4</td><td>5930.16</td><td>51.08</td><td>68.30</td><td>-17.22</td><td>39.64</td><td>35.16</td><td>8.78</td><td>32.50</td><td>339</td><td>279</td><td>PEAK</td></tr></table> Blank		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	57.46	110.83	-53.37	45.98	35.11	8.87	32.50	339	279	PEAK	2	5866.30	61.15	107.63	-46.48	49.67	35.12	8.86	32.50	339	279	PEAK	3	5924.12	49.46	68.85	-19.39	38.01	35.16	8.79	32.50	339	279	PEAK	4	5930.16	51.08	68.30	-17.22	39.64	35.16	8.78	32.50	339	279	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5854.99	57.46	110.83	-53.37	45.98	35.11	8.87	32.50	339	279	PEAK																																																																		
2	5866.30	61.15	107.63	-46.48	49.67	35.12	8.86	32.50	339	279	PEAK																																																																		
3	5924.12	49.46	68.85	-19.39	38.01	35.16	8.79	32.50	339	279	PEAK																																																																		
4	5930.16	51.08	68.30	-17.22	39.64	35.16	8.78	32.50	339	279	PEAK																																																																		



Mode	38																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																					
ANT	9+8																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>66.89</td><td>37.87</td><td>11.50</td><td>62.95</td><td>294</td><td>357 Peak</td></tr><tr><td>2</td><td>11590.00</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>60.48</td><td>37.87</td><td>11.50</td><td>62.95</td><td>294</td><td>357 Average</td></tr><tr><td>3</td><td>17385.00</td><td>49.83</td><td>68.30</td><td>-18.47</td><td>61.51</td><td>40.51</td><td>13.21</td><td>65.40</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	53.31	74.00	-20.69	66.89	37.87	11.50	62.95	294	357 Peak	2	11590.00	46.90	54.00	-7.10	60.48	37.87	11.50	62.95	294	357 Average	3	17385.00	49.83	68.30	-18.47	61.51	40.51	13.21	65.40	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>68.25</td><td>37.87</td><td>11.50</td><td>62.95</td><td>262</td><td>337 Peak</td></tr><tr><td>2</td><td>11590.00</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>61.18</td><td>37.87</td><td>11.50</td><td>62.95</td><td>262</td><td>337 Average</td></tr><tr><td>3</td><td>17385.00</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>60.11</td><td>40.51</td><td>13.21</td><td>65.40</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	54.67	74.00	-19.33	68.25	37.87	11.50	62.95	262	337 Peak	2	11590.00	47.60	54.00	-6.40	61.18	37.87	11.50	62.95	262	337 Average	3	17385.00	48.43	68.30	-19.87	60.11	40.51	13.21	65.40	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11590.00	53.31	74.00	-20.69	66.89	37.87	11.50	62.95	294	357 Peak																																																																																																																												
2	11590.00	46.90	54.00	-7.10	60.48	37.87	11.50	62.95	294	357 Average																																																																																																																												
3	17385.00	49.83	68.30	-18.47	61.51	40.51	13.21	65.40	--	-- Peak																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11590.00	54.67	74.00	-19.33	68.25	37.87	11.50	62.95	262	337 Peak																																																																																																																												
2	11590.00	47.60	54.00	-6.40	61.18	37.87	11.50	62.95	262	337 Average																																																																																																																												
3	17385.00	48.43	68.30	-19.87	60.11	40.51	13.21	65.40	--	-- Peak																																																																																																																												

Mode

39

Band Edge - R

U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz

ANT

9+8

Pol.

Horizontal

Fundamental

Blank

Peak

Level (dBuV/m)



Date: 2024-09-29

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5854.80	65.03	111.26	-46.23	53.55	35.11	8.87	32.50	168	136	PEAK
2	5872.30	69.47	105.95	-36.48	58.00	35.12	8.85	32.50	168	136	PEAK
3	5924.98	51.59	68.22	-16.63	40.14	35.16	8.79	32.50	168	136	PEAK
4	5937.40	54.46	68.30	-13.84	43.03	35.16	8.77	32.50	168	136	PEAK



Mode	39																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																						
ANT	9+8																																																																																						
Pol.	Vertical						Fundamental																																																																																
Peak	Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.53</td><td>72.67</td><td>116.44</td><td>-43.77</td><td>61.19</td><td>35.11</td><td>8.87</td><td>32.50</td><td>337</td><td>275</td><td>PEAK</td></tr><tr><td>2</td><td>5868.63</td><td>72.24</td><td>106.98</td><td>-34.74</td><td>60.76</td><td>35.12</td><td>8.86</td><td>32.50</td><td>337</td><td>275</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.14</td><td>68.35</td><td>-16.21</td><td>40.69</td><td>35.16</td><td>8.79</td><td>32.50</td><td>337</td><td>275</td><td>PEAK</td></tr><tr><td>4</td><td>5933.90</td><td>53.36</td><td>68.30</td><td>-14.94</td><td>41.92</td><td>35.16</td><td>8.78</td><td>32.50</td><td>337</td><td>275</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.53	72.67	116.44	-43.77	61.19	35.11	8.87	32.50	337	275	PEAK	2	5868.63	72.24	106.98	-34.74	60.76	35.12	8.86	32.50	337	275	PEAK	3	5924.80	52.14	68.35	-16.21	40.69	35.16	8.79	32.50	337	275	PEAK	4	5933.90	53.36	68.30	-14.94	41.92	35.16	8.78	32.50	337	275	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5852.53	72.67	116.44	-43.77	61.19	35.11	8.87	32.50	337	275	PEAK																																																																												
2	5868.63	72.24	106.98	-34.74	60.76	35.12	8.86	32.50	337	275	PEAK																																																																												
3	5924.80	52.14	68.35	-16.21	40.69	35.16	8.79	32.50	337	275	PEAK																																																																												
4	5933.90	53.36	68.30	-14.94	41.92	35.16	8.78	32.50	337	275	PEAK																																																																												



Mode	39																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																															
ANT	9+8																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11550.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>67.81</td><td>37.84</td><td>11.48</td><td>62.93</td><td>236</td><td>359</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>60.11</td><td>37.84</td><td>11.48</td><td>62.93</td><td>236</td><td>359</td><td>Average</td></tr><tr><td>3</td><td>17325.00</td><td>47.61</td><td>68.30</td><td>-20.69</td><td>59.37</td><td>40.41</td><td>13.19</td><td>65.36</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11550.00	54.20	74.00	-19.80	67.81	37.84	11.48	62.93	236	359	Peak	2	11550.00	46.50	54.00	-7.50	60.11	37.84	11.48	62.93	236	359	Average	3	17325.00	47.61	68.30	-20.69	59.37	40.41	13.19	65.36	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11550.00</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>68.83</td><td>37.84</td><td>11.48</td><td>62.93</td><td>272</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>47.76</td><td>54.00</td><td>-6.24</td><td>61.37</td><td>37.84</td><td>11.48</td><td>62.93</td><td>272</td><td>339</td><td>Average</td></tr><tr><td>3</td><td>17325.00</td><td>47.81</td><td>68.30</td><td>-20.49</td><td>59.57</td><td>40.41</td><td>13.19</td><td>65.36</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11550.00	55.22	74.00	-18.78	68.83	37.84	11.48	62.93	272	339	Peak	2	11550.00	47.76	54.00	-6.24	61.37	37.84	11.48	62.93	272	339	Average	3	17325.00	47.81	68.30	-20.49	59.57	40.41	13.19	65.36	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11550.00	54.20	74.00	-19.80	67.81	37.84	11.48	62.93	236	359	Peak																																																																																																																																					
2	11550.00	46.50	54.00	-7.50	60.11	37.84	11.48	62.93	236	359	Average																																																																																																																																					
3	17325.00	47.61	68.30	-20.69	59.37	40.41	13.19	65.36	--	--	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11550.00	55.22	74.00	-18.78	68.83	37.84	11.48	62.93	272	339	Peak																																																																																																																																					
2	11550.00	47.76	54.00	-6.24	61.37	37.84	11.48	62.93	272	339	Average																																																																																																																																					
3	17325.00	47.81	68.30	-20.49	59.57	40.41	13.19	65.36	--	--	Peak																																																																																																																																					



Mode	40																																																																																											
	Band Edge																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU_5180MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5058.68</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>40.84</td><td>34.55</td><td>7.86</td><td>32.68</td><td>400</td><td>133</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5058.68	50.57	74.00	-23.43	40.84	34.55	7.86	32.68	400	133	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.67</td><td>-----</td><td>-----</td><td>85.72</td><td>34.64</td><td>7.94</td><td>32.63</td><td>400</td><td>133</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	95.67	-----	-----	85.72	34.64	7.94	32.63	400	133	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5058.68	50.57	74.00	-23.43	40.84	34.55	7.86	32.68	400	133	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5180.00	95.67	-----	-----	85.72	34.64	7.94	32.63	400	133	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5056.70</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>30.88</td><td>34.55</td><td>7.86</td><td>32.68</td><td>400</td><td>133</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5056.70	40.61	54.00	-13.39	30.88	34.55	7.86	32.68	400	133	AVERAGE	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>88.21</td><td>-----</td><td>-----</td><td>78.27</td><td>34.64</td><td>7.93</td><td>32.63</td><td>400</td><td>133</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	88.21	-----	-----	78.27	34.64	7.93	32.63	400	133	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5056.70	40.61	54.00	-13.39	30.88	34.55	7.86	32.68	400	133	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5180.00	88.21	-----	-----	78.27	34.64	7.93	32.63	400	133	AVERAGE																																																																																	



Mode	40																																																		
	Band Edge																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU_5180MHz																																																		
ANT	9+8																																																		
Pol.	Vertical																																																		
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5027.00</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>41.19</td><td>34.53</td><td>7.84</td><td>32.69</td><td>200</td><td>316</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5027.00	50.87	74.00	-23.13	41.19	34.53	7.84	32.69	200	316	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5027.00	50.87	74.00	-23.13	41.19	34.53	7.84	32.69	200	316	PEAK																																								
Fundamental	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>105.35</td><td>-----</td><td>-----</td><td>95.40</td><td>34.64</td><td>7.94</td><td>32.63</td><td>200</td><td>316</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.35	-----	-----	95.40	34.64	7.94	32.63	200	316	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5180.00	105.35	-----	-----	95.40	34.64	7.94	32.63	200	316	PEAK																																								
Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5128.88</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>31.01</td><td>34.61</td><td>7.90</td><td>32.65</td><td>200</td><td>316</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.88	40.87	54.00	-13.13	31.01	34.61	7.90	32.65	200	316	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5128.88	40.87	54.00	-13.13	31.01	34.61	7.90	32.65	200	316	AVERAGE																																								
AVERAGE	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>97.75</td><td>-----</td><td>-----</td><td>87.81</td><td>34.64</td><td>7.93</td><td>32.63</td><td>200</td><td>316</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.75	-----	-----	87.81	34.64	7.93	32.63	200	316	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5180.00	97.75	-----	-----	87.81	34.64	7.93	32.63	200	316	AVERAGE																																								



Mode	41																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial_RU_5320MHz																																																																																																																	
ANT	9+8																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5418.42</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>39.31</td><td>34.83</td><td>8.46</td><td>32.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>109</td><td>146</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5418.42	50.07	74.00	-23.93	39.31	34.83	8.46	32.53							cm	deg							109	146								PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5320.00</td><td>102.09</td><td>-----</td><td>-----</td><td>91.64</td><td>34.76</td><td>8.26</td><td>32.57</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>109</td><td>146</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	102.09	-----	-----	91.64	34.76	8.26	32.57							cm	deg							109	146								PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5418.42	50.07	74.00	-23.93	39.31	34.83	8.46	32.53																																																																																																											
						cm	deg																																																																																																											
						109	146																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5320.00	102.09	-----	-----	91.64	34.76	8.26	32.57																																																																																																											
						cm	deg																																																																																																											
						109	146																																																																																																											
							PEAK																																																																																																											
Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5352.62</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>30.30</td><td>34.78</td><td>8.33</td><td>32.56</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>109</td><td>146</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5352.62	40.85	54.00	-13.15	30.30	34.78	8.33	32.56							cm	deg							109	146								AVERAGE	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5320.00</td><td>94.62</td><td>-----</td><td>-----</td><td>84.19</td><td>34.75</td><td>8.25</td><td>32.57</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>109</td><td>146</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	94.62	-----	-----	84.19	34.75	8.25	32.57							cm	deg							109	146								AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5352.62	40.85	54.00	-13.15	30.30	34.78	8.33	32.56																																																																																																											
						cm	deg																																																																																																											
						109	146																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5320.00	94.62	-----	-----	84.19	34.75	8.25	32.57																																																																																																											
						cm	deg																																																																																																											
						109	146																																																																																																											
							AVERAGE																																																																																																											



Mode	41																																																																																										
	Band Edge																																																																																										
	U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial_RU_5320MHz																																																																																										
ANT	9+8																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.64</td><td>50.09</td><td>74.00</td><td>-23.91</td><td>39.54</td><td>34.78</td><td>8.33</td><td>32.56</td><td>200</td><td>303</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.64	50.09	74.00	-23.91	39.54	34.78	8.33	32.56	200	303	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.89</td><td>-----</td><td>-----</td><td>94.44</td><td>34.76</td><td>8.26</td><td>32.57</td><td>200</td><td>303</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	104.89	-----	-----	94.44	34.76	8.26	32.57	200	303	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5351.64	50.09	74.00	-23.91	39.54	34.78	8.33	32.56	200	303	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5320.00	104.89	-----	-----	94.44	34.76	8.26	32.57	200	303	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.92</td><td>40.98</td><td>54.00</td><td>-13.02</td><td>30.43</td><td>34.78</td><td>8.33</td><td>32.56</td><td>200</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.92	40.98	54.00	-13.02	30.43	34.78	8.33	32.56	200	303	AVERAGE	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.11</td><td>-----</td><td>-----</td><td>85.66</td><td>34.76</td><td>8.26</td><td>32.57</td><td>200</td><td>303</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	96.11	-----	-----	85.66	34.76	8.26	32.57	200	303	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5351.92	40.98	54.00	-13.02	30.43	34.78	8.33	32.56	200	303	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5320.00	96.11	-----	-----	85.66	34.76	8.26	32.57	200	303	AVERAGE																																																																																



Mode	42																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.47-5.725_802.11ax HE20_CH100_Partial_RU_5500MHz																																																																																													
ANT	9+8																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.75</td><td>49.37</td><td>74.00</td><td>-24.63</td><td>38.60</td><td>34.85</td><td>8.44</td><td>32.52</td><td>175</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>49.90</td><td>68.30</td><td>-18.40</td><td>39.14</td><td>34.87</td><td>8.40</td><td>32.51</td><td>175</td><td>130</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.75	49.37	74.00	-24.63	38.60	34.85	8.44	32.52	175	130	PEAK	2	5468.80	49.90	68.30	-18.40	39.14	34.87	8.40	32.51	175	130	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.50</td><td>-----</td><td>-----</td><td>91.75</td><td>34.89</td><td>8.36</td><td>32.50</td><td>175</td><td>130</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.50	-----	-----	91.75	34.89	8.36	32.50	175	130	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5437.75	49.37	74.00	-24.63	38.60	34.85	8.44	32.52	175	130	PEAK																																																																																			
2	5468.80	49.90	68.30	-18.40	39.14	34.87	8.40	32.51	175	130	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	102.50	-----	-----	91.75	34.89	8.36	32.50	175	130	PEAK																																																																																			
Avg	Blank	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.29</td><td>-----</td><td>-----</td><td>84.54</td><td>34.89</td><td>8.36</td><td>32.50</td><td>175</td><td>130</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.29	-----	-----	84.54	34.89	8.36	32.50	175	130	AVERAGE																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	95.29	-----	-----	84.54	34.89	8.36	32.50	175	130	AVERAGE																																																																																			






Mode	42																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.47-5.725_802.11ax HE20_CH100_Partial_RU_5500MHz																																																																																													
ANT	9+8																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5421.25</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>39.08</td><td>34.83</td><td>8.46</td><td>32.53</td><td>200</td><td>284</td><td>PEAK</td></tr><tr><td>2</td><td>5462.35</td><td>50.81</td><td>68.30</td><td>-17.49</td><td>40.04</td><td>34.87</td><td>8.41</td><td>32.51</td><td>200</td><td>284</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.25	49.84	74.00	-24.16	39.08	34.83	8.46	32.53	200	284	PEAK	2	5462.35	50.81	68.30	-17.49	40.04	34.87	8.41	32.51	200	284	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.92</td><td>-----</td><td>-----</td><td>97.17</td><td>34.89</td><td>8.36</td><td>32.50</td><td>200</td><td>284</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.92	-----	-----	97.17	34.89	8.36	32.50	200	284	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5421.25	49.84	74.00	-24.16	39.08	34.83	8.46	32.53	200	284	PEAK																																																																																			
2	5462.35	50.81	68.30	-17.49	40.04	34.87	8.41	32.51	200	284	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	107.92	-----	-----	97.17	34.89	8.36	32.50	200	284	PEAK																																																																																			
Avg	Blank	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.60</td><td>-----</td><td>-----</td><td>88.85</td><td>34.89</td><td>8.36</td><td>32.50</td><td>200</td><td>284</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.60	-----	-----	88.85	34.89	8.36	32.50	200	284	AVERAGE																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5500.00	99.60	-----	-----	88.85	34.89	8.36	32.50	200	284	AVERAGE																																																																																			



Mode	43																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU_5700MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.83</td><td>51.05</td><td>68.30</td><td>-17.25</td><td>39.75</td><td>35.05</td><td>8.75</td><td>32.50</td><td>382</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.83	51.05	68.30	-17.25	39.75	35.05	8.75	32.50	382	0	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.03</td><td>-----</td><td>-----</td><td>90.91</td><td>35.02</td><td>8.60</td><td>32.50</td><td>382</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	102.03	-----	-----	90.91	35.02	8.60	32.50	382	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5745.83	51.05	68.30	-17.25	39.75	35.05	8.75	32.50	382	0	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	102.03	-----	-----	90.91	35.02	8.60	32.50	382	0	PEAK																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>93.74</td><td>-----</td><td>-----</td><td>82.62</td><td>35.02</td><td>8.60</td><td>32.50</td><td>382</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	93.74	-----	-----	82.62	35.02	8.60	32.50	382	0	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	93.74	-----	-----	82.62	35.02	8.60	32.50	382	0	AVERAGE																																																																																	



Mode	43																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU_5700MHz																																																																																											
ANT	9+8																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-09-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.55</td><td>51.52</td><td>68.30</td><td>-16.78</td><td>40.29</td><td>35.04</td><td>8.69</td><td>32.50</td><td>200</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5730.55	51.52	68.30	-16.78	40.29	35.04	8.69	32.50	200	329	PEAK	Level (dBuV/m) Date: 2024-09-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.40</td><td>-----</td><td>-----</td><td>95.26</td><td>35.02</td><td>8.62</td><td>32.50</td><td>200</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	106.40	-----	-----	95.26	35.02	8.62	32.50	200	329	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5730.55	51.52	68.30	-16.78	40.29	35.04	8.69	32.50	200	329	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	106.40	-----	-----	95.26	35.02	8.62	32.50	200	329	PEAK																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2024-09-29  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.37</td><td>-----</td><td>-----</td><td>87.25</td><td>35.02</td><td>8.60</td><td>32.50</td><td>200</td><td>329</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	98.37	-----	-----	87.25	35.02	8.60	32.50	200	329	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	98.37	-----	-----	87.25	35.02	8.60	32.50	200	329	AVERAGE																																																																																	



Mode	44																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU_5745MHz																																																																																																												
ANT	9+8																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak	Date: 2024-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5607.25</td><td>50.06</td><td>68.30</td><td>-18.24</td><td>39.36</td><td>34.96</td><td>8.24</td><td>32.50</td><td>367</td></tr><tr><td>2 5650.17</td><td>48.16</td><td>68.43</td><td>-20.27</td><td>37.27</td><td>34.99</td><td>8.40</td><td>32.50</td><td>367</td></tr><tr><td>3 5700.92</td><td>49.70</td><td>105.46</td><td>-55.76</td><td>38.59</td><td>35.02</td><td>8.59</td><td>32.50</td><td>367</td></tr><tr><td>4 5720.21</td><td>48.47</td><td>111.27</td><td>-62.80</td><td>37.28</td><td>35.03</td><td>8.66</td><td>32.50</td><td>367</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5607.25	50.06	68.30	-18.24	39.36	34.96	8.24	32.50	367	2 5650.17	48.16	68.43	-20.27	37.27	34.99	8.40	32.50	367	3 5700.92	49.70	105.46	-55.76	38.59	35.02	8.59	32.50	367	4 5720.21	48.47	111.27	-62.80	37.28	35.03	8.66	32.50	367	Date: 2024-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.29</td><td>-----</td><td>-----</td><td>91.02</td><td>35.04</td><td>8.73</td><td>32.50</td><td>367</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5745.00	102.29	-----	-----	91.02	35.04	8.73	32.50	367
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5607.25	50.06	68.30	-18.24	39.36	34.96	8.24	32.50	367																																																																																																					
2 5650.17	48.16	68.43	-20.27	37.27	34.99	8.40	32.50	367																																																																																																					
3 5700.92	49.70	105.46	-55.76	38.59	35.02	8.59	32.50	367																																																																																																					
4 5720.21	48.47	111.27	-62.80	37.28	35.03	8.66	32.50	367																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5745.00	102.29	-----	-----	91.02	35.04	8.73	32.50	367																																																																																																					
Avg	Blank					Date: 2024-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.66</td><td>-----</td><td>-----</td><td>82.39</td><td>35.04</td><td>8.73</td><td>32.50</td><td>367</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5745.00	93.66	-----	-----	82.39	35.04	8.73	32.50	367																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5745.00	93.66	-----	-----	82.39	35.04	8.73	32.50	367																																																																																																					





Mode	45																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU_5825MHz																																																																																																																																									
ANT	9+8																																																																																																																																									
Pol.	Horizontal																																																																																																																																									
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.88</td><td>61.47</td><td>113.36</td><td>-51.89</td><td>49.99</td><td>35.11</td><td>8.87</td><td>32.50</td><td>291</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>5855.50</td><td>58.99</td><td>110.66</td><td>-51.67</td><td>47.51</td><td>35.11</td><td>8.87</td><td>32.50</td><td>291</td><td>134</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>50.96</td><td>68.48</td><td>-17.52</td><td>39.51</td><td>35.16</td><td>8.79</td><td>32.50</td><td>291</td><td>134</td><td>PEAK</td></tr><tr><td>4</td><td>5935.63</td><td>50.89</td><td>68.30</td><td>-17.41</td><td>39.45</td><td>35.16</td><td>8.78</td><td>32.50</td><td>291</td><td>134</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.88	61.47	113.36	-51.89	49.99	35.11	8.87	32.50	291	134	PEAK	2	5855.50	58.99	110.66	-51.67	47.51	35.11	8.87	32.50	291	134	PEAK	3	5924.63	50.96	68.48	-17.52	39.51	35.16	8.79	32.50	291	134	PEAK	4	5935.63	50.89	68.30	-17.41	39.45	35.16	8.78	32.50	291	134	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.91</td><td>-----</td><td>-----</td><td>92.42</td><td>35.10</td><td>8.89</td><td>32.50</td><td>291</td><td>134</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.91	-----	-----	92.42	35.10	8.89	32.50	291	134	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.88	61.47	113.36	-51.89	49.99	35.11	8.87	32.50	291	134	PEAK																																																																																																																															
2	5855.50	58.99	110.66	-51.67	47.51	35.11	8.87	32.50	291	134	PEAK																																																																																																																															
3	5924.63	50.96	68.48	-17.52	39.51	35.16	8.79	32.50	291	134	PEAK																																																																																																																															
4	5935.63	50.89	68.30	-17.41	39.45	35.16	8.78	32.50	291	134	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	103.91	-----	-----	92.42	35.10	8.89	32.50	291	134	PEAK																																																																																																																															
Avg	Blank											Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>95.82</td><td>-----</td><td>-----</td><td>84.32</td><td>35.09</td><td>8.91</td><td>32.50</td><td>291</td><td>134</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.82	-----	-----	84.32	35.09	8.91	32.50	291	134	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	95.82	-----	-----	84.32	35.09	8.91	32.50	291	134	AVERAGE																																																																																																																															



Mode	45																																																																																																																																																											
	Band Edge																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU_5825MHz																																																																																																																																																											
ANT	9+8																																																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																																																					
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5855.00</td><td>51.24</td><td>110.80</td><td>-59.56</td><td>39.76</td><td>35.11</td><td>8.87</td><td>32.50</td><td>292</td><td>293</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>5874.50</td><td>51.05</td><td>105.34</td><td>-54.29</td><td>39.58</td><td>35.12</td><td>8.85</td><td>32.50</td><td>292</td><td>293</td><td>PEAK</td><td></td><td></td></tr><tr><td>3</td><td>5924.63</td><td>50.41</td><td>68.48</td><td>-18.07</td><td>38.96</td><td>35.16</td><td>8.79</td><td>32.50</td><td>292</td><td>293</td><td>PEAK</td><td></td><td></td></tr><tr><td>4</td><td>5930.75</td><td>51.02</td><td>68.30</td><td>-17.28</td><td>39.58</td><td>35.16</td><td>8.78</td><td>32.50</td><td>292</td><td>293</td><td>PEAK</td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5855.00	51.24	110.80	-59.56	39.76	35.11	8.87	32.50	292	293	PEAK			2	5874.50	51.05	105.34	-54.29	39.58	35.12	8.85	32.50	292	293	PEAK			3	5924.63	50.41	68.48	-18.07	38.96	35.16	8.79	32.50	292	293	PEAK			4	5930.75	51.02	68.30	-17.28	39.58	35.16	8.78	32.50	292	293	PEAK			Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>106.82</td><td>-----</td><td>-----</td><td>95.32</td><td>35.10</td><td>8.90</td><td>32.50</td><td>292</td><td>293</td><td>PEAK</td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5825.00	106.82	-----	-----	95.32	35.10	8.90	32.50	292	293	PEAK		
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	5855.00	51.24	110.80	-59.56	39.76	35.11	8.87	32.50	292	293	PEAK																																																																																																																																																	
2	5874.50	51.05	105.34	-54.29	39.58	35.12	8.85	32.50	292	293	PEAK																																																																																																																																																	
3	5924.63	50.41	68.48	-18.07	38.96	35.16	8.79	32.50	292	293	PEAK																																																																																																																																																	
4	5930.75	51.02	68.30	-17.28	39.58	35.16	8.78	32.50	292	293	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	5825.00	106.82	-----	-----	95.32	35.10	8.90	32.50	292	293	PEAK																																																																																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>97.95</td><td>-----</td><td>-----</td><td>86.45</td><td>35.10</td><td>8.90</td><td>32.50</td><td>292</td><td>293</td><td>AVERAGE</td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5825.00	97.95	-----	-----	86.45	35.10	8.90	32.50	292	293	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	5825.00	97.95	-----	-----	86.45	35.10	8.90	32.50	292	293	AVERAGE																																																																																																																																																	



Mode	46																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80 LF																																																																																																																																																																																																																											
ANT	9+8																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>98.87</td><td>23.15</td><td>43.50</td><td>-20.35</td><td></td><td>42.13</td><td>14.78</td><td>1.04</td><td>34.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>143.49</td><td>25.50</td><td>43.50</td><td>-18.00</td><td></td><td>40.53</td><td>18.43</td><td>1.26</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>287.05</td><td>25.91</td><td>46.00</td><td>-20.09</td><td></td><td>40.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>349.13</td><td>25.91</td><td>46.00</td><td>-20.09</td><td></td><td>38.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>782.72</td><td>27.97</td><td>46.00</td><td>-18.03</td><td></td><td>31.56</td><td>27.75</td><td>3.00</td><td>34.34</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>30.75</td><td>46.00</td><td>-15.25</td><td></td><td>32.05</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	98.87	23.15	43.50	-20.35		42.13	14.78	1.04	34.80	--	--	Peak	2	143.49	25.50	43.50	-18.00		40.53	18.43	1.26	34.72	--	--	Peak	3	287.05	25.91	46.00	-20.09		40.06	18.72	1.76	34.63	--	--	Peak	4	349.13	25.91	46.00	-20.09		38.37	20.20	1.94	34.60	--	--	Peak	5	782.72	27.97	46.00	-18.03		31.56	27.75	3.00	34.34	--	--	Peak	6	948.59	30.75	46.00	-15.25		32.05	29.74	3.26	34.30	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.88</td><td>24.98</td><td>40.00</td><td>-15.02</td><td></td><td>40.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>146.40</td><td>22.13</td><td>43.50</td><td>-21.37</td><td></td><td>36.90</td><td>18.67</td><td>1.27</td><td>34.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>24.84</td><td>43.50</td><td>-18.66</td><td></td><td>42.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>282.20</td><td>23.45</td><td>46.00</td><td>-22.55</td><td></td><td>37.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>671.17</td><td>26.82</td><td>46.00</td><td>-19.18</td><td></td><td>31.92</td><td>26.61</td><td>2.75</td><td>34.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>844.80</td><td>28.81</td><td>46.00</td><td>-17.19</td><td></td><td>31.31</td><td>28.71</td><td>3.09</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	33.88	24.98	40.00	-15.02		40.82	18.46	0.57	34.87	--	--	Peak	2	146.40	22.13	43.50	-21.37		36.90	18.67	1.27	34.71	--	--	Peak	3	198.78	24.84	43.50	-18.66		42.01	16.05	1.48	34.70	--	--	Peak	4	282.20	23.45	46.00	-22.55		37.78	18.57	1.74	34.64	--	--	Peak	5	671.17	26.82	46.00	-19.18		31.92	26.61	2.75	34.46	--	--	Peak	6	844.80	28.81	46.00	-17.19		31.31	28.71	3.09	34.30	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	98.87	23.15	43.50	-20.35		42.13	14.78	1.04	34.80	--	--	Peak																																																																																																																																																																																																																
2	143.49	25.50	43.50	-18.00		40.53	18.43	1.26	34.72	--	--	Peak																																																																																																																																																																																																																
3	287.05	25.91	46.00	-20.09		40.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																																																																																
4	349.13	25.91	46.00	-20.09		38.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																																																																																
5	782.72	27.97	46.00	-18.03		31.56	27.75	3.00	34.34	--	--	Peak																																																																																																																																																																																																																
6	948.59	30.75	46.00	-15.25		32.05	29.74	3.26	34.30	--	--	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	33.88	24.98	40.00	-15.02		40.82	18.46	0.57	34.87	--	--	Peak																																																																																																																																																																																																																
2	146.40	22.13	43.50	-21.37		36.90	18.67	1.27	34.71	--	--	Peak																																																																																																																																																																																																																
3	198.78	24.84	43.50	-18.66		42.01	16.05	1.48	34.70	--	--	Peak																																																																																																																																																																																																																
4	282.20	23.45	46.00	-22.55		37.78	18.57	1.74	34.64	--	--	Peak																																																																																																																																																																																																																
5	671.17	26.82	46.00	-19.18		31.92	26.61	2.75	34.46	--	--	Peak																																																																																																																																																																																																																
6	844.80	28.81	46.00	-17.19		31.31	28.71	3.09	34.30	--	--	Peak																																																																																																																																																																																																																



		48									
Mode		Band Edge - L									
		CO-TX									
ANT		9+8									
Pol.		Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-09-30 </										



Mode	48																														
	Band Edge - R																														
	CO-TX																														
ANT	9+8																														
Pol.	Horizontal	Fundamental																													
Peak	Date: 2024-09-30 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5530 5577 5624 5671 5718 5765 Frequency (MHz) 1 5745.73 50.45 68.30 -17.85 39.15 35.05 8.75 32.50 102 42 PEAK <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																					



		48																																																																																	
Mode		Band Edge - L																																																																																	
		CO-TX																																																																																	
ANT		9+8																																																																																	
Pol.		Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5446.48</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>44.91</td><td>34.85</td><td>8.43</td><td>32.52</td><td>200</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>5466.46</td><td>55.04</td><td>68.30</td><td>-13.26</td><td>44.28</td><td>34.87</td><td>8.40</td><td>32.51</td><td>200</td><td>290</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.00</td><td>-----</td><td>-----</td><td>85.24</td><td>34.90</td><td>8.36</td><td>32.50</td><td>200</td><td>290</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5446.48	55.67	74.00	-18.33	44.91	34.85	8.43	32.52	200	290	PEAK	2	5466.46	55.04	68.30	-13.26	44.28	34.87	8.40	32.51	200	290	PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5530.00	96.00	-----	-----	85.24	34.90	8.36	32.50	200	290	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																									
1	5446.48	55.67	74.00	-18.33	44.91	34.85	8.43	32.52	200	290	PEAK																																																																								
2	5466.46	55.04	68.30	-13.26	44.28	34.87	8.40	32.51	200	290	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																									
1	5530.00	96.00	-----	-----	85.24	34.90	8.36	32.50	200	290	PEAK																																																																								
Avg	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5436.22</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>37.82</td><td>34.85</td><td>8.44</td><td>32.52</td><td>200</td><td>290</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.93</td><td>-----</td><td>-----</td><td>79.19</td><td>34.91</td><td>8.33</td><td>32.50</td><td>200</td><td>290</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5436.22	48.59	54.00	-5.41	37.82	34.85	8.44	32.52	200	290	AVERAGE	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5530.00	89.93	-----	-----	79.19	34.91	8.33	32.50	200	290	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																									
1	5436.22	48.59	54.00	-5.41	37.82	34.85	8.44	32.52	200	290	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																									
1	5530.00	89.93	-----	-----	79.19	34.91	8.33	32.50	200	290	AVERAGE																																																																								







Mode	48																																																																																																									
	Harmonic																																																																																																									
	CO-TX																																																																																																									
ANT	9+8																																																																																																									
Pol.	Horizontal												Vertical																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz)												Level (dBuV/m) Date: 2024-09-30 Frequency (MHz)																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11060.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>61.53</td><td>37.63</td><td>11.24</td><td>63.16</td></tr><tr><td>2</td><td>16590.00</td><td>46.61</td><td>68.30</td><td>-21.69</td><td>59.19</td><td>39.57</td><td>12.95</td><td>65.10</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11060.00	47.24	74.00	-26.76	61.53	37.63	11.24	63.16	2	16590.00	46.61	68.30	-21.69	59.19	39.57	12.95	65.10	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11060.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>61.72</td><td>37.63</td><td>11.24</td><td>63.16</td></tr><tr><td>2</td><td>16590.00</td><td>46.35</td><td>68.30</td><td>-21.95</td><td>58.93</td><td>39.57</td><td>12.95</td><td>65.10</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11060.00	47.43	74.00	-26.57	61.72	37.63	11.24	63.16	2	16590.00	46.35	68.30	-21.95	58.93	39.57	12.95	65.10
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	11060.00	47.24	74.00	-26.76	61.53	37.63	11.24	63.16																																																																																																		
2	16590.00	46.61	68.30	-21.69	59.19	39.57	12.95	65.10																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	11060.00	47.43	74.00	-26.57	61.72	37.63	11.24	63.16																																																																																																		
2	16590.00	46.35	68.30	-21.95	58.93	39.57	12.95	65.10																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11060.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>61.53</td><td>37.63</td><td>11.24</td><td>63.16</td></tr><tr><td>2</td><td>16590.00</td><td>46.61</td><td>68.30</td><td>-21.69</td><td>59.19</td><td>39.57</td><td>12.95</td><td>65.10</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11060.00	47.24	74.00	-26.76	61.53	37.63	11.24	63.16	2	16590.00	46.61	68.30	-21.69	59.19	39.57	12.95	65.10	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11060.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>61.72</td><td>37.63</td><td>11.24</td><td>63.16</td></tr><tr><td>2</td><td>16590.00</td><td>46.35</td><td>68.30</td><td>-21.95</td><td>58.93</td><td>39.57</td><td>12.95</td><td>65.10</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11060.00	47.43	74.00	-26.57	61.72	37.63	11.24	63.16	2	16590.00	46.35	68.30	-21.95	58.93	39.57	12.95	65.10	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	11060.00	47.24	74.00	-26.76	61.53	37.63	11.24	63.16																																																																																																		
2	16590.00	46.61	68.30	-21.69	59.19	39.57	12.95	65.10																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	11060.00	47.43	74.00	-26.57	61.72	37.63	11.24	63.16																																																																																																		
2	16590.00	46.35	68.30	-21.95	58.93	39.57	12.95	65.10																																																																																																		



Mode	49																																																			
	Band Edge																																																			
	CO-TX																																																			
ANT	7																																																			
Pol.	Horizontal																																																			
Peak	Fundamental																																																			
	Level (dBuV/m) Date: 2024-09-30 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.67</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>47.77</td><td>30.92</td><td>4.94</td><td>33.50</td><td>151</td><td>143</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.67	50.13	74.00	-23.87	47.77	30.92	4.94	33.50	151	143	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2499.67	50.13	74.00	-23.87	47.77	30.92	4.94	33.50	151	143	PEAK																																									
Avg	Level (dBuV/m) Date: 2024-09-30 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.39</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>39.79</td><td>30.89</td><td>4.94</td><td>33.51</td><td>151</td><td>143</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.39	42.11	54.00	-11.89	39.79	30.89	4.94	33.51	151	143	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2494.39	42.11	54.00	-11.89	39.79	30.89	4.94	33.51	151	143	AVERAGE																																									
Peak	Level (dBuV/m) Date: 2024-09-30 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>94.60</td><td>-----</td><td>-----</td><td>92.38</td><td>30.83</td><td>4.91</td><td>33.52</td><td>151</td><td>143</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	94.60	-----	-----	92.38	30.83	4.91	33.52	151	143	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2478.00	94.60	-----	-----	92.38	30.83	4.91	33.52	151	143	PEAK																																									
Avg	Level (dBuV/m) Date: 2024-09-30 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>92.76</td><td>-----</td><td>-----</td><td>90.54</td><td>30.83</td><td>4.91</td><td>33.52</td><td>151</td><td>143</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	92.76	-----	-----	90.54	30.83	4.91	33.52	151	143	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2478.00	92.76	-----	-----	90.54	30.83	4.91	33.52	151	143	AVERAGE																																									



Mode	49																																																																																			
	Band Edge																																																																																			
	CO-TX																																																																																			
ANT	7																																																																																			
Pol.	Vertical					Fundamental																																																																														
Peak	 Level (dBuV/m) Date: 2024-09-30 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2478 2482.4 2486.8 2491.2 2495.6 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2498.55</td><td>50.26</td><td>74.00</td><td>-23.74</td><td>47.91</td><td>30.91</td><td>4.94</td><td>33.50</td><td>200</td></tr></table> 252 PEAK						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2498.55	50.26	74.00	-23.74	47.91	30.91	4.94	33.50	200	 Level (dBuV/m) Date: 2024-09-30 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2478.00</td><td>105.54</td><td>-----</td><td>-----</td><td>103.32</td><td>30.83</td><td>4.91</td><td>33.52</td><td>200</td></tr></table> 252 PEAK						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2478.00	105.54	-----	-----	103.32	30.83	4.91	33.52	200
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2498.55	50.26	74.00	-23.74	47.91	30.91	4.94	33.50	200																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2478.00	105.54	-----	-----	103.32	30.83	4.91	33.52	200																																																																											
Avg	 Level (dBuV/m) Date: 2024-09-30 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2478 2482.4 2486.8 2491.2 2495.6 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2488.23</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>39.79</td><td>30.87</td><td>4.93</td><td>33.51</td><td>200</td></tr></table> 252 AVERAGE						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2488.23	42.08	54.00	-11.92	39.79	30.87	4.93	33.51	200	 Level (dBuV/m) Date: 2024-09-30 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2478.00</td><td>103.65</td><td>-----</td><td>-----</td><td>101.43</td><td>30.83</td><td>4.91</td><td>33.52</td><td>200</td></tr></table> 252 AVERAGE						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2478.00	103.65	-----	-----	101.43	30.83	4.91	33.52	200
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2488.23	42.08	54.00	-11.92	39.79	30.87	4.93	33.51	200																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																												
1	2478.00	103.65	-----	-----	101.43	30.83	4.91	33.52	200																																																																											



Mode	49																																																																																							
	Band Edge - L																																																																																							
	CO-TX																																																																																							
ANT	9+8																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5449.90</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>40.94</td><td>34.86</td><td>8.42</td><td>32.52</td><td>100</td><td>46 PEAK</td></tr><tr><td>2 5461.78</td><td>51.56</td><td>68.30</td><td>-16.74</td><td>40.79</td><td>34.87</td><td>8.41</td><td>32.51</td><td>100</td><td>46 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5449.90	51.70	74.00	-22.30	40.94	34.86	8.42	32.52	100	46 PEAK	2 5461.78	51.56	68.30	-16.74	40.79	34.87	8.41	32.51	100	46 PEAK	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>92.66</td><td>-----</td><td>-----</td><td>90.45</td><td>30.82</td><td>4.91</td><td>33.52</td><td>100</td><td>46 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	92.66	-----	-----	90.45	30.82	4.91	33.52	100	46 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5449.90	51.70	74.00	-22.30	40.94	34.86	8.42	32.52	100	46 PEAK																																																																															
2 5461.78	51.56	68.30	-16.74	40.79	34.87	8.41	32.51	100	46 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5530.00	92.66	-----	-----	90.45	30.82	4.91	33.52	100	46 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5434.96</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>33.45</td><td>34.85</td><td>8.44</td><td>32.52</td><td>100</td><td>46 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5434.96	44.22	54.00	-9.78	33.45	34.85	8.44	32.52	100	46 AVERAGE	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>85.72</td><td>-----</td><td>-----</td><td>83.51</td><td>30.82</td><td>4.91</td><td>33.52</td><td>100</td><td>46 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	85.72	-----	-----	83.51	30.82	4.91	33.52	100	46 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5434.96	44.22	54.00	-9.78	33.45	34.85	8.44	32.52	100	46 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5530.00	85.72	-----	-----	83.51	30.82	4.91	33.52	100	46 AVERAGE																																																																															

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.







		49																																																																																																				
Mode		Band Edge - L																																																																																																				
		CO-TX																																																																																																				
ANT		9+8																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.72</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>43.71</td><td>34.86</td><td>8.42</td><td>32.52</td><td>184</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5469.88</td><td>54.35</td><td>68.30</td><td>-13.95</td><td>43.59</td><td>34.87</td><td>8.40</td><td>32.51</td><td>184</td><td>287</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.55</td><td>-----</td><td>-----</td><td>94.34</td><td>30.82</td><td>4.91</td><td>33.52</td><td>184</td><td>287</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.72	54.47	74.00	-19.53	43.71	34.86	8.42	32.52	184	287	PEAK	2	5469.88	54.35	68.30	-13.95	43.59	34.87	8.40	32.51	184	287	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.55	-----	-----	94.34	30.82	4.91	33.52	184	287	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5449.72	54.47	74.00	-19.53	43.71	34.86	8.42	32.52	184	287	PEAK																																																																																											
2	5469.88	54.35	68.30	-13.95	43.59	34.87	8.40	32.51	184	287	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5530.00	96.55	-----	-----	94.34	30.82	4.91	33.52	184	287	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.22</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>37.51</td><td>34.85</td><td>8.44</td><td>32.52</td><td>184</td><td>287</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.59</td><td>-----</td><td>-----</td><td>87.38</td><td>30.82</td><td>4.91</td><td>33.52</td><td>184</td><td>287</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.22	48.28	54.00	-5.72	37.51	34.85	8.44	32.52	184	287	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.59	-----	-----	87.38	30.82	4.91	33.52	184	287	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5436.22	48.28	54.00	-5.72	37.51	34.85	8.44	32.52	184	287	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5530.00	89.59	-----	-----	87.38	30.82	4.91	33.52	184	287	AVERAGE																																																																																											







		49																																																																																																																																																																															
Mode		Harmonic																																																																																																																																																																															
		CO-TX																																																																																																																																																																															
ANT		9+8																																																																																																																																																																															
Pol.		Horizontal																																																																																																																																																																															
		Vertical																																																																																																																																																																															
Peak	Avg	Level (dBuV/m) Date: 2024-10-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>62.55</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>61.84</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>11060.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>61.35</td><td>37.63</td><td>11.24</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>16590.00</td><td>46.49</td><td>68.30</td><td>-21.81</td><td>59.07</td><td>39.57</td><td>12.95</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4956.00	39.51	74.00	-34.49	62.55	34.44	7.80	65.28	--	--	Peak	2	7434.00	41.89	74.00	-32.11	61.84	35.41	9.19	64.55	--	--	Peak	3	11060.00	47.06	74.00	-26.94	61.35	37.63	11.24	63.16	--	--	Peak	4	16590.00	46.49	68.30	-21.81	59.07	39.57	12.95	65.10	--	--	Peak	Level (dBuV/m) Date: 2024-10-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>63.05</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>41.38</td><td>74.00</td><td>-32.62</td><td>61.33</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>11060.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>61.31</td><td>37.63</td><td>11.24</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>16590.00</td><td>48.01</td><td>68.30</td><td>-20.29</td><td>60.59</td><td>39.57</td><td>12.95</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4956.00	40.01	74.00	-33.99	63.05	34.44	7.80	65.28	--	--	Peak	2	7434.00	41.38	74.00	-32.62	61.33	35.41	9.19	64.55	--	--	Peak	3	11060.00	47.02	74.00	-26.98	61.31	37.63	11.24	63.16	--	--	Peak	4	16590.00	48.01	68.30	-20.29	60.59	39.57	12.95	65.10	--	--	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4956.00	39.51	74.00	-34.49	62.55	34.44	7.80	65.28	--	--	Peak																																																																																																																																																																						
2	7434.00	41.89	74.00	-32.11	61.84	35.41	9.19	64.55	--	--	Peak																																																																																																																																																																						
3	11060.00	47.06	74.00	-26.94	61.35	37.63	11.24	63.16	--	--	Peak																																																																																																																																																																						
4	16590.00	46.49	68.30	-21.81	59.07	39.57	12.95	65.10	--	--	Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4956.00	40.01	74.00	-33.99	63.05	34.44	7.80	65.28	--	--	Peak																																																																																																																																																																						
2	7434.00	41.38	74.00	-32.62	61.33	35.41	9.19	64.55	--	--	Peak																																																																																																																																																																						
3	11060.00	47.02	74.00	-26.98	61.31	37.63	11.24	63.16	--	--	Peak																																																																																																																																																																						
4	16590.00	48.01	68.30	-20.29	60.59	39.57	12.95	65.10	--	--	Peak																																																																																																																																																																						



		50																																																																																								
Mode		Band Edge - L																																																																																								
		CO-TX																																																																																								
ANT		3+5																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-10-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2317.87</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>48.21</td><td>30.75</td><td>4.72</td><td>33.61</td><td>200</td><td>326</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2317.87	50.07	74.00	-23.93	48.21	30.75	4.72	33.61	200	326	PEAK	 Level (dBuV/m) Date: 2024-10-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2436.00</td><td>107.14</td><td>-----</td><td>-----</td><td>105.15</td><td>30.68</td><td>4.85</td><td>33.54</td><td>200</td><td>326</td><td>PEAK_74</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2436.00	107.14	-----	-----	105.15	30.68	4.85	33.54	200	326	PEAK_74
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2317.87	50.07	74.00	-23.93	48.21	30.75	4.72	33.61	200	326	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2436.00	107.14	-----	-----	105.15	30.68	4.85	33.54	200	326	PEAK_74																																																																															
Avg	 Level (dBuV/m) Date: 2024-10-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2357.37</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>37.58</td><td>30.67</td><td>4.76</td><td>33.59</td><td>200</td><td>326</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.37	39.42	54.00	-14.58	37.58	30.67	4.76	33.59	200	326	AVERAGE	 Level (dBuV/m) Date: 2024-10-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2438.00</td><td>104.39</td><td>-----</td><td>-----</td><td>102.38</td><td>30.69</td><td>4.86</td><td>33.54</td><td>200</td><td>326</td><td>AVG_54</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	104.39	-----	-----	102.38	30.69	4.86	33.54	200	326	AVG_54
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2357.37	39.42	54.00	-14.58	37.58	30.67	4.76	33.59	200	326	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2438.00	104.39	-----	-----	102.38	30.69	4.86	33.54	200	326	AVG_54																																																																															



Mode	50																																																																																
	Band Edge - L																																																																																
	CO-TX																																																																																
ANT	3+5																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2367.66</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>48.02</td><td>30.65</td><td>4.77</td><td>33.58</td><td>400 235 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2367.66	49.86	74.00	-24.14	48.02	30.65	4.77	33.58	400 235 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2438.00</td><td>105.41</td><td>-----</td><td>-----</td><td>103.40</td><td>30.69</td><td>4.86</td><td>33.54</td><td>400 235</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2438.00	105.41	-----	-----	103.40	30.69	4.86	33.54
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2367.66	49.86	74.00	-24.14	48.02	30.65	4.77	33.58	400 235 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2438.00	105.41	-----	-----	103.40	30.69	4.86	33.54	400 235																																																																									
Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2378.33</td><td>39.15</td><td>54.00</td><td>-14.85</td><td>37.31</td><td>30.63</td><td>4.78</td><td>33.57</td><td>400 235 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2378.33	39.15	54.00	-14.85	37.31	30.63	4.78	33.57	400 235 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 2438.00</td><td>102.80</td><td>-----</td><td>-----</td><td>100.79</td><td>30.69</td><td>4.86</td><td>33.54</td><td>400 235</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2438.00	102.80	-----	-----	100.79	30.69	4.86	33.54
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2378.33	39.15	54.00	-14.85	37.31	30.63	4.78	33.57	400 235 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 2438.00	102.80	-----	-----	100.79	30.69	4.86	33.54	400 235																																																																									



Mode	50																																																		
	Band Edge - R																																																		
	CO-TX																																																		
ANT	3+5																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-10-10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.57</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>48.38</td><td>30.86</td><td>4.92</td><td>33.51</td><td>400</td><td>235</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.57	50.65	74.00	-23.35	48.38	30.86	4.92	33.51	400	235	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.57	50.65	74.00	-23.35	48.38	30.86	4.92	33.51	400	235	PEAK																																								
Avg	Date: 2024-10-10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>37.93</td><td>30.85</td><td>4.92</td><td>33.51</td><td>400</td><td>235</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.68	40.19	54.00	-13.81	37.93	30.85	4.92	33.51	400	235	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2483.68	40.19	54.00	-13.81	37.93	30.85	4.92	33.51	400	235	AVERAGE																																								

Mode

50

Band Edge - L

CO-TX

ANT

9+8

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

Date: 2024-10-10

Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal Peak. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5530 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5458 MHz labeled '12' and another peak at 5494 MHz labeled 'PART 15.407'.

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		
1	5457.64	50.46	74.00	-23.54	39.70	34.86	8.41	32.51	399	51	PEAK
2	5460.16	50.60	68.30	-17.70	39.84	34.86	8.41	32.51	399	51	PEAK

Fundamental

Level (dBuV/m)

Date: 2024-10-10

Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5530 MHz labeled '1' and another peak at 5494 MHz labeled 'PART 15.407'.

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		
1	5530.00	89.61	-----	-----	78.86	34.89	8.36	32.50	399	51	PEAK

Avg

Level (dBuV/m)

Date: 2024-10-10

Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal Average. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5530 MHz. A red limit line is at 52.5 dBuV/m. A blue trace shows a peak at 5458 MHz labeled '1' and another peak at 5494 MHz labeled 'PART 15.407 AVG'.

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		
1	5458.18	44.11	54.00	-9.89	33.35	34.86	8.41	32.51	399	51	AVERAGE

Fundamental

Level (dBuV/m)





Date: 2024-10-10

Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 52.5 dBuV/m. A blue trace shows a peak at 5530 MHz labeled '1' and another peak at 5494 MHz labeled 'PART 15.407 AVG'.



	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		
1	5530.00	84.37	-----	-----	82.36	30.69	4.86	33.54	399	51	AVERAGE

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.



		50																																																																																																														
Mode		Band Edge - L																																																																																																														
		CO-TX																																																																																																														
ANT		9+8																																																																																																														
Pol.		Vertical					Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2024-10-10  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.82</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>43.47</td><td>34.86</td><td>8.41</td><td>32.51</td><td>192</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5469.16</td><td>54.08</td><td>68.30</td><td>-14.22</td><td>43.32</td><td>34.87</td><td>8.40</td><td>32.51</td><td>192</td><td>294</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.82	54.23	74.00	-19.77	43.47	34.86	8.41	32.51	192	294	PEAK	2	5469.16	54.08	68.30	-14.22	43.32	34.87	8.40	32.51	192	294	PEAK	Level (dBuV/m) Date: 2024-10-10  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.80</td><td>-----</td><td>-----</td><td>93.81</td><td>30.68</td><td>4.85</td><td>33.54</td><td>192</td><td>294</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	95.80	-----	-----	93.81	30.68	4.85	33.54	192	294	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	5457.82	54.23	74.00	-19.77	43.47	34.86	8.41	32.51	192	294	PEAK																																																																																																					
2	5469.16	54.08	68.30	-14.22	43.32	34.87	8.40	32.51	192	294	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	5530.00	95.80	-----	-----	93.81	30.68	4.85	33.54	192	294	PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2024-10-10  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.82</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>36.27</td><td>34.86</td><td>8.41</td><td>32.51</td><td>192</td><td>294</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.82	47.03	54.00	-6.97	36.27	34.86	8.41	32.51	192	294	AVERAGE	Level (dBuV/m) Date: 2024-10-10  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>88.66</td><td>-----</td><td>-----</td><td>86.65</td><td>30.69</td><td>4.86</td><td>33.54</td><td>192</td><td>294</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	88.66	-----	-----	86.65	30.69	4.86	33.54	192	294	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	5457.82	47.03	54.00	-6.97	36.27	34.86	8.41	32.51	192	294	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	5530.00	88.66	-----	-----	86.65	30.69	4.86	33.54	192	294	AVERAGE																																																																																																					



Mode	50																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																									
	CO-TX																																																																																																																																																																																																									
ANT	9+8																																																																																																																																																																																																									
Pol.	Horizontal											Vertical																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-10-10  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>62.59</td><td>34.33</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>70.58</td><td>35.44</td><td>8.93</td><td>64.65</td><td>122</td><td>288</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>67.27</td><td>35.44</td><td>8.93</td><td>64.65</td><td>122</td><td>288</td><td>Average</td></tr><tr><td>4</td><td>11060.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>61.71</td><td>37.63</td><td>11.24</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16590.00</td><td>46.34</td><td>68.30</td><td>-21.96</td><td>58.92</td><td>39.57</td><td>12.95</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4874.00	39.44	74.00	-34.56	62.59	34.33	7.77	65.25	--	--	Peak	2	7311.00	50.30	74.00	-23.70	70.58	35.44	8.93	64.65	122	288	Peak	3	7311.00	46.99	54.00	-7.01	67.27	35.44	8.93	64.65	122	288	Average	4	11060.00	47.42	74.00	-26.58	61.71	37.63	11.24	63.16	--	--	Peak	5	16590.00	46.34	68.30	-21.96	58.92	39.57	12.95	65.10	--	--	Peak	Level (dBuV/m) Date: 2024-10-10  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>62.25</td><td>34.33</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>69.80</td><td>35.44</td><td>8.93</td><td>64.65</td><td>145</td><td>182</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>46.22</td><td>54.00</td><td>-7.78</td><td>66.50</td><td>35.44</td><td>8.93</td><td>64.65</td><td>145</td><td>182</td><td>Average</td></tr><tr><td>4</td><td>11060.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>61.30</td><td>37.63</td><td>11.24</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16590.00</td><td>45.85</td><td>68.30</td><td>-22.45</td><td>58.43</td><td>39.57</td><td>12.95</td><td>65.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4874.00	39.10	74.00	-34.90	62.25	34.33	7.77	65.25	--	--	Peak	2	7311.00	49.52	74.00	-24.48	69.80	35.44	8.93	64.65	145	182	Peak	3	7311.00	46.22	54.00	-7.78	66.50	35.44	8.93	64.65	145	182	Average	4	11060.00	47.01	74.00	-26.99	61.30	37.63	11.24	63.16	--	--	Peak	5	16590.00	45.85	68.30	-22.45	58.43	39.57	12.95	65.10	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																														
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	4874.00	39.44	74.00	-34.56	62.59	34.33	7.77	65.25	--	--	Peak																																																																																																																																																																																															
2	7311.00	50.30	74.00	-23.70	70.58	35.44	8.93	64.65	122	288	Peak																																																																																																																																																																																															
3	7311.00	46.99	54.00	-7.01	67.27	35.44	8.93	64.65	122	288	Average																																																																																																																																																																																															
4	11060.00	47.42	74.00	-26.58	61.71	37.63	11.24	63.16	--	--	Peak																																																																																																																																																																																															
5	16590.00	46.34	68.30	-21.96	58.92	39.57	12.95	65.10	--	--	Peak																																																																																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																															
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	4874.00	39.10	74.00	-34.90	62.25	34.33	7.77	65.25	--	--	Peak																																																																																																																																																																																															
2	7311.00	49.52	74.00	-24.48	69.80	35.44	8.93	64.65	145	182	Peak																																																																																																																																																																																															
3	7311.00	46.22	54.00	-7.78	66.50	35.44	8.93	64.65	145	182	Average																																																																																																																																																																																															
4	11060.00	47.01	74.00	-26.99	61.30	37.63	11.24	63.16	--	--	Peak																																																																																																																																																																																															
5	16590.00	45.85	68.30	-22.45	58.43	39.57	12.95	65.10	--	--	Peak																																																																																																																																																																																															

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Ant 8	802.11a	96.94	1.392	0.718	1KHz
Ant 8	802.11ax HE20	95.22	1.015	0.985	1KHz
Ant 8	802.11ax HE40	92.06	0.533	1.876	3KHz
Ant 8	802.11ax HE80	86.49	0.288	3.472	10KHz
Ant 8	802.11ax HE160	100	-	-	10Hz
Ant 9	802.11a	96.94	1.392	0.718	1KHz
Ant 9	802.11ax HE20	95.85	1.015	0.985	1KHz
Ant 9	802.11ax HE40	91.19	0.528	1.894	3KHz
Ant 9	802.11ax HE80	86.49	0.288	3.472	10KHz
Ant 9	802.11ax HE160	100	-	-	10Hz

Ant 8


802.11a



Date: 21.SEP.2024 15:58:49




802.11ax HE20



Date: 21.SEP.2024 16:00:37


802.11ax HE40



Date: 21.SEP.2024 16:01:31




802.11ax HE80



Date: 21.SEP.2024 16:03:53


802.11ax HE160



Date: 27.SEP.2024 14:56:42




Ant 9
802.11a



Date: 21.SEP.2024 15:59:13




802.11ax HE20



Date: 21.SEP.2024 15:59:54


802.11ax HE40



Date: 21.SEP.2024 16:02:03




802.11ax HE80



Date: 21.SEP.2024 16:03:25

802.11ax HE160



Date: 27.SEP.2024 14:56:53