








































Duty Cycle


Test Result


TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B-CDD	Ant7	2412	8.39	8.43	99.53
	Ant12	2412	8.37	8.41	99.52
11G-CDD	Ant7	2412	1.39	1.43	97.20
	Ant12	2412	1.39	1.43	97.20
11AX20MIMO	Ant7	2412	1.01	1.06	95.28
	Ant12	2412	1.01	1.06	95.28
11AX40MIMO	Ant7	2422	0.53	0.58	91.38
	Ant12	2422	0.53	0.58	91.38





Test Graphs











Single RU

Maximum conducted output power

Test Result Average

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Set Power	Average power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant7	2412	26Tone	RU0	8	7.35	95.28	0.21	7.56	≤30.00	1.50	9.06	≤36.00	PASS
			52Tone	RU37	11	10.34	95.28	0.21	10.55	≤30.00	1.50	12.05	≤36.00	PASS
			106Tone	RU53	14	13.72	95.28	0.21	13.93	≤30.00	1.50	15.43	≤36.00	PASS
	Ant12	2412	26Tone	RU0	8	8.38	95.28	0.21	8.59	≤30.00	0.50	9.09	≤36.00	PASS
			52Tone	RU37	11	11.49	95.28	0.21	11.70	≤30.00	0.50	12.20	≤36.00	PASS
			106Tone	RU53	14	14.59	95.28	0.21	14.80	≤30.00	0.50	15.30	≤36.00	PASS
	total	2412	26Tone	RU0	---	---	---	---	11.14	≤30.00	1.50	12.64	≤36.00	PASS
			52Tone	RU37	---	---	---	---	14.17	≤30.00	1.50	15.67	≤36.00	PASS
			106Tone	RU53	---	---	---	---	17.40	≤30.00	1.50	18.90	≤36.00	PASS
	Ant7	2462	26Tone	RU8	8	7.81	95.28	0.21	8.02	≤30.00	1.50	9.52	≤36.00	PASS
			52Tone	RU40	11	11.05	95.28	0.21	11.26	≤30.00	1.50	12.76	≤36.00	PASS
			106Tone	RU54	14	14.06	95.28	0.21	14.27	≤30.00	1.50	15.77	≤36.00	PASS
	Ant12	2462	26Tone	RU8	8	8.18	95.28	0.21	8.39	≤30.00	0.50	8.89	≤36.00	PASS
			52Tone	RU40	11	11.10	95.28	0.21	11.31	≤30.00	0.50	11.81	≤36.00	PASS
			106Tone	RU54	14	14.37	95.28	0.21	14.58	≤30.00	0.50	15.08	≤36.00	PASS
	total	2462	26Tone	RU8	---	---	---	---	11.22	≤30.00	1.50	12.72	≤36.00	PASS
			52Tone	RU40	---	---	---	---	14.30	≤30.00	1.50	15.80	≤36.00	PASS
			106Tone	RU54	---	---	---	---	17.44	≤30.00	1.50	18.94	≤36.00	PASS




Maximum power spectral density



Test Result



TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant7	2412	26Tone	RU0	-8.72	≤8.00	PASS
			52Tone	RU37	-8.69	≤8.00	PASS
			106Tone	RU53	-8.76	≤8.00	PASS
	Ant12	2412	26Tone	RU0	-8.34	≤8.00	PASS
			52Tone	RU37	-7.60	≤8.00	PASS
			106Tone	RU53	-7.17	≤8.00	PASS
	total	2412	26Tone	RU0	-5.52	≤8.00	PASS
			52Tone	RU37	-5.10	≤8.00	PASS
			106Tone	RU53	-4.88	≤8.00	PASS
	Ant7	2462	26Tone	RU8	-8.05	≤8.00	PASS
			52Tone	RU40	-8.65	≤8.00	PASS
			106Tone	RU54	-7.67	≤8.00	PASS
	Ant12	2462	26Tone	RU8	-7.52	≤8.00	PASS
			52Tone	RU40	-7.67	≤8.00	PASS
			106Tone	RU54	-7.26	≤8.00	PASS
	total	2462	26Tone	RU8	-4.77	≤8.00	PASS
			52Tone	RU40	-5.12	≤8.00	PASS
			106Tone	RU54	-4.45	≤8.00	PASS






Test Graphs


















Appendix B. AC Conducted Emission Test Results

Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C002-SZ
Condition : FCC 15C_QP LISN_2024-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.49	-17.20	55.69	18.20	10.13	10.16	Average
2	0.16	55.19	-10.50	65.69	34.90	10.13	10.16	QP
3	0.23	29.90	-22.40	52.30	9.71	10.04	10.15	Average
4	0.23	43.70	-18.60	62.30	23.51	10.04	10.15	QP
5	0.31	25.87	-24.01	49.88	5.70	10.02	10.15	Average
6	0.31	40.07	-19.81	59.88	19.90	10.02	10.15	QP
7	0.38	27.27	-20.98	48.25	7.10	9.99	10.18	Average
8	0.38	37.27	-20.98	58.25	17.10	9.99	10.18	QP
9	0.48	25.48	-20.79	46.27	5.30	9.98	10.20	Average
10	0.48	36.28	-19.99	56.27	16.10	9.98	10.20	QP
11	9.45	25.57	-24.43	50.00	5.59	9.69	10.29	Average
12	9.45	30.27	-29.73	60.00	10.29	9.69	10.29	QP
13 *	13.56	63.23			43.20	9.59	10.44	Average
14 *	13.56	64.03			44.00	9.59	10.44	QP



Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15C_QP LISN_2024-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.36	-17.07	55.43	18.10	10.10	10.16	Average
2	0.16	49.16	-16.27	65.43	28.90	10.10	10.16	QP
3	0.24	28.77	-23.36	52.13	8.60	10.02	10.15	Average
4	0.24	39.97	-22.16	62.13	19.80	10.02	10.15	QP
5	0.34	26.64	-22.45	49.09	6.50	9.98	10.16	Average
6	0.34	34.94	-24.15	59.09	14.80	9.98	10.16	QP
7	0.62	27.68	-18.32	46.00	7.49	9.97	10.22	Average
8	0.62	35.68	-20.32	56.00	15.49	9.97	10.22	QP
9	6.66	25.12	-24.88	50.00	5.10	9.79	10.23	Average
10	6.66	29.72	-30.28	60.00	9.70	9.79	10.23	QP
11	9.30	26.40	-23.60	50.00	6.39	9.72	10.29	Average
12	9.30	31.30	-28.70	60.00	11.29	9.72	10.29	QP
13 *	13.56	62.61	12.61	50.00	42.50	9.67	10.44	Average
14 *	13.56	63.51			43.40	9.67	10.44	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Wenbo Xiao	Relative Humidity :	48~49%
		Temperature :	24°C~25°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	7+12	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	7+12	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	7+12	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	7+12	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	7+12	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	7+12	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	7+12	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 8	2400-2483.5	7+12	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 9	2400-2483.5	7+12	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 10	2400-2483.5	7+12	802.11ax HE40	03	2422	MCS0	Full RU	-
Mode 11	2400-2483.5	7+12	802.11ax HE40	09	2452	MCS0	Full RU	-
Mode 12	2400-2483.5	7+12	802.11ax HE20	01	2412	MCS0	Partial RU 106/53	-
Mode 13	2400-2483.5	7+12	802.11ax HE20	11	2462	MCS0	Partial RU 106/54	-
Mode 14	2400-2483.5	7+12	802.11b-LF	06	2437	1Mbps	-	LF
Mode 15	CO_TX	7+12	802.11b	06	2437	1Mbps	-	-
		1	LTE	B13	-	-	-	-
Mode 16	CO_TX	7+12	802.11b	06	2437	1Mbps	-	-
		7	Bluetooth-LE	01	2404	2Mbps	-	-
		1	LTE	B13	-	-	-	-
Mode 17	2400-2483.5	7+12	802.11g	02	2417	6Mbps	-	-
Mode 18	2400-2483.5	7+12	802.11g	10	2457	6Mbps	-	-
Mode 19	2400-2483.5	7+12	802.11g	03	2422	6Mbps	-	-
Mode 20	2400-2483.5	7+12	802.11ax HE20	02	2417	MCS0	Full RU	-
Mode 21	2400-2483.5	7+12	802.11ax HE20	03	2422	MCS0	Full RU	-
Mode 22	2400-2483.5	7+12	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 23	2400-2483.5	7+12	802.11ax HE20	9	2452	MCS0	Full RU	-
Mode 24	2400-2483.5	7+12	802.11ax HE40	04	2427	MCS0	Full RU	-
Mode 25	2400-2483.5	7+12	802.11ax HE40	05	2432	MCS0	Full RU	-
Mode 26	2400-2483.5	7+12	802.11ax HE40	06	2437	MCS0	Full RU	-
Mode 27	2400-2483.5	7+12	802.11ax HE40	08	2447	MCS0	Full RU	-
Mode 28	2400-2483.5	7+12	802.11ax HE40	07	2442	MCS0	Full RU	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2387.48	37.67	54.00	-16.33	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	35.77	54.00	-18.23	H	Average	Pass	Harmonic
2	802.11b	06	2483.75	37.67	54.00	-16.33	H	AVERAGE	Pass	Band Edge
2	802.11b	06	7311.00	47.19	54.00	-6.81	V	Average	Pass	Harmonic
3	802.11b	11	2483.55	37.24	54.00	-16.76	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	35.89	54.00	-18.11	H	Average	Pass	Harmonic
4	802.11g	01	2389.82	41.57	54.00	-12.43	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	46.39	74.00	-27.61	V	Peak	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	47.65	74.00	-26.35	H	Peak	Pass	Harmonic
6	802.11g	11	2483.51	44.80	54.00	-9.20	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	46.71	74.00	-27.29	H	Peak	Pass	Harmonic
7	802.11ax HE20	01	2389.95	40.78	54.00	-13.22	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	46.32	74.00	-27.68	H	Peak	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	06	4874.00	45.77	74.00	-28.23	H	Peak	Pass	Harmonic
9	802.11ax HE20	11	2483.51	44.64	54.00	-9.36	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	7386.00	45.81	74.00	-28.19	H	Peak	Pass	Harmonic
10	802.11ax HE40	03	2389.74	43.24	54.00	-10.76	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	03	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE40	09	2484.16	45.82	54.00	-8.18	H	AVERAGE	Pass	Band Edge
11	802.11ax HE40	09	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	01	2389.30	36.71	54.00	-17.29	H	AVERAGE	Pass	Band Edge
12	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	11	2483.55	37.33	54.00	-16.67	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
14	802.11b-LF	06	40.67	24.16	40.00	-15.84	V	Peak	Pass	LF
15	CO-TX	-	2483.68	36.69	54.00	-17.31	V	AVERAGE	Pass	Band Edge
15		-	7311.00	46.22	54.00	-7.78	H	Average	Pass	Harmonic
16	CO-TX	-	2483.56	65.17	74.00	-8.83	H	PEAK	Pass	Band Edge
16	CO-TX	-	7311.00	46.45	54.00	-7.55	H	Average	Pass	Harmonic
17	802.11g	02	2389.95	48.93	54.00	-5.07	H	AVERAGE	Pass	Band Edge
17	802.11g	02	-	-	-	-	-	-	-	Harmonic
18	802.11g	10	2483.51	45.80	54.00	-8.20	H	AVERAGE	Pass	Band Edge
18	802.11g	10	-	-	-	-	-	-	-	Harmonic
19	802.11g	03	2389.69	44.20	54.00	-9.80	H	AVERAGE	Pass	Band







										Edge
19	802.11g	03	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	02	2389.56	48.45	54.00	-5.55	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	02	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	03	2389.95	45.53	54.00	-8.47	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	03	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	10	2483.55	46.96	54.00	-7.04	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	9	2483.73	46.58	54.00	-7.42	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	9	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE40	04	2389.41	48.39	54.00	-5.61	H	AVERAGE	Pass	Band Edge
24	802.11ax HE40	04	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE40	05	2389.76	48.74	54.00	-5.26	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	05	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE40	06	2483.81	48.74	54.00	-5.26	H	AVERAGE	Pass	Band Edge
26	802.11ax HE40	06	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE40	08	2483.54	49.12	54.00	-4.88	V	AVERAGE	Pass	Band Edge
27	802.11ax HE40	08	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE40	07	2483.68	48.01	54.00	-5.99	H	AVERAGE	Pass	Band Edge
28	802.11ax HE40	07	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	7+12																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>44.57</td><td>30.72</td><td>5.36</td><td>33.53</td><td>347 92 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.12	74.00	-26.88	44.57	30.72	5.36	33.53	347 92 PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.19</td><td>-----</td><td>100.64</td><td>30.72</td><td>5.38</td><td>33.55</td><td>347</td><td>92 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.19	-----	100.64	30.72	5.38	33.55	347	92 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	47.12	74.00	-26.88	44.57	30.72	5.36	33.53	347 92 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	103.19	-----	100.64	30.72	5.38	33.55	347	92 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.48</td><td>37.67</td><td>54.00</td><td>-16.33</td><td>35.12</td><td>30.72</td><td>5.36</td><td>33.53</td><td>347 92 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2387.48	37.67	54.00	-16.33	35.12	30.72	5.36	33.53	347 92 AVERAGE	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.94</td><td>-----</td><td>98.39</td><td>30.72</td><td>5.38</td><td>33.55</td><td>347</td><td>92 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.94	-----	98.39	30.72	5.38	33.55	347	92 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2387.48	37.67	54.00	-16.33	35.12	30.72	5.36	33.53	347 92 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	100.94	-----	98.39	30.72	5.38	33.55	347	92 AVERAGE																																																																									







Mode	1																																													
	Band Edge																																													
	2400-2483.5_802.11b_CH01_2412MHz																																													
ANT	7+12																																													
Pol.	Vertical	Fundamental																																												
Peak	Level (dBuV/m) Date: 2024-09-29  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.35</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>42.83</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>189</td><td>PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2387.35	45.38	74.00	-28.62	42.83	30.72	5.36	33.53	400	189	PEAK	Level (dBuV/m) Date: 2024-09-29  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.59</td><td>-----</td><td>-----</td><td>101.04</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>189</td><td>PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.59	-----	-----	101.04	30.72	5.38	33.55	400	189	PEAK
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																				
1	2387.35	45.38	74.00	-28.62	42.83	30.72	5.36	33.53	400	189	PEAK																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2412.00	103.59	-----	-----	101.04	30.72	5.38	33.55	400	189	PEAK																																			
Avg	Level (dBuV/m) Date: 2024-09-29  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.26</td><td>35.97</td><td>54.00</td><td>-18.03</td><td>33.42</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>189</td><td>AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2388.26	35.97	54.00	-18.03	33.42	30.72	5.36	33.53	400	189	AVERAGE	Level (dBuV/m) Date: 2024-09-29  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.34</td><td>-----</td><td>-----</td><td>98.79</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>189</td><td>AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.34	-----	-----	98.79	30.72	5.38	33.55	400	189	AVERAGE
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2388.26	35.97	54.00	-18.03	33.42	30.72	5.36	33.53	400	189	AVERAGE																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2412.00	101.34	-----	-----	98.79	30.72	5.38	33.55	400	189	AVERAGE																																			



Mode	1																																																																																													
	Harmonic																																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																																													
ANT	7+12																																																																																													
Pol.	Horizontal							Vertical																																																																																						
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>65.09</td><td>35.78</td><td>8.88</td></tr><tr><td>2</td><td>4824.00</td><td>35.77</td><td>54.00</td><td>-18.23</td><td>55.96</td><td>35.78</td><td>8.88</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.90	74.00	-29.10	65.09	35.78	8.88	2	4824.00	35.77	54.00	-18.23	55.96	35.78	8.88	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>64.01</td><td>35.78</td><td>8.88</td></tr><tr><td>2</td><td>4824.00</td><td>34.92</td><td>54.00</td><td>-19.08</td><td>55.11</td><td>35.78</td><td>8.88</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.82	74.00	-30.18	64.01	35.78	8.88	2	4824.00	34.92	54.00	-19.08	55.11	35.78	8.88
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																							
1	4824.00	44.90	74.00	-29.10	65.09	35.78	8.88																																																																																							
2	4824.00	35.77	54.00	-18.23	55.96	35.78	8.88																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																							
1	4824.00	43.82	74.00	-30.18	64.01	35.78	8.88																																																																																							
2	4824.00	34.92	54.00	-19.08	55.11	35.78	8.88																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>65.09</td><td>35.78</td><td>8.88</td></tr><tr><td>2</td><td>4824.00</td><td>35.77</td><td>54.00</td><td>-18.23</td><td>55.96</td><td>35.78</td><td>8.88</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.90	74.00	-29.10	65.09	35.78	8.88	2	4824.00	35.77	54.00	-18.23	55.96	35.78	8.88	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>64.01</td><td>35.78</td><td>8.88</td></tr><tr><td>2</td><td>4824.00</td><td>34.92</td><td>54.00</td><td>-19.08</td><td>55.11</td><td>35.78</td><td>8.88</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.82	74.00	-30.18	64.01	35.78	8.88	2	4824.00	34.92	54.00	-19.08	55.11	35.78	8.88	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																							
1	4824.00	44.90	74.00	-29.10	65.09	35.78	8.88																																																																																							
2	4824.00	35.77	54.00	-18.23	55.96	35.78	8.88																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																							
1	4824.00	43.82	74.00	-30.18	64.01	35.78	8.88																																																																																							
2	4824.00	34.92	54.00	-19.08	55.11	35.78	8.88																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>65.09</td><td>35.78</td><td>8.88</td></tr><tr><td>2</td><td>4824.00</td><td>35.77</td><td>54.00</td><td>-18.23</td><td>55.96</td><td>35.78</td><td>8.88</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.90	74.00	-29.10	65.09	35.78	8.88	2	4824.00	35.77	54.00	-18.23	55.96	35.78	8.88	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>64.01</td><td>35.78</td><td>8.88</td></tr><tr><td>2</td><td>4824.00</td><td>34.92</td><td>54.00</td><td>-19.08</td><td>55.11</td><td>35.78</td><td>8.88</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.82	74.00	-30.18	64.01	35.78	8.88	2	4824.00	34.92	54.00	-19.08	55.11	35.78	8.88	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																							
1	4824.00	44.90	74.00	-29.10	65.09	35.78	8.88																																																																																							
2	4824.00	35.77	54.00	-18.23	55.96	35.78	8.88																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																							
1	4824.00	43.82	74.00	-30.18	64.01	35.78	8.88																																																																																							
2	4824.00	34.92	54.00	-19.08	55.11	35.78	8.88																																																																																							







Mode	2																																																																																		
	Band Edge - L																																																																																		
	2400-2483.5_802.11b_CH06_2437MHz																																																																																		
ANT	7+12																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-09-30  23102335.42360.82386.22411.62437 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>42.95</td><td>30.72</td><td>5.36</td><td>33.53</td><td>100</td><td>294 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2387.22	45.50	74.00	-28.50	42.95	30.72	5.36	33.53	100	294 PEAK	Level (dBuV/m) Date: 2024-09-30  10001400.1800.2200.2600.3000 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>106.47</td><td>-----</td><td>103.91</td><td>30.71</td><td>5.41</td><td>33.56</td><td>100</td><td>294 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.47	-----	103.91	30.71	5.41	33.56	100	294 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2387.22	45.50	74.00	-28.50	42.95	30.72	5.36	33.53	100	294 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2437.00	106.47	-----	103.91	30.71	5.41	33.56	100	294 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-09-30  23102335.42360.82386.22411.62437 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.38</td><td>35.00</td><td>54.00</td><td>-19.00</td><td>32.45</td><td>30.72</td><td>5.36</td><td>33.53</td><td>100</td><td>294 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.38	35.00	54.00	-19.00	32.45	30.72	5.36	33.53	100	294 AVERAGE	Level (dBuV/m) Date: 2024-09-30  10001400.1800.2200.2600.3000 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>104.32</td><td>-----</td><td>101.76</td><td>30.71</td><td>5.41</td><td>33.56</td><td>100</td><td>294 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	104.32	-----	101.76	30.71	5.41	33.56	100	294 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.38	35.00	54.00	-19.00	32.45	30.72	5.36	33.53	100	294 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2437.00	104.32	-----	101.76	30.71	5.41	33.56	100	294 AVERAGE																																																																										



Mode	2																																									
	Band Edge - R																																									
	2400-2483.5_802.11b_CH06_2437MHz																																									
ANT	7+12																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-09-30 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.69</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>44.45</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>294</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.69	47.02	74.00	-26.98	44.45	30.70	5.46	33.59	100	294	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.69	47.02	74.00	-26.98	44.45	30.70	5.46	33.59	100	294	PEAK																															
Avg	Level (dBuV/m) Date: 2024-09-30 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.75</td><td>37.67</td><td>54.00</td><td>-16.33</td><td>35.10</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.75	37.67	54.00	-16.33	35.10	30.70	5.46	33.59	100	294	AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.75	37.67	54.00	-16.33	35.10	30.70	5.46	33.59	100	294	AVERAGE																															





Mode	2																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																	
ANT	7+12																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2372.48</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>42.33</td><td>30.73</td><td>5.34</td><td>33.52</td><td>367 234 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2372.48	44.88	74.00	-29.12	42.33	30.73	5.34	33.52	367 234 PEAK	Level (dBuV/m) Date: 2024-09-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>101.13</td><td>-----</td><td>98.57</td><td>30.71</td><td>5.41</td><td>33.56</td><td>367</td><td>234 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	101.13	-----	98.57	30.71	5.41	33.56	367	234 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2372.48	44.88	74.00	-29.12	42.33	30.73	5.34	33.52	367 234 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	101.13	-----	98.57	30.71	5.41	33.56	367	234 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2379.09</td><td>34.34</td><td>54.00</td><td>-19.66</td><td>31.80</td><td>30.72</td><td>5.35</td><td>33.53</td><td>367 234 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2379.09	34.34	54.00	-19.66	31.80	30.72	5.35	33.53	367 234 AVERAGE	Level (dBuV/m) Date: 2024-09-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>99.00</td><td>-----</td><td>96.44</td><td>30.71</td><td>5.41</td><td>33.56</td><td>367</td><td>234 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	99.00	-----	96.44	30.71	5.41	33.56	367	234 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2379.09	34.34	54.00	-19.66	31.80	30.72	5.35	33.53	367 234 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	99.00	-----	96.44	30.71	5.41	33.56	367	234 AVERAGE																																																																									







Mode	2									
	Band Edge - R									
	2400-2483.5_802.11b_CH06_2437MHz									
ANT	7+12									
Pol.	Vertical					Fundamental				
Peak										



Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																													
ANT	7+12																																																																																																																													
Pol.	Horizontal					Vertical																																																																																																																								
Peak Avg	Data: 1 Level (dBuV/m) Date: 2024-09-30  Frequency (MHz) PEAK_74 AVG_54					Data: 2 Level (dBuV/m) Date: 2024-09-30  Frequency (MHz) PEAK_74 AVG_54																																																																																																																								
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>44.26</td><td>-29.74</td><td>74.00</td><td>63.87</td><td>36.50</td><td>8.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>7311.00</td><td>51.19</td><td>-22.81</td><td>74.00</td><td>68.98</td><td>36.89</td><td>10.18</td><td>102</td><td>292</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>47.89</td><td>-6.11</td><td>54.00</td><td>65.68</td><td>36.89</td><td>10.18</td><td>102</td><td>292</td><td>Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4874.00	44.26	-29.74	74.00	63.87	36.50	8.76	---	---	Peak	2 *	7311.00	51.19	-22.81	74.00	68.98	36.89	10.18	102	292	Peak	3	7311.00	47.89	-6.11	54.00	65.68	36.89	10.18	102	292	Average	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>44.71</td><td>-29.29</td><td>74.00</td><td>64.32</td><td>36.50</td><td>8.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>7311.00</td><td>49.79</td><td>-24.21</td><td>74.00</td><td>67.58</td><td>36.89</td><td>10.18</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>45.79</td><td>-8.21</td><td>54.00</td><td>63.58</td><td>36.89</td><td>10.18</td><td>100</td><td>56</td><td>Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4874.00	44.71	-29.29	74.00	64.32	36.50	8.76	---	---	Peak	2 *	7311.00	49.79	-24.21	74.00	67.58	36.89	10.18	100	56	Peak	3	7311.00	45.79	-8.21	54.00	63.58	36.89	10.18	100	56	Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	A/Pos	T/Pos	Remark																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																					
1	4874.00	44.26	-29.74	74.00	63.87	36.50	8.76	---	---	Peak																																																																																																																				
2 *	7311.00	51.19	-22.81	74.00	68.98	36.89	10.18	102	292	Peak																																																																																																																				
3	7311.00	47.89	-6.11	54.00	65.68	36.89	10.18	102	292	Average																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	A/Pos	T/Pos	Remark																																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	4874.00	44.71	-29.29	74.00	64.32	36.50	8.76	---	---	Peak																																																																																																																				
2 *	7311.00	49.79	-24.21	74.00	67.58	36.89	10.18	100	56	Peak																																																																																																																				
3	7311.00	45.79	-8.21	54.00	63.58	36.89	10.18	100	56	Average																																																																																																																				





Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																									
ANT	7+12																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2462 MHz, decreasing to about 52 dBuV/m at 2483.5 MHz, and then remaining relatively flat. A red line indicates the limit at 74 dBuV/m. A peak is marked at 2483.74 MHz with a level of 46.76 dBuV/m. The date is 2024-09-29. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>44.19</td><td>30.70</td><td>5.46</td><td>33.59</td><td>112</td><td>322</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2483.74	46.76	74.00	-27.24	44.19	30.70	5.46	33.59	112	322	PEAK	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2462 MHz, decreasing to about 52 dBuV/m at 2483.5 MHz, and then remaining relatively flat. A red line indicates the limit at 74 dBuV/m. A peak is marked at 2462.00 MHz with a level of 106.37 dBuV/m. The date is 2024-09-29. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.37</td><td>-----</td><td>-----</td><td>103.80</td><td>30.71</td><td>5.44</td><td>33.58</td><td>112</td><td>322</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2462.00	106.37	-----	-----	103.80	30.71	5.44	33.58	112	322	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	2483.74	46.76	74.00	-27.24	44.19	30.70	5.46	33.59	112	322	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	106.37	-----	-----	103.80	30.71	5.44	33.58	112	322	PEAK																																																																															
Avg	 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2462 MHz, decreasing to about 52 dBuV/m at 2483.5 MHz, and then remaining relatively flat. A red line indicates the limit at 54 dBuV/m. A peak is marked at 2483.55 MHz with a level of 37.24 dBuV/m. The date is 2024-09-29. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>37.24</td><td>54.00</td><td>-16.76</td><td>34.67</td><td>30.70</td><td>5.46</td><td>33.59</td><td>112</td><td>322</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2483.55	37.24	54.00	-16.76	34.67	30.70	5.46	33.59	112	322	AVERAGE	 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 2462 MHz, decreasing to about 52 dBuV/m at 2483.5 MHz, and then remaining relatively flat. A red line indicates the limit at 54 dBuV/m. A peak is marked at 2462.00 MHz with a level of 104.23 dBuV/m. The date is 2024-09-29. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.23</td><td>-----</td><td>-----</td><td>101.66</td><td>30.71</td><td>5.44</td><td>33.58</td><td>112</td><td>322</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2462.00	104.23	-----	-----	101.66	30.71	5.44	33.58	112	322	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	2483.55	37.24	54.00	-16.76	34.67	30.70	5.46	33.59	112	322	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	104.23	-----	-----	101.66	30.71	5.44	33.58	112	322	AVERAGE																																																																															



Mode	3																																																		
	Band Edge																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																		
ANT	7+12																																																		
Pol.	Vertical																																																		
Peak	Fundamental																																																		
	Level (dBuV/m) Date: 2024-09-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.77</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>43.51</td><td>30.70</td><td>5.46</td><td>33.59</td><td>375</td><td>234</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.77	46.08	74.00	-27.92	43.51	30.70	5.46	33.59	375	234	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.77	46.08	74.00	-27.92	43.51	30.70	5.46	33.59	375	234	PEAK																																								
Level (dBuV/m) Date: 2024-09-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.92</td><td>-----</td><td>-----</td><td>100.35</td><td>30.71</td><td>5.44</td><td>33.58</td><td>375</td><td>234</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.92	-----	-----	100.35	30.71	5.44	33.58	375	234	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	2462.00	102.92	-----	-----	100.35	30.71	5.44	33.58	375	234	PEAK																																								
Avg	Level (dBuV/m) Date: 2024-09-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>36.40</td><td>54.00</td><td>-17.60</td><td>33.83</td><td>30.70</td><td>5.46</td><td>33.59</td><td>375</td><td>234</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.51	36.40	54.00	-17.60	33.83	30.70	5.46	33.59	375	234	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.51	36.40	54.00	-17.60	33.83	30.70	5.46	33.59	375	234	AVERAGE																																								
Level (dBuV/m) Date: 2024-09-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.48</td><td>-----</td><td>-----</td><td>97.92</td><td>30.71</td><td>5.43</td><td>33.58</td><td>375</td><td>234</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.48	-----	-----	97.92	30.71	5.43	33.58	375	234	AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	2462.00	100.48	-----	-----	97.92	30.71	5.43	33.58	375	234	AVERAGE																																								



Mode	3																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																															
ANT	7+12																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>63.31</td><td>36.02</td><td>8.57</td><td>64.89</td><td>100</td><td>159</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>35.89</td><td>54.00</td><td>-18.11</td><td>56.19</td><td>36.02</td><td>8.57</td><td>64.89</td><td>100</td><td>159</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>62.20</td><td>36.85</td><td>10.18</td><td>64.86</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	43.01	74.00	-30.99	63.31	36.02	8.57	64.89	100	159	Peak	2	4924.00	35.89	54.00	-18.11	56.19	36.02	8.57	64.89	100	159	Average	3	7386.00	44.37	74.00	-29.63	62.20	36.85	10.18	64.86	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>62.79</td><td>36.02</td><td>8.57</td><td>64.89</td><td>100</td><td>251</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>34.61</td><td>54.00</td><td>-19.39</td><td>54.91</td><td>36.02</td><td>8.57</td><td>64.89</td><td>100</td><td>251</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.07</td><td>74.00</td><td>-28.93</td><td>62.90</td><td>36.85</td><td>10.18</td><td>64.86</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	42.49	74.00	-31.51	62.79	36.02	8.57	64.89	100	251	Peak	2	4924.00	34.61	54.00	-19.39	54.91	36.02	8.57	64.89	100	251	Average	3	7386.00	45.07	74.00	-28.93	62.90	36.85	10.18	64.86	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4924.00	43.01	74.00	-30.99	63.31	36.02	8.57	64.89	100	159	Peak																																																																																																																																					
2	4924.00	35.89	54.00	-18.11	56.19	36.02	8.57	64.89	100	159	Average																																																																																																																																					
3	7386.00	44.37	74.00	-29.63	62.20	36.85	10.18	64.86	---	---	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4924.00	42.49	74.00	-31.51	62.79	36.02	8.57	64.89	100	251	Peak																																																																																																																																					
2	4924.00	34.61	54.00	-19.39	54.91	36.02	8.57	64.89	100	251	Average																																																																																																																																					
3	7386.00	45.07	74.00	-28.93	62.90	36.85	10.18	64.86	---	---	Peak																																																																																																																																					





Mode	4																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																											
ANT	7+12																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>49.28</td><td>30.72</td><td>5.36</td><td>33.53</td><td>344</td><td>95</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.30	51.83	74.00	-22.17	49.28	30.72	5.36	33.53	344	95	PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.70</td><td>-----</td><td>-----</td><td>103.15</td><td>30.72</td><td>5.38</td><td>33.55</td><td>344</td><td>95</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.70	-----	-----	103.15	30.72	5.38	33.55	344	95	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.30	51.83	74.00	-22.17	49.28	30.72	5.36	33.53	344	95	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2412.00	105.70	-----	-----	103.15	30.72	5.38	33.55	344	95	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>41.57</td><td>54.00</td><td>-12.43</td><td>39.02</td><td>30.72</td><td>5.36</td><td>33.53</td><td>344</td><td>95</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.82	41.57	54.00	-12.43	39.02	30.72	5.36	33.53	344	95	AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.12</td><td>-----</td><td>-----</td><td>96.57</td><td>30.72</td><td>5.38</td><td>33.55</td><td>344</td><td>95</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.12	-----	-----	96.57	30.72	5.38	33.55	344	95	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.82	41.57	54.00	-12.43	39.02	30.72	5.36	33.53	344	95	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2412.00	99.12	-----	-----	96.57	30.72	5.38	33.55	344	95	AVERAGE																																																																																	



Mode	4																																																				
	Band Edge																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																				
ANT	7+12																																																				
Pol.	Vertical						Fundamental																																														
Peak	Level (dBuV/m) Date: 2024-09-28 1 2389.82 49.21 74.00 -24.79 46.66 30.72 5.36 33.53 400 183 PEAK						Level (dBuV/m) Date: 2024-09-28 1 2412.00 103.38 ----- 100.83 30.72 5.37 33.54 400 183 PEAK																																														
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2389.82</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>46.66</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>183</td><td>PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2389.82	49.21	74.00	-24.79	46.66	30.72	5.36	33.53	400	183	PEAK	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2412.00</td><td>103.38</td><td>-----</td><td>100.83</td><td>30.72</td><td>5.37</td><td>33.54</td><td>400</td><td>183</td><td>PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2412.00	103.38	-----	100.83	30.72	5.37	33.54	400	183
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																												
1	2389.82	49.21	74.00	-24.79	46.66	30.72	5.36	33.53	400	183	PEAK																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																												
1	2412.00	103.38	-----	100.83	30.72	5.37	33.54	400	183	PEAK																																											
Avg	Level (dBuV/m) Date: 2024-09-28 1 2389.69 39.31 54.00 -14.69 36.76 30.72 5.36 33.53 400 183 AVERAGE						Level (dBuV/m) Date: 2024-09-28 1 2412.00 96.47 ----- 93.92 30.72 5.38 33.55 400 183 AVERAGE																																														
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2389.69</td><td>39.31</td><td>54.00</td><td>-14.69</td><td>36.76</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>183</td><td>AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2389.69	39.31	54.00	-14.69	36.76	30.72	5.36	33.53	400	183	AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>2412.00</td><td>96.47</td><td>-----</td><td>93.92</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>183</td><td>AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	2412.00	96.47	-----	93.92	30.72	5.38	33.55	400	183
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																												
1	2389.69	39.31	54.00	-14.69	36.76	30.72	5.36	33.53	400	183	AVERAGE																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																												
1	2412.00	96.47	-----	93.92	30.72	5.38	33.55	400	183	AVERAGE																																											



Mode	4																																																																																													
	Harmonic																																																																																													
	2400-2483.5_802.11g_CH01_2412MHz																																																																																													
ANT	7+12																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	 Date: 2024-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>52.67</td><td>35.78</td><td>8.88</td><td>51.57</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.76	74.00	-28.24	52.67	35.78	8.88	51.57	---	---	Peak	 Date: 2024-09-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>53.30</td><td>35.78</td><td>8.88</td><td>51.57</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.39	74.00	-27.61	53.30	35.78	8.88	51.57	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4824.00	45.76	74.00	-28.24	52.67	35.78	8.88	51.57	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4824.00	46.39	74.00	-27.61	53.30	35.78	8.88	51.57	---	---	Peak																																																																																			







Mode	5																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																	
ANT	7+12																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-09-29 300060009000120001500018000 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>53.22</td><td>35.90</td><td>8.72</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>51.75</td><td>36.88</td><td>10.18</td><td>51.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4874.00	46.29	74.00	-27.71	53.22	35.90	8.72	51.55	---	---	Peak	2	7311.00	47.65	74.00	-26.35	51.75	36.88	10.18	51.16	---	---	Peak	Level (dBuV/m) Date: 2024-09-29 300060009000120001500018000 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>53.74</td><td>35.90</td><td>8.72</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>50.43</td><td>36.88</td><td>10.18</td><td>51.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4874.00	46.81	74.00	-27.19	53.74	35.90	8.72	51.55	---	---	Peak	2	7311.00	46.33	74.00	-27.67	50.43	36.88	10.18	51.16	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4874.00	46.29	74.00	-27.71	53.22	35.90	8.72	51.55	---	---	Peak																																																																																																																							
2	7311.00	47.65	74.00	-26.35	51.75	36.88	10.18	51.16	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4874.00	46.81	74.00	-27.19	53.74	35.90	8.72	51.55	---	---	Peak																																																																																																																							
2	7311.00	46.33	74.00	-27.67	50.43	36.88	10.18	51.16	---	---	Peak																																																																																																																							



Mode	6																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																									
ANT	7+12																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2483.81</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>53.07</td><td>30.70</td><td>5.46</td><td>33.59</td><td>109 322 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2483.81	55.64	74.00	-18.36	53.07	30.70	5.46	33.59	109 322 PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2462.00</td><td>108.00</td><td>-----</td><td>-----</td><td>105.43</td><td>30.71</td><td>5.44</td><td>33.58</td><td>109 322 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2462.00	108.00	-----	-----	105.43	30.71	5.44	33.58	109 322 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2483.81	55.64	74.00	-18.36	53.07	30.70	5.46	33.59	109 322 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2462.00	108.00	-----	-----	105.43	30.71	5.44	33.58	109 322 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2483.51</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>42.23</td><td>30.70</td><td>5.46</td><td>33.59</td><td>109 322 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2483.51	44.80	54.00	-9.20	42.23	30.70	5.46	33.59	109 322 AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2462.00</td><td>101.04</td><td>-----</td><td>-----</td><td>98.47</td><td>30.71</td><td>5.44</td><td>33.58</td><td>109 322 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2462.00	101.04	-----	-----	98.47	30.71	5.44	33.58	109 322 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2483.51	44.80	54.00	-9.20	42.23	30.70	5.46	33.59	109 322 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2462.00	101.04	-----	-----	98.47	30.71	5.44	33.58	109 322 AVERAGE																																																																		



Mode	6																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	7+12																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-28  PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>47.03</td><td>30.70</td><td>5.46</td><td>33.59</td><td>300 245 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.60	74.00	-24.40	47.03	30.70	5.46	33.59	300 245 PEAK	Level (dBuV/m) Date: 2024-09-28  PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.46</td><td>-----</td><td>-----</td><td>99.90</td><td>30.71</td><td>5.43</td><td>33.58</td><td>300 245 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.46	-----	-----	99.90	30.71	5.43	33.58	300 245 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	49.60	74.00	-24.40	47.03	30.70	5.46	33.59	300 245 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	102.46	-----	-----	99.90	30.71	5.43	33.58	300 245 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-28  AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>38.35</td><td>54.00</td><td>-15.65</td><td>35.78</td><td>30.70</td><td>5.46</td><td>33.59</td><td>300 245 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	38.35	54.00	-15.65	35.78	30.70	5.46	33.59	300 245 AVERAGE	Level (dBuV/m) Date: 2024-09-28  AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.54</td><td>-----</td><td>-----</td><td>92.97</td><td>30.71</td><td>5.44</td><td>33.58</td><td>300 245 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.54	-----	-----	92.97	30.71	5.44	33.58	300 245 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	38.35	54.00	-15.65	35.78	30.70	5.46	33.59	300 245 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	95.54	-----	-----	92.97	30.71	5.44	33.58	300 245 AVERAGE																																																																									



Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																	
ANT	7+12																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-09-29 PEAK_74 AVG_54 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>53.05</td><td>36.02</td><td>8.57</td><td>51.53</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>50.86</td><td>36.85</td><td>10.18</td><td>51.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	46.11	74.00	-27.89	53.05	36.02	8.57	51.53	---	---	Peak	2	7386.00	46.71	74.00	-27.29	50.86	36.85	10.18	51.18	---	---	Peak	Level (dBuV/m) Date: 2024-09-29 PEAK_74 AVG_54 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>51.71</td><td>36.02</td><td>8.57</td><td>51.53</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>49.95</td><td>36.85</td><td>10.18</td><td>51.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	44.77	74.00	-29.23	51.71	36.02	8.57	51.53	---	---	Peak	2	7386.00	45.80	74.00	-28.20	49.95	36.85	10.18	51.18	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	46.11	74.00	-27.89	53.05	36.02	8.57	51.53	---	---	Peak																																																																																																																							
2	7386.00	46.71	74.00	-27.29	50.86	36.85	10.18	51.18	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	44.77	74.00	-29.23	51.71	36.02	8.57	51.53	---	---	Peak																																																																																																																							
2	7386.00	45.80	74.00	-28.20	49.95	36.85	10.18	51.18	---	---	Peak																																																																																																																							



Mode	7																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																	
ANT	7+12																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.04</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>44.83</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>43 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.04	47.38	74.00	-26.62	44.83	30.72	5.36	33.53	400	43 PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>100.83</td><td>-----</td><td>-----</td><td>98.28</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>43 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	100.83	-----	-----	98.28	30.72	5.38	33.55	400	43 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.04	47.38	74.00	-26.62	44.83	30.72	5.36	33.53	400	43 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2412.00	100.83	-----	-----	98.28	30.72	5.38	33.55	400	43 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>40.78</td><td>54.00</td><td>-13.22</td><td>38.23</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>43 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	40.78	54.00	-13.22	38.23	30.72	5.36	33.53	400	43 AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>91.38</td><td>-----</td><td>-----</td><td>88.83</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>43 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	91.38	-----	-----	88.83	30.72	5.38	33.55	400	43 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.95	40.78	54.00	-13.22	38.23	30.72	5.36	33.53	400	43 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2412.00	91.38	-----	-----	88.83	30.72	5.38	33.55	400	43 AVERAGE																																																																									





Mode	7																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																	
ANT	7+12																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>49.17</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400 181 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.72	74.00	-22.28	49.17	30.72	5.36	33.53	400 181 PEAK	Level (dBuV/m) Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.34</td><td>-----</td><td>-----</td><td>101.79</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400 181 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.34	-----	-----	101.79	30.72	5.38	33.55	400 181 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	51.72	74.00	-22.28	49.17	30.72	5.36	33.53	400 181 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	104.34	-----	-----	101.79	30.72	5.38	33.55	400 181 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>39.70</td><td>54.00</td><td>-14.30</td><td>37.15</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400 181 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	39.70	54.00	-14.30	37.15	30.72	5.36	33.53	400 181 AVERAGE	Level (dBuV/m) Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.59</td><td>-----</td><td>-----</td><td>92.04</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400 181 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.59	-----	-----	92.04	30.72	5.38	33.55	400 181 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.82	39.70	54.00	-14.30	37.15	30.72	5.36	33.53	400 181 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	94.59	-----	-----	92.04	30.72	5.38	33.55	400 181 AVERAGE																																																																									







Mode	7																																																																																															
	Harmonic																																																																																															
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																															
ANT	7+12																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-09-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>53.23</td><td>35.78</td><td>8.88</td><td>51.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	46.32	74.00	-27.68	53.23	35.78	8.88	51.57	---	---	Peak	Level (dBuV/m) Date: 2024-09-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>52.75</td><td>35.78</td><td>8.88</td><td>51.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	45.84	74.00	-28.16	52.75	35.78	8.88	51.57	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4824.00	46.32	74.00	-27.68	53.23	35.78	8.88	51.57	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4824.00	45.84	74.00	-28.16	52.75	35.78	8.88	51.57	---	---	Peak																																																																																					



Mode	8																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																						
ANT	7+12																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>52.70</td><td>35.90</td><td>8.72</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>49.74</td><td>36.88</td><td>10.18</td><td>51.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4874.00	45.77	74.00	-28.23	52.70	35.90	8.72	51.55	---	---	Peak	2	7311.00	45.64	74.00	-28.36	49.74	36.88	10.18	51.16	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4874.00	45.77	74.00	-28.23	52.70	35.90	8.72	51.55	---	---	Peak																																																												
2	7311.00	45.64	74.00	-28.36	49.74	36.88	10.18	51.16	---	---	Peak																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>51.50</td><td>35.90</td><td>8.72</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>49.38</td><td>36.88</td><td>10.18</td><td>51.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4874.00	44.57	74.00	-29.43	51.50	35.90	8.72	51.55	---	---	Peak	2	7311.00	45.28	74.00	-28.72	49.38	36.88	10.18	51.16	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	4874.00	44.57	74.00	-29.43	51.50	35.90	8.72	51.55	---	---	Peak																																																												
2	7311.00	45.28	74.00	-28.72	49.38	36.88	10.18	51.16	---	---	Peak																																																												



Mode	9																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																										
ANT	7+12																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-09-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>52.98</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>322</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.74	55.55	74.00	-18.45	52.98	30.70	5.46	33.59	100	322	PEAK	 Level (dBuV/m) Date: 2024-09-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.09</td><td>-----</td><td>-----</td><td>104.53</td><td>30.71</td><td>5.43</td><td>33.58</td><td>100</td><td>322</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.09	-----	-----	104.53	30.71	5.43	33.58	100	322	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.74	55.55	74.00	-18.45	52.98	30.70	5.46	33.59	100	322	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	107.09	-----	-----	104.53	30.71	5.43	33.58	100	322	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2024-09-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>42.07</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>322</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.64	54.00	-9.36	42.07	30.70	5.46	33.59	100	322	AVERAGE	 Level (dBuV/m) Date: 2024-09-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.71</td><td>-----</td><td>-----</td><td>95.14</td><td>30.71</td><td>5.44</td><td>33.58</td><td>100</td><td>322</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.71	-----	-----	95.14	30.71	5.44	33.58	100	322	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.51	44.64	54.00	-9.36	42.07	30.70	5.46	33.59	100	322	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	97.71	-----	-----	95.14	30.71	5.44	33.58	100	322	AVERAGE																																																																																



Mode	9																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																									
ANT	7+12																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-09-28 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.58</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>50.42</td><td>30.70</td><td>5.46</td><td>33.59</td><td>380 249 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 2483.58	52.99	74.00	-21.01	50.42	30.70	5.46	33.59	380 249 PEAK	Level (dBuV/m) Date: 2024-09-28 PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>106.37</td><td>-----</td><td>-----</td><td>103.81</td><td>30.71</td><td>5.43</td><td>33.58</td><td>380 249 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 2462.00	106.37	-----	-----	103.81	30.71	5.43	33.58	380 249 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 2483.58	52.99	74.00	-21.01	50.42	30.70	5.46	33.59	380 249 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	106.37	-----	-----	103.81	30.71	5.43	33.58	380 249 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-09-28 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.51</td><td>41.48</td><td>54.00</td><td>-12.52</td><td>38.91</td><td>30.70</td><td>5.46</td><td>33.59</td><td>380 249 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 2483.51	41.48	54.00	-12.52	38.91	30.70	5.46	33.59	380 249 AVERAGE	Level (dBuV/m) Date: 2024-09-28 AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>95.50</td><td>-----</td><td>-----</td><td>92.93</td><td>30.71</td><td>5.44</td><td>33.58</td><td>380 249 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 2462.00	95.50	-----	-----	92.93	30.71	5.44	33.58	380 249 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 2483.51	41.48	54.00	-12.52	38.91	30.70	5.46	33.59	380 249 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	95.50	-----	-----	92.93	30.71	5.44	33.58	380 249 AVERAGE																																																																		



Mode	9																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																																	
ANT	7+12																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz)						Level (dBuV/m) Date: 2024-09-29 Frequency (MHz)																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>52.46</td><td>36.02</td><td>8.57</td><td>51.53</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>49.96</td><td>36.85</td><td>10.18</td><td>51.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	45.52	74.00	-28.48	52.46	36.02	8.57	51.53	---	---	Peak	2	7386.00	45.81	74.00	-28.19	49.96	36.85	10.18	51.18	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>51.02</td><td>36.02</td><td>8.57</td><td>51.53</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>49.19</td><td>36.85</td><td>10.18</td><td>51.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	44.08	74.00	-29.92	51.02	36.02	8.57	51.53	---	---	Peak	2	7386.00	45.04	74.00	-28.96	49.19	36.85	10.18	51.18	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	45.52	74.00	-28.48	52.46	36.02	8.57	51.53	---	---	Peak																																																																																																																							
2	7386.00	45.81	74.00	-28.19	49.96	36.85	10.18	51.18	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	44.08	74.00	-29.92	51.02	36.02	8.57	51.53	---	---	Peak																																																																																																																							
2	7386.00	45.04	74.00	-28.96	49.19	36.85	10.18	51.18	---	---	Peak																																																																																																																							



Mode	10																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																									
ANT	7+12																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.74</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>48.27</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>87</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.74	50.82	74.00	-23.18	48.27	30.72	5.36	33.53	400	87	PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>100.90</td><td>-----</td><td>-----</td><td>98.34</td><td>30.72</td><td>5.39</td><td>33.55</td><td>400</td><td>87</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	100.90	-----	-----	98.34	30.72	5.39	33.55	400	87	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.74	50.82	74.00	-23.18	48.27	30.72	5.36	33.53	400	87	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2422.00	100.90	-----	-----	98.34	30.72	5.39	33.55	400	87	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.74</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>40.69</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>87</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.74	43.24	54.00	-10.76	40.69	30.72	5.36	33.53	400	87	AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>91.60</td><td>-----</td><td>-----</td><td>89.04</td><td>30.72</td><td>5.39</td><td>33.55</td><td>400</td><td>87</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	91.60	-----	-----	89.04	30.72	5.39	33.55	400	87	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.74	43.24	54.00	-10.76	40.69	30.72	5.36	33.53	400	87	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2422.00	91.60	-----	-----	89.04	30.72	5.39	33.55	400	87	AVERAGE																																																																															



Mode	10																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																	
ANT	7+12																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Date: 2024-09-28 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.73</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>44.31</td><td>30.70</td><td>5.46</td><td>33.59</td><td>400</td><td>87</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2485.73	46.88	74.00	-27.12	44.31	30.70	5.46	33.59	400	87	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2485.73	46.88	74.00	-27.12	44.31	30.70	5.46	33.59	400	87	PEAK																																							
Avg	Date: 2024-09-28 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.09</td><td>36.81</td><td>54.00</td><td>-17.19</td><td>34.24</td><td>30.70</td><td>5.46</td><td>33.59</td><td>400</td><td>87</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.09	36.81	54.00	-17.19	34.24	30.70	5.46	33.59	400	87	AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2484.09	36.81	54.00	-17.19	34.24	30.70	5.46	33.59	400	87	AVERAGE																																							



Mode	10																																																																																								
	Band Edge - L																																																																																								
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																								
ANT	7+12																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-09-28 1 2389.74 51.40 74.00 -22.60 48.85 30.72 5.36 33.53 400 190 PEAK					Level (dBuV/m) Date: 2024-09-28 1 2422.00 100.56 ----- 98.01 30.72 5.38 33.55 400 190 PEAK																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.74</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>48.85</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400 190 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.74	51.40	74.00	-22.60	48.85	30.72	5.36	33.53	400 190 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>100.56</td><td>-----</td><td>-----</td><td>98.01</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400 190 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2422.00	100.56	-----	-----	98.01	30.72	5.38	33.55
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.74	51.40	74.00	-22.60	48.85	30.72	5.36	33.53	400 190 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2422.00	100.56	-----	-----	98.01	30.72	5.38	33.55	400 190 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-09-28 1 2389.52 42.58 54.00 -11.42 40.03 30.72 5.36 33.53 400 190 AVERAGE					Level (dBuV/m) Date: 2024-09-28 1 2422.00 91.45 ----- 88.89 30.72 5.39 33.55 400 190 AVERAGE																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.52</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>40.03</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400 190 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.52	42.58	54.00	-11.42	40.03	30.72	5.36	33.53	400 190 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>91.45</td><td>-----</td><td>-----</td><td>88.89</td><td>30.72</td><td>5.39</td><td>33.55</td><td>400 190 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2422.00	91.45	-----	-----	88.89	30.72	5.39	33.55
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.52	42.58	54.00	-11.42	40.03	30.72	5.36	33.53	400 190 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2422.00	91.45	-----	-----	88.89	30.72	5.39	33.55	400 190 AVERAGE																																																																																



Mode	10																																										
	Band Edge - R																																										
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																										
ANT	7+12																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-09-28 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.85</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>41.86</td><td>30.70</td><td>5.46</td><td>33.59</td><td>400</td><td>190 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.85	44.43	74.00	-29.57	41.86	30.70	5.46	33.59	400	190 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2483.85	44.43	74.00	-29.57	41.86	30.70	5.46	33.59	400	190 PEAK																																	
Avg	Date: 2024-09-28 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.24</td><td>35.12</td><td>54.00</td><td>-18.88</td><td>32.55</td><td>30.70</td><td>5.46</td><td>33.59</td><td>400</td><td>190 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.24	35.12	54.00	-18.88	32.55	30.70	5.46	33.59	400	190 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.24	35.12	54.00	-18.88	32.55	30.70	5.46	33.59	400	190 AVERAGE																																	



Mode	11																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																										
ANT	7+12																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.10</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>44.62</td><td>30.72</td><td>5.36</td><td>33.53</td><td>119</td><td>106</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.10	47.17	74.00	-26.83	44.62	30.72	5.36	33.53	119	106	PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>104.38</td><td>-----</td><td>-----</td><td>101.82</td><td>30.71</td><td>5.42</td><td>33.57</td><td>119</td><td>106</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.38	-----	-----	101.82	30.71	5.42	33.57	119	106	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2388.10	47.17	74.00	-26.83	44.62	30.72	5.36	33.53	119	106	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2452.00	104.38	-----	-----	101.82	30.71	5.42	33.57	119	106	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.80</td><td>37.84</td><td>54.00</td><td>-16.16</td><td>35.29</td><td>30.72</td><td>5.36</td><td>33.53</td><td>119</td><td>106</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	37.84	54.00	-16.16	35.29	30.72	5.36	33.53	119	106	AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>95.10</td><td>-----</td><td>-----</td><td>92.54</td><td>30.71</td><td>5.42</td><td>33.57</td><td>119</td><td>106</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	95.10	-----	-----	92.54	30.71	5.42	33.57	119	106	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.80	37.84	54.00	-16.16	35.29	30.72	5.36	33.53	119	106	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2452.00	95.10	-----	-----	92.54	30.71	5.42	33.57	119	106	AVERAGE																																																																																



Mode	11																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																	
ANT	7+12																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>53.02</td><td>30.70</td><td>5.46</td><td>33.59</td><td>119 106 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	55.59	74.00	-18.41	53.02	30.70	5.46	33.59	119 106 PEAK	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	2483.87	55.59	74.00	-18.41	53.02	30.70	5.46	33.59	119 106 PEAK																																									
Avg	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>43.25</td><td>30.70</td><td>5.46</td><td>33.59</td><td>119 106 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	45.82	54.00	-8.18	43.25	30.70	5.46	33.59	119 106 AVERAGE	Blank				
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	2484.16	45.82	54.00	-8.18	43.25	30.70	5.46	33.59	119 106 AVERAGE																																									



Mode	11																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																										
ANT	7+12																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.56</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>42.16</td><td>30.72</td><td>5.35</td><td>33.53</td><td>378</td><td>240</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2382.56	44.70	74.00	-29.30	42.16	30.72	5.35	33.53	378	240	PEAK	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>104.32</td><td>-----</td><td>-----</td><td>101.75</td><td>30.71</td><td>5.43</td><td>33.57</td><td>378</td><td>240</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.32	-----	-----	101.75	30.71	5.43	33.57	378	240	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2382.56	44.70	74.00	-29.30	42.16	30.72	5.35	33.53	378	240	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2452.00	104.32	-----	-----	101.75	30.71	5.43	33.57	378	240	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.23</td><td>34.98</td><td>54.00</td><td>-19.02</td><td>32.43</td><td>30.73</td><td>5.34</td><td>33.52</td><td>378</td><td>240</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2367.23	34.98	54.00	-19.02	32.43	30.73	5.34	33.52	378	240	AVERAGE	Level (dBuV/m) Date: 2024-09-28 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>94.78</td><td>-----</td><td>-----</td><td>92.21</td><td>30.71</td><td>5.43</td><td>33.57</td><td>378</td><td>240</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2452.00	94.78	-----	-----	92.21	30.71	5.43	33.57	378	240	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2367.23	34.98	54.00	-19.02	32.43	30.73	5.34	33.52	378	240	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2452.00	94.78	-----	-----	92.21	30.71	5.43	33.57	378	240	AVERAGE																																																																																



Mode	11																																										
	Band Edge - R																																										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																										
ANT	7+12																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.02</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>50.76</td><td>30.70</td><td>5.46</td><td>33.59</td><td>378</td><td>240 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg	1	2484.02	53.33	74.00	-20.67	50.76	30.70	5.46	33.59	378	240 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg																																		
1	2484.02	53.33	74.00	-20.67	50.76	30.70	5.46	33.59	378	240 PEAK																																	
Avg	Date: 2024-09-28 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.06</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>42.33</td><td>30.70</td><td>5.46</td><td>33.59</td><td>378</td><td>240 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg	1	2484.06	44.90	54.00	-9.10	42.33	30.70	5.46	33.59	378	240 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg																																		
1	2484.06	44.90	54.00	-9.10	42.33	30.70	5.46	33.59	378	240 AVERAGE																																	



Mode	12																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH01_Partial RU 106/53_2412MHz																																																																																										
ANT	7+12																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>42.61</td><td>30.72</td><td>5.35</td><td>33.53</td><td>400</td><td>279</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2385.66	45.15	74.00	-28.85	42.61	30.72	5.35	33.53	400	279	PEAK	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.61</td><td>-----</td><td>-----</td><td>105.06</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>279</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.61	-----	-----	105.06	30.72	5.38	33.55	400	279	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2385.66	45.15	74.00	-28.85	42.61	30.72	5.35	33.53	400	279	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	107.61	-----	-----	105.06	30.72	5.38	33.55	400	279	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>36.71</td><td>54.00</td><td>-17.29</td><td>34.16</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>279</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.30	36.71	54.00	-17.29	34.16	30.72	5.36	33.53	400	279	AVERAGE	Level (dBuV/m) Date: 2024-09-29 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.67</td><td>-----</td><td>-----</td><td>96.12</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>279</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.67	-----	-----	96.12	30.72	5.38	33.55	400	279	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.30	36.71	54.00	-17.29	34.16	30.72	5.36	33.53	400	279	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	98.67	-----	-----	96.12	30.72	5.38	33.55	400	279	AVERAGE																																																																																



		12																																																																																								
Mode		Band Edge																																																																																								
		2400-2483.5_802.11ax HE20_CH01_Partial RU 106/53_2412MHz																																																																																								
ANT		7+12																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>45.54</td><td>30.72</td><td>5.36</td><td>33.53</td><td>398 172 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	48.09	74.00	-25.91	45.54	30.72	5.36	33.53	398 172 PEAK	Level (dBuV/m) Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.12</td><td>-----</td><td>-----</td><td>101.57</td><td>30.72</td><td>5.37</td><td>33.54</td><td>398 172 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.12	-----	-----	101.57	30.72	5.37	33.54	398 172 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.69	48.09	74.00	-25.91	45.54	30.72	5.36	33.53	398 172 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2412.00	104.12	-----	-----	101.57	30.72	5.37	33.54	398 172 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>36.58</td><td>54.00</td><td>-17.42</td><td>34.03</td><td>30.72</td><td>5.36</td><td>33.53</td><td>398 172 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	36.58	54.00	-17.42	34.03	30.72	5.36	33.53	398 172 AVERAGE	Level (dBuV/m) Date: 2024-09-29 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.95</td><td>-----</td><td>-----</td><td>91.40</td><td>30.72</td><td>5.37</td><td>33.54</td><td>398 172 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.95	-----	-----	91.40	30.72	5.37	33.54	398 172 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.95	36.58	54.00	-17.42	34.03	30.72	5.36	33.53	398 172 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2412.00	93.95	-----	-----	91.40	30.72	5.37	33.54	398 172 AVERAGE																																																																																	