



Mode	23																																									
	Band Edge																																									
	2400-2483.5_Bluetooth-LE_CH01_2404MHz+LTE B13 Link CO_TX																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2365.65</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>41.56</td><td>30.73</td><td>5.34</td><td>33.52</td><td>400</td><td>334 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2365.65	44.11	74.00	-29.89	41.56	30.73	5.34	33.52	400	334 PEAK	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2404.00</td><td>87.05</td><td>-----</td><td>-----</td><td>84.50</td><td>30.72</td><td>5.37</td><td>33.54</td><td>400</td><td>334 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2404.00	87.05	-----	-----	84.50	30.72	5.37	33.54	400	334 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2365.65	44.11	74.00	-29.89	41.56	30.73	5.34	33.52	400	334 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2404.00	87.05	-----	-----	84.50	30.72	5.37	33.54	400	334 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2361.87</td><td>34.68</td><td>54.00</td><td>-19.32</td><td>32.13</td><td>30.73</td><td>5.34</td><td>33.52</td><td>400</td><td>334 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2361.87	34.68	54.00	-19.32	32.13	30.73	5.34	33.52	400	334 AVERAGE	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2404.00</td><td>84.95</td><td>-----</td><td>-----</td><td>82.40</td><td>30.72</td><td>5.37</td><td>33.54</td><td>400</td><td>334 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2404.00	84.95	-----	-----	82.40	30.72	5.37	33.54	400	334 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2361.87	34.68	54.00	-19.32	32.13	30.73	5.34	33.52	400	334 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2404.00	84.95	-----	-----	82.40	30.72	5.37	33.54	400	334 AVERAGE																																	







Mode	23																																									
	Band Edge																																									
	2400-2483.5_Bluetooth-LE_CH01_2404MHz+LTE B13 Link CO_TX																																									
ANT	8																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2343.29</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>41.72</td><td>30.73</td><td>5.32</td><td>33.51</td><td>390</td><td>244 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2343.29	44.26	74.00	-29.74	41.72	30.73	5.32	33.51	390	244 PEAK	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2404.00</td><td>85.62</td><td>-----</td><td>-----</td><td>83.07</td><td>30.72</td><td>5.37</td><td>33.54</td><td>390</td><td>244 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2404.00	85.62	-----	-----	83.07	30.72	5.37	33.54	390	244 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2343.29	44.26	74.00	-29.74	41.72	30.73	5.32	33.51	390	244 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2404.00	85.62	-----	-----	83.07	30.72	5.37	33.54	390	244 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2376.05</td><td>34.86</td><td>54.00</td><td>-19.14</td><td>32.32</td><td>30.72</td><td>5.35</td><td>33.53</td><td>390</td><td>244 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2376.05	34.86	54.00	-19.14	32.32	30.72	5.35	33.53	390	244 AVERAGE	Level (dBuV/m) Date: 2024-10-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2404.00</td><td>83.47</td><td>-----</td><td>-----</td><td>80.92</td><td>30.72</td><td>5.37</td><td>33.54</td><td>390</td><td>244 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2404.00	83.47	-----	-----	80.92	30.72	5.37	33.54	390	244 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2376.05	34.86	54.00	-19.14	32.32	30.72	5.35	33.53	390	244 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2404.00	83.47	-----	-----	80.92	30.72	5.37	33.54	390	244 AVERAGE																																	



Mode	23																																																																																												
	Harmonic																																																																																												
	2400-2483.5_Bluetooth-LE_CH01_2404MHz+LTE B13 Link CO_TX																																																																																												
ANT	8																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-10-06 PEAK_74 AVG_54 300060009000120001500018000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>52.18</td><td>35.74</td><td>8.92</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	45.26	74.00	-28.74	52.18	35.74	8.92	51.58	---	---	Peak	Level (dBuV/m) Date: 2024-10-06 PEAK_74 AVG_54 300060009000120001500018000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>52.48</td><td>35.74</td><td>8.92</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	45.56	74.00	-28.44	52.48	35.74	8.92	51.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4808.00	45.26	74.00	-28.74	52.18	35.74	8.92	51.58	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4808.00	45.56	74.00	-28.44	52.48	35.74	8.92	51.58	---	---	Peak																																																																																		



		24																																																																																									
Mode		Band Edge - L																																																																																									
		2400-2483.5_802.11b_CH06_2437MHz+LTE B13 Link CO_TX																																																																																									
ANT		8																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.71</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>41.57</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>137 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2386.71	44.12	74.00	-29.88	41.57	30.72	5.36	33.53	300	137 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>87.74</td><td>-----</td><td>-----</td><td>85.18</td><td>30.71</td><td>5.41</td><td>33.56</td><td>300</td><td>137 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	87.74	-----	-----	85.18	30.71	5.41	33.56	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2386.71	44.12	74.00	-29.88	41.57	30.72	5.36	33.53	300	137 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2437.00	87.74	-----	-----	85.18	30.71	5.41	33.56	300	137 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.75</td><td>33.89</td><td>54.00</td><td>-20.11</td><td>31.34</td><td>30.73</td><td>5.34</td><td>33.52</td><td>300</td><td>137 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2365.75	33.89	54.00	-20.11	31.34	30.73	5.34	33.52	300	137 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>85.24</td><td>-----</td><td>-----</td><td>82.68</td><td>30.71</td><td>5.41</td><td>33.56</td><td>300</td><td>137 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	85.24	-----	-----	82.68	30.71	5.41	33.56	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2365.75	33.89	54.00	-20.11	31.34	30.73	5.34	33.52	300	137 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2437.00	85.24	-----	-----	82.68	30.71	5.41	33.56	300	137 AVERAGE																																																																																	



Mode	24																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz+LTE B13 Link CO_TX																																																																																			
ANT	8																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-10-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2353.82</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>42.14</td><td>30.73</td><td>5.33</td><td>33.51</td><td>300</td><td>197 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2353.82	44.69	74.00	-29.31	42.14	30.73	5.33	33.51	300	197 PEAK	Level (dBuV/m) Date: 2024-10-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>79.30</td><td>-----</td><td>-----</td><td>76.74</td><td>30.71</td><td>5.41</td><td>33.56</td><td>300</td><td>197 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	79.30	-----	-----	76.74	30.71	5.41	33.56	300	197 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2353.82	44.69	74.00	-29.31	42.14	30.73	5.33	33.51	300	197 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	79.30	-----	-----	76.74	30.71	5.41	33.56	300	197 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-10-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2363.59</td><td>33.87</td><td>54.00</td><td>-20.13</td><td>31.32</td><td>30.73</td><td>5.34</td><td>33.52</td><td>300</td><td>197 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2363.59	33.87	54.00	-20.13	31.32	30.73	5.34	33.52	300	197 AVERAGE	Level (dBuV/m) Date: 2024-10-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>76.81</td><td>-----</td><td>-----</td><td>74.25</td><td>30.71</td><td>5.41</td><td>33.56</td><td>300</td><td>197 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	76.81	-----	-----	74.25	30.71	5.41	33.56	300	197 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2363.59	33.87	54.00	-20.13	31.32	30.73	5.34	33.52	300	197 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	76.81	-----	-----	74.25	30.71	5.41	33.56	300	197 AVERAGE																																																																										




Mode	24																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																													
	2400-2483.5_802.11b_CH06_2437MHz+LTE B13 Link CO_TX																																																																																																																																																																																													
ANT	8																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-10-06 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>55.92</td><td>35.90</td><td>8.72</td><td>51.55</td><td>100</td><td>298</td><td colspan="3">Peak</td><td></td></tr><tr><td>2</td><td>4874.00</td><td>47.39</td><td>54.00</td><td>-6.61</td><td>54.32</td><td>35.90</td><td>8.72</td><td>51.55</td><td>100</td><td>298</td><td colspan="3">Average</td><td></td></tr><tr><td>3</td><td>7311.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>47.57</td><td>36.88</td><td>10.18</td><td>51.16</td><td>---</td><td>---</td><td colspan="3">Peak</td><td></td></tr></table>								Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4874.00	48.99	74.00	-25.01	55.92	35.90	8.72	51.55	100	298	Peak				2	4874.00	47.39	54.00	-6.61	54.32	35.90	8.72	51.55	100	298	Average				3	7311.00	43.47	74.00	-30.53	47.57	36.88	10.18	51.16	---	---	Peak				Level (dBuV/m) Date: 2024-10-06 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>55.27</td><td>35.90</td><td>8.72</td><td>51.55</td><td>383</td><td>233</td><td colspan="3">Peak</td><td></td></tr><tr><td>2</td><td>4874.00</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>53.03</td><td>35.90</td><td>8.72</td><td>51.55</td><td>383</td><td>233</td><td colspan="3">Average</td><td></td></tr><tr><td>3</td><td>7311.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>50.14</td><td>36.88</td><td>10.18</td><td>51.16</td><td>---</td><td>---</td><td colspan="3">Peak</td><td></td></tr></table>								Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4874.00	48.34	74.00	-25.66	55.27	35.90	8.72	51.55	383	233	Peak				2	4874.00	46.10	54.00	-7.90	53.03	35.90	8.72	51.55	383	233	Average				3	7311.00	46.04	74.00	-27.96	50.14	36.88	10.18	51.16	---	---	Peak			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	4874.00	48.99	74.00	-25.01	55.92	35.90	8.72	51.55	100	298	Peak																																																																																																																																																																																			
2	4874.00	47.39	54.00	-6.61	54.32	35.90	8.72	51.55	100	298	Average																																																																																																																																																																																			
3	7311.00	43.47	74.00	-30.53	47.57	36.88	10.18	51.16	---	---	Peak																																																																																																																																																																																			
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	4874.00	48.34	74.00	-25.66	55.27	35.90	8.72	51.55	383	233	Peak																																																																																																																																																																																			
2	4874.00	46.10	54.00	-7.90	53.03	35.90	8.72	51.55	383	233	Average																																																																																																																																																																																			
3	7311.00	46.04	74.00	-27.96	50.14	36.88	10.18	51.16	---	---	Peak																																																																																																																																																																																			



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.66	-	-	10Hz
802.11g	97.46	1.391	0.719	1KHz
802.11n HT20	97.30	1.304	0.767	1KHz
802.11n HT40	94.70	0.648	1.544	3KHz

802.11b






802.11g



Date: 30.SEP.2024 11:50:19


802.11n HT20



Date: 30.SEP.2024 11:51:43



802.11n HT 40



Date: 30.SEP.2024 11:52:55