

MEASUREMENT 1

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results

Lower Band SAR (Channel 1)

Frequency (MHz)	2412.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	-0.430000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1





Maximum location: X=-17.00, Y=18.00

SAR Peak: 0.60 W/kg

2

SAR 10g (W/Kg)	0.123618
SAR 1g (W/Kg)	0.295806



MEASUREMENT 2

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results



Lower Band SAR (Channel 1)

Frequency (MHz)	2412.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	-0.630000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1



Maximum location: X=-10.00, Y=22.00
 SAR Peak: 0.54 W/kg

SAR 10g (W/Kg)	0.096775
SAR 1g (W/Kg)	0.250900



MEASUREMENT 3

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results

Lower Band SAR (Channel 1)



Frequency (MHz)	2412.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	0.510000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1



Maximum location: X=0.00, Y=-7.00

SAR Peak: 0.31 W/kg

SAR 10g (W/Kg)	0.072870
SAR 1g (W/Kg)	0.164333



MEASUREMENT 4

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results

Lower Band SAR (Channel 1)



Frequency (MHz)	2412.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	0.620000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1



Maximum location: X=0.00, Y=0.00

SAR Peak: 0.26 W/kg

SAR 10g (W/Kg)	0.059199
SAR 1g (W/Kg)	0.135853



MEASUREMENT 5

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results



Lower Band SAR (Channel 1)

Frequency (MHz)	2412.000000
Relative permittivity (real part)	53.461064
Conductivity (S/m)	1.853317
Power drift (%)	-1.710000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	4.96
Crest factor:	1:1



Maximum location: X=24.00, Y=8.00
 SAR Peak: 0.47 W/kg

SAR 10g (W/Kg)	0.088900
SAR 1g (W/Kg)	0.227366



MEASUREMENT 6

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 9 minutes 10 seconds

A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results

Lower Band SAR (Channel 1)



Frequency (MHz)	2412.000000
Relative permittivity (real part)	53.461064
Conductivity (S/m)	1.853317
Power drift (%)	-2.160000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	4.96
Crest factor:	1:1



Maximum location: X=5.00, Y=15.00

SAR Peak: 0.22 W/kg

SAR 10g (W/Kg)	0.029951
SAR 1g (W/Kg)	0.092602



MEASUREMENT 7

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results



Lower Band SAR (Channel 1)

Frequency (MHz)	2412.000000
Relative permittivity (real part)	53.461064
Conductivity (S/m)	1.853317
Power drift (%)	-1.910000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	4.96
Crest factor:	1:1



Maximum location: X=16.00, Y=-49.00

SAR 10g (W/Kg)	0.074194
SAR 1g (W/Kg)	0.108467

Z Axis Scan

MEASUREMENT 8

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11b
Channels	Low
Signal	DSSS

B. SAR Measurement Results



Lower Band SAR (Channel 1)

Frequency (MHz)	2412.000000
Relative permittivity (real part)	53.461064
Conductivity (S/m)	1.853317
Power drift (%)	-1.810000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	4.96
Crest factor:	1:1



Maximum location: X=-32.00, Y=-10.00
 SAR Peak: 0.65 W/kg

SAR 10g (W/Kg)	0.143651
SAR 1g (W/Kg)	0.327719



MEASUREMENT 9

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	Bluetooth
Channels	Middle
Signal	8-DPSK

B. SAR Measurement Results



Middle Band SAR (Channel 39)

Frequency (MHz)	2441.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	-1.020000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1



Maximum location: X=-71.00, Y=-33.00
 SAR Peak: 0.42 W/kg

SAR 10g (W/Kg)	0.144556
SAR 1g (W/Kg)	0.258541



MEASUREMENT 10

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	Bluetooth
Channels	Middle
Signal	8-DPSK

B. SAR Measurement Results



Middle Band SAR (Channel 39)

Frequency (MHz)	2441.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	-1.030000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1



Maximum location: X=-23.00, Y=17.00
SAR Peak: 0.20 W/kg

SAR 10g (W/Kg)	0.056730
SAR 1g (W/Kg)	0.116387



MEASUREMENT 11

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	Bluetooth
Channels	Middle
Signal	8-DPSK

B. SAR Measurement Results



Middle Band SAR (Channel 39)

Frequency (MHz)	2441.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	-0.190000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1



Maximum location: X=-56.00, Y=-46.00
 SAR Peak: 0.40 W/kg

SAR 10g (W/Kg)	0.136641
SAR 1g (W/Kg)	0.251139



MEASUREMENT 12

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2013.12.24

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	Bluetooth
Channels	Middle
Signal	8-DPSK

B. SAR Measurement Results



Middle Band SAR (Channel 39)

Frequency (MHz)	2441.000000
Relative permittivity (real part)	39.723451
Conductivity (S/m)	1.794326
Power drift (%)	-0.270000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	4.80
Crest factor:	1:1
SURFACE SAR	VOLUME SAR



Maximum location: X=0.00, Y=0.00
SAR Peak: 0.17 W/kg

SAR 10g (W/Kg)	0.045929
SAR 1g (W/Kg)	0.090231



MEASUREMENT 13

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results



Higher Band SAR (Channel 48)

Frequency (MHz)	5240.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	-1.430000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-27.00, Y=-17.00
 SAR Peak: 0.26 W/kg

SAR 10g (W/Kg)	0.169725
SAR 1g (W/Kg)	0.209568



MEASUREMENT 14

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

Higher Band SAR (Channel 48)



Frequency (MHz)	5240.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	-0.630000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-9.00, Y=6.00

SAR Peak: 0.17 W/kg

SAR 10g (W/Kg)	0.079206
SAR 1g (W/Kg)	0.113823



MEASUREMENT 15

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

Higher Band SAR (Channel 48)

Frequency (MHz)	5240.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	0.510000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1





Maximum location: X=-11.00, Y=0.00

SAR 10g (W/Kg)	0.127970
SAR 1g (W/Kg)	0.217543

Z Axis Scan

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0000	0.2282	0.1412	0.0862	0.0474	0.0276	0.0171



MEASUREMENT 16

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results



Higher Band SAR (Channel 48)

Frequency (MHz)	5240.000000
Relative permittivity (real part)	34.018247
Conductivity (S/m)	5.351094
Power drift (%)	0.620000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-10.00, Y=5.00
 SAR Peak: 0.17 W/kg

SAR 10g (W/Kg)	0.045562
SAR 1g (W/Kg)	0.090371



MEASUREMENT 17

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results



Higher Band SAR (Channel 48)

Frequency (MHz)	5240.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-1.710000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=-1.00, Y=56.00
 SAR Peak: 0.40 W/kg

SAR 10g (W/Kg)	0.132387
SAR 1g (W/Kg)	0.250513



MEASUREMENT 18

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

Higher Band SAR (Channel 48)



Frequency (MHz)	5240.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-1.520000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=7.00, Y=24.00

SAR Peak: 0.23 W/kg

SAR 10g (W/Kg)	0.119085
SAR 1g (W/Kg)	0.168954



MEASUREMENT 19

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results



Higher Band SAR (Channel 48)

Frequency (MHz)	5240.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-2.420000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=2.00, Y=-22.00
SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.048349
SAR 1g (W/Kg)	0.089514



MEASUREMENT 20

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

Higher Band SAR (Channel 48)



Frequency (MHz)	5240.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-1.250000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=7.00, Y=17.00

SAR Peak: 0.41 W/kg

SAR 10g (W/Kg)	0.192779
SAR 1g (W/Kg)	0.278313



MEASUREMENT 21

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 52)



Frequency (MHz)	5260.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	-1.430000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-3.00, Y=7.00

SAR Peak: 0.23 W/kg

SAR 10g (W/Kg)	0.092971
SAR 1g (W/Kg)	0.147132



MEASUREMENT 22

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 52)



Frequency (MHz)	5260.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	-0.630000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-7.00, Y=7.00

SAR Peak: 0.08 W/kg

SAR 10g (W/Kg)	0.036244
SAR 1g (W/Kg)	0.055577



MEASUREMENT 23

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results



Lower Band SAR (Channel 52)

Frequency (MHz)	5260.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	0.510000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-33.00, Y=-8.00
 SAR Peak: 0.22 W/kg

SAR 10g (W/Kg)	0.152395
SAR 1g (W/Kg)	0.187560



MEASUREMENT 24

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results



Lower Band SAR (Channel 52)

Frequency (MHz)	5260.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	0.620000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-10.00, Y=-8.00
 SAR Peak: 0.10 W/kg

SAR 10g (W/Kg)	0.044949
SAR 1g (W/Kg)	0.065391



MEASUREMENT 25

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 52)



Frequency (MHz)	5240.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	-1.520000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=8.00, Y=5.00

SAR Peak: 0.19 W/kg

SAR 10g (W/Kg)	0.113662
SAR 1g (W/Kg)	0.149272



MEASUREMENT 26

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results



Lower Band SAR (Channel 52)

Frequency (MHz)	5260.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-1.520000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=13.00, Y=3.00
 SAR Peak: 0.11 W/kg

SAR 10g (W/Kg)	0.035474
SAR 1g (W/Kg)	0.065112



MEASUREMENT 27

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 52)



Frequency (MHz)	5260.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-2.420000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=2.00, Y=-2.00

SAR Peak: 0.11 W/kg

SAR 10g (W/Kg)	0.049943
SAR 1g (W/Kg)	0.072442



MEASUREMENT 28

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results



Lower Band SAR (Channel 52)

Frequency (MHz)	5260.000000
Relative permittivity (real part)	49.200000
Conductivity (S/m)	5.270000
Power drift (%)	-1.250000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	24.39
Crest factor:	1:1



Maximum location: X=2.00, Y=-14.00
 SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.079131
SAR 1g (W/Kg)	0.115104



MEASUREMENT 29

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 100)



Frequency (MHz)	5500.000000
Relative permittivity (real part)	35.000000
Conductivity (S/m)	4.990000
Power drift (%)	-0.380000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-7.00, Y=7.00

SAR Peak: 0.37 W/kg

SAR 10g (W/Kg)	0.154054
SAR 1g (W/Kg)	0.238155



MEASUREMENT 30

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 100)



Frequency (MHz)	5500.000000
Relative permittivity (real part)	35.000000
Conductivity (S/m)	4.990000
Power drift (%)	-1.390000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-5.00, Y=7.00

SAR Peak: 0.14 W/kg

SAR 10g (W/Kg)	0.058558
SAR 1g (W/Kg)	0.091262



MEASUREMENT 31

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 100)



Frequency (MHz)	5500.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	0.510000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	23.71
Crest factor:	1:1



Maximum location: X=-52.00, Y=-49.00

SAR 10g (W/Kg)	0.089704
SAR 1g (W/Kg)	0.147993

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0000	0.1516	0.0959	0.0590	0.0376	0.0225	0.0158



MEASUREMENT 32

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results



Lower Band SAR (Channel 100)

Frequency (MHz)	5500.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	35.000000
Power drift (%)	4.990000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-10.00, Y=-9.00
 SAR Peak: 0.17 W/kg

SAR 10g (W/Kg)	0.077009
SAR 1g (W/Kg)	0.112142



MEASUREMENT 33

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 100)

Frequency (MHz)	5500.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-1.520000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1





Maximum location: X=23.00, Y=-15.00

SAR 10g (W/Kg)	0.133736
SAR 1g (W/Kg)	0.224335

Z Axis Scan

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0000	0.2330	0.1340	0.0793	0.0466	0.0268	0.0172



MEASUREMENT 34

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 100)



Frequency (MHz)	5500.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-1.520000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=5.00, Y=6.00

SAR Peak: 0.25 W/kg

SAR 10g (W/Kg)	0.071586
SAR 1g (W/Kg)	0.138683



MEASUREMENT 35

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results

Lower Band SAR (Channel 52)



Frequency (MHz)	5500.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-1.190000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=-1.00, Y=8.00

SAR Peak: 0.06 W/kg

SAR 10g (W/Kg)	0.024173
SAR 1g (W/Kg)	0.039315



MEASUREMENT 36

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Low
Signal	OFDM

B. SAR Measurement Results



Lower Band SAR (Channel 100)

Frequency (MHz)	5500.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-1.250000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=0.00, Y=-16.00
 SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.082720
SAR 1g (W/Kg)	0.116851



MEASUREMENT 37

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 116)



Frequency (MHz)	5580.000000
Relative permittivity (real part)	35.000000
Conductivity (S/m)	4.990000
Power drift (%)	-0.380000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-9.00, Y=5.00

SAR Peak: 0.28 W/kg

SAR 10g (W/Kg)	0.131746
SAR 1g (W/Kg)	0.191787



MEASUREMENT 38

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 116)



Frequency (MHz)	5580.000000
Relative permittivity (real part)	35.000000
Conductivity (S/m)	4.990000
Power drift (%)	-1.390000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-9.00, Y=6.00

SAR Peak: 0.10 W/kg

SAR 10g (W/Kg)	0.048651
SAR 1g (W/Kg)	0.070334



MEASUREMENT 39

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results



Middle Band SAR (Channel 116)

Frequency (MHz)	5580.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	4.630000
Power drift (%)	0.510000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-8.00, Y=-7.00
 SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.075565
SAR 1g (W/Kg)	0.107308



MEASUREMENT 40

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results



Middle Band SAR (Channel 116)

Frequency (MHz)	5580.000000
Relative permittivity (real part)	35.820000
Conductivity (S/m)	35.000000
Power drift (%)	-0.810000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.33
Crest factor:	1:1



Maximum location: X=-22.00, Y=-14.00
 SAR Peak: 0.10 W/kg

SAR 10g (W/Kg)	0.050566
SAR 1g (W/Kg)	0.070299



MEASUREMENT 41

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds

A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 100)



Frequency (MHz)	5580.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-1.120000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=5.00, Y=7.00

SAR Peak: 0.40 W/kg

SAR 10g (W/Kg)	0.117612
SAR 1g (W/Kg)	0.227403



MEASUREMENT 42

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 116)



Frequency (MHz)	5580.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-0.290000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=7.00, Y=8.00

SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.074710
SAR 1g (W/Kg)	0.108579



MEASUREMENT 43

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 116)



Frequency (MHz)	5580.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-1.070000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=2.00, Y=-31.00

SAR Peak: 0.11 W/kg

SAR 10g (W/Kg)	0.053805
SAR 1g (W/Kg)	0.078068



MEASUREMENT 44

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 116)

Frequency (MHz)	5580.000000
Relative permittivity (real part)	48.380000
Conductivity (S/m)	5.720000
Power drift (%)	-0.870000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1





Maximum location: X=25.00, Y=31.00

SAR 10g (W/Kg)	0.060525
SAR 1g (W/Kg)	0.106715

Z Axis Scan

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0000	0.1110	0.0649	0.0332	0.0198	0.0109	0.0071



MEASUREMENT 45

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Cheek
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results



High Band SAR (Channel 161)

Frequency (MHz)	5805.000000
Relative permittivity (real part)	34.900000
Conductivity (S/m)	5.180000
Power drift (%)	-0.380000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.64
Crest factor:	1:1



Maximum location: X=-32.00, Y=-22.00
 SAR Peak: 0.21 W/kg

SAR 10g (W/Kg)	0.131563
SAR 1g (W/Kg)	0.167036



MEASUREMENT 46

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 15 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Right head
Device Position	Tilt
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results



Middle Band SAR (Channel 161)

Frequency (MHz)	5805.000000
Relative permittivity (real part)	34.900000
Conductivity (S/m)	5.180000
Power drift (%)	-0.910000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.64
Crest factor:	1:1



Maximum location: X=-57.00, Y=-62.00
 SAR Peak: 0.20 W/kg

SAR 10g (W/Kg)	0.071607
SAR 1g (W/Kg)	0.123570



MEASUREMENT 47

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Cheek
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results



High Band SAR (Channel 161)

Frequency (MHz)	5805.000000
Relative permittivity (real part)	34.900000
Conductivity (S/m)	5.180000
Power drift (%)	-0.180000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.64
Crest factor:	1:1



Maximum location: X=-33.00, Y=-8.00
 SAR Peak: 0.22 W/kg

SAR 10g (W/Kg)	0.135707
SAR 1g (W/Kg)	0.170890



MEASUREMENT 48

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 8 minutes 17 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Left head
Device Position	Tilt
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

High Band SAR (Channel 161)



Frequency (MHz)	5805.000000
Relative permittivity (real part)	34.900000
Conductivity (S/m)	5.180000
Power drift (%)	-0.810000
Ambient Temperature:	22.3°C
Liquid Temperature:	21.5°C
ConvF:	25.64
Crest factor:	1:1



Maximum location: X=-71.00, Y=-32.00

SAR Peak: 0.13 W/kg

SAR 10g (W/Kg)	0.046800
SAR 1g (W/Kg)	0.079773



MEASUREMENT 49

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

High Band SAR (Channel 161)



Frequency (MHz)	5805.000000
Relative permittivity (real part)	48.120000
Conductivity (S/m)	5.920000
Power drift (%)	-1.120000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.30
Crest factor:	1:1



Maximum location: X=11.00, Y=35.00

SAR Peak: 0.20 W/kg

SAR 10g (W/Kg)	0.125644
SAR 1g (W/Kg)	0.160677



MEASUREMENT 50

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	Middle
Signal	OFDM

B. SAR Measurement Results

Middle Band SAR (Channel 161)



Frequency (MHz)	5805.000000
Relative permittivity (real part)	48.120000
Conductivity (S/m)	5.920000
Power drift (%)	-0.710000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.47
Crest factor:	1:1



Maximum location: X=22.00, Y=8.00

SAR Peak: 0.35 W/kg

SAR 10g (W/Kg)	0.179411
SAR 1g (W/Kg)	0.254298



MEASUREMENT 51

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

High Band SAR (Channel 161)



Frequency (MHz)	5805.000000
Relative permittivity (real part)	48.120000
Conductivity (S/m)	5.920000
Power drift (%)	-1.230000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.47
Crest factor:	1:1



Maximum location: X=-7.00, Y=-33.00

SAR Peak: 0.33 W/kg

SAR 10g (W/Kg)	0.115834
SAR 1g (W/Kg)	0.206937



MEASUREMENT 52

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2013.12.27

Measurement duration: 9 minutes 10 seconds


A. Experimental conditions.

Phantom File	surf_sam_plan.txt
Phantom	Validation plane
Device Position	Body
Band	802.11a
Channels	High
Signal	OFDM

B. SAR Measurement Results

High Band SAR (Channel 161)

Frequency (MHz)	5805.000000
Relative permittivity (real part)	48.120000
Conductivity (S/m)	5.920000
Power drift (%)	-0.790000
Ambient Temperature:	22.0°C
Liquid Temperature:	21.8°C
ConvF:	26.47
Crest factor:	1:1



Maximum location: X=30.00, Y=-32.00

SAR Peak: 0.39 W/kg

SAR 10g (W/Kg)	0.126022
SAR 1g (W/Kg)	0.233345

