



**25.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.76	-70.05	-25	Pass	2986
30	1000	0.1	RMS	387.6	-59.95	-25	Pass	9701
1000	1700	1	RMS	1700	-39.04	-25	Pass	701
1700	1790	1	RMS	1719.35	8.3	60	Pass	401
1790	3000	1	RMS	2951	-47.68	-25	Pass	1211
3000	6500	1	RMS	3402	-63.1	-25	Pass	3501
6500	20000	1	RMS	19798	-50.82	-25	Pass	13502




25.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.18	-25	Pass	2986
30	1000	0.1	RMS	644.2	-60.27	-25	Pass	9701
1000	1700	1	RMS	1686	-51.36	-25	Pass	701
1700	1790	1	RMS	1738.025	19.68	60	Pass	401
1790	3000	1	RMS	2973	-47.62	-25	Pass	1211
3000	6500	1	RMS	6446	-63.67	-25	Pass	3501
6500	20000	1	RMS	18057	-50.95	-25	Pass	13502




25.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.64	-69.44	-25	Pass	2986
30	1000	0.1	RMS	906.938	-60.12	-25	Pass	9701
1000	1700	1	RMS	1696	-51.25	-25	Pass	701
1700	1790	1	RMS	1751.975	19.7	60	Pass	401
1790	3000	1	RMS	3000	-47.58	-25	Pass	1211
3000	6500	1	RMS	6443	-63.63	-25	Pass	3501
6500	20000	1	RMS	18077	-50.89	-25	Pass	13502




**25.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.23	-25	Pass	2986
30	1000	0.1	RMS	896.932	-59.89	-25	Pass	9701
1000	1700	1	RMS	1696	-51.07	-25	Pass	701
1700	1790	1	RMS	1742.075	8.19	60	Pass	401
1790	3000	1	RMS	2948	-47.37	-25	Pass	1211
3000	6500	1	RMS	6369	-63.71	-25	Pass	3501
6500	20000	1	RMS	18103	-50.76	-25	Pass	13502




25.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.92	-25	Pass	401
0.15	30	0.01	RMS	3.11	-69.4	-25	Pass	2986
30	1000	0.1	RMS	475.4	-59.75	-25	Pass	9701
1000	1700	1	RMS	1697	-51.38	-25	Pass	701
1700	1790	1	RMS	1765.475	19.7	60	Pass	401
1790	3000	1	RMS	1794	-47.19	-25	Pass	1211
3000	6500	1	RMS	6358	-63.58	-25	Pass	3501
6500	20000	1	RMS	18112	-50.89	-25	Pass	13502




25.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-73.32	-25	Pass	401
0.15	30	0.01	RMS	0.43	-68.01	-25	Pass	2986
30	1000	0.1	RMS	494	-59.77	-25	Pass	9701
1000	1700	1	RMS	1695	-51.31	-25	Pass	701
1700	1790	1	RMS	1779.425	19.79	60	Pass	401
1790	3000	1	RMS	2960	-47.54	-25	Pass	1211
3000	6500	1	RMS	6486	-63.57	-25	Pass	3501
6500	20000	1	RMS	18124	-50.82	-25	Pass	13502



**25.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:79, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-25	Pass	401
0.15	30	0.01	RMS	1.58	-69.43	-25	Pass	2986
30	1000	0.1	RMS	681.8	-59.4	-25	Pass	9701
1000	1700	1	RMS	1697	-51.23	-25	Pass	701
1700	1790	1	RMS	1774.025	8.35	60	Pass	401
1790	3000	1	RMS	1790	-38.61	-25	Pass	1211
3000	6500	1	RMS	6210	-63.62	-25	Pass	3501
6500	20000	1	RMS	19736	-50.78	-25	Pass	13502



26. n38_PC3


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-25	Pass	401
0.15	30	0.01	RMS	2.39	-69.58	-25	Pass	2986
30	1000	0.1	RMS	993.095	-59.94	-25	Pass	9701
1000	2560	1	RMS	2560	-45.57	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.03	60	Pass	401
2630	3000	1	RMS	2964.85	-47.66	-25	Pass	401
3000	6500	1	RMS	3346	-58.54	-25	Pass	3501
6500	26500	1	RMS	25101	-49.23	-25	Pass	20003




**26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-25	Pass	401
0.15	30	0.01	RMS	0.26	-67.8	-25	Pass	2986
30	1000	0.1	RMS	912.042	-59.9	-25	Pass	9701
1000	2560	1	RMS	2560	-46.86	-25	Pass	1561
2560	2630	1	RMS	2579.075	22.63	60	Pass	401
2630	3000	1	RMS	2966.7	-47.67	-25	Pass	401
3000	6500	1	RMS	6497	-63.8	-25	Pass	3501
6500	26500	1	RMS	25493	-49.09	-25	Pass	20003




26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.89	-25	Pass	2986
30	1000	0.1	RMS	824.9	-60.03	-25	Pass	9701
1000	2560	1	RMS	2560	-36.19	-25	Pass	1561
2560	2630	1	RMS	2577.15	14.15	60	Pass	401
2630	3000	1	RMS	2963	-47.71	-25	Pass	401
3000	6500	1	RMS	6266	-63.53	-25	Pass	3501
6500	26500	1	RMS	24104	-49.35	-25	Pass	20003




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.36	-25	Pass	2986
30	1000	0.1	RMS	978.986	-59.71	-25	Pass	9701
1000	2560	1	RMS	2504	-48.42	-25	Pass	1561
2560	2630	1	RMS	2590.8	22.89	60	Pass	401
2630	3000	1	RMS	2955.6	-47.62	-25	Pass	401
3000	6500	1	RMS	5182	-63.48	-25	Pass	3501
6500	26500	1	RMS	26087	-49.53	-25	Pass	20003




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-25	Pass	2986
30	1000	0.1	RMS	415	-59.98	-25	Pass	9701
1000	2560	1	RMS	2499	-48.52	-25	Pass	1561
2560	2630	1	RMS	2599.2	22.38	60	Pass	401
2630	3000	1	RMS	2960.225	-47.66	-25	Pass	401
3000	6500	1	RMS	5198	-62.73	-25	Pass	3501
6500	26500	1	RMS	25809	-49.32	-25	Pass	20003




**26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70	-25	Pass	2986
30	1000	0.1	RMS	836.7	-59.91	-25	Pass	9701
1000	2560	1	RMS	2501	-48.38	-25	Pass	1561
2560	2630	1	RMS	2594.475	14.06	60	Pass	401
2630	3000	1	RMS	2959.3	-47.67	-25	Pass	401
3000	6500	1	RMS	3352	-62.06	-25	Pass	3501
6500	26500	1	RMS	21015	-47.59	-25	Pass	20003




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.6	-25	Pass	2986
30	1000	0.1	RMS	882.922	-60.08	-25	Pass	9701
1000	2560	1	RMS	2513	-48.34	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.94	60	Pass	401
2630	3000	1	RMS	2630	-47.14	-25	Pass	401
3000	6500	1	RMS	5222	-62.25	-25	Pass	3501
6500	26500	1	RMS	25071	-49.14	-25	Pass	20003




**26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-25	Pass	401
0.15	30	0.01	RMS	21.44	-69.16	-25	Pass	2986
30	1000	0.1	RMS	735	-59.88	-25	Pass	9701
1000	2560	1	RMS	2512	-48.47	-25	Pass	1561
2560	2630	1	RMS	2619.15	22.61	60	Pass	401
2630	3000	1	RMS	2630	-45.71	-25	Pass	401
3000	6500	1	RMS	5238	-62.76	-25	Pass	3501
6500	26500	1	RMS	26088	-49.31	-25	Pass	20003




**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.67	-25	Pass	2986
30	1000	0.1	RMS	895.831	-59.75	-25	Pass	9701
1000	2560	1	RMS	2511	-48.39	-25	Pass	1561
2560	2630	1	RMS	2611.8	14.2	60	Pass	401
2630	3000	1	RMS	2630	-37.7	-25	Pass	401
3000	6500	1	RMS	6399	-63.63	-25	Pass	3501
6500	26500	1	RMS	24125	-49.46	-25	Pass	20003




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.47	-25	Pass	401
0.15	30	0.01	RMS	0.37	-69.05	-25	Pass	2986
30	1000	0.1	RMS	907.038	-59.98	-25	Pass	9701
1000	2560	1	RMS	2553	-46.38	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.04	60	Pass	401
2630	3000	1	RMS	2952.825	-47.66	-25	Pass	401
3000	6500	1	RMS	3396	-63.56	-25	Pass	3501
6500	26500	1	RMS	25085	-49.01	-25	Pass	20003




**26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.46	-68.42	-25	Pass	2986
30	1000	0.1	RMS	499.2	-59.54	-25	Pass	9701
1000	2560	1	RMS	2555	-45.7	-25	Pass	1561
2560	2630	1	RMS	2589.05	22.54	60	Pass	401
2630	3000	1	RMS	2957.45	-47.53	-25	Pass	401
3000	6500	1	RMS	3351	-60.05	-25	Pass	3501
6500	26500	1	RMS	25811	-49.2	-25	Pass	20003




**26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.3	-25	Pass	2986
30	1000	0.1	RMS	880.421	-60.1	-25	Pass	9701
1000	2560	1	RMS	2558	-31.6	-25	Pass	1561
2560	2630	1	RMS	2586.25	11.12	60	Pass	401
2630	3000	1	RMS	2957.45	-47.62	-25	Pass	401
3000	6500	1	RMS	6406	-63.46	-25	Pass	3501
6500	26500	1	RMS	24094	-49.19	-25	Pass	20003




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.6	-69.15	-25	Pass	2986
30	1000	0.1	RMS	652.3	-60.19	-25	Pass	9701
1000	2560	1	RMS	2505	-48.53	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.98	60	Pass	401
2630	3000	1	RMS	2953.75	-47.6	-25	Pass	401
3000	6500	1	RMS	6379	-63.36	-25	Pass	3501
6500	26500	1	RMS	25083	-49.18	-25	Pass	20003




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.7	-69.33	-25	Pass	2986
30	1000	0.1	RMS	874.117	-60.19	-25	Pass	9701
1000	2560	1	RMS	2501	-48.35	-25	Pass	1561
2560	2630	1	RMS	2603.925	22.45	60	Pass	401
2630	3000	1	RMS	2958.375	-47.54	-25	Pass	401
3000	6500	1	RMS	5208	-62	-25	Pass	3501
6500	26500	1	RMS	25382	-49.39	-25	Pass	20003




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.78	-69.36	-25	Pass	2986
30	1000	0.1	RMS	948.366	-59.88	-25	Pass	9701
1000	2560	1	RMS	2560	-41.08	-25	Pass	1561
2560	2630	1	RMS	2591.675	10.92	60	Pass	401
2630	3000	1	RMS	2630	-41.07	-25	Pass	401
3000	6500	1	RMS	6490	-63.46	-25	Pass	3501
6500	26500	1	RMS	25102	-48.95	-25	Pass	20003




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-25	Pass	401
0.15	30	0.01	RMS	1.34	-68.85	-25	Pass	2986
30	1000	0.1	RMS	515.1	-60.02	-25	Pass	9701
1000	2560	1	RMS	2535	-48.36	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.9	60	Pass	401
2630	3000	1	RMS	2634.625	-45.23	-25	Pass	401
3000	6500	1	RMS	3355	-61.54	-25	Pass	3501
6500	26500	1	RMS	20991	-48.6	-25	Pass	20003




26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.91	-25	Pass	2986
30	1000	0.1	RMS	747.4	-59.59	-25	Pass	9701
1000	2560	1	RMS	2504	-48.26	-25	Pass	1561
2560	2630	1	RMS	2618.975	22.59	60	Pass	401
2630	3000	1	RMS	2637.4	-45.93	-25	Pass	401
3000	6500	1	RMS	5238	-62.68	-25	Pass	3501
6500	26500	1	RMS	24112	-49.1	-25	Pass	20003




26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-25	Pass	401
0.15	30	0.01	RMS	29.93	-68.07	-25	Pass	2986
30	1000	0.1	RMS	895.531	-58.08	-25	Pass	9701
1000	2560	1	RMS	2560	-47.35	-25	Pass	1561
2560	2630	1	RMS	2603.925	11.07	60	Pass	401
2630	3000	1	RMS	2630	-36.9	-25	Pass	401
3000	6500	1	RMS	3388	-63.46	-25	Pass	3501
6500	26500	1	RMS	24096	-48.97	-25	Pass	20003




26.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-25	Pass	401
0.15	30	0.01	RMS	29.9	-67.17	-25	Pass	2986
30	1000	0.1	RMS	920.647	-58.03	-25	Pass	9701
1000	2560	1	RMS	2552	-41.55	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.08	60	Pass	401
2630	3000	1	RMS	2632.775	-41.54	-25	Pass	401
3000	6500	1	RMS	6248	-63.31	-25	Pass	3501
6500	26500	1	RMS	25088	-49.17	-25	Pass	20003




26.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-25	Pass	401
0.15	30	0.01	RMS	26.89	-66.94	-25	Pass	2986
30	1000	0.1	RMS	752.5	-57.63	-25	Pass	9701
1000	2560	1	RMS	2547	-42.32	-25	Pass	1561
2560	2630	1	RMS	2608.825	22.37	60	Pass	401
2630	3000	1	RMS	2646.65	-45.85	-25	Pass	401
3000	6500	1	RMS	5218	-62.12	-25	Pass	3501
6500	26500	1	RMS	24092	-49.35	-25	Pass	20003




**26.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.61	-25	Pass	401
0.15	30	0.01	RMS	3.58	-68.08	-25	Pass	2986
30	1000	0.1	RMS	924.75	-57.43	-25	Pass	9701
1000	2560	1	RMS	2555	-36.06	-25	Pass	1561
2560	2630	1	RMS	2586.075	8.26	60	Pass	401
2630	3000	1	RMS	2630	-39.26	-25	Pass	401
3000	6500	1	RMS	3357	-57.74	-25	Pass	3501
6500	26500	1	RMS	21059	-48.39	-25	Pass	20003




26.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.89	-25	Pass	401
0.15	30	0.01	RMS	20.53	-67.06	-25	Pass	2986
30	1000	0.1	RMS	713.4	-58.13	-25	Pass	9701
1000	2560	1	RMS	2557	-40.4	-25	Pass	1561
2560	2630	1	RMS	2576.1	23.06	60	Pass	401
2630	3000	1	RMS	2637.4	-41.31	-25	Pass	401
3000	6500	1	RMS	6367	-63.22	-25	Pass	3501
6500	26500	1	RMS	25094	-49.32	-25	Pass	20003




26.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	Pass	401
0.15	30	0.01	RMS	1.37	-67.65	-25	Pass	2986
30	1000	0.1	RMS	948.966	-58.6	-25	Pass	9701
1000	2560	1	RMS	2552	-41.92	-25	Pass	1561
2560	2630	1	RMS	2613.9	22.49	60	Pass	401
2630	3000	1	RMS	2632.775	-41.76	-25	Pass	401
3000	6500	1	RMS	5228	-62.01	-25	Pass	3501
6500	26500	1	RMS	25100	-49.43	-25	Pass	20003




**26.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:100, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-25	Pass	401
0.15	30	0.01	RMS	15.04	-67.83	-25	Pass	2986
30	1000	0.1	RMS	888.426	-58.41	-25	Pass	9701
1000	2560	1	RMS	2548	-36.3	-25	Pass	1561
2560	2630	1	RMS	2588.875	8.09	60	Pass	401
2630	3000	1	RMS	2631.85	-36.76	-25	Pass	401
3000	6500	1	RMS	6215	-63.32	-25	Pass	3501
6500	26500	1	RMS	24102	-49.06	-25	Pass	20003




26.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	29.63	-67.5	-25	Pass	2986
30	1000	0.1	RMS	861.908	-57.55	-25	Pass	9701
1000	2560	1	RMS	2558	-47.41	-25	Pass	1561
2560	2630	1	RMS	2581.175	23	60	Pass	401
2630	3000	1	RMS	2642.95	-42.59	-25	Pass	401
3000	6500	1	RMS	6269	-63.31	-25	Pass	3501
6500	26500	1	RMS	24082	-49.31	-25	Pass	20003




26.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.07	-25	Pass	401
0.15	30	0.01	RMS	10.87	-67.01	-25	Pass	2986
30	1000	0.1	RMS	673.8	-58.13	-25	Pass	9701
1000	2560	1	RMS	2557	-41.52	-25	Pass	1561
2560	2630	1	RMS	2618.975	22.55	60	Pass	401
2630	3000	1	RMS	2637.4	-41.6	-25	Pass	401
3000	6500	1	RMS	3357	-59.66	-25	Pass	3501
6500	26500	1	RMS	24099	-49.1	-25	Pass	20003



**26.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:100, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-25	Pass	401
0.15	30	0.01	RMS	13.4	-68.44	-25	Pass	2986
30	1000	0.1	RMS	851.902	-58.22	-25	Pass	9701
1000	2560	1	RMS	2553	-36.48	-25	Pass	1561
2560	2630	1	RMS	2588.175	8.11	60	Pass	401
2630	3000	1	RMS	2637.4	-37.08	-25	Pass	401
3000	6500	1	RMS	3404	-63.07	-25	Pass	3501
6500	26500	1	RMS	24098	-49.17	-25	Pass	20003



27. n41


27.1. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.33	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.23	-13	Pass	2986
30	1000	0.1	RMS	989.393	-61.1	-13	Pass	9701
1000	2486	1	RMS	2486	-47.3	-13	Pass	1487
2486	2700	1	RMS	2497.235	19.57	60	Pass	401
2700	3000	1	RMS	2876.25	-48.49	-13	Pass	401
3000	6500	1	RMS	6228	-62.89	-13	Pass	3501
6500	26500	1	RMS	25194	-43.85	-13	Pass	20003




27.2. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.4	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.31	-13	Pass	2986
30	1000	0.1	RMS	928.453	-61.32	-13	Pass	9701
1000	2486	1	RMS	2484	-48.26	-13	Pass	1487
2486	2700	1	RMS	2514.89	20.17	60	Pass	401
2700	3000	1	RMS	2883.75	-48.48	-13	Pass	401
3000	6500	1	RMS	5030	-62.75	-13	Pass	3501
6500	26500	1	RMS	25800	-43.97	-13	Pass	20003




27.3. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.44	-13	Pass	2986
30	1000	0.1	RMS	994.396	-60.94	-13	Pass	9701
1000	2486	1	RMS	2486	-37.38	-13	Pass	1487
2486	2700	1	RMS	2513.285	7.91	60	Pass	401
2700	3000	1	RMS	2869.5	-48.46	-13	Pass	401
3000	6500	1	RMS	6202	-62.76	-13	Pass	3501
6500	26500	1	RMS	25222	-43.86	-13	Pass	20003




**27.4. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.98	-13	Pass	401
0.15	30	0.01	RMS	0.41	-68.04	-13	Pass	2986
30	1000	0.1	RMS	533.6	-61.47	-13	Pass	9701
1000	2486	1	RMS	2474	-50.39	-13	Pass	1487
2486	2700	1	RMS	2583.905	20.38	60	Pass	401
2700	3000	1	RMS	2881.5	-48.45	-13	Pass	401
3000	6500	1	RMS	6228	-62.49	-13	Pass	3501
6500	26500	1	RMS	25197	-43.53	-13	Pass	20003




27.5. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.46	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.66	-13	Pass	2986
30	1000	0.1	RMS	881.321	-60.8	-13	Pass	9701
1000	2486	1	RMS	2485	-50.22	-13	Pass	1487
2486	2700	1	RMS	2602.095	20.16	60	Pass	401
2700	3000	1	RMS	2883	-48.49	-13	Pass	401
3000	6500	1	RMS	5204	-62.04	-13	Pass	3501
6500	26500	1	RMS	25938	-43.91	-13	Pass	20003




27.6. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.44	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.71	-13	Pass	2986
30	1000	0.1	RMS	927.752	-61.15	-13	Pass	9701
1000	2486	1	RMS	2485	-50.25	-13	Pass	1487
2486	2700	1	RMS	2589.79	7.5	60	Pass	401
2700	3000	1	RMS	2877	-48.45	-13	Pass	401
3000	6500	1	RMS	6268	-62.8	-13	Pass	3501
6500	26500	1	RMS	25782	-43.72	-13	Pass	20003




**27.7. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.98	-13	Pass	2986
30	1000	0.1	RMS	901.835	-60.72	-13	Pass	9701
1000	2486	1	RMS	2484	-50.17	-13	Pass	1487
2486	2700	1	RMS	2671.11	19.62	60	Pass	401
2700	3000	1	RMS	2704.5	-46.99	-13	Pass	401
3000	6500	1	RMS	6163	-62.88	-13	Pass	3501
6500	26500	1	RMS	25514	-43.94	-13	Pass	20003




27.8. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.07	-13	Pass	2986
30	1000	0.1	RMS	903.736	-60.66	-13	Pass	9701
1000	2486	1	RMS	2447	-50.33	-13	Pass	1487
2486	2700	1	RMS	2688.765	19.6	60	Pass	401
2700	3000	1	RMS	2700.75	-47.48	-13	Pass	401
3000	6500	1	RMS	6203	-62.79	-13	Pass	3501
6500	26500	1	RMS	25201	-43.29	-13	Pass	20003




27.9. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.31	-13	Pass	2986
30	1000	0.1	RMS	919.246	-61.4	-13	Pass	9701
1000	2486	1	RMS	2484	-50.2	-13	Pass	1487
2486	2700	1	RMS	2672.715	7.6	60	Pass	401
2700	3000	1	RMS	2700	-37.71	-13	Pass	401
3000	6500	1	RMS	6230	-62.63	-13	Pass	3501
6500	26500	1	RMS	25477	-43.66	-13	Pass	20003




**27.10. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-66.82	-13	Pass	2986
30	1000	0.1	RMS	892.729	-60.75	-13	Pass	9701
1000	2486	1	RMS	2486	-48.27	-13	Pass	1487
2486	2700	1	RMS	2497.235	19.53	60	Pass	401
2700	3000	1	RMS	2880	-48.4	-13	Pass	401
3000	6500	1	RMS	6203	-62.8	-13	Pass	3501
6500	26500	1	RMS	25210	-43.72	-13	Pass	20003




27.11. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.52	-13	Pass	401
0.15	30	0.01	RMS	0.29	-70.22	-13	Pass	2986
30	1000	0.1	RMS	864.21	-61.04	-13	Pass	9701
1000	2486	1	RMS	2486	-48.99	-13	Pass	1487
2486	2700	1	RMS	2555.015	20.21	60	Pass	401
2700	3000	1	RMS	2878.5	-48.45	-13	Pass	401
3000	6500	1	RMS	5110	-61.73	-13	Pass	3501
6500	26500	1	RMS	25192	-43.71	-13	Pass	20003




**27.12. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.48	-13	Pass	2986
30	1000	0.1	RMS	744.3	-60.69	-13	Pass	9701
1000	2486	1	RMS	2486	-39.65	-13	Pass	1487
2486	2700	1	RMS	2520.24	2.61	60	Pass	401
2700	3000	1	RMS	2886.75	-48.42	-13	Pass	401
3000	6500	1	RMS	6235	-62.83	-13	Pass	3501
6500	26500	1	RMS	25205	-43.48	-13	Pass	20003




**27.13. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.23	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.8	-13	Pass	2986
30	1000	0.1	RMS	882.722	-61.02	-13	Pass	9701
1000	2486	1	RMS	2483	-50.26	-13	Pass	1487
2486	2700	1	RMS	2564.11	19.85	60	Pass	401
2700	3000	1	RMS	2874.75	-48.42	-13	Pass	401
3000	6500	1	RMS	5128	-62.51	-13	Pass	3501
6500	26500	1	RMS	25847	-43.13	-13	Pass	20003




27.14. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.74	-13	Pass	401
0.15	30	0.01	RMS	0.33	-70.02	-13	Pass	2986
30	1000	0.1	RMS	894.43	-60.94	-13	Pass	9701
1000	2486	1	RMS	2481	-50.1	-13	Pass	1487
2486	2700	1	RMS	2621.89	20.23	60	Pass	401
2700	3000	1	RMS	2868	-48.39	-13	Pass	401
3000	6500	1	RMS	6146	-62.73	-13	Pass	3501
6500	26500	1	RMS	25194	-43.84	-13	Pass	20003




**27.15. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.07	-13	Pass	2986
30	1000	0.1	RMS	754.4	-61.38	-13	Pass	9701
1000	2486	1	RMS	2486	-48.73	-13	Pass	1487
2486	2700	1	RMS	2588.185	2.64	60	Pass	401
2700	3000	1	RMS	2877	-48.4	-13	Pass	401
3000	6500	1	RMS	6230	-62.83	-13	Pass	3501
6500	26500	1	RMS	25207	-43.55	-13	Pass	20003




**27.16. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.51	-13	Pass	2986
30	1000	0.1	RMS	756.9	-60.87	-13	Pass	9701
1000	2486	1	RMS	2482	-50.28	-13	Pass	1487
2486	2700	1	RMS	2630.985	20.28	60	Pass	401
2700	3000	1	RMS	2876.25	-48.44	-13	Pass	401
3000	6500	1	RMS	6206	-62.73	-13	Pass	3501
6500	26500	1	RMS	25454	-43.76	-13	Pass	20003




**27.17. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.4	-13	Pass	2986
30	1000	0.1	RMS	995.897	-61.01	-13	Pass	9701
1000	2486	1	RMS	2478	-50.35	-13	Pass	1487
2486	2700	1	RMS	2688.765	19.62	60	Pass	401
2700	3000	1	RMS	2718	-47.59	-13	Pass	401
3000	6500	1	RMS	6223	-62.7	-13	Pass	3501
6500	26500	1	RMS	25785	-43.93	-13	Pass	20003




**27.18. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.88	-13	Pass	2986
30	1000	0.1	RMS	990.994	-60.98	-13	Pass	9701
1000	2486	1	RMS	2484	-50.12	-13	Pass	1487
2486	2700	1	RMS	2648.105	2.26	60	Pass	401
2700	3000	1	RMS	2700	-41.15	-13	Pass	401
3000	6500	1	RMS	6140	-62.8	-13	Pass	3501
6500	26500	1	RMS	25467	-43.82	-13	Pass	20003




**27.19. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.84	-13	Pass	401
0.15	30	0.01	RMS	0.31	-69.39	-13	Pass	2986
30	1000	0.1	RMS	842.5	-61.11	-13	Pass	9701
1000	2486	1	RMS	2475	-47.1	-13	Pass	1487
2486	2700	1	RMS	2497.235	19.58	60	Pass	401
2700	3000	1	RMS	2865.75	-48.44	-13	Pass	401
3000	6500	1	RMS	6096	-62.85	-13	Pass	3501
6500	26500	1	RMS	25202	-43.44	-13	Pass	20003




**27.20. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3,
Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.06	-13	Pass	2986
30	1000	0.1	RMS	867.312	-60.36	-13	Pass	9701
1000	2486	1	RMS	2486	-46.16	-13	Pass	1487
2486	2700	1	RMS	2595.14	19.88	60	Pass	401
2700	3000	1	RMS	2883	-48.35	-13	Pass	401
3000	6500	1	RMS	5190	-62.65	-13	Pass	3501
6500	26500	1	RMS	25183	-43.71	-13	Pass	20003




27.21. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.24	-13	Pass	2986
30	1000	0.1	RMS	752.2	-60.74	-13	Pass	9701
1000	2486	1	RMS	2486	-40.71	-13	Pass	1487
2486	2700	1	RMS	2518.635	0.37	60	Pass	401
2700	3000	1	RMS	2700.75	-46.47	-13	Pass	401
3000	6500	1	RMS	6227	-62.8	-13	Pass	3501
6500	26500	1	RMS	25195	-43.64	-13	Pass	20003




**27.22. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.08	-13	Pass	401
0.15	30	0.01	RMS	0.41	-68.97	-13	Pass	2986
30	1000	0.1	RMS	996.898	-60.98	-13	Pass	9701
1000	2486	1	RMS	2483	-49.8	-13	Pass	1487
2486	2700	1	RMS	2543.78	19.72	60	Pass	401
2700	3000	1	RMS	2884.5	-48.43	-13	Pass	401
3000	6500	1	RMS	5088	-61.97	-13	Pass	3501
6500	26500	1	RMS	25788	-43.92	-13	Pass	20003




**27.23. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.98	-13	Pass	2986
30	1000	0.1	RMS	805.4	-61.24	-13	Pass	9701
1000	2486	1	RMS	2486	-49.25	-13	Pass	1487
2486	2700	1	RMS	2641.685	19.38	60	Pass	401
2700	3000	1	RMS	2883.75	-48.33	-13	Pass	401
3000	6500	1	RMS	6231	-62.75	-13	Pass	3501
6500	26500	1	RMS	25201	-43.68	-13	Pass	20003




**27.24. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.35	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.95	-13	Pass	2986
30	1000	0.1	RMS	830.5	-61.08	-13	Pass	9701
1000	2486	1	RMS	2485	-45.14	-13	Pass	1487
2486	2700	1	RMS	2583.37	0.6	60	Pass	401
2700	3000	1	RMS	2701.5	-43.59	-13	Pass	401
3000	6500	1	RMS	6150	-62.77	-13	Pass	3501
6500	26500	1	RMS	25506	-43.68	-13	Pass	20003




**27.25. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:2,
Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.03	-13	Pass	2986
30	1000	0.1	RMS	993.396	-61.02	-13	Pass	9701
1000	2486	1	RMS	2480	-50.28	-13	Pass	1487
2486	2700	1	RMS	2590.86	20.01	60	Pass	401
2700	3000	1	RMS	2700	-46.55	-13	Pass	401
3000	6500	1	RMS	5182	-62.66	-13	Pass	3501
6500	26500	1	RMS	25194	-43.67	-13	Pass	20003




**27.26. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:3,
Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.77	-13	Pass	401
0.15	30	0.01	RMS	0.75	-69.45	-13	Pass	2986
30	1000	0.1	RMS	907.038	-61.31	-13	Pass	9701
1000	2486	1	RMS	2474	-50.26	-13	Pass	1487
2486	2700	1	RMS	2688.765	19.64	60	Pass	401
2700	3000	1	RMS	2710.5	-44.54	-13	Pass	401
3000	6500	1	RMS	6224	-62.61	-13	Pass	3501
6500	26500	1	RMS	25935	-43.84	-13	Pass	20003



27.27. Spurious Emission at Antenna Terminals for SA (NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.91	-13	Pass	2986
30	1000	0.1	RMS	758.1	-61.11	-13	Pass	9701
1000	2486	1	RMS	2486	-48.45	-13	Pass	1487
2486	2700	1	RMS	2591.93	1.26	60	Pass	401
2700	3000	1	RMS	2700	-42.03	-13	Pass	401
3000	6500	1	RMS	6233	-62.86	-13	Pass	3501
6500	26500	1	RMS	25203	-43.78	-13	Pass	20003



28. n2 15kHz


28.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	927.7	-61.45	-13	Pass	9701
1000	1840	1	RMS	1840	-45.71	-13	Pass	841
1840	1920	1	RMS	1852	13.42	60	Pass	401
1920	3000	1	RMS	2638	-46.65	-13	Pass	1081
3000	6500	1	RMS	3705	-55.02	-13	Pass	3501
6500	20000	1	RMS	19993	-49.39	-13	Pass	13501




28.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	969.7	-61.48	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1850.4	19.99	60	Pass	401
1920	3000	1	RMS	2638	-46.63	-13	Pass	1081
3000	6500	1	RMS	3701	-49.36	-13	Pass	3501
6500	20000	1	RMS	19997	-49.55	-13	Pass	13501




28.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	1000	0.1	RMS	975.5	-61.6	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1920	1	RMS	1854.6	20.09	60	Pass	401
1920	3000	1	RMS	2639	-46.65	-13	Pass	1081
3000	6500	1	RMS	3709	-49.67	-13	Pass	3501
6500	20000	1	RMS	19988	-49.53	-13	Pass	13501




28.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	1000	0.1	RMS	934	-61.31	-13	Pass	9701
1000	1840	1	RMS	1814	-50.84	-13	Pass	841
1840	1920	1	RMS	1880	13.29	60	Pass	401
1920	3000	1	RMS	2637	-46.59	-13	Pass	1081
3000	6500	1	RMS	3760	-55.02	-13	Pass	3501
6500	20000	1	RMS	19997	-49.31	-13	Pass	13501




28.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	883.4	-61.33	-13	Pass	9701
1000	1840	1	RMS	1836	-50.87	-13	Pass	841
1840	1920	1	RMS	1877.8	19.95	60	Pass	401
1920	3000	1	RMS	2633	-46.56	-13	Pass	1081
3000	6500	1	RMS	3756	-49.5	-13	Pass	3501
6500	20000	1	RMS	19995	-49.25	-13	Pass	13501



28.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.06	-13	Pass	2986
30	1000	0.1	RMS	930.2	-61.5	-13	Pass	9701
1000	1840	1	RMS	1807	-50.84	-13	Pass	841
1840	1920	1	RMS	1882.2	19.81	60	Pass	401
1920	3000	1	RMS	2638	-46.6	-13	Pass	1081
3000	6500	1	RMS	3764	-49.82	-13	Pass	3501
6500	20000	1	RMS	19996	-49.4	-13	Pass	13501



28.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-13	Pass	2986
30	1000	0.1	RMS	915.5	-61.21	-13	Pass	9701
1000	1840	1	RMS	1833	-50.79	-13	Pass	841
1840	1920	1	RMS	1906.6	13.48	60	Pass	401
1920	3000	1	RMS	2633	-46.6	-13	Pass	1081
3000	6500	1	RMS	3815	-54.89	-13	Pass	3501
6500	20000	1	RMS	20000	-49.25	-13	Pass	13501

