



**28.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	955.8	-61.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.82	-13	Pass	841
1840	1920	1	RMS	1905.4	19.89	60	Pass	401
1920	3000	1	RMS	2633	-46.62	-13	Pass	1081
3000	6500	1	RMS	3811	-50.1	-13	Pass	3501
6500	20000	1	RMS	19993	-49.48	-13	Pass	13501




**28.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-13	Pass	2986
30	1000	0.1	RMS	961.6	-61.26	-13	Pass	9701
1000	1840	1	RMS	1829	-50.81	-13	Pass	841
1840	1920	1	RMS	1909.6	19.98	60	Pass	401
1920	3000	1	RMS	2637	-46.63	-13	Pass	1081
3000	6500	1	RMS	3819	-48.79	-13	Pass	3501
6500	20000	1	RMS	19999	-49.3	-13	Pass	13501




**28.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.17	-13	Pass	2986
30	1000	0.1	RMS	940.1	-61.2	-13	Pass	9701
1000	1840	1	RMS	1840	-35.37	-13	Pass	841
1840	1920	1	RMS	1857.8	8.49	60	Pass	401
1920	3000	1	RMS	2634	-46.6	-13	Pass	1081
3000	6500	1	RMS	3715	-60.62	-13	Pass	3501
6500	20000	1	RMS	19998	-49.29	-13	Pass	13501




**28.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	986.8	-61.55	-13	Pass	9701
1000	1840	1	RMS	1839	-47.91	-13	Pass	841
1840	1920	1	RMS	1850.4	20.07	60	Pass	401
1920	3000	1	RMS	2637	-46.6	-13	Pass	1081
3000	6500	1	RMS	3701	-48.69	-13	Pass	3501
6500	20000	1	RMS	19993	-49.44	-13	Pass	13501




**28.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	1000	0.1	RMS	900.1	-61.46	-13	Pass	9701
1000	1840	1	RMS	1836	-47.25	-13	Pass	841
1840	1920	1	RMS	1864.6	19.92	60	Pass	401
1920	3000	1	RMS	2639	-46.6	-13	Pass	1081
3000	6500	1	RMS	3729	-50.66	-13	Pass	3501
6500	20000	1	RMS	19998	-49.51	-13	Pass	13501




**28.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	934.8	-61.34	-13	Pass	9701
1000	1840	1	RMS	1840	-49.55	-13	Pass	841
1840	1920	1	RMS	1876.8	8.35	60	Pass	401
1920	3000	1	RMS	2632	-46.52	-13	Pass	1081
3000	6500	1	RMS	3759	-59.97	-13	Pass	3501
6500	20000	1	RMS	19999	-49.44	-13	Pass	13501




**28.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.61	-13	Pass	2986
30	1000	0.1	RMS	796.3	-61.47	-13	Pass	9701
1000	1840	1	RMS	1834	-50.77	-13	Pass	841
1840	1920	1	RMS	1873	19.98	60	Pass	401
1920	3000	1	RMS	2640	-46.6	-13	Pass	1081
3000	6500	1	RMS	3746	-49.14	-13	Pass	3501
6500	20000	1	RMS	20000	-49.33	-13	Pass	13501



**28.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	936.3	-61.46	-13	Pass	9701
1000	1840	1	RMS	1831	-50.74	-13	Pass	841
1840	1920	1	RMS	1887	19.89	60	Pass	401
1920	3000	1	RMS	2640	-46.62	-13	Pass	1081
3000	6500	1	RMS	3774	-50.52	-13	Pass	3501
6500	20000	1	RMS	19998	-49.37	-13	Pass	13501






**28.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.24	-13	Pass	2986
30	1000	0.1	RMS	926.3	-61.35	-13	Pass	9701
1000	1840	1	RMS	1835	-50.8	-13	Pass	841
1840	1920	1	RMS	1896.8	9.18	60	Pass	401
1920	3000	1	RMS	1920	-41.55	-13	Pass	1081
3000	6500	1	RMS	3805	-60.23	-13	Pass	3501
6500	20000	1	RMS	19996	-49.18	-13	Pass	13501




**28.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.18	-13	Pass	2986
30	1000	0.1	RMS	908.9	-61.37	-13	Pass	9701
1000	1840	1	RMS	1837	-50.81	-13	Pass	841
1840	1920	1	RMS	1895.4	19.89	60	Pass	401
1920	3000	1	RMS	2635	-46.59	-13	Pass	1081
3000	6500	1	RMS	3791	-51.02	-13	Pass	3501
6500	20000	1	RMS	20000	-49.29	-13	Pass	13501




**28.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	1000	0.1	RMS	935.6	-61.14	-13	Pass	9701
1000	1840	1	RMS	1832	-50.8	-13	Pass	841
1840	1920	1	RMS	1909.6	19.99	60	Pass	401
1920	3000	1	RMS	2639	-46.51	-13	Pass	1081
3000	6500	1	RMS	3819	-48.11	-13	Pass	3501
6500	20000	1	RMS	19998	-49.52	-13	Pass	13501




**28.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	990.4	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-35.69	-13	Pass	841
1840	1920	1	RMS	1860.6	7.2	60	Pass	401
1920	3000	1	RMS	2632	-46.63	-13	Pass	1081
3000	6500	1	RMS	3720	-62	-13	Pass	3501
6500	20000	1	RMS	19997	-49.16	-13	Pass	13501




**28.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.14	-13	Pass	2986
30	1000	0.1	RMS	919.6	-61.54	-13	Pass	9701
1000	1840	1	RMS	1840	-47.72	-13	Pass	841
1840	1920	1	RMS	1850.6	20.06	60	Pass	401
1920	3000	1	RMS	2633	-46.63	-13	Pass	1081
3000	6500	1	RMS	3701	-48.52	-13	Pass	3501
6500	20000	1	RMS	19992	-49.48	-13	Pass	13501




**28.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.08	-13	Pass	2986
30	1000	0.1	RMS	928.8	-61.54	-13	Pass	9701
1000	1840	1	RMS	1839	-43.86	-13	Pass	841
1840	1920	1	RMS	1869.4	19.93	60	Pass	401
1920	3000	1	RMS	2635	-46.6	-13	Pass	1081
3000	6500	1	RMS	3739	-49.84	-13	Pass	3501
6500	20000	1	RMS	20000	-49.42	-13	Pass	13501




**28.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-13	Pass	2986
30	1000	0.1	RMS	957.3	-61.39	-13	Pass	9701
1000	1840	1	RMS	1840	-46.71	-13	Pass	841
1840	1920	1	RMS	1873.2	7.1	60	Pass	401
1920	3000	1	RMS	2640	-46.68	-13	Pass	1081
3000	6500	1	RMS	3760	-61.39	-13	Pass	3501
6500	20000	1	RMS	19995	-49.36	-13	Pass	13501



**28.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	936.6	-61.48	-13	Pass	9701
1000	1840	1	RMS	1840	-50.81	-13	Pass	841
1840	1920	1	RMS	1870.6	19.95	60	Pass	401
1920	3000	1	RMS	2633	-46.67	-13	Pass	1081
3000	6500	1	RMS	3741	-49.6	-13	Pass	3501
6500	20000	1	RMS	19996	-49.4	-13	Pass	13501






**28.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	1000	0.1	RMS	922.1	-61.52	-13	Pass	9701
1000	1840	1	RMS	1833	-50.83	-13	Pass	841
1840	1920	1	RMS	1889.4	19.78	60	Pass	401
1920	3000	1	RMS	2641	-46.65	-13	Pass	1081
3000	6500	1	RMS	3779	-51.19	-13	Pass	3501
6500	20000	1	RMS	19996	-49.37	-13	Pass	13501




**28.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	927	-61.44	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1892.8	7.71	60	Pass	401
1920	3000	1	RMS	1920	-41.89	-13	Pass	1081
3000	6500	1	RMS	3800	-61.73	-13	Pass	3501
6500	20000	1	RMS	20000	-49.53	-13	Pass	13501




**28.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	920.4	-61.44	-13	Pass	9701
1000	1840	1	RMS	1828	-50.87	-13	Pass	841
1840	1920	1	RMS	1890.6	19.82	60	Pass	401
1920	3000	1	RMS	2633	-46.68	-13	Pass	1081
3000	6500	1	RMS	3781	-51.29	-13	Pass	3501
6500	20000	1	RMS	19989	-49.53	-13	Pass	13501



**28.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB  
Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	940.4	-61.57	-13	Pass	9701
1000	1840	1	RMS	1834	-50.66	-13	Pass	841
1840	1920	1	RMS	1909.4	19.92	60	Pass	401
1920	3000	1	RMS	2634	-46.68	-13	Pass	1081
3000	6500	1	RMS	3819	-48.2	-13	Pass	3501
6500	20000	1	RMS	19996	-49.28	-13	Pass	13501



--BLANK BELOW--