1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 1 of 27

as

FCC TEST REPORT(DOC)

Application No.:	SHEMO060600029IT		
Applicant:	T&A Mobile Phones		
Equipment Under T	lest (EUT):		
NOTE: The following sat	mple(s) submitted was/were identified on behalf of the client		
EUT Name:	GSM Mobile Phone		
Model No.:	D6Ca		
Marketing Name:	OT-C630a		
Item No.:	Not supplied by client		
Serial No.:	Not supplied by client		
Standards:	CFR 47 part 2: 2004,		
	CFR 47 Part 15: 2005,		
	ANSI C63.4: 2003		
Date of Receipt:	27 June 2006		
Date of Test:	28 June 2006 to 10 July 2006		
Date of Issue:	12 July 2006		

Test Result :

PASS

Authorized Signature:

Tino Pan E&E Section Head SGS-CSTC Co., Ltd.



Jarky Car

Jacky Cao E&E Project Engineer SGS-CSTC Co., Ltd

This report refers to the General Conditions for Inspection and Testing Services, printed overleaf

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the SGS PRODUCT CERTIFICATION MARK. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

All test results in this report can be traceable to National or International Standards.

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 2 of 27

2 Test Summary

Test	Test Requirement	Test Method	Class / Severity	Result
Radiated Emission	CFR 47 Part 15	ANSI C63.4: 2003	Class B	PASS
30MHz-1000MHz	CFR 47 Part 15	ANSI C03.4: 2005	Class B	PASS
Conducted Emission	CFR 47 Part 15	ANSI C63.4: 2003	Class P	PASS
150KHz-30MHz	CFK 47 Patt 13	ANSI C03.4: 2005	Class B	rass

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616
 Report No.: SHEMO060600029IT

 Fax:
 +86 (0) 21 5450 0954
 Page
 3 of 27

 Tino_Pan@sgs.com
 3 of 27

3 Contents

		Page
1	L COVER PAGE	1
2	2 TEST SUMMARY	2
3	CONTENTS	
4	4 GENERAL INFORMATION	4
	4.1 CLIENT INFORMATION	4
	4.2 GENERAL DESCRIPTION OF E.U.T	
	4.3 DETAILS OF E.U.T.	
	4.4 DESCRIPTION OF SUPPORT UNITS	
	4.5 STANDARDS APPLICABLE FOR TESTING4.6 TEST LOCATION	
	4.6 Test Location4.6 Deviation from Standards	
	4.7 ABNORMALITIES FROM STANDARDS CONDITIONS	
	4.8 MONITORING OF EUT FOR ALL IMMUNITY TEST	
	4.9 Test Confident level	
5	5 EQUIPMENTS USED DURING TEST	7
6	6 EMISSION TEST RESULTS	8
U	6.1 RADIATED EMISSIONS, 30MHz to 1GHz	
	6.1.1 E.U.T. Operation	
	6.1.2 Test setup:	
	6.1.3 Test Result:	
	6.2 CONDUCTED EMISSIONS, 150kHz to 30MHz	
	6.2.1 E.U.T. Operation	
	6.2.2 Test Result and Partial Measurement Data	
7	7 PHOTOGRAPHS	22
	7.1 RADIATED EMISSION TEST SETUP	
	7.2 CONDUCTED EMISSION TEST SETUP	
	7.3 EUT CONSTRUCTIONAL DETAILS	

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 4 of 27

4 General Information

4.1 Client Information

Applicant:	T&A Mobile Phones
Address of Applicant:	4/F, No. 2966, JinKe Road, Zhangjiang High-Tech Park Shanghai
	P.R China 201203

4.2 General Description of E.U.T.

GSM Mobile Phone
D6Ca
OT-C630a
Not supplied by client
Not supplied by client

4.3 Details of E.U.T.

Power Supply01:	AC to DC charger (Model NO: 3DS10628AGAA Input: AC 100V-
	240V~, 50/60Hz 100mA Output: DC 4.5V, 0.35A)
	Manufactures: Tenpao
Power Cord01:	2.0m
Power Supply02:	AC to DC charger (Model NO: 3DS09371AGAA Input: AC 100V-
	127V~, 50/60Hz 150mA Output:DC 4.5V, 0.35A)
	Manufactures: Leader
Power Cord02:	2.0m
Data cable01:	Product model name: JW-DC101 D6 data cable
	Manufactures: Shenzhen Juwei Electronic Co.,Ltd
Data cable02:	Product model: PTT-A-0603A
	Manufactures: Shenzhen Putiantong Cyber Industry Co. Ltd
Headset	P/N: 3DS07855AAAA
	Manufacturers: Merry
Battery	DC 3.7V / 650mAh
	P/N: T5000157AAAA
	Identification No.: GSM60035AR,
	Manufacturers: BYD

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 5 of 27

4.4 Description of Support Units

Name / Function	Model No	Remark
N/A	N/A	N/A

4.5 Standards Applicable for Testing

The customer requested EMC tests for a GSM Mobile Phone.

The standards used was CFR 47 part 2: 2004 and CFR 47 part 15: 2005:

Table 1 : Tests Carried Out Under CFR 47 Part 15: 2005 :

	Standard	Status
FCC Part 15 Subpart B: 2005	Radiated Emission	\checkmark
FCC Part 15 Subpart B: 2005	Conducted Emission	\checkmark
x Indicates that the ter	st is not applicable	•

 $\times \qquad \text{Indicates that the test is not applicable} \\ \sqrt{\qquad} \qquad \text{Indicates that the test is applicable} \\$

4.6 Test Location

Radiated Emission was performed at:

SIMT EMC Laboratory, 1/F, Building No.1, Agriculture Machinery Materials Company

No.716 Yi shan Road, Shanghai, P.R.China.

Tel: +86 21 64701390 Fax: +86 21 64514252

Conducted Emission was performed at SGS E&E EMC lab

SGS-CSTC EMC Laboratory, No.889 Yishan Road, Shanghai, P.R.China Tel:+86 21 61402666 Fax: +86 21 54500954

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 6 of 27

4.6 Deviation from Standards

None.

4.7 Abnormalities from Standard Conditions None.

4.8 Monitoring of EUT for All Immunity Test

N/A

4.9 Test Confident level

Test Confident level is recognized, certified, or accredited by the following organizations:

NVLAP - Lab Code: 200632-0

SIMT EMC Laboratory is recognized under the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200632-0. Effective through December 31, 2004.

VCCI

The 10m Semi-anechoic chamber and Shielded Room of SIMT have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: 1153. Date of Registration:May 29, 2004. Valid until May 18, 2007

CNAL - LAB Code: L0134

SIMT EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:1999 General Requirements) for the Competence of Testing Laboratories.

FCC – Registration No.: 142171

SIMT EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 142171, Dcember 9, 2002. With the above and NVLAP, SIMT is an authorized test laboratory for the DoC process.

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 7 of 27

5 Equipments Used during Test

	RE in SAC	ETSI EN 30	01 489-1: EN 5	5022	1	
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Due date
1	HORN ANTENNA	R&S	HF 906	100023	2006-06-17	2007-06-16
2	BROADBAND ANTENNA	R&S	HL 562	100019	2006-06-17	2007-06-16
3	EMI TEST RECEIVER	R&S	ESI 26	838786/011	2006-03-06	2007-03-05
4	UNIVERSAL RADIO COMMUNICATION TESTER	R&S	CMU 200	100536	2006-01-25	2007-01-24

	Conducted Emission	1	1	1		
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date (dd-mm-yy)	Cal.Due date (dd-mm-yy)
1	EMI test receiver	Rohde & Schwarz	ESCS30	100086	2006-6-29	2007-6-28
2	Line impedance stabilization network	ETS	3816/2	00034161	2006-6-29	2007-6-28

General Equipment

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Due date
1	Temperature,		DA 000	EMC0001 to	2005 07 25	2006 07 24
1	Humidity & Barometer	Oregon Scientific	fic BA-888	EMC0004	2005-07-25	2006-07-24
				70681569 or		
2	DMM	Fluke	73	70671122	2005-07-23	2006-07-22

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 8 of 27

6 Emission Test Results

6.1 Radiated Emissions, 30MHz to 1GHz


Test Requirement:	CFR 47 Part 15
Test Method:	ANSI C63.4, CISPR 22
Test Date:	July 5, 2006
Frequency Range:	30MHz to 1GHz
Measurement Distance:	3m for ANSI C63.4 and 10m for CISPR 22
Class:	N/A
Detector:	Peak for pre-scan (120kHz resolution bandwidth)

6.1.1 E.U.T. Operation

Operating Environment:

Temperature:25.0 °CHumidity:55 % RHAtmospheric Pressure:1004mbarEUT Operation:EUT allocated channel mode GSM850, PCS1900 with headset,
adapter and data cable

6.1.2 Test setup:




1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China


Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 9 of 27

6.1.3 Test Result:

GSM850 dedicated: (test with the adapter of Tenpao and earphone)

Horizental:







1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 10 of 27

GSM1900 dedicated: (test with the adapter of Tenpao and earphone)

Horizontal:







1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 11 of 27

GSM850 dedicated: (test with the adapter of Leader and earphone)

Horizontal:







1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 12 of 27

GSM1900 dedicated: (test with the adapter of Leader)







1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 13 of 27

GSM850 dedicated: (test with the adapter of tenpao and data cable 01)

Horizontal:






1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China


Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 14 of 27

PCS1900 dedicated: (test with the adapter of tenpao and data cable01)

Horizontal:



Vertical:




V


1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 15 of 27

GSM850 dedicated: (test with the adapter of tenpao and data cable02)

Horizontal:







1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 16 of 27

PCS1900 dedicated: (test with the adapter of tenpao and data cable02)

Horizontal:





1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 17 of 27

6.2 Conducted Emissions, 150kHz to 30MHz

Test Requirement:	CFR 47 part 15		
Test Method:	ANSI C63.4		
Test Date:	10 July 2006		
Frequency Range:	150kHz to 30MHz		
Class:	N/A		
Limit:	66 dBµV - 56 dBµVbetween 150kHz & 500kHz Quasi-peak		
	56 dBµV between 0.5MHz & 5MHz Quasi-peak		
	60 dBµV between 5MHz & 30MHz Quasi-peak		

6.2.1 E.U.T. Operation

Operating Environment:

Temperature:	24.0°C Humidity:	58% RH	Atmospheric Pressure:		
EUT Operation:	Test EUT is the in the allocated channel mode GSM850, PCS 1900 with				
	headset, adapter and	data cable,	and we just choose the worst case		
	(communicating with adapter and earphone) in this report.				

6.2.2 Test Result and Partial Measurement Data

Pass

An initial pre-scan was performed in the Shielding room using the receiver in peak detection mode. The EUT was measured for 2 orthogonal polarities and peak emissions from the EUT were detected within 6dB of the class B limit line.

1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China


 Telephone:
 +86 (0) 21 6495 1616


 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 18 of 27

Power Supply1: GSM 850 dedicated, charging with adaptor and earphone. L Line:







1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 19 of 27

PCS 1900 dedicated, charging with adaptor and earphone: L Line:





1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616


 Fax:
 +86 (0) 21 5450 0954


 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 20 of 27

Power Supply 2:

GSM 850 dedicated, charging with adaptor and earphone:






1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 21 of 27

PCS 1900 dedicated, charging with adaptor:



1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616


 Fax:
 +86 (0) 21 5450 0954


 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 22 of 27

7 Photographs

7.1 Radiated Emission Test Setup






1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616 Fax: +86 (0) 21 5450 0954 Tino_Pan@sgs.com Report No.: SHEMO060600029IT Page 23 of 27

7.2 Conducted Emission Test Setup



7.3 EUT Constructional Details



1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 24 of 27





1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 25 of 27





1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 26 of 27





1/F, 7/F, 9/F, 10/F, the 3rd Building No. 889, Yishan Road, Xuhui District, Shanghai, China

 Telephone:
 +86 (0) 21 6495 1616

 Fax:
 +86 (0) 21 5450 0954

 Tino_Pan@sgs.com

Report No.: SHEMO060600029IT Page 27 of 27



THE END OF REPORT