

**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 1 of 45

FCC TEST REPORT

Application No.: SHEMO080500026TX

Applicant: T&A Mobile Phones

Equipment Under Test (EUT):

NOTE: The following sample(s) submitted was/were identified on behalf of the client as

EUT Name: GSM 850/1900 mobile phone with BT

Model No.: C7Ca

Marketing Name: OT-C701a

Item No.: Not supplied by client

Serial No.: Not supplied by client

Standards: CFR 47 part 2: 2004,
CFR 47 Part 15: 2007,
ANSI C63.4: 2003

Date of Receipt: May 27, 2008

Date of Test: May 27, 2008 to May 30, 2008

Date of Issue: June 2, 2008

Test Result :	PASS
----------------------	-------------

Authorized Signature:



Tino Pan
E&E Section Manager
SGS-CSTC Co., Ltd.



Sue Chen
E&E Project Engineer
SGS-CSTC Co., Ltd

This report refers to the General Conditions for Inspection and Testing Services, printed overleaf

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the SGS PRODUCT CERTIFICATION MARK.. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

All test results in this report can be traceable to National or International Standards.

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 2 of 45

2 Test Summary

Test	Test Requirement	Test Method	Class / Severity	Result
Radiated Emission 30MHz-1000MHz	CFR 47 Part 15	ANSI C63.4: 2003	Class B	PASS
Conducted Emission 150KHz-30MHz	CFR 47 Part 15	ANSI C63.4: 2003	Class B	PASS

Note: OT-C701a has two travel adapters and a cigar light adapter. As all the adapters are the same with which of OT-820a, the conducted emission test data of this report refers to OT-820a whose report number is SHEMO070100017IT

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 3 of 45

3 Contents

	Page
1 COVER PAGE.....	1
2 TEST SUMMARY.....	2
3 CONTENTS	3
4 GENERAL INFORMATION.....	4
4.1 CLIENT INFORMATION.....	4
4.2 GENERAL DESCRIPTION OF E.U.T.....	4
4.3 DETAILS OF E.U.T.	4
4.4 DESCRIPTION OF SUPPORT UNITS.....	5
4.5 STANDARDS APPLICABLE FOR TESTING	5
4.6 TEST LOCATION.....	5
4.7 DEVIATION FROM STANDARDS.....	6
4.8 ABNORMALITIES FROM STANDARD CONDITIONS	6
4.9 MONITORING OF EUT FOR ALL IMMUNITY TEST	6
4.10 TEST CONFIDENT LEVEL.....	6
5 EQUIPMENTS USED DURING TEST.....	7
6 EMISSION TEST RESULTS	8
6.1 RADIATED EMISSIONS, 30MHZ TO 1GHZ	8
6.1.1 E.U.T. Operation.....	8
6.1.2 Test setup:	8
6.1.3 Test Result:.....	9
6.2 CONDUCTED EMISSIONS, 150KHZ TO 30MHZ	29
6.2.1 E.U.T. Operation.....	29
6.2.2 Test Result and Partial Measurement Data	29
7 PHOTOGRAPHS.....	38
7.1 RADIATED EMISSION TEST SETUP.....	38
7.2 EUT CONSTRUCTIONAL DETAILS	40

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 4 of 45

4 General Information

4.1 Client Information

Applicant: T&A Mobile Phones
Address of Applicant: 4/F, No.2966, Jinke Rd, Zhangjiang High-Tech Park, Pudong
Shanghai 201203. P. R. China

4.2 General Description of E.U.T.

EUT Name: GSM 850/1900 mobile phone with BT
Model No.: C7Ca
Marketing Name: OT-C701a
Serial No.: N/A
Test GSM Frequency Bands GSM850/PCS1900

4.3 Details of E.U.T.

Power Supply01: AC to DC charger (Model NO: T5000436AHAA
Input :100-240 Vac, 50/60 Hz, 0.15 A,
Output: 5.0 VDC, 0.4 A)
Manufactures: Tenpao

Power Cord01: 2.0m

Power Supply02: AC to DC charger (Model NO: T5000436AGAA
Input :100-240 Vac, 50/60 Hz, 0.15 A,
Output: 5.0 VDC, 0.4 A)
Manufactures: Tenpao

Power Cord02: 2.0m

Power Supply03: DC charger (Model NO:3DS11023 AAAA
(Cigar lighter charger) Input: 12 - 24VDC, 0.3 A)
Manufactures: Leader

Battery01 DC 3.7V / 700mAh
modle: T5000572AAAA

Battery02 DC 3.7V / 750mAh
modle: T5001418AAAA

Data cable Model NO: T5001431AAAA
Manufacturers: Quancheng

Headset01: Model NO: T5000361AAAA
Manufacturers: Quancheng

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 5 of 45

Headset02: Model NO: T5003308AAAA
Manufacturers: Quancheng/Shunda
Micro-SD CARD 512M Model NO: T5000332AAAA
(with adapter) Manufacturers: Sandisk

4.4 Description of Support Units

Name / Function	Model No	Remark
N/A	N/A	N/A

4.5 Standards Applicable for Testing

The customer requested EMC tests for GSM 850/1900 mobile phone with BT
The standards used was CFR 47 part 2: 2004 and CFR 47 part 15: 2007:

Table 1 : Tests Carried Out Under CFR 47 Part 15: 2007 :

Standard	Status
FCC Part 15 Subpart B: 2007 Radiated Emission	√
FCC Part 15 Subpart B: 2007 Conducted Emission	√

× Indicates that the test is not applicable
√ Indicates that the test is applicable

4.6 Test Location

Radiated Emission was performed at:

SIMT EMC Laboratory, 1/F, Building No.1, Agriculture Machinery Materials Company
No.716 Yi shan Road, Shanghai, P.R.China.

Tel: +86 21 64701390 Fax: +86 21 64514252

Conducted Emission was performed at SGS E&E EMC lab

SGS-CSTC EMC Laboratory, No.889 Yishan Road, Shanghai, P.R.China

Tel:+86 21 61402666 Fax: +86 21 54500954

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 6 of 45

4.7 Deviation from Standards

None.

4.8 Abnormalities from Standard Conditions

None.

4.9 Monitoring of EUT for All Immunity Test

N/A

4.10 Test Confident level

Test Confident level is recognized, certified, or accredited by the following organizations:

NVLAP – Lab Code: 200632-0

SIMT EMC Laboratory is recognized under the National Voluntary Laboratory Accreditation Program (NVLAP/NIST).
NVLAP Code: 200632-0. Effective through December 31, 2008.

VCCI

The 10m Semi-anechoic chamber and Shielded Room of SIMT have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: 1153.
Date of Registration: May 29, 2004. Valid until May 18, 2010

CNAL – LAB Code: L0134

SIMT EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:1999 General Requirements) for the Competence of Testing Laboratories.

FCC – Registration No.: 142171

SIMT EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 142171, December 9, 2002.
With the above and NVLAP, SIMT is an authorized test laboratory for the DoC process.

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 7 of 45

5 Equipments Used during Test

Radiated Emission

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due date
1	HORN ANTENNA	Rohde & Schwarz	HF 906	100023	2007-07-23	2008-07-22
2	BROADBAND ANTENNA	Rohde & Schwarz	HL 562	100019	2007-10-09	2008-10-08
3	EMI TEST RECEIVER	Rohde & Schwarz	ESI 26	838786/011	2007-08-12	2008-08-11

Conducted Emission

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due date
1	EMI test receiver	Rohde & Schwarz	ESCS30	100086	2007-06-27	2008-06-26
2	Line impedance stabilization network	ETS	3816/2	00034161	2007-07-31	2008-07-30

General Equipment

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due date
1	Atmosphere pressure meter	Shanghai ZhongXuan Electronic Co;Ltd	BY-2003P	/	2007-09-14	2008-09-13
2	CLAMP METER	FLUKE	316	86080010	2008-04-25	2009-04-24
3	Thermo-Hygrometer	ZHICHEN	ZC1-2	01050033	2007-09-10	2008-09-09
4	Digital illuminance meter	TES electrical electronic Corp.	TES-1330A	050602219	2007-09-17	2008-09-16

**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 8 of 45

6 Emission Test Results

6.1 Radiated Emissions, 30MHz to 1GHz

Test Requirement:	CFR 47 Part 15
Test Method:	ANSI C63.4, CISPR 22
Test Date:	May 27, 2008 to May 30, 2008
Frequency Range:	30MHz to 1GHz
Measurement Distance:	3m for ANSI C63.4 and 10m for CISPR 22
Class:	N/A
Detector:	Peak for pre-scan (120kHz resolution bandwidth)


6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 25.0 °C	Humidity: 55 % RH	Atmospheric Pressure: 1004 mbar
----------------------	-------------------	---------------------------------

EUT Operation: EUT allocated channel mode GSM850&PCS 1900 with charger

6.1.2 Test setup:



SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China


Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 9 of 45

6.1.3 Test Result:

GSM850 dedicated: (test with the adapter of power supply 01)

Horizontal:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
34.989710	22.69	300.0	0.00	HORIZONTAL	40.00	17.31
76.653307	22.49	300.0	0.00	HORIZONTAL	40.00	17.51
105.811623	19.99	300.0	0.00	HORIZONTAL	43.50	23.51
284.649299	18.57	300.0	90.00	HORIZONTAL	46.00	27.43
515.971944	22.06	200.0	270.00	HORIZONTAL	46.00	23.94
725.911824	30.20	100.0	0.00	HORIZONTAL	46.00	15.80


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 10 of 45

Vertical:



Frequency MHz	Level dB μ V/m	Height cm	Azimuth deg	Polarisation	Limit dB μ V/m	Margin dB
32.932526	32.43	100.0	270.00	VERTICAL	40.00	12.57
70.821643	29.93	100.0	180.00	VERTICAL	40.00	10.07
84.428858	22.58	200.0	270.00	VERTICAL	40.00	17.42
136.913828	14.79	400.0	0.00	VERTICAL	43.50	28.71
195.230461	10.71	100.0	270.00	VERTICAL	43.50	32.79
584.008016	22.76	200.0	90.00	VERTICAL	46.00	23.24

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 11 of 45

GSM1900 dedicated: (test with the adapter of power supply 01)

Horizontal:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
34.903554	22.85	100.0	270.00	HORIZONTAL	40.00	17.15
76.653307	25.42	400.0	90.00	HORIZONTAL	40.00	14.58
134.969940	12.38	200.0	90.00	HORIZONTAL	43.50	31.12
360.460922	15.28	300.0	270.00	HORIZONTAL	46.00	30.72
597.615230	21.59	200.0	270.00	HORIZONTAL	46.00	24.41
949.458918	26.60	100.0	270.00	HORIZONTAL	46.00	19.40


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 12 of 45

Vertical:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
31.231027	32.18	100.0	90.00	VERTICAL	40.00	6.82
72.765531	30.64	100.0	180.00	VERTICAL	40.00	9.36
138.857715	10.75	400.0	0.00	VERTICAL	43.50	32.75
356.573146	16.83	300.0	270.00	VERTICAL	46.00	29.17
603.446894	21.20	300.0	270.00	VERTICAL	46.00	24.80
939.739479	26.77	100.0	0.00	VERTICAL	46.00	19.23

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 13 of 45

GSM850 dedicated: (test with the adapter of power supply 02)

Horizontal:



Frequency MHz	Level dB μ V/m	Height cm	Azimuth deg	Polarisation	Limit dB μ V/m	Margin dB
34.169523	20.74	200.0	270.00	HORIZONTAL	40.00	19.26
76.653307	14.11	300.0	0.00	HORIZONTAL	40.00	25.89
86.372745	14.75	100.0	270.00	HORIZONTAL	40.00	25.25
101.923848	19.46	400.0	0.00	HORIZONTAL	43.50	24.04
342.965932	14.36	300.0	270.00	HORIZONTAL	46.00	31.64
599.559118	20.81	200.0	270.00	HORIZONTAL	46.00	25.19


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 14 of 45

Vertical:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
30.265942	26.63	100.0	180.00	VERTICAL	40.00	13.37
70.821643	22.35	100.0	270.00	VERTICAL	40.00	17.65
84.428858	22.96	200.0	0.00	VERTICAL	40.00	17.04
101.923848	24.46	200.0	0.00	VERTICAL	43.50	19.04
136.913828	14.65	200.0	90.00	VERTICAL	43.50	28.85
591.783567	22.64	200.0	90.00	VERTICAL	46.00	23.36


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 15 of 45

GSM1900 dedicated: (test with the adapter of power supply 02)



Frequency MHz	Level dBμV/m	Height cm	Azimuth deg	Polarisation	Limit dBμV/m	Margin dB
34.753505	22.49	400.0	90.00	HORIZONTAL	40.00	17.51
84.428858	16.55	100.0	90.00	HORIZONTAL	40.00	23.45
140.801603	11.83	200.0	180.00	HORIZONTAL	43.50	31.67
350.741483	12.64	400.0	0.00	HORIZONTAL	46.00	33.36
589.839679	22.77	400.0	270.00	HORIZONTAL	46.00	23.23
900.861723	25.41	300.0	0.00	HORIZONTAL	46.00	20.59


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 16 of 45

Vertical:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
33.042111	29.01	100.0	0.00	VERTICAL	40.00	10.99
84.428858	22.66	100.0	0.00	VERTICAL	40.00	17.34
136.913828	16.43	400.0	180.00	VERTICAL	43.50	27.07
333.246493	15.07	300.0	180.00	VERTICAL	46.00	30.93
589.839679	19.43	200.0	180.00	VERTICAL	46.00	26.57
883.366733	26.54	300.0	270.00	VERTICAL	46.00	19.46

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 17 of 45

GSM850 dedicated: (test with the adapter of power supply 03)

Horizontal:



Frequency MHz	Level dBμV/m	Height cm	Azimuth deg	Polarisation	Limit dBμV/m	Margin dB
32.463776	27.50	400.0	270.00	HORIZONTAL	40.00	12.50
49.438878	5.92	200.0	180.00	HORIZONTAL	40.00	34.08
78.597194	8.17	400.0	0.00	HORIZONTAL	40.00	31.83
134.969940	12.74	300.0	270.00	HORIZONTAL	43.50	30.76
453.767535	18.83	100.0	180.00	HORIZONTAL	46.00	27.17
650.100200	21.10	300.0	180.00	HORIZONTAL	46.00	24.90


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 18 of 45

Vertical:



Frequency MHz	Level dB μ V/m	Height cm	Azimuth deg	Polarisation	Limit dB μ V/m	Margin dB
37.166647	29.92	100.0	90.00	VERTICAL	40.00	10.08
82.484970	10.93	100.0	0.00	VERTICAL	40.00	29.07
99.979960	9.01	100.0	270.00	VERTICAL	43.50	34.49
307.975952	12.48	400.0	180.00	VERTICAL	46.00	33.52
432.384770	18.87	100.0	90.00	VERTICAL	46.00	27.13
622.885772	20.27	200.0	180.00	VERTICAL	46.00	25.73

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 19 of 45

PCS1900 dedicated: (test with the adapter of power supply 03)

Horizontal:



Frequency MHz	Level dBμV/m	Height cm	Azimuth deg	Polarisation	Limit dBμV/m	Margin dB
35.207983	22.99	400.0	90.00	HORIZONTAL	40.00	17.01
78.597194	6.91	300.0	180.00	HORIZONTAL	40.00	33.09
136.913828	13.07	400.0	180.00	HORIZONTAL	43.50	30.43
294.368737	14.56	300.0	0.00	HORIZONTAL	46.00	31.44
451.823647	16.34	400.0	0.00	HORIZONTAL	46.00	29.66
898.917836	24.55	400.0	90.00	HORIZONTAL	46.00	21.45


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 20 of 45

Vertical:



Frequency MHz	Level dB μ V/m	Height cm	Azimuth deg	Polarisation	Limit dB μ V/m	Margin dB
36.492941	27.48	100.0	90.00	VERTICAL	40.00	12.52
103.867735	13.13	100.0	180.00	VERTICAL	43.50	30.37
288.537074	11.40	100.0	180.00	VERTICAL	46.00	34.60
453.767535	15.87	300.0	270.00	VERTICAL	46.00	30.13
628.717435	23.64	400.0	0.00	VERTICAL	46.00	22.36
949.458918	27.00	100.0	90.00	VERTICAL	46.00	19.00

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 21 of 45

GSM850 dedicated: (test with the headset01)

Horizontal:



Frequency MHz	Level dBμV/m	Height cm	Azimuth deg	Polarisation	Limit dBμV/m	Margin dB
31.275756	21.23	100.0	110.00	HORIZONTAL	40.00	18.77
49.438878	9.87	100.0	180.00	HORIZONTAL	40.00	30.13
86.372745	11.85	150.0	90.00	HORIZONTAL	40.00	28.15
117.474950	11.64	200.0	0.00	HORIZONTAL	43.50	31.86
407.114228	17.58	250.0	240.00	HORIZONTAL	46.00	28.42
636.492986	24.75	300.0	0.00	HORIZONTAL	46.00	21.25


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 22 of 45

Vertical:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
31.943888	36.11	100.0	110.00	VERTICAL	40.00	3.89
70.821643	9.65	100.0	180.00	VERTICAL	40.00	30.35
78.597194	12.03	200.0	0.00	VERTICAL	40.00	27.97
111.643287	13.67	150.0	90.00	VERTICAL	43.50	29.83
399.338677	18.27	200.0	270.00	VERTICAL	46.00	27.73
624.829659	23.89	300.0	90.00	VERTICAL	46.00	22.11

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 23 of 45

GSM850 dedicated: (test with the headset02 and Bluetooth opened:)

Horizontal:



Note: All the readings are 6dB less than the limits.


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 24 of 45

Vertical:



Note: All the readings are 6dB less than the limits.

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 25 of 45

PCS1900 dedicated: (test with the headset02 and Bluetooth opened)

Horizontal:



Note: All the readings are 6dB less than the limits.


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 26 of 45

Vertical:



Note: All the readings are 6dB less than the limits.


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 27 of 45

GSM850 dedicated: (test the mobile phone with SD Card and USB connected to the PC)
Horizontal:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
31.276561	19.91	100.0	90.00	HORIZONTAL	40.00	20.09
150.521042	16.54	150.0	270.00	HORIZONTAL	43.50	26.96
253.547094	18.07	200.0	0.00	HORIZONTAL	46.00	27.93
356.573146	22.75	150.0	180.00	HORIZONTAL	46.00	23.25
381.843687	24.21	200.0	200.00	HORIZONTAL	46.00	21.79
566.513026	30.15	300.0	60.00	HORIZONTAL	46.00	15.85


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 28 of 45

Vertical:



Frequency MHz	Level dBµV/m	Height cm	Azimuth deg	Polarisation	Limit dBµV/m	Margin dB
30.852427	24.18	100.0	90.00	VERTICAL	40.00	15.82
70.821643	18.24	150.0	180.00	VERTICAL	40.00	21.76
166.072144	20.45	100.0	270.00	VERTICAL	43.50	23.05
321.583166	23.46	200.0	0.00	VERTICAL	46.00	22.54
498.476954	27.86	200.0	200.00	VERTICAL	46.00	18.14
729.799599	31.28	300.0	120.00	VERTICAL	46.00	14.72

SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 29 of 45

6.2 Conducted Emissions, 150kHz to 30MHz

Test Requirement:	CFR 47 part 15
Test Method:	ANSI C63.4
Test Date:	N/A
Frequency Range:	150kHz to 30MHz
Class:	N/A
Limit:	66 dB μ V - 56 dB μ V between 150kHz & 500kHz Quasi-peak 56 dB μ V between 0.5MHz & 5MHz Quasi-peak 60 dB μ V between 5MHz & 30MHz Quasi-peak

6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 24.0°C Humidity: 58% RH Atmospheric
Pressure: 1004 mbar

EUT Operation: EUT allocated channel mode GSM850&PCS 1900 with charger

6.2.2 Test Result and Partial Measurement Data

Pass

An initial pre-scan was performed in the Shielding room using the receiver in peak detection mode. The EUT was measured for 2 orthogonal polarities and peak emissions from the EUT were detected within 6dB of the class B limit line.


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 30 of 45

Power supply 01
GSM850 dedicated, charging with adaptor:
L line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.26835	37.21	61.17	23.96
0.43631	31.22	57.13	25.91

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.26835	30.90	51.17	20.27
0.43631	24.35	47.13	22.78


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 31 of 45

N line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.1677	37.36	65.07	27.71
0.26835	37.67	61.17	23.50
0.53675	33.19	56.00	22.81

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.1677	26.37	55.07	28.70
0.26835	31.71	51.17	19.46
0.53675	23.04	46.00	22.96

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 32 of 45

PCS1900 dedicated, charging with adaptor:

L line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.39026	24.82	58.06	33.24
0.68169	16.63	56.00	39.37

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.39026	19.08	48.06	28.98
0.68169	9.62	46.00	36.38


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 33 of 45

N line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.15362	23.87	65.80	41.93
0.40937	21.39	57.66	36.27
3.96615	18.31	56.00	37.69

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.15362	10.36	55.80	45.44
0.40937	15.15	47.66	32.51
3.96615	11.83	46.00	34.17


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 34 of 45

Power supply 02
GSM850 dedicated, charging with adaptor:
L line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.25787	38.78	61.50	22.72
0.53249	35.07	56.00	20.93
0.64471	35.34	56.00	20.66

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.25787	29.35	51.50	22.15
0.53249	24.79	46.00	21.21
0.64471	29.44	46.00	16.56


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 35 of 45

N line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.25787	15.92	61.50	45.58
0.52407	18.95	56.00	37.05
0.65507	24.69	56.00	31.31

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.25787	6.93	51.50	44.57
0.52407	7.17	46.00	38.83
0.65507	16.49	46.00	29.51

SGS-CSTC Standards Technical Services Co., Ltd.


1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 36 of 45

PCS1900 dedicated, charging with adaptor:

L line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.66559	24.57	56.00	31.43

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.66559	17.83	46.00	28.17


SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 37 of 45

N line:



Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.64987	23.44	56.00	32.56
3.38188	21.29	56.00	34.71

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.64987	16.36	46.00	29.64
3.38188	12.67	46.00	33.33

SGS-CSTC Standards Technical Services Co., Ltd.



1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 38 of 45

7 Photographs

7.1 Radiated Emission Test Setup





**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 39 of 45




SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 40 of 45



7.2 EUT Constructional Details



**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 41 of 45



SGS-CSTC Standards Technical Services Co., Ltd.

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMO080500026TX
Page 42 of 45



**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 43 of 45





**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 44 of 45




**SGS-CSTC Standards
Technical Services Co., Ltd.**

1/F, 4/F, 6/F, 7/F, 8/F, 9/F, 10/F, the 3rd Building No. 889,
Yishan Road, Xuhui District, Shanghai, China

Telephone: +86 (0) 21 6495 1616
Fax: +86 (0) 21 5450 0954
Tino_Pan@sgs.com

Report No.: SHEMA080500026TX
Page 45 of 45



THE END OF REPORT