



# FCC PART 15C TEST REPORT

**No. 2010TAR241**

for

**TCT Mobile Limited**

**GSM/GPRS dual bands mobile phone**

**Model Name: MINI Q A**

**Marketing Name: OT-606A**

With

**FCC ID: RAD136**

**Hardware Version: PIO**

**Software Version: V122**

**Issued Date: 2010-07-06**



**No. DGA-PL-114/01-02**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

Shouxiang Science Building, No 51, Xueyuan Road, Haidian District, Beijing, P.R.China 100191

Tel:+86(0)10-62304633-2678, Fax:+86(0)10-62304793 Email:welcome@emcite.com. www.emcite.com

©Copyright. All rights reserved by TMC Beijing.

## **CONTENTS**

<b>CONTENTS .....</b>	<b>2</b>
<b>1. TEST LABORATORY.....</b>	<b>3</b>
1.1. TESTING LOCATION.....	3
1.2. TESTING ENVIRONMENT.....	3
1.3. PROJECT DATA .....	3
1.4. SIGNATURE .....	3
<b>2. CLIENT INFORMATION.....</b>	<b>4</b>
2.1. APPLICANT INFORMATION.....	4
2.2. MANUFACTURER INFORMATION.....	4
<b>3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) .....</b>	<b>5</b>
3.1. ABOUT EUT .....	5
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST.....	5
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST .....	5
<b>4. REFERENCE DOCUMENTS .....</b>	<b>6</b>
4.1. DOCUMENTS SUPPLIED BY APPLICANT.....	6
4.2. REFERENCE DOCUMENTS FOR TESTING.....	6
<b>5. LABORATORY ENVIRONMENT .....</b>	<b>7</b>
<b>6. SUMMARY OF TEST RESULTS.....</b>	<b>8</b>
6.1. SUMMARY OF TEST RESULTS .....	8
6.2. STATEMENTS.....	8
<b>7. TEST EQUIPMENTS UTILIZED.....</b>	<b>9</b>
<b>ANNEX A: MEASUREMENT RESULTS .....</b>	<b>10</b>
A.1. MEASUREMENT METHOD .....	10
A.2. PEAK OUTPUT POWER - CONDUCTED.....	11
A.3. FREQUENCY BAND EDGES - CONDUCTED.....	12
A.4. CONDUCTED EMISSION.....	19
A.5. RADIATED EMISSION.....	34
A.6. TIME OF OCCUPANCY (DWELL TIME).....	54
A.7. 20dB BANDWIDTH.....	65
A.8. CARRIER FREQUENCY SEPARATION.....	70
A.9. NUMBER OF HOPPING CHANNELS .....	72
A.10. AC POWERLINE CONDUCTED EMISSION .....	76

## **1. Test Laboratory**

### **1.1. Testing Location**

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT  
Address: Shouxiang Science Building, No 51, Xueyuan Road, Haidian District,  
Beijing, P.R.China  
Postal Code: 100191  
Telephone: 00861062304633  
Fax: 00861062304793

### **1.2. Testing Environment**

Normal Temperature: 15-35°C  
Extreme Temperature: -20/+55°C  
Relative Humidity: 20-75%

### **1.3. Project data**

Project Leader: Zi Xiaogang  
Testing Start Date: 2010-06-03  
Testing End Date: 2010-07-06

### **1.4. Signature**

---

Zi Xiaogang  
(Prepared this test report)

---

Sun Xiangqian  
(Reviewed this test report)

---

Lu Bingsong  
Deputy Director of the laboratory  
(Approved this test report)

## **2. Client Information**

### **2.1. Applicant Information**

Company Name: TCT Mobile Limited  
Address /Post: 4/F, South Building, No.2966, Jinke Road, Zhangjiang High-Tech Park,  
Pudong, Shanghai, 201203, P.R.China  
Contact Gong Zhizhou  
Email zhizhou.gong@jrdcom.com  
Telephone: 0086-21-61460890  
Fax: 0086-21-61460602

### **2.2. Manufacturer Information**

Company Name: TCT Mobile Limited  
Address /Post: 4/F, South Building, No.2966, Jinke Road, Zhangjiang High-Tech Park,  
Pudong, Shanghai, 201203, P.R.China  
Contact Gong Zhizhou  
Email zhizhou.gong@jrdcom.com  
Telephone: 0086-21-61460890  
Fax: 0086-21-61460602

### **3. Equipment Under Test (EUT) and Ancillary Equipment (AE)**

#### **3.1. About EUT**

Description	GSM/GPRS dual bands mobile phone
Model Name	MINI Q A
Marketing Name	OT-606A
FCC ID	RAD136
Frequency Band	ISM 2400MHz~2483.5MHz
Type of Modulation	GFSK/ $\pi/4$ DQPSK/8DPSK
Number of Channels	79
Power Supply	3.7V DC by Battery

#### **3.2. Internal Identification of EUT used during the test**

EUT ID*	SN or IMEI	HW Version	SW Version
N10	012298000001228	PIO	V122
N13	012298000001038	PIO	V122

\*EUT ID: is used to identify the test sample in the lab internally.

#### **3.3. Internal Identification of AE used during the test**

AE ID*	Description	Type	SN
AE1	Battery	CAB31C0000C1	/
AE2	Charger	CBA3120AG0C1	/
AE3	Charger	CBA3120AG0C2	/
AE4	Charger	CBA3170AG0C1	/
AE5	Charger	CBA3170AG0C2	/

\*AE ID: is used to identify the test sample in the lab internally.

## **4. Reference Documents**

### **4.1. Documents supplied by applicant**

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

### **4.2. Reference Documents for testing**

The following documents listed in this section are referred for testing.

FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz. Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	July 10, 2008 Edition
ANSI C63.4		2003
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems	March 2000

## **5. LABORATORY ENVIRONMENT**

**Shielding Room1** (6.0 meters×3.0 meters×2.7 meters) did not exceed following limits along the conducted RF performance testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

**Control room** did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω

**Semi-anechoic chamber** (23 meters×17meters×10meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.2 dB, 10 m distance, from 30 to 1000 MHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 2000 MHz

## **6. SUMMARY OF TEST RESULTS**

### **6.1. Summary of Test Results**

Abbreviations used in this clause:

- P** Pass, The EUT complies with the essential requirements in the standard.  
**F** Fail, The EUT does not comply with the essential requirements in the standard  
**NA** Not Applicable, The test was not applicable  
**NP** Not Performed, The test was not performed by TMC

SUMMARY OF MEASUREMENT RESULTS	Sub-clause	Verdict
Peak Output Power - Conducted	15.247 (b)(1)	<b>P</b>
Frequency Band Edges	15.247 (d)	<b>P</b>
Conducted Emission	15.247 (d)	<b>P</b>
Radiated Emission	15.247, 15.205, 15.209	<b>P</b>
Time of Occupancy (Dwell Time)	15.247 (a) (1)(iii)	<b>P</b>
20dB Bandwidth	15.247 (a)(1)	<b>NA</b>
Carrier Frequency Separation	15.247 (a)(1)	<b>P</b>
Number of hopping channels	15.247 (a)(b)(iii)	<b>P</b>
AC Powerline Conducted Emission	15.107, 15.207	<b>P</b>

Please refer to **ANNEX A** for detail.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

### **6.2. Statements**

TMC has evaluated the test cases requested by the applicant /manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.2

## **7. Test Equipments Utilized**

### **Conducted test system**

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSU26	200030	Rohde & Schwarz	2011-06-17
2	Bluetooth Tester	CBT32	100649	Rohde & Schwarz	2011-02-03

### **Radiated emission test system**

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESI40	831564/002	Rohde & Schwarz	2011-02-11
2	EMI Antenna	VULB 9163	9163 301	Schwarzbeck	2011-04-29
3	EMI Antenna	3117	00034610	EMCO	2011-06-30
4	Dual-Ridge Waveguide Horn Antenna	3116	2663	EMCO	2011-03-01
5	Dual-Ridge Waveguide Horn Antenna	3116	2661	EMCO	2011-03-01
6	Universal Radio Communication Tester	CMU200	105948	Rohde & Schwarz	2010-08-14
7	LISN	ESH2-Z5	829991/012	Rohde & Schwarz	2010-08-13
8	Pre-amplifier(18GHz)	/	1005277	Rohde & Schwarz	/
9	Pre-amplifier(26.5GHz)	/	1005277	Rohde & Schwarz	/

### **Anechoic chamber**

Fully anechoic chamber by Frankonia German.


## ANNEX A: MEASUREMENT RESULTS

### A.1. Measurement Method

#### A.1.1. Conducted Measurements

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode (Transmitter, receiver or transmitter & receiver).
- 3). Set the EUT to the required channel.
- 4). Set the EUT hopping mode (hopping or hopping off).
- 5). Set the spectrum analyzer to start measurement.
- 6). Record the values. Vector Signal Analyzer



#### A.1.2. Radiated Emission Measurements


The measurement is made according to Public notice DA 00-705 and ANSI C63.4

The radiated emission test is performed in semi-anechoic chamber. The distance from the EUT to the reference point of measurement antenna is 3m. The test is carried out on both vertical and horizontal polarization and only maximization result of both polarizations is kept. During the test, the turntable is rotated 360° and the measurement antenna is moved from 1m to 4m to get the maximization result.

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 1MHz;



**A.2. Peak Output Power - Conducted  
Measurement Limit:**

Standard	Limit (dBm)
FCC Part 15.247(b)(1)	< 30

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

**Test Condition**

Hopping Mode	RBW	VBW	Span	Sweptime
Hopping OFF	1MHz	1MHz	5MHz	2.5ms

**Measurement Results:****For GFSK**

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	7.71	7.75	7.86	P

**For 1/4 DQPSK**

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	5.41	5.29	5.06	P

**For 8DPSK**

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	5.25	5.19	5.22	P

**Conclusion: PASS**

**A.3. Frequency Band Edges - Conducted****Measurement Limit:**

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

**Measurement Result:****For GFSK**

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.1	-55.38	P
	Hopping ON	Fig.2	-56.56	P
78	Hopping OFF	Fig.3	-58.44	P
	Hopping ON	Fig.4	-60.51	P

**For π/4 DQPSK**

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.5	-56.14	P
	Hopping ON	Fig.6	-57.25	P
78	Hopping OFF	Fig.7	-59.22	P
	Hopping ON	Fig.8	-56.73	P

**For 8DPSK**

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.9	-56.23	P
	Hopping ON	Fig.10	-54.94	P
78	Hopping OFF	Fig.11	-60.15	P
	Hopping ON	Fig.12	-55.88	P

**Conclusion: PASS**

**Test graphs as below**




Fig.1 Frequency Band Edges: GFSK, Channel 0, Hopping Off






Fig.2 Frequency Band Edges: GFSK, Channel 0, Hopping On




Date: 3.JUN.2010 01:53:56

Fig.3 Frequency Band Edges: GFSK, Channel 78, Hopping Off




Date: 3.JUN.2010 01:58:00

Fig.4 Frequency Band Edges: GFSK, Channel 78, Hopping On




Date: 8.JUN.2010 01:44:59


 Fig.5 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping Off


Date: 8.JUN.2010 01:47:19

 Fig.6 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping On




Date: 8.JUN.2010 01:45:17

 Fig.7 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping Off



Date: 8.JUN.2010 01:49:21

 Fig.8 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping On




Date: 8.JUN.2010 02:04:47

Fig.9 Frequency Band Edges: 8DPSK, Channel 0, Hopping Off




Date: 8.JUN.2010 02:07:05

Fig.10 Frequency Band Edges: 8DPSK, Channel 0, Hopping On



Date: 8.JUN.2010 02:05:04

Fig.11 Frequency Band Edges: 8DPSK, Channel 78, Hopping Off



Date: 8.JUN.2010 02:09:07

Fig.12 Frequency Band Edges: 8DPSK, Channel 78, Hopping On

#### A.4. Conducted Emission

##### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

##### Measurement Results:

###### For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.13	P
	30 MHz ~ 1 GHz	Fig.14	P
	1 GHz ~ 26 GHz	Fig.15	P
Ch 39 2441 MHz	Center Frequency	Fig.16	P
	30 MHz ~ 1 GHz	Fig.17	P
	1 GHz ~ 26 GHz	Fig.18	P
Ch 78 2480 MHz	Center Frequency	Fig.19	P
	30 MHz ~ 1 GHz	Fig.20	P
	1 GHz ~ 26 GHz	Fig.21	P


###### For π/4 DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.22	P
	30 MHz ~ 1 GHz	Fig.23	P
	1 GHz ~ 26 GHz	Fig.24	P
Ch 39 2441 MHz	Center Frequency	Fig.25	P
	30 MHz ~ 1 GHz	Fig.26	P
	1 GHz ~ 26 GHz	Fig.27	P
Ch 78 2480 MHz	Center Frequency	Fig.28	P
	30 MHz ~ 1 GHz	Fig.29	P
	1 GHz ~ 26 GHz	Fig.30	P

###### For 8DPSK


Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.31	P
	30 MHz ~ 1 GHz	Fig.32	P
	1 GHz ~ 26 GHz	Fig.33	P
Ch 39 2441 MHz	Center Frequency	Fig.34	P
	30 MHz ~ 1 GHz	Fig.35	P
	1 GHz ~ 26 GHz	Fig.36	P
Ch 78 2480 MHz	Center Frequency	Fig.37	P
	30 MHz ~ 1 GHz	Fig.38	P
	1 GHz ~ 26 GHz	Fig.39	P

**Conclusion: PASS**  
**Test graphs as below**




Date: 3.JUN.2010 01:58:18

Fig.13 Conducted spurious emission: GFSK, Channel 0,2402MHz




Date: 3.JUN.2010 01:58:35

Fig.14 Conducted spurious emission: GFSK, Channel 0, 30MHz - 1GHz




Date: 3.JUN.2010 01:59:11

Fig.15 Conducted spurious emission: GFSK, Channel 0,1GHz - 26GHz




Date: 3.JUN.2010 01:59:30

Fig.16 Conducted spurious emission: GFSK, Channel 39, 2441MHz




Date: 3.JUN.2010 01:59:46

Fig.17 Conducted spurious emission: GFSK, Channel 39, 30MHz - 1GHz




Date: 3.JUN.2010 02:00:19

Fig.18 Conducted spurious emission: GFSK, Channel 39, 1GHz – 26GHz




Date: 3.JUN.2010 02:00:36

Fig.19 Conducted spurious emission: GFSK, Channel 78, 2480MHz




Date: 3.JUN.2010 02:00:53

Fig.20 Conducted spurious emission: GFSK, Channel 78, 30MHz - 1GHz





Date: 3.JUN.2010 02:01:28


Fig.21 Conducted spurious emission: GFSK, Channel 78, 1GHz - 26GHz




Date: 8.JUN.2010 01:49:40

Fig.22 Conducted spurious emission: π/4 DQPSK, Channel 0,2402MHz


 Fig.23 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 30MHz - 1GHz

 Fig.24 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 1GHz - 26GHz




Date: 8.JUN.2010 01:50:44


 Fig.25 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 2441MHz


Date: 8.JUN.2010 01:51:01

 Fig.26 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 30MHz - 1GHz




Date: 8.JUN.2010 01:51:32


 Fig.27 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 1GHz – 26GHz


Date: 8.JUN.2010 01:51:49

 Fig.28 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 2480MHz




Date: 8.JUN.2010 01:52:05

 Fig.29 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 30MHz - 1GHz



Date: 8.JUN.2010 01:52:37

 Fig.30 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 1GHz - 26GHz




Date: 8.JUN.2010 02:09:24

Fig.31 Conducted spurious emission: 8DPSK, Channel 0,2402MHz




Date: 8.JUN.2010 02:09:40

Fig.32 Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz




Date: 8.JUN.2010 02:10:11

Fig.33 Conducted spurious emission: 8DPSK, Channel 0,1GHz - 26GHz




Date: 8.JUN.2010 02:10:27

Fig.34 Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Date: 8.JUN.2010 02:10:43

Fig.35 Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz




Date: 8.JUN.2010 02:11:14

Fig.36 Conducted spurious emission: 8DPSK, Channel 39, 1GHz – 26GHz




Date: 8.JUN.2010 02:11:30

Fig.37 Conducted spurious emission: 8DPSK, Channel 78, 2480MHz



Date: 8.JUN.2010 02:11:46

Fig.38 Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz



Date: 8.JUN.2010 02:12:17

Fig.39 Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 26GHz

## A.5. Radiated Emission

### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

### Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

### Test Condition

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

### Measurement Results:

Both the lowest channel and the highest channel band-edge measurements were performed. The result at the highest channel show the worst performance, so the report only includes the result performed at the highest channel.

A "reference path loss" is established and the  $A_{RPL}$  is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable los.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{Mea}} + A_{\text{RPL}}$$

### For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.40	P
	1 GHz ~ 4 GHz	Fig.41	P
	4 GHz ~ 18 GHz	Fig.42	P

Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.43	P
	1 GHz ~ 4 GHz	Fig.44	P
	4 GHz ~ 18 GHz	Fig.45	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.46	P
	1 GHz ~ 4 GHz	Fig.47	P
	4 GHz ~ 18 GHz	Fig.48	P
Power	2.45GHz~2.5GHz	Fig.49	P
For all channels	18 GHz ~ 26 GHz	Fig.50	P

**For 4 DQPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.51	P
	1 GHz ~ 4 GHz	Fig.52	P
	4 GHz ~ 18 GHz	Fig.53	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.54	P
	1 GHz ~ 4 GHz	Fig.55	P
	4 GHz ~ 18 GHz	Fig.56	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.57	P
	1 GHz ~ 4 GHz	Fig.58	P
	4 GHz ~ 18 GHz	Fig.59	P
Power	2.45GHz~2.5GHz	Fig.60	P
For all channels	18 GHz ~ 26 GHz	Fig.61	P

**For 8DPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.62	P
	1 GHz ~ 4 GHz	Fig.63	P
	4 GHz ~ 18 GHz	Fig.64	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.65	P
	1 GHz ~ 4 GHz	Fig.66	P
	4 GHz ~ 18 GHz	Fig.67	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.68	P
	1 GHz ~ 4 GHz	Fig.69	P
	4 GHz ~ 18 GHz	Fig.70	P
Power	2.45GHz~2.5GHz	Fig.71	P
For all channels	18 GHz ~ 26 GHz	Fig.72	P

**GFSK Ch 0**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2400.802	70.99	8.8	62.19	VERTICAL
2402.806	66.17	8.8	57.37	VERTICAL
2398.798	43.81	8.7	35.11	VERTICAL

3490.982	38.39	12.3	26.09	VERTICAL
3501.002	38.38	14.5	23.88	VERTICAL
3709.419	38.37	14.3	24.07	VERTICAL

**GFSK Ch 39**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2440.882	73.91	8.6	65.31	VERTICAL
2438.878	58.17	8.6	49.57	VERTICAL
2442.886	53.55	8.6	44.95	VERTICAL
3490.982	38.39	12.3	26.09	VERTICAL
3501.002	38.38	14.5	23.88	VERTICAL
3503.006	38.36	14.5	23.86	VERTICAL

**GFSK Ch 78**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2478.958	71.76	9.1	62.66	VERTICAL
2480.962	64.27	9.4	54.87	VERTICAL
2476.954	44.47	9.1	35.37	VERTICAL
3490.982	38.36	12.3	26.06	VERTICAL
3498.998	38.35	12.3	26.05	VERTICAL
3501.002	38.34	14.5	23.84	VERTICAL

 **$\pi/4$  DQPSK Ch 0**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2400.802	67.83	8.8	59.03	VERTICAL
2402.806	62.1	8.8	53.3	VERTICAL
2398.798	38.34	8.7	29.64	VERTICAL
3492.986	38.33	12.3	26.03	VERTICAL
3711.423	38.33	14.5	23.83	VERTICAL
3501.002	38.31	14.5	23.81	VERTICAL

 **$\pi/4$  DQPSK Ch 39**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2440.882	70.36	8.6	61.76	VERTICAL
2438.878	55.93	8.6	47.33	VERTICAL
2442.886	47.66	8.6	39.06	VERTICAL
3490.982	38.36	12.3	26.06	VERTICAL
3492.986	38.36	12.3	26.06	VERTICAL
3711.423	38.36	14.5	23.86	VERTICAL

 **$\pi/4$  DQPSK Ch 78**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2478.958	68.8	9.1	59.7	VERTICAL
2480.962	58.82	9.4	49.42	VERTICAL
2476.954	42.99	9.1	33.89	VERTICAL
3490.982	38.36	12.3	26.06	VERTICAL
3711.423	38.36	14.5	23.86	VERTICAL

3494.99	38.34	12.3	26.04	VERTICAL
---------	-------	------	-------	----------

**8DPSK Ch 0**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2400.802	67.56	8.8	58.76	VERTICAL
2402.806	63.27	8.8	54.47	VERTICAL
2398.798	42.14	8.7	33.44	VERTICAL
3490.982	38.36	12.3	26.06	VERTICAL
3711.423	38.33	14.5	23.83	VERTICAL
3503.006	38.32	14.5	23.82	VERTICAL

**8DPSK Ch 39**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2440.882	69.98	8.6	61.38	VERTICAL
2438.878	58.77	8.6	50.17	VERTICAL
2442.886	50.02	8.6	41.42	VERTICAL
3490.982	38.36	12.3	26.06	VERTICAL
3713.427	38.34	14.5	23.84	VERTICAL
3492.986	38.33	12.3	26.03	VERTICAL

**8DPSK Ch 78**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2478.958	66.75	9.1	57.65	VERTICAL
2480.962	63.9	9.4	54.5	VERTICAL
2476.954	42.38	9.1	33.28	VERTICAL
3711.423	38.36	14.5	23.86	VERTICAL
3501.002	38.34	14.5	23.84	VERTICAL
3713.427	38.34	14.5	23.84	VERTICAL

**Conclusion: PASS****Test graphs as below:**




Fig.40 Radiated emission: GFSK, Channel 0, 30 MHz - 1 GHz




Fig.41 Radiated emission: GFSK, Channel 0, 1 GHz - 4 GHz




Fig.42 Radiated emission: GFSK, Channel 0, 4 GHz - 18 GHz




Fig.43 Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz




Fig.44 Radiated emission: GFSK, Channel 39, 1 GHz - 4 GHz




Fig.45 Radiated emission: GFSK, Channel 39, 4 GHz - 18 GHz




Fig.46 Radiated emission: GFSK, Channel 78, 30 MHz - 1 GHz




Fig.47 Radiated emission: GFSK, Channel 78, 1 GHz - 4 GHz




Fig.48 Radiated emission: GFSK, Channel 78, 4 GHz - 18 GHz




Fig.49 Radiated emission (Power): GFSK, 2.45GHz - 2.5GHz









Fig.50 Radiated emission: GFSK, 18 GHz - 26 GHz


 Fig.51 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 30 MHz - 1 GHz


 Fig.52 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 1 GHz - 4 GHz

 Fig.53 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 4 GHz - 18 GHz


 Fig.54 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 30 MHz - 1 GHz

 Fig.55 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 1 GHz - 4 GHz




Fig.56 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 4 GHz - 18 GHz








Fig.57 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 30 MHz - 1 GHz


 Fig.58 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 1 GHz - 4 GHz

 Fig.59 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 4 GHz - 18 GHz


 Fig.60 Radiated emission (Power):  $\pi/4$  DQPSK, 2.45GHz - 2.5GHz

 Fig.61 Radiated emission:  $\pi/4$  DQPSK, 18 GHz - 26 GHz




Fig.62 Radiated emission: 8DPSK, Channel 0, 30 MHz - 1 GHz




Fig.63 Radiated emission: 8DPSK, Channel 0, 1 GHz - 4 GHz




Fig.64 Radiated emission: 8DPSK, Channel 0, 4 GHz - 18 GHz




Fig.65 Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz




Fig.66 Radiated emission: 8DPSK, Channel 39, 1 GHz - 4 GHz




Fig.67 Radiated emission: 8DPSK, Channel 39, 4 GHz - 18 GHz




Fig.68 Radiated emission: 8DPSK, Channel 78, 30 MHz - 1 GHz




Fig.69 Radiated emission: 8DPSK, Channel 78, 1 GHz - 4 GHz




Fig.70 Radiated emission: 8DPSK, Channel 78, 4 GHz - 18 GHz




Fig.71 Radiated emission (Power): 8DPSK, 2.45GHz - 2.5GHz




Fig.72 Radiated emission: 8DPSK, 18 GHz - 26 GHz

## A.6. Time of Occupancy (Dwell Time)

### Measurement Limit:

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)	< 400

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

### Measurement Result:

#### For GFSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.73	105.51	P
		Fig.74		
	DH3	Fig.75	157.38	P
		Fig.76		
	DH5	Fig.77	211.56	P
		Fig.78		


#### For $\pi/4$ DQPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.79	112.71	P
		Fig.80		
	DH3	Fig.81	157.38	P
		Fig.82		

	DH5	Fig.83 Fig.84	214.85	P
--	-----	------------------	--------	---


**For 8DPSK**

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.85	102.05	P
		Fig.86		
	DH3	Fig.87	160.66	P
		Fig.88		
	DH5	Fig.89	159.39	P
		Fig.90		

**Conclusion: PASS**
**Test graphs as below:**



Date: 3.JUN.2010 02:02:56

**Fig.73 Time of occupancy (Dwell Time): Channel 39, Packet DH1**




Date: 3.JUN.2010 02:02:45

Fig.74 Number of Transmissions Measurement:Channel 39,Packet DH1




Date: 3.JUN.2010 02:04:15

Fig.75 Time of occupancy (Dwell Time): Channel 39, Packet DH3



Date: 3.JUN.2010 02:04:03

Fig.76 Number of Transmissions Measurement:Channel 39,Packet DH3



Date: 3.JUN.2010 02:05:32

Fig.77 Time of occupancy (Dwell Time): Channel 39, Packet DH5




Fig.78 Number of Transmissions Measurement:Channel 39,Packet DH5






Fig.79 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH1




Date: 8.JUN.2010 01:53:50

Fig.80 Number of Transmissions Measurement:Channel 39,Packet 2-DH1




Date: 8.JUN.2010 01:55:20

Fig.81 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH3




Date: 8.JUN.2010 01:55:09

Fig.82 Number of Transmissions Measurement:Channel 39,Packet 2-DH3




Date: 8.JUN.2010 01:56:16

Fig.83 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH5




Date: 8.JUN.2010 01:56:05

Fig.84 Number of Transmissions Measurement:Channel 39,Packet 2-DH5




Date: 8.JUN.2010 02:13:12

Fig.85 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH1




Date: 8.JUN.2010 02:13:01

Fig.86 Number of Transmissions Measurement:Channel 39,Packet 3-DH1




Date: 8.JUN.2010 02:14:06

Fig.87 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH3




Date: 8.JUN.2010 02:13:55

Fig.88 Number of Transmissions Measurement:Channel 39,Packet 3-DH3



Date: 8.JUN.2010 02:15:01

Fig.89 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH5



Date: 8.JUN.2010 02:14:50

Fig.90 Number of Transmissions Measurement:Channel 39,Packet 3-DH5

## A.7. 20dB Bandwidth

### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)(1)	NA *

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

\* Comment: This test case is not required according to the latest FCC 47 CFR Part 15.247. But the test results are necessary for “carrier frequency separation” test case, in Annex A.8.

### Measurement Results:

#### For GFSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.91	759.62	NA
39	Fig.92	762.82	NA
78	Fig.93	769.23	NA

#### For π/4 DQPSK


Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.94	1224.36	NA
39	Fig.95	1237.18	NA
78	Fig.96	1269.23	NA

#### For 8DPSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.97	1259.62	NA
39	Fig.98	1256.41	NA
78	Fig.99	1256.41	NA


**Conclusion: NA**

**Test graphs as below:**




Date: 3.JUN.2010 02:06:06

Fig.91 20dB Bandwidth: GFSK, Channel 0




Date: 3.JUN.2010 02:06:37

Fig.92 20dB Bandwidth: GFSK, Channel 39




Date: 3.JUN.2010 02:07:09

Fig.93 20dB Bandwidth: GFSK, Channel 78




Date: 8.JUN.2010 01:56:48


 Fig.94 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 0


Date: 8.JUN.2010 01:57:20

 Fig.95 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 39




Date: 8.JUN.2010 01:57:51

 Fig.96 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 78



Date: 8.JUN.2010 02:15:33

Fig.97 20dB Bandwidth: 8DPSK, Channel 0



Date: 8.JUN.2010 02:16:04

Fig.98 20dB Bandwidth: 8DPSK, Channel 39



Date: 8.JUN.2010 02:16:35

Fig.99 20dB Bandwidth: 8DPSK, Channel 78

## A.8. Carrier Frequency Separation

### Measurement Limit:

Standard	Limit(kHz)
FCC 47 CFR Part 15.247(a)(1)	over 25 kHz or $(2/3) * 20\text{dB}$ bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

\* Comment: This limit should be over 25 kHz or  $(2/3) * 20\text{dB}$  bandwidth, whichever is greater.

### Measurement Result:

#### For GFSK

Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.100	687.5

#### For $\pi/4$ DQPSK


Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.101	1312.5

#### For 8DPSK

Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.102	1004.81


**Conclusion: PASS**

**Test graphs as below:**




Date: 3.JUN.2010 02:09:13

Fig.100 Carrier frequency separation measurement: GFSK, Channel 39



Date: 8.JUN.2010 01:59:53

 Fig.101 Carrier frequency separation measurement:  $\pi/4$  DQPSK, Channel 39


Date: 8.JUN.2010 02:18:37

Fig.102 Carrier frequency separation measurement: 8DPSK, Channel 39

### A.9. Number of Hopping Channels

#### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a) (1)(iii)	At least 15 non-overlapping channels

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

#### Measurement Result:

##### For GFSK

Channel	Number of hopping channels	Conclusion
0~39	Fig.103	
40~78	Fig.104	P

##### For π/4 DQPSK


Channel	Number of hopping channels	Conclusion
0~39	Fig.105	
40~78	Fig.106	P

##### For 8DPSK

Channel	Number of hopping channels	Conclusion
0~39	Fig.107	
40~78	Fig.108	P


**Conclusion: PASS**

**Test graphs as below:**




Date: 3.JUN.2010 02:11:16

Fig.103 Number of hopping frequencies: GFSK, Channel 0 - 39




Date: 3.JUN.2010 02:13:18

Fig.104 Number of hopping frequencies: GFSK, Channel 40 - 78




Date: 8.JUN.2010 02:01:55

 Fig.105 Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 0 - 39




Date: 8.JUN.2010 02:03:56

 Fig.106 Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 40 - 78


Date: 8.JUN.2010 02:20:39

Fig.107 Number of hopping frequencies: 8DPSK, Channel 0 - 39



Date: 8.JUN.2010 02:22:40

Fig.108 Number of hopping frequencies: 8DPSK, Channel 40 - 78

**A.10. AC Powerline Conducted Emission****Test Condition**

Voltage (V)	Frequency (Hz)
120	60

**Measurement Result and limit:****Bluetooth (Quasi-peak Limit)**

Frequency range (MHz)	Quasi-peak Limit (dB $\mu$ V)	Result (dB $\mu$ V)	Conclusion
		With Charger	
0.15 to 0.5	66 to 56	Fig.109	P
0.5 to 5	56		
5 to 30	60		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

**Bluetooth (Average Limit)**

Frequency range (MHz)	Average Limit (dB $\mu$ V)	Result (dB $\mu$ V)	Conclusion
		With Charger	
0.15 to 0.5	56 to 46	Fig.109	P
0.5 to 5	46		
5 to 30	50		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

**Conclusion: PASS**

**Test graphs as below:**




Fig.109 AC Powerline Conducted Emission with charger

**MEASUREMENT RESULT: "10TA609\_BC\_fin QP"**

Frequency	Level	Transd	Reading	Limit	Margin	Line	PE
MHz	dB $\mu$ V	dB	dB $\mu$ V	dB $\mu$ V	dB		
1.878106	48.90	10.1	38.80	56	7.1	L1	GND
2.144271	48.30	10.1	38.20	56	7.7	L1	GND

**MEASUREMENT RESULT: "10TA609\_BC\_fin AV"**

Frequency	Level	Transd	Reading	Limit	Margin	Line	PE
MHz	dB $\mu$ V	dB	dB $\mu$ V	dB $\mu$ V	dB		
1.878106	40.70	10.1	30.60	46	5.3	L1	FLO
2.144271	39.00	10.1	28.90	46	7.0	L1	FLO

Sample calculation (frequency 1.878106MHz for average detector):

$$V_{\text{MEAS}} = V_{\text{READING}} (38.80 \text{ dB}\mu\text{V}) + A_{\text{CORR}} (10.1 \text{ dB}) = 48.90 \text{ dB}\mu\text{V}$$

\*\*\* END OF REPORT BODY \*\*\*