



FCC PART 15C
IC RSS-210
TEST REPORT
No.2011WLN0262

for

TCT Mobile Limited

HSDPA/UMTS dual band / GSM four bands mobile phone

Type: one touch 908S

With

FCC ID: RAD170

IC Number: 9238A-0002

Hardware Version: PIO

Software Version: V61S

Issued Date: 2011-06-22



Deutscher
Akkreditierungs
Rat

No. DGA-PL-114/01-02

DAR accreditation (DIN EN ISO/IEC 17025): No. DGA-PL-114/01-02

FCC 2.948 Listed: No.733176

IC O.A.T.S listed: No.6629A-1

Note:The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China, 100191

Tel:+86(0)10-62304633, Fax:+86(0)10-62304793 Email:welcome@emcite.com. www.emcite.com

CONTENTS

CONTENTS	2
1. TEST LABORATORY.....	6
1.1. TESTING LOCATION	6
1.2. TESTING ENVIRONMENT	6
1.3. PROJECT DATA	6
1.4. SIGNATURE	6
2. CLIENT INFORMATION.....	7
2.1. APPLICANT INFORMATION	7
2.2. MANUFACTURER INFORMATION.....	7
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	8
3.1. ABOUT EUT.....	8
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	8
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	8
3.4. GENERAL DESCRIPTION	8
4. REFERENCE DOCUMENTS	9
4.1. DOCUMENTS SUPPLIED BY APPLICANT.....	9
4.2. REFERENCE DOCUMENTS FOR TESTING.....	9
5. LABORATORY ENVIRONMENT	10
6. SUMMARY OF TEST RESULTS.....	11
6.1. SUMMARY OF TEST RESULTS.....	11
6.2. STATEMENTS.....	11
7. TEST EQUIPMENTS UTILIZED.....	12
ANNEX A: MEASUREMENT RESULTS	13
A.1. MEASUREMENT METHOD	13
A.2. MAXIMUM PEAK OUTPUT POWER	14
A.2.1. MAXIMUM PEAK OUTPUT POWER	14
A.3. PEAK POWER SPECTRAL DENSITY	16
FIG. 1 POWER SPECTRAL DENSITY (802.11B, CH 1)	17
FIG. 2 POWER SPECTRAL DENSITY (802.11B, CH 6)	17
FIG. 3 POWER SPECTRAL DENSITY (802.11B, CH 11)	18
FIG. 4 POWER SPECTRAL DENSITY (802.11G, CH 1)	18
FIG. 5 POWER SPECTRAL DENSITY (802.11G, CH 6)	19
FIG. 6 POWER SPECTRAL DENSITY (802.11G, CH 11)	19
FIG. 7 POWER SPECTRAL DENSITY (802.11N-20MHz, CH 1)	20
FIG. 8 POWER SPECTRAL DENSITY (802.11N-20MHz, CH 6)	20
FIG. 9 POWER SPECTRAL DENSITY (802.11N-20MHz, CH 11)	21
A.4. OCCUPIED 6DB BANDWIDTH	22

FIG. 10 OCCUPIED 6dB BANDWIDTH (802.11B, CH 1)	23
FIG. 11 OCCUPIED 6dB BANDWIDTH (802.11B, CH 6)	23
FIG. 12 OCCUPIED 6dB BANDWIDTH (802.11B, CH 11)	24
FIG. 13 OCCUPIED 6dB BANDWIDTH (802.11G, CH 1)	24
FIG. 14 OCCUPIED 6dB BANDWIDTH (802.11G, CH 6)	25
FIG. 15 OCCUPIED 6dB BANDWIDTH (802.11G, CH 11)	25
FIG. 16 OCCUPIED 6dB BANDWIDTH (802.11N-20MHz, CH 1)	26
FIG. 17 OCCUPIED 6dB BANDWIDTH (802.11N-20MHz, CH 6)	26
FIG. 18 OCCUPIED 6dB BANDWIDTH (802.11N-20MHz, CH 11)	27
A.5. BAND EDGES COMPLIANCE	28
FIG. 19 BAND EDGES (802.11B, CH 1)	29
FIG. 20 BAND EDGES (802.11B, CH 11)	29
FIG. 21 BAND EDGES (802.11G, CH 1)	30
FIG. 22 BAND EDGES (802.11G, CH 11)	30
FIG. 23 BAND EDGES (802.11N-20MHz, CH 1)	31
FIG. 24 BAND EDGES (802.11N-20MHz, CH 11)	31
A.6. TRANSMITTER SPURIOUS EMISSION	32
A.6.1 TRANSMITTER SPURIOUS EMISSION - CONDUCTED	32
FIG. 25 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, CENTER FREQUENCY)	35
FIG. 26 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 30 MHz-1 GHz)	35
FIG. 27 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 1 GHz-2.5 GHz)	36
FIG. 28 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 2.5 GHz-7.5 GHz)	36
FIG. 29 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 7.5 GHz-10 GHz)	37
FIG. 30 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 10 GHz-15 GHz)	37
FIG. 31 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 15 GHz-20 GHz)	38
FIG. 32 CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 20 GHz-26 GHz)	38
FIG. 33 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, CENTER FREQUENCY)	39
FIG. 34 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 30 MHz-1 GHz)	39
FIG. 35 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 1 GHz-2.5 GHz)	40
FIG. 36 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 2.5 GHz-7.5 GHz)	40
FIG. 37 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 7.5 GHz-10 GHz)	41
FIG. 38 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 10 GHz-15 GHz)	41
FIG. 39 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 15 GHz-20 GHz)	42
FIG. 40 CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 20 GHz-26 GHz)	42
FIG. 41 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, CENTER FREQUENCY)	43
FIG. 42 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 30 MHz-1 GHz)	43
FIG. 43 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 1 GHz-2.5 GHz)	44
FIG. 44 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 2.5 GHz-7.5 GHz)	44
FIG. 45 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 7.5 GHz-10 GHz)	45
FIG. 46 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 10 GHz-15 GHz)	45
FIG. 47 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 15 GHz-20 GHz)	46
FIG. 48 CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 20 GHz-26 GHz)	46
FIG. 49 CONDUCTED SPURIOUS EMISSION (802.11G, CH1, CENTER FREQUENCY)	47
FIG. 50 CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 30 MHz-1 GHz)	47

FIG. 51	CONDUCTED SPURIOUS EMISSION ((802.11G, CH1, 1 GHz-2.5 GHz).....	48
FIG. 52	CONDUCTED SPURIOUS EMISSION ((802.11G, CH1, 2.5 GHz-7.5 GHz).....	48
FIG. 53	CONDUCTED SPURIOUS EMISSION ((802.11G, CH1, 7.5 GHz-10 GHz).....	49
FIG. 54	CONDUCTED SPURIOUS EMISSION ((802.11G, CH1, 10 GHz-15 GHz).....	49
FIG. 55	CONDUCTED SPURIOUS EMISSION ((802.11G, CH1, 15 GHz-20 GHz).....	50
FIG. 56	CONDUCTED SPURIOUS EMISSION ((802.11G, CH1, 20 GHz-26 GHz).....	50
FIG. 57	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, CENTER FREQUENCY).....	51
FIG. 58	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 30 MHz-1 GHz)	51
FIG. 59	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 1 GHz-2.5 GHz).....	52
FIG. 60	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 2.5 GHz-7.5 GHz).....	52
FIG. 61	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 7.5 GHz-10 GHz).....	53
FIG. 62	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 10 GHz-15 GHz).....	53
FIG. 63	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 15 GHz-20 GHz).....	54
FIG. 64	CONDUCTED SPURIOUS EMISSION ((802.11G, CH6, 20 GHz-26 GHz).....	54
FIG. 65	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, CENTER FREQUENCY)	55
FIG. 66	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 30 MHz-1 GHz)	55
FIG. 67	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 1 GHz-2.5 GHz).....	56
FIG. 68	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 2.5 GHz-7.5 GHz).....	56
FIG. 69	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 7.5 GHz-10 GHz).....	57
FIG. 70	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 10 GHz-15 GHz).....	57
FIG. 71	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 15 GHz-20 GHz).....	58
FIG. 72	CONDUCTED SPURIOUS EMISSION ((802.11G, CH11, 20 GHz-26 GHz).....	58
FIG. 73	CONDUCTED SPURIOUS EMISSION (802.11N-20MHz, CH1, CENTER FREQUENCY)	59
FIG. 74	CONDUCTED SPURIOUS EMISSION (802.11N-20MHz, CH1, 30 MHz-1 GHz)	59
FIG. 75	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH1, 1 GHz-2.5 GHz).....	60
FIG. 76	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH1, 2.5 GHz-7.5 GHz).....	60
FIG. 77	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH1, 7.5 GHz-10 GHz).....	61
FIG. 78	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH1, 10 GHz-15 GHz).....	61
FIG. 79	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH1, 15 GHz-20 GHz).....	62
FIG. 80	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH1, 20 GHz-26 GHz).....	62
FIG. 81	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, CENTER FREQUENCY)	63
FIG. 82	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 30 MHz-1 GHz)	63
FIG. 83	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 1 GHz-2.5 GHz).....	64
FIG. 84	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 2.5 GHz-7.5 GHz).....	64
FIG. 85	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 7.5 GHz-10 GHz).....	65
FIG. 86	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 10 GHz-15 GHz).....	65
FIG. 87	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 15 GHz-20 GHz).....	66
FIG. 88	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH6, 20 GHz-26 GHz).....	66
FIG. 89	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, CENTER FREQUENCY)	67
FIG. 90	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 30 MHz-1 GHz)	67
FIG. 91	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 1 GHz-2.5 GHz).....	68
FIG. 92	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 2.5 GHz-7.5 GHz).....	68
FIG. 93	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 7.5 GHz-10 GHz)	69
FIG. 94	CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 10 GHz-15 GHz)	69

FIG. 95 CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 15 GHz-20 GHz)	70
FIG. 96 CONDUCTED SPURIOUS EMISSION ((802.11N-20MHz, CH11, 20 GHz-26 GHz)	70
A.6.2 TRANSMITTER SPURIOUS EMISSION - RADIATED	71
FIG. 97 RADIATED SPURIOUS EMISSION (POWER): 802.11B, CH1, 2.38 GHz - 243GHz	77
FIG. 98 RADIATED SPURIOUS EMISSION (802.11B, CH1, 30 MHz-1 GHz)	77
FIG. 99 RADIATED SPURIOUS EMISSION (802.11B, CH1, 1 GHz-4 GHz)	78
FIG. 100 RADIATED SPURIOUS EMISSION (802.11B, CH1, 4 GHz-18 GHz)	78
FIG. 101 RADIATED SPURIOUS EMISSION (802.11B, CH6, 30 MHz-1 GHz)	79
FIG. 102 RADIATED SPURIOUS EMISSION (802.11B, CH6, 1 GHz-4 GHz)	79
FIG. 103 RADIATED SPURIOUS EMISSION (802.11B, CH6, 4 GHz-18 GHz)	80
FIG. 104 RADIATED SPURIOUS EMISSION (POWER): 802.11B, CH11, 2.45 GHz - 2.50GHz.....	80
FIG. 105 RADIATED SPURIOUS EMISSION (802.11B, CH11, 30 MHz-1 GHz)	81
FIG. 106 RADIATED SPURIOUS EMISSION (802.11B, CH11, 1 GHz-4 GHz)	81
FIG. 107 RADIATED SPURIOUS EMISSION (802.11B, CH11, 4 GHz-18 GHz)	82
FIG. 108 RADIATED SPURIOUS EMISSION (POWER): 802.11G, CH1, 2.38 GHz - 2.43GHz.....	82
FIG. 109 RADIATED SPURIOUS EMISSION (802.11G, CH1, 30 MHz-1 GHz)	83
FIG. 110 RADIATED SPURIOUS EMISSION (802.11G, CH1, 1 GHz-4 GHz)	83
FIG. 111 RADIATED SPURIOUS EMISSION (802.11G, CH1, 4 GHz-18 GHz)	84
FIG. 112 RADIATED SPURIOUS EMISSION (802.11G, CH6, 30 MHz-1 GHz)	84
FIG. 113 RADIATED SPURIOUS EMISSION (802.11G, CH6, 1 GHz-4 GHz)	85
FIG. 114 RADIATED SPURIOUS EMISSION (802.11G, CH6, 4 GHz-18 GHz)	85
FIG. 115 RADIATED SPURIOUS EMISSION (POWER): 802.11G, CH11, 2.45 GHz - 2.50GHz.....	86
FIG. 116 RADIATED SPURIOUS EMISSION (802.11G, CH11, 30 MHz-1 GHz)	86
FIG. 117 RADIATED SPURIOUS EMISSION (802.11G, CH11, 1 GHz-4 GHz)	87
FIG. 118 RADIATED SPURIOUS EMISSION (802.11G, CH11, 4 GHz-18 GHz)	87
FIG. 119 RADIATED SPURIOUS EMISSION (POWER): 802.11N-20MHz, ch1, 2.38 GHz - 2.43GHz	88
FIG. 120 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH1, 30 MHz-1 GHz)	88
FIG. 121 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH1, 1 GHz-4 GHz)	89
FIG. 122 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH1, 4 GHz-18 GHz)	89
FIG. 123 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH6, 30 MHz-1 GHz)	90
FIG. 124 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH6, 1 GHz-4 GHz)	90
FIG. 125 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH6, 4 GHz-18 GHz)	91
FIG. 126 RADIATED SPURIOUS EMISSION (POWER): 802.11N-20MHz, CH11, 2.45 GHz - 2.50GHz	91
FIG. 127 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH11, 30 MHz-1 GHz)	92
FIG. 128 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH11, 1 GHz-4 GHz)	92
FIG. 129 RADIATED SPURIOUS EMISSION (802.11N-20MHz, CH11, 4 GHz-18 GHz)	93
FIG. 130 RADIATED EMISSION: 18 GHz - 26.5 GHz	93
A.7. AC POWERLINE CONDUCTED EMISSION	94
FIG. 131 AC POWERLINE CONDUCTED EMISSION-802.11B	95
FIG. 132 AC POWERLINE CONDUCTED EMISSION-802.11G	96
FIG. 133 AC POWERLINE CONDUCTED EMISSION-802.11N-20MHz	97

1. TEST LABORATORY

1.1. Testing Location

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT
Address: No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China
Postal Code: 100191
Telephone: 00861062304633
Fax: 00861062304793

1.2. Testing Environment

Normal Temperature: 15-30°C
Extreme Temperature: -20/+55°C
Relative Humidity: 30-60%
Air Pressure 990hPa-1040hPa

Note: The climatic requirements above are general exclude the special requirements for dedicated test environments listed in section 5 and some specific test cases in other parts of this report.

1.3. Project data

Testing End Date: 2011-06-14

1.4. Signature

Sun Zhenyu
(Prepared this test report)

Gao Hong
(Reviewed this test report)

Lu Bingsong
Deputy Director of the laboratory
(Approved this test report)

2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: TCT Mobile Limited
Address /Post: 5F, E building, No. 232, Liang Jing Road ZhangJiang High-Tech Park,
Pudong Area Shanghai, P.R. China. 201203
City: Shanghai
Postal Code: 201203
Country: China
Contact: Gong Zhizhou
Email: zhizhou.gong@jrdcom.com
Telephone: 0086-21-61460890
Fax: 0086-21-61460602

2.2. Manufacturer Information

Company Name: TCT Mobile Limited
Address /Post: 5F, E building, No. 232, Liang Jing Road ZhangJiang High-Tech Park,
Pudong Area Shanghai, P.R. China. 201203
City: Shanghai
Postal Code: 201203
Country: China
Contact: Gong Zhizhou
Email: zhizhou.gong@jrdcom.com
Telephone: 0086-21-61460890
Fax: 0086-21-61460602

3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)

3.1. About EUT

Description	HSDPA/UMTS dual band / GSM four bands mobile phone
Type	one touch 908S
FCC ID	RAD170
IC Number	9238A-0002
With WLAN Function	Yes
Frequency Range	ISM 2400MHz~2483.5MHz
Type of Modulation	DSSS/CCK/OFDM
Number of Channels	11
Antenna	Integral Antenna
MAX Conducted Power	22.90dBm(OFDM)
Power Supply	3.7V DC by Battery

Note: Photographs of EUT are shown in ANNEX C of this test report.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version
EUT1	012636000020815	PIO	V61S
EUT2	012636000020948	PIO	V61S

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description	Type	SN
AE1	Battery	CAB31P0000C1	/
AE2	Travel Adapter	CBA3001AG0C1	/
AE3	Travel Adapter	CBA3001AG0C2	/
AE4	Travel Adapter	CBA3000AG0C1	/

*AE ID: is used to identify the test sample in the lab internally.

3.4. General Description

Equipment Under Test (EUT) is a model of HSDPA/UMTS dual band / GSM four bands mobile phone with integrated antenna. It consists of normal options: Battery and Charger.

Manual and specifications of the EUT were provided to fulfil the test.

Samples undergoing test were selected by the Client.

4. REFERENCE DOCUMENTS

4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	Oct, 2009 Edition
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2009
KDB558074	Measurement of Digital Transmission Systems Operating under Section 15.247	March 23, 2005
IC RSS-210	RSS-210 Spectrum Management and Telecommunications Radio Standards Specification - Low-power Licence-exempt Radiocommunication Devices (All Frequency Bands): Category I Equipment	Issue 8 Dec 2010

5. LABORATORY ENVIRONMENT

Shielding Room1 (6.0 meters×3.0 meters×2.7 meters) did not exceed following limits along the conducted RF performance testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

Control room did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω

Semi-anechoic chamber (23 meters×17meters×10meters) did not exceed following limits along the EMC testing::

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.2 dB, 10 m distance, from 30 to 1000 MHz
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

Shielding Room2 (7.30 meters×4.00 meters×3.80 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

6. SUMMARY OF TEST RESULTS

6.1. Summary of Test Results

SUMMARY OF MEASUREMENT RESULTS	Sub-clause of Part15C	Sub-clause of IC	Verdict
Maximum Peak Output Power	15.247 (a)	A8.4	P
Peak Power Spectral Density	15.247 (d)	A8.2, A8.3	P
Occupied 6dB Bandwidth	15.247 (d)	A8.2	P
Band Edges Compliance	15.247 (b)	A8.5	P
Transmitter Spurious Emission - Conducted	15.247	A8.5	P
Transmitter Spurious Emission - Radiated	15.247, 15.209, 15.209	A8.5	P
AC Powerline Conducted Emission	15.107, 15.207	7.2.2	P

Please refer to **ANNEX A** for detail.

The measurement is made according to Public notice KDB558074 and ANSI C63.4.

Terms used in Verdict column

P	Pass, The EUT complies with the essential requirements in the standard.
NP	Not Perform, The test was not performed by TMC
NA	Not Applicable, The test was not applicable
F	Fail, The EUT does not comply with the essential requirements in the standard

6.2. Statements

TMC has evaluated the test cases requested by the client/manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.1.

This report only deals with the WLAN function among the features described in section 3.

Test Conditions

T nom	Normal Temperature
T min	Low Temperature
T max	High Temperature
V nom	Normal Voltage
V min	Low Voltage
V max	High Voltage
H nom	Norm Humidity
A nom	Norm Air Pressure

For this report, all the test case listed above are tested under Normal Temperature and Normal Voltage, and also under norm humidity, the specific conditions as following:

Temperature	T nom	26°C
Voltage	V nom	3.6V(By battery)
Humidity	H nom	44%
Air Pressure	A nom	1010hPa

7. TEST EQUIPMENTS UTILIZED

Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSQ40	200089	Rohde & Schwarz	2011-07-19
2	Test Receiver	ESS	847151/015	Rohde & Schwarz	2011-10-30
3	LISN	ESH2-Z5	829991/012	Rohde & Schwarz	2011-08-12

Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESI40	831564/002	Rohde & Schwarz	2011-08-11
2	BiLog Antenna	3142B	9908-1403	EMCO	2012-03-15
3	Dual-Ridge Waveguide Horn Antenna	3115	9906-5827	EMCO	2011-12-25

Anechoic chamber


Anechoic chamber by Frankonia German.

ANNEX A: MEASUREMENT RESULTS

A.1. Measurement Method

A.1.1. Conducted Measurements

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode.
- 3). Set the EUT to the required channel.
- 4). Set the spectrum analyzer to start measurement.
- 5). Record the values. Vector Signal Analyzer




A.1.2. Radiated Emission Measurements

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 10Hz;



The measurement is made according to ANSI C63.4 and KDB558074

A.2. Maximum Peak Output Power

Measurement Limit and Method:

Standard	Limit (dBm)
FCC CRF Part 15.247(b) RSS-210 A8.4	< 30

The measurement is made according to ANSI C63.4 and KDB558074, and power output option 1 (RBW=20MHz) in KDB558074 is used for the test. EUT is operating in continuous transmitting mode

Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------

A.2.1. Maximum Peak Output Power

Measurement Results:

802.11b/g mode

Mode	Data Rate (Mbps)	Test Result (dBm)		
		2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11b	1	18.92	/	/
	2	19.20	/	/
	5.5	20.39	/	/
	11	21.89	21.92	22.30
802.11g	6	21.93	22.90	22.28
	9	21.77	/	/
	12	21.52	/	/
	18	21.55	/	/
	24	21.92	/	/
	36	21.83	/	/
	48	21.85	/	/
	54	21.87	/	/

The data rate 11Mbps and 6Mbps are selected as worse condition, and the following cases are performed with this condition.

802.11n mode

Mode	Data Rate (MCS Index)	Test Result (dBm)		
		2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11n (20MHz BW)	MCS0	21.62	/	/
	MCS1	21.60	/	/
	MCS2	21.20	/	/
	MCS3	21.80	21.78	22.07
	MCS4	21.55	/	/

	MCS5	21.69	/	/
	MCS6	21.70	/	/
	MCS7	21.72	/	/
802.11n (40MHz)	MCS0	/	/	/
	MCS1	/	/	/
	MCS2	/	/	/
	MCS3	/	/	/
	MCS4	/	/	/
	MCS5	/	/	/
	MCS6	/	/	/
	MCS7	/	/	/

The data rate index of MCS3 is selected as worse condition, and the following cases are performed with this condition.

Conclusion: PASS

A.3. Peak Power Spectral Density

Measurement Limit:

Standard	Limit
FCC CRF Part 15.247(d) RSS-210 A8.2, A8.3	< 8 dBm/3 kHz

The measurement is made according to ANSI C63.4 and KDB558074

Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------

Measurement Results:

802.11b/g mode


Mode	Channel	Power Spectral Density (dBm/3 kHz)		Conclusion
802.11b	1	Fig.1	-6.85	P
	6	Fig.2	-6.02	P
	11	Fig.3	-6.69	P
802.11g	1	Fig.4	-10.00	P
	6	Fig.5	-10.03	P
	11	Fig.6	-9.50	P

802.11n mode


Mode	Channel	Power Spectral Density (dBm/3 kHz)		Conclusion
802.11n (20MHz)	1	Fig.7	-10.14	P
	6	Fig.8	-10.08	P
	11	Fig.9	-9.53	P
802.11n (40MHz)	/	/	/	/
	/	/	/	/
	/	/	/	/

Conclusion: PASS

Test graphs as below:




Date: 14.JUN.2011 19:20:01


Fig. 1 Power Spectral Density (802.11b, Ch 1)


Date: 14.JUN.2011 19:10:32

Fig. 2 Power Spectral Density (802.11b, Ch 6)




Date: 14.JUN.2011 19:28:55


Fig. 3 Power Spectral Density (802.11b, Ch 11)


Date: 14.JUN.2011 19:41:11

Fig. 4 Power Spectral Density (802.11g, Ch 1)




Date: 14.JUN.2011 19:49:58


Fig. 5 Power Spectral Density (802.11g, Ch 6)


Date: 14.JUN.2011 20:17:56

Fig. 6 Power Spectral Density (802.11g, Ch 11)




Date: 14.JUN.2011 17:44:58

Fig. 7 Power Spectral Density (802.11n-20MHz, Ch 1)


Date: 14.JUN.2011 20:37:52

Fig. 8 Power Spectral Density (802.11n-20MHz, Ch 6)



Date: 14.JUN.2011 20:47:35

Fig. 9 Power Spectral Density (802.11n-20MHz, Ch 11)

A.4. Occupied 6dB Bandwidth**Measurement Limit:**

Standard	Limit (kHz)
FCC 47 CFR Part 15.247 (a) RSS-210 A8.2	≥ 500

The measurement is made according to ANSI C63.4 and KDB558074

Measurement Uncertainty:

Measurement Uncertainty	60.80Hz
-------------------------	---------


Measurement Result:**802.11b/g mode**

Mode	Channel	Occupied 6dB Bandwidth (kHz)		conclusion
802.11b	1	Fig.10	7788	P
	6	Fig.11	7788	P
	11	Fig.12	8029	P
802.11g	1	Fig.13	15192	P
	6	Fig.14	15144	P
	11	Fig.15	15192	P


802.11n mode

Mode	Channel	Occupied 6dB Bandwidth (kHz)		conclusion
802.11n (20MHz)	1	Fig.16	15481	P
	6	Fig.17	16058	P
	11	Fig.18	15433	P
802.11n (40MHz)	/	/	/	/
	/	/	/	/
	/	/	/	/

Conclusion: PASS**Test graphs as below:**




Date: 14.JUN.2011 18:03:06


Fig. 10 Occupied 6dB Bandwidth (802.11b, Ch 1)


Date: 14.JUN.2011 18:01:36

Fig. 11 Occupied 6dB Bandwidth (802.11b, Ch 6)




Date: 14.JUN.2011 17:59:53


Fig. 12 Occupied 6dB Bandwidth (802.11b, Ch 11)


Date: 14.JUN.2011 17:55:45

Fig. 13 Occupied 6dB Bandwidth (802.11g, Ch 1)




Date: 14.JUN.2011 17:53:29


Fig. 14 Occupied 6dB Bandwidth (802.11g, Ch 6)


Date: 14.JUN.2011 17:57:08

Fig. 15 Occupied 6dB Bandwidth (802.11g, Ch 11)




Date: 14.JUN.2011 18:05:36

Fig. 16 Occupied 6dB Bandwidth (802.11n-20MHz, Ch 1)


Date: 14.JUN.2011 18:07:44

Fig. 17 Occupied 6dB Bandwidth (802.11n-20MHz, Ch 6)



Date: 14.JUN.2011 18:09:35

Fig. 18 Occupied 6dB Bandwidth (802.11n-20MHz, Ch 11)

A.5. Band Edges Compliance

Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d) RSS-210 A8.5	> 20

The measurement is made according to ANSI C63.4 and KDB558074

Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------


Measurement Result:**802.11b/g mode**

Mode	Channel	Test Results	Conclusion
802.11b	1	Fig.19	P
	11	Fig.20	P
802.11g	1	Fig.21	P
	11	Fig.22	P


802.11n mode

Mode	Channel	Test Results	Conclusion
802.11b	1	Fig.23	P
	11	Fig.24	P
802.11g	/	/	/
	/	/	/

Conclusion: PASS**Test graphs as below:**




Date: 14.JUN.2011 18:14:59


Fig. 19 Band Edges (802.11b, Ch 1)


Date: 14.JUN.2011 18:11:54

Fig. 20 Band Edges (802.11b, Ch 11)




Date: 14.JUN.2011 18:14:01


Fig. 21 Band Edges (802.11g, Ch 1)


Date: 14.JUN.2011 18:12:55

Fig. 22 Band Edges (802.11g, Ch 11)



Date: 14.JUN.2011 18:15:50

Fig. 23 Band Edges (802.11n-20MHz, Ch 1)


Date: 14.JUN.2011 18:11:01

Fig. 24 Band Edges (802.11n-20MHz, Ch 11)

A.6. Transmitter Spurious Emission

A.6.1 Transmitter Spurious Emission - Conducted

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d) RSS-210 A8.5	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to ANSI C63.4 and KDB558074

Measurement Uncertainty:

Frequency Range	Uncertainty
30MHz ≤ f ≤ 2GHz	0.63
2GHz ≤ f ≤ 3.6GHz	0.82
3.6GHz ≤ f ≤ 8GHz	1.55
8GHz ≤ f ≤ 20GHz	1.86
20GHz ≤ f ≤ 22GHz	1.90
22GHz ≤ f ≤ 26GHz	2.20

Measurement Results:

802.11b/g mode

MODE	Channel	Frequency Range	Test Results	Conclusion
802.11b	1	2.412 GHz	Fig.25	P
		30 MHz ~ 1 GHz	Fig.26	P
		1GHz-2.5GHz	Fig.27	P
		2.5GHz-7.5GHz	Fig.28	P
		7.5GHz-10GHz	Fig.29	P
		10GHz-15GHz	Fig.30	P
		15GHz-20GHz	Fig.31	P
		20GHz-26GHz	Fig.32	P
	6	2.437 GHz	Fig.33	P
		30 MHz ~ 1 GHz	Fig.34	P
		1GHz-2.5GHz	Fig.35	P
		2.5GHz-7.5GHz	Fig.36	P
		7.5GHz-10GHz	Fig.37	P
		10GHz-15GHz	Fig.38	P
		15GHz-20GHz	Fig.39	P
		20GHz-26GHz	Fig.40	P
	11	2.462 GHz	Fig.41	P
		30 MHz ~ 1 GHz	Fig.42	P
		1GHz-2.5GHz	Fig.43	P
		2.5GHz-7.5GHz	Fig.44	P



		7.5GHz-10GHz	Fig.45	P
		10GHz-15GHz	Fig.46	P
		15GHz-20GHz	Fig.47	P
		20GHz-26GHz	Fig.48	P
802.11g	1	2.412 GHz	Fig.49	P
		30 MHz ~ 1 GHz	Fig.50	P
		1GHz-2.5GHz	Fig.51	P
		2.5GHz-7.5GHz	Fig.52	P
		7.5GHz-10GHz	Fig.53	P
		10GHz-15GHz	Fig.54	P
		15GHz-20GHz	Fig.55	P
		20GHz-26GHz	Fig.56	P
802.11g	6	2.437 GHz	Fig.57	P
		30 MHz ~ 1 GHz	Fig.58	P
		1GHz-2.5GHz	Fig.59	P
		2.5GHz-7.5GHz	Fig.60	P
		7.5GHz-10GHz	Fig.61	P
		10GHz-15GHz	Fig.62	P
		15GHz-20GHz	Fig.63	P
		20GHz-26GHz	Fig.64	P
802.11g	11	2.462 GHz	Fig.65	P
		30 MHz ~ 1 GHz	Fig.66	P
		1GHz-2.5GHz	Fig.67	P
		2.5GHz-7.5GHz	Fig.68	P
		7.5GHz-10GHz	Fig.69	P
		10GHz-15GHz	Fig.70	P
		15GHz-20GHz	Fig.71	P
		20GHz-26GHz	Fig.72	P



802.11b/g mode


MODE	Channel	Frequency Range	Test Results	Conclusion
802.11n (20MHz)	1	2.412 GHz	Fig.73	P
		30 MHz ~ 1 GHz	Fig.74	P
		1GHz-2.5GHz	Fig.75	P
		2.5GHz-7.5GHz	Fig.76	P
		7.5GHz-10GHz	Fig.77	P
		10GHz-15GHz	Fig.78	P
		15GHz-20GHz	Fig.79	P
		20GHz-26GHz	Fig.80	P
802.11n (20MHz)	6	2.437 GHz	Fig.81	P
		30 MHz ~ 1 GHz	Fig.82	P
		1GHz-2.5GHz	Fig.83	P
		2.5GHz-7.5GHz	Fig.84	P

		7.5GHz-10GHz	Fig.85	P
		10GHz-15GHz	Fig.86	P
		15GHz-20GHz	Fig.87	P
		20GHz-26GHz	Fig.88	P
11	/	2.462 GHz	Fig.89	P
		30 MHz ~ 1 GHz	Fig.90	P
		1GHz-2.5GHz	Fig.91	P
		2.5GHz-7.5GHz	Fig.92	P
		7.5GHz-10GHz	Fig.93	P
		10GHz-15GHz	Fig.94	P
		15GHz-20GHz	Fig.95	P
		20GHz-26GHz	Fig.96	P
802.11n (40MHz)	/	/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
	/	/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
/	/	/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/
		/	/	/


Conclusion: PASS
Test graphs as below:


Fig. 25 Conducted Spurious Emission (802.11b, Ch1, Center Frequency)

Fig. 26 Conducted Spurious Emission (802.11b, Ch1, 30 MHz-1 GHz)


Fig. 27 Conducted Spurious Emission (802.11b, Ch1, 1 GHz-2.5 GHz)

Fig. 28 Conducted Spurious Emission (802.11b, Ch1, 2.5 GHz-7.5 GHz)




Date: 14.JUN.2011 18:25:42


Fig. 29 Conducted Spurious Emission (802.11b, Ch1, 7.5 GHz-10 GHz)


Date: 14.JUN.2011 18:25:59

Fig. 30 Conducted Spurious Emission (802.11b, Ch1, 10 GHz-15 GHz)






Date: 14.JUN.2011 18:26:11

Fig. 31 Conducted Spurious Emission (802.11b, Ch1, 15 GHz-20 GHz)



Date: 14.JUN.2011 18:26:28

Fig. 32 Conducted Spurious Emission (802.11b, Ch1, 20 GHz-26 GHz)


Fig. 33 Conducted Spurious Emission (802.11b, Ch6, Center Frequency)

Fig. 34 Conducted Spurious Emission (802.11b, Ch6, 30 MHz-1 GHz)




Date: 14.JUN.2011 18:32:19


Fig. 35 Conducted Spurious Emission (802.11b, Ch6, 1 GHz-2.5 GHz)


Date: 14.JUN.2011 18:32:40

Fig. 36 Conducted Spurious Emission (802.11b, Ch6, 2.5 GHz-7.5 GHz)




Date: 14.JUN.2011 18:47:51


Fig. 37 Conducted Spurious Emission (802.11b, Ch6, 7.5 GHz-10 GHz)


Date: 14.JUN.2011 18:48:12

Fig. 38 Conducted Spurious Emission (802.11b, Ch6, 10 GHz-15 GHz)






Date: 14.JUN.2011 18:48:22

Fig. 39 Conducted Spurious Emission (802.11b, Ch6, 15 GHz-20 GHz)



Date: 14.JUN.2011 18:48:35

Fig. 40 Conducted Spurious Emission (802.11b, Ch6, 20 GHz-26 GHz)


Fig. 41 Conducted Spurious Emission (802.11b, Ch11, Center Frequency)

Fig. 42 Conducted Spurious Emission (802.11b, Ch11, 30 MHz-1 GHz)




Date: 14.JUN.2011 20:51:30


Fig. 43 Conducted Spurious Emission (802.11b, Ch11, 1 GHz-2.5 GHz)


Date: 14.JUN.2011 20:52:44

Fig. 44 Conducted Spurious Emission (802.11b, Ch11, 2.5 GHz-7.5 GHz)






Date: 14.JUN.2011 20:53:00

Fig. 45 Conducted Spurious Emission (802.11b, Ch11, 7.5 GHz-10 GHz)



Date: 14.JUN.2011 20:53:12

Fig. 46 Conducted Spurious Emission (802.11b, Ch11, 10 GHz-15 GHz)


Fig. 47 Conducted Spurious Emission (802.11b, Ch11, 15 GHz-20 GHz)

Fig. 48 Conducted Spurious Emission (802.11b, Ch11, 20 GHz-26 GHz)







Date: 14.JUN.2011 18:16:49



Fig. 49 Conducted Spurious Emission (802.11g, Ch1, Center Frequency)



Date: 14.JUN.2011 18:17:02

Fig. 50 Conducted Spurious Emission (802.11g, Ch1, 30 MHz-1 GHz)



Fig. 51 Conducted Spurious Emission ((802.11g, Ch1, 1 GHz-2.5 GHz)

Fig. 52 Conducted Spurious Emission ((802.11g, Ch1, 2.5 GHz-7.5 GHz)


Fig. 53 Conducted Spurious Emission ((802.11g, Ch1, 7.5 GHz-10 GHz)

Fig. 54 Conducted Spurious Emission ((802.11g, Ch1, 10 GHz-15 GHz)


Fig. 55 Conducted Spurious Emission ((802.11g, Ch1, 15 GHz-20 GHz)

Fig. 56 Conducted Spurious Emission ((802.11g, Ch1, 20 GHz-26 GHz)






Date: 14.JUN.2011 18:19:02

Fig. 57 Conducted Spurious Emission ((802.11g, Ch6, Center Frequency))



Date: 14.JUN.2011 18:19:13

Fig. 58 Conducted Spurious Emission ((802.11g, Ch6, 30 MHz-1 GHz))


Fig. 59 Conducted Spurious Emission ((802.11g, Ch6, 1 GHz-2.5 GHz)

Fig. 60 Conducted Spurious Emission ((802.11g, Ch6, 2.5 GHz-7.5 GHz)






Date: 14.JUN.2011 18:20:06

Fig. 61 Conducted Spurious Emission ((802.11g, Ch6, 7.5 GHz-10 GHz)



Date: 14.JUN.2011 18:20:18

Fig. 62 Conducted Spurious Emission ((802.11g, Ch6, 10 GHz-15 GHz)


Fig. 63 Conducted Spurious Emission ((802.11g, Ch6, 15 GHz-20 GHz)

Fig. 64 Conducted Spurious Emission ((802.11g, Ch6, 20 GHz-26 GHz)






Date: 14.JUN.2011 18:21:36

Fig. 65 Conducted Spurious Emission ((802.11g, Ch11, Center Frequency))



Date: 14.JUN.2011 18:21:48

Fig. 66 Conducted Spurious Emission ((802.11g, Ch11, 30 MHz-1 GHz))


Fig. 67 Conducted Spurious Emission ((802.11g, Ch11, 1 GHz-2.5 GHz)

Fig. 68 Conducted Spurious Emission ((802.11g, Ch11, 2.5 GHz-7.5 GHz)




Date: 14.JUN.2011 18:22:27


Fig. 69 Conducted Spurious Emission ((802.11g, Ch11, 7.5 GHz-10 GHz)


Date: 14.JUN.2011 18:22:39

Fig. 70 Conducted Spurious Emission ((802.11g, Ch11, 10 GHz-15 GHz)




Date: 14.JUN.2011 18:22:52


Fig. 71 Conducted Spurious Emission ((802.11g, Ch11, 15 GHz-20 GHz))


Date: 14.JUN.2011 18:23:06

Fig. 72 Conducted Spurious Emission ((802.11g, Ch11, 20 GHz-26 GHz))




Date: 14.JUN.2011 20:56:06


Fig. 73 Conducted Spurious Emission (802.11n-20MHz, Ch1, Center Frequency)


Date: 14.JUN.2011 20:56:22

Fig. 74 Conducted Spurious Emission (802.11n-20MHz, Ch1, 30 MHz-1 GHz)




Date: 14.JUN.2011 20:57:07


Fig. 75 Conducted Spurious Emission ((802.11n-20MHz, Ch1, 1 GHz-2.5 GHz)


Date: 14.JUN.2011 20:57:50

Fig. 76 Conducted Spurious Emission ((802.11n-20MHz, Ch1, 2.5 GHz-7.5 GHz)




Date: 14.JUN.2011 20:58:07


Fig. 77 Conducted Spurious Emission ((802.11n-20MHz, Ch1, 7.5 GHz-10 GHz)


Date: 14.JUN.2011 20:58:20

Fig. 78 Conducted Spurious Emission ((802.11n-20MHz, Ch1, 10 GHz-15 GHz)




Date: 14.JUN.2011 20:58:32


Fig. 79 Conducted Spurious Emission ((802.11n-20MHz, Ch1, 15 GHz-20 GHz)


Date: 14.JUN.2011 20:59:19

Fig. 80 Conducted Spurious Emission ((802.11n-20MHz, Ch1, 20 GHz-26 GHz)




Date: 14.JUN.2011 21:00:33


Fig. 81 Conducted Spurious Emission ((802.11n-20MHz, Ch6, Center Frequency))


Date: 14.JUN.2011 21:00:49

Fig. 82 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 30 MHz-1 GHz))




Date: 14.JUN.2011 21:01:27


Fig. 83 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 1 GHz-2.5 GHz)


Date: 14.JUN.2011 21:01:44

Fig. 84 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 2.5 GHz-7.5 GHz)




Date: 14.JUN.2011 21:02:40


Fig. 85 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 7.5 GHz-10 GHz)


Date: 14.JUN.2011 21:02:56

Fig. 86 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 10 GHz-15 GHz)




Date: 14.JUN.2011 21:03:07


Fig. 87 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 15 GHz-20 GHz))


Date: 14.JUN.2011 21:03:25

Fig. 88 Conducted Spurious Emission ((802.11n-20MHz, Ch6, 20 GHz-26 GHz))




Date: 14.JUN.2011 21:06:05


Fig. 89 Conducted Spurious Emission ((802.11n-20MHz, Ch11, Center Frequency))


Date: 14.JUN.2011 21:06:18

Fig. 90 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 30 MHz-1 GHz))




Date: 14.JUN.2011 21:06:30


Fig. 91 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 1 GHz-2.5 GHz)


Date: 14.JUN.2011 21:06:47

Fig. 92 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 2.5 GHz-7.5 GHz)




Date: 14.JUN.2011 21:07:01


Fig. 93 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 7.5 GHz-10 GHz)


Date: 14.JUN.2011 21:07:18

Fig. 94 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 10 GHz-15 GHz)



Date: 14.JUN.2011 21:07:29

Fig. 95 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 15 GHz-20 GHz)


Date: 14.JUN.2011 21:07:44

Fig. 96 Conducted Spurious Emission ((802.11n-20MHz, Ch11, 20 GHz-26 GHz)

A.6.2 Transmitter Spurious Emission - Radiated**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209 RSS-210 A8.5	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to ANSI C63.4 and KDB558074.

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

Measurement Results:
802.11b/g mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11b	1	Power	Fig.97	P
		30 MHz ~1 GHz	Fig.98	P
		1 GHz ~ 4 GHz	Fig.99	P
		4 GHz ~ 18 GHz	Fig.100	P
	6	30 MHz ~1 GHz	Fig.101	P
		1 GHz ~ 4 GHz	Fig.102	P
		4 GHz ~ 18 GHz	Fig.103	P
	11	Power	Fig.104	P
		30 MHz ~1 GHz	Fig.105	P
		1 GHz ~ 4 GHz	Fig.106	P
		4 GHz ~ 18 GHz	Fig.107	P
802.11g	1	Power	Fig.108	P
		30 MHz ~1 GHz	Fig.109	P
		1 GHz ~ 4 GHz	Fig.110	P
		4 GHz ~ 18 GHz	Fig.111	P
	6	30 MHz ~1 GHz	Fig.112	P
		1 GHz ~ 4 GHz	Fig.113	P
		4 GHz ~ 18 GHz	Fig.114	P
	11	Power	Fig.115	P
		30 MHz ~1 GHz	Fig.116	P
		1 GHz ~ 4 GHz	Fig.117	P
		4 GHz ~ 18 GHz	Fig.118	P

802.11n mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11n (20MHz)	1	Power	Fig.119	P
		30 MHz ~1 GHz	Fig.120	P
		1 GHz ~ 4 GHz	Fig.121	P
		4 GHz ~ 18 GHz	Fig.122	P
	6	30 MHz ~1 GHz	Fig.123	P
		1 GHz ~ 4 GHz	Fig.124	P
		4 GHz ~ 18 GHz	Fig.125	P
	11	Power	Fig.126	P
		30 MHz ~1 GHz	Fig.127	P
		1 GHz ~ 4 GHz	Fig.128	P
		4 GHz ~ 18 GHz	Fig.129	P
802.11n (40MHz)	/	/	/	/
	/	/	/	/
		/	/	/

		/	/	/
/	/	/	/	/
		/	/	/
		/	/	/
	/	/	/	/
/	/	/	/	/
		/	/	/
		/	/	/
/	All channels	18 GHz~ 26.5 GHz	Fig.130	P

Conclusion: PASS

Note:

A "reference path loss" is established and the A_{Rpl} is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

P_{Mea} is the field strength recorded from the instrument.

The measurement results are obtained as described below:

$$\text{Result} = P_{Mea} + A_{Rpl} = P_{Mea} + \text{Cable Loss} + \text{Antenna Factor}$$

802.11b

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3705.411	41.3	-19.1	33.4	27	VERTICAL
3699.399	41.28	-19.2	33.4	27.08	VERTICAL
3713.427	41.28	-18.9	33.4	26.78	VERTICAL
3701.403	41.27	-19.1	33.4	26.97	VERTICAL
3709.419	41.25	-19.1	33.4	26.95	VERTICAL
3703.407	41.24	-19.1	33.4	26.94	VERTICAL

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3703.407	38.63	-19.1	33.4	24.33	VERTICAL
3701.403	38.62	-19.1	33.4	24.32	VERTICAL
3699.399	38.6	-19.2	33.4	24.4	VERTICAL
3705.411	38.58	-19.1	33.4	24.28	VERTICAL
3713.427	38.55	-18.9	33.4	24.05	VERTICAL
3529.058	38.54	-19.2	33.4	24.34	VERTICAL

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3703.407	38.63	-19.1	33.4	24.33	VERTICAL
3701.403	38.62	-19.1	33.4	24.32	VERTICAL
3713.427	38.62	-18.9	33.4	24.12	VERTICAL
3705.411	38.58	-19.1	33.4	24.28	VERTICAL
3693.387	38.55	-19.2	33.4	24.35	VERTICAL
3695.391	38.54	-19.2	33.4	24.34	VERTICAL

802.11g

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3503.006	51.03	-18.9	33.4	36.53	VERTICAL
3551.102	50.61	-19.1	33.4	36.31	VERTICAL
2398.798	50.55	-18.8	27.5	41.85	VERTICAL
3561.122	50.43	-19.2	33.4	36.23	VERTICAL
3901.804	50.25	-18.9	33.4	35.75	VERTICAL
3847.695	50.23	-19.4	33.4	36.23	VERTICAL

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3879.76	50.76	-19	33.4	36.36	VERTICAL
3695.391	50.72	-19.2	33.4	36.52	VERTICAL
3438.878	50.49	-19.3	31.2	38.59	VERTICAL
3474.95	50.47	-19	31.2	38.27	VERTICAL
3527.054	50.43	-19.2	33.4	36.23	VERTICAL
3450.902	50.41	-19.4	31.2	38.61	VERTICAL

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3585.17	51.06	-19.2	33.4	36.86	VERTICAL
3527.054	50.9	-19.2	33.4	36.7	VERTICAL
3695.391	50.72	-19.2	33.4	36.52	VERTICAL
3593.186	50.56	-19.3	33.4	36.46	VERTICAL
3595.19	50.52	-19.3	33.4	36.42	VERTICAL
3703.407	50.46	-19.1	33.4	36.16	VERTICAL

802.11n (20MHz)

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3703.407	41.32	-19.1	33.4	27.02	VERTICAL
3705.411	41.3	-19.1	33.4	27	VERTICAL
3699.399	41.28	-19.2	33.4	27.08	VERTICAL
3701.403	41.27	-19.1	33.4	26.97	VERTICAL
3697.395	41.26	-19.2	33.4	27.06	VERTICAL
3715.431	41.26	-18.9	33.4	26.76	VERTICAL

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3703.407	38.67	-19.1	33.4	24.37	VERTICAL
3701.403	38.62	-19.1	33.4	24.32	VERTICAL
3705.411	38.61	-19.1	33.4	24.31	VERTICAL
3699.399	38.6	-19.2	33.4	24.4	VERTICAL
3711.423	38.58	-18.9	33.4	24.08	VERTICAL
3707.415	38.56	-19.1	33.4	24.26	VERTICAL

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
3703.407	38.63	-19.1	33.4	24.33	VERTICAL
3701.403	38.62	-19.1	33.4	24.32	VERTICAL
3705.411	38.58	-19.1	33.4	24.28	VERTICAL
3699.399	38.57	-19.2	33.4	24.37	VERTICAL
3707.415	38.56	-19.1	33.4	24.26	VERTICAL
3529.058	38.54	-19.2	33.4	24.34	VERTICAL

Test graphs as below:




Fig. 97 Radiated Spurious Emission (Power): 802.11b, ch1, 2.38 GHz - 243GHz




Fig. 98 Radiated Spurious Emission (802.11b, Ch1, 30 MHz-1 GHz)




Fig. 99 Radiated Spurious Emission (802.11b, Ch1, 1 GHz-4 GHz)








Fig. 100 Radiated Spurious Emission (802.11b, Ch1, 4 GHz-18 GHz)

**Fig. 101 Radiated Spurious Emission (802.11b, Ch6, 30 MHz-1 GHz)****Fig. 102 Radiated Spurious Emission (802.11b, Ch6, 1 GHz-4 GHz)**

FCC 4-18G

**Fig. 103 Radiated Spurious Emission (802.11b, Ch6, 4 GHz-18 GHz)****Fig. 104 Radiated Spurious Emission (Power): 802.11b, ch11, 2.45 GHz - 2.50GHz**




Fig. 105 Radiated Spurious Emission (802.11b, Ch11, 30 MHz-1 GHz)




Fig. 106 Radiated Spurious Emission (802.11b, Ch11, 1 GHz-4 GHz)




Fig. 107 Radiated Spurious Emission (802.11b, Ch11, 4 GHz-18 GHz)






Fig. 108 Radiated Spurious Emission (Power): 802.11g, ch1, 2.38 GHz - 2.43GHz


Fig. 109 Radiated Spurious Emission (802.11g, Ch1, 30 MHz-1 GHz)

Fig. 110 Radiated Spurious Emission (802.11g, Ch1, 1 GHz-4 GHz)




Fig. 111 Radiated Spurious Emission (802.11g, Ch1, 4 GHz-18 GHz)




Fig. 112 Radiated Spurious Emission (802.11g, Ch6, 30 MHz-1 GHz)




Fig. 113 Radiated Spurious Emission (802.11g, Ch6, 1 GHz-4 GHz)




Fig. 114 Radiated Spurious Emission (802.11g, Ch6, 4 GHz-18 GHz)




Fig. 115 Radiated Spurious Emission (Power): 802.11g, ch11, 2.45 GHz - 2.50GHz




Fig. 116 Radiated Spurious Emission (802.11g, Ch11, 30 MHz-1 GHz)




Fig. 117 Radiated Spurious Emission (802.11g, Ch11, 1 GHz-4 GHz)




Fig. 118 Radiated Spurious Emission (802.11g, Ch11, 4 GHz-18 GHz)




Fig. 119 Radiated Spurious Emission (Power): 802.11n-20MHz, ch1, 2.38 GHz - 2.43GHz




Fig. 120 Radiated Spurious Emission (802.11n-20MHz, Ch1, 30 MHz-1 GHz)




Fig. 121 Radiated Spurious Emission (802.11n-20MHz, Ch1, 1 GHz-4 GHz)




Fig. 122 Radiated Spurious Emission (802.11n-20MHz, Ch1, 4 GHz-18 GHz)




Fig. 123 Radiated Spurious Emission (802.11n-20MHz, Ch6, 30 MHz-1 GHz)






Fig. 124 Radiated Spurious Emission (802.11n-20MHz, Ch6, 1 GHz-4 GHz)

FCC 4-18G

**Fig. 125 Radiated Spurious Emission (802.11n-20MHz, Ch6, 4 GHz-18 GHz)****Fig. 126 Radiated Spurious Emission (Power): 802.11n-20MHz, ch11, 2.45 GHz - 2.50GHz**




Fig. 127 Radiated Spurious Emission (802.11n-20MHz, Ch11, 30 MHz-1 GHz)




Fig. 128 Radiated Spurious Emission (802.11n-20MHz, Ch11, 1 GHz-4 GHz)




Fig. 129 Radiated Spurious Emission (802.11n-20MHz, Ch11, 4 GHz-18 GHz)




Fig. 130 Radiated emission: 18 GHz - 26.5 GHz

A.7. AC Powerline Conducted Emission

Test Condition:

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

WLAN (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)			Conclusion	
		With charger				
		802.11b	802.11g	802.11n		
0.15 to 0.5	66 to 56					
0.5 to 5	56	Fig. 131	Fig.132	Fig.133	P	
5 to 30	60					

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

WLAN (Average Limit)


Frequency range (MHz)	Average Limit (dB μ V)	Result (dB μ V)			Conclusion	
		With charger				
		802.11b	802.11g	802.11n		
0.15 to 0.5	56 to 46					
0.5 to 5	46	Fig.131	Fig.132	Fig.133	P	
5 to 30	50					

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to ANSI C63.4 and KDB558074

Conclusion: PASS

Test graphs as below:



Fig. 131 AC Powerline Conducted Emission-802.11b

MEASUREMENT RESULT: " EN 55022 V Fin 2-Z5 "

Frequency (MHz)	Level (dB μ V)	Transd (dB)	Limit (dB μ V)	Margin (dB)	Line	PE
0.330000	38.1	10.1	60	21.3	L1	GND
0.400000	44.8	10.1	58	13.1	L1	GND
0.425000	43.5	10.1	57	13.9	L1	GND
0.610000	41.3	10.1	56	14.7	L1	GND
2.000000	34.4	10.1	56	21.6	L1	GND
2.670924	32.8	10.1	56	23.2	L1	GND

MEASUREMENT RESULT: " EN 55022 V Fin 2-Z5"

Frequency (MHz)	Level (dB μ V)	Transd (dB)	Limit (dB μ V)	Margin (dB)	Line	PE
0.400000	42.8	10.1	48	5.1	L1	GND
0.425000	41.9	10.1	47	5.4	L1	GND
0.470000	38.5	10.1	47	8	L1	GND
0.565000	39	10.1	46	7	L1	GND
0.610000	40.3	10.1	46	5.7	L1	GND
0.660000	36.7	10.1	46	9.3	L1	GND



Fig. 132 AC Powerline Conducted Emission-802.11g

MEASUREMENT RESULT: " A02832_WGC1_fin QP"

Frequency (MHz)	Level (dB μ V)	Transd (dB)	Limit (dB μ V)	Margin (dB)	Line	PE
0.295000	45	10.1	60	15.4	L1	GND
0.815000	41.1	10.1	56	14.9	L1	GND
1.910000	41.5	10.1	56	14.5	L1	GND
2.478396	41.1	10.1	56	14.9	L1	GND
2.835661	39.2	10.1	56	16.8	L1	GND
2.995581	34.4	10.1	56	21.6	N	GND

MEASUREMENT RESULT: " A02832_WGC1_fin AV"

Frequency (MHz)	Level (dB μ V)	Transd (dB)	Limit (dB μ V)	Margin (dB)	Line	PE
1.245000	30.1	10.1	46	15.9	L1	GND
1.300000	30.2	10.1	46	15.8	L1	GND
1.810000	32.7	10.1	46	13.3	L1	GND
1.865000	33.4	10.1	46	12.6	L1	GND
1.895000	32.9	10.1	46	13.1	L1	GND
2.276919	32.2	10.1	46	13.8	L1	GND


Fig. 133 AC Powerline Conducted Emission-802.11n-20MHz

MEASUREMENT RESULT: " A02832_WNC1_fin QP "

Frequency (MHz)	Level (dB μ V)	Transd (dB)	Limit (dB μ V)	Margin (dB)	Line	PE
0.155000	46.7	10.1	66	19	L1	GND
0.400000	36	10.1	58	21.8	N	GND
2.102280	28.2	10.1	56	27.8	L1	GND
2.254320	23.2	10.1	56	32.8	L1	GND
2.995581	23.8	10.1	56	32.2	L1	GND
13.919640	28.5	10.3	60	31.5	L1	GND

MEASUREMENT RESULT: " A02832_WNC1_fin AV "

Frequency (MHz)	Level (dB μ V)	Transd (dB)	Limit (dB μ V)	Margin (dB)	Line	PE
0.395000	30.8	10.1	48	17.2	N	GND
2.102280	13.2	10.1	46	32.8	L1	GND
2.429441	11.5	10.1	46	34.5	N	GND
2.995581	12.4	10.1	46	33.6	N	GND
12.852009	14.2	10.2	50	35.8	L1	GND
13.919640	18.9	10.3	50	31.1	L1	GND

*** END OF REPORT BODY ***