



# The Photos of SAR test

No. 2012SAR00092

For

**TCT Mobile Limited**

**CDMA2000 Triple bands mobile phone**

**Model Name: Aeneas Duralife**

**Marketing Name: ONE TOUCH 988**

With

**Hardware Version: V02**

**Software Version: vK29**

**FCCID: RAD284**

**Issued Date: 2012-08-20**



**No. DGA-PL-114/01-02**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. [www.emcite.com](http://www.emcite.com)




**Picture 1: Constituents of the sample**



**Picture 2: Left Hand Touch Cheek Position**



**Picture 3: Left Hand Tilt 15° Position**



**Picture 4: Right Hand Touch Cheek Position**




**Picture 5: Right Hand Tilt 15° Position**

**Test positions for body:**

The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




**Picture 6: Forward Surface**



**Picture 7: Forward Surface with Headset**



**Picture 8: Back Surface**




**Picture 9: Back Surface with Headset**




**Picture 10: Left Side**



**Picture 11: Right Side**



**Picture 12: Top Side**



**Picture 13: Bottom Side**

|