



The Photos of SAR test

No. 2012SAR00106

For

TCT Mobile Limited

UMTS Triband / GSM Quadband mobile phone

Model name: ONE TOUCH 768T

With

Hardware Version: PIO01

Software Version: swC22

IC: 9238A-0012

FCC ID: RAD287

Issued Date: 2012-09-29



No. DGA-PL-114/01-02

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 3 test positions all with the distance =15mm between the EUT and the phantom bottom:




Picture 6: Forward Surface - Folded



Picture 7: Forward Surface - Unfolded



Picture 8: Back Surface - Folded



Picture 9: Back Surface with Headset - Folded