



The Photos of SAR test

No. 2012SAR00088

For

TCT Mobile Limited

HSUPA/HSDPA/UMTS single band / GSM quad bands mobile phone

Mode Name: GIN NFC VF

Marketing Name: Vodafone Smart 861

With

Hardware Version: PIO

Software Version: 01003

FCCID: RAD305

Issued Date: 2012-08-15



No. DGA-PL-114/01-02

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT


No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcomed@emcite.com. www.emcite.com

©Copyright. All rights reserved by TMC Beijing.




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 6: Forward Surface




Picture 7: Back Surface




Picture 8: Back Surface with Headset




Picture 9: Left Side



Picture 10: Right Side



Picture 11: Top Side



Picture 12: Bottom Side